

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 1. 1894. VOL. LV.]

WEEK ENDING SATURDAY, JANUARY 6.

[Price 1½d.

*General Register Office, Somerset House,
January 8th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 22·8 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.		Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.
Birkenhead	25·6	23·1	28·6	23·7	Liverpool	31·8	31·6	26·3	26·0
Birmingham	21·2	26·8	21·3	24·7	London	29·1	26·3	23·3	24·5
Blackburn	24·0	13·5	16·4	19·1	Manchester	27·6	22·8	24·9	22·6
Bolton	24·9	24·0	20·0	16·7	Newcastle-on-Tyne	21·2	19·1	20·4	19·1
Bradford	22·1	18·6	23·3	21·0	Norwich	16·0	18·0	20·5	37·0
Brighton	21·2	19·0	27·0	23·3	Nottingham	31·9	24·4	20·8	23·3
Bristol	36·4	33·6	24·6	21·4	Oldham	22·9	16·8	22·9	21·4
Burnley	20·1	27·3	22·9	26·5	Plymouth	21·6	41·5	49·3	40·3
Cardiff	21·2	19·8	24·9	20·3	Portsmouth	20·3	24·6	17·1	17·7
Croydon	24·9	23·0	20·1	15·8	Preston	23·7	19·4	15·6	18·3
Derby	30·5	19·3	20·4	17·9	Salford	19·7	24·4	21·3	22·5
Gateshead	18·9	14·9	18·3	19·0	Sheffield	27·0	23·9	20·0	17·9
Halifax	17·0	22·1	23·8	11·2	Sunderland	19·0	22·1	25·2	21·1
Huddersfield	22·4	26·2	19·2	14·8	Swansea	26·7	26·7	17·8	18·0
Hull	24·7	24·2	22·7	23·5	West Ham	25·0	19·3	18·1	25·8
Leeds	23·6	17·5	20·6	16·9	Wolverhampton	19·2	35·3	17·9	19·6
Leicester	29·4	22·6	16·7	15·2					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·4 in Leicester, 1·5 in Salford, 2·0 in Birkenhead, and 2·2 in Burnley; from *whooping-cough*, 1·6 in Derby, 1·7 in Gateshead, 1·8 in West Ham, 3·0 in Birkenhead, and 3·6 in Plymouth; and from "*fever*," 1·1 in Sunderland. The death-rates from *scarlet fever* and *diarrhoea* did not reach 1·0 per 1000 in any of the thirty-three towns. The 89 deaths from *diphtheria* included 66 in London, 4 in Manchester, 3 in Liverpool, and 2 in Croydon, Cardiff, and Gateshead respectively. Six deaths from *small-pox* were registered in Birmingham, 3 in Bradford, 2 in London, and 2 in Oldham, but not one death in any other of the thirty-three towns.

LONDON.

In LONDON† 2486 BIRTHS and 2040 DEATHS were registered. Allowing for increase of population, the births were 487, and the deaths 202, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

per 1000 from all causes, which had been 29·1, 26·3, and 23·3 in the preceding three weeks, rose last week to 24·5. During the four weeks ending on Saturday last the death-rate averaged 25·8 per 1000, being 1·9 per 1000 above the mean rate in the corresponding periods of the ten years 1884-93.

The 2040 deaths included 2 from small-pox, 60 from measles, 35 from scarlet fever, 66 from diphtheria, 81 from whooping-cough, 10 from enteric fever, 9 from diarrhoea and dysentery, and not one from typhus, ill-defined forms of continued fever, or cholera; thus, 263 deaths were referred to these diseases, being 37 above the corrected average weekly number.

Two deaths from *small-pox* were registered, the corrected average being 4. The numbers of cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and in the Highgate Small-pox Hospital were 86 and 8 respectively, making a total of 94, against 118, 100, and 93 in the preceding three weeks; 15 cases were admitted during the week, against 23 and 14 in the preceding two weeks. The deaths from *measles*, which had been 45, 49, and 49 in the preceding three weeks, rose last week to 60, but were 6 below the corrected average. The deaths from *scarlet fever*, which had been 29, 32, and 27 in the preceding three weeks, rose again last week to 35, exceeding the corrected average by 14. The Metropolitan Asylum and London Fever Hospitals* contained 2855 scarlet fever patients at the end of last week, against 3102, 2993, and 2988 on the preceding three Saturdays; 210 cases were admitted during the week, against 285 and 262 in the preceding two weeks. The deaths from *diphtheria*, which had numbered 85, 63, and 79 in the preceding three weeks, declined last week to 66, being, however, 38 above the corrected average; 6 belonged to Poplar sanitary area. The Metropolitan Asylum Hospitals* contained 289 diphtheria patients at the end of last week, against 298, 298, and 283 on the preceding three Saturdays; 64 cases were admitted during the week, against 71 and 43 in the preceding two weeks. The deaths from *whooping-cough*, which had been 67, 74, and 67 in the preceding three weeks, rose last week to 81, exceeding the corrected average by one. The fatal cases of *enteric fever*, which had been 21, 24, and 17 in the preceding three weeks, further declined last week to 10, being 4 below the corrected average. The Metropolitan Asylum Hospitals contained 97 cases of enteric fever and not one of typhus on Saturday last; 11 cases of enteric fever were admitted during the week, against 24 and 12 in the preceding two weeks. The deaths from *diarrhoea*, which had been 23, 15, and 7 in the preceding three weeks, numbered 9 last week, and were 3 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 711, 635, and 516 in the preceding three weeks, rose again to 566 last week, but were 184 below the corrected average.

The deaths attributed directly to *influenza* numbered 87, having been 164, 147, and 108 in the preceding three weeks.

Different forms of violence caused 77 deaths, concerning all but 2 of which inquests were held. Of these 77 deaths, 9 were cases of suicide, and 3 of homicide, while the remaining 65 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 11 to burns and scalds, and 15 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3363 births and 2614 deaths were registered, corresponding to annual rates of 29·5 and 22·9 per 1000 of the estimated population. In the Outer Ring, 8 deaths from measles, 5 from scarlet fever, 13 from diphtheria, 22 from whooping-cough, and 5 from "fever" were recorded. The 13 deaths from diphtheria included 4 in Bromley district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·98 inches, and that of the Thermometer 26°·5, the latter being 12°·0 below the week's average in the 50 years 1841-90. The lowest temperature recorded was 12°·8 on Friday, on which day the highest reading did not exceed 19°·0. The direction of the wind was variable, the horizontal movement of the air being 4 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 3·4 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE A.—BIRTHS, DEATHS, AND METEOROLOGY, IN 55 GREAT TOWNS, DURING THE YEAR ENDING 6TH JAN. 1894.

CITIES AND BOROUGHS.	POPULATION estimated to the middle of the year 1894.*	Registered during the Week ending 6th Jan. 1894.			Deaths during the Week										TEMPERATURE OF THE AIR.										RAINFALL.		CITIES AND BOROUGHS.
		BIRTHS.	DEATHS.	Deaths of 1 Year of Age.	Deaths from										Mean.					Inches.							
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Causes.	From Diseases in Colo. 6-12.	Highest.	Lowest.	Fahrenheit.	Centigrade.	In Inches.	In Centi- meters.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.		
33 TOWNS	10,453,442	6117	4567	1126	1105	13	102	50	89	166	43	32	167	365	811	92	22.8	2.5	44.6	8.3	28.9	-1.72	0.24	0.61	- 33 TOWNS.		
LONDON	4,340,166	2486	2040	444	502	2	60	35	66	81	10	9	77	184	474	22	24.5	3.2	37.7	12.8	26.5	-3.06	0.56	1.42	LONDON.		
WEST HAM	238,184	182	118	20	21		4	1	1	8			2	4	8	4	25.8	2.8							WEST HAM.		
CROYDON	111,921	42	34	7	10				2	2	1	1		2	7		15.8								CROYDON.		
BRIGHTON	118,715	44	53	6	23				1	2				5	8		23.3	1.3	39.4	13.2	29.7	-1.28	0.45	1.14	BRIGHTON.		
PLYMOUTH	170,673	87	78	14	18		1			1				4	19		17.7	0.6	40.5	14.0	27.8	-2.33	0.12	0.30	PLYMOUTH.		
PORTSMOUTH	87,931	54	68	25	21		1			6	1			1	3	1	40.3	4.2							PORTSMOUTH.		
PLYMOUTH	87,931	54	68	25	21		1			6	1			1	3	1	40.3	4.2							PLYMOUTH.		
BRISTOL	226,378	131	93	32	28		1			6				2	5	4	20.3	2.1							BRISTOL.		
CARDIFF	143,800	101	58	12	12		2		2	2				2	4		18.0								CARDIFF.		
SWANSEA	93,519	56	33	12	7									1	4	3	1	18.0								SWANSEA.	
WOLVERHAMPTON	85,636	58	32	9	8		1		1					2	5	10		19.6	1.2	42.9	8.3	27.7	-2.39	0.15	0.38	WOLVERHAMPTON.	
BIRMINGHAM	492,301	321	233	77	45	6	1			6	1	3	15	9	41	11		24.7	1.8							BIRMINGHAM.	
NORWICH	105,645	52	75	17	32		2		1	2	1			1	3	6		37.0	3.0	40.0	12.8	28.7	-1.83	0.34	0.86	NORWICH.	
LEICESTER	189,136	109	55	17	14		5				1			1	3	6		15.2	1.7							LEICESTER.	
NOTTINGHAM	223,384	131	100	25	26		1	3	1	3	2	1	6	10	9			23.3	2.6	42.8	11.3	28.8	-1.78	0.10	0.25	NOTTINGHAM.	
DERBY	98,796	53	34	11	9					3				1	6			17.9	1.6							DERBY.	
BIRKENHEAD	105,627	55	48	16	10		4		1	6				1	5	4		23.7	5.4							BIRKENHEAD.	
LIVERPOOL	567,230	329	253	61	51		3	6	3	4	6	3	15	19	58	18		25.0	2.6	44.6	12.6	29.3	-1.50	0.02	0.05	LIVERPOOL.	
BOLTON	118,303	71	38	17	10				1			1		1	2	3		16.7	0.9							BOLTON.	
MANCHESTER	520,211	303	225	54	52		2		4	9	3	5	7	24	40			22.6	2.3							MANCHESTER.	
SALFORD	205,858	137	89	27	9		6	1		4	3	2	4	5	12	5		22.5	4.1							SALFORD.	
OLDHAM	128,755	62	27	17	12		2			2				5	7	1		21.4	2.3							OLDHAM.	
BURNLEY	96,478	66	49	13	10		4			1			1	2	3	2		26.5	3.2							BURNLEY.	
BLACKBURN	123,797	66	46	46	14		2				1			3	2			19.1	1.2							BLACKBURN.	
PRESTON	111,425	78	39	10	8				1			1	1		4	3		18.3	1.4	44.0	17.0	32.9	0.50	0.08	0.20	PRESTON.	
HUDDERSFIELD	98,511	50	28	19	6					1				2	2	4		14.8	0.5							HUDDERSFIELD.	
HALIFAX	52,861	48	20	5	5									1	1	1		11.2								HALIFAX.	
BRADFORD	223,985	110	40	15	20	3		1		4	2	2	3	5	15	1		21.0	2.8	44.6	10.2	31.6	-0.22	0.24	0.61	BRADFORD.	
LEEDS	388,761	224	126	32	33				1	4	2		6	15	19			16.9	0.9							LEEDS.	
SHEFFIELD	338,516	162	116	34	27		1			2	2		4	9	14	6		17.9	0.8							SHEFFIELD.	
HULL	212,679	122	46	22	26			3	1	3	2	1	3	7	12	7		23.5	2.5	42.0	10.0	29.3	-1.50	0.49	1.24	HULL.	
SUNDERLAND	136,101	99	55	13	11				1	3	2	1	3	2	1	6	4		21.1	2.3							SUNDERLAND.
GATESHEAD	56,572	69	34	11	8					3	1				3	2		19.0	3.4							GATESHEAD.	
NEWCASTLE	201,947	119	74	26	17									4	8	9		19.1								NEWCASTLE.	

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the First Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2926	2316	2653	2804	2845	2355	2961	2817	2911	2577	2972·6	2486
Males	1503	1415	1335	1366	1484	1481	1516	1420	1479	1311	1510·3	1306
Females	1423	1407	1318	1438	1361	1374	1445	1397	1432	1266	1462·3	1180
TOTAL Deaths	1663	1956	1784	2127	1868	1734	2371	2505	2679	2509	2242·3	2040
Males	844	945	916	1023	944	905	1202	1221	1248	1221	1101·9	1003
Females	819	1011	868	1104	924	879	1169	1284	1431	1288	1137·4	1037

* The numbers in this column are the average weekly numbers in the first weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.
TOTAL Births	2434	2559	2590	2452	2659	2430	2529	2405	2466	2474	2378	2106	2486
TOTAL Deaths	1477	1554	1487	1695	1769	2016	2190	2235	2556	2400	2170	1920	2040
Ages at Death													
{ 0-20 years	678	749	676	806	915	966	964	983	1059	1012	915	852	924
{ 20-40 "	219	238	228	239	207	272	287	285	329	253	261	254	244
{ 40-60 "	247	267	263	290	269	303	372	368	465	445	366	325	370
{ 60-80 "	276	257	275	311	316	399	454	478	568	556	503	414	410
{ 80 years & upwards	57	43	45	49	62	71	113	121	135	133	125	75	92
Under 1 year	332	356	333	412	423	459	480	511	527	483	439	401	444
{ 1-5	228	243	225	265	319	363	318	342	383	372	338	315	347
{ 5-20	118	150	118	129	173	144	136	130	149	157	118	136	133
Deaths from													
Small-pox	2	-	2	1	2	1	3	-	4	2	1	-	2
" Measles	22	20	16	33	42	48	31	39	34	45	49	49	60
" Scarlet fever	34	40	33	43	47	37	42	34	30	29	32	27	35
" Diphtheria	86	84	83	88	103	91	90	74	89	85	63	79	66
" Whooping-cough	24	35	28	28	37	44	45	48	59	67	74	67	81
" Typhus	-	-	-	-	-	-	1	-	-	-	-	-	-
" Enteric fever	21	18	18	17	16	21	24	25	33	21	24	17	10
" Simple Cont'd fever	-	1	1	1	1	-	1	-	1	-	-	1	-
" Diarrhoea and Dysentery	40	44	27	23	7	22	15	11	11	23	15	7	9
" Cholera	1	3	-	-	-	-	-	-	-	-	-	-	-
" all the above-mentioned Diseases	230	245	203	234	255	264	252	231	261	272	258	247	263
Dis. of Respiratory System	235	277	271	369	410	615	669	737	841	711	635	516	566
{ Phthisis	166	168	148	174	163	174	166	163	212	196	161	164	179
{ Dis. of Circulatory System	111	132	135	129	135	133	175	165	177	149	136	130	157
Violent Deaths	55	62	61	73	53	63	52	68	72	60	65	65	77
Inquest Cases	122	129	131	147	147	172	153	161	201	169	166	144	184
Deaths in Public Institutions	463	416	433	474	445	499	548	523	637	600	555	456	474
TEMPERATURE OF THE AIR													
Mean	52·6	55·0	49·3	44·9	40·3	41·1	39·2	40·9	40·9	43·7	41·7	40·3	26·5
Mean of Highest readings	61·5	62·1	55·6	52·2	45·1	46·5	43·9	47·0	46·0	49·7	46·6	44·6	30·1
Mean of Lowest readings	45·3	48·9	42·7	37·6	35·1	35·4	34·4	35·8	34·4	35·0	36·4	35·6	22·0
Humidity of the Air	84	84	78	83	80	88	82	83	83	84	89	90	77
Rain-fall in inches	2·20	1·04	0·30	0·32	0·02	1·01	0·22	0·38	0·36	0·86	0·69	0·16	0·56
Registered Sunshine (in hours)	23·0	17·1	11·0	13·1	10·9	13·6	4·9	4·6	6·7	2·5	8·2	3·6	3·4

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met.Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandborough, Esq., F.R.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

Deaths from different Causes.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIRST Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 1st Week of the 10 years 1884-93.*	In the Week ending Saturday, 6th January 1894.										CAUSES OF DEATH.	Corrected Averages for the 1st Week of the 10 years 1884-93.*	In the Week ending Saturday, 6th January 1894.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.				
ALL CAUSES - -	2242.3	2040	444	347	133	244	370	410	92		Diseases of Organs of Special Sense - -	3.0	3	1	2	-	-	-	-	-	-		
Small-pox { Vaccinated† - -	0.4	-	-	-	-	-	-	-	-		Diseases of Circulatory System - -	191.2	187	-	2	13	17	53	59	3			
Unvaccinated - -	2.3	2	-	-	-	2	-	-	-														
No Statement - -	1.5	-	-	-	-	-	-	-	-														
Measles - -	65.5	60	12	43	5	-	-	-	-		Croup - - - -	13.7	4	2	2	-	-	-	-	-			
Scarlet Fever - -	20.6	35	1	23	12	-	-	-	-		Bronchitis - - -	495.4	342	80	59	6	13	49	103	29			
Typhus - -	0.1	-	-	-	-	-	-	-	-		Pneumonia - - -	169.1	169	50	53	8	13	18	19	1			
Relapsing Fever - -	-	-	-	-	-	-	-	-	-		Pleurisy - - - -	9.3	8	-	-	1	3	3	1	-			
Influenza - -	11.6	57	9	4	5	13	26	27	4		Other Diseases of Respiratory System - -	61.5	42	11	5	3	6	9	6	3			
Whooping-cough - -	79.6	81	29	49	3	-	-	-	-														
Diphtheria - -	28.0	66	4	37	22	3	-	-	-		Dentition - - -	14.1	10	6	4	-	-	-	-	-			
Simple Continued and Ill-defined Fever - -	1.2	-	-	-	-	-	-	-	-		Quinsy, Sore Throat - -	1.7	2	-	1	-	-	1	-	-			
Enteric Fever - -	14.0	10	-	-	4	5	-	1	-		Enteritis - - - -	7.4	18	5	2	2	3	3	3	-			
Cholera and Chol. Diarr. - -	0.1	-	-	-	-	-	-	-	-		Peritonitis - - -	7.6	5	-	-	2	2	1	-	-			
Diarrhoea, Dysentery - -	12.5	9	3	1	-	-	1	3	1		Diseases of Liver - -	27.2	35	1	-	-	1	13	14	1			
Remittent Fever - -	-	-	-	-	-	-	-	-	-		Other Diseases of Digestive System - -	33.1	31	11	1	2	3	6	7	1			
Hydrophobia - -	-	-	-	-	-	-	-	-	-														
Glanders - -	0.1	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands - -	1.8	3	-	-	-	1	2	-	-			
Cowpox and Effects of Vaccination - -	-	-	-	-	-	-	-	-	-		Diseases of Urinary System - - - -	51.1	42	-	3	2	4	15	14	4			
Venerical Affections - -	10.2	7	5	-	-	1	1	-	-														
Erysipelas - -	6.9	10	1	-	-	1	1	7	-		Diseases of Generative System - -	4.9	7	-	1	-	1	3	2	-			
Pyæmia and Septicæmia - -	3.2	4	-	-	-	2	2	-	-		Accidents of Childbirth - -	5.5	6	-	-	-	4	2	-	-			
Puerperal Fever - -	9.1	7	-	-	-	7	-	-	-														
Other Zymotic Diseases - -	2.3	-	-	-	-	-	-	-	-		Diseases of Locomotive System - -	7.9	6	-	1	-	2	3	-	-			
Thrush - -	0.9	-	-	-	-	-	-	-	-														
Worms and other Parasitical Diseases - -	0.2	-	-	-	-	-	-	-	-		Diseases of Integumentary System - -	4.9	4	1	-	-	-	1	1	1			
Starvation, Want of Breast-milk - -	1.9	-	-	-	-	-	-	-	-														
Alcoholism - -	9.6	14	-	-	-	7	5	2	-		VIOLENT DEATHS.†												
											(ACCIDENT.)												
Rheumatic Fever, Rheumatism of Heart - -	10.1	6	-	-	2	2	2	-	-		By Railways - - -		2	-	-	-	1	-	1	-			
Rheumatism - -	3.4	1	-	-	-	-	-	1	-		By Vehicles or Horses - -		5	-	1	-	2	2	-	-			
Gout - -	4.3	2	-	-	-	-	-	1	1		In Ships, Boats, Docks (exclusive of Drowning) - -		-	-	-	-	-	-	-				
Rickets - -	3.9	3	2	1	-	-	-	-	-		In Building Operations - -		-	-	-	-	-	-	-				
Cancer - -	59.6	64	-	-	-	11	28	24	1		In Conflagrations - -		1	-	1	-	-	-	-				
Tabes Mesenterica - -	21.5	24	17	5	-	1	1	-	-		By Burns, Scalds, Explosions - -	69.1	11	1	7	2	1	-	-				
Tubercular Meningitis - -	23.6	16	5	5	1	-	-	-	-		By Drowning - - -		3	-	-	-	3	-	-				
Phthisis - -	196.5	179	2	13	13	76	61	11	-		By Suffocation in Bed - -		15	15	-	-	-	-	-				
Serofula, Tuberculos - -	15.2	8	4	3	-	1	-	-	-		By Poisons or Poisonous Vapours - -		3	-	2	-	1	-	-				
Other Constitutional Diseases - -	13.3	19	-	-	1	6	4	7	1		Other or [not stated] Causes - - - -		25	5	1	1	3	8	5	2			
Premature Birth - -	49.0	56	56	-	-	-	-	-	-		(VIOLENCE OTHER THAN ACCIDENTAL.)												
Atelectasis - -	3.0	6	6	-	-	-	-	-	-		Homicide - - - -	1.6	3	3	-	-	-	-	-				
Congenital Malformations - -	8.4	9	7	2	-	-	-	-	-		Suicide - - - -	8.3	9	-	-	-	5	3	1	-			
Old Age - -	71.8	66	-	-	-	-	32	34	-		Execution - - -	0.1	-	-	-	-	-	-	-				
Apoplexy - -	56.0	41	1	-	2	10	25	3	-		OTHER CAUSES - -	65.2	53	51	3	1	-	-	2	-			
Epilepsy - -	7.5	5	-	3	2	-	-	-	-														
Convulsions - -	40.2	32	32	2	-	-	-	-	-														
Other Diseases of Brain and Nervous System - -	108.0	81	7	7	10	11	13	27	1														

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1891.	The DEATHS registered in the Week include													
		Total Births.	Total Deaths.	Deaths of		Deaths from									
				Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.
LONDON	4,211,743	2486	2040	444	502	2	60	35	66	81	-	10	-	9	77
WEST DISTRICTS	740,735	353	342	68	97	-	5	7	8	8	-	4	-	1	7
NORTH DISTRICTS	993,884	538	480	100	124	-	21	5	20	13	-	-	-	2	17
CENTRAL DISTRICTS	247,538	139	139	38	23	-	6	-	2	6	-	-	-	-	11
EAST DISTRICTS	705,114	509	347	83	73	-	13	7	10	19	-	-	-	1	19
SOUTH DISTRICTS	1,534,472	899	704	150	176	-	12	11	26	35	-	6	-	5	23
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	28	-	9	2	-	5	-	-	-	-	-	-	-
WEST DISTRICTS.															
St. Mary Paddington <i>WHH</i> G.J. & W.M.	84159	59	29	8	5	-	2	1	1	2	-	-	-	-	-
St. John Paddington <i>H</i> - G.J.	33987	7	17	2	7	-	-	-	1	-	-	1	-	1	1
Kensington Town <i>Ww</i> - W.M.	118751	56	73	14	17	-	2	1	1	3	-	-	-	1	6
Brompton <i>H</i> - W.M. & C.	47557	10	16	1	5	-	-	-	-	-	-	1	-	-	26
S. Peter Hammersmith - W.M.	8586	2	4	1	-	-	-	-	1	-	-	-	-	-	3
St. Paul Hammersmith <i>H</i> W.M. & G.J.	33633	49	34	11	7	-	-	5	2	1	-	1	-	3	3
Fulham <i>Ww</i> - W.M. & C.	91639	73	40	11	9	-	-	-	2	1	-	1	-	1	19
Chelsea Kensal Town - C.	21787	18	6	2	2	-	-	-	-	-	-	-	-	1	2
Chelsea North <i>WHHHH</i> - C.	41037	15	24	-	10	-	-	-	-	-	-	-	-	1	11
Chelsea South <i>HH</i> - C.	92829	13	17	6	4	-	-	-	-	1	-	-	-	2	1
May Fair <i>W</i> - G.J.	23733	12	11	1	7	-	-	-	-	-	-	1	-	-	6
Belgrave <i>WHHH</i> - C.	34681	17	23	5	8	-	-	-	-	-	-	-	-	-	1
St. John Westminster <i>HHH</i> - C.	34106	12	12	2	6	-	-	-	-	-	-	-	-	-	8
St. Margaret Westminster <i>H</i> - C.	21668	3	13	3	3	-	-	-	-	-	-	-	-	-	4
St. James Westminster <i>WHH</i> N.R. & G.J.	24995	6	12	2	6	-	1	-	-	-	-	-	-	-	3
St. Anne Soho <i>HHHHH</i> - N.R.	12317	1	3	1	1	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.															
All Souls Marylebone <i>W</i> - W.M.	37713	10	21	3	6	-	2	-	-	-	-	-	-	1	2
Rectory Marylebone <i>W</i> - G.J. & W.M.	20024	14	11	1	3	-	1	-	-	-	-	-	-	1	3
St. Mary Marylebone <i>HHHH</i> G.J. & W.M.	19239	21	4	2	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone <i>H</i> - W.M.	33327	20	18	6	2	-	3	-	-	-	-	-	-	2	5
St. John Marylebone <i>H</i> - W.M.	32101	15	15	4	3	-	-	-	-	-	-	-	-	-	-
Hampstead <i>WwHHHH</i> N.R. & W.M.	68416	24	20	2	5	-	1	5	-	-	-	-	-	2	2
Regent's Park Pancras <i>HH</i> - W.M.	36590	25	25	5	9	-	-	-	-	-	-	-	-	-	5
Tottenham-court <i>WHHHH</i> N.R. & W.M.	26321	9	19	3	3	-	1	-	2	-	-	-	-	1	2
Gray's Inn Lane <i>HHH</i> - N.R.	27453	24	9	2	3	-	-	-	-	-	-	-	-	1	2
Doctors Town <i>HH</i> - N.R.	32829	24	16	2	3	-	1	-	-	-	-	-	-	1	4
Camden Town <i>WH</i> - N.R.	15419	16	14	2	5	-	1	-	1	1	-	-	-	2	4
Cavendish Town <i>W</i> - N.R.	95765	47	42	7	11	-	1	-	1	1	-	-	-	2	1
Upper Holloway <i>WWHHH</i> - N.R.	90235	51	75	8	33	-	1	-	-	-	-	1	-	1	30
Islington South-west <i>H</i> - N.R.	105557	69	38	12	3	-	3	1	3	2	-	1	-	1	2
Islington South-east <i>H</i> - N.R.	64153	36	21	7	6	-	-	-	2	1	-	-	-	2	3
Highbury <i>HH</i> - N.R.	59193	46	19	5	2	-	1	-	-	1	-	-	-	-	-
Stoke Newington <i>H</i> - N.R.	30936	17	11	1	1	-	-	-	-	-	-	-	-	-	1
Stamford Hill - E.L.	17759	2	6	3	1	-	-	-	-	-	-	-	-	-	-
West Hackney <i>H</i> - N.R.	42902	34	13	5	3	-	4	-	-	-	-	-	-	1	2
Hackney <i>WwHH</i> - E.L. & N.R.	96486	54	59	14	12	-	4	3	7	4	-	-	-	1	2
South Hackney <i>W</i> - E.L.	41759	32	24	6	6	-	-	-	1	1	-	-	-	1	1
CENTRAL DISTRICTS.															
St. George Bloomsbury - N.R.	16695	6	9	3	2	-	-	-	-	-	-	-	-	1	2
St. Giles South <i>WH</i> - N.R.	13454	6	11	2	2	-	-	-	-	1	-	-	-	-	2
St. Giles North <i>H</i> - N.R.	9638	6	1	-	-	-	-	-	-	1	-	-	-	-	6
St. Martin-in-the-Fields <i>HHN</i> R. & C.	14616	2	4	1	-	-	-	-	-	-	-	-	-	-	-
St. Mary-le-Strand <i>H</i> - N.R.	6706	5	4	1	1	-	-	-	-	-	-	-	-	2	2
St. Clement Dances <i>WH</i> - N.R.	7194	1	7	3	-	-	-	-	-	-	-	-	-	2	1
Strand Union Workhouse, Edmonton <i>W</i> .	-	-	3	1	-	-	-	-	-	-	-	-	-	2	5
St. Geo.-the-Martyr <i>HHHHHH</i> N.R.	17921	9	21	7	1	-	4	-	-	1	-	-	-	1	2
St. Andrew Eastern <i>W</i> - N.R.	15343	8	6	3	1	-	-	-	-	-	-	-	-	-	7
St. James Clerkenwell - N.R.	16803	8	9	2	1	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - N.R.	16833	1	7	2	2	-	-	-	1	-	-	-	-	-	3
Pentonville - N.R.	17155	15	7	4	2	-	-	-	-	-	-	-	-	-	-
Goosewell-street - N.R.	15375	10	7	2	2	-	-	-	-	-	-	-	-	1	1
City-road <i>HHHL</i> - N.R.	29177	41	15	4	4	-	1	-	-	1	-	-	-	1	1
Whitecross-street - N.R.	8278	6	3	-	-	-	1	-	-	1	-	-	-	1	2
Finsbury - N.R.	4985	-	3	1	1	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham <i>W</i> .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph <i>H</i> - N.R. & E.L.	8944	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4539	1	2	1	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre <i>H</i> - N.R.	4444	4	16	1	4	-	-	-	-	-	-	-	-	2	1
St. Bride <i>W</i> - N.R.	6594	-	-	-	-	-	-	-	1	-	-	-	-	1	15
Alhambra Barking - N.R.	10422	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street <i>H</i> - N.R.	3377	1	1	-	1	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse; *H*—Hospital; *L*—Lunatic Asylum; *Z*—Private Lunatic Asylum in which paupers are received; *Ww*—Workhouse/Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L. East London; and K. the Kent Company.

• On the 1st September the sub-districts of All Souls and Cavendish Square were amalgamated under the name of All Souls sub-district.

		The DEATHS registered in the Week include																			
REGISTRATION		Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Inquest Cases,	Deaths in Public Institutions,	Uncertified Causes of Death.
SUB-DISTRICTS.					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarries.	Violence.					
EAST DISTRICTS.																					
High South	HL	E.L. & N.R.	20098	5	9	1	4	-	-	-	1	1	-	-	-	-	3				
New Town	W	- N.R.	23813	16	13	1	4	-	1	-	1	1	-	-	-	-	-				
Old Town	-	- N.R.	28354	34	7	3	-	-	-	-	-	-	-	-	1	13	-				
Easton	WH	- N.R. & E.L.	46244	32	35	13	10	-	1	1	-	-	-	-	-	-	-				
Green North	H	- E.L.	51290	38	21	5	4	-	-	1	1	-	-	-	1	8	-				
Green South	-	- E.L.	33489	30	20	6	2	-	5	-	1	1	-	-	2	6	-				
Green East	WHL	- E.L.	44123	35	22	4	7	-	-	-	-	-	-	-	2	2	13				
Fields	-	E. N.R.	22456	11	12	2	5	-	1	-	-	-	-	-	-	-	-				
End New Town	W	- E.L.	17908	13	16	2	3	-	1	-	-	-	-	-	2	8	-				
Chapel Church	H	E.L. & N.R.	20293	17	23	1	2	-	-	1	1	-	-	-	6	7	19				
Man's Fields	-	- E.L.	18800	11	5	2	1	-	-	1	-	-	-	-	1	1	-				
George's North	-	- E.L.	37738	27	13	6	-	-	1	-	-	2	-	-	2	4	8				
John, St. George East	W	- E.L.	8037	3	13	1	6	-	-	-	-	-	-	-	2	4	-				
Well	H	- E.L. & N.R.	10246	3	10	4	-	-	-	1	1	-	-	-	-	2	5				
W	-	- E.L.	14923	11	6	2	2	-	-	-	-	-	-	-	1	1	-				
House	-	- E.L.	32202	32	12	5	1	-	-	-	2	-	-	-	4	-	-				
End Old Town West	H	- E.L.	38650	28	14	4	2	-	-	1	-	-	-	-	-	1	-				
End Old Town East	W & H	- E.L.	68942	47	22	5	4	-	1	1	-	-	1	-	-	4	2				
L	-	- E.L.	40625	30	13	2	3	-	-	2	1	2	-	-	2	2	-				
W	-	- E.L.	70000	53	39	12	10	-	1	1	-	-	-	-	2	2	18				
W	-	- E.L.	56383	41	22	7	3	-	2	1	-	-	-	-	3	6	-				
SOUTH DISTRICTS.																					
Church Southwark	WH	L. & S.	13264	8	3	-	1	-	-	-	-	-	-	-	-	1	-				
Avonmouth Southwark	-	- S.	18913	8	5	2	3	-	-	-	-	-	-	-	-	-	2				
Road	-	- S. & L.	21867	18	8	3	3	-	-	-	-	-	-	-	-	-	-				
High-road WH	-	- S. & L.	16624	9	10	3	3	-	-	1	-	-	-	-	1	1	5				
Low-road HL	-	- L. & S.	21221	10	11	2	2	-	1	-	-	-	-	-	-	-	1				
St. Newington	-	- S. & L.	36349	17	11	2	2	-	1	-	-	-	-	-	-	-	-				
Peter Walworth	W	- S. & L.	61342	37	26	13	2	-	-	-	-	11	-	1	-	-	-				
Ferry Newington	-	- L. & S.	27866	22	12	5	-	-	2	-	-	1	-	-	-	-	-				
Clave WH	-	- S.	12723	2	21	1	1	-	-	-	-	1	-	-	3	5	16				
Ferry Market	-	- S. & L.	14952	17	11	5	2	-	-	1	1	-	-	-	-	1	3				
Ferry Magdalen	W	- S.	15660	13	6	1	-	-	-	-	-	-	-	-	-	1	1				
James Bermondsey	-	- S.	54070	19	32	9	10	-	-	3	-	1	-	-	1	3	-				
Ferry the WH	-	- S. & K.	39255	29	17	5	4	-	-	-	-	-	-	1	5	4	1				
Clave-road 1st	H	- L. & S.	14031	13	6	1	1	-	-	-	-	-	-	-	1	2	-				
Clave-road 2nd	H	- L. & S.	14644	24	12	3	1	-	1	-	-	-	-	-	-	1	-				
Clave Church 1st	H	- L. & S.	18075	7	12	3	-	-	1	-	-	-	-	-	4	5	8				
Clave Church 2nd	W & H	- L. & S.	38087	27	36	6	8	-	1	-	-	1	-	1	1	1	17				
Clave Church 2nd	W & H	- S. & L.	60586	34	23	4	10	-	1	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- S. & L.	39708	14	11	3	9	-	-	-	-	2	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3	9	-	-	-	-	-	-	-	-	-	-				
Clave Church 2nd	H	- L. & S.	39708	14	11	3															

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS). AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 6th January, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lation. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of		Deaths from														
						Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded causes.				
LONDON—OUTER RING						368,749	1,422,063	877	574	150	151	-	8	5	13	22	5	4	15	36	49	1
30:1	Carshalton WHH -	12228	26108	6	8	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
2	Epsom, part of * WHH -	10423	12508	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
37:1	Godstone, part of * W -	2754	1598	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33:1	Croydon WHH -	20851	128699	52	38	7	11	-	-	-	1	2	2	1	1	-	-	-	2	8	-	-
2	Mitcham w -	11697	23088	10	12	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39:1	Wimbledon HHH -	3220	25761	18	11	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston WHH -	8071	44765	21	19	1	9	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
3	Esher, part of * -	6801	12059	10	4	-	2	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-
4	Hampton H -	4535	18352	8	8	4	2	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
40:1	Richmond WH -	2160	25389	11	10	3	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
2	Mortlake H -	2823	16159	8	6	1	3	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
41:1	Bromley HHH -	9127	23815	8	10	2	2	-	-	-	-	4	-	-	-	-	-	-	-	-	4	-
2	Beckenham H -	6542	21969	5	10	2	6	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
3	Chislehurst, pt. of * WHH -	14307	20372	6	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-
42:1	Bexley H -	12540	30590	19	7	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
2	Dartford Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124:1	Susbury w -	11054	13671	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines w -	18277	13221	13	3	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
125:1	Hillingdon WHH -	6035	12237	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge -	6172	5417	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes WH -	14537	12618	6	6	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
126:1	Isleworth WH -	6967	26273	13	14	2	6	-	2	-	-	-	1	-	-	-	-	-	-	-	3	-
2	Twickenham HH -	2415	16027	9	7	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
3	Brentford HHHH -	4318	37777	15	19	6	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
4	Chiswick -	1245	21963	14	7	1	3	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-
5	Aston WH -	6132	30945	14	11	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
127:1	Harrow HH -	13809	15715	8	7	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
2	Edgware H -	6934	3844	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willenden HHH -	4383	61265	56	26	7	5	-	1	-	-	-	2	-	-	-	-	-	1	-	-	-
4	Hendon W -	8532	15843	9	7	2	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
128:1	South Mimms -	15699	8471	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet WHH -	5441	11773	9	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
3	Finchley HH -	4688	25820	19	10	3	2	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
129:1	Horsey H -	8039	61027	23	22	4	8	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1
2	Tottenham H -	4642	97174	65	48	14	8	-	1	-	-	2	1	2	-	4	9	7	-	-	-	-
3	Edmonton WH -	7489	36351	22	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-
4	Enfield WHH -	12639	31803	23	12	4	5	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-
5	Waltham Abbey -	11017	6066	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Chesham H -	8436	9620	6	4	-	1	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
130:1	Hatfield, part of * -	3306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131:1	Bushey -	9331	7757	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford Work., pt. of * -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
132:1	Stratford H -	1100	42883	42	30	9	2	-	4	-	-	1	-	-	-	2	4	2	-	-	-	-
2	Plaistow HHH -	1242	56030	60	31	9	5	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
3	Canning Town H -	1558	54750	41	27	5	4	-	-	-	1	-	3	-	-	-	-	-	-	-	-	3
4	Forest Gate w -	806	49140	36	24	6	9	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1
5	East Ham WH -	326	32713	42	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Leyton WH -	4234	70188	45	35	6	9	-	-	1	1	-	-	-	-	-	-	-	-	7	1	-
7	Walthamstow HH -	6501	57330	37	17	7	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
137:1	Chigwell, part of * H -	11719	12941	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139:1	Romford, part of * W -	6556	4324	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
2	Ilford -	493	10913	13	7	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
3	Barking Town -	3814	14301	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39:2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37:1, the parishes of Warrington and Farley in Godstone sub-district; 39:3, Esher sub-district, except the parish of Esher (pop. 2382); 41:2, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135:1, the parish of Northaw in Hatfield sub-district; 137:1, Chigwell sub-district, except the parish of Theydon Bois (1079); 139:1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42:2, Dartford, 137:3, Watford, and 137:2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 6th January, 1894.

Rate of Mortality during the Week ending Saturday, 1894.																	
GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include—											
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	443,421	5,943,300	22·9	2·8	2614	594	653	2	68	40	79	103	15	13	92	523	
INNER LONDON	74,672	4,349,166	24·5	3·2	2040	411	502	2	63	33	66	81	10	9	77	474	
OUTER RING	368,749	1,599,134	18·7	1·9	574	150	151	-	8	5	13	22	5	4	15	49	

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·831 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,583	January 6	113	105	20·2	-	-	-	4	8	-	1	
GLASGOW	686,820	" 6	389	298	22·6	-	2	1	3	14	3	4	
DUBLIN	349,594	" 6	171	182	27·1	-	3	1	-	5	2	2	
CALCUTTA	466,460	November 11	-	287	32·1	-	-	-	-	2	129	48+	
MADRAS	821,764	" 18	-	267	29·8	-	1	-	-	1	126	48+	
MADRAS	821,764	December 19	283	412	26·1	-	3	-	-	-	88	27	
MADRAS	452,518	November 17	386	341	39·1	-	3	-	-	-	119	42+	
PARIS	2,424,705	December 30	1189	962	21·1	17	9	4	25*	4	6	37	
PARIS	476,862	" 30	241	150	16·0	-	-	-	2*	1	1	13	
PARIS (8 Faubourgs)	437,892	" 23	292	164	19·2	-	1	-	3	3	-	-	
AMSTERDAM	222,233	" 23	173	121	28·2	13	-	-	-	2	1	-	
THE HAGUE	169,828	" 23	122	56	17·1	-	1	-	2	1	-	-	
COPENHAGEN	334,000	" 30	207	167	26·1	-	-	7	5	-	-	4	
STOCKHOLM	249,246	" 23	168	113	23·6	-	-	3	8*	1	-	3	
CHRISTIANIA	161,151	" 30	57	53	17·1	-	-	-	2	-	-	3	
PETERSBURG	954,400	" 9	-	-	-	-	-	-	-	-	-	-	
MOSCOW	753,469	" 23	-	502	34·7	2	-	10	15	3	3	29	
BERLIN	1,714,938	" 16	865	650	20·1	-	-	10	6	39	19	1	26
AMSTERDAM (State)	634,878	" 23	467	335	19·3	-	2	3	15*	1	1	4	
BRUSSELS	308,936	November 25	197	121	20·4	-	-	-	8*	2	1	2	
BRUSSELS	353,551	December 30	-	169	25·0	-	1	1	7*	7	2	14	
PRAGUE	380,000	" 30	-	185	25·3	-	16	3	5*	-	-	23	
PRAGUE	1,435,931	" 30	-	-	-	-	-	-	1	6	1	6	
PRAGUE	827,953	" 23	198	171	26·8	-	-	1	5	1	-	4	
PRAGUE	827,953	" 30	190	164	25·7	-	2	1	11	1	2	9	
PRAGUE	539,516	" 23	374	270	26·0	-	2	-	8*	-	-	-	
PRAGUE	158,314	" 23	80	101	33·2	3	2	2	-	-	-	-	
ROME	449,739	" 2	213	178	20·6	-	2	-	-	1	8+	17+	
ROME (10 days)	535,525	November 30	-	-	-	-	-	-	-	-	-	-	
VENICE	163,601	December 23	-	-	-	-	-	-	-	-	-	-	
CAIRO	374,838	" 7	453	338	46·9	-	-	-	5*	3	10	96	
ALEXANDRIA	251,396	" 7	233	199	44·8	1	1	-	3*	1	3	46	
NEW YORK	1,875,385	" 16	-	775	21·0	3	7	6	61	13	8	17	
BROOKLYN	990,891	" 16	-	296	15·4	-	1	3	12	3	4	4	
PHILADELPHIA	1,115,562	" 16	-	491	23·0	-	2	6	22	3	10	2	
NEW ORLEANS	254,000	October 28	-	132	27·1	-	-	-	4	1	4	11	
NEW ORLEANS	254,000	November 4	-	152	31·2	-	-	-	8	-	6	14	

* Including deaths from croup.

+ Including 12 and 10 deaths, respectively, from cholera in Calcutta, one in Madras, and one in Rome.

† Including 5 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS Taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 6TH JANUARY, 1894.
[Under the Sup. intendence of the Astronomer Royal.]

1893-4.		HARO-METER.	TEMPERATURE.						Difference between the Air Temperature and Dew Point Temperature.				Degree of Humidity (Satu- ration equals 100).	TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a gauge 8 inches above the surface of the ground.				
			Of the Air.			Of the Dew Point.			Of the Air and Dew Point.		Of Radiation.	General Direction.		Pressure on the Square Foot.		Robinson's.								
			High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from average value.	Mean daily value.	Great- est.	Least.		A.M.		P.M.	Great- est.		Least.	Mean of 24 hourly obs.	Horizontal Movement of the Air on each Day.		Depar- ture from Average of the Air on each Day.	Miles.	lbs.	
MONTH AND DAY.	Phases of the Moon.	Mean reading	High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from average value.	Mean daily value.	Great- est.	Least.	Of Radiation.	A.M.	P.M.	Great- est.	Least.	Mean of 24 hourly obs.	Horizontal Movement of the Air on each Day.	Depar- ture from Average of the Air on each Day.	Miles.	lbs.	in.			
DECEMBER.																								
SUNDAY 31	..	30.305	32.8	24.6	8.2	28.3	-10.3	27.8	0.5	1.9	0.0	98	33.0	20.5	0.0	0.0	0.0	0.0	130	179	0.00	0.0		
MONDAY 1	..	30.102	37.7	31.8	5.9	35.3	-3.2	32.5	2.8	4.6	1.0	89	43.0	25.8	0.0	0.0	0.0	0.0	263	48	0.01	1.2		
TUESDAY 2	..	30.090	36.9	26.2	10.7	31.5	-7.0	28.0	3.5	9.2	0.0	86	52.0	24.2	0.0	0.0	0.0	0.0	435	122	0.04	3.8		
WEDNESDAY 3	..	30.344	29.3	25.5	3.8	27.9	-10.6	13.5	14.4	18.4	9.0	53	44.9	23.0	0.0	0.0	0.0	0.0	511	196	0.04	1.5		
THURSDAY 4	..	29.973	27.3	15.0	12.3	21.7	-16.7	10.1	11.6	15.8	5.1	59	41.5	15.0	0.0	0.0	0.0	0.0	632	316	0.25	4.5		
FRIDAY 5	Apogee, Greatest Dec. S.	29.554	19.0	12.8	6.2	15.9	-22.4	5.5	10.4	12.0	6.2	62	59.0	12.8	0.0	0.0	0.0	0.0	185	132	0.08	0.0		
SATURDAY 6	..	29.483	27.9	18.1	9.8	24.7	-13.5	22.7	2.0	7.0	0.0	91	34.9	16.8	0.0	0.0	0.0	0.0	120	197	0.14	0.0		
MEANS	29.983	30.1	22.0	8.1	26.5	-12.0	20.0	6.5	9.8	3.0	77	44.0	19.7	0.0	0.0	0.0	0.0	Sum 2276	Sum 78	Sum 0.56	1.6		
Number of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.	ELECTRICITY.	REGISTERED SUNSHINE.		SUN ABOVE HORIZON.		GENERAL REMARKS.	
		in hours.	in hours.	in hours.	in hours.		
SUNDAY 31	s. P. till afternoon; v. P. afterwards.	0.0	7.8			Hear frost and dense fog in morning; small amounts of cloud between 9. A.M. and noon; overcast and foggy afterwards.	
MONDAY 1	v. P. and v. N. in morning; s. P. afterwards.	0.0	7.9			Foggy till 2h. A.M.; overcast generally till 4h. P.M. with occasional light showers of rain and sleet; partially cloudy afterwards.	
TUESDAY 2	s. P. in morning; v. P. and v. N. afterwards.	0.5	7.9			Generally cloudy. Occasional snow showers. B. leak wind.	
WEDNESDAY 3	v. N. and v. P.	0.0	7.9			Overcast; occasional snow.	
THURSDAY 4	s. N. in morning; loss of register afterwards; discharge pipe frozen.	0.7	7.9			Overcast, with heavy snow in morning; fine and partially cloudy till 2h. P.M.; overcast afterwards with snow at night. Strong wind. Very cold.	
FRIDAY 5	Friday and Saturday, register lost discharge pipe frozen.	2.2	7.9			Overcast, with snow in early morning; cloudless and very fine between 10h. A.M. and noon; overcast, with slight snow till evening; variable at night. Very cold.	
SATURDAY 6	-	0.0	8.0			Overcast. Snow fell thickly between 3h. A.M. and 10h. A.M. Foggy at night. Very cold.	
Sum		3.4	Sum	55.3			

The height of the cistern of the barometer is 159 feet above the mean level of the sea; 20 correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 39 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The results of all the meteorological observations are to be understood as applying to the civil day, or from midnight to midnight.

The reading of the barometer decreased from 30.40 in. at the beginning of the week to 29.01 in. by 9h. A.M. on the 2nd of January; increased to 30.38 in. by noon on the 3rd; decreased to 29.48 by 9h. A.M. on the 6th; and was 29.54 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 2. 1894. VOL. LV.] WEEK ENDING SATURDAY, JANUARY 13. [Price 1½d.

General Register Office, Somerset House,
January 15th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 28·6 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.		Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.
Birkenhead	23·1	28·6	23·7	30·1	Liverpool	31·6	26·3	26·0	33·3
Birmingham	26·8	21·3	24·7	31·6	London	26·3	23·3	24·5	29·5
Blackburn	13·5	16·4	19·1	21·6	Manchester	22·8	24·9	22·6	30·8
Bolton	24·0	20·0	16·7	30·4	Newcastle-on-Tyne	19·1	20·4	19·1	20·7
Bradford	18·6	23·3	21·0	21·9	Norwich	18·0	20·5	37·0	60·2
Brighton	19·0	27·0	23·3	23·7	Nottingham	24·4	20·8	23·3	24·5
Bristol	33·6	24·6	21·4	36·6	Oldham	16·8	22·9	21·4	22·9
Burnley	27·3	22·9	26·5	33·0	Plymouth	41·5	49·3	40·3	55·7
Cardiff	19·8	24·9	20·3	24·2	Portsmouth	24·6	17·1	17·7	23·2
Croydon	23·0	20·1	15·8	26·1	Preston	19·4	15·6	18·3	28·1
Derby	19·3	20·4	17·9	22·2	Salford	24·4	21·3	22·5	27·4
Gateshead	14·9	18·3	19·0	19·5	Sheffield	23·9	20·0	17·9	24·8
Halifax	22·1	23·8	11·2	23·0	Sunderland	22·1	25·2	21·1	22·2
Huddersfield	26·2	19·2	14·8	24·9	Swansea	26·7	17·8	18·0	20·8
Hull	24·2	22·7	23·5	26·5	West Ham	19·3	18·1	25·8	23·9
Leeds	17·5	20·6	16·9	27·0	Wolverhampton	35·3	17·9	19·6	22·7
Leicester	22·6	16·7	15·2	21·2					

The highest annual death-rates, as measured by last week's mortality, were:—from *measles*, 1·3 in Salford, 1·5 in Norwich, 1·8 in Wolverhampton, and 2·0 in Birkenhead; from *scarlet fever*, 1·0 in Norwich and 1·1 in Burnley; from *whooping-cough*, 2·2 in Swansea, 2·3 in Sheffield, 2·4 in Plymouth, and 3·2 in Bristol; and from *diarrhoea* 1·0 in Salford and in Birkenhead, and 1·1 in Burnley. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 78 deaths from *diphtheria* included 55 in London, 5 in West Ham, 4 in Manchester, 3 in Cardiff, and 2 in Birkenhead, in Salford, and in Gateshead respectively. Three deaths from *small-pox* were registered in Bradford, 2 in Birmingham, and one death in London, West Ham, and Nottingham respectively, but not one in any other of the thirty-three towns.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

LONDON.

In LONDON† 2867 BIRTHS and 2462 DEATHS were registered. Allowing for increase of population, the births were 9, and the deaths 123, above the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 26·3, 23·3, and 24·5 in the preceding three weeks, rose last week to 29·5. During the four weeks ending on Saturday last the death-rate averaged 25·9 per 1000, being 0·4 per 1000 above the mean rate in the corresponding periods of the ten years 1884-93.

The 2462 deaths included one from small-pox, 65 from measles, 26 from scarlet fever, 55 from diphtheria, 107 from whooping-cough, 15 from enteric fever, one from an ill-defined form of continued fever, 12 from diarrhoea and dysentery, and not one from typhus or cholera; thus, 282 deaths were referred to these diseases, being 53 above the corrected average weekly number.

One death from *small-pox* was registered, the corrected average being 6. The numbers of cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and in the Highgate Small-pox Hospital were 82 and 6 respectively, making a total of 88, against 100, 93, and 94 in the preceding three weeks; 12 cases were admitted during the week, against 14 and 15 in the preceding two weeks. The deaths from *measles*, which had been 49, 49, and 60 in the preceding three weeks, further rose last week to 65, corresponding with the corrected average. The deaths from *scarlet fever*, which had been 32, 27, and 35 in the preceding three weeks, declined again last week to 26, being, however, 4 above the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2736 scarlet fever patients at the end of last week, against 2993, 2988, and 2855 on the preceding three Saturdays; 224 cases were admitted during the week, against 262 and 210 in the preceding two weeks. The deaths from *diphtheria*, which had numbered 63, 79, and 66 in the preceding three weeks, further declined last week to 55, but were more than double the corrected average; 5 belonged to St. George in the East, 4 to Fulham, and 4 to Greenwich sanitary areas. The Metropolitan Asylum Hospitals* contained 290 diphtheria patients at the end of last week, against 298, 283, and 289 on the preceding three Saturdays; 62 cases were admitted during the week, against 43 and 64 in the preceding two weeks. The deaths from *whooping-cough*, which had been 67 and 81 in the preceding two weeks, further rose last week to 107, exceeding the corrected average by 24. The fatal cases of *enteric fever*, which had numbered 24, 17, and 10 in the preceding three weeks, were 15 last week, and exceeded the corrected average by 2; 4 belonged to Bethnal Green sanitary area. The Metropolitan Asylum Hospitals contained 91 cases of enteric fever and not one of typhus on Saturday last; 9 cases of enteric fever were admitted during the week, against 12 and 11 in the preceding two weeks. The deaths from *diarrhoea*, which had been 7 and 9 in the preceding two weeks, further rose last week to 12, but were one below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 635, 516, and 566 in the preceding three weeks, increased to 762 last week, and were 41 above the corrected average.

The deaths attributed directly to *influenza* numbered 75, having been 147, 108, and 87 in the preceding three weeks.

Different forms of violence caused 92 deaths, concerning all but 2 of which inquests were held. Of these 92 deaths, 8 were cases of suicide, while the remaining 84 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 4 to conflagrations, 18 to burns and scalds, and 24 (including 22 of infants under one year of age) to suffocation in bed.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

DEATHS BELONGING to the SEVERAL SANITARY AREAS of REGISTRATION LONDON
registered in the 13 WEEKS ENDING on 30TH DECEMBER, 1893.

SANITARY AREAS.	Total Deaths from all Causes.	Deaths from Principal Zymotic Diseases.									Deaths of Infants under 1 Year of Age.	Deaths under 1 Year of Age to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and modified Fever.	Diarrhoea.		
REGISTRATION LONDON	24,578	18	446	403	1065	583	1	258	7	295	5509	172
WEST.												
Paddington - - - - -	597	-	12	14	26	12	-	10	-	4	100	143
Kensington - - - - -	863	5	15	13	28	21	-	13	-	13	121	172
Hammer-smith - - - - -	513	-	3	9	15	13	-	-	2	7	123	176
Fulham - - - - -	512	1	-	9	28	12	-	9	-	14	137	153
Chelsea - - - - -	498	1	4	5	22	6	-	6	1	8	84	130
St. George Hanover Square - - - - -	327	-	1	3	8	2	-	7	-	1	54	141
Westminster - - - - -	340	-	3	8	5	3	-	3	-	6	64	195
St. James Westminster - - - - -	119	-	3	-	3	3	-	3	-	1	23	207
NORTH.												
Marlybone - - - - -	869	-	18	23	32	15	-	9	-	11	166	160
Hampstead - - - - -	271	-	-	8	5	2	-	6	-	-	42	116
Pancras - - - - -	1376	2	74	24	55	22	-	10	-	9	237	172
Islington - - - - -	1752	-	13	27	70	45	1	18	-	19	390	166
Hackney - - - - -	1250	-	20	21	81	33	-	27	-	15	264	155
CENTRAL.												
St. Giles - - - - -	225	-	3	4	7	6	-	2	-	3	47	179
St. Martin-in-the-Fields - - - - -	86	-	-	-	3	1	-	-	-	2	11	165
Strand - - - - -	199	-	2	3	7	4	-	1	-	-	37	276
Holborn - - - - -	239	-	9	3	4	8	-	7	-	1	49	226
Clerkenwell - - - - -	458	-	4	11	22	15	-	4	-	5	88	176
St. Luke - - - - -	276	-	7	4	17	9	-	-	-	3	46	104
London City - - - - -	225	-	4	1	3	2	-	-	-	-	21	145
EAST.												
Shoreditch - - - - -	307	-	37	13	42	30	-	3	-	7	229	218
Bethnal Green - - - - -	836	-	16	23	44	31	-	13	-	13	205	383
Whitechapel - - - - -	472	-	8	7	14	13	-	5	-	7	123	172
St. George-in-the-East - - - - -	339	-	15	5	11	10	-	1	-	1	92	196
Stepney - - - - -	371	1	13	7	14	13	-	5	-	4	92	208
Mile End Old Town - - - - -	647	1	16	11	19	11	-	9	-	8	162	160
Poplar - - - - -	1030	5	11	20	33	25	-	13	-	13	255	179
SOUTH.												
St. Saviour Southwark - - - - -	190	-	1	4	4	4	-	-	-	1	39	167
St. George Southwark - - - - -	498	-	10	7	18	23	-	2	-	9	123	234
Newington - - - - -	837	-	7	20	32	56	-	4	-	12	220	209
St. Olave Southwark - - - - -	88	-	-	4	4	1	-	-	-	-	14	137
Bermondsey - - - - -	621	-	2	4	27	31	-	3	-	6	173	223
Rotherhithe - - - - -	272	-	1	6	10	1	-	2	-	4	62	190
Lambeth - - - - -	1382	-	55	26	67	13	-	10	1	15	347	188
Battersea - - - - -	859	1	38	19	61	12	-	-	-	13	229	182
Wandsworth - - - - -	695	-	5	26	41	12	-	6	-	9	156	142
Camberwell - - - - -	1299	1	5	23	71	17	-	8	-	22	316	168
Greenwich - - - - -	997	-	11	31	59	22	-	13	1	18	229	172
Lewisham (excluding Penge) - - - - -	325	-	-	3	18	-	-	3	1	2	65	154
Woolwich - - - - -	241	-	-	8	3	5	-	2	1	5	63	186
Plumstead - - - - -	461	-	-	14	29	17	-	5	-	4	126	174

In the above Table all deaths in Hospitals and in other Public Institutions within Registration London, as also 460 that occurred outside that area in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, and the Metropolitan Hospitals and Asylums, have been distributed to the sanitary areas from which the deceased inmates were admitted. On the other hand, the deaths of 372 non-residents who died in Public Institutions have been excluded from the Table

GREATER LONDON.

In Greater London 3858 births and 3147 deaths were registered, corresponding to annual rates of 33·8 and 27·6 per 1000 of the estimated population. In the Outer Ring, 6 deaths from measles, 4 from scarlet fever, 15 from diphtheria, 29 from whooping-cough, and 4 from "fever" were recorded. Of the 15 deaths from diphtheria 7 occurred in West Ham, 3 in Edmonton, and 2 in Bromley districts. Nine deaths from whooping-cough occurred in West Ham, 9 in Edmonton, and 5 in Brentford districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·77 inches, and that of the Thermometer 37°·5, the latter being 0°·4 below the week's average in the 50 years 1841-90, but 11°·0 higher than the mean reading of the preceding week. The direction of the wind was Southerly, the horizontal movement of the air being 22 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 7·0 hours.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the daily amount of water supplied during the month of December, 1893. The supply was in the ratio of 228 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	DECEMBER. 1892.	DECEMBER. 1893.	DECEMBER. 1892.	DECEMBER. 1893.
TOTAL SUPPLY	790,334	800,565	174,939,419	182,927,690
From Thames	381,594	386,688	88,892,206	94,505,985
From Lea and from other Sources	408,740	413,877	86,047,213	88,421,705
THAMES.				
Chelsea	36,540	36,752	9,952,665	10,619,325
West Middlesex	76,191	77,197	16,659,956	17,963,109
Southwark and Vauxhall	114,919	116,082	27,126,769	28,793,933
Grand Junction	58,366	58,771	16,265,116	17,190,967
Lambeth	95,578	97,886	18,887,700	19,938,651
LEA AND OTHER SOURCES.				
New River	156,395	157,401	31,504,000	32,274,000
East London	174,065	176,416	41,350,148	41,893,592
Kent	78,280	80,060	13,193,065	14,254,113

Note.—The Return for December 1893, as compared with that for the corresponding month of 1892, shows an increase of 10,231 services, and of 7,988,271 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING DECEMBER, 1893.

*Water-analysis Laboratory, The Yews, Reigate,
8th January, 1894.*

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of December.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (a) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (b) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Tottenham 1·1, Kent 1·4, Colne Valley and East London (deep-well) 1·5, New River 1·9, Chelsea 2·8, West Middlesex and East London (river supply) 3·0, Lambeth 3·1, and Southwark and Grand Junction 3·2. The unfiltered river waters contained the following proportions:—New River Cut 1·5, East London intake 4·3, and the Thames at Hampton 3·8.

The Thames at Hampton was, on the 7th of December, turbid and yellow; it was, however, chemically of fairly good, but bacterially, of very inferior quality. Contrasted with the unfiltered water, the supplies of the five Companies drawing from the river showed considerable chemical, and the following per-centage bacterial, improvement: Chelsea 99·89, West Middlesex 99·93, Southwark (No. 1 filter, Battersea works) 97·15, (tap on main Battersea works) 98·61, (Hampton works, No. 4 filter) 99·60, Grand Junction (general filter well at Hampton, December 25th) 97·21, (ditto, December 29th) 99·49, (South well, December 25th) 99·56, (ditto, December 29th) 99·68, and Lambeth 96·80. The water was in every case efficiently filtered before delivery.

The unfiltered water, taken chiefly from the River Lea by the New River Company, was, on December 8th, turbid and pale yellow. It was chemically of very good, but bacterially of inferior, quality. It was efficiently filtered before delivery, and was improved, bacterially, to the extent of 99·35 per cent. The crude river water of the Lea, at the East London Company's intake at Angel Road, was turbid and yellow. It was, both chemically and bacterially, of much worse quality than on November 10th. The intake was, however, closed at the time my sample was taken. It was efficiently filtered before delivery, and considerably improved in respect of chemical purity. Compared with the raw river water collected on the previous day, the number of bacteria per c.c. was reduced to the extent of 99·21 per cent.

The deep-well waters of the Kent, Colne Valley, Tottenham, and East London Companies were of excellent quality for dietetic purposes. They were clear and bright without filtration, and the Colne Valley Company's water was softened before delivery, and thus rendered suitable for washing. The Kent Company's deep-well at Plumstead yielded water of even a higher degree of organic purity than was the case in 1873 when I first examined it. The proportion of chlorine is now slightly less, but that of nitrogen as nitrates has considerably increased though not to such an extent as to throw any suspicion upon the wholesomeness of the water. The bacterioscopic examination of this water is also satisfactory.

Seen through a stratum two feet deep, the Kent, Colne Valley, and East London (deep-well) waters were clear and colourless, the New River clear and nearly colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters, and of those supplied by the various Companies, collected on the 7th, 8th, 11th, 25th, and 29th of December, gave the results contained in the following table:—

DESCRIPTION.	No. of Microbes per c.c.	Temp. C.
RAW RIVER WATERS.		
Thames at Hampton	6316	5°4
New River Cut	3408	5°4
Lea at Angel Road	11842	5°5
" after storage	1369	5°5
RIVER SUPPLIES.		
Chelsea	7	5°3
West Middlesex	5	5°4
Southwark (No. 1, Battersea works)	180	5°7
" (tap on main, Battersea works)	88	6°3
" (Hampton works, No. 4 filter)	25	5°6
Grand Junction (general filter well, Hampton, 25th Dec.)	176	6°3
" (Ditto, 29th Dec.)	32	6°2
" (South well, Hampton, 25th Dec.)	28	6°2
" (Ditto, 29th Dec.)	20	6°1
Lambeth	202	5°4
New River main filter well	22	5°7
East London, No. 1 Essex well	94	5°5
DEEP WELL.		
Kent, Plumstead well	30	11°5

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city was "very slightly turbid and green in a two foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour; and contained a little suspended matter."

I am, &c.

The Registrar General, &c. &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.		°								
	(Unfiltered water) -	{ December 7th. Grand Junction Co.'s intake at Hampton. }	5·4	32·60	·195	·029	·012	·257	·296	2·0	20·9
	Chelsea - - -	{ December 9th. Cab Rank, Horse Guards, Whitehall. }	5·7	29·14	·150	·017	0	·270	·287	2·0	19·4
	West Middlesex -	{ December 9th. Cab Rank, Riding House- street. }	16·3	30·20	·153	·017	0	·266	·283	2·0	20·3
	Southwark -	{ December 9th. Cab Rank, St. George's Church, Borough. }	6·8	30·80	·171	·015	0	·273	·288	2·0	20·6
	Grand Junction -	{ December 9th. Cab Rank, Portman- street, Oxford-street. }	6·4	29·66	·170	·019	0	·252	·271	2·0	20·3
	Lambeth - - -	{ December 9th. Cab Rank, St. George's- road, Southwark. }	5·3	30·43	·164	·017	0	·264	·281	2·0	20·9
	LEA.										
	(Unfiltered water) -	{ December 8th. New River Cut at Green-lanes. }	5·4	34·96	·076	·012	·005	·319	·335	1·7	23·6
	New River - -	{ December 9th. Cab Rank, Tottenham Court-road. }	5·7	33·00	·100	·012	0	·320	·332	1·7	23·0
Outer Circle.	(Unfiltered water) -	{ December 8th. East London Co.'s intake at Angel-road. }	5·5	39·60	·218	·037	·016	·377	·427	2·1	25·7
	East London -	{ December 9th. Fire Brigade Station, Commercial-road, E. }	7·2	35·60	·153	·023	0	·260	·283	2·2	22·7
	DEEP WELLS.										
	Kent - - -	{ December 8th. Well at Plumstead. }	11·3	155·84	·070	·010	0	·772	·782	4·4	31·9
	Colne Valley - -	{ December 15th. Bushey. }	—	17·30	·077	·012	0	·456	·468	2·1	6·7
	Tottenham - -	{ December 16th. Tottenham. }	—	41·40	·049	·017	·080	·008	·091	2·8	23·6
	East London - -	{ December 20th. Chingford. }	—	28·60	·079	·011	·002	trace	·013	2·0	20·0
	Corporation of Birming- ham* - - -	{ December 6th. Matlock-place, High-street, Harborne. }	7·2	32·50	·120	·033	0	·275	·303	2·2	23·5
	Corporation of Glasgow† -	{ December 15th. Loch Katrine Water. }	4·9	3·05	·200	·018	0	·004	·022	·7	·3
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.

† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 9th December, at the Horse Guards cab-rank, had a temperature of 5°·70 C.; 100,000 lbs. of it contained 29·14 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·150 lb. of carbon and ·017 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·270 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·287 lb. The above weight of water also contained 2·0 lb. of chlorine; and 19·4 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 13th January 1894.

CITIES AND BOROUGH.	POPULATION estimated to the middle of 1854.			Registered during the Week ending 13th Jan. 1854.			Deaths of 1 Year or upwards.										Deaths from										The Deaths registered in the Week include										TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	Annual Rate per 1000, according to the Week's Deaths			Mean.		23.	24.	Cols.	In Inches.	In Cent.	Cols.														
																			From All Causes.	From Diseases in Code C-12.	Unsettled Causes of Death.	High.	Low.							Fahrenheit.	Centigrade.												
33 TOWNS	10,458,442	7117	5726	1284	1567	8	108	52	78	219	47	36	220	466	1101	115	28.6	2.7	54.0	19.0	37.4	3.00	0.39	0.99	-	33 TOWNS.																	
LONDON.	4,349,166	2867	2462	505	702	1	65	26	55	107	16	12	92	227	626	29	29.5	3.4	52.1	18.1	37.5	3.06	0.43	1.09	LONDON.																		
WEST HAM.	238,184	183	109	30	30	1	2	2	5	7	1	-	2	4	5	8	23.9	3.9	-	-	-	-	-	-	WEST HAM.																		
CROYDON.	111,921	75	56	14	16	-	2	-	-	1	1	-	1	4	8	-	26.1	1.9	-	-	-	-	-	-	CROYDON.																		
BRIGHTON.	118,715	53	54	16	24	-	-	-	-	-	-	-	1	1	9	1	23.7	0.4	49.0	18.0	39.8	4.33	0.94	2.39	BRIGHTON.																		
PORTSMOUTH.	170,973	104	76	13	28	-	-	-	-	-	-	-	5	8	11	2	23.2	0.6	51.0	20.0	38.9	3.83	0.93	2.36	PORTSMOUTH.																		
PLYMOUTH.	87,931	55	94	29	34	-	-	-	-	4	1	-	3	7	9	-	55.7	3.0	-	-	-	-	-	-	PLYMOUTH.																		
BRISTOL.	226,578	166	159	43	54	-	-	1	-	14	-	1	2	7	28	-	36.6	3.7	54.0	15.0	39.4	4.11	0.46	1.17	BRISTOL.																		
CARDIFF.	148,890	106	69	16	11	-	1	-	3	4	-	-	4	7	6	-	24.2	2.8	-	-	-	-	-	-	CARDIFF.																		
SWANSEA.	95,389	78	38	14	10	-	-	1	-	4	-	-	-	2	1	1	20.8	2.7	-	-	-	-	-	-	SWANSEA.																		
WOLVERHAMPTON.	86,036	60	37	8	6	-	3	-	-	-	-	-	1	6	2	1	22.7	1.8	52.8	11.5	35.4	1.89	0.27	0.69	WOLVERHAMPTON.																		
BIRMINGHAM.	492,301	356	298	86	72	2	3	1	1	2	2	1	8	6	59	18	31.6	1.3	-	-	-	-	-	-	BIRMINGHAM.																		
NORWICH.	105,645	70	122	24	66	-	3	2	-	1	1	-	5	9	12	3	20.2	0.8	50.0	11.5	34.2	1.22	0.13	0.83	NORWICH.																		
LEICESTER.	189,136	126	77	31	16	-	2	-	-	-	-	-	7	8	20	3	24.5	0.7	54.0	20.3	35.7	2.06	0.14	0.36	LEICESTER.																		
NOTTINGHAM.	225,584	112	105	26	37	1	-	-	-	1	-	1	7	8	20	3	24.5	0.7	54.0	20.3	35.7	2.06	0.14	0.36	NOTTINGHAM.																		
DERBY.	138,796	58	42	14	13	-	-	-	-	-	-	-	-	5	-	5	-	22.2	0.5	-	-	-	-	-	-	DERBY.																	
BIRKENHEAD.	105,627	70	61	10	12	-	4	1	2	2	-	2	1	5	13	-	30.1	5.4	-	-	-	-	-	-	BIRKENHEAD.																		
LIVERPOOL.	507,230	428	384	75	64	-	3	3	1	16	7	8	24	32	59	18	33.3	3.4	53.1	22.8	40.4	4.67	0.22	0.56	LIVERPOOL.																		
BOLTON.	118,363	102	69	17	18	-	-	-	1	1	1	2	2	7	7	1	30.4	1.8	-	-	-	-	-	-	BOLTON.																		
MANCHESTER.	520,211	357	307	68	63	-	8	8	4	15	2	3	17	25	62	3	30.8	3.5	-	-	-	-	-	-	MANCHESTER.																		
SALFORD.	205,928	175	168	23	26	-	5	3	2	2	1	4	4	7	15	4	27.4	4.8	-	-	-	-	-	-	SALFORD.																		
OLDHAM.	188,765	85	61	13	11	-	1	-	-	3	1	-	2	2	6	2	22.9	1.9	-	-	-	-	-	-	OLDHAM.																		
BURNLEY.	96,478	62	61	10	10	-	2	2	-	-	-	1	2	2	6	-	33.0	3.8	-	-	-	-	-	-	BURNLEY.																		
BLACKBURN.	125,797	77	72	14	16	-	-	-	-	-	-	-	-	2	2	4	21.6	-	-	-	-	-	-	-	BLACKBURN.																		
PRESTON.	111,425	89	60	13	23	-	-	2	-	-	-	-	-	2	2	7	28.1	0.9	51.0	20.0	37.5	3.06	0.32	0.81	PRESTON.																		
HUDDERSFIELD.	98,511	48	47	10	19	-	-	-	-	1	1	-	1	1	5	-	24.9	1.6	-	-	-	-	-	-	HUDDERSFIELD.																		
HALIFAX.	92,861	51	41	8	18	-	-	-	1	-	-	-	4	5	5	3	23.0	0.6	-	-	-	-	-	-	HALIFAX.																		
BRADFORD.	253,985	119	94	15	30	-	2	-	-	4	1	-	-	12	-	21.9	2.3	-	-	-	-	-	-	-	BRADFORD.																		
LEEDS.	388,761	272	241	44	53	-	1	1	1	11	1	2	10	24	25	3	27.0	2.1	-	-	-	-	-	-	LEEDS.																		
SHEFFIELD.	388,316	244	161	43	34	-	4	-	1	15	3	3	5	9	21	2	24.8	4.0	-	-	-	-	-	-	SHEFFIELD.																		
HULL.	212,679	140	108	20	25	-	-	1	-	1	-	-	5	8	13	2	26.5	0.5	50.0	10.0	34.9	1.61	0.09	0.23	HULL.																		
SUNDERLAND.	186,101	110	68	15	13	-	-	-	-	-	-	-	3	5	6	1	23.2	0.8	-	-	-	-	-	-	SUNDERLAND.																		
GATEHEAD.	48,372	67	35	9	8	-	-	-	2	1	-	-	1	5	2	-	19.5	1.7	-	-	-	-	-	-	GATEHEAD.																		
NEWCASTLE.	201,947	162	80	16	15	-	-	-	-	-	1	-	4	13	8	-	20.7	0.3	-	-	-	-	-	-	NEWCASTLE.																		

* See note * on first page of this Return.

*Births, Deaths, Meteorology.***TABLE 2. LONDON.—Births and Deaths Registered in the SECOND Week of each of the Eleven Years, 1884-94.**

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2681	2876	2695	2623	2556	2671	2818	2761	2680	2715	2857·6	2867
Males . . .	1370	1503	1363	1338	1293	1329	1484	1363	1356	1375	1453·2	1444
Females . .	1311	1373	1332	1290	1263	1342	1334	1398	1324	1340	1404·4	1423
TOTAL Deaths	1493	1855	1902	1860	1910	2075	2747	2513	3271	2503	2338·7	2462
Males . . .	758	899	942	893	961	1023	1436	1163	1525	1193	1199·1	1237
Females . .	735	956	960	967	979	1052	1311	1350	1746	1310	1199·6	1225

* The numbers in this column are the average weekly numbers in the second weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.
TOTAL Births - -	2559	2590	2452	2659	2430	2529	2405	2466	2474	2378	2106	2486	2367
TOTAL Deaths - -	1554	1487	1695	1769	2016	2190	2235	2556	2400	2170	1920	2040	2462
Ages at Death													
{ 0-20 years -	749	676	806	915	966	964	983	1059	1012	915	852	924	1030
{ 20-40 " -	238	228	239	207	272	287	285	329	253	261	254	244	280
{ 40-60 " -	267	263	290	269	308	372	368	465	446	366	325	370	450
{ 60-80 " -	257	275	311	316	399	454	478	568	556	503	414	410	585
{ 80 years & upwards	43	45	49	62	71	113	121	135	133	125	75	92	117
Under 1 year -	356	333	412	423	459	480	511	527	483	459	401	444	505
{ 1-5 -	243	225	265	319	363	348	342	383	372	338	315	347	385
{ 5-20 -	150	118	129	173	144	136	130	149	157	118	136	133	140
Deaths from Small-pox -	-	2	1	2	1	3	-	4	2	1	-	2	1
" " Measles -	20	16	33	42	48	31	39	34	45	49	49	60	65
" " Scarlet fever -	40	33	43	47	37	42	34	30	29	32	27	35	26
" " Diphtheria -	84	83	88	103	91	90	74	89	85	63	79	66	55
" " Whooping-cough -	35	28	28	37	44	45	48	59	67	74	67	81	107
" " Typhus -	-	-	-	-	-	1	-	-	-	-	-	-	-
" " Enteric fever -	18	18	17	16	21	24	25	33	21	24	17	10	15
" " Simple Cont'd fever -	1	1	1	1	-	1	-	1	-	-	1	-	1
" " Diarrhoea and Dysentery -	44	27	23	7	22	15	11	11	23	15	7	9	12
" " Cholera -	3	-	-	-	-	-	-	-	-	-	-	-	-
" " all the above-mentioned Diseases -	245	208	234	255	264	252	231	261	272	258	247	263	282
" " Dis. of Respiratory System -	277	271	369	410	615	669	737	841	711	685	516	566	762
" " Phthisis -	168	148	174	163	174	166	163	212	196	161	164	179	230
" " Dis. of Circulatory System -	132	135	129	135	133	175	165	177	149	136	180	157	188
Violent Deaths - -	62	61	73	53	63	52	68	72	60	65	65	77	92
Inquest Cases - -	129	131	147	147	172	153	161	201	169	166	144	184	227
Deaths in Public Institutions	416	433	474	445	499	548	528	637	600	555	456	474	626
TEMPERATURE OF THE AIR													
Mean -	55·0	49·3	44·9	40·3	41·1	39·2	40·9	40·9	43·7	41·7	40·3	26·5	37·5
Mean of Highest readings -	62·1	55·6	52·2	45·1	46·5	43·9	47·0	46·0	49·7	46·6	44·6	30·1	42·3
Mean of Lowest readings -	48·9	42·7	37·6	35·1	35·4	34·4	35·8	31·4	35·0	36·4	35·6	22·0	31·2
Humidity of the Air - -	84	78	83	80	88	82	83	83	84	89	90	77	89
Rain-fall in inches - -	1·04	0·30	0·32	0·02	1·01	0·22	0·38	0·36	0·86	0·69	0·16	0·56	0·43
Registered Sunshine (in hours)	17·1	11·0	13·1	10·9	13·6	4·9	4·6	6·7	2·5	8·2	3·6	3·4	7·0

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A.W. Preston, Esq., F.R.Met.Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Carr, Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbver, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H.O. Pilkington, Esq., M.R.C.S., Preston; J. McLandborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SECOND Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 2nd Week of the 10 years 1884-93.*	In the Week ending Saturday, 13th January 1894.										Corrected Averages for the 2nd Week of the 10 years 1884-93.*	CAUSES OF DEATH.	In the Week ending Saturday, 13th January 1894.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		Deaths of Persons of the Ages												Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		ALL AGES.			Under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.				Under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		0-1.	1-5.	5-20.						0-1.	1-5.								5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
ALL CAUSES - -	2338·7	2462	505	385	140	280	450	585	117																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										</

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5·341 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enume- rated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes.
LONDON	4,211,743	2867	2462	505	702	1	65	23	55	107	-	15	1	12	92	227	626	90
WEST DISTRICTS	740,735	411	444	70	132	-	4	2	10	13	-	4	-	4	14	35	134	3
NORTH DISTRICTS	993,884	628	533	113	169	-	29	6	17	13	-	2	-	3	23	41	115	4
CENTRAL DISTRICTS	247,538	163	161	22	44	-	5	-	3	8	-	1	-	-	9	14	51	-
EAST DISTRICTS	705,114	553	441	105	103	-	12	1	10	19	-	5	-	2	17	70	127	-
SOUTH DISTRICTS	1,524,472	1107	835	194	218	-	15	12	15	50	-	3	1	3	29	63	151	22
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	43	1	15	1	-	5	-	-	-	-	-	-	-	1	48	-
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	84159	41	41	10	15	-	-	-	-	1	1	-	1	-	1	5	7	-
St. John Paddington H - - G.J.	33887	8	18	1	4	-	-	-	-	-	-	-	-	-	5	6	11	-
Kensington Town W - - W.M.	118751	88	93	13	28	-	-	-	-	8	-	1	-	-	2	5	40	-
Brompton H - - W.M. & C.	47557	7	14	2	6	-	-	-	-	-	-	-	-	-	-	-	4	-
St. Peter Hammersmith - - W.M.	8534	7	7	1	2	-	-	-	-	-	1	-	-	-	-	1	-	-
St. Paul Hammersmith H W.M. & G.J.	98633	60	46	13	8	-	-	2	3	-	-	-	-	-	-	3	3	-
Fulham W - - W.M. & C.	91859	78	58	11	22	-	2	4	-	-	-	1	-	1	1	4	18	-
Chelsea Kensal Town - - C.	21787	15	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North WHHHH - - C.	41637	25	39	4	15	-	-	-	-	-	-	-	-	-	2	4	21	-
Chelsea South HH - - C.	32829	9	17	2	4	-	-	-	-	-	-	-	-	-	-	-	2	-
May Fair W - - G.J.	23733	6	24	3	12	-	-	-	-	-	-	-	-	-	1	2	13	-
Belgrave WHHH - - C.	54631	24	33	2	9	-	-	-	3	-	-	1	-	-	-	1	10	-
St. John Westminster HHH - - C.	34105	24	20	8	5	-	4	-	-	-	-	-	-	1	-	1	-	2
St. Margaret Westminster H - - C.	21688	4	15	1	6	-	-	-	-	-	-	-	-	-	-	2	3	-
St. James Westminster WHH N.R. & G.J.	24995	11	11	1	3	-	-	-	-	-	-	-	-	-	-	1	2	1
St. Anne Soho HHHHHH - - N.R.	12317	4	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *) - - W.M.	37713	7	28	3	11	-	2	-	1	1	-	-	-	-	5	5	10	-
HHHHHHH - - G.J. & W.M.	20024	11	8	2	3	-	2	-	-	-	-	-	-	-	-	-	2	-
Regent's Park Pancras W - - W.M.	19239	21	9	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-
St. Mary Marylebone HHHH G.J. & W.M.	33327	27	16	1	4	-	5	-	-	1	-	-	-	-	-	-	-	-
Christchurch Marylebone H - - W.M.	32101	21	11	5	1	-	-	-	-	-	-	-	-	1	-	1	-	-
St. John Marylebone H - - W.M.	68416	37	35	8	7	-	-	2	5	-	-	-	-	-	2	1	2	10
Hamstead WHHHHH N.R. & W.M.	32590	20	17	7	1	-	4	-	2	-	-	1	-	-	-	-	-	1
Regent's Park Pancras HH - - W.M.	26321	18	20	2	5	-	-	-	-	-	-	-	-	-	1	-	13	-
Tottenham-court WHHHH N.R. & W.M.	27455	17	11	4	1	-	-	-	1	1	-	1	-	-	1	2	4	-
Gray's Inn Lane HHH - - N.R.	82829	12	22	2	7	-	-	-	1	-	-	-	-	-	-	-	5	-
Homers Town HH - - N.R.	15419	16	25	5	15	-	-	-	-	1	-	-	-	-	2	2	13	-
Camden Town WH - - N.R.	95765	67	54	12	19	-	1	1	-	2	-	-	-	-	3	5	6	1
Kentish Town W - - N.R.	90235	72	75	18	30	-	2	-	1	2	-	-	-	-	3	2	31	-
Upper Holloway WHHHH - - N.R.	105557	64	50	7	19	-	4	-	-	4	-	-	-	-	2	4	-	-
Islington Town-west H - - N.R.	64153	35	23	11	6	-	1	-	-	1	-	-	-	-	2	3	-	-
Islington South-east - - N.R.	59193	31	23	4	8	-	2	-	-	1	-	-	-	-	1	4	-	-
Highbury HH - - N.R.	90933	23	14	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - - N.R.	17759	7	8	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-
Stamford Hill - - E.L.	42002	14	3	3	3	-	-	-	-	-	1	2	-	-	-	-	-	-
West Hackney H - - N.R.	94486	61	50	6	16	-	4	8	-	3	-	-	-	-	1	-	19	-
Hackney WHHHH - - K.L. & N.R.	41729	35	20	8	5	-	2	-	1	1	-	-	-	-	2	4	-	-
South Hackney W - - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16895	6	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
St. Giles South WH - - N.R.	13454	16	19	5	2	-	1	-	-	-	-	-	-	-	-	2	7	-
St. Giles North H - - N.R.	9833	7	7	1	5	-	-	-	-	-	-	-	-	-	3	3	1	-
St. Martin-in-the-Fields HH N.R. & C.	14616	8	10	1	5	-	-	-	-	1	-	-	-	-	-	1	4	-
St. Mary-le-Strand H - - N.R.	5706	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes WH - - N.R.	7194	6	18	-	3	-	-	-	-	1	8	-	-	-	-	-	9	-
Strand Union Workhouse, Edmonson W.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Geo. the Martyr HHHHHH N.R.	17921	10	21	7	8	-	1	-	1	-	-	-	-	-	-	1	9	-
St. Andrew Eastern W - - N.R.	15343	5	5	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
St. James Clerkenwell - - N.R.	16893	13	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.R.	16888	13	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Pentonville - - N.R.	17155	14	7	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Goosewell-street - - N.R.	15375	13	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHHH - - N.R.	29177	33	13	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Whitcross-street - - N.R.	8278	5	4	-	1	-	1	-	-	-	-	-	-	-	1	2	3	-
Finsbury - - N.R.	4935	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Halborn Union Workhouse, Mitcham W.	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph H - - N.R. & E.L.	8944	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.	4639	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - N.R.	4444	2	20	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Bride W - - N.R.	6594	2	4	2	2	-	-	-	1	-	-	1	-	-	1	1	15	-
Allhallows Barking - - N.R.	10422	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.	3577	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L^o—Private Lunatic Asylum in which paupers are received; W—Workhouse/Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R., New River; E. L., East London; and K., the Kent Company.

• On the 1st September the sub-districts of All Souls and Cavendish Square were amalgamated under the name of All Souls sub-district.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
 urday, 13th January, 1894.

		The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths from														Inquest Cases.	Deaths in Prison Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Mescal.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrea.	Violence.						
EAST DISTRICTS.																					
Choredale South	HL*	E.L. & N.R.	20098	17	13	3	5	-	-	-	-	-	-	-	-	-	2	2	-		
Boxton New Town	w	-	28313	84	50	4	12	-	-	-	-	-	-	-	-	-	3	14	-		
Boxton Old Town	-	-	28354	21	11	6	8	-	-	-	-	-	-	-	-	-	5	15	-		
Cragston	WH	-	46244	36	39	8	8	-	-	1	4	-	-	-	-	-	-	-	-		
Ethel Green North	H *	-	51520	41	19	6	5	-	1	-	-	-	-	-	-	-	5	-	-		
Ethel Green South	-	-	33489	34	17	7	3	-	-	-	-	-	-	-	-	-	1	15	-		
Ethel Green East	WHL*	-	44123	21	31	4	7	-	-	-	-	1	-	-	-	-	-	-	-		
Fittfield	-	-	22456	18	12	4	3	-	-	2	-	-	-	-	-	-	2	2	-		
Hill End New Town	W	-	17298	22	8	2	3	-	1	-	-	-	-	-	-	-	1	4	-		
Whitechapel Church	H*	E.L. & N.R.	20398	16	32	5	5	-	2	-	-	3	-	-	-	-	4	22	-		
Woodman's Fields	-	-	13800	12	7	3	1	-	-	1	-	-	-	-	-	-	1	3	-		
St. George's, North	-	-	37788	24	14	4	3	-	-	1	4	-	-	-	-	-	2	-	-		
St. John, St. George East	W	-	8057	5	13	2	8	-	-	-	-	-	-	-	1	4	5	-	-		
Hadwell	H -	-	6246	7	11	1	1	-	1	-	2	-	-	-	1	-	3	6	-		
Katild	-	-	14928	8	6	1	3	-	-	1	-	-	-	-	1	-	2	-	-		
Rimehouse	-	-	32202	26	11	3	3	-	1	-	-	-	-	-	-	-	-	-	-		
Hill End Old Town West	H	-	38650	41	10	2	2	-	-	1	-	-	-	-	-	-	-	-	-		
Hill End Old Town East	WWH-E.L.	-	68942	37	61	9	16	-	-	2	-	-	-	-	-	-	8	18	-		
Loy L*	-	-	40365	28	22	4	3	-	3	1	-	-	-	-	-	-	3	-	-		
Tomley WWH	-	-	70000	61	60	14	17	-	-	-	-	1	-	-	-	-	8	24	-		
Toplar WW	-	-	55383	45	24	6	6	-	2	-	-	-	-	-	3	6	2	-	-		
SOUTH DISTRICTS.																					
Christchurch Southwark	WH	L. & S.	13264	8	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
St. Saviour Southwark	-	S.	13913	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kent-road	-	S. & L.	21867	11	12	2	2	-	-	1	-	-	-	-	-	-	1	2	-		
Longwood-road	WH	-	16624	8	17	3	2	-	-	-	-	-	-	-	-	-	1	3	7		
London-road	HL	-	17221	17	14	8	3	-	1	-	-	-	-	-	-	-	-	2	2		
Trinity Newington	-	S. & L.	26506	31	10	3	1	-	-	-	-	-	-	-	-	-	1	1	-		
St. Peter Walworth	W	S. & L.	61342	43	49	20	7	-	2	3	7	-	-	-	-	-	1	3	2		
St. Mary Newington	-	L. & S.	27866	25	16	3	3	-	1	-	3	-	-	-	-	-	1	2	-		
St. Olave WH	-	-	12723	10	30	2	6	-	-	1	2	1	-	-	4	4	19	1	-		
Leather Market	-	S. & L.	14952	17	8	3	1	-	1	-	-	-	-	-	1	1	1	-	-		
St. Mary Magdalen	W	-	14650	16	10	2	3	-	-	1	-	-	-	-	-	-	4	-	-		
St. James Bermondsey	-	S.	54070	38	33	7	5	-	1	3	-	-	-	-	-	-	-	-	-		
Rotherhithe WH	-	S. & K.	39255	32	30	8	9	-	-	-	-	-	-	-	2	2	13	1	-		
Waterloo-road 1st	H	-	14031	6	5	-	2	-	-	-	-	-	-	-	-	1	1	1	-		
Waterloo-road 2nd	H	-	14644	31	8	2	1	-	-	1	-	-	-	-	-	-	1	1	-		
Lambeth Church 1st	H	-	18705	8	16	1	2	-	-	-	-	-	-	-	-	2	3	8	-		
Lambeth Church 2nd	WW	-	39097	33	40	8	6	-	1	3	-	-	-	1	3	5	11	1	-		
Kennington 1st	H	-	50586	39	25	7	11	-	-	-	-	-	-	-	-	-	1	2	-		
Kennington 2nd	-	S. & L.	39708	32	28	4	12	-	-	-	-	-	-	-	-	-	-	1	-		
Brixton w	-	L. & S.	73405	39	38	8	10	-	1	3	-	-	-	-	-	-	2	3	3		
Norwood W	-	L.	25667	15	13	2	4	-	-	-	-	-	-	-	-	-	-	1	-		
East Battersea	-	-	67244	51	31	5	12	-	-	1	-	-	-	-	1	-	2	-	-		
West Battersea WWH	-	S.	83314	65	42	13	15	-	-	-	-	-	-	-	-	-	2	10	-		
Clapham H	-	S.	43698	13	21	3	10	-	-	1	-	-	-	-	-	-	1	2	-		
Vandsworth WHL	-	S.	46717	40	15	6	5	-	-	-	-	-	-	-	1	-	-	-	-		
Tunney	-	S.	17771	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Wimbledon W	-	L.	46756	29	15	4	3	-	-	1	-	-	-	-	-	2	2	-	1		
Dulwich	-	L. & S.	6809	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Camberwell WwL*	-	S. & L.	81565	49	64	7	27	-	2	-	-	-	-	-	-	1	2	39	1		
Camberwell WW	-	S., L. & K.	88438	68	29	9	8	-	1	-	-	-	-	-	-	-	3	6	3		
St. George Camberwell	-	L. & S.	68366	51	28	10	5	-	1	-	5	-	-	-	-	-	-	-	-		
Deptford, North	-	-	35314	31	17	6	5	-	-	-	2	-	1	-	-	1	1	-	-		
Deptford, Central w	-	-	42407	33	27	6	3	-	1	2	4	3	-	-	-	-	1	6	2		
Deptford, South	-	-	30852	21	9	2	2	-	-	1	-	2	-	-	-	-	1	1	1		
Greenwich West H	-	-	22007	16	7	2	3	-	-	-	1	-	-	-	-	-	-	-	-		
Greenwich East WH	-	-	35223	20	22	3	8	-	-	-	2	-	-	-	-	2	4	11	-		
Eltham H	-	-	5682	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Lee H	-	-	23541	3	10	1	6	-	1	-	2	-	-	-	-	-	-	-	-		
Lewisham WH	-	-	30950	25	14	3	5	-	-	-	-	-	-	-	-	2	5	-	-		
Lydenham H	-	-	34162	18	19	9	2	-	-	-	2	-	1	-	-	-	-	-	1		
Charlton H	-	-	14040	11	7	-	1	-	2	-	-	-	-	-	-	-	-	3	-		
Woolwich Dockyard	-	-	19806	16	9	2	1	-	-	-	-	-	-	-	-	-	3	-	-		
Woolwich Arsenal WH	-	-	21242	24	14	5	1	-	-	-	1	-	-	-	-	-	1	-	1		
Plumstead, West H	-	-	15369	7	6	-	1	-	-	1	1	-	-	-	-	-	-	-	-		
Plumstead, East W	-	-	36567	27	14	2	3	-	-	-	1	-	-	-	-	-	-	4	-		
Banstead Asylum	-	-	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	5	-		
Waterham Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Long Hill Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hospital Ships and Camp, Dartford	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	2	-		
Darenth Asylum	-	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	6	-		
Hanwell Asylum	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	2	-		
Colney Hatch Asylum	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-		
N.E. Hospital	-	-	-	-	6	-	-	-	5	-	-	-	-	-	-	-	-	5	-		
Winchmore Hill Hospital	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	8	-		
Leavesden Asylum	-	-	-	-	8	-	6	-	-	-	-	-	-	-	-	-	-	-	-		
Claybury Asylum	-	-	-	-	13	-	5	-	-	-	-	-	-	-	-	-	1	13	-		

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS). AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 13th January, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lation. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 15 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Cases.	
LONDON—OUTER RING		863,749	1,422,063	991	635	176	212	1	6	4	15	29	4	2	15	41	50	1	
30: 1	Carshalton WH	1222*	26108	12	9	1	2	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* WH	10423	12508	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W-	2754	1598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33: 1	Croydon WHH-	20851	128699	83	69	16	23	-	3	-	-	1	1	-	1	4	10	-	
2	Mitcham w	11697	23088	13	6	2	1	-	-	-	-	-	-	-	-	-	1	-	
39: 1	Wimbledon HHH	3220	25761	18	11	-	6	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston WHH-	8071	44765	30	29	4	13	-	-	-	-	-	-	-	-	2	11	-	
3	Esher, part of*	6601	12059	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H	4595	18252	11	8	4	1	-	-	-	-	1	-	-	1	2	-	-	
40: 1	Richmond WH	2160	25389	12	9	-	5	-	-	-	-	-	-	-	1	1	2	-	
2	Mortlake H	2823	16159	9	5	1	2	-	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley HHH	9127	23815	13	14	6	6	-	-	-	-	-	-	-	-	-	-	-	
2	Beckenham H	6542	21969	10	9	2	2	-	-	-	1	-	-	-	1	2	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	12	12	3	5	-	-	-	1	1	-	1	-	-	-	-	
42: 1	Bexley H	12540	30590	23	10	3	4	-	-	-	-	-	-	-	1	1	1	-	
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124: 1	Sunbury w	11054	13871	12	9	1	4	-	-	-	-	-	-	-	-	-	-	-	
2	Staines w	18277	13221	10	7	2	4	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hillingdon WHH	6035	12237	9	7	-	4	-	-	-	-	1	-	-	-	-	-	-	
2	Uxbridge	6172	5417	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH	14537	12618	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
126: 1	Isleworth WH	6967	26273	22	27	7	10	-	-	-	-	3	1	-	-	1	7	-	
2	Twickenham HH	2415	16027	8	10	2	3	-	-	-	-	1	-	-	-	-	-	-	
3	Brentford HHHH	4318	37777	16	15	3	7	-	-	1	-	-	-	-	1	2	-	-	
4	Chiswick	1245	21968	18	11	6	1	-	-	-	-	-	-	-	-	1	2	-	
5	Aston WH	6132	30945	23	12	3	4	-	-	-	-	1	-	-	-	1	-	-	
127: 1	Harrow HH	13809	15715	6	9	1	3	-	1	-	-	-	-	-	1	2	-	-	
2	Edgware H	6994	3344	3	4	1	-	-	-	-	1	-	-	-	-	1	-	-	
3	Willesden HHH-	4383	61265	47	29	10	8	-	-	-	-	-	-	-	-	1	-	-	
4	Hendon W	8322	15843	10	11	3	6	-	-	-	-	-	-	-	-	1	5	-	
128: 1	South Mimms	15596	8474	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet WHH	5441	11778	6	8	4	1	-	-	-	-	-	-	-	-	1	-	-	
3	Finchley HH	4688	25820	20	13	5	-	-	-	-	1	2	-	-	2	5	-	-	
129: 1	Hornsey H-	8089	61097	33	21	9	8	-	-	-	-	2	-	-	-	-	-	-	
2	Tottenham H	4642	97174	61	47	15	9	-	-	-	1	6	1	1	1	6	1	-	
3	Edmonton Ww	7489	36851	26	21	1	5	-	-	-	1	1	-	-	-	-	1	-	
4	Enfield WWHH	12639	31803	21	14	6	4	-	-	-	1	-	-	-	-	-	-	-	
5	Waltham Abbey	11017	6066	4	4	1	-	-	-	1	-	-	-	-	-	-	-	-	
6	Cheshunt H	3480	9620	-	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of*	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey	9331	7737	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
136: 1	Stratford H-	1100	42983	32	26	7	10	-	1	-	1	1	-	-	-	-	1	-	
2	Plaistow HHH	1242	50030	57	31	12	6	-	1	1	-	-	-	-	2	2	-	-	
3	Canning Town H	1553	54750	58	28	9	3	-	-	1	2	5	1	-	-	1	-	-	
4	Forest Gate w	806	49140	30	20	2	7	1	-	-	2	1	-	-	-	1	-	-	
5	East Ham ww	326	32713	30	16	3	3	-	-	-	1	-	-	-	-	-	-	-	
6	Leyton WwL	4384	70188	57	21	5	12	-	-	-	-	-	-	-	-	-	6	-	
7	Walthamstow HH	6571	57330	54	20	3	4	-	-	-	1	2	-	-	3	4	-	-	
137: 1	Chigwell, part of* H-	11719	12941	11	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, part of* W-	6556	4324	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford	4493	10913	3	8	2	1	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town	3814	14301	23	9	1	3	-	-	-	1	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30: 2, Epsom sub-district, except the parishes of As'stead and Headley (pop. 1766); 37: 1, the parishes of Waringham and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2322); 41: 2, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3697); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1079); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 1, Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 13th January, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public institutions.
						Infants under 1 Year of Age.	Persons Aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
EATER LONDON	443,421	5,948,300	27·6	3·0	3147	681	914	2	71	30	70	136	20	14	107	676		
INNER LONDON -	74,672	4,340,166	29·5	3·4	2462	505	702	1	65	28	55	107	16	12	92	626		
OUTER RING -	368,749	1,599,134	22·3	2·0	635	176	212	1	6	4	15	29	4	2	15	50		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrheal Diseases.	
EDINBURGH	270,588	January 13	150	110	21·2	-	-	-	2	8	-	-	
GLASGOW	686,820	" 13	445	322	24·4	-	2	3	4	22	-	8	
DUBLIN	349,594	" 13	211	285	42·5	-	7	-	-	6	4	4	
CALCUTTA	466,460	November 25	-	321	35·9	-	-	-	-	1	134	46†	
BOMBAY	821,764	December 26	340	447	28·3	-	5	?	?	?	88	43	
MADRAS	452,518	November 24	363	342	39·3	-	2	?	?	?	133	28	
PARIS	2,424,705	January 6	1238	1074	23·6	8	7	2	35*	1	8	41	
BRUSSELS (with 8 Faubourgs)	488,188	" 6	267	199	21·2	-	-	-	5*	3	2	14†	
AMSTERDAM	437,892	December 30	294	148	17·3	-	2	-	3	2	-	-	
ROTTERDAM	232,233	" 30	144	96	22·4	9	-	1	-	2	-	-	
THE HAGUE	169,828	" 30	91	66	20·2	-	1	-	2	1	-	-	
COPENHAGEN	341,000	January 6	216	141	21·6	-	-	12	1	2	-	4	
STOCKHOLM	249,246	December 30	180	100	20·9	-	-	1	4*	1	-	5	
CHRISTIANIA	161,161	January 6	63	61	19·7	-	-	1	-	1	-	1	
St. PETERSBURG	954,400	December 9	622	453	24·8	4	10	10	14	5	7	39†	
MOSCOW	753,469	" 16	446	575	31·4	5	13	7	16	1	3	114†	
		" 30	-	453	31·4	1	3	5	13	1	4	23	
BERLIN	1,714,938	" 23	930	619	19·1	-	13	9	19	11	-	24	
HAMBURG (State)	634,878	" 30	440	239	19·6	-	2	5	6*	2	1	9	
DRESDEN	308,930	" 2	169	125	21·0	-	1	1	12*	2	-	4	
BRESLAU	353,551	January 6	-	186	27·6	-	-	4	9*	3	-	12	
MUNICH	380,900	" 6	-	181	24·8	-	10	1	9*	2	-	14	
VIENNA	1,465,537	" 6	806	706	25·1	-	15	8	54*	5	2	25	
PRAGUE	332,357	" 6	224	175	27·4	-	1	-	4	-	6	3	
BUDA-PESTH	539,516	December 30	413	249	24·0	-	1	1	9	1	3	12	
TRIESTE	158,314	" 30	133	142	46·6	3	2	4	2*	-	-	-	
ROME	440,739	" 9	223	161	18·7	-	1	-	3	1	8†	16†	
TURIN (10 days)	335,525	" 10	203	207	22·5	-	5	1	5	2	3	11	
VENICE	163,601	" 23	-	-	-	-	-	-	-	-	-	-	
CAIRO	374,838	" 14	457	320	44·4	-	1	-	-	5	8	72	
		" 21	380	368	51·1	-	-	-	-	1*	3	97	
ALEXANDRIA	231,396	" 21	272	191	43·0	-	1	-	-	5*	4	26	
		" 21	198	203	45·7	2	-	-	-	4*	3	52	
NEW YORK	1,875,385	" 23	-	818	22·2	2	9	8	47	6	6	12	
BROOKLYN	990,891	" 23	-	868	19·2	-	4	4	8	4	3	2	
PHILADELPHIA	1,115,562	" 23	-	538	25·1	-	2	3	20	2	4	7	
NEW ORLEANS	254,000	November 25	-	124	25·5	-	-	-	1	-	5	14	

* Including deaths from croup.

† Including 10 deaths from cholera in Calcutta, one in Brussels, 7 and 83, respectively, in St. Petersburg, and 3 in Rome.

‡ Including 3 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 13th JANUARY, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.	MORNING AND DAY.	Phases of the Moon.	TEMPERATURE.					TEMPERATURE.					TEMPERATURE.					Wind as deduced from Anemometers.					Rain collected in a Gauge whose surface is above the ground.	Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			Baro- meter.	Of the Air.		Of the Dew Point.		Difference between the Air Temperature and Dew Point Temperature.		Degree of Hu- midity (ratio of equal 100).	Of Radiation.		General Direction.		Oster's.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 50 years.	Mean daily value.		Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.		Mean hourly obs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

GENERAL REMARKS.

DATE.	ELECTRICITY (F.P. and V.P. symbols, see Note.)	Registered Sun above horizon, in hours.	Remarks.
SUNDAY	7 No register; discharge pipe frozen.	0.0	Overcast and foggy throughout. Very cold.
MONDAY	8 Discharge pipe frozen in morning; w.p. afterwards.	0.0	Foggy in morning. Generally overcast, except for a short time in afternoon, when small amounts of cloud prevailed.
TUESDAY	9 w.p. and w. N.	0.0	Overcast till afternoon, and rain fell steadily between 8h. A.M. and 3h. P.M.; cloudless and very fine afterwards. Gentle thaw.
WEDNESDAY	10 w.p. throughout	0.0	Overcast generally, with occasional light showers till afternoon; cloudless (with exceptions) at night.
THURSDAY	11 w.p. throughout	1.5	Overcast in morning; very fine, with little cloud, throughout afternoon and evening; cloudy at night. Very mild.
FRIDAY	12 w.p. and w. N. in morning; v.p. afterwards.	3.9	Heavy shower in early morning; variable, till 9h. A.M.; fine and generally cloudless afterwards. Very mild.
SATURDAY	13 w.p. throughout	1.6	Fine, partially cloudy. Slight rain at 7h. A.M. and again at 3h. P.M.
MEANS	..	Sum 7.0	Sum 56.7

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature. The maximum (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875. In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.54 in. at the beginning of the week to 29.80 in. by 9h. A.M. on the 8th; decreased to 29.61 in. by 3h. P.M. on the 9th; increased to 29.77 in. by noon on the 11th; decreased to 29.61 by 1h. A.M. on the 12th, increased to 29.97 in. by 3h. P.M. on the same day; and decreased to 29.75 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 3. 1894. VOL. LV.]

WEEK ENDING SATURDAY, JANUARY 20.

[Price 1½d.

General Register Office, Somerset House,
January 22nd, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 23·2 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.		Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.
Birkenhead	28·6	23·7	30·1	25·7	Liverpool -	26·3	26·0	33·3	26·0
Birmingham	21·3	24·7	31·6	29·9	London -	23·3	24·5	29·5	23·7
Blackburn -	16·4	19·1	21·6	17·0	Manchester -	24·9	22·6	30·8	21·9
Bolton -	20·0	16·7	30·4	25·1	Newcastle-on-Tyne	20·4	19·1	20·7	20·7
Bradford -	23·3	21·0	21·9	22·1	Norwich -	20·5	37·0	60·2	42·4
Brighton -	27·0	23·3	23·7	25·0	Nottingham -	20·8	23·3	24·5	18·7
Bristol -	24·6	21·4	36·6	28·3	Oldham -	22·9	21·4	22·9	16·9
Burnley -	22·9	26·5	33·0	18·9	Plymouth -	49·3	40·3	55·7	38·0
Cardiff -	24·9	20·3	24·2	21·4	Portsmouth -	17·1	17·7	23·2	16·5
Croydon -	20·1	15·8	26·1	16·3	Preston -	15·6	18·3	28·1	23·4
Derby -	20·4	17·9	22·2	26·9	Salford -	21·3	22·5	27·4	22·0
Gateshead -	18·3	19·0	19·5	18·4	Sheffield -	20·0	17·9	24·8	19·1
Halifax -	23·8	11·2	23·0	15·2	Sunderland -	25·2	21·1	22·2	26·8
Huddersfield	19·2	14·8	24·9	24·3	Swansea -	17·8	18·0	20·8	19·1
Hull -	22·7	23·5	26·5	21·6	West Ham -	18·1	25·8	23·9	21·0
Leeds -	20·6	16·9	27·0	21·1	Wolverhampton -	17·9	19·6	22·7	24·5
Leicester -	16·7	15·2	21·2	15·7					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·2 in Wolverhampton, 1·5 in Salford, and 2·5 in Birkenhead; from *scarlet fever*, 1·1 in Burnley and in Huddersfield; from *whooping-cough*, 1·8 in Bristol and in Cardiff, 1·9 in Croydon, 2·0 in Salford, 2·2 in Bolton, and 5·3 in Plymouth; and from "*fever*," 1·5 in Sunderland. The death-rate from *diarrhœa* did not reach 1·0 per 1000 in any of the thirty-three towns. The 74 deaths from *diphtheria* included 48 in London, 4 in Salford, and 3 in Birmingham, Liverpool, Leeds, and Sheffield respectively. Six deaths from *small-pox* were registered in Birmingham, 4 in Bradford, 3 in Bristol, and one death each in West Ham, Leeds, and Hull, but not one in London or in any other of the thirty-three towns.

LONDON.

In LONDON† 2729 BIRTHS and 1975 DEATHS were registered. Allowing for increase of population, the births were 155, and the deaths 288, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 23·3, 24·5, and 29·5 in the preceding three weeks, declined last week to 23·7. During the four weeks ending on Saturday

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

last the death-rate averaged 25·3 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1975 deaths included 45 from measles, 25 from scarlet fever, 48 from diphtheria, 93 from whooping-cough, 13 from enteric fever, 3 from ill-defined forms of continued fever, 16 from diarrhoea and dysentery, and not one from small-pox, typhus, or cholera; thus, 243 deaths were referred to these diseases, exceeding by 31 the corrected average weekly number.

The numbers of cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals and in the Highgate Small-pox Hospital were 74 and 8 respectively, making a total of 82, against 93, 94, and 88 in the preceding three weeks; 14 cases were admitted during the week, against 15 and 12 in the preceding two weeks. The deaths from *measles*, which had been 49, 60, and 65 in the preceding three weeks, declined last week to 45, and were 7 below the corrected average; 4 deaths from this disease occurred in the Camberwell Work-house, in Gordon Road, Peckham. The deaths from *scarlet fever*, which had been 35 and 26 in the preceding two weeks, further declined to 25 last week, but were 3 above the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2645 scarlet fever patients at the end of last week, against 2988, 2855, and 2736 on the preceding three Saturdays; 246 cases were admitted during the week, against 210 and 224 in the preceding two weeks. The deaths from *diphtheria*, which had numbered 79, 66, and 55 in the preceding three weeks, further declined last week to 48, being still, however, double the corrected average; 5 belonged to Islington and 4 to Bermondsey sanitary areas. The Metropolitan Asylum Hospitals* contained 310 diphtheria patients at the end of last week, against 283, 289, and 290 on the preceding three Saturdays; 70 cases were admitted during the week, against 64 and 62 in the preceding two weeks. The deaths from *whooping-cough*, which had risen successively in the preceding three weeks from 67 to 107, declined last week to 93, but exceeded the corrected average by 10. The fatal cases of *enteric fever*, which had been 17, 10, and 15 in the preceding three weeks, numbered 13 last week, corresponding with the corrected average. The Metropolitan Asylum Hospitals contained 87 cases of enteric fever and not one of typhus on Saturday last; 10 cases of enteric fever were admitted during the week, against 11 and 9 in the preceding two weeks. The deaths from *diarrhoea*, which had numbered 7, 9, and 12 in the preceding three weeks, further rose last week to 16, and were 3 above the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 516, 566, and 762 in the preceding three weeks, declined again to 547 last week, and were 198 below the corrected average.

The deaths attributed directly to *influenza* numbered 69, having been 108, 87, and 75 in the preceding three weeks.

Different forms of violence caused 73 deaths, concerning all but 3 of which inquests were held. Of these 73 deaths, 6 were cases of suicide, and one death was a case of homicide, while the remaining 66 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 7 to burns and scalds, 4 to poison, 3 to drowning, and 21 (including 20 of infants under one year of age) to suffocation in bed.

The death of a female, aged 39 years, was certified to have resulted from "necrosis (phosphorous) of right side of lower jaw, 4 years; apoplexy, 12 hours."

GREATHER LONDON.

In Greater London 3718 births and 2548 deaths were registered, corresponding to annual rates of 32·6 and 22·4 per 1000 of the estimated population. In the Outer Ring, one death from small-pox, 4 from scarlet fever, 13 from diphtheria, and 23 from whooping-cough were recorded. The death from small-pox occurred in West Ham district; the 13 deaths from diphtheria included 2 in Bromley, 4 in Edmonton, and 3 in West Ham districts; 6 deaths from whooping-cough occurred in Edmonton and 6 in West Ham districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·59 inches, and that of the Thermometer 45°·0, the latter being 6°·6 above the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 19 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 9·2 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRD Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2718	2803	2667	2655	2688	2837	2714	2789	2623	2645	2864.3	2729
Males . .	1364	1347	1391	1385	1304	1430	1409	1381	1357	1330	1445.7	1342
Females .	1354	1456	1276	1270	1384	1407	1305	1403	1266	1315	1418.6	1387
TOTAL Deaths	1578	1807	1738	1757	2000	1769	2720	2212	3761	2101	2263.1	1975
Males . .	777	847	874	862	1021	899	1420	1081	1723	1037	1110.4	997
Females .	801	960	864	895	979	870	1300	1151	2038	1064	1152.7	978

* The numbers in this column are the average weekly numbers in the third weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.
TOTAL Births - -	2590	2452	2659	2430	2529	2405	2466	2474	2378	2106	2486	2367	2729
TOTAL Deaths - -	1487	1695	1769	2016	2190	2235	2556	2400	2170	1920	2040	2462	1975
Ages at {													
0-20 years -	676	806	915	966	964	983	1059	1012	915	852	924	1030	813
20-40 " -	228	239	207	272	287	285	329	253	261	254	244	280	230
40-60 " -	263	290	269	308	372	368	465	446	366	325	370	450	371
Death {													
60-80 " -	275	311	316	399	454	478	568	556	503	414	410	585	449
80 years & upwards -	45	49	62	71	113	121	135	133	125	75	92	117	112
{ Under 1 year -	333	412	423	459	480	511	527	483	459	401	444	505	383
1-5 -	225	265	319	363	348	342	383	372	338	315	347	385	332
5-20 -	118	129	173	144	136	130	149	157	118	136	133	140	98
Deaths from {													
Small-pox -	2	1	2	1	3	-	4	2	1	-	2	1	-
" " Measles -	16	33	42	48	31	39	34	45	49	49	60	65	45
" " Scarlet fever -	33	43	47	37	42	34	30	29	32	27	35	26	25
" " Diphtheria -	83	88	103	91	80	74	89	85	63	79	66	55	48
" " Whooping-cough -	28	28	37	44	45	48	59	67	74	67	81	107	93
" " Typhus -	-	-	-	-	1	-	-	-	-	-	-	-	-
" " Enteric fever -	18	17	16	21	24	25	33	21	24	17	10	15	13
" " Simple Cont'd fever -	1	1	1	-	1	-	1	-	-	1	-	1	3
" " Diarrhoea and } Dysentery - }	27	23	7	22	15	11	11	23	15	7	9	12	16
" " Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-
" " all the above- } mentioned Diseases }	208	234	255	264	252	231	261	272	258	247	263	232	243
" " Dis. of Respira- } tory System }	271	369	410	615	669	737	841	711	635	516	566	762	547
" " Phthisis -	148	174	163	174	166	163	212	196	161	164	179	230	150
" " Dis. of Circula- } tory System }	135	129	135	133	175	165	177	149	136	130	157	188	161
Violent Deaths - -	61	73	53	63	52	68	72	60	65	65	77	92	73
Inquest Cases - -	131	147	147	172	153	161	201	169	166	144	183	227	178
Deaths in Public Institutions	433	474	445	499	548	523	637	600	555	456	474	626	531
TEMPERATURE OF THE AIR													
Mean -	49.3	44.9	40.3	41.1	39.2	40.9	40.9	43.7	41.7	40.3	26.5	37.5	45.0
Mean of Highest readings -	55.6	52.2	45.1	46.5	43.9	47.0	46.0	49.7	46.6	44.6	30.1	42.3	48.5
Mean of Lowest readings	42.7	37.6	35.1	35.4	34.4	35.8	34.4	35.0	36.4	35.6	22.0	31.2	40.7
Humidity of the Air	72	83	80	88	82	83	83	84	89	90	77	89	83
Rain-fall in inches	0.30	0.32	0.02	1.01	0.22	0.33	0.36	0.86	0.69	0.16	0.56	0.43	0.86
Registered Sunshine (in hours)	11.0	13.1	10.9	13.6	4.9	4.6	6.7	2.5	8.2	3.6	3.4	7.0	9.2

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Prestor, Esq., F.R.Met.Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRD Week of the Year 1894.

CAUSES OF DEATH.		Corrected Averages for the 3rd Week of the 10 years 1884-93.*	In the Week ending Saturday, 20th January 1894.								CAUSES OF DEATH.		Corrected Averages for the 3rd Week of the 10 years 1884-93.*	In the Week ending Saturday, 20th January 1894.												
			Deaths of Persons of the Ages											Deaths of Persons of the Ages												
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.					
			0-1.	1-5.	5-20.								0-1.	1-5.	5-20.											
ALL CAUSES - -		2263.1	1975	383	332	98	230	371	449	112																
Small-pox	Vaccinated† - - -	1.1	-	-	-	-	-	-	-	-	Diseases of Organs of Special Sense - - -	2.6	5	1	3	-	-	-	1	-						
	Unvaccinated - - -	2.4	-	-	-	-	-	-	-	-	Diseases of Circulatory System - - -	185.3	161	2	1	10	27	46	68	7						
	No Statement - - -	1.7	-	-	-	-	-	-	-	-																
Measles - - -		51.5	45	9	36	-	-	-	-	-	Croup - - - - -	14.1	5	-	5	-	-	-	-	-						
Scarlet Fever - - -		22.4	25	-	16	9	-	-	-	-	Bronchitis - - -	437.4	320	78	44	1	6	56	108	27						
Typhus - - -		0.1	-	-	-	-	-	-	-	-	Pneumonia - - -	177.5	172	24	53	8	14	30	33	5						
Relapsing Fever - - -		-	-	-	-	-	-	-	-	-	Pleurisy - - -	7.0	5	-	-	1	-	3	1	-						
Influenza - - -		68.7	69	3	2	6	9	24	13	12	Other Diseases of Respiratory System - - -	53.9	45	9	3	-	2	9	17	5						
Whooping-cough - - -		82.6	93	23	60	5	-	-	-	-	Dentition - - -	13.4	6	4	2	-	-	-	-	-						
Diphtheria - - -		23.2	43	6	29	12	-	1	-	-	Quinsy, Sore Throat - - -	2.6	1	-	-	-	-	-	1	-						
Simple Continued and Ill-defined Fever - - -		0.9	3	1	-	-	-	-	2	-	Enteritis - - -	7.7	13	5	1	-	2	2	3	-						
Etiotic Fever - - -		12.9	13	-	-	-	7	3	-	-	Peritonitis - - -	6.5	9	1	-	2	-	5	1	-						
Cholera and Chol. Diarr.		0.3	-	-	-	-	-	-	-	-	Diseases of Liver - - -	27.6	21	2	-	-	3	10	6	-						
Diarrhoea, Dysentery - - -		13.0	16	9	1	-	2	-	4	-	Other Diseases of Digestive System - - -	32.9	33	10	-	2	6	4	9	2						
Remittent Fever - - -		0.2	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands - - -	2.1	1	-	-	1	-	-	-	-						
Hydrophobia - - -		0.2	-	-	-	-	-	-	-	-	Diseases of Urinary System - - -	49.3	50	-	3	5	14	13	13	2						
Glanders - - -		-	-	-	-	-	-	-	-	-	Diseases of Generative System - - -	5.3	6	1	-	1	-	3	1	-						
Cowpox and Effects of Vaccination - - -		0.1	-	-	-	-	-	-	-	-	Accidents of Childbirth - - -	3.2	8	-	-	-	6	2	-	-						
Veneral Affections - - -		11.2	8	5	1	-	-	2	-	-	Diseases of Locomotive System - - -	8.1	7	1	-	-	1	4	1	-						
Erysipelas - - -		7.2	12	2	-	-	2	4	4	-	Diseases of Integumentary System - - -	6.8	10	2	-	1	2	1	4	-						
Pyæmia and Septicæmia - - -		3.2	2	-	-	-	1	1	-	-	VIOLENT DEATHS.†															
Puerperal Fever - - -		6.5	11	-	-	-	11	-	-	-	(ACCIDENT.)															
Other Zymotic Diseases - - -		3.1	1	-	-	-	-	1	-	-	By Railways - - -		2	-	-	-	1	1	-	-						
Thrush - - -		1.7	2	2	-	-	-	-	-	-	By Vehicles or Horses - - -		4	1	1	1	1	-	-	-						
Worms and other Parasitical Diseases - - -		0.5	1	-	-	-	1	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) - - -		1	-	-	1	-	-	-	-						
Starvation, Want of Breast-milk - - -		0.8	4	4	-	-	-	-	-	-	In Building Operations - - -		1	-	-	-	1	-	-	-						
Alcoholism - - -		9.7	6	-	-	-	1	3	2	-	In Conflagrations - - -		1	-	-	-	-	-	-	-						
Rheumatic Fever, Rheumatism of Heart - - -		11.4	13	-	-	3	2	5	3	-	By Burns, Scalds, Explosions - - -	58.8	7	-	5	-	1	-	1	-						
Rheumatism - - -		3.1	-	-	-	-	-	-	-	-	By Drowning - - -		3	-	-	-	-	1	2	-						
Gout - - -		4.3	4	-	-	-	-	1	3	-	By Suffocation in Bed - - -		21	20	-	1	-	-	-	-						
Rickets - - -		4.1	6	-	6	-	-	-	-	-	By Poisons or Poisonous Vapours - - -		4	-	-	-	2	1	1	-						
Cancer - - -		64.6	64	-	1	-	5	28	27	8	Other or [not stated] Causes - - -		22	4	1	1	6	4	6	-						
Tabes Mesenterica - - -		21.4	21	12	7	2	-	-	-	-	(VIOLENCE OTHER THAN ACCIDENTAL.)															
Tubercular Meningitis - - -		23.2	24	5	12	6	1	-	-	-	Homicide - - -	1.8	1	1	-	-	-	-	-	-						
Phthisis - - -		195.5	150	1	4	10	67	68	10	-	Suicide - - -	7.6	6	-	-	-	3	3	-	-						
Serofula, Tuberculous - - -		16.5	21	5	7	3	4	1	-	1	Execution - - -		-	-	-	-	-	-	-	-						
Other Constitutional Diseases - - -		12.9	16	2	2	-	2	6	3	1	OTHER CAUSES - -	63.3	55	51	2	1	1	-	-	-						
Premature Birth - - -		47.7	34	34	-	-	-	-	-	-																
Atelectasis - - -		3.0	5	5	-	-	-	-	-	-																
Congenital Malformations - - -		8.0	7	5	-	2	-	-	-	-																
Old Age - - -		76.6	69	-	-	-	-	36	33	-																
Apoplexy - - -		51.0	52	-	-	-	2	12	29	9																
Epilepsy - - -		8.0	7	-	-	-	2	2	3	-																
Convulsions - - -		55.4	32	23	9	-	-	-	-	-																
Other Diseases of Brain and Nervous System - - -		100.9	85	5	9	1	11	22	33	5																

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.54 per cent for increase of population.

† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" when are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DYPHThERIA, WHOOPING-COUGH, Typhus, ENTERIC (or Typhoid) Fever, Simple continued Fever, Diarrhoea, Violence, Inquest Cases, Deaths in Public Institutions, during the Week ending

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation. 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON	4,211,743	2729	1975	383	561	-	45	25	48	93	-	13	3	16	73	178	531	
WEST DISTRICTS	740,735	421	296	48	88	-	6	4	8	19	-	-	3	-	7	23	83	
NORTH DISTRICTS	993,884	607	424	92	128	-	18	5	16	17	-	5	-	3	24	41	96	
CENTRAL DISTRICTS	247,538	152	138	27	32	-	-	-	4	7	-	1	-	1	2	12	36	
EAST DISTRICTS	705,114	545	879	71	91	-	11	2	2	17	-	3	-	8	17	55	126	
SOUTH DISTRICTS	1,524,472	1004	696	145	202	-	10	14	18	33	-	4	-	4	23	47	148	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	42	-	20	-	-	-	-	-	-	-	-	-	-	-	42	
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	84150	45	29	4	12	-	-	-	-	2	-	-	-	-	1	4	3	
St. John Paddington H - G.J.	33687	10	15	-	3	-	-	-	-	-	-	-	-	-	1	1	10	
Kensington Town W - W.M.	118751	58	56	13	17	-	4	-	1	5	-	-	2	-	1	6	16	
Brompton H - W.M. & C.	47557	15	21	3	6	-	-	-	-	-	-	-	-	-	1	2	7	
St. Peter Hammersmith - W.M.	8533	5	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.	88833	65	31	7	11	-	-	-	-	-	-	-	-	-	1	3	2	
Fulham W - W.M. & C.	91639	92	34	7	2	-	3	1	4	-	-	-	-	-	-	1	8	
Chelsea Kensal Town - C.	21787	19	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North WHHHH - C.	41637	27	17	1	7	-	-	-	-	-	-	-	-	-	1	1	5	
Chelsea South HH - C.	32820	23	17	7	4	-	-	-	1	-	-	-	-	-	-	-	-	
May Fair W - G.J.	23753	3	10	-	8	-	-	-	-	-	-	-	-	-	-	-	8	
Belgrave WHHH - C.	54321	28	24	1	7	-	1	-	3	-	-	-	-	-	-	1	8	
St. John Westminster HHH - C.	31108	18	15	2	2	-	-	-	-	1	2	-	-	-	-	1	-	
St. Margaret Westminster H - C.	21668	6	10	2	3	-	-	-	-	-	-	-	-	-	1	1	6	
St. James Westminster WHH N.R. & G.J.	24995	6	7	1	3	-	-	-	1	-	-	-	-	-	-	-	2	
St. Anne Soho HHHHHH - N.R.	12317	2	4	-	1	-	-	-	1	-	-	-	-	-	-	1	-	
NORTH DISTRICTS.																		
All Souls Marylebone *) - W.M.	87713	13	19	2	6	-	1	-	1	1	-	-	-	-	-	-	7	
Rectory Marylebone W - G.J. & W.M.	20024	9	5	-	-	-	1	-	-	-	-	-	-	-	1	1	-	
St. Mary Marylebone HHHH G.J. & W.M.	19239	30	11	1	6	-	-	-	-	-	-	-	1	-	-	-	1	
Christchurch Marylebone H - W.M.	33327	18	15	8	2	-	2	-	-	-	-	-	-	-	1	1	-	
St. John Marylebone H - W.M.	82101	19	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead WHHHHH N.R. & W.M.	68416	26	33	3	13	-	-	2	10	-	-	-	-	-	-	1	17	
Regent's Park Pancras HH - W.M.	36590	24	12	3	1	-	2	-	-	-	-	-	-	-	2	2	-	
Tottenham-court WHHHH N.R. & W.M.	26321	14	14	9	2	-	-	-	-	-	-	-	-	-	2	2	5	
Gray's Inn Lane HHH - N.R.	27455	23	15	3	3	-	-	-	-	2	-	-	-	-	2	4	2	
Somers Town HH - N.R.	32829	25	13	2	4	-	-	-	-	-	1	-	-	1	-	-	1	
Camden Town WH - N.R.	15419	9	13	2	7	-	-	-	-	-	-	-	-	-	2	4	8	
Kentish Town W - N.R.	85765	44	38	8	11	-	-	-	-	3	-	-	-	-	1	4	9	
Upper Holloway WHHHH - N.R.	92235	44	58	5	18	-	2	1	2	1	-	1	-	-	3	5	25	
Islington South-west H - N.R.	105537	73	40	11	11	-	2	-	-	2	-	-	-	1	5	8	-	
Islington South-east - N.R.	64153	63	24	7	6	-	-	-	-	-	-	-	-	-	2	2	-	
Highbury HH - N.R.	59193	32	22	5	4	-	1	-	-	-	1	-	-	-	1	1	-	
Stoke Newington H - N.R.	39936	11	9	3	5	-	-	-	-	-	-	-	-	-	-	-	-	
Stamford Hill - E.L.	17739	13	5	1	3	-	-	-	-	1	-	-	-	-	-	-	-	
West Hackney H - N.R.	42802	21	16	7	5	-	-	-	-	-	-	-	-	-	-	-	-	
Hackney Wood H - E.L. & N.R.	96486	70	45	7	15	-	2	2	-	3	1	1	-	-	1	2	3	
South Hackney W - E.L.	41759	26	11	2	3	-	4	-	-	-	-	-	-	-	1	1	18	
CENTRAL DISTRICTS.																		
St. George Bloombury - N.R.	16895	6	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
St. Giles South WH - N.R.	13454	12	14	3	3	-	-	-	-	2	-	-	-	-	-	1	5	
St. Giles North H - N.R.	9633	7	3	2	2	-	-	-	-	-	-	-	-	-	-	1	-	
St. Martin-in-the-Fields HHN R. & C.	14616	7	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary-le-Strand H - N.R.	5706	1	7	1	-	-	-	-	-	-	-	-	-	-	-	1	1	
St. Clement Danes WH - N.R.	7194	3	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Strand Union Workhouse, Edmonton W.	-	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	2	
St. Geo.-the-Martyr HHHHHH N.R.	17921	8	18	8	4	-	-	-	-	-	-	-	-	-	-	-	5	
St. Andrew Eastern W - N.R.	13343	8	6	2	1	-	-	-	3	-	-	-	-	-	-	-	8	
St. James Clerkenwell - N.R.	16503	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	3	
Amwell Clerkenwell - N.R.	16883	20	13	3	4	-	-	-	-	-	-	-	-	-	-	-	-	
Pentonville - N.R.	17155	10	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Goosewell-street - N.R.	13575	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
City-road HHHH - N.R.	29177	82	16	6	6	-	-	-	-	2	-	-	-	1	1	1	3	
Whitecross-street - N.R.	8278	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-	8	
Finsbury - N.R.	4865	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Holborn Union Workhouse, Mitcham W.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - N. & E.L.	8944	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - N.R.	4539	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - N.R.	4444	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Bride W - N.R.	6594	2	2	-	2	-	-	-	-	-	1	-	-	-	-	-	7	
Alhambra Barking - N.R.	10422	2	8	-	1	-	-	-	-	-	-	-	-	-	-	1	1	
Broad Street H - N.R.	3377	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	

NOTE.—The Italian letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L^o—Private Lunatic Asylum in which paupers are received; W—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts.—G. J. signifies Grand Junction Company; W. M. West Middlesex; J. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. & C. River; E. L., East London; and K., the Kent Company.

* On the 1st September the sub-districts of All Souls and Cavendish Square were amalgamated under the name of All Souls sub-district.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
Friday, 20th January, 1894.

The Deaths registered in the Week include																					
REGISTRATION			Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of														Deaths in Public Institutions.	Unrecorded Causes of Death.
SUB-DISTRICTS.		Deaths from				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple epi- demic Typhus.	Dysentery.	Violence.				
EAST DISTRICTS.																					
Bradish South	HL*	E.L. & N.R.	20098	12	9	1	4	-	-	-	-	-	-	-	-	-	1	2	-		
Ston New Town	w	- N.R.	28813	26	15	2	7	-	1	-	-	-	-	-	-	-	1	7	-		
Ston Old Town	-	- N.R.	28854	17	14	-	3	-	-	-	-	-	-	-	-	-	1	7	-		
Aggerston	WH	- N.R. & E.L.	46244	41	40	4	11	-	-	-	12	-	-	-	-	-	1	17	-		
thnal Green North	H	- E.L.	51520	36	19	6	1	-	-	-	-	-	-	-	-	-	3	-	-		
thnal Green South	-	- E.L.	33489	22	18	7	2	-	3	-	-	-	-	-	-	-	6	-	-		
thnal Green East	WHL*	- E.L.	41213	31	16	1	13	-	-	-	-	-	-	-	-	-	2	19	-		
thalfields	-	- E. & N.R.	22456	11	9	5	-	-	-	-	1	-	-	2	-	-	2	-	-		
le End New Town	W	- E.L.	17908	31	11	1	3	-	-	-	-	-	-	1	-	-	3	6	-		
hitechapel Church	H	- E.L. & N.R.	32938	16	33	4	2	-	-	-	1	-	-	1	-	-	2	26	-		
odman's Fields	-	- E.L.	13860	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
George's North	-	- E.L.	37738	58	14	2	3	-	1	-	2	-	-	1	1	1	1	-	-		
John, St. George East	W	- E.L.	8057	5	12	1	7	-	-	-	-	-	-	1	1	2	7	-	-		
adwell	H	- E.L. & N.R.	46216	9	12	5	1	-	1	-	1	-	-	-	-	1	1	4	-		
teliff	-	- E.L.	14928	9	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
mehouse	-	- E.L.	32202	18	16	2	1	-	1	-	1	-	-	-	-	2	4	-	1		
le End Old Town West	H	- E.L.	38650	80	11	-	3	-	1	-	1	-	-	1	-	-	-	-	-		
le End Old Town East	WHLH	- E.L.	68942	43	33	8	9	-	-	-	1	-	-	1	1	4	13	-	-		
w L*	-	- E.L.	46965	20	14	5	2	-	-	-	2	-	-	1	-	-	1	-	-		
inley	WHLH	- E.L.	70000	64	47	9	13	-	-	1	1	-	-	1	5	11	22	-	-		
plar	WHL	- E.L.	56888	46	23	8	4	-	3	-	-	-	-	-	3	10	2	-	-		
SOUTH DISTRICTS.																					
ristchurch Southward	WH	- L. & S.	13564	10	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-		
aviour Southward	-	- S.	13913	7	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
nt-road	-	- S. & L.	21867	16	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
rough-road	WH	- S. & L.	16824	17	10	3	-	-	-	-	1	-	-	-	-	-	-	-	-		
ndon-road	HL	- S. & L.	21921	15	10	5	1	-	-	-	2	-	-	-	-	-	-	-	-		
Unity Newington	-	- S. & L.	26506	16	9	4	-	-	1	-	-	-	-	-	-	-	1	-	-		
Feier Walworth	W	- S. & L.	61343	45	26	4	8	-	-	1	4	-	-	1	1	2	-	-	-		
Mary Newington	-	- L. & S.	27866	26	16	4	1	-	-	1	1	-	-	1	1	2	-	-	-		
Olave	WH	- S.	12723	8	20	7	1	-	-	1	1	-	-	-	2	4	8	-	-		
ther Market	-	- S. & L.	14563	4	5	-	1	-	-	-	-	-	-	-	1	1	-	-	-		
Mary Magdalen	W	- S.	15630	9	6	-	5	-	-	1	-	-	-	-	-	-	1	-	-		
James Bermondsey	-	- S.	54070	40	13	2	5	-	-	1	-	-	-	-	-	-	-	-	-		
therbithe	WH	- S. & K.	92255	27	14	3	1	-	-	-	-	-	-	1	-	1	4	-	-		
terloo-road 1st	H	- L. & S.	14031	14	7	1	-	-	-	-	-	-	-	-	-	-	1	8	-		
terloo-road 2nd	H	- L. & S.	14644	16	5	2	-	-	-	-	-	-	-	-	-	1	2	-	-		
mbeth Church 1st	H	- L. & S.	14075	16	26	3	4	-	2	1	-	-	-	-	-	8	13	13	-		
mbeth Church 2nd	WHL	- L. & S.	32997	31	36	8	9	-	-	-	3	-	-	-	-	2	20	1	-		
nnington 1st	H	- S. & L.	50886	35	21	6	6	-	-	1	1	1	-	1	-	2	-	-	-		
nnington 2nd.	-	- S. & L.	32708	19	15	3	4	-	-	1	1	-	-	-	-	-	-	-	-		
ixton w	-	- L. & S.	73405	54	32	5	12	-	-	3	1	-	2	-	1	1	1	6	2		
erwood	W	- L.	26637	9	5	-	3	-	-	-	-	-	-	-	-	-	1	-	-		
st Battersea	-	- S.	67344	50	25	8	5	-	3	-	1	-	-	-	-	2	-	-	-		
est Battersea	WHL	- S.	83314	62	46	8	16	-	1	-	1	-	-	-	-	5	8	1	-		
apham	H	- S.	43698	13	10	3	4	-	-	1	1	-	-	-	-	1	-	-	-		
andsworth	WHL	- S.	42717	57	19	4	4	-	1	-	-	-	-	-	-	1	-	-	-		
they	-	- S.	17771	14	5	1	1	-	-	-	-	-	1	-	1	-	-	-	-		
eamham	WHL	- L.	48756	33	21	4	7	-	-	8	-	-	2	-	1	2	6	-	-		
alwich	-	- L. & S.	6809	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
amberwell	WHL*	- S. & L.	81686	36	64	7	56	-	1	1	-	-	-	-	-	2	35	-	-		
ekham	WHL	- S., L., & K.	83438	47	39	9	7	-	4	1	-	-	-	-	-	6	-	-	-		
George Camberwell	-	- L. & K.	63366	51	27	10	6	-	-	1	5	-	-	-	1	1	6	1	-		
ptford, North	-	- K.	33914	17	15	2	6	-	-	1	1	-	-	-	-	-	-	-	1		
ptford, Central	w	- K.	42407	28	21	7	4	-	-	3	1	-	-	-	1	1	6	-	-		
ptford, South	-	- K.	30852	16	15	2	7	-	-	-	1	-	-	-	-	-	-	-	-		
cenwich West	H	- K.	22007	14	6	3	1	-	-	-	-	-	-	-	-	-	1	1	-		
cenwich East	WHL	- K.	35283	25	25	3	5	-	-	-	-	-	-	-	2	2	15	1	-		
tham	H	- K.	5582	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
e H	-	- K.	23441	11	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
wisham	WHL	- K.	30550	15	19	1	5	-	-	-	1	-	-	-	-	-	3	2	-		
enham	H	- L.	34162	14	13	3	7	-	-	-	-	-	-	-	-	-	-	-	-		
rlton	HH	- K.	14940	10	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
olwich Dockyard	-	- K.	19606	7	7	2	1	-	-	-	2	-	-	-	-	-	-	-	-		
olwich Arsenal	HH	- K.	21344	20	8	2	2	-	-	-	-	-	-	-	-	-	-	-	1		
amstead, West	H	- K.	13849	9	7	-	1	-	-	1	-	-	-	-	-	-	-	-	-		
amstead, East	W	- K.	36567	29	6	5	7	-	-	1	2	-	-	-	-	1	5	2	-		
atead Asylum	-	-	-	-	7	-	2	-	-	-	-	-	-	-	-	-	7	-	-		
erham Asylum	-	-	-	-	4	-	3	-	-	-	-	-	-	-	-	-	4	-	-		
ne Hill Asylum	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-	-		
ospital Ships and Camp, Dartford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
enth Asylum	-	-	-	-	9	-	7	-	-	-	-	-	-	-	-	-	9	-	-		
uwell Asylum	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-	-		
ney Hatch Asylum	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	6	-	-		
E. Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
uchmore Hill Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
aveaden Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
lybury Asylum	-	-	-	-	9	-	2	-	-	-	-	-	-	-	-	-	-	9	-		

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS)
AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 20th January, 1894

Regis- tration District and Sub- District Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lation 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include															
						Deaths of		Deaths from													
						Infants under Year of Age	Persons aged 50 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes.			
LONDON—OUTER RING						68 74	1,422,063	989	573	152	176	1	3	4	13	23	2	3	34	47	52
50: 1	Carshalton WH	1228	26108	21	11	3	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-
2	Epsom, part of WH	10423	12508	8	3	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-
37: 1	Godstone, part of WH	2 34	1598	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Croydon WHH	20851	125699	67	41	9	19	-	-	-	-	4	-	-	2	2	4	5	-	-	-
2	Mitcham W	11697	23088	15	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon HHH	3220	25761	17	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston WHH	8071	44765	20	15	5	6	-	-	-	-	-	-	-	-	1	2	3	-	-	-
3	Esher, part of WH	6601	12059	11	5	-	2	-	-	-	-	-	1	-	-	2	2	1	-	-	-
4	Hampton H	4595	18252	6	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond WH	2160	25389	12	21	3	0	-	-	-	-	-	-	-	-	1	1	2	-	-	-
2	Mortlake H	2823	16159	7	9	3	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-
41: 1	Bromley HHH	9127	23815	24	7	2	3	-	-	-	1	-	-	-	-	-	-	-	2	-	-
2	Beckenham H	6542	21939	13	9	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, pt. of WHH	14307	20372	18	10	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
42: 1	Bexley H	12540	30390	25	14	4	8	-	-	2	-	1	-	-	-	-	-	-	-	-	-
2	Dartford Work., pt. of WH	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
134: 1	Stambury W	11054	13671	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W	13277	13221	14	9	-	6	-	-	-	-	-	-	-	-	-	-	-	4	-	-
135: 1	Hillingdon WHH	6035	12237	5	14	3	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge W	6172	5417	2	3	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-
3	Hayes WH	14537	12618	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136: 1	Isleworth WH	6067	23273	17	14	5	4	-	-	-	-	1	-	-	-	-	-	-	2	-	-
2	Twickenham HH	2415	16027	13	5	2	1	-	-	-	1	-	-	-	-	1	1	1	-	-	-
3	Brentford HHHH	4318	37777	19	12	4	5	-	-	-	-	-	-	-	-	1	2	-	-	-	-
4	Chiswick W	1245	21963	12	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
5	Aston WH	6132	30945	18	8	7	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
137: 1	Harrow BH	13809	15715	10	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
2	Edgware H	6994	3844	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden HHH	4283	61265	43	23	12	9	-	-	-	-	-	-	-	-	-	1	2	-	-	-
4	Hendon W	8523	15843	19	6	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
138: 1	South Mimms W	16599	8471	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet WHH	5441	11773	8	6	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
3	Finchley BH	4688	25829	15	6	1	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-
139: 1	Hornsey H	3039	61067	29	19	3	7	-	1	-	1	-	-	-	-	2	2	-	-	-	-
2	Tottenham H	4643	97174	65	41	10	5	-	1	1	3	6	-	-	-	1	5	-	-	-	-
3	Edmonton WH	7489	36331	24	14	4	4	-	-	-	-	-	-	-	-	-	1	1	4	-	-
4	Enfield WHH	12639	31803	25	11	1	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-
5	Waltham Abbey W	11017	6066	2	11	1	1	-	-	-	-	-	-	-	-	-	9	9	-	-	-
6	Cheshunt H	8499	9620	17	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140: 1	Hatfield, part of WH	3306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 2	Bushey W	9331	7717	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford Work., pt. of WH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146: 1	Stratford H	1100	4283	37	16	3	2	-	1	-	-	-	-	-	-	5	5	2	-	-	-
2	Plaistow HHH	1242	5030	51	22	4	3	-	1	-	-	2	-	-	-	-	-	1	-	-	-
3	Canning Town H	1558	54750	62	34	13	3	-	-	-	-	3	-	-	-	1	1	3	-	-	-
4	Forest Gate W	806	41140	29	17	8	3	-	-	-	1	1	-	-	-	1	2	-	-	-	-
5	East Ham WH	326	32713	27	20	4	7	-	-	-	1	-	-	-	-	3	3	-	-	-	-
6	Leyton WH	4234	70188	47	26	3	15	-	-	-	-	-	-	-	-	-	-	9	-	-	-
7	Walthamstow HH	651	57380	49	13	7	5	-	-	-	1	-	-	-	1	-	1	-	-	-	-
147: 1	Chigwell, part of WH	1179	12941	6	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
2	Epping Work., pt. of WH	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
139: 1	Romford, part of WH	6556	4324	2	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-
2	Uford W	49	10913	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town W	3814	14301	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—
 50: 2, Epsom sub-district, except the parishes of Asstead and Hendley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2322); 41: 2, Chislehurst sub-district, except the parishes of Chislehurst, Cranston, and Knockholt (pop. 3997); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (pop. 189); 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 20th January, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1884.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week ended.											Deaths in Public Institutions.
			From All Causes.	From Diseases in Colls. &c. 14.		Deaths of		Deaths from									
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	443,21	5,943,300	22.4	2.6	2543	535	737	1	43	23	61	116	18	19	107	583	
INNER LONDON	746.2	4,349,163	23.7	2.9	1975	383	561	-	45	25	48	93	16	16	73	531	
OUTER RING	368,749	1,599,134	18.7	1.6	573	152	176	1	3	4	13	23	2	3	34	52	

NOTE.—The area of Greater London is 443,211 acres. This area is equal to 692,845 square miles, which is equivalent to the area of a circle having a radius of 11,851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,583	January 20	124	103	19.8	-	-	3	1	1	-	1	
GLASGOW	686,820	" 20	446	291	22.1	-	1	5	6	13	4	-	
DUBLIN	349,594	" 20	206	207	30.9	-	3	-	1	12	5	4	
CALCUTTA	466,400	December 2	-	300	33.5	1	-	-	-	2	127	47	
CAMBAY	821,764	January 2	270	433	30.6	3	4	?	?	?	118	40	
MADRAS	452,518	December 1	388	339	38.9	-	4	?	?	?	115	44	
PARIS	2,424,705	January 13	1109	1138	25.0	14	17	4	40*	-	3	56	
BRUSSELS	488,183	" 13	266	249	26.5	1	-	-	4*	2	3	13	
with 8 Faubourgs)		January 6	301	198	23.2	-	1	-	2	1	-	1	
AMSTERDAM	437,892	" 13	306	274	32.1	-	1	-	1	-	-	1	
ROTTERDAM	222,233	" 6	145	105	25.5	6	-	-	-	5	-	1	
THE HAGUE	169,828	" 13	182	154	35.9	7	-	-	-	12	-	-	
COPENHAGEN	341,000	" 6	100	59	18.0	-	-	-	2	1	-	-	
STOCKHOLM	249,246	" 13	112	77	23.6	-	-	-	-	-	-	-	
CHRISTIANIA	161,151	" 6	202	168	25.7	-	-	1	3	-	-	4	
COPENHAGEN	341,000	" 13	108	88	18.3	-	-	2	6*	3	-	8	
CHRISTIANIA	161,151	" 13	42	57	18.4	-	1	2	-	-	-	1	
ST. PETERSBURG	954,400	December 23	519	528	28.8	-	14	9	6	5	11	115†	
MOSCOW	753,469	January 6	-	480	33.2	3	-	7	11	-	8	28	
BERLIN	1,714,938	December 31	986	749	20.2	-	7	11	45	6	-	34	
HAMBURG (State)	634,878	January 6	-	-	-	-	-	-	-	-	-	-	
DRESDEN	308,930	December 9	-	114	19.2	-	-	-	5*	1	2	1	
DRESDEN	353,551	January 13	-	172	25.5	-	-	4	11*	7	-	11	
MUNICH	390,900	" 13	-	177	23.6	-	8	-	7*	2	-	9	
VIENNA	1,465,537	" 13	810	620	22.0	-	13	5	37*	1	-	37	
PRAGUE	322,357	" 13	207	155	24.3	-	3	1	6	-	4	2	
BUDA-PESTH	152,760	" 6	362	225	21.2	-	1	3	9	-	2	10	
TRIESTE	119,427	" 6	79	109	35.5	2	2	1	4*	-	-	-	
ROME	449,739	December 16	223	170	19.7	1	1	-	1	-	7†	12	
TURIN (10 days)	185,525	" 20	202	209	22.6	-	8	-	8	-	2	7	
VENICE	163,601	" 30	92	72	22.9	-	-	-	-	-	1	3	
CAIRO	374,838	" 28	411	372	31.6	-	-	-	3*	5	8	86	
ALEXANDRIA	231,396	" 28	229	203	45.7	-	-	-	3*	2	4	51	
NEW YORK	1,875,385	" 30	-	824	22.3	2	12	7	61	6	4	15	
BROOKLYN	990,891	" 30	-	370	19.3	-	1	3	12	4	5	1	
PHILADELPHIA	1,115,662	" 30	-	610	28.5	-	-	2	22	5	7	8	
NEW ORLEANS	254,000	" 2	-	176	36.1	-	-	-	1	1	7	15	

* Including deaths from croup.

† Including 9 deaths from cholera in Calcutta, and 81 in St. Petersburg.

‡ Including 5 deaths from malarial fever.

1894. MONTH AND DAY.		Phases of the Moon.	TEMPERATURE.										Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.							
			Of the Air.					Difference between the Air Temperature and Dew Point Temperature.		Of Radiation.			General Direction.		Oaler's.				Pressure on the Square Foot.	Robinson's.				
			High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average value. 50 years.	Mean daily value.	Great- est.	Least.	Ratio of midday to 100°.	Highest Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.	Mean hourly obs.	Horizontal Movement of the Air Average of each Day.	Miles. 10 years.	Miles. 10 years.			
JANUARY.																								
SUNDAY	14	..	29-618	44-0	40-2	3-8	42-1	+ 3-9	41-2	0-9	2-0	0-4	37	44-6	34-0	SE. & E.	S. & SW.	lbs. 0-0	0-0	0-0	128	in. 0-11		
MONDAY	15	First Qr.	29-854	46-3	37-8	8-5	42-2	+ 3-9	39-3	2-9	6-9	1-0	89	59-0	35-0	WSW. & SW.	S. & SSW.	8-4	0-0	0-4	350	+ 26		
TUESDAY	16	..	29-637	50-0	43-2	6-8	47-4	+ 8-9	44-0	3-4	5-9	0-4	88	64-8	39-8	SW.	SW. & SSW.	2-6	0-0	0-3	343	+ 37		
WEDNESDAY	17	..	29-336	51-0	43-3	7-7	47-7	+ 9-2	45-0	2-7	5-7	0-8	90	56-7	40-2	SSW.	SW.	12-0	0-0	0-8	482	+ 154		
THURSDAY	18	..	29-419	48-1	41-4	6-7	45-0	+ 6-5	40-9	4-1	6-7	1-0	83	62-3	36-5	SW. & WSW.	W. & WSW.	2-6	0-0	0-2	376	+ 46		
FRIDAY	19	Greatest Dec. N.	29-716	49-6	37-0	12-6	44-4	+ 5-9	41-4	3-0	7-5	0-0	89	74-6	32-0	SW.	SW. & SSW.	13-1	0-0	0-7	439	+ 99		
SATURDAY	20	Perigee.	29-423	50-8	42-0	8-8	46-5	+ 8-1	40-5	6-0	11-4	2-2	80	70-0	39-0	SSW. & SW.	SW. & WSW.	9-3	0-0	1-5	602	+ 270		
MEANS	29-589	48-5	40-7	7-5	45-0	+ 6-6	41-8	3-3	6-6	0-8	88	61-7	36-6	SW.		Sum 2731	Sum 0-83		
Number of Column		8	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are

converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and

during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum

and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidification (column 9).

from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metric tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1900 and the 40 years ending 1900.

if the air from a discussion of the anemometric records for the 16 years ending 1875.

—“lower” than the average, in reading the columns *y* and *z* it will be borne in mind that + indicates “higher,” and

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; W. weak; M. moderate; S. strong; and

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show

The aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.75 in. at the beginning of the week to 29.59 in.

by noon on the 14th; increased to 29.90 in. by noon on the 15th; decreased to 29.30 in. by 9h. P.M. on the 17th; increased to 29.79 in. by 9h. A.M. on the 19th, decreased to 29.37 in. by

3h. P.M. on the 20th; and was 29.53 in. at the end of the week.

GENERAL REMARKS.

SUNDAY . 14	w. P. till 8h. A.M.; v. N. till 1h. P.M.; w. P. afterwards.	0·0	S·2	Overcast generally. Frequent rain.
MONDAY . 15	w. N. and w. P.	2·4	S·3	Rain in early morning, till 4h. A.M.; fine with small amounts till 5h. P.M.; overcast afterwards and rain till between 7h. P.M. and 10h. P.M.
TUESDAY . 16	v. T. throughout	0·8	S·3	Overcast generally in early morning; fine with variable amounts of cloud till afternoon; generally overcast at night. Very mild.
WEDNESDAY 17	w. P. in morning; v. P. and v. N. afterwards.	0·0	S·3	Overcast in morning, with a little thin rain; variable afterwards with occasional showers.
THURSDAY . 18	w. P. generally	0·4	S·4	Fine. Variable amounts of cloud prevailed till evening; cloudless (with exceptions) afterwards.
FRIDAY . 19	w. P. throughout	2·7	S·4	Cloudless generally in morning; partially cloudy in afternoon; overcast at night with wind and rain.
SATURDAY . 20	w. P. in morning; v. P. and m. N. afterwards.	2·9	S·5	Windy and showery in morning; variable afterwards.
		Sum 9·2	Sum 53·4	

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 4. 1894. VOL. LV.] WEEK ENDING SATURDAY, JANUARY 27. [Price 1½d.

*General Register Office, Somerset House,
January 29th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·7 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.		Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.
Birkenhead	23·7	30·1	25·7	17·3	Liverpool -	26·0	33·3	26·0	24·6
Birmingham	24·7	31·6	29·9	25·6	London -	24·5	29·5	23·7	19·8
Blackburn -	19·1	21·6	17·0	24·0	Manchester	22·6	30·8	21·9	23·8
Bolton -	16·7	30·0	25·1	19·4	Newcastle-on-Tyne	19·1	20·7	20·7	19·9
Bradford -	21·0	21·9	22·1	19·6	Norwich -	37·0	60·2	42·4	31·1
Brighton -	23·3	23·7	25·0	22·8	Nottingham	23·3	24·5	18·7	18·9
Bristol -	21·4	36·6	28·3	22·8	Oldham -	21·4	22·9	16·9	17·7
Burnley	26·5	33·0	18·9	24·3	Plymouth -	40·3	55·7	38·0	29·6
Cardiff	20·3	24·2	21·4	19·6	Portsmouth	17·7	23·2	16·5	16·8
Croydon -	15·8	26·1	16·3	17·7	Preston -	18·3	28·1	23·4	24·8
Derby -	17·9	22·2	26·9	14·8	Salford -	22·5	27·4	22·0	30·1
Gateshead -	19·0	19·5	18·4	22·9	Sheffield -	17·9	24·8	19·1	19·7
Halifax -	11·2	23·0	15·2	18·5	Sunderland	21·1	22·2	26·8	16·5
Huddersfield	14·8	24·9	24·3	22·2	Swansea -	18·0	20·8	19·1	20·8
Hull -	23·5	26·5	21·6	18·6	West Ham -	25·8	23·9	21·0	16·0
Leeds -	16·9	27·0	21·1	18·8	Wolverhampton	19·6	22·7	24·5	19·0
Leicester -	15·2	21·2	15·7	14·9					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·2 in Wolverhampton, 2·5 in Birkenhead, and 3·2 in Burnley; from *scarlet fever*, 1·1 in Derby and in Burnley; from *whooping-cough*, 2·6 in Newcastle, 2·7 in Swansea, 2·8 in Bristol, and 3·6 in Plymouth; from "*fever*," 1·7 in Gateshead; and from *diarrhœa*, 1·1 in Burnley. The 80 deaths from *diphtheria* included 52 in London, 4 in Manchester, 3 in Salford, and 3 in Bristol. Seven deaths from *small-pox* were registered in Birmingham, 3 in Bradford, 2 in Bristol, and one death each in West Ham, Nottingham, Liverpool, and Halifax, but not one in London or in any other of the thirty-three towns.

LONDON.

In LONDON† 2689 BIRTHS and 1655 DEATHS were registered. Allowing for increase of population, the births were 115, and the deaths 405, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 24·5, 29·5, and 23·7 in the preceding

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

three weeks, further declined last week to 19·8. During the four weeks ending on Saturday last the death-rate averaged 24·4 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1655 deaths included 35 from measles, 9 from scarlet fever, 52 from diphtheria, 86 from whooping-cough, 12 from enteric fever, 15 from diarrhoea and dysentery, and not one from small-pox, typhus, ill-defined forms of continued fever, or cholera; thus, 209 deaths were referred to these diseases, being 7 above the corrected average weekly number.

The numbers of cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals and in the Highgate Small-pox Hospital were 69 and 9 respectively, making a total of 78, against 94, 88, and 82 on the preceding three Saturdays; 17 cases were admitted during the week, against 12 and 14 in the preceding two weeks. The deaths from *measles*, which had been 65 and 45 in the preceding two weeks, further declined last week to 35, and were 5 below the corrected average; 4 occurred in the Kensington Workhouse Infirmary. The deaths from *scarlet fever*, which had numbered 35, 26, and 25 in the preceding three weeks, further fell last week to 9, being less than half the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2533 scarlet fever patients at the end of last week, against 2852, 2733, and 2645 on the preceding three Saturdays; 235 cases were admitted during the week, against 224 and 246 in the preceding two weeks. The deaths from *diphtheria*, which had steadily declined in the preceding four weeks from 79 to 48, numbered 52 last week, being almost double the corrected average; 10 belonged to Islington sanitary area. The Metropolitan Asylum Hospitals* contained 319 diphtheria patients at the end of last week, against 289, 290, and 310 on the preceding three Saturdays; 69 cases were admitted during the week, against 62 and 70 in the preceding two weeks. The deaths from *whooping-cough*, which had been 107 and 93 in the preceding two weeks, further fell to 86 last week, exceeding the corrected average by 2. The fatal cases of *enteric fever*, which had been 15 and 13 in the preceding two weeks, were 12 last week, exceeding the corrected average by one. The Metropolitan Asylum Hospitals contained 93 cases of enteric fever and not one of typhus on Saturday last; 20 cases of enteric fever were admitted during the week, against 9 and 10 in the preceding two weeks. The deaths from *diarrhoea*, which had risen in the preceding four weeks from 7 to 16, numbered 15 last week, being one below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 762 and 547 in the preceding two weeks, further declined to 422 last week, and were 205 below the corrected average.

The deaths attributed directly to *influenza* numbered 41, having declined successively in the preceding six weeks from 164 to 69.

Different forms of violence caused 55 deaths, concerning all but 4 of which inquests were held. Of these 55 deaths, 9 were cases of suicide, and one death was a case of homicide, while the remaining 45 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 6 to burns and scalds, 3 to poison, and 10 (of infants under one year of age) to suffocation in bed.

The death of an infant, aged 21 months, was attributed, after inquest, to "failure of the heart whilst under the influence of an anæsthetic; misadventure."

GREATER LONDON.

In Greater London 3594 births and 2132 deaths were registered, corresponding to annual rates of 31·5 and 18·7 per 1000 of the estimated population. In the Outer Ring 2 deaths from small-pox, 2 from scarlet fever, 15 from diphtheria, 25 from whooping-cough, and 3 from "fever" were recorded. The 2 deaths from small-pox occurred in the districts of West Ham and Romford. Of the 15 deaths from diphtheria, 5 occurred in Edmonton, 3 in West Ham, 2 in Croydon, and 2 in Bromley districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·65 inches, and that of the Thermometer 41°·6, the latter being 3°·0 above the week's average in the 50 years 1841-90. The direction of the wind was Westerly, the horizontal movement of the air being 44 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 10·0 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 27th January 1894.

CITIES AND BOROUGHES.	Cols.	Registered during the Week ending 27th Jan. 1894.				The Deaths registered in the Week include										TEMPERATURE OF THE AIR.				RAINFALL.	
		POPULATION estimated at middle of the Year 1884.*		BIRTHS.		DEATHS.		Deaths of		Deaths from		Deaths		Deaths		Mean.	Highest.	Lowest.	Fahrenheit.	In inches.	In Centi- metres.
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.		
33 TOWNS	-	10,458,442	6566	4156	960	552	16	73	35	80	192	42	42	155	284	855	100	207	24	52.2	1.47
LONDON.	-	4,349,166	2089	1075	307	422	-	35	9	52	86	12	15	55	114	403	22	198	25	52.2	0.71
WEST HAM.	-	288,184	154	73	20	9	1	-	-	2	4	-	-	5	7	7	2	160	15	52.2	1.80
WEST HAM.	-	111,921	57	28	5	11	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-
CRYDON.	-	118,715	47	22	6	20	-	-	1	1	-	-	-	2	4	9	2	228	0.9	-	-
BRIGHTON.	-	170,973	45	55	12	12	-	-	1	1	-	-	1	3	3	8	-	168	0.6	50.0	1.72
POREMOUTH.	-	47,981	62	50	16	10	-	-	1	1	6	-	-	-	1	1	1	228	4.2	-	4.37
PLYMOUTH.	-	226,578	116	59	21	16	2	1	-	3	12	-	3	3	5	18	3	228	4.8	51.0	-
BRISTOL.	-	148,800	118	56	21	9	-	2	-	1	2	1	-	1	2	7	3	196	2.1	-	1.40
CARDIFF.	-	15,319	66	38	11	3	-	-	1	-	5	-	-	-	-	5	1	208	3.3	-	-
SWANSEA.	-	85,636	51	31	11	5	-	2	1	-	-	-	-	-	1	5	-	190	1.8	48.3	0.81
WOLVERHAMPTON.	-	492,201	824	242	68	40	7	3	3	1	4	-	2	11	9	48	15	256	2.3	-	0.32
BIRMINGHAM.	-	315,645	47	63	14	26	-	-	-	1	1	-	-	1	4	16	1	311	1.0	51.4	0.76
NORWICH.	-	189,186	118	54	15	15	-	1	-	-	-	-	1	2	5	9	-	149	0.6	-	-
LEICESTER.	-	253,684	118	81	13	25	1	1	2	1	2	4	1	4	5	18	-	189	2.8	40.5	1.07
NOTTINGHAM.	-	18,766	51	28	7	-	-	-	2	-	-	-	-	-	-	3	1	148	1.1	-	-
DERBY.	-	105,627	74	35	9	8	-	5	-	1	3	-	-	-	-	4	-	173	4.4	-	-
BIRKENHEAD.	-	147,250	400	249	41	42	1	6	2	-	10	6	1	20	25	66	11	246	2.7	51.0	-
LIVERPOOL.	-	318,303	17	44	10	9	-	-	-	1	-	-	-	1	1	4	3	194	0.9	-	1.09
BOLTON.	-	120,211	133	237	55	38	-	8	2	4	15	2	5	10	25	44	5	238	3.6	-	-
MANCHESTER.	-	206,858	122	119	18	19	-	1	3	3	5	1	2	3	6	17	2	301	3.8	-	-
SALFORD.	-	118,765	85	47	9	14	-	1	-	-	2	-	-	3	3	5	1	177	1.1	-	-
OLDHAM.	-	16,478	63	45	17	5	-	6	2	-	1	-	2	1	1	2	2	243	5.9	-	-
BURNLEY.	-	125,787	81	48	12	13	-	1	-	-	1	1	-	4	5	9	3	240	1.2	-	-
BLACKBURN.	-	111,425	72	53	13	13	-	-	-	1	-	1	-	1	1	11	4	248	0.9	-	-
PRESTON.	-	158,511	41	42	4	11	-	-	-	-	1	-	-	-	-	2	4	222	0.5	-	-
HUDDESFIELD.	-	128,661	44	83	4	13	1	-	-	-	-	-	-	3	6	6	3	185	0.6	-	-
HALEFAX.	-	223,185	105	84	9	24	3	-	2	-	1	2	1	3	6	10	1	196	2.1	48.4	0.97
BRADFORD.	-	388,761	210	140	19	31	-	-	1	2	2	9	19	14	1	18	1	188	1.1	-	-
LEEDS.	-	388,316	228	118	23	18	-	-	1	1	8	1	2	5	10	16	4	197	2.0	-	-
SHEFFIELD.	-	212,679	148	76	22	19	-	-	1	1	7	2	2	1	2	12	6	186	2.7	52.0	0.51
HULL.	-	136,101	100	43	11	10	-	-	-	-	2	-	2	3	5	3	2	165	0.8	50.0	0.41
SUNDERLAND.	-	133,752	60	41	16	8	-	-	-	1	-	-	-	3	5	3	1	229	2.2	-	-
GATESHEAD.	-	201,947	105	77	18	12	-	-	2	2	10	-	1	1	3	5	1	199	3.9	-	-
NEWCASTLE.	-																				

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the FOURTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2410	2727	2836	2579	2715	2599	2510	2794	2643	2758	2804.3	2689
Males . .	1224	1391	1419	1274	1382	1285	1313	1441	1313	1444	1423.2	1377
Females . .	1186	1336	1417	1305	1333	1314	1197	1353	1330	1314	1381.1	1312
TOTAL Deaths	1531	1885	1769	1585	1816	1620	2227	1903	3355	1831	2060.4	1655
Males . .	779	939	860	813	878	848	1192	993	1587	939	1037.3	855
Females . .	752	946	909	772	938	772	1035	910	1768	892	1023.1	800

* The numbers in this column are the average weekly numbers in the fourth weeks of the ten years 1884-93, raised by 5.541 per cent, for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.
TOTAL Births	2452	2659	2430	2529	2405	2466	2474	2378	2106	2486	2367	2719	2689
TOTAL Deaths	1695	1769	2016	2190	2235	2556	2400	2170	1920	2040	2462	1975	1655
Ages at Death													
0-20 years	806	915	966	964	983	1059	1012	915	852	924	1030	813	748
20-40 "	239	207	272	287	285	329	253	261	254	244	280	230	208
40-60 "	290	269	308	372	368	465	446	366	325	370	450	371	277
60-80 "	311	316	399	454	478	568	556	503	414	410	585	449	334
80 years & upwards	49	62	71	113	121	135	133	125	75	92	117	112	83
Under 1 year	412	423	459	480	511	527	483	459	401	444	505	383	367
1-5 "	265	319	363	348	342	383	378	338	315	347	385	332	288
5-20 "	129	173	144	136	130	149	157	118	133	133	140	98	93
Deaths from Small-pox	1	2	1	3	-	4	2	1	-	2	1	-	-
" " Measles	33	42	48	31	39	34	45	49	49	60	65	45	35
" " Scarlet fever	43	47	37	42	34	30	29	32	27	35	26	25	9
" " Diphtheria	88	103	91	90	74	89	85	63	79	66	55	48	52
" " Whooping-cough	28	37	44	45	48	59	67	74	67	81	107	93	86
" " Typhus	-	-	-	1	-	-	-	-	-	-	-	-	-
" " Enteric fever	17	16	21	24	25	33	21	24	17	10	15	13	12
" " Simple Cont'd fever	1	1	-	1	-	1	-	-	1	-	1	3	-
" " Diarrhoea and Dysentery	23	7	22	15	11	11	23	15	7	9	12	16	15
" " Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
" " all the above-mentioned Diseases	234	255	264	252	231	261	272	258	247	263	282	243	209
" " Dis. of Respiratory System	369	410	615	669	737	841	711	635	516	566	762	547	422
" " Phthisis	174	163	174	166	163	212	196	161	164	179	230	150	149
" " Dis. of Circulatory System	129	135	133	175	165	177	149	136	130	157	188	161	124
Violent Deaths	73	53	63	52	68	72	60	65	65	77	92	73	55
Inquest Cases	147	147	172	153	161	201	169	166	144	183	227	178	114
Deaths in Public Institutions	474	445	499	548	523	637	600	555	456	474	626	531	463
TEMPERATURE OF THE AIR													
Mean	44.9	40.3	41.1	39.2	40.9	40.9	43.7	41.7	40.3	26.5	37.5	45.0	41.6
Mean of Highest readings	52.2	45.1	46.5	43.9	47.0	46.0	49.7	46.6	44.6	30.1	42.3	43.5	46.1
Mean of Lowest readings	37.6	35.1	35.4	34.4	35.8	34.4	35.0	36.4	35.6	22.0	31.2	40.7	36.6
Humidity of the Air	83	80	88	82	83	83	84	89	90	77	89	83	84
Rain-fall in inches	0.32	0.02	1.01	0.22	0.38	0.36	0.86	0.69	0.16	0.56	0.43	0.86	0.71
Registered Sunshine (in hours)	13.1	10.9	13.6	4.9	4.6	6.7	2.5	3.2	3.6	3.4	7.0	9.2	10.0

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Jrester, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrothesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbier, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Mel andsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON. -DEATHS Registered at several groups of AGES from different CAUSES in the FOURTH Week of the Year 1894.

CAUSES OF DEATH.										CAUSES OF DEATH.																												
Corrected Averages for the 4th Week of the 10 years 1884-93.*										Corrected Averages for the 4th Week of the 10 years 1884-93.*																												
In the Week ending Saturday, 27th January 1894.										In the Week ending Saturday, 27th January 1894.																												
Deaths of Persons of the Ages										Deaths of Persons of the Ages																												
ALL AGES.										ALL AGES.																												
Under 20.										Under 20.																												
0-1.										0-1.																												
1-6.										1-6.																												
5-20.										5-20.																												
20 and under 40.										20 and under 40.																												
40 and under 60.										40 and under 60.																												
60 and under 80.										60 and under 80.																												
80 Years and upwards.										80 Years and upwards.																												
ALL CAUSES - -										2060.4	1655	367	288	93	208	277	334	88	Diseases of Organs of Special Sense - - }										2.1	3	1	-	-	1	1	-	-	
Small-pox { Vaccinated†										0.5	-	-	-	-	-	-	-	-	-	Diseases of Circulatory System - - }										170.1	124	4	-	8	22	36	50	4
Unvaccinated										1.3	-	-	-	-	-	-	-	-	-	Croup - - - -										12.6	6	-	6	-	-	-	-	-
No Statement										1.5	-	-	-	-	-	-	-	-	-	Bronchitis - - -										404.3	232	61	32	-	5	25	86	23
Measles - - -										40.4	35	4	29	2	-	-	-	-	-	Pneumonia - - -										149.6	152	53	47	6	16	27	21	2
Scarlet Fever -										20.1	9	-	4	4	1	-	-	-	-	Pleurisy - - - -										7.6	3	-	-	-	2	-	1	-
Typhus - - - -										0.3	-	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - - }										53.1	29	4	2	2	2	8	10	1
Reaping Fever -										-	-	-	-	-	-	-	-	-	-	Dentition - - - -										16.3	7	3	4	-	-	-	-	-
Influenza - - -										59.1	41	3	4	3	8	9	13	1	-	Quinsy, Sore Throat -										1.7	1	-	-	1	-	-	-	-
Whooping-cough -										83.8	86	26	53	2	-	-	-	-	-	Enteritis - - - -										9.8	13	4	4	-	-	3	1	-
Diphtheria - - -										26.6	52	5	37	9	1	-	-	-	-	Peritonitis - - -										6.5	6	-	1	2	3	-	-	-
Simple Continued and Ill-defined Fever - }										9	-	-	-	-	-	-	-	-	-	Diseases of Liver - -										26.8	25	4	1	1	4	8	6	1
Enteric Fever - -										10.6	12	-	1	2	3	5	1	-	-	Other Diseases of Digestive System -										33.7	27	6	2	2	2	3	10	2
Cholera and Chol. Diarr.										-	-	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands - - }										1.8	1	-	-	1	-	-	-	-
Diarrhoea, Dysentery -										16.3	15	11	2	-	-	-	1	1	-	Diseases of Urinary System - - -										44.1	44	1	-	3	7	15	16	2
Remittent Fever -										0.3	-	-	-	-	-	-	-	-	-	Diseases of Generative System - - -										6.8	7	-	-	-	3	4	-	-
Hydrophobia - -										0.1	-	-	-	-	-	-	-	-	-	Accidents of Childbirth -										4.7	7	-	-	-	7	-	-	-
Glanders - - - -										-	-	-	-	-	-	-	-	-	-	Diseases of Locomotive System - - }										8.7	11	1	1	5	3	1	-	-
Cowpox and Effects of Vaccination - }										-	1	1	-	-	-	-	-	-	-	Diseases of Integumentary System - - }										7.4	7	2	-	-	-	1	4	-
Veneral Affections -										10.2	7	5	-	-	1	1	-	-	-	VIOLENT DEATHS.†																		
Erysipelas - - -										5.7	4	1	-	-	-	-	2	1	-	(ACCIDENT.)																		
Pyæmia and Septicæmia										2.8	-	-	-	-	-	-	-	-	-	By Railways - - -										3	-	-	1	2	-	-	-	-
Puerperal Fever -										7.7	8	-	-	-	8	-	-	-	-	By Vehicles or Horses -										3	-	1	-	-	-	1	1	-
Other Zymotic Diseases										1.4	2	-	2	-	-	-	-	-	-	In Ships, Boats, Docks (exclusive of Drowning)										-	-	-	-	-	-	-	-	-
Thrush - - - -										0.0	1	1	-	-	-	-	-	-	-	In Building Operations -										-	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - }										0.1	-	-	-	-	-	-	-	-	-	In Conflagrations - -										-	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk -										1.4	2	1	-	-	-	-	-	1	-	By Burns, Scalds, Explosions										55.2	6	-	6	-	-	-	-	-
Alcoholism - - -										6.9	5	-	-	-	2	2	1	-	-	By Drowning - - -										-	2	-	-	-	2	-	-	-
Rheumatic Fever, Rheumatism of Heart										10.6	8	1	-	4	1	2	-	-	-	By Suffocation in Bed -										-	10	10	-	-	-	-	-	-
Rheumatism - - -										2.6	2	-	-	-	-	-	2	-	-	By Poisons or Poisonous Vapours - - -										-	3	-	1	-	1	1	-	-
Gout - - - - -										4.3	4	-	-	-	1	3	-	-	-	Other or not stated Causes - - - }										-	18	4	-	1	6	3	4	-
Rickets - - - -										4.7	3	-	2	1	-	-	-	-	-	(VIOLENCE OTHER THAN ACCIDENTAL.)																		
Cancer - - - -										60.8	50	-	-	1	24	23	2	-	-	Homicide - - - -										2.0	1	1	-	-	-	-	-	-
Tubercular Mesenterica										19.1	17	10	5	2	-	-	-	-	-	Suicide - - - - -										5.2	9	-	-	1	3	5	-	-
Tubercular Meningitis										24.4	15	5	6	4	-	-	-	-	-	Execution - - - -										-	-	-	-	-	-	-	-	-
Phthisis - - - -										179.0	149	1	4	15	70	55	4	-	-	OTHER CAUSES - - -										63.7	58	52	4	-	-	-	2	-
Serofula, Tuberculous										16.9	23	7	7	2	2	5	-	-	-																			
Other Constitutional Diseases - }										14.8	7	-	-	-	4	2	1	-	-																			
Premature Birth - -										44.0	43	43	-	-	-	-	-	-	-																			
Atelectasis - - - -										3.2	2	2	-	-	-	-	-	-	-																			
Congenital Malformations -										6.8	4	4	-	-	-	-	-	-	-																			
Old Age - - - - -										65.4	54	-	-	-	1	23	30	-	-																			
Apoplexy - - - - -										48.2	51	1	-	-	3	16	23	8	-																			
Epilepsy - - - - -										8.7	15	-	1	2	6	2	3	1	-																			
Convulsions - - - -										51.5	33	33	2	-	-	-	-	-	-																			
Other Diseases of Brain and Nervous System }										102.7	73	8	12	8	9	8	21	7	-																			

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.341 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated," which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ended

The DEATHS registered in the Week include																			
REGISTRATION		Enu- mer- ated Popu- lation 1891.	Total Births.	Total Deaths.	Deaths of													Inquest Cases.	Deaths in Public Institutions
SUB-DISTRICTS.					Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simile con- tinued Fever.	Diarrhoea.	Violence.			
LONDON			4,211,743	2689	1655	367	422	-	35	9	52	86	-	12	-	15	55	114	463
WEST DISTRICTS			740,735	409	293	67	83	-	9	2	5	7	-	3	-	6	9	19	104
NORTH DISTRICTS			993,884	557	361	72	93	-	9	3	19	13	-	2	-	1	15	30	95
CENTRAL DISTRICTS			247,538	155	105	20	30	-	1	-	5	8	-	1	-	-	4	5	34
EAST DISTRICTS			705,114	555	328	75	65	-	8	2	9	28	-	3	-	2	8	31	93
SOUTH DISTRICTS			1,524,472	1013	526	133	180	-	8	2	14	30	-	3	-	6	18	28	96
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON			-	-	42	-	16	-	-	-	-	-	-	-	-	1	1	1	42
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.			84159	35	26	4	14	-	-	-	-	-	-	-	-	-	1	2	4
St. John Paddington H - - G.J.			33687	12	10	1	4	-	-	-	-	-	-	-	-	-	-	-	3
Kensington Town Ww - - W.M.			118751	62	64	15	14	-	6	1	1	3	-	-	3	1	1	37	1
Brompton H - - W.M. & C.			47557	12	10	2	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Hammersmith - - W.M.			85884	2	4	1	-	-	-	-	1	-	-	-	-	-	2	2	-
St. Paul Hammersmith H W.M. & G.J.			91859	57	35	15	7	-	-	-	2	-	-	-	-	2	1	8	4
Fulham Ww - - W.M. & C.			91659	79	42	11	10	-	-	1	3	1	-	-	-	-	1	7	14
Chelsea Kensal Town - - C.			21787	14	6	2	-	-	1	-	-	-	-	-	-	-	-	1	-
Chelsea North WH/HHH - - C.			41637	27	27	5	10	-	-	-	-	-	1	-	-	1	2	18	-
Chelsea South HH - - C.			32829	13	11	1	4	-	-	-	-	1	-	-	-	1	1	5	-
May Fair - W - - G.J.			23733	7	9	1	5	-	-	-	-	-	1	-	-	-	-	1	5
Belgrave WHHH - - C.			54531	20	17	-	3	-	-	-	-	-	1	-	-	1	1	8	-
St. John Westminster HHH - - C.			31106	19	12	5	2	-	2	-	-	-	-	-	-	-	-	-	-
St. Mark's Westminster H - - C.			21668	8	6	2	2	-	-	-	-	-	-	-	-	-	-	-	4
N. James Westminster WHH N.R. & G.J.			24995	10	8	1	4	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho HHHHHH - - N.R.			12317	6	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																			
All Souls Marylebone * } - - W.M.			37713	13	13	3	3	-	-	-	-	-	-	-	-	-	-	-	6
HHHHHHHHH } - - W.M.			20924	13	8	3	3	-	-	-	-	-	-	-	-	-	-	-	8
Rectory Marylebone W - - G.J. & W.M.			19239	29	3	-	1	-	-	-	-	-	-	-	-	1	1	1	-
St. Mary Marylebone HHHH G.J. & W.M.			33327	20	14	6	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H - - W.M.			32101	15	4	1	2	-	2	-	-	-	-	-	-	-	-	-	-
St. John Marylebone H - - W.M.			68416	26	32	5	8	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead WwHHHH/ N.R. & W.M.			36590	25	32	5	8	-	1	-	7	1	-	-	-	1	1	10	-
Regent's Park Paneras BH - - W.M.			26331	16	19	2	2	-	-	-	-	1	-	-	-	-	-	-	-
Tottenham-court WHHHH N.R. & W.M.			27453	13	13	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Gray's Inn Lane HHH - - N.R.			32829	30	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Somers Town HH - - N.R.			15419	12	14	-	10	-	-	-	-	-	-	-	-	-	-	-	-
Camden Town WH - - N.R.			95765	64	24	8	5	-	-	-	-	2	-	-	-	-	-	-	-
Kentish Town W - - N.R.			99235	47	63	6	19	-	-	-	-	-	-	-	-	-	-	-	-
Upper Holloway WwWHH - - N.R.			105557	61	31	5	5	-	2	-	4	5	-	-	-	2	3	27	-
Islington South-west H - - N.R.			64153	31	17	2	4	-	-	1	1	-	-	-	-	1	3	-	-
Islington South-east - - N.R.			59193	22	14	4	6	-	-	-	-	-	-	-	-	-	-	-	-
Highbury HH - - N.R.			30933	21	9	3	2	-	-	1	-	-	-	-	-	-	-	-	-
Stoke Newington H - - N.R.			17759	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - E.L.			42902	16	11	3	4	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney H - - N.R.			94486	65	39	7	13	-	1	3	-	-	-	-	-	-	-	-	-
Hackney WwWHH - - E.L. & N.R.			41759	19	6	1	1	-	-	-	2	-	-	-	-	3	5	13	-
South Hackney W - - E.L.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - N.R.			16695	3	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - - N.R.			13454	8	13	2	6	-	-	-	-	-	-	-	-	1	2	6	1
St. Giles North H - - N.R.			9383	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HHH N.R. & C.			14616	4	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary-le-Strand H - - N.R.			3706	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes WH - - N.R.			7194	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Strand Union Workhouse, Edmonton W.			-	-	2	-	2	-	-	-	-	1	-	-	-	1	1	3	2
St. Geo. the Martyr HHHHHH N.R.			17921	8	16	3	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Eastern W - - N.R.			15343	7	5	1	2	-	-	-	4	2	-	1	-	-	-	6	-
St. James Clerkenwell - - N.R.			16803	12	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Amwell Clerkenwell - - N.R.			16883	12	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - N.R.			17155	16	6	2	1	-	-	-	-	2	-	-	-	-	-	-	-
Goswell-street - - N.R.			15375	13	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-
City-road HHHH - - N.R.			29177	37	10	2	2	-	-	-	-	1	-	-	-	-	-	-	-
Whitcross-street - - N.R.			8278	4	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Flintbury - - N.R.			4985	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham W.			-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - N.R. & E.L.			8944	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.			4639	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - N.R.			4444	1	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Bride W - - N.R.			6594	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Allhallows Barking - - N.R.			10422	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.			8377	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone			-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; Z—Private Lunatic Asylum in which paupers are received; W—Workhouse / Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N. Rivers; E. L. East London; and K. the Kent Company.

* On the 1st September the sub-districts of All Souls and Cavendish Square were amalgamated under the name of All Souls sub-district.

			The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.			Enu-merated Popu-lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple un-attended Fever.	Diarrhoea.	Violence.					
EAST DISTRICTS.																						
Moreditch South HL*	-	E.L. & N.R.	20098	16	10	2	1	-	1	-	-	1	-	-	-	-	1	1	-			
Boston New Town -	-	N.R.	29313	31	19	4	3	-	-	-	-	2	-	-	-	-	1	6	-			
Rosdon Old Town -	-	N.R.	28364	28	14	5	2	-	1	-	-	4	-	-	-	-	1	1	-			
Laggerston WH -	-	N.R. & E.L.	46244	29	32	7	7	-	-	1	3	3	-	-	-	-	1	11	-			
Ethnal Green North H	-	E.L.	51620	34	19	5	2	-	-	-	2	8	-	-	-	-	-	-	-			
Ethnal Green South -	-	E.L.	33489	31	13	4	4	-	-	-	-	-	-	-	-	1	1	2	-			
Ethnal Green East WHL*	-	E.L.	44123	39	14	1	5	-	-	-	1	3	-	-	-	-	-	6	-			
Hillfields -	-	E.L.	22456	16	5	-	1	-	-	-	-	-	-	-	-	-	-	7	-			
Hill End New Town W	-	E.L.	17908	16	27	2	1	-	1	-	1	-	-	-	-	-	3	17	-			
Whitechapel Church H	-	E.L. & N.R.	20298	19	27	7	1	-	1	-	1	-	-	-	-	1	1	-	-			
Woodman's Fields -	-	E.L.	18800	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
St. George's, North -	-	E.L.	37738	39	15	7	-	-	-	-	1	-	-	-	1	1	1	-	-			
St. John, St. George East W	-	E.L.	8037	9	9	1	2	-	1	-	1	-	1	-	-	-	-	6	-			
Madwell H -	-	E.L. & N.R.	10246	5	9	1	-	-	1	-	-	-	-	-	-	1	1	6	-			
Matelliff -	-	E.L.	14928	6	1	1	-	-	-	-	1	-	-	-	-	-	2	-	-			
Timehouse -	-	E.L.	32202	17	10	-	3	-	-	-	-	-	1	-	-	-	-	1	-			
Hill End Old Town West H	-	E.L.	38650	81	12	2	3	-	-	-	1	-	-	-	-	-	2	-	-			
Hill End Old Town East WWH-E.L.	-	E.L.	68942	44	29	8	7	-	-	-	-	2	-	-	1	5	8	-	-			
Cow L* -	-	E.L.	40865	30	15	4	3	-	-	-	-	1	-	-	-	-	1	1	-			
Cromley WWH -	-	E.L.	70000	64	43	10	8	-	-	-	-	4	-	-	1	5	19	3	-			
Coplar WW -	-	E.L.	56383	38	17	3	5	-	8	-	-	-	-	1	-	-	2	-	-			
SOUTH DISTRICTS.																						
Christchurch Southwark WH	-	L. & S.	13264	8	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-			
St. Saviour Southwark -	-	S.	13913	14	7	4	-	-	2	-	-	-	-	-	-	-	-	1	-			
Cent-road -	-	S. & L.	21867	24	7	3	2	-	-	-	-	-	-	-	2	2	3	-	-			
Forough-road WH	-	S. & L.	16524	11	8	1	1	-	-	-	1	-	-	-	-	-	-	-	-			
London-road HL	-	L. & S.	21221	10	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
Trinity Newington -	-	S. & L.	26596	20	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-			
St. Peter Walworth W	-	S. & L.	61342	50	25	4	8	-	1	-	1	4	-	-	-	2	1	2	-			
St. Mary Newington -	-	L. & S.	47866	26	10	3	3	-	-	1	1	-	-	-	-	-	-	2	-			
St. Olave WH -	-	S.	12723	8	9	1	1	-	-	-	1	-	-	-	-	1	1	8	-			
Weather Market -	-	S. & L.	14952	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-			
St. Mary Magdalen W	-	S.	15660	12	10	3	1	-	-	-	-	-	-	-	-	2	1	-	-			
St. James Bermondsey -	-	S.	54070	35	23	8	4	-	-	-	1	-	-	-	-	2	-	1	-			
Cotherhithe WH	-	S. & K.	39255	20	17	5	5	-	1	-	-	-	-	-	1	1	7	1	-			
Waterloo-road 1st H -	-	L. & S.	14031	14	6	-	-	-	-	-	-	-	-	-	-	1	3	-	-			
Waterloo-road 2nd H -	-	L. & S.	14644	7	4	2	-	-	-	-	-	-	-	-	-	2	1	6	-			
Lambeth Church 1st H	-	L. & S.	18075	31	23	5	7	-	1	-	-	-	-	-	1	-	9	-	-			
Lambeth Church 2nd WWH	-	L. & S.	39067	39	9	1	3	-	-	-	1	-	-	-	-	-	-	-	-			
Kennington 1st H	-	S. & L.	30386	18	11	-	6	-	-	-	-	-	-	-	-	-	-	-	-			
Kennington 2nd, -	-	S. & L.	39708	13	11	-	6	-	-	-	-	-	-	-	-	-	-	-	-			
Crixton W	-	L. & L.	73405	44	23	6	6	-	2	-	3	2	-	1	-	1	5	3	-			
Forwood W	-	L.	25657	13	9	3	3	-	-	-	-	-	-	-	-	-	-	1	-			
East Battersea -	-	S.	67344	45	19	5	2	-	1	-	1	1	-	-	1	2	2	-	-			
West Battersea WWH	-	S.	33314	61	27	4	10	-	-	-	-	1	-	1	1	1	8	-	-			
Elephant H H	-	S.	43698	26	12	4	4	-	-	-	1	-	-	-	-	-	1	-	-			
Vandeworth WHL	-	S.	46717	44	13	2	2	-	-	1	1	-	-	-	2	2	1	-	-			
Putney -	-	S.	17771	14	5	-	1	-	-	-	-	-	-	-	1	1	-	-	-			
Streatham WW	-	L.	48755	25	16	5	5	-	2	-	-	-	-	-	1	-	2	-	-			
Orpington -	-	L. & S.	6809	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Camberwell WOL*L*	-	S.	51635	26	42	6	17	-	-	-	-	-	-	-	-	1	26	-	-			
Elephant WWH	-	S., L. & K.	53488	66	23	15	5	-	-	-	2	-	-	-	2	-	-	1	-			
St. George Camberwell -	-	L. & S.	63366	42	15	3	3	-	-	-	-	-	-	-	1	1	-	-	-			
Deptford, North -	-	K.	35314	26	10	4	-	-	-	-	2	-	-	-	-	-	-	-	-			
Deptford, Central W	-	K.	42007	34	13	3	3	-	-	1	1	-	-	-	-	-	1	1	-			
Deptford, South -	-	K.	30852	24	10	4	3	-	-	-	1	-	-	-	-	-	-	1	-			
Greenwich West H	-	K.	22007	23	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-			
Greenwich East WH	-	K.	53233	19	17	3	4	-	-	1	1	-	-	-	1	-	7	1	-			
Eltham H -	-	K.	5662	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Lee H -	-	K.	23541	9	9	1	2	-	-	4	-	-	-	-	-	-	1	-	-			
Lewisham WH	-	K.	30950	24	10	5	2	-	-	1	-	-	-	-	1	1	3	-	-			
Elephant H	-	K.	34162	16	10	3	2	-	-	1	-	-	1	-	-	-	-	-	-			
Charlton HH	-	K.	14040	8	6	2	1	-	-	-	2	-	-	-	-	-	-	-	-			
Woolwich Dockyard	-	K.	18906	11	3	1	-	-	-	1	-	-	-	-	-	-	-	1	-			
Woolwich Arsenal HH	-	K.	21242	15	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Lumstead, West H	-	K.	15869	6	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-			
Lumstead, East W	-	K.	36567	30	17	4	3	-	-	-	2	-	-	-	-	-	4	1	-			
Canterbury Asylum	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5	-			
Canterbury Asylum	-	-	-	-	5	-	5	-	-	-	-	-	-	-	-	-	-	5	-			
Canterbury Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-			
Hospital Ships and Camp, Dartford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Canterbury Asylum	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Canterbury Asylum	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5	-			
Canterbury Asylum	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-	1	1	3	-			
Canterbury Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Canterbury Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Canterbury Asylum	-	-	-	-	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Canterbury Asylum	-	-	-	-	10	-	4	-	-	-	-	-	-	-	-	-	-	-	-			

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS). AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 27th January, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lation 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Deaths from											
								Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unexplained Causes.	
LONDON—OUTER RING		768.749	1,422,063	905	477	115	134	2	1	2	15	25	3	3	14	30	48	13	
30: 1	Carshalton <i>wH</i>	12228	26108	18	7	1	2	-	-	-	-	2	-	-	-	-	2	-	
2	Epsom, part of <i>wH</i>	10423	12508	4	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
37: 1	Godstone, part of <i>w</i>	754	1698	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon <i>WHH</i>	20851	128699	67	48	5	16	-	-	-	2	3	1	-	-	-	9	-	
2	Mitcham <i>w</i>	11697	23088	4	7	1	5	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon <i>HHH</i>	3220	25761	19	12	2	6	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston <i>WHH</i>	8071	44765	23	13	2	5	-	-	-	1	-	-	-	-	-	3	1	
3	Esher, part of <i>w</i>	6601	12069	4	5	3	1	-	-	1	-	-	-	-	-	1	1	-	
4	Hampton <i>H</i>	4655	18252	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond <i>WH</i>	2160	25389	11	7	-	6	-	-	-	-	-	-	-	-	-	3	-	
2	Mortlake <i>H</i>	2823	16159	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley <i>HHH</i>	9127	23815	14	9	4	3	-	-	1	-	-	-	-	-	-	1	-	
2	Beckenham <i>H</i>	6542	21969	10	7	1	1	-	-	-	-	-	-	-	-	-	1	-	
3	Chislehurst, pt. of <i>WHH</i>	14307	20372	19	8	2	3	-	-	1	1	-	-	-	1	1	-	-	
42: 1	Bexley <i>H</i>	12540	30690	20	10	2	2	-	-	1	1	-	-	-	-	-	-	2	
2	Dartford Work., pt. of <i>w</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124: 1	Saunbury <i>w</i>	11054	13671	2	4	-	2	-	-	-	-	-	-	-	1	1	1	-	
2	Staines <i>w</i>	18277	18221	8	7	2	3	-	-	-	-	2	-	-	-	-	-	-	
125: 1	Hillingdon <i>WHH</i>	6035	12237	8	6	2	1	-	-	-	-	-	-	-	-	1	-	-	
2	Uxbridge	6172	5417	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
3	Hayes <i>wH</i>	14537	12618	9	6	3	1	-	-	-	-	-	-	-	1	1	-	-	
126: 1	Isleworth <i>WH</i>	6967	26273	18	8	2	5	-	-	-	-	-	-	-	-	-	3	-	
2	Twickenham <i>HH</i>	2415	16027	10	5	5	-	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford <i>HHHH</i>	4818	37777	22	12	2	6	-	-	-	-	-	-	-	-	2	-	-	
4	Chiswick	1245	21968	15	11	3	4	-	-	-	-	-	-	-	1	2	-	-	
5	Aston <i>wH</i>	6132	30945	24	16	8	3	-	-	1	-	-	-	1	-	-	-	-	
127: 1	Harrow <i>HH</i>	18809	15715	11	6	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware <i>H</i>	6994	3844	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden <i>HHH</i>	4583	61265	39	14	5	1	-	-	-	1	1	-	-	-	-	-	-	
4	Hendon <i>W</i>	8335	16848	17	6	3	3	-	-	-	-	1	-	1	-	-	4	-	
128: 1	South Mimms	15591	8474	4	4	1	2	-	-	-	-	-	-	-	1	1	-	1	
2	Barnet <i>WHH</i>	5441	11778	4	4	1	1	-	-	-	1	-	-	-	-	-	-	-	
3	Finchley <i>HH</i>	4681	25820	23	7	2	2	-	-	-	1	-	-	-	1	1	1	-	
129: 1	Hornsey <i>H</i>	8039	61097	23	19	1	7	-	-	-	1	2	-	1	1	1	2	-	
2	Tottenham <i>H</i>	4643	37174	70	37	12	5	-	1	-	1	2	1	-	3	0	1	-	
3	Edmonton <i>Ww</i>	7489	36851	52	18	4	3	-	-	-	1	1	-	-	-	1	3	-	
4	Enfield <i>WWHH</i>	12639	31803	25	5	-	2	-	-	-	-	1	-	-	-	-	-	-	
5	Waltham Abbey	11017	6966	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt <i>H</i>	8490	9620	7	6	1	-	-	-	-	2	-	-	-	-	-	-	-	
130: 1	Hatfield, part of <i>w</i>	5306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
131: 1	Bushey	9331	7737	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of <i>w</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
132: 1	Stratford <i>H</i>	1100	42983	30	9	2	-	-	-	-	-	-	-	-	-	-	-	1	
2	Plaistow <i>HHH</i>	1242	35030	53	29	9	3	1	-	-	1	2	-	-	2	2	1	-	
3	Canning Town <i>H</i>	1558	54750	45	22	6	1	-	-	-	1	1	-	-	3	5	2	1	
4	Forest Gate <i>w</i>	806	49140	20	9	3	2	-	-	-	-	1	-	-	-	-	-	-	
5	East Ham <i>wH</i>	326	32713	36	14	4	3	-	-	-	1	1	-	-	-	-	-	-	
6	Leyton <i>WwL</i>	4634	70188	40	23	3	7	-	-	1	-	-	-	-	-	-	7	3	
7	Walthamstow <i>HH</i>	6501	57330	32	12	2	6	-	-	-	-	-	-	-	-	1	-	2	
137: 1	Chigwell, part of <i>wH</i>	11779	12941	6	6	3	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of <i>w</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, part of <i>w</i>	6556	4324	2	2	-	-	1	-	-	-	-	-	-	-	-	1	-	
2	Uford	8493	10913	10	4	1	2	-	-	-	-	-	-	-	-	-	-	1	
3	Barking Town	6314	14301	16	3	2	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—30: 2, Epsom sub-district, except the parishes of Asstead and Headley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2232); 41: 2, Chislehurst sub-district, except the parishes of Chislefield, Cunnam, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1899); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 41: 2, Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 27th January, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public institutions.		
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
GREATER LONDON	443,421	5,948,300	18·7	2·3	2132	492	556	2	36	11	67	111	15	18	69	511				
INNER LONDON -	746·2	4,340,166	19·8	2·5	1633	367	422	-	35	9	52	86	12	15	55	463				
OUTER RING -	368,749	1,599,134	16·6	1·7	477	115	134	2	1	2	15	25	3	3	14	48				

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH -	270,588	January 27	135	95	18·3	1	-	-	2	5	1	-	
GLASGOW -	686,820	" 27	476	294	22·3	-	1	2	4	28	-	6	
DUBLIN -	349,594	" 27	193	217	32·4	-	3	2	2	11	4	1	
CALCUTTA -	466,460	December 9	-	-	-	-	-	-	-	-	-	-	
BOMBAY -	821,764	January 9	353	422	26·7	2	5	?	?	?	104	33	
MADRAS -	452,513	December 8	-	-	-	-	-	-	-	-	-	-	
PARIS -	2,424,705	January 20	1151	1114	24·5	7	19	-	27*	2	6	29	
BRUSSELS - (with 8 Faubourgs)	488,188	" 20	254	160	17·4	-	-	-	2*	1	1	3	
AMSTERDAM -	437,892	" 20	280	281	32·9	-	2	-	3	1	-	-	
ROTTERDAM -	222,233	" 20	142	148	34·5	8	-	-	1	5	-	-	
THE HAGUE -	169,828	" 20	95	58	17·7	-	-	-	-	1	-	-	
COPENHAGEN -	341,000	" 20	214	181	27·7	-	-	12	4	1	-	4	
STOCKHOLM -	249,246	" 13	142	91	19·0	-	-	2	6*	2	1	3	
CHRISTIANIA -	161,151	" 20	53	58	18·7	-	-	1	2	-	1	4	
ST. PETERSBURG -	954,400	December 30	385	537	29·3	5	12	6	8	6	8	121†	
MOSCOW -	753,469	January 13	-	452	31·3	2	4	5	7	3	5	17	
BERLIN -	1,714,938	" 6	782	552	19·9	-	6	8	26	6	1	15	
HAMBURG -	594,209	" 20	473	206	18·0	-	-	3	5*	1	-	1	
DRESDEN -	308,930	December 16	166	141	23·7	-	-	2	11*	4	-	3	
BRESLAU -	353,551	" 23	172	122	20·5	-	-	1	6*	2	-	3	
MUNICH -	390,000	January 20	-	166	24·3	-	1	4	13*	3	2	8	
VIENNA -	1,465,537	" 20	-	165	22·0	-	5	1	3*	-	-	13	
PRAGUE -	332,367	" 20	830	643	22·8	1	12	7	43*	3	4	29	
BUDA-PESTH -	552,769	" 20	221	192	30·0	-	1	1	5	3	5	1	
TRIESTE -	169,427	" 13	327	263	24·7	-	2	3	14	1	1	10	
ROME -	449,739	" 13	120	170	55·3	6	-	3	7*	-	-	-	
TURIN (11 days) -	335,525	December 23	221	188	21·8	-	1	1	1	-	5†	7†	
VENICE -	163,601	" 30	224	171	19·8	-	1	-	-	-	4†	7	
CAIRO -	374,838	" 31	213	246	24·3	-	12	2	4	1	2	13	
ALEXANDRIA -	231,390	January 6	76	83	26·4	-	-	-	-	-	1	5	
NEW YORK -	1,875,385	" 4	408	405	56·2	-	-	-	1*	3	6	112	
BROOKLYN -	1,003,781	" 4	242	205	46·2	-	-	-	4*	3	3	48	
PHILADELPHIA -	1,139,457	" 6	-	878	23·8	2	18	11	59	9	5	5	
NEW ORLEANS -	254,000	" 6	-	367	19·1	-	1	4	23	2	1	4	
		" 6	-	618	28·0	-	1	4	27	5	8	5	
		December 9	-	196	40·3	-	-	-	3	2	5	16	

* Including deaths from croup.

† Including 76 deaths from cholera in St. Petersburg, and one in Rome.

‡ Including 3 and 4 deaths, respectively, from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 27th JANUARY, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894. Month and Day.		TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a Gauge surface receiving 5 inches of rain above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		Of the Air.					Difference between the Air Temperature and Dew Point.					Of Radiation.					General Direction.							Pressure on the Square Foot.					Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		Phases of the Moon.		Mean daily reading and re- duced to 32° F. (see Note.)		De- parture from Average of 50 years.		Mean daily value.		Mean daily value.		Great- est. est.		Least. est.		High- est. est.		Low. est.		Daily Range.		Mean value.		De- parture from Average of 50 years.		A.M.		P.M.		Great- est. est.		Least. est.		Mean of 24 hours obs.		Horizontal Movement of the Air on each day.		Depar- ture from Average of 10 Years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

The results apply to the civil day or from midnight to midnight.
The height of the cistern, of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.
In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased from 29.53 in. at the beginning of the week to 29.80 in. by 10h. A.M. on the 21st; decreased to 29.29 in. by 3h. P.M. on the 22nd; increased to 30.04 in. by 9h. A.M. on the 23rd; decreased to 29.30 in. by 3h. A.M. on the 24th; increased to 29.74 in. by 9h. P.M. on the same day; and decreased to 29.40 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 5, 1894. VOL. LV.] WEEK ENDING SATURDAY, FEBRUARY 3. [Price 1½d.

*General Register Office, Somerset House,
February 5th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·0 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.		Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.
Birkenhead	30·1	25·7	17·3	25·2	Liverpool -	33·3	26·0	24·6	29·2
Birmingham	31·6	29·9	25·6	20·9	London -	29·5	23·7	19·8	19·4
Blackburn -	21·6	17·0	24·0	13·3	Manchester -	30·8	21·9	23·8	22·4
Bolton -	30·0	25·1	19·4	21·2	Newcastle-on-Tyne	20·7	20·7	19·9	17·6
Bradford -	21·9	22·1	19·6	16·5	Norwich -	60·2	42·4	31·1	21·2
Brighton -	23·7	25·0	22·8	18·0	Nottingham -	24·5	18·7	18·9	17·7
Bristol -	36·6	28·3	22·8	27·4	Oldham -	22·9	16·9	17·7	17·3
Burnley -	33·0	18·9	24·3	22·2	Plymouth -	55·7	38·0	29·6	27·9
Cardiff -	24·2	21·4	19·6	20·3	Portsmouth -	23·2	16·5	16·8	18·9
Croydon -	26·1	16·3	17·7	14·4	Preston -	28·1	23·4	24·8	21·1
Derby -	22·2	26·9	14·8	15·8	Salford -	27·4	22·0	30·1	20·5
Gateshead -	19·5	18·4	22·9	18·4	Sheffield -	24·8	19·1	19·7	18·6
Halifax -	23·0	15·2	18·5	18·0	Sunderland -	22·2	26·8	16·5	16·5
Huddersfield	24·9	24·3	22·2	16·9	Swansea -	20·8	19·1	20·8	17·5
Hull -	26·5	21·6	18·6	23·8	West Ham -	23·9	21·0	16·0	19·3
Leeds -	27·0	21·1	18·8	18·6	Wolverhampton -	22·7	24·5	19·0	18·4
Leicester -	21·2	15·7	14·9	13·8					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·8 in Wolverhampton, and 2·0 in Birkenhead; from *scarlet fever*, 1·1 in Burnley; from *whooping-cough*, 1·8 in Bolton, 1·8 in Cardiff, 3·0 in Bristol, and 4·7 in Plymouth; from "*fever*," 1·1 in Swansea; and from *diarrhœa*, 1·1 in Cardiff. The 109 deaths from *diphtheria* included 74 in London, 4 in Liverpool, and 3 each in Manchester, Salford, Sheffield, and Newcastle. Five deaths from *small-pox* were registered in Birmingham, 2 in West Ham, and one death each in London, Bradford, and Gateshead, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2708 BIRTHS and 1621 DEATHS were registered. Allowing for increase of population, the births were 192, and the deaths 235, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 29·5, 23·7, and 19·8 in the preceding three weeks, further declined last week to 19·4. During the four weeks ending on Saturday last the death-rate averaged 23·1 per 1000, being 2·3 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

The 1621 deaths included one death from small-pox, 21 deaths from measles, 22 from scarlet fever, 74 from diphtheria, 69 from whooping-cough, 14 from enteric fever, 14 from diarrhoea and dysentery, and not one death from typhus, ill-defined forms of continued fever, or cholera; thus, 215 deaths were referred to these diseases, being 21 above the corrected average weekly number.

One death from *small-pox* was registered, the corrected average being 5. The numbers of cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals and in the Highgate Small-pox Hospital were 69 and 12 respectively, making a total of 81, against 88, 82, and 78 on the preceding three Saturdays; 17 cases were admitted during the week, against 14 and 17 in the preceding two weeks. The deaths from *measles*, which had been 65, 45, and 35 in the preceding three weeks, further declined last week to 21, being 11 below the corrected average. The deaths from *scarlet fever*, which had declined in the preceding four weeks from 35 to 9, increased again last week to 22, exceeding the corrected average by one. The Metropolitan Asylum and London Fever Hospitals* contained 2491 scarlet fever patients at the end of last week, against 2733, 2645, and 2533 on the preceding three Saturdays; 245 cases were admitted during the week, against 246 and 235 in the preceding two weeks. The deaths from *diphtheria*, which had numbered 48 and 52 in the preceding two weeks, further increased last week to 74, and exceeded the corrected average by 46; 13 belonged to Islington sanitary area. The Metropolitan Asylum Hospitals* contained 320 diphtheria patients at the end of last week, against 290, 310, and 317 on the preceding three Saturdays; 57 cases were admitted during the week, against 70 and 69 in the preceding two weeks. The deaths from *whooping-cough*, which had been 107, 93, and 86 in the preceding three weeks, further declined last week to 69, and were 13 below the corrected average. The fatal cases of *enteric fever*, which had been 15, 13, and 12 in the preceding three weeks, increased last week to 14, and were 2 above the corrected average. The Metropolitan Asylum Hospitals contained 98 cases of enteric fever and not one of typhus on Saturday last; 19 cases of enteric fever were admitted during the week, against 10 and 20 in the preceding two weeks. The deaths from *diarrhoea*, which had been 16 and 15 in the preceding two weeks, numbered 14 last week, exceeding the corrected average by one.

The deaths referred to diseases of the respiratory organs, which had been 762, 547, and 422 in the preceding three weeks, further declined to 385 last week, and were 116 below the corrected average.

The deaths attributed directly to *influenza* were 31, showing a further decline from the numbers recorded in recent weeks.

The age of a female, whose death occurred in the City of London Infirmary, Bromley, and who had been admitted from Cross Lane, City, was stated to be 106 years.

Different forms of violence caused 73 deaths, concerning 72 of which inquests were held. Of these 73 deaths, 11 were cases of suicide, while the remaining 62 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 14 to burns and scalds, 6 to drowning, 4 to poison, and 14 (of infants under one year of age) to suffocation in bed.

The death of a female, aged 72 years, was attributed, after inquest, to "syncope (fatty heart) during the administration of chloroform with a view to operating for strangulated hernia." The death of a plumber, aged 45 years, and that of a female lead worker, aged 20 years, were referred, after inquest, to lead poisoning.

GREATER LONDON.

In Greater London 3667 births and 2073 deaths were registered, corresponding to annual rates of 32.2 and 18.2 per 1000 of the estimated population. In the Outer Ring 2 deaths from small-pox, 14 from diphtheria, 15 from whooping-cough, and 4 from "fever" were recorded. The 2 deaths from small-pox occurred in West Ham district. The 14 deaths from diphtheria included 3 in Brentford, 2 in Edmonton, 2 in West Ham, and 2 in Epping districts. A death in Edmonton district was attributed to "hydrophobia, following the bite of a cat."

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.68 inches, and that of the Thermometer 42° 0, the latter being 2° 3 above the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 38 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 18.5 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, IN 33 GREAT TOWNS, during the Week ending 3rd February 1894.

CITIES AND BOROUGH.	Colts.	POPULATION estimated to the middle of the Year 1844.		Registered during the Week ending 3rd Feb. 1894.		The DEATHS registered in the Week include										ANNUAL RATE per 1000, according to the Week of Deaths				TEMPERATURE OF THE AIR.				RAINFALL.		Colts.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		1.	2.	3.	4.	5.	Deaths of						Deaths from				From All Causes.	From Cancers.	Colts. 6-12.	Highest.		Lowest.	Mean.	In Inches.	In Cent.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
							Persons aged 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlat. Fever.	Diphtheria.	Whooping- cough.	Dysent.	Diarrhoea.	Violence.				Inquest Cases.	Deaths in Public Institutions.				Unsettled Causes of Death.		Fahrenheit.	Fahrenheit.	In Inches.	In Cent.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
BIRTHS.	DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2587	2806	2800	2665	2638	2652	2699	2991	2803	2768	2899·6	2708
Males . .	1306	1414	1438	1399	1371	1327	1355	1463	1422	1393	1459·4	1365
Females .	1281	1392	1362	1326	1317	1335	1314	1523	1386	1375	1440·2	1343
TOTAL Deaths	1595	1592	1788	1485	1894	1572	1849	1638	2500	1673	1855·5	1621
Males . .	826	812	877	734	953	796	965	840	1232	852	933·4	821
Females .	769	780	906	751	936	776	884	798	1268	821	917·1	800

* The numbers in this column are the average weekly numbers in the fifth weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.
TOTAL Births - -	2659	2430	2529	2405	2466	2474	2378	2106	2486	2367	2719	2689	2708
TOTAL Deaths - -	1768	2016	2190	2235	2556	2400	2170	1920	2040	2462	1975	1655	1621
Ages at Death {													
0-20 years -	915	966	964	983	1059	1012	915	852	924	1030	813	748	717
20-40 " -	207	272	287	285	329	253	261	254	244	280	230	208	216
40-60 " -	269	308	372	368	465	445	366	325	370	450	371	277	298
60-80 " -	316	399	454	478	568	556	503	414	410	585	449	334	318
80 years & upwards	62	71	113	121	135	133	125	75	92	117	112	83	72
Under 1 year -	423	459	480	511	527	483	459	401	444	505	383	367	353
{ 1-5 -	319	363	348	342	383	372	338	315	347	385	332	288	245
{ 5-20 -	173	144	136	130	149	157	118	136	133	140	93	93	119
Deaths from Small-pox -	2	1	3	-	4	2	1	-	2	1	-	-	1
" " Measles -	42	48	31	39	34	45	49	49	60	65	45	35	21
" " Scarlet fever -	47	37	42	34	30	29	32	27	35	26	25	9	22
" " Diphtheria -	103	91	90	74	89	85	63	79	66	55	48	52	74
" " Whooping-cough -	37	44	45	48	59	67	74	67	81	107	93	86	69
" " Typhus -	-	-	1	-	-	-	-	-	-	-	-	-	-
" " Enteric fever -	16	21	24	25	33	21	24	17	10	15	13	12	14
" " Simple Contag. fever -	1	-	1	-	1	-	-	1	-	1	3	-	-
" " Diarrhoea and Dysentery -	7	22	15	11	11	23	15	7	9	12	16	15	14
" " Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-
" " all the above-mentioned Diseases -	255	264	252	231	261	272	258	247	263	282	243	209	215
" " Dis. of Respiratory System -	410	615	669	737	841	711	635	516	566	762	547	422	385
" " Phthisis -	168	174	166	163	212	196	161	164	179	280	150	149	159
" " Dis. of Circulatory System -	135	133	175	165	177	149	136	130	157	188	161	124	148
Violent Deaths - -	53	63	52	68	72	60	65	65	77	92	73	55	73
Inquest Cases - -	147	172	153	161	201	169	166	144	183	227	178	115	135
Deaths in Public Institutions	445	499	548	523	637	600	555	456	474	626	531	462	491
TEMPERATURE OF THE AIR													
Mean -	40·3	41·1	39·2	40·9	40·9	43·7	41·7	40·3	26·5	37·5	45·0	41·6	42·0
Mean of Highest readings -	45·1	46·5	43·9	47·0	46·0	49·7	46·6	44·6	30·1	42·3	43·5	46·1	47·9
Mean of Lowest readings -	35·1	35·4	34·4	35·8	34·4	35·0	36·4	35·6	22·0	31·2	40·7	36·6	37·3
Humidity of the Air - -	80	88	82	83	83	84	89	90	77	89	83	84	83
Rain-fall in inches - -	0·02	1·01	0·22	0·38	0·36	0·86	0·69	0·16	0·56	0·43	0·86	0·71	0·69
Registered Sunshine (in hours)	10·9	13·6	4·9	4·6	6·7	2·5	8·2	3·6	3·4	7·0	9·2	10·0	18·5

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTH Week of the Year 1894.

CAUSES OF DEATH.		Corrected Averages for the 5th Week of the 10 years 1884-93.*	In the Week ending Saturday, 3rd February 1894.								Corrected Averages for the 5th Week of the 10 years 1884-93.*	In the Week ending Saturday, 3rd February 1891.													
			Deaths of Persons of the Ages									Deaths of Persons of the Ages													
			ALL AGES.	Under 20.			20 and under 40.		40 and under 60.			60 and under 80.		80 Years and upwards.		ALL AGES.	Under 20.			20 and under 40.		40 and under 60.		60 and under 80.	
		0-1.	1-5.	5-20.								0-1.	1-5.	5-20.											
ALL CAUSES	-	1885.5	1621	355	245	119	216	298	318	72															
Small-pox	{ Vaccinated+ Unvaccinated No Statement	0.8	1	-	-	-	-	1	-	-															
		2.5	-	-	-	-	-	-	-	-															
		1.6	-	-	-	-	-	-	-	-															
Measles	-	31.8	21	4	14	3	-	-	-	-															
Scarlet Fever	-	20.8	22	1	14	6	1	-	-	-															
Erysiphus	-	0.4	-	-	-	-	-	-	-	-															
Relapsing Fever	-	0.1	-	-	-	-	-	-	-	-															
Influenza	-	43.1	31	1	2	1	5	14	8	-															
Whooping-cough	-	82.2	69	29	37	3	-	-	-	-															
Diphtheria	-	28.2	74	-	41	32	-	-	1	-															
Simple Continued and Ill-defined Fever	{	1.1	-	-	-	-	-	-	-	-															
Enteric Fever		11.6	14	-	-	6	7	1	-	-															
Cholera and Chol. Diarr.		0.1	-	-	-	-	-	-	-	-															
Diarrhoea, Dysentery	-	13.1	14	11	2	-	-	-	1	-															
Remittent Fever	-	0.3	-	-	-	-	-	-	-	-															
Hydrophobia	-	-	-	-	-	-	-	-	-	-															
Glanders	-	-	-	-	-	-	-	-	-	-															
Cowpox and Effects of Vaccination	-	0.2	-	-	-	-	-	-	-	-															
General Affections	-	9.3	9	4	1	-	3	1	-	-															
Erysipelas	-	5.3	7	3	-	-	1	1	1	1															
Pymia and Septicæmia	-	2.7	3	1	-	1	1	-	-	-															
Puerperal Fever	-	6.2	9	-	-	1	8	-	-	-															
Other Zymotic Diseases	-	1.2	-	-	-	-	-	-	-	-															
Thrush	-	1.6	1	1	-	-	-	-	-	-															
Worms and other Parasitical Diseases	-	0.5	-	-	-	-	-	-	-	-															
Starvation, Want of Breast-milk	-	1.4	-	-	-	-	-	-	-	-															
Alcoholism	-	7.1	6	-	-	-	3	2	1	-															
Rheumatic Fever, Rheumatism of Heart	{	10.1	10	-	1	3	5	-	1	-															
Rheumatism		2.7	3	-	-	-	-	1	1	1															
Gout		4.5	4	-	-	-	-	2	2	-															
Rickets	-	3.1	6	1	5	-	-	-	-	-															
Cancer	-	54.9	54	-	1	1	5	27	29	-															
Tuberc Mesenterica	-	22.2	12	5	5	1	1	-	-	-															
Tubercular Meningitis	-	25.3	20	4	11	5	-	-	-	-															
Phthisis	-	176.8	159	3	5	8	66	64	13	-															
Serofula, Tuberculos	-	17.8	18	9	4	2	2	1	-	-															
Other Constitutional Diseases	-	11.6	15	2	-	2	1	6	3	1															
Premature Birth	-	42.6	43	43	-	-	-	-	-	-															
Atelocæsis	-	2.6	2	2	-	-	-	-	-	-															
Congenital Malformations	-	8.2	4	4	-	-	-	-	-	-															
Old Age	-	64.6	54	-	-	-	-	-	32	22															
Apoplexy	-	40.8	23	-	-	-	1	10	12	-															
Epilepsy	-	7.5	6	-	-	1	4	-	1	-															
Convulsions	-	50.0	34	28	8	-	-	-	-	-															
Other Diseases of Brain and Nervous System	-	103.7	78	7	6	5	6	20	30	4															

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.54 per cent for increase of population.
 † Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated," which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
 ‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation. 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Deaths in Public Institutions
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued fever.	Diarrhoea.	Violence.			
LONDON	4,211,743	2708	1621	353	390	1	21	22	74	69	-	14	-	14	73	135	401	
WEST DISTRICTS	740,735	403	256	55	65	-	1	3	9	8	-	4	-	1	10	19	77	
NORTH DISTRICTS	993,884	582	354	73	83	-	8	9	26	17	-	5	-	3	11	23	96	
CENTRAL DISTRICTS	247,538	178	116	27	19	-	-	-	8	4	-	2	-	1	8	13	49	
EAST DISTRICTS	705,114	521	307	73	73	-	2	4	13	14	-	3	-	1	23	46	104	
SOUTH DISTRICTS	1,524,472	1024	535	125	121	-	10	5	22	26	-	-	-	8	21	34	113	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	52	-	24	1	-	1	1	-	-	-	-	-	-	-	62	
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	84150	57	33	8	5	-	-	-	-	-	-	-	-	-	-	5	6	
St. John Paddington H - G.J.	33687	11	11	-	3	-	-	-	3	-	-	-	-	-	4	2	8	
Kensington Town Ww - W.M.	118751	63	40	13	15	-	-	-	-	-	-	1	-	1	-	3	17	
Brompton H - W.M. & C.	47557	13	15	2	2	-	-	-	-	-	-	-	-	-	-	-	4	
S. Peter Hammersmith - W.M.	8334	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	3	
S. Paul Hammersmith H W.M. & G.J.	89653	54	26	5	9	-	-	-	1	3	-	-	-	2	2	3	-	
Fulham Ww - W.M. & C.	91639	66	30	8	4	-	-	3	5	2	-	1	-	1	1	11	-	
Chelsea Kensal Town - C.	21787	22	6	3	-	-	1	-	-	-	-	-	-	-	-	-	4	
Chelsea North WHHHH - C.	41637	24	13	4	3	-	-	-	-	-	-	1	-	-	-	1	3	
Chelsea South HH - C.	38929	15	12	5	8	-	-	-	-	-	-	-	-	-	-	-	10	
May Fair W - G.J.	23733	2	13	1	6	-	-	-	-	-	-	-	-	-	-	1	6	
Belgrave WHHH - C.	54931	29	17	2	4	-	-	-	-	2	-	-	-	-	-	-	-	
St. John Westminster HHH - C.	34105	42	9	1	4	-	-	-	-	-	-	1	-	-	-	1	3	
St. Margaret Westminster H - C.	21668	6	8	-	1	-	-	-	-	-	-	-	-	-	-	-	2	
S. James Westminster WHH N.R. & G.J.	24995	2	9	1	5	-	-	-	-	-	-	-	-	-	1	1	-	
St. Anne Soho HHHHHH - N.R.	12317	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																		
All Souls Marylebone * - W.M.	37713	16	16	3	3	-	-	-	1	-	-	1	-	-	-	-	4	
HHHHHHHH - G.J. & W.M.	20024	11	6	2	1	-	-	-	-	1	-	-	-	-	-	1	2	
Rectory Marylebone W - W.M.	19239	27	8	2	1	-	-	-	-	-	-	1	-	-	-	2	-	
St. Mary Marylebone HHHH G.J. & W.M.	33327	15	14	6	3	-	3	-	-	-	-	-	-	-	2	2	-	
Christchurch Marylebone H - W.M.	32101	13	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone H - W.M.	68416	29	25	5	7	-	-	1	9	1	-	-	-	1	1	11	-	
Hampstead WvHHHHH N.R. & W.M.	36590	16	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Regent's Park Pancras HH - W.M.	26321	15	16	2	2	-	-	-	1	1	-	-	-	-	2	11	3	
Tottenham-court WHHHH N.R. & W.M.	27455	17	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gray's Inn Lane HHH - N.R.	32329	9	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camden Town HH - N.R.	15419	18	8	1	5	-	-	-	-	-	-	1	-	1	1	7	8	
Camden Town WH - N.R.	95765	65	30	6	9	-	-	-	-	1	-	-	-	-	-	-	-	
Canal Town W - N.R.	99235	58	63	7	21	-	1	-	3	-	-	1	-	1	1	3	23	
Upper Holloway WvHHHH - N.R.	105557	61	31	7	4	-	-	-	4	1	6	-	-	-	1	2	3	
Islington South-west H - N.R.	84153	47	18	5	5	-	-	-	-	3	-	-	-	-	1	2	-	
Islington South-east - N.R.	29193	28	19	5	4	-	-	-	-	3	3	-	-	-	-	-	-	
Highbury HH - N.R.	30033	8	8	1	3	-	-	-	1	-	-	-	-	-	-	1	-	
Stoke Newington H - N.R.	17759	8	5	3	1	-	-	-	-	-	-	-	-	-	-	1	-	
Stamford Hill - E.L.	42902	29	14	4	4	-	-	-	-	2	-	-	-	-	-	3	-	
West Hackney H - N.R.	96486	65	39	8	6	-	2	3	5	1	-	-	-	1	2	2	18	
Hackney WvHHH - E.L. & N.R.	31759	24	14	3	5	-	1	-	-	1	-	-	-	1	2	1	2	
Hackney W - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																		
St. George Bloomsbury - N.R.	16695	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - N.R.	13454	29	10	3	3	-	-	-	-	1	-	-	-	-	1	1	6	
St. Giles North H - N.R.	9933	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HH N.R. & C.	14616	9	12	3	1	-	-	-	-	-	-	1	-	-	-	-	-	
St. Mary-le-Strand H - N.R.	5706	4	1	1	-	-	-	-	-	-	-	-	-	-	2	3	7	
St. Clement Danes WH - N.R.	7194	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Strand Union Workhouse, Edmonton w.	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	
St. Geo.-the-Martyr HHHHHH N.R.	17921	5	10	2	-	-	-	-	2	-	-	-	-	-	-	1	7	
St. Andrew Eastern W - N.R.	15343	13	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - N.R.	16803	15	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anwell Clerkenwell - N.R.	16883	12	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Pentonville - N.R.	17155	12	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
Goswell-street - N.R.	15375	14	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
City-road HHHH - N.R.	29177	34	10	4	2	-	-	-	-	-	-	-	-	-	-	1	1	
Whitecross-street - N.R.	8273	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury - N.R.	4935	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn Union Workhouse, Mitcham w.	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Botolph H - N.R. & E.L.	8944	5	7	3	2	-	-	-	-	-	-	-	-	-	1	1	-	
Cripplegate - N.R.	4630	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
St. Sepulchre H - N.R.	4444	3	18	3	1	-	-	-	-	-	-	-	-	-	3	3	17	
St. Bride W - N.R.	6594	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
Allhallows Barking - N.R.	10422	3	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-	
Broad Street H - N.R.	5377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
City of London Asylum, Stone	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	8	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different districts.—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. & C. River; E. L., East London; and K., the Kent Company.

* On the 1st September the sub-districts of All Souls and Cavendish Square were amalgamated under the name of All Souls sub-district.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
day, 3rd February, 1894.

The DEATHS registered in the Week include																				
REGISTRATION SUB-DISTRICTS.		Enu-merated Popu-lation, 1891.	Total BIRTHS.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con-junctive Fever.	Diarrhoea.	Violence.					
EAST DISTRICTS.																				
Beddith South	HL*	E.L. & N.R.	20098	11	6	2	-	-	-	-	1	-	-	-	-	-	-	-	-	
ton New Town	"	" N.R.	29813	17	18	3	13	-	-	-	1	1	-	-	-	1	2	10	-	
ton Old Town	"	" N.R.	28864	19	10	6	1	-	-	-	-	-	-	-	-	-	1	12	-	
gerston	WH-	" N.R. & E.L.	46244	26	17	1	7	-	-	1	-	-	-	-	-	-	-	-	-	
bnal Green North	H	" E.L.	51890	49	17	6	4	-	-	-	-	2	-	-	-	-	1	3	-	
bnal Green South	"	" E.L.	33489	31	6	1	1	-	-	-	1	-	-	1	-	-	1	1	3	
bnal Green East	WHL*	" E.L.	44123	33	29	6	8	-	-	-	-	3	-	-	-	-	2	3	12	
alfelds	"	" E.	22456	27	8	1	3	-	-	-	-	-	-	-	-	1	-	1	-	
e End New Town	W	" E.L.	17908	27	15	6	3	-	-	-	-	1	-	-	-	-	9	12	25	
itchapel Church	H	" E.L. & N.R.	30298	8	30	4	1	-	-	-	1	-	-	-	-	-	1	2	-	
odman's Fields	"	" E.L.	18800	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
George's, North	"	" E.L.	57783	32	22	9	1	-	1	1	-	2	-	1	-	-	1	3	-	
John, St. George East	W	" E.L.	8057	9	7	2	3	-	-	-	-	1	-	-	-	-	1	2	5	
dwel	H	" E.L. & N.R.	10246	9	7	1	-	-	-	-	1	-	-	-	-	-	1	1	4	
cliff	"	" E.L.	14928	4	2	-	-	-	-	-	-	2	-	-	-	-	1	1	-	
ehouse	"	" E.L.	32202	27	10	1	3	-	-	-	2	2	-	-	-	-	1	1	-	
e End Old Town West	H	" E.L.	38650	22	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
e End Old Town East	W & H	" E.L.	68942	46	25	3	7	-	-	1	2	-	-	-	-	-	1	2	4	
W*	"	" E.L.	40865	18	13	5	3	-	-	-	1	-	-	1	-	-	-	1	3	
smley	W & H	" E.L.	70000	61	36	7	10	-	-	-	3	-	-	-	-	-	1	6	19	
lar	W & H	" E.L.	56838	39	17	6	4	-	-	1	-	-	-	-	-	-	1	1	8	
SOUTH DISTRICTS.																				
ristchurch Southwark	WH	" L. & S.	18264	10	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
Saviour Southwark	"	" S.	18913	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
nt-road	"	" S. & L.	21897	16	13	6	1	-	1	-	1	-	-	-	-	1	1	-	-	
rough-road	"	" S. & L.	16624	15	8	-	2	-	-	-	-	-	-	-	-	-	-	2	-	
ndon-road	HL	" L. & S.	21221	14	9	2	-	2	-	-	-	-	-	-	-	-	-	2	-	
uity Newington	"	" S. & L.	26596	18	7	3	1	-	-	-	-	-	-	-	-	-	1	2	-	
Peter Walworth	W	" S. & L.	61242	33	21	4	3	-	-	-	1	-	-	-	-	-	8	4	5	
Mary Newington	"	" L. & S.	27866	18	7	1	1	-	-	-	-	-	-	-	-	-	1	1	-	
Olave	WH	" S.	12723	12	21	3	1	-	2	-	-	-	-	-	-	-	3	8	15	
ather Market	"	" S. & L.	14952	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mary Magdalen	W	" S.	15660	18	7	3	2	-	-	-	-	-	-	-	-	-	-	1	1	
James Bermondsey	"	" S.	54070	29	14	2	-	1	-	1	3	-	-	-	-	-	-	-	-	
therhithe	WH	" S. & K.	36265	29	18	4	3	-	-	1	-	-	-	-	-	-	-	-	3	
aterloo-road 1st	H	" L. & S.	14031	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
aterloo-road 2nd	"	" L. & S.	14644	18	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
mbeth Church 1st	H	" L. & S.	18075	15	9	-	2	-	-	-	2	1	-	-	-	-	2	2	6	
mbeth Church 2nd	W & H	" L. & S.	39097	33	25	2	11	-	-	-	-	-	-	-	-	-	1	1	15	
nnington 1st	H	" S. & L.	50886	37	22	4	5	-	-	-	2	-	-	-	-	-	-	1	2	
nnington 2nd	"	" S. & L.	39708	23	16	4	5	-	-	-	-	-	-	-	-	-	-	1	2	
ixton	"	" L. & S.	73405	42	25	4	3	-	-	2	6	-	-	-	-	-	-	4	8	
erwood	W	" L.	25667	21	6	1	4	-	-	-	-	-	-	-	-	-	-	-	1	
at Battersea	"	" S.	67244	53	12	4	-	-	-	1	1	-	-	-	-	-	1	-	-	
est Battersea	W & H	" S.	88314	45	27	6	11	-	-	2	-	-	-	-	-	-	1	1	2	
apham	H	" S.	49698	20	11	5	2	-	-	-	-	-	-	-	-	-	1	-	-	
andsworth	WHL	" S.	46717	41	11	4	1	-	-	1	-	-	-	-	-	-	-	-	-	
ney	"	" S.	17771	7	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
enham	W & H	" L.	48756	26	10	2	4	-	-	-	-	-	-	-	-	-	-	1	1	
alwich	"	" L. & S.	6809	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
umberwell	W & L* & L*	" S. & L.	81686	63	33	8	14	-	-	-	-	-	-	-	-	-	-	-	-	
ekham	W & H	" S., L., & K.	63453	26	25	8	4	-	1	-	2	-	-	-	-	-	1	-	19	
George Camberwell	"	" L. & S.	63366	42	19	9	3	-	-	1	-	3	-	-	-	-	1	-	-	
ptford, North	"	" K.	35314	24	15	7	2	-	-	-	-	3	-	-	-	-	2	2	-	
ptford, Central	"	" K.	4307	35	13	4	3	-	-	1	3	1	-	-	-	-	-	-	3	
ptford, South	"	" K.	50852	15	9	3	2	-	-	-	-	-	-	-	-	-	-	1	-	
eenwich West	H	" K.	22007	22	4	1	1	-	-	-	1	-	-	-	-	-	1	1	-	
eenwich East	WH	" K.	35223	18	27	3	8	-	-	-	-	4	-	-	-	-	3	3	16	
tham	H	" K.	5682	1	3	3	-	-	-	-	-	1	-	-	-	-	-	-	-	
se H	"	" K.	23541	9	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
swisham	WH	" K.	30650	18	12	5	3	-	-	-	-	-	-	-	-	-	-	5	-	
denham	H	" L.	84162	19	14	6	2	-	-	-	-	2	-	-	-	-	-	-	-	
arleton	HH	" K.	14040	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
oolwich Dockyard	"	" K.	19606	11	11	4	3	-	-	-	-	1	-	-	-	-	-	-	-	
oolwich Arsenal	HH	" K.	21242	15	6	-	1	-	-	-	-	-	-	-	-	-	1	2	1	
umstead, West	H	" K.	18959	18	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
umstead, East	W	" K.	86697	26	11	2	3	-	-	1	-	-	-	-	-	-	1	1	-	
anstead Asylum	"	"	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	4	
aterham Asylum	"	"	-	-	-	-	14	-	-	-	-	-	-	-	-	-	-	-	14	
ene Hill Asylum	"	"	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	10	
ospital Ships and Camp, Dartford	"	"	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	4	
erent Asylum	"	"	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	1	
arwell Asylum	"	"	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
dney Hatch Asylum	"	"	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	6	
E. Hospital	"	"	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	
reshmore Hill Hospital	"	"	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
avenden Asylum	"	"	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	4	
aybury Asylum	"	"	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	7	

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS). AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 3rd February, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Num- bered Popu- lation 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Cases.	
LONDON—OUTER RING		368.749	1,422,063	959	452	126	129	2	5	2	14	15	4	5	16	32	47		
30: 1	Carshalton WHI -	12228	26108	8	3	-	2	-	-	-	-	-	-	-	1	-	-		
2	Epsom, part of* WWH	10423	12308	4	6	1	3	-	-	-	-	-	-	-	-	-	2		
37: 1	Godstone, part of* W-	764	1593	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
38: 1	Croydon WWHH- -	20851	128699	63	42	7	19	-	-	-	1	1	-	-	2	4	6		
2	Mitcham w - -	11697	23088	14	7	1	2	-	-	-	-	-	-	-	3	3	1		
39: 1	Wimbledon HHH -	3220	25761	13	7	3	3	-	-	-	-	-	-	-	-	1	-		
2	Kingston WHH -	8071	44765	35	16	2	7	-	-	-	-	-	-	-	-	-	6		
3	Esher, part of* -	6601	12059	7	3	-	2	-	-	-	-	-	-	-	-	-	-		
4	Hampton H - -	4535	18252	12	4	2	-	-	-	-	-	-	-	-	-	-	-		
40: 1	Richmond WH -	2160	25389	3	4	-	2	-	-	-	-	-	-	-	-	-	-		
2	Mortlake H - -	2823	16159	10	2	-	-	-	-	-	-	-	-	-	1	2	-		
41: 1	Bromley HHH - -	9127	23815	8	4	-	2	-	-	-	1	-	-	-	-	-	2		
2	Beckenham H - -	6542	21999	9	3	-	-	-	-	-	-	-	-	-	-	-	-		
3	Chislehurst, pt. of* WHH	14307	20372	19	4	-	2	-	-	-	-	-	1	-	-	-	-		
42: 1	Bexley H - - -	12540	30590	15	8	1	2	-	-	-	1	-	-	-	1	1	-		
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124: 1	Sunbury w - - -	11054	13671	8	1	-	1	-	-	-	-	-	-	-	-	-	-		
2	Staines W - - -	18277	13221	13	8	4	3	-	-	-	-	-	-	-	-	-	4		
125: 1	Hillingdon WHH -	6035	12237	8	4	1	1	-	-	-	-	-	-	-	-	-	2		
2	Uxbridge - - -	6172	5417	2	5	2	2	-	-	-	-	-	-	-	-	1	-		
3	Hayes wH - - -	14537	12618	8	2	1	1	-	-	-	-	-	-	-	-	-	-		
126: 1	Isleworth WH - -	6967	26273	22	8	3	3	-	-	-	1	1	-	-	-	1	2		
2	Twickenham HH -	2415	16027	9	10	5	3	-	-	-	2	1	-	-	-	1	-		
3	Brentford HHHH -	4318	37777	20	14	3	4	-	-	-	-	2	1	-	-	-	2		
4	Chiswick - - -	1245	21963	12	3	1	2	-	-	-	-	-	-	-	-	-	-		
5	Acton wH - - -	6132	30945	19	6	2	2	-	-	-	-	-	-	-	-	1	1		
127: 1	Harrow HH - - -	13809	15715	5	1	-	-	-	-	-	1	-	-	-	-	-	-		
2	Edgware H - - -	6994	8344	2	2	-	1	-	-	-	-	-	-	-	-	-	-		
3	Willesden HHH -	4383	61265	46	23	11	6	-	1	-	-	-	-	-	-	1	-		
4	Hendon W - - -	6333	15343	6	7	1	1	-	-	-	-	1	-	1	-	2	2		
128: 1	South Mimms - -	15594	8474	6	2	-	1	-	-	-	-	-	-	-	-	-	-		
2	Barnet wHH - - -	5441	11773	6	2	1	-	-	-	-	-	-	-	-	-	-	-		
3	Finchley HH - -	4688	25820	11	16	4	2	-	-	-	-	2	1	-	-	1	-		
129: 1	Hornsey H - - -	3039	61097	33	12	3	4	-	-	-	-	-	-	-	3	3	-		
2	Tottenham H - -	4642	37174	76	37	12	8	-	1	-	2	2	1	3	1	4	2		
3	Edmonton Ww - -	7489	33851	25	3	2	-	-	-	-	-	-	-	-	-	-	-		
4	Enfield WWHH - -	12639	31803	18	8	4	4	-	-	-	-	-	-	-	-	-	-		
5	Waltham Abbey -	11015	6066	5	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Chesham H - - -	8494	5630	9	2	-	-	-	-	-	-	-	-	-	-	-	-		
130: 1	Hatfield, part of* -	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137: 1	Bushey - - - -	9331	7737	4	2	-	2	-	-	-	-	-	-	-	-	-	-		
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
136: 1	Stratford H - - -	1100	42883	41	10	5	-	-	1	-	-	-	-	-	1	1	1		
2	Plaistow HHH - -	1242	55030	58	30	9	5	2	2	-	1	1	-	-	-	1	2		
3	Canning Town H -	1558	54750	52	29	3	3	-	-	-	1	-	-	-	2	2	-		
4	Forest Gate w - -	806	49140	31	15	3	5	-	-	-	-	-	-	-	-	-	-		
5	East Ham ww - -	3266	32713	29	8	3	-	-	-	-	-	-	-	-	-	-	-		
6	Leyton WwL - - -	4684	70188	51	29	6	14	-	-	-	1	-	-	1	-	-	10		
7	Walthamstow HH -	6501	57330	43	19	7	2	-	-	1	-	1	-	-	-	-	-		
137: 1	Chigwell, part of* H-	11719	12941	6	9	2	1	-	-	-	2	1	-	-	1	1	-		
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
139: 1	Romford, part of* W-	6556	4324	11	3	1	2	-	-	-	-	-	-	-	-	-	2		
2	Ilford - - - -	4493	10913	16	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town - -	3814	14301	15	7	4	-	-	-	-	1	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30: 2, Epsom sub-district, except the parishes of Assestead and Headley (pop. 1766); 37: 1, the parishes of Warlingham and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2282); 41: 2, Chislehurst sub-district, except the parishes of Chislehurst, Canham, and Kaeckholt (pop. 3997); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1678); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 3rd February, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						From All Causes.	From Diseases in Cols. 8-14.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.
	Cols.	1.	2.	3.	4.	5.		6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON		443,421	5,948,300	18.2	2.3	2073		479	519	3	26	24	83	84	18	19	89	538
INNER LONDON		74,672	4,349,166	19.4	2.6	1621		353	390	1	21	22	74	69	14	14	73	491
OUTER RING		868,749	1,599,134	14.7	1.5	452		126	129	2	5	2	14	15	4	5	16	47

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	BIRTHS.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	February 3	126	91	17.5	-	-	1	2	3	1	1	
GLASGOW	686,820	" 3	414	293	22.2	-	-	8	5	23	4	5	
DUBLIN	349,594	" 3	183	225	33.6	-	3	2	1	10	2	2	
CALCUTTA	466,460	December 9	-	304	34.0	-	-	-	-	2	128	63†	
BOMBAY	821,764	January 16	244	465	29.4	5	7	?	?	?	98	41†	
MADRAS	452,518	December 8	357	303	34.8	1	5	-	-	-	114	35†	
PARIS	2,424,705	January 27	1173	1034	21.7	13	16	4	25*	1	7	33	
RUSSELS (with 8 Faubourgs)	488,188	" 27	249	176	18.7	-	-	1	-	1	2	4	
AMSTERDAM	437,892	" 27	270	232	27.1	-	2	-	1	1	-	-	
ROTTERDAM	222,233	" 27	164	132	30.8	17	-	-	1	1	-	-	
THE HAGUE	169,828	" 27	112	76	23.3	-	-	-	1	2	-	-	
COPENHAGEN	341,000	" 27	208	154	23.6	-	-	9	3	-	-	3	
STOCKHOLM	249,246	" 20	156	99	20.7	-	-	1	3*	-	-	6	
CHRISTIANIA	161,151	" 27	31	45	14.5	-	3	2	2	-	-	3	
S. PETERSBURG	954,400	" 6	-	-	-	-	-	-	-	-	-	-	
MOSCOW	753,469	" 20	-	490	33.9	1	1	5	17	2	5	26	
BERLIN	1,714,938	" 13	939	669	20.6	-	8	8	35	5	1	25	
HAMBURG	594,209	" 27	-	241	21.1	-	1	5	9*	3	1	24	
BRISSEN	308,930	December 30	166	128	21.5	-	-	-	9*	1	-	4	
BRESLAU	353,551	January 27	-	208	30.5	-	-	1	10*	4	2	3	
MUNICH	390,900	" 27	-	171	22.8	-	2	1	8*	-	-	14	
VENNA	1,465,537	" 27	894	640	22.7	1	10	10	45*	2	1	22	
LAGUE	312,357	" 27	215	198	31.0	-	5	1	9	-	3	5	
BUDA-PESTH	552,769	" 20	340	282	26.5	-	-	2	9	-	1	13	
TRIESTE	159,427	" 20	100	138	44.9	9	3	2	5*	-	-	-	
ROME	450,991	" 6	320	167	19.3	-	-	-	1	-	3†	5	
BRIN (10 days)	335,525	" 10	-	-	-	-	-	-	-	-	-	-	
BRINCE	163,601	" 13	79	105	33.5	-	-	-	1*	1	1	4	
LIRO	374,838	" 11	409	446	61.9	-	1	-	2*	3	10	117	
ALEXANDRIA	231,396	" 11	225	213	48.0	-	-	-	1*	-	4	60	
NEW YORK	1,875,385	" 13	-	929	25.2	3	29	9	63	3	5	11	
BROOKLYN	1,003,781	" 13	-	330	17.1	-	-	1	12	3	6	3	
PHILADELPHIA	1,139,457	" 13	-	570	26.1	-	2	6	16	1	6	4	
NEW ORLEANS	254,000	December 16	-	199	40.9	-	-	-	2	-	4	12	
		" 23	-	184	37.8	-	-	-	4	-	6	5	

* Including deaths from croup.

† Including 15 deaths from cholera in Calcutta, one in Bombay, and one in Madras.

‡ Including one death from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 3RD FEBRUARY, 1894.
[Under the Superintendence of the Astronomer Royal.]

[illegible]

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h, A.M.; noon; 3h, P.M.; and 9h, P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metric Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1975.

- "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.40 in. at the beginning of the week to 29.92 in. by noon on the 29th of January; decreased to 29.11 in. by 9h. A.M. on the 31st; increased to 29.75 in. by noon on the 1st of February; decreased to 29.05 in. by 9h. P.M. on the same day; and increased to 30.19 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 6. 1894. VOL. LV.] WEEK ENDING SATURDAY, FEBRUARY 10. [Price 1½d.

*General Register Office, Somerset House,
February 12th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·1 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.		Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.
Birkenhead	25·7	17·3	25·2	23·7	Liverpool -	26·0	24·6	29·2	24·2
Birmingham	29·9	25·6	20·9	22·6	London -	23·7	19·8	19·4	18·4
Blackburn -	17·0	24·0	13·3	17·4	Manchester -	21·9	23·8	22·4	21·7
Bolton -	25·1	19·4	21·2	17·6	Newcastle-on-Tyne	20·7	19·9	17·6	18·6
Bradford -	22·1	19·6	16·5	16·3	Norwich -	42·4	31·1	21·2	21·7
Brighton -	25·0	22·8	18·0	15·8	Nottingham -	18·7	18·9	17·7	20·5
Bristol -	28·3	22·8	27·4	26·5	Oldham -	16·9	17·7	17·3	16·5
Burnley -	18·9	24·3	22·2	14·6	Plymouth -	38·0	29·6	27·9	18·4
Cardiff -	21·4	19·6	20·3	19·6	Portsmouth -	16·5	16·8	18·9	17·1
Croydon -	16·3	17·7	14·4	12·1	Preston -	23·4	24·8	21·1	18·3
Derby -	26·9	14·8	15·8	15·8	Salford -	22·0	30·1	20·5	19·0
Gateshead -	18·4	22·9	18·4	17·3	Sheffield -	19·1	19·7	18·6	18·6
Halifax -	15·2	18·5	18·0	20·8	Sunderland -	26·8	16·5	16·5	21·5
Huddersfield	24·3	22·2	16·9	18·0	Swansea -	19·1	20·8	17·5	19·7
Hull -	21·6	18·6	23·8	21·8	West Ham -	21·0	16·0	19·3	16·0
Leeds -	21·1	18·8	18·6	18·5	Wolverhampton -	24·5	19·0	18·4	17·8
Leicester -	15·7	14·9	13·8	13·5					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 3·1 in Wolverhampton; from *scarlet fever*, 1·1 in Sunderland; from *whooping-cough*, 1·2 in Plymouth and in Sheffield, 1·3 in Manchester, 1·4 in Cardiff, and 2·8 in Bristol; and from *diarrhoea*, 1·1 in Swansea and in Burnley. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 88 deaths from *diphtheria* included 56 in London, 10 in West Ham, 3 in Manchester, and 3 in Bradford. Four deaths from *small-pox* were registered in Birmingham, and one death each in West Ham, Halifax, and Bradford, but not one in London or in any other of the thirty-three towns.

LONDON.

In LONDON† 2709 BIRTHS and 1534 DEATHS were registered. Allowing for increase of population, the births were 203, and the deaths 232, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 23·7, 19·8, and 19·4 in the preceding three weeks, further declined last week to 18·4. During the four weeks ending on

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

Saturday last the death-rate averaged 20·3 per 1000, being [3·4 per 1000 below the mean rate in the corresponding periods of the ten years 1884–93.

The 1534 deaths included 42 from measles, 23 from scarlet fever, 56 from diphtheria, 54 from whooping-cough, 6 from enteric fever, 17 from diarrhœa and dysentery, and not one from small-pox, typhus, any ill-defined form of continued fever, or cholera; thus, 198 deaths were referred to these diseases, being 17 above the corrected average weekly number.

There were 65 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 12 in the Highgate Small-pox Hospital. The deaths from *whooping-cough* and *enteric fever* were below the respective corrected averages, while those from *measles*, *scarlet fever*, *diphtheria*, and *diarrhœa* showed an excess. The deaths from *diphtheria*, which had been 48, 52, and 74 in the preceding three weeks, numbered 56 last week; 6 belonged to Pancras sanitary area. The Metropolitan Asylum Hospitals* contained 334 cases of diphtheria and 104 of enteric fever at the end of last week, and on the same date these hospitals, together with the London Fever Hospital, contained 2387 scarlet fever patients.

The deaths referred to diseases of the respiratory organs, which had steadily declined in the preceding four weeks from 762 to 385, numbered 372 last week, and were 96 below the corrected average.

The deaths attributed directly to *influenza* were 19, showing a further decline from the numbers recorded in recent weeks.

Different forms of violence caused 53 deaths, concerning 52 of which inquests were held. Of these 53 deaths, 8 were cases of suicide, and 2 of homicide, while the remaining 43 were attributed to accident or negligence. Only one of these was referred to the heading "vehicles or horses," 6 deaths were referred to [burns and scalds, 5 to drowning, and 13 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3697 births and 1951 deaths were registered, corresponding to annual rates of 32·4 and 17·1 per 1000 of the estimated population. In the Outer Ring 2 deaths from small-pox, 22 from diphtheria, 19 from whooping-cough, and 3 from "fever" were recorded. One death from small-pox occurred in Brentford district, and one in West Ham district. The 22 deaths from diphtheria included 13 in West Ham, 3 in Edmonton, and 2 in Brentford districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·94 inches, and that of the Thermometer 46°·0, the latter being 6°·7 above the week's average in the 50 years 1841–90. The direction of the wind was South-westerly, the horizontal movement of the air being 59 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 6·9 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the daily amount of water supplied during the month of January, 1894. The supply was in the ratio of 253 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	JANUARY. 1893.	JANUARY. 1894.	JANUARY. 1893.	JANUARY. 1894.
TOTAL SUPPLY . . .	790,726	801,196	203,387,713	202,442,984
From Thames	381,722	386,895	99,348,630	101,347,788
From Lea and from other Sources . .	409,004	414,301	104,039,083	101,095,198
THAMES.				
Chelsea	36,548	36,776	10,616,514	11,550,864
West Middlesex	76,191	77,197	17,879,207	18,889,914
Southwark and Vauxhall	114,958	116,153	31,102,471	31,885,631
Grand Junction	58,385	58,778	17,789,123	17,972,267
Lambeth	95,640	97,996	21,961,315	21,069,110
LEA AND OTHER SOURCES.				
New River	156,153	157,413	36,773,000	37,340,000
East London	174,396	176,644	51,899,832	47,305,627
Kent	78,455	80,244	15,666,251	16,449,571

Note.—The Return for January 1894, as compared with that for the corresponding month of 1893, shows an increase of 10,470 services, and a decrease of 944,729 gallons of water supplied daily.

SIR, 5th February, 1894.

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of January.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (a) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (b) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·6, Tottenham 1·4, Colne Valley 1·7, New River [and East London (deep-well) 1·8, East London (river supply) 4·1, Chelsea 4·4, West Middlesex and Grand Junction 4·6, Lambeth 4·8, and Southwark 5·7. The unfiltered river waters contained the following proportions:—New River Cut 4·9, East London intake 8·2, and the Thames at Hampton 6·8.

The Thames at Hampton was, on 15th January, very turbid and pale brown in colour. It was, both chemically and bacterially, of very much worse quality than on the 7th of December last. Nevertheless, the water delivered by the five Companies drawing from this river was in every case efficiently filtered. Contrasted with the raw river water, the supplies of these Companies showed very great chemical, and the following per-centage bacterial, improvement: Chelsea 99·89, West Middlesex 99·80, Southwark (No. 4 filter) 99·92, (No. 8 filter) 99·29, Grand Junction (main filter at Hampton) 99·18, (main filter at Kew) 99·38, (South filter at Kew) 99·70, and Lambeth 99·48.

The New River was c. 17th January, very turbid and yellow in colour. It was, both chemically and bacterially, of much worse quality than on the 8th December, when my last sample was taken. It was efficiently filtered before delivery, and was greatly improved, chemically and bacterially, on the average, 98·25 per cent. The crude river water of the Lea, at the East London Company's intake at Angel Road, was very turbid and brown in colour. It was chemically of worse quality than the Thames at Hampton, and bacterially of about the same bad quality. It was efficiently filtered before delivery and improved, chemically to the extent of 50 per cent., and bacterially as much as 99·77.

The deep-well waters of the Kent, Colne Valley, Tottenham, and East London Companies were of excellent quality for dietetic purposes. They were clear and bright without filtration, and the Colne Valley Company's water was softened before delivery, and thus rendered suitable for washing. The Kent Company's water was distinguished for its high degree of organic purity as well as by the very small number of microbes present in it.

Seen through a stratum two feet deep, the Kent, Colne Valley, Tottenham, and East London (deep-well) waters were clear and colourless, the New River clear and nearly colourless, and the remaining waters clear and pale yellow.

The bacterioscopic examination of the raw river waters, and of those supplied by the various Companies, collected on the 15th, 16th, 17th, 18th, and 29th of January, gave the results contained in the following table:—

DESCRIPTION.	No. of Microbes per c.c.	Temp. C.
RAW RIVER WATERS.		
Thames unfiltered water - - -	56,630	5.2
New River Cut, 17th January - - -	13,820	8.3
" " 29th " - - -	5,080	5.5
Lea at Angel Road - - -	56,650	5.3
" after storage - - -	883	5.3
THAMES.		
Chelsea - - -	64	3.2
West Middlesex - - -	112	5.5
Southwark, No. 4 filter - - -	48	6.0
" No. 8 " - - -	404	6.3
Grand Junction main filter at Hampton - - -	464	5.3
" " Kew - - -	352	5.4
" south filter at Kew - - -	168	6.0
Lambeth - - -	292	4.5
LEA.		
New River, 17th January - - -	444	6.7
" 29th " - - -	44	5.0
" No. 3 filter well - - -	60	7.2
East London, No. 1 Essex well - - -	128	5.5
DEEP WELL		
Kent. - - -	6	11.5

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city was "clear and green in the two foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained a little suspended matter."

The Registrar General, &c. &c.

I am, &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.										
	(Unfiltered water) -	{ January 15th. Grand Junction Co.'s intake at Hampton. }	5.2	30.80	.334	.065	.032	.318	.400	2.3	18.6
	Chelsea " - -	{ January 18th. Cab Rank, Horse Guards, Whitehall. }	4.7	32.30	.224	.034	0	.315	.349	2.2	20.0
	West Middlesex -	{ January 18th. Cab Rank, Riding House- street. }	6.5	31.24	.247	.022	0	.319	.341	2.2	20.0
	Southwark -	{ January 18th. Cab Rank, St. George's Church, Borough. }	7.3	30.50	.293	.045	0	.339	.384	2.1	18.3
	Grand Junction -	{ January 18th. Cab Rank, Portman- street, Oxford-street. }	6.3	30.34	.240	.034	0	.331	.365	2.1	18.6
	Lambeth " - -	{ January 18th. Cab Rank, St. George's- road, Southwark. }	5.5	30.54	.246	.036	0	.336	.372	2.2	18.9
	LEA.										
	(Unfiltered water) -	{ January 17th. New River Cut at Green-lanes. }	8.3	33.43	.249	.040	.010	.307	.355	2.0	20.0
	New River " -	{ January 18th. Cab Rank, Tottenham Court-road. }	6.7	33.50	.093	.011	0	.326	.337	1.9	21.8
Outer Circle.	(Unfiltered water) -	{ January 17th. East London Co.'s intake Angel-road. }	5.3	38.60	.408	.075	.018	.484	.574	2.3	22.7
	East London -	{ January 18th. Fire Brigade Station, Commercial-road, E. }	6.7	35.10	.215	.027	0	.420	.447	2.3	22.1
	DREPP WELLS.										
	Kent " - -	{ January 18th. Mill-lane, Deptford. }	10.6	38.50	.027	.003	0	.480	.488	2.3	26.0
	Colne Valley " -	{ January 11th. Bushey. }	—	17.50	.085	.018	.018	.432	.515	2.3	6.4
	Tottenham " -	{ January 31st. Tottenham. }	—	40.76	.065	.019	.040	.009	.061	3.0	22.1
	East London " -	{ January 17th. Chingford. }	—	28.90	.084	.023	.017	trace	.037	2.1	17.7
	Corporation of Birming- ham* " - -	{ January 8th. Terrace, between 6 & 7, Banack-street. }	2.8	28.40	.171	.036	0	.275	.311	2.3	19.9
	Corporation of Glasgow† -	{ January 15th. Loch Katrine Water. }	4.7	3.00	.200	.017	0	.004	.021	.7	.6
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.

† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 18th January, at the Horse Guards cab-rank, Whitehall, had a temperature of 4°·7 C.; 100,000 lbs. of it contained 32.30 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained .234 lb. of carbon and .034 lb. of nitrogen. The above quantity of water also contained no ammonia and .315 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was .349 lb. The above weight of water also contained 2.2 lb. of chlorine; and 20.0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—Births, Deaths, and Meteorology, in 33 GREAT TOWNS, during the Week ending 10th February 1894.

CITIES AND BOROUGH.	Cols.	Registered during the Week ending 10th Feb. 1894.		Population estimated at middle of the Year 1894.*		The Deaths registered in the Week include										TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGH.				
		Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Causes.	From Diseases in Cancers.	From 12-15 Cols.	Mean.				In Centi-.		In Inches.	
																				High.	Low.	Fahrenheit.		Centigrade.	Fahrenheit.		
33 TOWNS		6532	3830	929	816	7	76	46	88	138	43	33	129	238	794	77	191	184	24	21	59.0	31.2	44.8	7.11	0.50	1.27	33 TOWNS.
LONDON		2709	1534	349	337	-	42	23	56	54	6	17	53	108	441	11	184	24	21	55.1	35.7	46.0	7.78	0.27	0.69	LONDON.	
WEST HAM		166	73	18	15	1	-	-	10	2	1	-	3	3	7	5	16.0	3.1	-	-	-	-	-	-	-	-	WEST HAM.
CROYDON		69	26	5	9	-	-	-	-	2	-	-	-	4	6	-	15.8	-	-	-	-	-	-	-	-	-	CROYDON.
BRIGHTON		55	36	9	9	-	-	-	-	-	-	-	1	1	7	-	17.1	1.2	-	-	52.4	36.8	45.5	7.50	0.31	0.79	BRIGHTON.
PORTSMOUTH		103	56	13	11	-	1	-	2	2	-	-	1	5	2	-	18.4	1.2	-	-	52.0	36.0	45.9	7.72	0.34	0.86	PORTSMOUTH.
PLYMOUTH		45	31	8	11	-	-	-	-	-	-	-	3	7	28	3	26.5	3.7	-	-	52.0	36.0	45.4	7.44	0.39	0.99	PLYMOUTH.
BRISTOL		148	115	31	33	-	-	-	1	12	3	-	4	6	10	-	19.6	2.5	-	-	-	-	-	-	-	-	BRISTOL.
CARDIFF		106	56	17	7	-	1	-	2	4	-	2	4	6	10	-	19.7	1.6	-	-	-	-	-	-	-	-	CARDIFF.
SWANSEA		60	36	13	9	-	-	-	1	1	-	2	-	2	1	-	19.7	1.6	-	-	-	-	-	-	-	-	SWANSEA.
WOLVERHAMPTON		48	29	5	7	-	5	-	1	-	-	-	3	4	4	-	17.8	3.7	-	-	55.2	31.8	42.8	6.00	0.10	0.25	WOLVERHAMPTON.
BIRMINGHAM		323	213	52	44	4	6	2	-	3	6	3	12	8	40	15	22.6	2.5	-	-	57.0	31.6	44.9	7.17	0.03	0.08	BIRMINGHAM.
NORWICH		63	44	10	18	-	-	-	-	-	-	-	-	5	1	21.7	-	-	-	-	-	-	-	-	-	-	NORWICH.
LEICESTER		107	49	16	8	-	2	2	-	1	1	1	3	3	6	-	19.5	1.9	-	-	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM		116	88	24	20	-	-	2	-	2	3	-	4	3	16	1	20.5	1.6	-	-	57.6	31.2	44.0	6.67	0.08	0.20	NOTTINGHAM.
DERBY		59	30	8	7	-	-	1	-	-	1	1	2	2	7	1	16.8	1.6	-	-	-	-	-	-	-	-	DERBY.
BIRKENHEAD		78	48	7	6	-	1	-	1	-	1	1	1	3	5	-	23.7	2.0	-	-	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL		363	235	61	38	-	13	2	2	11	6	1	10	15	48	12	24.2	3.6	-	-	54.4	35.8	46.4	8.00	0.99	2.51	LIVERPOOL.
LONDON		77	40	8	5	-	-	-	-	-	2	1	2	3	3	-	17.6	1.3	-	-	-	-	-	-	-	-	LONDON.
MANCHESTER		334	216	51	45	-	1	3	3	13	3	1	7	12	61	1	21.7	2.4	-	-	-	-	-	-	-	-	MANCHESTER.
SALFORD		155	75	17	13	-	1	-	2	4	1	-	2	1	7	1	19.0	2.0	-	-	-	-	-	-	-	-	SALFORD.
OLDHAM		64	44	9	8	-	-	-	-	1	1	2	-	1	2	-	16.5	0.8	-	-	-	-	-	-	-	-	OLDHAM.
BURNLEY		42	27	8	1	-	1	1	-	1	1	2	-	1	2	1	14.6	3.2	-	-	-	-	-	-	-	-	BURNLEY.
BLACKBURN		125	79	10	12	-	-	-	-	1	-	-	-	1	5	4	17.4	-	-	-	-	-	-	-	-	-	BLACKBURN.
PRESTON		70	39	10	4	-	-	1	-	1	-	-	3	3	3	3	18.3	0.9	-	-	54.0	37.0	44.9	7.17	1.03	2.62	PRESTON.
HUDDESFIELD		48	34	9	6	-	-	-	1	-	-	-	-	-	-	2	18.0	0.5	-	-	-	-	-	-	-	-	HUDDESFIELD.
HALIFAX		45	37	1	12	1	-	-	-	-	-	-	-	-	6	2	20.8	0.6	-	-	-	-	-	-	-	-	HALIFAX.
BRADFORD		223	161	70	21	1	-	4	3	1	1	-	1	3	10	1	16.3	2.3	-	-	54.0	38.0	44.3	6.83	1.43	3.63	BRADFORD.
LEEDS		388	262	138	42	19	-	2	1	4	4	2	4	13	15	2	18.5	1.7	-	-	-	-	-	-	-	-	LEEDS.
SHEFFIELD		209	121	37	19	-	2	-	1	8	-	-	5	9	14	6	18.6	1.7	-	-	-	-	-	-	-	-	SHEFFIELD.
HULL		212	142	89	30	16	-	-	1	4	1	1	3	4	14	3	21.8	1.7	-	-	59.0	32.0	44.8	7.11	0.76	1.93	HULL.
SUNDERLAND		136	101	56	16	9	-	-	-	2	-	-	-	1	3	9	21.5	1.9	-	-	54.0	32.0	42.1	5.61	0.30	0.76	SUNDERLAND.
GATESHEAD		68	31	4	8	-	-	-	-	1	-	-	1	4	3	1	17.5	0.6	-	-	-	-	-	-	-	-	GATESHEAD.
NEWCASTLE		106	72	20	9	-	-	-	1	4	-	-	2	5	7	1	18.6	1.3	-	-	-	-	-	-	-	-	NEWCASTLE.

TABLE 2. LONDON.—Births and Deaths Registered in the SIXTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2714	2913	2739	2563	2330	2772	2707	2814	2651	2384	2911·6	2709
Males . .	1417	1479	1363	1915	1983	1493	1373	1371	1356	1468	1472·5	1408
Females .	1297	1440	1376	1248	1447	1339	1334	1443	1295	1416	1439·1	1301
TOTAL Deaths	1499	1525	1933	1418	1833	1460	1749	1673	2010	1579	1766·1	1534
Males . .	809	766	972	697	914	721	886	880	992	757	885·9	783
Females .	690	759	1011	721	924	739	863	793	1013	822	880·2	751

* The numbers in this column are the average weekly numbers in the sixth weeks of the ten years 1884-93. raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.
TOTAL Births	2430	2529	2405	2466	2474	2378	2106	2486	2367	2719	2639	2708	2709
TOTAL Deaths	2016	2190	2235	2556	2400	2170	1920	2040	2462	1975	1655	1621	1534
Ages at Death													
{ 0-20 years	966	964	983	1059	1012	915	852	924	1030	813	748	717	702
{ 20-40 "	272	287	285	329	253	261	254	244	380	230	208	216	199
{ 40-60 "	308	372	363	465	446	366	325	370	450	371	277	297	276
{ 60-80 "	399	454	478	568	556	503	414	410	585	449	334	319	301
{ 80 years & upwards	71	113	121	135	133	125	75	92	117	112	83	72	56
Under 1 year	459	480	511	527	483	459	401	444	505	383	367	353	349
{ 1-5	363	348	342	383	372	338	315	347	385	332	288	245	264
{ 5-20	144	136	130	149	157	118	136	133	140	98	93	119	89
Deaths from Small-pox	1	3	-	4	2	1	-	2	1	-	-	1	-
" " Measles	48	31	39	34	45	49	49	60	65	45	35	21	42
" " Scarlet fever	37	42	34	30	29	32	27	35	26	25	9	22	23
" " Diphtheria	91	90	74	89	35	63	79	66	55	48	52	74	56
" " Whooping-cough	44	45	48	59	67	74	67	81	107	93	86	69	54
" " Typhus	-	1	-	-	-	-	-	-	-	-	-	-	-
" " Enteric fever	21	24	25	33	21	24	17	10	15	13	12	14	6
" " Simple Cont'd fever	-	1	-	1	-	-	1	-	1	3	-	-	-
" " Diarrhoea and Dysentery	22	15	11	11	23	15	7	9	12	16	15	14	17
" " Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
" " all the above-mentioned Diseases	264	252	231	261	272	258	247	263	282	243	209	215	198
" " Dis. of Respiratory System	615	669	737	841	711	635	516	566	762	547	422	385	372
" " Phthisis	174	166	163	212	196	161	164	179	230	150	149	159	148
" " Dis. of Circulatory System	133	175	165	177	149	136	130	157	188	161	124	148	114
Violent Deaths	63	52	68	72	60	65	65	77	92	73	55	73	53
Inquest Cases	172	153	161	201	169	166	144	183	227	178	115	135	103
Deaths in Public Institutions	499	548	523	637	600	555	456	474	626	531	462	489	441
TEMPERATURE OF THE AIR													
Mean	41·1	39·2	40·9	40·9	43·7	41·7	40·3	26·5	37·5	45·0	41·6	42·0	46·0
Mean of Highest readings	46·5	43·9	47·0	46·0	49·7	46·6	44·6	30·1	42·3	43·5	46·1	47·9	51·3
Mean of Lowest readings	35·4	34·4	35·8	34·4	35·0	36·4	35·6	22·0	31·2	40·7	36·6	37·3	40·4
Humidity of the Air	88	82	83	83	84	89	90	77	89	88	84	83	86
Rain-fall in inches	1·01	0·22	0·38	0·36	0·86	0·69	0·16	0·56	0·43	0·86	0·71	0·69	0·27
Registered Sunshine (in hours)	13·6	4·9	4·6	6·7	2·5	3·2	3·6	3·4	7·0	9·2	10·0	18·5	6·9

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Carr, Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McAnastrough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SIXTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 6th Week of the 10 years 1884-93.*	In the Week ending Saturday, 10th February 1894.										CAUSES OF DEATH.	Corrected Averages for the 6th Week of the 10 years 1884-93.*	In the Week ending Saturday, 10th February 1894.											
		Deaths of Persons of the Ages												Deaths of Persons of the Ages											
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.								
ALL CAUSES -	1766.1	153.4	34.9	20.4	8.9	19.9	27.6	30.1	5.6																
Small-pox { Vaccinated† - 0.9 Unvaccinated - 1.6 No Statement - 1.6		-	-	-	-	-	-	-	-																
Measles -	25.8	42	8	32	2	-	-	-	-																
Scarlet Fever -	19.2	23	2	12	9	-	-	-	-																
Typhus -	0.3	-	-	-	-	-	-	-	-																
Relapsing Fever -	-	-	-	-	-	-	-	-	-																
Influenza -	25.6	19	-	-	-	7	6	8	-																
Whooping-cough -	79.6	54	24	29	1	-	-	-	-																
Diphtheria -	28.2	56	1	38	15	2	-	-	-																
Simple Continued and Ill-defined Fever -	0.6	-	-	-	-	-	-	-	-																
Enteric Fever -	8.9	6	-	1	1	4	-	-	-																
Cholera and Chol. Diarr.	0.1	-	-	-	-	-	-	-	-																
Diarrhoea, Dysentery -	13.8	17	14	1	-	-	-	2	-																
Remittent Fever -	0.1	-	-	-	-	-	-	-	-																
Hydrophobia -	0.1	-	-	-	-	-	-	-	-																
Glanders -	0.1	-	-	-	-	-	-	-	-																
Cowpox and Effects of Vaccination -	0.1	-	-	-	-	-	-	-	-																
General Affections -	12.1	8	5	-	-	1	2	-	-																
Erysipelas -	8.1	4	-	-	-	4	-	-	-																
Pyæmia and Septicæmia -	2.3	1	1	-	-	-	-	-	-																
Pyæmic Fever -	7.1	4	-	-	-	3	1	-	-																
Other Zymotic Diseases -	1.6	2	1	-	-	-	-	-	1																
Thrush -	2.1	-	-	-	-	-	-	-	-																
Furunculæ and other Parasitical Diseases -	0.3	-	-	-	-	-	-	-	-																
Starvation, Want of Breast-milk -	1.9	1	1	-	-	-	-	-	-																
Alcoholism -	6.1	7	-	-	-	1	3	3	-																
Rheumatic Fever, Rheumatism of Heart -	9.6	9	-	-	2	3	3	1	-																
Rheumatism -	2.4	2	-	-	-	-	2	-	-																
Gout -	3.3	1	-	-	-	-	1	-	-																
Gonorrhœa -	4.4	5	2	3	-	-	-	-	-																
Cancer -	56.3	64	-	-	1	10	29	23	1																
Scabs Mesenterica -	20.4	17	10	3	1	2	1	-	-																
Tubercular Meningitis -	23.6	19	6	10	3	-	-	-	-																
Phthisis -	175.7	148	-	1	12	69	55	10	1																
Scrophulous, Tuberculous -	17.4	21	7	9	3	2	-	-	-																
Other Constitutional Diseases -	11.0	18	-	-	2	5	4	7	-																
Premature Birth -	45.4	39	39	-	-	-	-	-	-																
Atelectasis -	2.3	7	7	-	-	-	-	-	-																
Congenital Malformations -	7.0	8	6	2	-	-	-	-	-																
Old Age -	56.0	33	-	-	-	-	-	17	16																
Apoplexy -	46.1	47	-	-	-	1	18	22	8																
Epilepsy -	8.8	6	-	-	1	2	2	1	-																
Convulsions -	47.3	44	41	3	-	-	-	-	-																
Other Diseases of Brain and Nervous System -	89.3	88	9	8	5	15	20	26	3																
Diseases of Organs of Special Sense -	1.7	7	1	1	2	1	1	1	-																
Diseases of Circulatory System -	150.3	114	-	1	9	19	33	48	4																
Croup -	11.3	7	1	6	-	-	-	-	-																
Bronchitis -	293.0	215	37	36	2	5	27	75	18																
Pneumonia -	116.1	123	23	41	3	13	20	18	2																
Pleurisy -	5.7	5	-	2	-	-	2	1	-																
Other Diseases of Respiratory System -	36.2	22	5	3	2	1	4	5	2																
Dentition -	14.7	10	5	5	-	-	-	-	-																
Quinsy, Sore Throat -	1.4	-	-	-	-	-	-	-	-																
Enteritis -	6.9	18	7	2	1	1	1	1	-																
Peritonitis -	5.8	8	1	-	2	3	2	-	-																
Diseases of Liver -	27.8	20	1	1	-	4	8	6	-																
Other Diseases of Digestive System -	27.9	28	6	4	1	6	4	5	2																
Diseases of Lymphatic System & of Ductless Glands -	1.9	1	1	-	-	-	-	-	-																
Diseases of Urinary System -	43.9	35	1	1	1	7	11	13	2																
Diseases of Generative System -	5.5	4	-	-	-	2	-	2	-																
Accidents of Childbirth -	4.2	5	-	-	-	2	3	-	-																
Diseases of Locomotive System -	7.2	6	1	-	3	-	1	1	-																
Diseases of Integumentary System -	6.2	5	2	-	-	1	-	2	-																
VIOLENT DEATHS.† (ACCIDENT.)																									
By Railways -		1	-	-	-	-	1	-	-																
By Vehicles or Horses -		1	-	-	-	-	1	-	-																
In Ships, Boats, Docks (exclusive of Drowning) -		2	-	-	-	-	1	1	-																
In Building Operations -		-	-	-	-	-	-	-	-																
In Conflagrations -		1	-	-	-	-	1	-	-																
By Burns, Scalds, Explosions -	51.8	6	-	4	1	-	-	-	1																
By Drowning -		5	-	-	-	1	1	3	-																
By Suffocation in Bed -		13	13	-	-	-	-	-	-																
By Poisons or Poisonous Vapours -		-	-	-	-	-	-	-	-																
Other or not stated Causes -		14	1	3	2	1	4	2	1																
(VIOLENCE OTHER THAN ACCIDENTAL.)																									
Homicide -	1.7	2	1	-	1	-	-	-	-																
Suicide -	7.1	8	-	-	-	-	3	5	-																
Execution -		-	-	-	-	-	-	-	-																
OTHER CAUSES -	57.5	35	33	2	-	-	-	-	-																

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population. † Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When a medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement." ‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DYPHTERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHOEA, VIOLENCE, INQUEST CASES, and Deaths in Public Institutions during the Week ended

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1891.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON	4,211,743	2709	1534	340	357	-	42	23	56	54	-	6	-	17	53	103	441		
WEST DISTRICTS	740,735	373	249	47	59	-	9	5	12	7	-	-	-	1	8	13	82		
NORTH DISTRICTS	993,884	582	354	78	93	-	13	5	19	10	-	1	-	5	11	22	96		
CENTRAL DISTRICTS	247,538	161	89	26	15	-	1	-	2	4	-	-	-	1	2	8	27		
EAST DISTRICTS	705,114	572	284	79	50	-	12	3	6	13	-	3	-	5	14	87	82		
SOUTH DISTRICTS	1,524,472	1021	515	119	123	-	7	6	17	20	-	2	-	4	18	33	111		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	43	-	12	-	-	4	-	-	-	-	-	1	-	1	43		
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.	84189	43	30	7	4	-	1	-	2	1	-	-	-	-	3	4	7		
St. John Paddington H - - G.J.	33687	8	8	1	2	-	-	1	1	-	-	-	-	-	-	-	4		
Kensington Town Ww - - W.M.	118751	63	59	14	11	-	4	-	-	4	-	-	-	-	-	2	35		
Brompton H - - W.M. & C.	47557	15	10	-	2	-	-	-	2	-	-	-	-	-	1	1	3		
St. Peter Hammersmith - - W.M.	8356	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.	86633	60	22	1	7	-	1	-	-	-	-	-	-	1	-	-	1		
Fulham Ww - - W.M. & C.	91639	73	34	9	7	-	-	4	5	-	-	-	-	-	1	2	12		
Chelsea Kensal Town - - C.	21787	11	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North WHHHH - - C.	41637	22	15	1	3	-	-	-	-	-	-	-	-	-	-	-	7		
Chelsea South HH - - C.	33829	15	10	3	3	-	-	-	1	-	-	-	-	-	1	1	4		
May Fair W - - G.J.	23733	4	14	1	10	-	-	-	-	-	-	-	-	-	1	1	8		
Belgrave WHHH - - C.	54631	19	15	3	8	-	-	-	-	2	-	-	-	-	1	1	4		
St. John Westminster HHH - - C.	34195	18	7	2	2	-	1	-	-	-	-	-	-	-	-	1	4		
St. Margaret Westminster H - - C.	21668	2	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
St. James Westminster WHH N.R. & G.J.	24995	12	4	2	2	-	-	-	-	-	-	-	-	-	-	-	2		
St. Anne Soho HHHHHH - - N.R.	12317	5	7	1	2	-	2	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone * } - - W.M.	37713	17	19	5	3	-	1	-	-	-	-	-	-	-	1	1	6		
HHHHHHHHH } - - G.J. & W.M.	20024	14	5	2	2	-	-	-	-	-	-	-	-	-	-	1	1		
Rectory Marylebone W - - W.M.	19239	17	7	2	2	-	1	-	-	-	-	-	-	1	-	1	1		
St. Mary Marylebone HHHH G.J. & W.M.	33327	12	6	4	1	-	-	-	-	-	-	-	-	1	-	1	1		
Christchurch Marylebone H - - W.M.	32101	13	11	5	-	-	-	-	-	-	-	-	-	1	-	1	-		
St. John Marylebone H - - W.M.	68416	32	28	2	7	-	-	3	7	1	-	-	-	-	-	-	14		
Hampstead WvHHHHH N.R. & W.M.	35590	20	14	7	2	-	-	-	1	2	-	-	-	-	-	1	2		
Regent's Park Pancras HH - - W.M.	26321	9	20	4	3	-	-	-	1	1	-	-	-	-	1	2	8		
Tottenham-court WHHHH N.R. & W.M.	27455	19	8	3	2	-	-	-	1	-	-	-	-	-	1	2	1		
Gray's Inn Lane HHH - - N.R.	32829	17	16	6	2	-	-	-	-	1	-	-	-	1	1	2	2		
Homer Town HH - - N.R.	15419	10	20	1	10	-	-	-	-	-	1	-	-	1	1	1	18		
Camden Town WH - - N.R.	95765	63	25	7	6	-	-	-	1	-	-	-	-	1	1	3	6		
Canish Town W - - N.R.	92835	50	48	5	18	-	3	-	1	1	-	-	-	-	1	1	25		
Upper Holloway WvHHH - - N.R.	16557	80	27	8	5	-	1	-	-	-	-	-	-	-	1	1	-		
Islington South-west H - - N.R.	64183	39	19	4	7	-	-	1	-	1	-	-	-	-	1	1	-		
Islington South-east - - N.R.	69193	29	11	2	3	-	-	-	-	1	-	-	-	-	-	-	1		
Highbury HH - - N.R.	99356	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Stoke Newington H - - N.R.	17759	7	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - - E.L.	43002	30	16	3	4	-	-	-	-	-	-	-	-	-	-	1	-		
West Hackney H - - N.R.	96486	70	38	3	11	-	4	1	5	-	-	-	-	1	-	2	17		
Hackney WvHHH - - E.L. & N.R.	41792	24	17	4	6	-	-	-	-	1	-	-	-	-	1	3	-		
South Hackney W - - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - N.R.	10995	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - - N.R.	12454	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles North H - - N.R.	9638	1	7	4	-	-	-	-	-	1	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.	14616	5	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Mary-le-Strand H - - N.R.	5706	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Clement Danes WH - - N.R.	7194	4	7	2	-	-	-	-	-	-	-	-	-	-	-	-	5		
Strand Union Workhouse, Edwinton w.	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-		
St. Geo. the Martyr HHHHHH N.R.	17921	5	8	1	1	-	-	-	-	-	-	-	-	-	-	-	2		
St. Andrew Eastern W - - N.R.	15343	8	4	2	2	-	-	-	-	-	-	-	-	-	-	-	2		
St. James Clerkenwell - - N.R.	18603	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - - N.R.	18383	15	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Pentonville - - N.R.	17155	11	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-		
Goosewell-street - - N.R.	15375	14	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-		
City-road HHHH - - N.R.	29177	52	11	1	1	-	1	-	-	-	-	-	-	-	1	1	-		
Whitecross-street - - N.R.	8278	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	5		
Elephant - - N.R.	4985	4	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whitehorn Union Workhouse, Mitcham w.	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - - N.R. & E.L.	8944	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
Cripplegate - - N.R.	4539	2	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - - N.R.	4444	2	11	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Bride W - - N.R.	6594	1	-	-	-	-	-	1	-	-	-	-	-	-	1	2	11		
Allhallows Barking - - N.R.	10422	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; Z—Private Lunatic Asylum in which paupers are received; w—Workhouse/Establishment; g—sub-districts; —G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N. River; E. L. East London; and K. the Kent Company.

On the 1st September the sub-districts of All Souls and Cavendish Square were amalgamated under the name of All Souls sub-district.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.		Enu-merated Popu-lation, 1891.	Total Births.	Deaths of															
				Deaths from															
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Malaria.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Eritaria (or Typhoid) Fever.	Simple epi-demic Fevers.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	
EAST DISTRICTS.																			
Moreditch South HL*		E.L. & N.R.	20098	12	4	1	-	-	-	-	-	-	-	-	-	-	1	1	
London New Town w -		N.R.	29313	35	18	6	3	-	-	-	-	-	-	-	-	-	5	-	
Foston Old Town -		N.R.	28354	23	6	3	-	1	-	-	-	-	-	-	-	-	-	-	
Baggerston WH -		N.R. & E.L.	46244	41	25	4	10	-	1	1	-	-	-	-	-	-	11	-	
Bethnal Green North H -		E.L.	51620	32	11	2	3	-	1	1	-	-	-	-	-	-	-	-	
Bethnal Green South -		E.L.	33450	34	8	1	1	-	1	1	-	-	-	-	-	-	-	-	
Bethnal Green East WHL*		E.L.	44123	41	14	3	1	-	1	1	-	-	-	-	-	-	7	-	
Holloway Fields -		E. & N.R.	22456	16	12	6	1	-	-	1	-	1	-	-	-	-	1	-	
Hill End New Town W -		E.L.	17908	21	13	1	3	-	-	-	-	2	-	-	-	-	4	10	
Whitechapel Church H -		E.L. & N.R.	29098	20	21	-	-	-	-	-	-	-	-	-	-	-	4	-	
Woodman's Fields -		E.L.	18800	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George's, North -		E.L.	87738	41	10	6	1	-	-	-	-	-	-	-	1	5	-	-	
St. John, St. George East W -		E.L.	8057	2	9	1	3	-	2	-	-	-	-	-	-	1	4	-	
Cadwell H -		E.L. & N.R.	40946	11	9	5	-	-	2	-	-	-	-	-	-	-	4	-	
Cattelliff -		E.L.	14928	18	5	3	-	-	-	-	-	-	-	-	-	-	-	-	
Chimehouse -		E.L.	32202	25	11	2	1	-	1	2	-	-	-	-	-	-	-	-	
Hill End Old Town West H -		E.L.	38650	37	10	3	3	-	1	-	-	-	-	-	-	-	-	-	
Hill End Old Town East W & H -		E.L.	68942	46	38	12	6	-	3	-	1	2	-	-	2	2	4	8	
Bow L* -		E.L.	40885	27	8	3	1	-	-	1	-	-	-	-	-	1	4	-	
Dromley W & H -		E.L.	70000	41	34	11	11	-	-	2	-	-	-	-	-	1	15	-	
Poplar W & H -		E.L.	56883	42	14	5	1	-	1	-	1	-	-	-	1	2	6	-	
SOUTH DISTRICTS.																			
Christchurch Southwark WH		L. & S.	18264	11	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
St. Saviour Southwark -		S.	18913	6	4	2	-	-	1	-	-	-	-	-	-	-	-	-	
Kent-road -		S. & L.	21867	15	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
Borough-road WH -		S. & L.	16924	15	5	2	-	-	-	2	-	-	-	-	-	-	4	-	
London-road HL -		L. & S.	21221	11	4	2	-	-	1	-	-	-	-	-	-	-	1	-	
Trinity Newington -		S. & L.	26596	15	12	2	1	-	-	1	1	-	-	-	1	-	-	-	
St. Peter Walworth W -		S. & L.	61542	68	14	3	3	-	1	1	-	-	-	-	-	2	-	1	
St. Mary Newington -		L. & S.	27866	25	6	1	1	-	-	1	-	-	-	-	-	-	-	-	
St. Olave WH -		S.	12223	17	17	4	4	-	-	1	-	-	-	-	1	3	9	-	
Leather Market -		S. & L.	14952	13	7	1	1	-	-	2	-	-	-	-	-	-	-	-	
St. Mary Magdalen W -		S.	1566																

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS). AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 10th February, 1894.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes.	
LONDON - OUTER RING		368,749	1,422,063	988	417	108	106	2	3	2	22	19	3	3	19	35	29		
30:1	Carshalton WHH -	12228	26108	10	5	1	4	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* WWH	10423	12508	8	4	2	2	-	-	-	-	-	-	-	-	-	-	-	
37:1	Godstone, part of* W-	754	1598	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon WWHH- -	20851	128699	75	33	7	10	-	2	-	1	2	-	-	1	5	2	-	
2	Mitcham w -	11697	23088	11	5	1	1	-	-	-	1	-	-	-	1	1	-	1	
39:1	Wimbledon HHH -	3220	25761	20	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston WHH -	8071	44765	34	19	2	4	-	-	-	-	2	-	-	2	2	1	-	
3	Esher, part of,* -	6601	12059	12	4	1	1	-	-	-	-	-	-	-	-	-	1	-	
4	Hampton H -	4695	18252	18	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
40:1	Richmond WH -	2160	25389	16	9	2	3	-	-	-	-	-	-	-	-	1	4	-	
2	Mortlake H -	2823	16169	14	4	3	-	-	-	-	-	-	-	-	-	1	-	-	
41:1	Bromley HHH -	9127	23815	14	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
2	Beckenham H -	6542	21969	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	12	8	-	6	-	-	-	-	-	-	-	-	-	3	-	
42:1	Bexley H -	12540	30690	17	6	3	2	-	1	-	-	1	-	-	-	1	-	-	
2	Dartford Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124:1	Sunbury w -	11054	13671	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W -	18277	13221	9	7	4	2	-	-	-	-	-	-	-	-	-	-	-	
125:1	Hillingdon WHH -	6035	12237	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge -	6172	5417	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH -	14537	12618	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
126:1	Isleworth WH -	6967	26273	14	9	2	3	-	-	-	-	-	-	-	1	1	3	-	
2	Twickenham HH -	2415	16027	13	5	2	1	-	-	-	-	-	-	1	-	-	-	-	
3	Brentford HHHH -	4318	37777	18	14	5	2	1	-	-	2	1	-	-	1	4	1	-	
4	Chiswick -	1245	21963	13	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
5	Aston WH -	6132	30945	34	13	3	2	-	-	-	-	1	-	-	-	-	1	-	
127:1	Harrow HH -	13809	15715	8	4	2	2	-	-	-	-	-	-	-	-	-	1	-	
2	Edgware H -	6994	3844	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH -	4388	61265	46	20	6	5	-	-	-	1	1	1	-	1	1	-	-	
4	Hendon W -	8531	15843	12	8	2	1	-	-	-	-	2	-	-	-	-	1	-	
128:1	South Mimms -	15149	8474	7	3	2	1	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet WHH -	5441	11778	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley HH -	4688	25820	18	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
129:1	Hornsey H -	2039	61067	36	15	6	5	-	-	-	-	1	-	1	1	1	-	-	
2	Tottenham H -	4645	97174	62	30	6	6	-	-	2	2	1	-	-	3	7	-	-	
3	Edmonton Ww -	7489	36351	29	15	6	1	-	-	-	-	3	1	1	1	3	2	-	
4	Enfield WWHH -	12639	31803	27	9	1	4	-	-	-	1	-	-	-	-	-	-	-	
5	Waltham Abbey -	11017	6066	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt H -	8490	5620	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
130:1	Hatfield, part of* -	3306	582	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushy -	9331	7787	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford H- -	1100	42683	40	12	4	4	-	-	-	-	-	-	-	2	2	2	-	
2	Plaistow HHH -	1242	51030	50	20	3	5	1	-	-	1	1	1	-	-	-	3	2	
3	Canning Town H -	1558	54760	48	23	8	3	-	-	-	-	2	-	-	1	1	-	2	
4	Forest Gate w -	506	49140	23	16	3	1	-	-	-	7	1	-	-	-	-	-	1	
5	East Ham ww -	3266	32713	32	8	1	1	-	-	-	2	-	-	-	-	-	-	-	
6	Leyton WwL -	4334	70188	59	22	5	6	-	-	-	-	-	-	-	2	2	4	1	
7	Walthamstow HH -	6501	57330	44	25	9	4	-	-	-	1	1	-	-	-	-	-	1	
137:1	Chigwell, part of* H- -	117:9	12941	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139:1	Romford, part of* W- -	6556	4324	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford -	493	10913	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town -	3814	14301	12	5	2	1	-	-	-	-	-	-	-	2	2	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39:2, Epsom sub-district, except the parishes of As'stead and Hoadley (pop. 1766); 37:1, the parishes of Waringham and Farley in Godstone sub-district; 39:3, Esher sub-district, except the parish of Esher (pop. 2332); 41:2, Chislehurst sub-district, except the parishes of Chelsfield, Cuddon, and Knockholt (pop. 3097); 135:1, the parish of Northaw in Hatfield sub-district; 137:1, Chigwell sub-district, except the parish of Theydon Bois (1674); 139:1, the parish of Dagenham in Romford sub-district; also, deaths in Workhouses belonging to the Outer Ring in 42:2, Dartford; 137:3, Watford; and 137:2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 10th February, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include—												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Houses.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	17.1	2.2	1951	457	463	2	45	25	73	73	9	20	72	470		
INNER LONDON -	74,672	4,349,166	18.4	2.4	1534	349	357	-	42	23	56	54	6	17	53	441		
OUTER RING -	368,749	1,599,134	13.6	1.8	417	103	106	2	3	2	22	19	3	3	19	29		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	February 10	118	85	16.4	-	-	5	-	4	1	-	
GLASGOW	686,820	" 10	463	269	20.4	-	-	6	14	12	4	4	
DUBLIN	349,594	" 10	201	222	33.1	-	1	3	2	8	4	3	
CALCUTTA	466,460	December 16	-	318	35.5	-	-	-	-	1	149	49+	
BOMBAY	821,764	January 23	340	490	31.0	2	9	?	?	?	109	46	
MADRAS	462,518	December 15	357	423	48.6	-	7	?	?	?	162	55+	
		" 22	353	427	49.0	-	7	?	?	?	164	68+	
PARIS	2,424,705	February 3	1188	1059	23.2	10	16	2	26*	6	3	39	
BRUSSELS	488,188	" 3	255	179	19.1	-	-	1	2*	6	1	13	
(with 8 Faubourgs)													
AMSTERDAM	437,892	" 3	276	193	22.6	-	2	-	3	-	1	-	
ROTTERDAM	222,233	" 3	154	110	25.6	15	1	-	1	7	-	-	
THE HAGUE	169,823	" 3	110	71	21.7	-	-	-	1	1	-	-	
COPENHAGEN	341,000	" 3	188	147	22.5	-	-	8	4	1	-	5	
STOCKHOLM	249,246	January 27	128	78	16.3	-	-	1	4*	1	-	2	
CHRISTIANIA	161,151	" 3	51	51	16.4	-	1	1	3	2	-	2	
		" 6	387	564	30.8	1	9	4	9	2	6	108+	
ST. PETERSBURG	954,400	" 13	582	577	31.5	1	17	12	9	5	8	93+	
MOSCOW	753,469	" 27	-	468	32.4	1	-	6	12	4	4	29	
BERLIN	1,714,938	" 20	947	670	20.7	-	7	5	25	5	1	16	
HAMBURG	594,209	February 3	-	204	17.9	-	2	1	2*	2	1	4	
DRESDEN	308,930	January 6	199	154	21.3	-	-	-	14*	2	-	7	
REESLAU	353,551	February 3	-	157	23.0	-	-	1	10*	1	-	7	
MUNICH	390,000	" 3	-	218	29.1	-	8	2	9*	1	-	23	
VIENNA	1,465,537	" 3	660	708	25.1	1	6	7	35*	-	2	34	
PRAGUE	332,357	" 3	237	203	31.8	-	6	-	4	-	7	4	
BUDA-PESTH	552,769	January 27	387	278	26.2	-	4	2	17	2	4	12	
TRIESTE	159,427	" 27	104	113	36.8	4	-	2	6*	-	1	-	
ROME	450,991	" 13	265	201	23.2	-	2	-	-	1	4†	11	
TURIN (10 days)	535,525	" 10	-	-	-	-	-	-	-	-	-	-	
VENICE	163,601	" 20	84	163	51.9	-	-	-	-	-	-	4	
CAIRO	374,838	" 18	415	451	62.6	-	2	-	5*	3	11	109	
ALEXANDRIA	231,396	" 18	254	207	46.6	-	-	1	1*	-	-	64	
NEW YORK	1,875,385	" 20	-	883	24.0	6	24	5	68	8	6	11	
BROOKLYN	1,003,781	" 20	-	388	20.1	-	3	5	20	3	2	-	
PHILADELPHIA	1,139,457	" 20	-	530	24.2	-	8	7	19	4	9	6	
NEW ORLEANS	254,000	December 30	-	176	36.1	-	-	-	5	-	9	4	
		January 6	-	181	37.2	-	-	-	2	-	7	8	

* Including deaths from croup.

† Including 11 deaths from cholera in Calcutta, one and 2, respectively, in Madras, and 52 and 44, respectively, in St. Petersburg.

‡ Including 3 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 10th FEBRUARY, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.			TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a Gauge whose receiving surface is 5 inches above the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Month and Day.	Phases of the Moon.	Barometer.	Of the Air.					Of the Dew Point.		Difference between the Air Temperature and Dew Point Temperature.			Degree of humidity (Saturation 100).	Of Radiation.		Oiler's.		Pressure on the Square Foot.		Robinson's.		Miles. in. 0'00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			High. est.	Low. est.	Daily Range.	Mean value.	De- parture from Average value of 50 years.	Mean daily value.	Least. value.	Great. est.	Highest Sun's Rays.	Lowest on the Grass.		A.M.	P.M.	Great. est.	Least.	Mean hourly obs.	Horizontal Movement of the Air on each Day.	Depar- ture from Average on each Day. 16 Years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
FEBRUARY.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
SUNDAY	..	4	30.263	49.9	35.7	14.2	43.0

GENERAL REMARKS.

SUNDAY . . . 4	m. P. throughout .	3.9	9.3	Very fine. Generally cloudless in morning; cloudy in afternoon; variable amounts of cloud at night.
MONDAY . . . 5	W. P. till 3h. P.M.; S.N. principally after-wards.	0.0	9.3	Overcast generally. Gloomy in forenoon. Frequent rain.
TUESDAY . . . 6	W. P. generally .	0.0	9.4	Overcast. Strong wind at night.
WEDNESDAY . . . 7	W. P. throughout .	0.2	9.4	Overcast. A gale of wind. Slight rain at night. Very mild.
THURSDAY . . . 8	W. P. in morning; W. P. afterwards.	2.4	9.5	Variable in early morning; generally cloudless throughout day. Very fine.
FRIDAY . . . 9	m. P. in morning; W. P. generally after-wards.	0.1	9.6	Fine, with little cloud in early morning; overcast till evening, with light rain between 3h. P.M. and 6h. P.M.; fine at night, and cloudless after 9h. P.M.
SATURDAY . . . 10	W. P. generally .	0.3	9.6	Fine; partially cloudy. Windy.
Sum	Sum	6.9	66.1	Sum

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 169 feet above the mean level of the sea; 20 correction has been applied to the readings, A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: +, P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30.19 in. at the beginning of the week to 30.30 in. by 10h. A.M. on the 4th; decreased to 29.73 in. by 3h. P.M. on the 7th; increased to 30.11 in. by 9h. P.M. on the 8th; and decreased to 29.61 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 7. 1894. VOL. LV.]

WEEK ENDING SATURDAY, FEBRUARY 17.

[Price 1½d.]

*General Register Office, Somerset House,
February 19th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·7 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.		Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.
Birkenhead	17·3	25·2	23·7	21·2	Liverpool -	24·6	29·2	24·2	25·4
Birmingham	25·6	20·9	22·6	16·9	London -	19·8	19·4	18·4	18·6
Blackburn -	24·0	13·3	17·4	14·9	Manchester -	23·8	22·4	21·7	22·2
Bolton -	19·4	21·2	17·6	21·6	Newcastle-on-Tyne	19·9	17·6	18·6	18·8
Bradford -	19·6	16·5	16·3	16·5	Norwich -	31·1	21·2	21·7	17·8
Brighton -	22·8	18·0	15·8	15·8	Nottingham -	18·9	17·7	20·5	14·9
Bristol -	22·8	27·4	26·5	21·2	Oldham -	17·7	17·3	16·5	20·3
Burnley -	24·3	22·2	14·6	17·8	Plymouth -	29·6	27·9	18·4	20·8
Cardiff -	19·6	20·3	19·6	17·2	Portsmouth -	16·8	18·9	17·1	17·1
Croydon -	17·7	14·4	12·1	11·2	Preston -	24·8	21·1	18·3	18·7
Derby -	14·8	15·8	15·8	11·6	Salford -	30·1	20·5	19·0	22·8
Gateshead -	22·9	18·4	17·3	15·1	Sheffield -	19·7	18·6	18·6	16·8
Halifax -	18·5	18·0	20·8	12·4	Sunderland -	16·5	16·5	21·5	19·9
Huddersfield	22·2	16·9	18·0	18·5	Swansea -	20·8	17·5	19·7	18·6
Hull -	18·6	23·8	21·8	18·9	West Ham -	16·0	19·3	16·0	16·6
Leeds -	18·8	18·6	18·5	17·4	Wolverhampton -	19·0	18·4	17·8	27·0
Leicester -	14·9	13·8	13·5	16·0					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·4 in Leicester, 2·5 in Birkenhead, and 3·1 in Wolverhampton; from *scarlet fever*, 1·1 in Burnley and in Huddersfield; from *whooping-cough*, 1·5 in Salford and in Sheffield, 1·6 in Swansea, and 3·0 in Plymouth; from "*fever*," 1·1 in Derby; and from *diarrhœa*, 1·2 in Bristol. The 86 deaths from *diphtheria* included 58 in London, 4 in Leeds, 3 in West Ham, and 2 each in Portsmouth, Derby, Birkenhead, Liverpool, Manchester, and Newcastle. Seven deaths from *small-pox* were registered in Birmingham, 2 in Bradford, and one death in West Ham, but not one in London or in any other of the thirty-three towns.

LONDON.

In LONDON† 2602 BIRTHS and 1552 DEATHS were registered. Allowing for increase of population, the births were 159, and the deaths 205, below the average

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·8, 19·4, and 18·4 in the preceding three weeks, rose last week to 18·6. During the four weeks ending on Saturday last the death-rate averaged 19·1 per 1000, being 3·1 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1552 deaths included 40 from measles, 24 from scarlet fever, 58 from diphtheria, 60 from whooping-cough, 8 from enteric fever, 16 from diarrhœa and dysentery, and not one from small-pox, typhus, any ill-defined form of continued fever, or cholera; thus, 206 deaths were referred to these diseases, being 21 above the corrected average weekly number.

The numbers of cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals and in the Highgate Small-pox Hospital were 62 and 16 respectively, making a total of 78, against 78, 82, and 77 on the preceding three Saturdays; 17 cases were admitted during the week, against 18 and 15 in the preceding two weeks. The deaths from *measles*, which had been 35, 21, and 42 in the preceding three weeks, numbered 40 last week, and were 9 above the corrected average. The deaths from *scarlet fever*, which had been 9, 22, and 23 in the preceding three weeks, further rose last week to 24, exceeding the corrected average by 6. The Metropolitan Asylum and London Fever Hospitals* contained 2270 scarlet fever patients at the end of last week, against 2534, 2491, and 2387 on the preceding three Saturdays; 199 cases were admitted during the week, against 245 and 224 in the preceding two weeks. The deaths from *diphtheria*, which had been 52, 74, and 56 in the preceding three weeks, numbered 58 last week, and were more than double the corrected average; 7 belonged to Bethnal Green sanitary area. The Metropolitan Asylum Hospitals* contained 320 diphtheria patients at the end of last week, against 318, 320, and 334 on the preceding three Saturdays; 50 cases were admitted during the week, against 57 and 80 in the preceding two weeks. The deaths from *whooping-cough*, which had steadily declined in the preceding five weeks from 107 to 54, rose last week to 60, but were 20 below the corrected average. The fatal cases of *enteric fever*, which had numbered 12, 14, and 6 in the preceding three weeks, rose last week to 8, but were 4 below the corrected average. The Metropolitan Asylum Hospitals contained 106 cases of enteric fever and not one of typhus on Saturday last; 18 cases of enteric fever were admitted during the week, against 19 and 21 in the preceding two weeks. The deaths from *diarrhœa*, which had been 15, 14, and 17 in the preceding three weeks, numbered 16 last week, being 3 above the corrected average.

The deaths referred to diseases of the respiratory organs, which had continuously declined in the preceding five weeks from 762 to 372, further fell last week to 340, and were 117 below the corrected average.

The deaths attributed directly to *influenza* numbered 22, against 19 in the preceding week.

Different forms of violence caused 61 deaths, concerning 60 of which inquests were held. Of these 61 deaths, 9 were cases of suicide, and one death was a case of homicide, while the remaining 51 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 6 to railways, 7 to drowning, 4 to poison, and 8 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3530 births and 1964 deaths were registered, corresponding to annual rates of 30·9 and 17·2 per 1000 of the estimated population. In the Outer Ring 4 deaths from small-pox, 10 from diphtheria, and 24 from whooping-cough were recorded. Two of the deaths from small-pox occurred in the district of West Ham and 2 in that of Romford. The 10 deaths from diphtheria included 7 in West Ham district, 2 in Edmonton district, and one death in Dartford district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·78 inches, and that of the Thermometer 41°·0, the latter being 1°·9 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 31 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 8·1 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 2.—Births, Deaths, and Meteorology, in 33 GREAT TOWNS, during the week ending 17th February 1894.

CITIES AND BOROUGHES.	POPULATION estimated to the middle of the Year 1884.*	Registered during the Week ending 17th Feb. 1894.		The DEATHS registered in the Week include											TEMPERATURE OF THE AIR.										RAINFALL.		CITIES AND BOROUGHES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		BIRTHS.	DEATHS.	Deaths of		Deaths from							Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	per 1000, to the Week's Deaths				Mean.		In Inches.	In Cent.																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Persons Aged 1 Year or under.	60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Diarrhoea.					Fever.	Fahrenheit.		Lowest.	Highest.																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
																		From All Causes.	From 10 to 12.			From 10 to 12.			From 10 to 12.	From 10 to 12.		From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.	From 10 to 12.

TABLE 2. LONDON.—Births and Deaths Registered in the SEVENTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2649	2526	2849	2612	2569	2511	2793	2655	2233	2762	2760·9	2602
Males . .	1363	1268	1512	1325	1298	1334	1461	1347	1150	1399	1420·3	1300
Females .	1286	1258	1337	1287	1271	1177	1332	1303	1083	1363	1340·6	1302
TOTAL Deaths	1528	1497	2035	1560	1639	1516	1809	1762	1693	1556	1756·7	1552
Males . .	788	765	1023	803	841	744	904	940	866	767	890·8	784
Females .	740	732	1012	757	848	772	905	822	827	789	865·9	768

* The numbers in this column are the average weekly numbers in the seventh weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.
TOTAL Births	-	-	2529	2405	2466	2474	2378	2106	2486	2367	2719	2689	2708
TOTAL Deaths	-	-	2190	2235	2556	2400	2170	1920	2040	2462	1975	1655	1621
Ages at Death													
{ 0-20 years	-	-	964	983	1059	1012	915	852	924	1030	813	748	717
{ 20-40 "	-	-	287	285	329	253	261	254	244	280	230	208	216
{ 40-60 "	-	-	372	368	465	446	366	325	370	450	371	277	297
{ 60-80 "	-	-	454	478	568	556	503	414	410	585	449	334	319
{ 80 years & upwards	-	-	113	121	135	133	125	75	92	117	112	83	72
Under 1 year	-	-	480	511	527	483	459	401	444	505	383	367	353
{ 1-5	-	-	348	342	383	372	338	315	347	385	332	288	245
{ 5-20	-	-	136	130	149	157	118	136	133	140	98	93	119
Deaths from Small-pox	-	-	3	-	4	2	1	-	2	1	-	1	-
" " Measles	-	-	31	39	34	45	49	49	60	65	45	35	21
" " Scarlet fever	-	-	42	34	30	29	32	27	35	26	25	9	22
" " Diphtheria	-	-	90	74	89	85	63	79	66	55	48	52	74
" " Whooping-cough	-	-	45	48	59	67	74	67	81	107	93	86	69
" " Typhus	-	-	1	-	-	-	-	-	-	-	-	-	-
" " Enteric fever	-	-	24	25	33	21	24	17	10	15	13	12	14
" " Simple Cont. fever	-	-	1	-	1	-	-	1	-	1	3	-	-
" " Diarrhœa and Dysentery	-	-	15	11	11	23	15	7	9	12	16	15	14
" " Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
" " all the above-mentioned Diseases	-	-	252	231	261	272	258	247	263	282	243	209	215
Dis. of Respiratory System	-	-	669	737	841	711	635	516	566	762	547	422	385
" " Phthisis	-	-	166	163	212	196	161	164	179	230	150	149	159
" " Dis. of Circulatory System	-	-	175	165	177	149	136	130	157	188	161	124	148
Violent Deaths	-	-	52	68	72	60	65	65	77	92	73	55	73
Inquest Cases	-	-	153	161	201	169	166	144	183	227	178	115	135
Deaths in Public Institutions	-	-	548	523	637	600	555	456	474	626	531	462	489
TEMPERATURE OF THE AIR													
Mean	-	-	39·2	40·9	40·9	43·7	41·7	40·3	28·5	37·5	45·0	41·6	42·0
Mean of Highest readings	-	-	43·9	47·0	46·0	49·7	46·6	44·6	30·1	42·3	48·5	46·1	47·9
Mean of Lowest readings	-	-	34·4	35·8	34·4	35·0	36·4	35·6	22·0	31·2	40·7	36·6	37·3
Humidity of the Air	-	-	82	83	83	84	89	90	77	89	83	84	83
Rain-fall in inches	-	-	0·22	0·38	0·36	0·86	0·69	0·16	0·56	0·43	0·36	0·71	0·69
Registered Sunshine (in hours)	-	-	4·9	4·6	6·7	2·5	8·2	3·6	3·4	7·0	9·2	10·0	18·5

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McIndanborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 2. LONDON. -DEATHS Registered at several groups of AGES from different CAUSES in the SEVENTH Week of the Year 1894.

In the Week ending Saturday, 17th February 1894.										In the Week ending Saturday, 17th February 1894.																			
Deaths of Persons of the Ages										Deaths of Persons of the Ages																			
ALL AGES.										ALL AGES.																			
0-1. 1-6. 5-20. 30 and under 40. 40 and under 60. 60 and under 80. 80 Years and upwards.										0-1. 1-6. 5-20. 30 and under 40. 40 and under 60. 60 and under 80. 80 Years and upwards.																			
ALL CAUSES - -										1756.7	1552	357	253	90	190	307	292	58	CAUSES OF DEATH.										
Small-pox { Vaccinated†										0.9	-	-	-	-	-	-	-	-	Diseases of Organs of Special Sense - -										
Unvaccinated										1.5	-	-	-	-	-	-	-	-	{ 1.5										
No Statement										1.3	-	-	-	-	-	-	-	-	{ 143.0										
Measles -										39.6	40	7	31	2	-	-	-	-	Croup - - - - -										
Scarlet Fever -										17.5	24	5	14	3	2	-	-	-	{ 13.1										
Typhus -										0.2	-	-	-	-	-	-	-	-	{ 231.5										
Relapsing Fever -										-	-	-	-	-	-	-	-	-	{ 117.3										
Infuenza -										14.5	22	4	2	1	2	6	11	-	{ 6.8										
Whooping-cough -										80.4	60	27	31	2	-	-	-	-	{ 37.7										
Diphtheria -										27.9	53	6	37	13	1	1	-	-	{ 15.6										
Simple Continued and Ill-defined Fever -										0.3	-	-	-	-	-	-	-	-	{ 2.1										
Enteric Fever -										11.5	8	-	-	-	5	3	-	-	{ 8.1										
Cholera and Chol. Diarr.										0.2	-	-	-	-	-	-	-	-	{ 5.3										
Diarrhoea, Dysentery -										13.0	16	10	3	-	-	-	2	1	{ 25.0										
Remittent Fever -										0.4	-	-	-	-	-	-	-	-	{ 30.7										
Hydrophobia -										-	-	-	-	-	-	-	-	-	{ 2.6										
Glanders -										-	-	-	-	-	-	-	-	-	{ 45.0										
Cowpox and Effects of Vaccination -										0.3	-	-	-	-	-	-	-	-	{ 5.2										
Venereal Affections -										9.8	11	6	-	-	2	-	1	-	{ 6.0										
Erysipelas -										5.4	4	1	-	1	-	-	1	1	{ 8.0										
Pyæmia and Septicæmia										2.4	1	-	-	-	-	1	-	-	{ 5.3										
Puerperal Fever -										5.5	6	-	-	1	7	-	-	-	{ 6.0										
Other Zymotic Diseases										2.0	-	-	-	-	-	-	-	-	{ 8.0										
Thrush - - - - -										1.6	1	1	-	-	-	-	-	-	{ 5.3										
Worms and other Parasitical Diseases -										0.4	-	-	-	-	-	-	-	-	{ 14										
Starvation, Want of Breast-milk -										1.5	1	1	-	2	-	-	-	-	{ 5.9										
Alcoholism - - -										5.3	13	-	-	-	3	9	1	-	{ 54.4										
Rheumatic Fever, Rheumatism of Heart										8.0	3	-	-	1	1	6	-	-	{ 21.1										
Rheumatism -										1.5	1	-	-	-	-	1	-	-	{ 26.4										
Gout -										3.3	5	-	-	-	-	3	1	1	{ 174.3										
Eickets -										5.9	-	-	-	-	-	-	-	-	{ 18.2										
Cancer -										54.4	59	-	-	-	5	25	25	4	{ 11.2										
Tabes Mesenterica -										21.1	14	6	4	1	2	1	-	-	{ 43.1										
Tubercular Meningitis -										26.4	16	6	7	3	-	-	-	-	{ 2.6										
Phthisis -										174.3	145	2	6	15	67	43	12	-	{ 9.1										
Scrofula, Tuberculos										18.2	14	4	5	2	1	2	-	-	{ 57.4										
Other Constitutional Diseases -										11.2	13	-	-	-	2	3	7	1	{ 46.4										
Premature Birth -										43.1	44	44	-	-	-	-	-	-	{ 9.1										
Atelactasis -										2.6	3	2	-	-	-	-	-	-	{ 44.9										
Congenital Malformations -										9.1	11	11	-	-	-	-	-	-	{ 101.5										
Old Age - - - - -										57.4	42	-	-	-	-	-	21	21	{ 47										
Apoplexy - - - -										46.4	47	1	-	-	-	17	26	3	{ 13										
Epilepsy - - - - -										9.1	13	-	-	4	4	5	2	-	{ 43										
Convulsions - - -										44.9	43	36	7	-	-	-	-	-	{ 4										
Other Diseases of Brain and Nervous System										101.5	91	13	12	5	9	26	23	4	{ 61.7										
Diseases of Circulatory System - -										143.0	118	1	2	10	17	40	46	2	{ 1.4										
Croup - - - - -										13.1	3	1	2	-	-	-	-	-	{ 7.6										
Bronchitis - - - -										231.5	191	53	32	3	6	32	49	11	{ 9										
Pneumonia - - - -										117.3	118	27	33	7	11	16	13	1	{ 2										
Pleurisy - - - - -										6.8	4	-	-	-	-	2	2	-	{ 14										
Other Diseases of Respiratory System - -										37.7	24	3	6	1	1	3	10	-	{ 1.5										
Dentition - - - - -										15.6	13	7	6	-	-	-	-	-	{ 1										
Quinsy, Sore Throat -										2.1	1	-	1	-	-	-	-	-	{ 1										
Enteritis - - - - -										8.1	7	8	-	-	2	-	2	-	{ 1										
Peritonitis - - - -										5.3	8	-	4	-	4	-	-	-	{ 1										
Diseases of Liver -										25.0	19	3	-	-	1	11	3	1	{ 1										
Other Diseases of Digestive System -										30.7	36	7	-	2	8	8	8	3	{ 1										
Diseases of Lymphatic System & of Ductless Glands -										2.6	2	-	-	-	1	1	-	-	{ 1										
Diseases of Urinary System - - - -										45.0	33	2	-	4	6	10	15	1	{ 1										
Diseases of Generative System - - - -										5.2	8	-	1	-	2	4	1	-	{ 1										
Accidents of Childbirth -										6.0	9	-	-	-	7	2	-	-	{ 1										
Diseases of Locomotive System -										8.0	3	-	1	-	1	1	-	-	{ 1										
Diseases of Integumentary System -										5.3	2	2	-	-	-	-	-	-	{ 1										
VIOLENT DEATHS.†																			{ 51.6										
(ACCIDENT.)																			{ 14										
By Railways - - -										6	-	-	-	2	3	1	-	-	{ 1										
By Vehicles or Horses -										6	-	-	-	-	-	1	2	3	-	{ 1									
In Ships, Boats, Docks (exclusive of Drowning) -										-	-	-	-	-	-	-	-	-	{ 1										
In Building Operations -										1	-	-	-	-	-	1	-	-	{ 1										
In Conflagrations -										-	-	-	-	-	-	-	-	-	{ 1										
By Burns, Scalds, Explosions -										51.6	5	-	4	-	-	-	-	1	-	{ 1									
By Drowning - - -										7	-	-	-	-	1	6	-	-	{ 1										
By Suffocation in Bed -										8	8	-	-	-	-	-	-	-	{ 1										
By Poisons or Poisonous Vapours -										4	-	-	-	-	2	2	-	-	{ 1										
Other or not stated Causes - - - -										14	4	1	1	1	2	2	1	3	{ 1										
VIOLENCE OTHER THAN ACCIDENTAL.)																			{ 1										
Homicide - - - - -										1.4	1	-	-	-	1	-	-	-	{ 1										
Suicide - - - - -										7.6	9	-	-	-	2	6	1	-	{ 1										
Execution - - - - -										-	-	-	-	-	-	-	-	-	{ 1										
OTHER CAUSES - -										61.7	46	39	4	-	1	2	-	-	{ 1										

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated," when are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often unimportant to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Unnume- rated Popu- lation 1891.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON	4,211,743	2602	1552	357	350	-	40	24	58	60	-	8	-	16	61	140	485		
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.	84159	49	30	13	7	-	-	-	1	1	-	-	-	-	-	-	4		
St. John Paddington H - - G.J.	33987	8	13	2	2	-	-	-	1	1	-	-	-	-	2	4	5		
Kensington Town W - - W.M.	116751	63	43	10	15	-	1	-	1	1	-	-	-	-	2	4	22		
Brompton H - - W.M. & C.	47557	11	13	8	2	-	-	-	-	-	-	-	-	-	2	2	4		
S. Peter Hammer-smith - - W.M.	8358	8	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-		
St. Paul Hammer-smith H W.M. & G.J.	88433	54	26	3	6	-	-	1	1	1	-	-	-	-	1	1	3		
Fulham W - - W.M. & C.	91639	65	45	13	8	-	1	4	4	1	-	-	-	1	1	3	19		
Chelsea Kensal Town - - C.	21787	14	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North WHHHH - - C.	41637	15	18	1	3	-	-	-	-	-	-	-	-	-	1	1	11		
Chelsea South HH - - C.	39329	14	9	2	1	-	1	-	-	-	-	-	-	-	-	1	4		
May Fair W - - G.J.	23733	3	11	-	5	-	-	-	-	-	-	-	-	-	-	1	6		
Belgrave WHHH - - C.	54631	23	16	-	3	-	-	-	-	-	-	-	-	-	2	4	6		
St. John Westminster HHH - - C.	31195	22	7	1	2	-	1	-	-	1	-	-	-	-	-	1	-		
St. Margaret Westminster H - - C.	21668	6	10	1	3	-	-	-	-	-	-	-	-	-	-	-	5		
S. James Westminster WHH N.R. & G.J.	24995	9	4	-	-	-	1	-	-	1	-	-	-	-	-	1	-		
St. Anne Soho HHHHHH - - N.R.	13317	3	4	1	1	-	1	-	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																			
All Souls Marylebone * } - - W.M.	37713	16	19	6	2	-	-	-	-	-	-	-	-	-	2	2	10		
HHHHHHHHH } - - G.J. & W.M.	20024	10	8	2	2	-	1	-	-	-	-	-	-	-	-	-	2		
Rectory Marylebone W - - G.J. & W.M.	19239	26	3	2	-	-	-	-	1	-	-	-	-	-	-	-	1		
St. Mary Marylebone HHHH G.J. & W.M.	33327	19	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H - - W.M.	33101	23	7	2	3	-	1	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone H - - W.M.	32101	23	7	2	3	-	1	-	-	-	-	-	-	-	-	-	-		
Hampstead WWHHHH N.R. & W.M.	68416	27	26	3	5	-	-	5	5	2	-	-	-	-	-	-	14		
Regent's Park Paneras HH - - W.M.	36390	19	8	4	1	-	1	-	-	-	-	-	-	1	1	2	-		
Tokenham-court WHHHH N.R. & W.M.	26331	15	18	1	3	-	-	-	2	-	-	-	-	-	1	-	16		
Gray's Inn Lane HHH - - N.R.	27455	17	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2		
Camden Town HH - - N.R.	32829	10	15	3	3	-	-	-	-	-	-	-	-	-	-	1	2		
Camden Town WH - - N.R.	15419	15	13	3	7	-	-	-	-	1	-	1	-	-	-	-	10		
Kentish Town W - - N.R.	95765	64	25	9	6	-	-	-	1	1	-	-	-	1	-	3	-		
Upper Holloway WWHHH - - N.R.	90235	53	54	11	17	-	1	-	1	3	-	1	-	-	1	2	35		
Islington South-west H - - N.R.	105557	74	27	8	4	-	3	-	-	-	-	-	-	-	1	5	-		
Islington South-east - - N.R.	64153	36	9	1	3	-	-	-	-	-	-	-	-	-	-	1	-		
Highbury HH - - N.R.	59193	31	19	2	3	-	-	-	1	1	-	-	-	-	1	2	-		
Stoke Newington H - - N.R.	39336	10	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - - E.L.	17759	3	8	1	1	-	-	-	-	-	-	-	-	-	-	1	2		
West Hackney H - - N.R.	45902	13	11	1	6	-	-	-	-	-	-	-	-	-	-	-	3		
Hackney WWHHH - - E.L. & N.R.	96436	55	31	4	9	-	1	2	2	-	-	-	-	1	1	2	15		
South Hackney W - - E.L.	41729	25	13	4	3	-	-	-	-	1	-	-	-	1	1	2	-		
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - N.R.	16695	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - - N.R.	13454	12	10	2	3	-	-	-	-	-	-	-	-	-	1	2	7		
St. Giles North H - - N.R.	9833	6	6	-	2	-	1	-	-	-	-	1	-	-	-	-	2		
St. Martin-in-the-Fields HH N.R. & C.	14616	4	9	-	3	-	-	-	1	-	-	-	-	-	2	3	4		
St. Mary-le-Strand H - - N.R.	5706	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Clement Danes WH - - N.R.	7194	2	6	1	-	-	-	-	-	1	-	-	-	-	-	-	5		
Strand Union Workhouse, Edmonston w.	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2		
St. Geo.-the-Martyr HHHHHH N.R.	17921	10	11	3	1	-	-	-	2	-	-	-	-	-	-	1	6		
St. Andrew Eastern W - - N.R.	15343	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. James Clerkenwell - - N.R.	16893	14	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Amwell Clerkenwell - - N.R.	16883	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Fentonville - - N.R.	17155	16	3	2	-	-	1	-	-	1	-	-	-	-	-	-	-		
Goosewell-street - - N.R.	15375	18	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
City-road HHHH - - N.R.	29177	24	10	3	1	-	-	-	-	2	-	-	-	-	1	1	1		
Whitecross-street - - N.R.	8273	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Finsbury - - N.R.	42985	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, Mitcham w.	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - - N.R. & E.L.	8944	5	2	1	-	-	-	-	-	-	-	-	-	-	1	1	3		
Cripplegate - - N.R.	4339	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - - N.R.	4444	-	15	2	3	-	-	-	-	-	-	-	-	-	-	-	-		
St. Bride W - - N.R.	6594	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	11		
Albhallows Barking - - N.R.	10422	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - - N.R.	3377	1	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-		
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; w—Workhouse; Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N. River; E. L., East London; and K., the Kent Company.

* On the 1st September the sub-districts of All Souls and Cavendish Square were amalgamated under the name of All Souls sub-district.

REGISTRATION		Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of													Deaths in Public Institutions.	Un- certified Causes of Death.
SUB-DISTRICTS.					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.		
EAST DISTRICTS.																			
Edinburgh South	HL*	E.L. & N.R.	20098	13	13	1	3	-	-	-	-	-	-	-	-	7			
Edinburgh New Town	-	- N.R.	29313	21	8	-	3	-	-	-	-	-	-	-	-	4			
Edinburgh Old Town	-	- N.R.	28354	16	10	4	-	-	-	-	-	-	-	-	-	4			
Edinburgh West	-	- N.R. & E.L.	46244	28	25	12	6	-	-	-	-	-	-	-	-	6			
Edinburgh Green North	H	- E.L.	51520	42	18	2	1	-	-	2	2	-	-	-	2	-			
Edinburgh Green South	-	- E.L.	39489	23	10	3	-	-	-	-	-	-	-	-	2	3			
Edinburgh Green East	WHL*	- E.L.	44123	25	19	6	4	-	-	3	-	-	-	-	-	-			
Edinburgh Fields	-	- E. & N.R.	22456	31	1	1	-	-	-	-	-	-	-	-	1	13			
Edinburgh End New Town	W	- E.L.	17908	24	20	6	3	1	-	-	-	-	-	-	3	24			
Edinburgh Techapel Church	H	- E.L. & N.R.	20296	13	29	5	3	-	-	-	1	-	-	-	1	-			
Edinburgh Man's Fields	-	- E.L.	12800	12	4	2	-	-	-	1	-	-	-	-	-	-			
Edinburgh George's, North	-	- E.L.	87788	32	8	1	2	1	-	-	-	-	1	-	1	8			
Edinburgh John, St. George East	W	- E.L.	5057	16	2	5	-	2	-	-	-	-	-	-	2	-			
Edinburgh Well H	-	- E.L. & N.R.	10246	9	14	8	1	-	-	2	-	-	-	-	2	10			
Edinburgh Well H	-	- E.L.	14298	12	4	-	-	1	-	-	-	-	-	-	1	-			
Edinburgh Well H	-	- E.L.	32022	18	5	1	2	-	-	-	-	-	1	-	1	-			
Edinburgh End Old Town West	H	- E.L.	38630	31	13	4	3	-	1	2	1	-	1	-	1	-			
Edinburgh End Old Town East	WHL*	- E.L.	68942	40	32	6	5	-	10	-	2	-	1	1	1	5			
Edinburgh L*	-	- E.L.	40365	24	9	3	-	-	1	-	-	-	-	2	3	-			
Edinburgh Well H	-	- E.L.	70000	61	37	4	0	-	-	2	5	-	-	1	5	14			
Edinburgh Well H	-	- E.L.	66833	42	9	2	2	-	-	2	1	-	-	-	1	-			
SOUTH DISTRICTS.																			
Edinburgh West Church Southwark	WH	- L. & S.	18264	9	5	1	2	-	-	-	1	-	-	-	-	3			
Edinburgh West Church Southwark	-	- S.	18913	6	3	1	-	-	-	-	-	-	-	-	-	-			
Edinburgh West Church Southwark	-	- S. & L.	21867	13	9	1	1	-	-	-	-	-	-	-	1	-			
Edinburgh West Church Southwark	-	- S. & L.	16624	14	10	5	-	-	-	-	-	-	-	-	1	4			
Edinburgh West Church Southwark	-	- L. & S.	21221	13	1	-	-	-	-	-	-	-	-	-	-	-			
Edinburgh West Church Southwark	-	- S. & L.	26596	23	3	2	-	-	-	-	-	-	-	-	-	-			
Edinburgh West Church Southwark	-	- S. & L.	61342	51	21	7	6												

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS). AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 17th February, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Name rated Popu- lation 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of			Deaths from										
						Infants under 1 Year of Age.	Persons aged 40 Years & upwards.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes.
LONDON—OUTER RING		368,749	1,422,063	923	412	118	95	4	6	-	10	24	2	3	14	27	40		
80:1	Carshalton WHH -	12228	26108	12	7	3	2	-	1	-	-	-	-	-	1	1	-	-	
2	Epsom, part of* W & H	10423	12508	1	4	-	2	-	-	-	-	-	-	-	-	-	1	-	
87:1	Godstone, part of* W-	754	1593	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon W & HH -	20851	128699	88	33	8	8	-	2	-	-	3	-	-	2	4	2	-	
2	Mitcham W -	11697	23088	13	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
89:1	Wimbledon H & H -	3220	25761	14	5	2	1	-	-	-	-	1	-	-	-	-	-	-	
2	Kingston WHH -	8071	44765	24	12	3	3	-	-	-	-	1	-	-	-	-	2	-	
3	Esher, part of* -	6601	12059	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H -	4595	18252	15	2	-	1	-	-	-	-	-	-	-	1	1	-	-	
40:1	Richmond WH -	2160	25389	13	6	2	1	-	-	-	-	-	-	-	-	-	2	-	
2	Mortlake H -	2823	16159	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley H & H -	9127	23815	12	7	1	-	-	-	-	-	-	-	-	-	-	1	-	
2	Beckenham H -	6542	21989	11	6	2	1	-	-	-	-	-	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	11	4	1	-	-	-	-	-	-	-	-	-	1	-	-	
42:1	Bexley H -	12540	30690	23	6	4	1	-	-	-	1	2	-	-	-	-	-	-	
2	Dartford Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124:1	Sunbury W -	11054	13671	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W -	18277	13221	8	4	1	2	-	-	-	-	-	-	-	-	-	1	-	
125:1	Hillingdon WHH -	6035	12237	8	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge -	6172	5417	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes W H -	14537	12618	4	2	1	-	-	1	-	-	1	-	-	-	-	1	1	
126:1	Isleworth WH -	6967	26273	10	11	4	3	-	-	-	-	1	-	-	-	-	4	1	
2	Twickenham HH -	2415	16027	10	3	2	-	-	-	-	-	-	-	-	-	2	-	-	
3	Brentford H & H & H -	4318	37777	23	11	6	2	-	-	-	-	-	-	-	-	-	-	-	
4	Chiswick -	1245	21963	8	9	1	3	-	-	-	-	-	-	-	-	2	-	-	
5	Aston W H -	6132	30945	22	7	1	1	-	-	-	-	1	-	-	-	-	-	-	
127:1	Harrow H H -	18809	15715	5	4	-	2	-	-	-	-	-	-	-	-	-	1	-	
2	Edgware H -	6994	8344	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden H & H & H -	4383	61965	41	16	5	2	-	-	-	-	1	-	-	2	3	-	-	
4	Hendon W -	6334	15843	8	12	3	3	-	-	-	-	3	-	-	-	1	4	-	
128:1	South Mimms -	15599	8474	4	6	3	2	-	-	-	-	-	-	1	1	1	1	-	
2	Barnet WHH -	5441	11778	2	7	1	1	-	-	-	-	1	-	-	-	-	3	-	
3	Finchley H H -	4688	25820	11	9	4	1	-	-	-	-	-	-	-	-	1	-	-	
129:1	Hornsey H -	3039	61097	31	16	5	4	-	-	-	1	2	-	2	2	2	-	-	
2	Tottenham H -	4642	97174	73	22	4	6	-	-	-	-	3	-	-	-	2	-	-	
3	Edmonton W & W -	7489	36851	21	16	1	7	-	-	-	1	-	-	-	1	1	5	-	
4	Enfield W & W & H -	12639	81803	17	8	3	2	-	-	-	-	-	-	-	-	-	-	-	
5	Waltham Abbey -	11017	6066	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Chesham H -	8480	9620	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
130:1	Hatfield, part of* -	3306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey -	9331	7737	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford H -	1100	42683	38	18	7	3	-	-	-	-	-	1	-	1	1	-	1	
2	Plaistow H & H & H -	1242	55030	53	15	3	5	1	-	-	1	1	-	-	-	1	1	2	
3	Canning Town H -	1553	54750	47	26	9	3	-	2	-	1	1	1	-	2	2	1	-	
4	Forest Gate W -	806	49140	50	11	2	4	-	-	-	1	1	-	-	-	-	-	-	
5	East Ham W & W -	3263	32713	27	19	3	3	1	-	-	4	-	-	-	1	1	-	-	
6	Leyton W & L -	4234	70188	61	23	5	8	-	-	-	-	-	-	-	-	-	10	2	
7	Walthamstow H H -	6501	67330	46	15	5	3	-	-	-	-	1	-	-	-	-	-	-	
137:1	Chigwell, part of* H -	11779	12941	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139:1	Romford, part of* W -	6556	4324	5	3	1	-	2	-	-	-	-	-	-	-	-	-	-	
2	Ilford -	8493	10913	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town -	3814	14301	18	3	3	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—39: 2, Epsom sub-district, except the parishes of Asstead and Headley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 30: 3, Esher sub-district, except the parish of Esher (pop. 2282); 41: 2, Chislehurst sub-district, except the parishes of Chislefield, Canham, and Knockholt (pop. 3067); 135: 1, the parish of Northaw in Hatfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theodon Bois (1699); 189: 1, the parish of Dagenham in Romford sub-district; also, deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford; 137: 3, Watford, and 187: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 17th February, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	17·2	2·2	1964	475	445	4	46	24	63	84	10	19	75	525		
INNER LONDON -	74,672	4,349,168	18·6	2·5	1552	357	350	-	40	24	58	60	8	16	61	485		
OUTER RING -	368,749	1,599,134	13·4	1·6	412	118	95	4	6	-	10	24	2	3	14	40		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhoeal Diseases.	
DINBURGH -	270,583	February 17	139	91	17·5	1	-	-	1	5	2	1	
GLASGOW -	686,820	" 17	394	257	19·5	-	-	6	5	14	1	5	
DUBLIN -	349,594	" 17	191	223	33·3	-	3	2	1	10	3	4	
CALCUTTA -	466,460	December 23	-	305	34·1	1	-	-	-	-	145	49+	
BOMBAY -	821,764	January 30	320	502	31·8	6	12	?	?	?	109	36	
MADRAS -	452,518	December 29	305	469	46·9	-	6	?	?	?	138	75	
		January 5	295	418	48·0	-	5	?	?	?	146	88+	
PARIS -	2,424,705	February 10	1130	1001	22·0	9	23	2	28*	2	5	39	
BRUSSELS -	488,188	" 10	260	168	17·9	-	-	2	2*	-	1	13	
(with 8 Faubourgs)		" 10	296	175	20·5	-	-	-	3	6	-	-	
AMSTERDAM -	437,892	" 10	133	115	26·8	5	-	1	1	5	1	-	
ROTTERDAM -	222,233	" 10	109	58	17·7	-	-	-	-	-	-	-	
THE HAGUE -	169,828	" 10	218	146	22·3	-	-	13	2	-	-	3	
COPENHAGEN -	341,000	" 3	139	85	17·7	-	-	2	3*	-	-	5	
STOCKHOLM -	249,246	" 10	18	46	14·8	-	3	1	4	1	1	3	
CHRISTIANIA -	161,151	January 20	561	584	31·9	2	14	6	13	3	10	73+	
ST. PETERSBURG -	954,400	February 3	-	432	29·9	1	5	2	13	2	6	26	
MOSCOW -	753,469	January 27	915	604	18·6	-	3	7	25	11	-	23	
BERLIN -	1,714,938	February 10	-	197	17·2	-	1	9	4*	1	-	6	
HAMBURG -	594,209	January 13	-	126	21·0	-	-	-	13*	5	-	1	
BRESLEN -	308,930	February 10	-	182	26·7	-	-	1	6*	2	-	8	
BRESLAU -	353,551	" 10	-	206	27·5	-	2	1	6*	-	-	14	
MUNICH -	390,000	" 10	870	744	26·4	-	11	6	48*	1	-	42	
VIENNA -	1,405,537	" 10	236	191	29·9	1	8	-	4	-	12	6	
PRAGUE -	332,357	" 10	422	283	26·6	-	4	-	6	-	-	15	
JUDA-PESTH -	552,769	" 3	85	105	34·2	5	3	2	3*	-	-	-	
TRIESTE -	159,427	January 20	279	219	25·3	-	2	1	-	-	2	5	
ROME -	450,991	" 10	219	325	35·8	-	14	2	6	-	2	13	
BOURNA (10 days)	335,525	27	90	148	47·1	-	-	-	1*	-	1	6	
VENICE -	163,601	February 3	73	119	37·9	-	-	-	2*	-	1	5	
CAIRO -	374,838	January 25	419	409	56·7	-	-	-	1*	6	8	108	
ALEXANDRIA -	231,396	" 25	231	263	59·3	-	2	-	-	-	8	61	
NEW YORK -	1,875,385	" 27	-	842	22·8	2	20	4	69	1	4	10	
BROOKLYN -	1,003,781	" 27	-	368	18·6	-	3	10	18	-	1	-	
PHILADELPHIA -	1,139,457	" 27	-	555	25·4	-	3	-	18	2	14	3	
NEW ORLEANS -	254,000	" 13	-	133	27·3	-	-	-	3	-	4	11	

* Including deaths from croup.

† Including 8 deaths from cholera in Calcutta, 7 in Madras, and 31 in St. Petersburg.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 17TH FEBRUARY, 1894.

[Under the Superintendence of the Astronomer Royal.]

1894.		TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a Gauge whose funnels receive the rain falling above the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Phases of the Moon.	Baro- meter.	Of the Air.					Difference between the Air Temperature and Dew Point Temperature.					Of Radiation.					Oster's.					Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		High- est.	Low- est.	Daily Range.	Mean value.	De- parture daily Average value.	Mean value.	Great- est.	Mean value.	Least.	Degree of radiation (Satu- 100).	Radiation.		General Direction.			Pressure on the Square Foot.		Mean hourly.	Horizontal Movement of the Air on each Day.	Depar- ture from Average for 10 Years.	Miles.	in.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
												est.	est.	A.M.	P.M.	Great- est.	Least.	lb.						lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.

ELECTRICITY.		Registered sun above horizon, H. in hours.		GENERAL REMARKS.	
DATE.	(For notation of symbols, see Note.)	in hours.	in hours.		
FEBRUARY.					
SUNDAY . . 11	w. P. generally; s. N. after 1 h. P.M.	0.0	9.7	Overcast. Occasional rain.	A gale of wind.
MONDAY . . 12	m. P. generally; s. N. & s. P. at times.	5.8	9.8	Shower in early morning; very fine with little cloud throughout day.	Strong wind.
TUESDAY . . 13	v. P. throughout	2.3	9.8	A fine day. Cloudless in morning; small amounts of cloud afterwards.	
WEDNESDAY . . 14	v. P. throughout	0.0	9.9	Variable amounts of light cloud till evening; overcast after 10 h. P.M. Slight fog prevailed throughout.	
THURSDAY . . 15	v. N. between 2 h. A.M. and 6 h. A.M.; v. P. at other times.	0.0	9.9	Overcast and showery till evening; variable at night.	
FRIDAY . . 16	m. P. throughout	0.0	10.0	Overcast generally.	
SATURDAY . . 17	m. P. till 4 h. A.M.; s. N. afterwards.	0.0	10.1	Overcast. Rain fell during the greater part of the day.	
Sum		8.1	69.2		

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 165 feet above the mean level of the sea; no correction has been applied to the readings to sea level. Observations are usually taken at 9 h. A.M.; noon; 3 h. P.M.; and 9 h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometer records for the 16 years ending 1875. In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; W. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.51 in. at the beginning of the week to 29.12 in. by 1 h. P.M. on the 11th; increased to 30.02 in. by 9 h. P.M. on the 14th; decreased to 29.88 in. by 3 h. P.M. on the 16th; increased to 30.01 in. by 9 h. A.M. on the 17th; and decreased to 29.90 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 8. 1894. VOL. LV.]

WEEK ENDING SATURDAY, FEBRUARY 24.

[Price 1½d

*General Register Office, Somerset House,
February 26th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·0 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.		Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.
Birkenhead	25·2	23·7	21·2	23·2	Liverpool -	29·2	24·2	25·4	24·8
Birmingham	20·9	22·6	16·9	20·9	London -	19·4	18·4	18·6	20·0
Blackburn -	13·3	17·4	14·9	19·9	Manchester -	22·4	21·7	22·2	23·3
Bolton -	21·2	17·6	21·6	18·1	Newcastle-on-Tyne	17·6	18·6	18·8	17·0
Bradford -	16·5	16·3	16·5	17·7	Norwich -	21·2	21·7	17·8	17·8
Brighton -	18·0	15·8	15·8	17·1	Nottingham -	17·7	20·5	14·9	18·4
Bristol -	27·4	26·5	21·2	17·7	Oldham -	17·3	16·5	20·3	22·2
Burnley -	22·2	14·6	17·8	26·5	Plymouth -	27·9	18·4	20·8	25·5
Cardiff -	20·3	19·6	17·2	16·5	Portsmouth -	18·9	17·1	17·1	12·2
Croydon -	14·4	12·1	11·2	17·2	Preston -	21·1	18·3	18·7	25·7
Derby -	15·8	15·8	11·6	14·8	Salford -	20·5	19·0	22·8	18·5
Gateshead -	18·4	17·3	15·1	16·8	Sheffield -	18·6	18·6	16·8	21·7
Halifax -	18·0	20·8	12·4	19·7	Sunderland -	16·5	21·5	19·9	21·5
Huddersfield	16·9	18·0	18·5	18·0	Swansea -	17·5	19·7	18·6	23·5
Hull -	23·8	21·8	18·9	18·9	West Ham -	19·3	16·0	16·6	16·6
Leeds -	18·6	18·5	17·4	16·4	Wolverhampton -	18·4	17·8	27·0	29·4
Leicester -	13·8	13·5	16·0	18·2					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·3 in Salford, 1·4 in Leicester, 3·0 in Birkenhead, and 5·5 in Wolverhampton; from *scarlet fever*, 1·1 in Burnley and in Sunderland; from *whooping-cough*, 1·5 in Sheffield, 1·6 in Swansea, 2·1 in Cardiff, 2·2 in Bolton, and 3·0 in Plymouth; and from *diarrhæa*, 1·2 in Plymouth. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 84 deaths from *diphtheria* included 42 in London, 11 in West Ham, 7 in Manchester, 4 in Salford, and 2 each in Portsmouth, Bristol, Cardiff, Norwich, and Sheffield. Four deaths from *small-pox* were registered in Birmingham, 3 in West Ham, 2 each in London and Bristol, and one death in Nottingham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2587 BIRTHS and 1664 DEATHS were registered. Allowing for increase of population, the births were 204, and the deaths 182, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·4, 18·4, and 18·6 in the preceding three weeks, further rose last week to 20·0. During the four weeks ending on

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

Saturday last the death-rate averaged 19·1 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1664 deaths included 2 from small-pox, 59 from measles, 20 from scarlet fever, 42 from diphtheria, 74 from whooping-cough, one death from typhus, 4 deaths from enteric fever, 16 from diarrhoea and dysentery, and not one death from any ill-defined form of continued fever, or from cholera; thus, 218 deaths were referred to these diseases, being 24 above the corrected average weekly number.

Two deaths from *small-pox* were registered, the corrected average being 3. The numbers of cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals and in the Highgate Small-pox Hospital were 63 and 18 respectively, making a total of 81, against 82, 77, and 78 on the preceding three Saturdays; 18 cases were admitted during the week, against 15 and 17 in the preceding two weeks. The deaths from *measles*, which had been 21, 42, and 40 in the preceding three weeks, rose last week to 59, exceeding the corrected average by 19. The deaths from *scarlet fever*, which had numbered 22, 23, and 24 in the preceding three weeks, declined last week to 20, corresponding with the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2181 scarlet fever patients at the end of last week, against 2491, 2387, and 2270 on the preceding three Saturdays; 180 cases were admitted during the week, against 224 and 199 in the preceding two weeks. The deaths from *diphtheria*, which had been 74, 56, and 58 in the preceding three weeks, declined last week to 42, but exceeded the corrected average by 14; 8 belonged to Islington sanitary area. The Metropolitan Asylum Hospitals* contained 310 diphtheria patients at the end of last week, against 320, 334, and 320 on the preceding three Saturdays; 64 cases were admitted during the week, against 80 and 50 in the preceding two weeks. The deaths from *whooping-cough*, which had been 69, 54, and 60 in the preceding three weeks, rose last week to 74, but did not reach the corrected average. The fatal cases of *enteric fever*, which had been 14, 6, and 8 in the preceding three weeks, further declined last week to 4, and were less than half the corrected average. The death of a male, aged 26 years, was attributed to *typhus*. The Metropolitan Asylum Hospitals* contained 110 cases of enteric fever and not one case of typhus on Saturday last; 13 cases of enteric fever were admitted during the week, against 21 and 18 in the preceding two weeks. The deaths from *diarrhoea*, which had been 14, 17, and 16 in the preceding three weeks, numbered 16 last week, being one death below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 385, 372, and 340 in the preceding three weeks, increased to 408 last week, but were 89 below the corrected average.

The deaths attributed directly to *influenza* numbered 24, against 19 and 22 in the preceding two weeks.

The cause of death of a waterside labourer, aged 27 years, was returned, after inquest, as blood poisoning following anthrax.

Different forms of violence caused 62 deaths, concerning 61 of which inquests were held. Of these 62 deaths, 4 were cases of suicide, and one death was a case of homicide, while the remaining 57 were attributed to accident or negligence. Two of these were referred to vehicles in the streets, 9 to burns and scalds, 3 to poisons, and 15 (of infants under one year of age) to suffocation in bed. The death of a male, aged 25 years, was attributed, after inquest, to asphyxia from the administration of gas. The death of a painter, aged 22 years, was referred to lead poisoning.

GREATER LONDON.

In Greater London 3468 births and 2101 deaths were registered, corresponding to annual rates of 30·4 and 18·4 per 1000 of the estimated population. In the Outer Ring 5 deaths from small-pox, 6 from scarlet fever, 23 from diphtheria, and 18 from whooping-cough were recorded. Of the 5 deaths from small-pox, 3 occurred in West Ham district, and one death each in Edmonton and Romford districts. The deaths from diphtheria included 16 in West Ham district, and 2 each in Croydon, Richmond, and Brentford districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·06 inches, and that of the Thermometer 34°·3, the latter being 5°·3 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 10 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 38·0 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 2.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 24th February 1894.

Births, Deaths, Meteorology.

79

CITIES AND BOROUGH.	Cols.	POPULATION estimated to the middle of the Year 1844.			Registered during the Week ending 24th Feb. 1894.		The DEATHS registered in the Week include																TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																											Deaths from																Mean.		Inches.		Feet.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
						Persons aged 1 Year or upwards.		Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Whooping-cough.		Typhoid.		Violence.		Innocent Causes.		Deaths in Public Institutions.		Unclassified Causes of Death.		From All Causes.		From 6-12.		Highest.		Lowest.		Mean.		In inches.		In feet.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

TABLE 2. LONDON.—Births and Deaths Registered in the Eighth Week of each of the Eleven Years, 1884–94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884–93.*	1894
TOTAL Births	2538	2709	2712	2769	2473	2695	2702	2632	2694	2527	2790·6	2587
Males . .	1926	1406	1402	1363	1208	1341	1323	1315	1371	1265	1405·8	1337
Females .	1212	1303	1310	1406	1265	1354	1379	1307	1323	1262	1384·8	1250
TOTAL Deaths	1552	1569	1988	1691	1772	1567	1847	2042	1829	1629	1845·5	1664
Males . .	817	823	1006	847	874	762	984	1050	930	857	999·3	853
Females .	735	746	982	844	898	805	913	992	899	772	906·2	806

* The numbers in this column are the average weekly numbers in the eighth weeks of the ten years 1884–93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.
TOTAL Births - -	2405	2466	2474	2378	2106	2486	2367	2719	2689	2708	2709	2602	2587
TOTAL Deaths - -	2235	2556	2400	2170	1920	2040	2462	1975	1655	1621	1534	1552	1664
Ages at Death													
{ 0–20 years -	983	1059	1012	915	852	924	1030	813	748	717	702	705	771
{ 20–40 " -	285	329	253	261	254	244	280	230	203	216	199	190	245
{ 40–60 " -	368	465	446	366	325	370	450	371	277	297	276	307	272
{ 60–80 " -	478	568	556	503	414	410	585	449	334	319	301	292	323
{ 80 years & upwards	121	135	133	125	75	92	117	112	83	72	56	58	53
Deaths from													
{ Under 1 year -	511	527	483	459	401	444	505	383	367	353	349	357	384
{ 1–5 " -	342	383	372	338	315	347	385	332	288	245	264	253	275
{ 5–20 " -	130	149	157	118	136	133	140	98	93	119	89	90	112
Deaths from Small-pox -	-	4	2	1	-	2	1	-	-	1	-	-	2
" " Measles -	39	34	45	49	49	60	65	45	35	21	42	40	59
" " Scarlet fever -	34	30	29	32	27	35	26	25	9	22	23	24	20
" " Diphtheria -	74	89	85	63	79	66	55	48	52	74	56	58	42
" " Whooping-cough -	48	59	67	74	67	81	107	93	86	69	54	60	74
" " Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	1
" " Enteric fever -	25	33	21	24	17	10	15	13	12	14	6	8	4
" " Simple Contag. fever -	-	1	-	-	1	-	1	3	-	-	-	-	-
" " Diarrhœa and Dysentery -	11	11	23	15	7	9	12	16	15	14	17	16	16
" " Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-
" " all the above-mentioned Diseases -	231	261	272	258	247	263	282	243	209	215	193	206	213
" " Dis. of Respiratory System -	737	841	711	635	516	566	762	547	422	385	372	340	408
" " Phthisis -	163	212	196	161	164	179	230	150	149	159	148	145	185
" " Dis. of Circulatory System -	165	177	149	136	130	157	188	161	124	148	114	118	112
Violent Deaths - -	68	72	60	65	65	77	92	73	55	73	53	61	62
Inquest Cases - -	161	201	169	166	144	183	227	178	115	135	108	140	142
Deaths in Public Institutions	523	637	600	555	456	474	626	531	462	489	441	486	462
TEMPERATURE OF THE AIR													
Mean - - -	40·9	40·9	43·7	41·7	40·3	26·5	37·5	45·0	41·6	42·0	46·0	41·0	34·3
Mean of Highest readings -	47·0	46·0	49·7	46·6	44·6	30·1	42·3	48·5	46·1	47·9	51·3	45·9	41·0
Mean of Lowest readings -	35·8	34·4	35·0	36·4	35·6	22·0	31·2	40·7	36·6	37·3	40·4	36·7	27·3
Humidity of the Air - -	83	83	84	89	90	77	89	88	84	83	86	83	78
Rain-fall in inches - -	0·38	0·36	0·86	0·69	0·16	0·56	0·43	0·86	0·71	0·69	0·27	0·60	0·21
Registered Sunshine (in hours)	4·6	6·7	2·5	8·2	3·6	3·4	7·0	9·2	10·0	18·5	6·9	8·1	38·0

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Prestor, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the EIGHTH Week of the Year 1894.

CAUSES OF DEATH.		Corrected Averages for the 8th Week of the 10 years 1884-93.*	In the Week ending Saturday, 24th February 1894.										CAUSES OF DEATH.		Corrected Averages for the 8th Week of the 10 years 1884-93.*	In the Week ending Saturday, 24th February 1894.									
			Deaths of Persons of the Ages													Deaths of Persons of the Ages									
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.				20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
0-1.	1-6.	5-20.		0-1.	1-6.	5-20.																			
ALL CAUSES - -		1845.5	1864	384	275	112	245	272	323	53		Diseases of Organs of Special Sense - -	2.2	4	-	1	1	2	-	-	-	-	-	-	
Small-pox	Vaccinated† - -	0.8	2	-	-	1	1	-	-	-		Diseases of Circulatory System - -	150.7	112	-	1	13	26	30	39	3	-	-		
	Unvaccinated - -	0.5	-	-	-	-	-	-	-	-															
	No Statement - -	1.5	-	-	-	-	-	-	-	-															
Measles - - - -		39.9	59	10	46	2	1	-	-	-		Croup - - - - -	14.0	6	-	2	4	-	-	-	-	-	-		
Scarlet Fever - -		19.9	20	1	7	11	1	-	-	-		Bronchitis - - -	304.7	251	73	39	2	7	31	89	10	-	-		
Typhus - - - -		0.1	1	-	-	-	1	-	-	-		Pneumonia - - -	129.7	123	33	35	4	16	21	11	3	-	-		
Relapsing Fever -		-	-	-	-	-	-	-	-	-		Pleurisy - - - -	6.4	5	-	1	1	-	1	1	1	-	-		
Influenza - - - -		12.9	24	1	2	1	3	7	9	1		Other Diseases of Respiratory System - -	42.0	23	6	5	1	-	4	7	-	-	-		
Whooping-cough -		76.0	74	28	45	1	-	-	-	-		Dentition - - - -	14.8	8	4	4	-	-	-	-	-	-	-		
Diphtheria - - - -		27.5	42	5	27	9	1	-	-	-		Quinsy, Sore Throat - -	2.1	1	-	-	1	-	-	-	-	-	-		
Simple Continued and Ill-defined Fever - -		0.6	-	-	-	-	-	-	-	-		Enteritis - - - -	9.8	9	5	1	1	-	1	1	-	-	-		
Enteric Fever - - -		9.6	4	-	-	1	2	1	-	-		Peritonitis - - -	6.1	4	-	-	2	2	-	-	-	-	-		
Cholera and Chol. Diarr.		0.2	-	-	-	-	-	-	-	-		Diseases of Liver - -	23.1	25	2	1	-	4	9	8	1	-	-		
Diarrhoea, Dysentery -		16.9	16	11	2	-	-	2	1	-		Other Diseases of Digestive System - -	31.1	37	5	2	4	7	5	7	-	-	-		
Remittent Fever - -		0.4	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands - -	2.3	3	-	-	-	1	1	1	-	-	-		
Hydrophobia - - -		-	-	-	-	-	-	-	-	-		Diseases of Urinary System - - - -	45.5	42	-	1	3	9	11	17	1	-	-		
Glanders - - - -		-	-	-	-	-	-	-	-	-		Diseases of Generative System - - - -	5.7	5	-	-	-	2	3	-	-	-	-		
Cowpox and Effects of Vaccination - - -		0.2	-	-	-	-	-	-	-	-		Accidents of Childbirth - -	4.7	7	-	-	-	7	-	-	-	-	-		
Venereal Affections -		12.1	12	9	1	-	1	1	-	-		Diseases of Locomotive System - - - -	5.7	12	-	-	3	5	3	1	-	-	-		
Erysipelas - - - -		4.0	6	2	-	-	-	3	1	-		Diseases of Integumentary System - - -	4.9	4	2	-	-	-	1	1	-	-	-		
Pyæmia and Septicæmia -		2.4	-	-	-	-	-	-	-	-		VIOLENT DEATHS.†													
Puerperal Fever - - -		5.3	7	-	-	-	7	-	-	-		(ACCIDENT.)													
Other Zymotic Diseases -		2.4	2	1	-	-	1	-	-	-		By Railways - - - -		-	-	-	-	-	-	-	-	-	-		
Thrush - - - - -		1.3	1	1	-	-	-	-	-	-		By Vehicles or Horses - -		2	-	-	2	-	-	-	-	-	-		
Worms and other Parasitical Diseases - - -		0.2	-	-	-	-	-	-	-	-		In Ships, Boats, Docks (exclusive of Drowning) - -		-	-	-	-	-	-	-	-	-			
Starvation, Want of Breast-milk - - -		2.1	3	1	1	-	-	-	1	-		In Building Operations - -		3	-	-	2	-	1	-	-	-	-		
Alcoholism - - - -		5.6	10	-	-	-	4	5	1	-		In Conflagrations - -		-	-	-	-	-	-	-	-	-	-		
Rheumatic Fever, Rheumatism of Heart - -		8.0	8	-	1	4	2	1	-	-		By Burns, Scalds, Explosions - - -	56.6	9	-	4	2	2	1	-	-	-			
Rheumatism - - - -		4.4	2	-	-	-	1	-	1	-		By Drowning - - - -		4	-	-	1	1	1	1	-	-			
Gout - - - - -		4.0	3	-	-	-	-	-	3	-		By Suffocation in Bed - -		15	15	-	-	-	-	-	-	-			
Rickets - - - - -		5.7	7	2	5	-	-	-	-	-		By Poisons or Poisonous Vapours - - -		-	-	-	3	-	-	-	-	-			
Cancer - - - - -		61.8	61	-	-	1	3	32	25	3		Other or (not stated) Causes - - - -		21	2	-	1	6	4	5	3	-	-		
Typhoid Fever - - -		21.1	22	10	7	2	2	1	-	-		(VIOLENCE OTHER THAN ACCIDENTAL.)													
Tubercular Meningitis -		23.1	24	10	7	6	1	-	-	-		Homicide - - - - -	1.2	1	1	-	-	-	-	-	-	-	-		
Phthisis - - - - -		182.4	185	-	3	17	84	67	14	-		Suicide - - - - -	7.7	4	-	-	1	2	-	1	-	-	-		
Serofula, Tuberculous - -		19.9	20	5	5	3	6	1	-	-		Execution - - - - -		-	-	-	-	-	-	-	-	-	-		
Other Constitutional Diseases - - -		11.2	10	1	1	1	2	2	2	1		OTHER CAUSES - - -	61.1	46	49	4	-	1	-	1	-	-	-		
Premature Birth - - -		42.8	40	40	-	-	-	-	-	-															
Atelectasis - - - -		2.5	3	3	-	-	-	-	-	-															
Congenital Malformations - -		7.4	8	7	1	-	-	-	-	-															
Old Age - - - - -		61.4	46	-	-	-	-	-	29	17															
Apoplexy - - - - -		47.8	43	-	-	-	2	17	20	4															
Epilepsy - - - - -		7.0	4	-	-	-	2	-	2	-															
Convulsions - - - -		49.8	41	33	3	-	-	-	-	-															
Other Diseases of Brain and Nervous System -		102.7	69	10	10	6	13	6	19	5															

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.641 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending,

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation. 1891.	The DEATHS registered in the Week include													
		Total Births.	Total Deaths.	Deaths of		Deaths from									
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small- pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhus.	Enteric (or Typhoid) Fever.	Simile con- tinued Fever.	Diarrhoea.	Violence.
LONDON	4,211,743	2387	1664	334	376	2	59	20	42	74	1	4	-	16	62
WEST DISTRICTS	740,735	358	285	69	65	-	14	1	8	10	-	-	-	2	14
NORTH DISTRICTS	993,894	571	341	59	85	-	16	6	14	17	-	4	-	2	10
CENTRAL DISTRICTS	247,838	132	103	13	17	-	1	1	4	2	-	-	-	-	6
EAST DISTRICTS	705,114	523	362	95	75	-	16	1	10	25	-	-	-	8	13
SOUTH DISTRICTS	1,524,472	1003	539	143	121	1	12	10	9	20	1	-	-	4	19
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	34	-	13	1	-	1	-	-	-	-	-	-	-
WEST DISTRICTS.															
St. Mary Paddington WHH G.J. & W.M.	84180	43	27	11	6	-	-	-	-	1	-	-	-	1	2
St. John Paddington H - - G.J.	83687	7	16	-	5	-	-	-	1	-	-	-	-	-	2
Kensington Town W - - W.M.	118751	51	65	19	14	-	3	1	-	3	-	-	-	-	1
Brompton H - - W.M. & C.	47557	12	7	1	1	-	-	-	-	-	-	-	-	-	-
St. Peter Hammersmith - - W.M.	8534	6	3	-	2	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	82453	57	30	9	3	-	6	-	1	1	-	-	-	2	2
Fulham W - - W.M. & C.	91639	55	41	8	10	-	-	-	2	3	-	-	-	2	4
Chelsea Kensal Town - - C.	21787	8	2	-	1	-	-	-	-	-	-	-	-	-	-
Chelsea North W H H H H H - C.	41637	24	17	2	4	-	-	-	-	-	-	-	-	1	1
Chelsea South WH - - C.	32829	21	6	2	2	-	-	-	-	-	-	-	-	-	-
May Fair - W - - G.J.	23733	6	14	1	9	-	-	-	-	-	-	-	-	1	-
Belgrave WHH - - C.	54631	28	18	6	1	-	1	-	1	2	-	-	-	-	7
St. John Westminster H H H - C.	84106	19	10	5	1	-	2	-	-	-	-	-	-	2	4
St. Margaret Westminster H - C.	21668	7	14	2	2	-	-	-	-	-	-	-	-	2	3
St. James Westminster WHH N.R. & G.J.	24995	9	10	2	3	-	1	-	-	-	-	-	-	2	4
St. Anne Soho H H H H H - N.R.	12317	5	5	1	1	-	1	-	-	-	-	-	-	-	-
NORTH DISTRICTS.															
All Souls Marylebone * } - W.M.	37713	15	19	2	5	-	-	-	1	-	-	2	-	-	1
H H H H H H H H } - G.J. & W.M.	20034	9	6	2	-	-	1	-	-	-	-	-	-	-	-
Rectory Marylebone W - G.J. & W.M.	19239	31	4	-	1	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone H H H H G.J. & W.M.	38327	16	12	4	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H - W.M.	32101	15	11	-	4	-	1	-	-	-	-	-	-	-	-
St. John Marylebone H - W.M.	68416	25	30	5	6	-	-	-	-	-	-	-	-	-	-
Hampstead W H H H H H N.R. & W.M.	96590	11	7	2	-	-	-	-	1	6	3	-	-	1	1
Regent's Park Pancras H H - W.M.	26331	19	13	3	1	-	-	-	1	-	-	-	-	-	2
Tottenham-court W H H H H N.R. & W.M.	27455	20	5	1	2	-	-	-	-	-	-	-	-	-	9
Gray's Inn Lane H H H - N.R.	82829	21	9	3	2	-	-	-	-	-	-	-	-	-	2
Somers Town H H - N.R.	15419	11	10	1	7	-	-	-	-	-	-	-	-	1	1
Camden Town WH - N.R.	95765	55	32	9	6	-	-	-	-	1	-	-	-	-	9
Canish Town W - N.R.	90235	55	42	8	9	-	1	-	2	1	-	-	-	3	5
Upper Holloway W W H H H - N.R.	105557	70	28	4	3	-	6	-	2	4	-	-	-	1	2
Islington South-west H - N.R.	64183	33	17	2	6	-	-	-	2	2	-	-	-	-	2
Islington South-east - N.R.	99193	30	14	1	7	-	-	-	2	1	-	-	-	-	1
Highbury H H - N.R.	80936	15	8	2	3	-	-	-	-	1	-	-	-	-	-
Stoke Newington H - N.R.	17759	9	2	1	-	-	-	-	-	1	-	-	-	-	-
Stamford Hill - E.L.	43602	29	13	2	5	-	-	-	-	-	-	-	-	-	-
West Hackney H - N.R.	94636	55	44	4	14	-	6	5	1	-	1	1	1	1	3
Hackney W W W W H - E.L. & N.R.	41759	27	15	3	8	-	1	-	1	4	-	1	-	1	5
South Hackney W - E.L.															
CENTRAL DISTRICTS.															
St. George Bloomsbury - - N.R.	16695	4	2	-	2	-	-	-	-	-	-	-	-	1	1
St. Giles South WH - - N.R.	13454	9	2	-	1	-	-	-	-	-	-	-	-	-	1
St. Giles North H - - N.R.	9633	2	5	1	1	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields H H N.R. & C.	14616	4	3	1	1	-	-	-	-	-	-	-	-	1	2
St. Mary-le-Strand H - - N.R.	5706	1	1	-	-	-	-	-	-	-	-	-	-	-	5
St. Clement Danes WH - - N.R.	7194	3	12	3	1	-	1	-	-	-	-	-	-	-	2
Strand Union Workhouse, Edmonton w.	-	-	2	-	2	-	-	-	1	-	-	-	-	-	7
St. Geo.-the-Martyr H H H H H H N.R.	17921	5	9	3	-	-	-	-	2	-	-	-	-	-	8
St. Andrew Eastern W - - N.R.	15343	11	8	-	2	-	-	-	-	-	-	-	-	-	3
St. James Clerkenwell - - N.R.	16803	7	5	1	1	-	-	1	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.R.	16883	15	4	2	-	-	-	-	1	-	-	-	-	-	1
Fentonville - - N.R.	17155	10	5	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - N.R.	15375	5	3	-	1	-	-	-	2	-	-	-	-	-	1
City-road H H H L - - N.R.	29177	87	12	5	1	-	-	-	-	-	-	-	-	-	1
Whitecross-street - - N.R.	8278	5	6	2	1	-	-	-	-	-	-	-	-	-	2
Finsbury - - N.R.	4985	2	3	-	-	-	-	-	-	-	-	-	-	1	1
Holborn Union Workhouse, Mitcham w.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - N.R. & E.L.	8944	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.	4639	2	1	-	1	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - N.R.	4444	2	10	-	2	-	-	-	-	-	-	-	-	-	-
St. Bride W - - N.R.	6594	2	4	-	1	-	-	-	-	-	-	-	-	2	2
Albion Works Barking - - N.R.	10432	4	1	-	-	-	-	-	-	-	-	-	-	1	1
Broad Street H - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L—Private Lunatic Asylum in which paupers are received; w—Workhouse/Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different River; E. L., East London; and K., the Kent Company.

On the 1st September the sub-districts of All Souls and Cavendish Square were amalgamated under the name of All Souls sub-district.

DIPTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
24th February, 1894.

REGISTRATION			The DEATHS registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
SUB-DISTRICTS.			Enu- me- rated Popu- lation, 1891.	Total Deaths.	Deaths from															Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
					Deaths of	Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).
AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 24th February, 1894

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Population rated 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 1 Year & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Cases.	
LONDON—OUTER RING		68,749	1,422,063	881	437	106	117	5	5	6	23	18	2	4	13	31	44		
50:1	Carshalton WH	12228	26108	17	1	-	1	-	-	-	-	-	-	-	-	-	-		
2	Epsom, part of WH	10423	12508	5	6	1	3	-	-	-	-	-	-	-	-	1	3		
37:1	Godstone, part of W	764	1593	3	2	-	-	-	-	-	-	-	-	-	-	-	1		
38:1	Croydon WHH	30651	126699	54	51	8	25	-	2	1	1	1	-	1	-	6	5		
2	Mitcham W	11697	23083	14	4	-	1	-	-	-	1	-	-	-	-	-	-		
39:1	Wimbledon HHH	3220	25761	16	6	2	2	-	-	-	-	-	-	-	-	1	-		
2	Kingston WHH	8071	44765	15	8	2	2	-	-	-	-	-	-	-	-	-	1		
3	Esher, part of *	6601	12059	9	1	1	-	-	-	-	-	-	-	-	-	-	-		
4	Hampton H	4595	18222	8	6	1	4	-	-	-	-	-	-	-	-	-	-		
40:1	Richmond WH	2160	25389	10	8	1	3	-	-	-	-	-	-	-	-	1	1		
2	Mortlake H	2823	16159	5	5	1	2	-	-	-	2	-	-	1	1	-	-		
41:1	Bromley HHH	9127	23315	12	3	2	-	-	-	-	-	-	-	-	-	-	-		
2	Beckenham H	6542	21960	11	3	2	-	-	-	-	-	-	-	-	-	-	-		
3	Chislehurst, pt. of WHH	14307	20372	11	7	1	2	-	-	-	-	-	-	-	-	-	4		
42:1	Bexley H	12540	30590	17	3	2	1	-	-	-	-	-	-	-	-	-	-		
2	Dartford Work., pt. of *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124:1	Sunbury W	11054	13871	6	9	-	2	-	-	-	-	1	-	-	-	-	-		
2	Staines W	18277	13221	2	3	-	1	-	-	-	-	1	-	-	-	-	-		
125:1	Hillingdon WHH	6035	12237	7	3	-	1	-	-	-	-	-	-	-	-	-	1		
2	Uxbridge	4172	5417	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes WH	14537	12618	5	3	2	1	-	-	-	-	-	-	-	-	-	-		
126:1	Uxworth WH	6967	26273	13	10	2	4	-	-	1	-	3	-	-	1	1	2		
2	Twickenham HH	2415	16027	13	4	-	1	-	-	-	-	1	-	-	-	-	-		
3	Brentford HHHH	4318	37777	19	14	3	2	-	-	-	1	2	-	-	-	-	-		
4	Chiswick	1245	21963	15	10	2	5	-	-	-	1	-	-	1	-	-	-		
5	Acton WH	6132	30945	19	13	4	2	-	-	-	-	1	-	1	1	1	-		
127:1	Harrow HH	13809	15715	7	5	1	2	-	-	-	-	-	-	-	-	1	1		
2	Edgware H	6994	3844	1	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden HHH	4383	61265	31	14	4	3	-	-	1	-	-	-	1	-	2	1		
4	Hendon W	6321	15343	10	3	-	2	-	-	-	-	-	-	-	-	-	1		
128:1	South Mimms	15561	8474	14	3	1	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet WHH	5441	11773	10	5	-	5	-	-	-	-	-	-	-	-	-	4		
3	Finchley HH	4638	25820	17	1	-	-	-	-	-	-	-	-	-	-	-	-		
129:1	Hornsey H	3039	61057	37	16	2	6	-	-	-	-	1	-	-	1	2	-		
2	Tottenham H	4642	97174	67	36	13	6	1	-	-	-	2	-	-	2	4	5		
3	Edmonton Ww	7489	36351	31	8	3	1	-	-	-	-	-	-	-	-	-	2		
4	Enfield WWH	12639	31803	19	7	-	3	-	-	-	-	-	-	-	-	3	-		
5	Waltham Abbey	11017	6066	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
6	Cheshunt H	8480	9620	10	3	2	1	-	-	1	-	-	-	-	-	-	-		
130:1	Hatfield, part of *	3806	532	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey	9331	7787	6	3	1	-	-	-	-	-	-	-	-	-	-	-		
2	Watford Work., pt. of *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
136:1	Stratford H	1100	4283	26	15	5	2	1	-	1	1	-	-	-	1	1	-		
2	Plaistow HHH	1242	5030	59	19	5	2	2	-	-	3	1	-	-	-	-	2		
3	Canning Town H	1553	54750	47	21	11	1	-	1	-	-	-	-	-	2	2	1		
4	Forest Gate W	606	49140	54	19	5	3	-	2	-	7	1	-	-	1	1	-		
5	East Ham Ww	3265	32713	33	15	2	2	-	-	-	5	-	-	-	1	1	-		
6	Leyton W Ww	4524	70183	34	22	3	4	-	-	-	-	1	-	-	1	1	4		
7	Walthamstow HBL	651	57330	41	17	4	3	-	-	1	-	2	-	-	1	1	-		
137:1	Chigwell, part of * H	11790	12341	4	2	1	-	-	-	-	-	-	-	-	-	-	-		
2	Epping Work., pt. of *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
139:1	Romford, part of * W	6556	4324	2	6	-	3	-	-	-	-	-	-	-	-	-	5		
2	Ilford	1196	10913	7	4	2	1	1	-	-	-	-	-	-	-	-	-		
3	Barking Town	3814	14301	17	7	3	2	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 37:2, Epsom sub-district, except the parishes of Asstead and Headley (pop. 1769); 37:1, the parishes of Warlingham and Farley in Godstone sub-district; 39:3, Esher sub-district, except the parish of Esher (pop. 2282); 41:2, Chislehurst sub-district, except the parishes of Chelsie, Canning, and Knockholt (pop. 3997); 135:1, the parish of Northaw in Hatfield sub-district; 137:1, Chigwell sub-district, except the parish of Chelsie; 139:1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42:1, Dartford; 137:3, Watford; and 137:2, Enfield sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 24th February, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include													
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from											Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			
GREATER LONDON	443,421	5,948,300	18·4	2·5	2101	490	493	7	64	26	65	92	7	20	75	506			
INNER LONDON	74,672	4,349,166	20·0	2·6	1664	384	376	2	59	20	42	74	5	16	62	462			
OUTER RING	368,749	1,599,134	14·3	2·1	437	103	117	5	5	6	23	18	2	4	13	44			

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrheal Diseases.
EDINBURGH -	270,583	February 24	130	107	20·6	-	-	-	-	6	1	3
GLASGOW - -	686,820	" 24	441	271	20·6	1	-	3	9	25	2	3
DUBLIN - - -	349,594	" 24	186	196	29·2	-	2	-	-	5	5	2
CALCUTTA - -	466,460	December 30	-	298	33·3	-	-	-	-	-	121	52†
BOMBAY - - -	821,764	February 6	330	563	35·6	12	17	?	?	?	138	25
MADRAS - - -	452,518	January 12	307	383	44·0	-	4	?	?	?	180	82†
		" 19	367	447	51·3	1	4	?	?	?	142	87†
PARIS - - - -	2,424,705	February 17	1252	887	19·5	7	17	1	27*	1	5	23
BRUSSELS - -	488,188	" 17	259	163	17·4	-	-	-	4*	-	-	11
(with 8 Faubourgs)												
AMSTERDAM -	437,892	" 17	270	181	21·2	-	3	1	1	4	1	-
ROTTERDAM -	222,233	" 17	161	88	20·5	10	-	-	-	1	-	-
THE HAGUE -	169,828	" 17	100	56	17·1	-	-	-	-	1	-	-
COPENHAGEN -	341,000	" 17	199	122	18·7	-	-	7	3	-	-	4
STOCKHOLM -	249,246	" 10	130	96	20·0	-	-	5	5*	2	2	5
CHRISTIANIA -	161,151	" 17	41	74	23·9	-	6	2	2	-	-	1
ST. PETERSBURG	954,400	January 27	606	551	30·1	1	7	7	20	5	12	71†
MOSCOW - - -	753,469	February 10	-	445	30·8	2	2	8	22	3	2	23
BERLIN - - - -	1,714,938	" 3	835	658	20·2	-	2	5	31	8	-	21
HAMBURG - - -	594,209	" 17	-	178	15·6	-	-	-	5*	1	1	-
DRESDEN - - -	308,930	January 20	231	143	23·8	-	-	-	7*	3	-	-
BRISLAU - - -	353,551	" 27	150	135	22·5	-	-	-	9*	3	-	2
MUNICH - - - -	390,000	February 17	-	177	26·0	-	2	1	6*	-	-	13
VIENNA - - - -	1,465,537	" 17	-	185	24·7	-	1	3	2*	-	-	19
PRAGUE - - - -	312,357	" 17	923	728	25·8	-	20	8	30*	1	1	46
BUDA-PESTH -	552,769	" 17	213	212	33·2	-	13	1	2	1	6	5
TRIESTE - - -	159,427	" 10	116	90	29·3	-	-	-	-	-	-	-
ROME - - - - -	450,991	" 10	116	90	29·3	4	2	1	4*	-	-	-
TURIN (10 days)	335,525	January 27	227	207	23·9	-	7	1	1	-	4†	2
VENICE - - - -	163,601	" 20	209	349	38·1	-	7	-	3	1	2	10
		February 10	73	99	31·5	-	-	-	-	-	-	3
CAIRO - - - - -	374,838	" 1	434	376	52·2	-	-	-	4*	2	7	100
ALEXANDRIA - -	231,396	" 1	226	262	59·0	1	1	-	4*	-	5	61
NEW YORK - - -	1,875,385	" 3	-	848	22·9	4	28	20	18	3	4	13
BROOKLYN - - -	1,003,781	" 3	-	396	20·6	1	2	6	26	1	3	3
PHILADELPHIA -	1,139,457	" 3	-	462	21·1	-	2	3	29	2	6	1
NEW ORLEANS - -	254,000	January 20	-	122	26·1	1	-	1	4	-	6	4

* Including deaths from croup.

† Including 13 deaths from cholera in Calcutta, 9 and 4 respectively, in Madras, and 23 in St. Petersburg.

‡ Including 3 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 24TH FEBRUARY, 1894.

[Under the Superintendence of the Astronomer Royal.]

1894.		TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a Gauge whose receiving surface is 5 inches above the level of the Ground.	Ozone.																																																																																																																																																																																																																																																																																																																							
MONTH AND DAY.	Phases of the Moon.	Of the Air.					Of the Air Temperature and Dew Point.					Difference between the Air Temperature and Dew Point.					TEMPERATURE.							Wind as deduced from Anemometers.																																																																																																																																																																																																																																																																																																																						
		High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.			De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.	Mean daily value.	De-parture from Average daily value.

GENERAL REMARKS.

DATE.	ELECTRICITY.	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY . 18	m. P. throughout	6.7	10.1	Very fine; little cloud prevailed throughout.
MONDAY . 19	m. P. throughout	8.4	10.2	Cloudless and very fine. Hoar frost in morning. Cold.
TUESDAY . 20	m. P. generally	7.1	10.3	Hoar frost in morning; cloudless till 10h. A.M.; few light clouds prevailed till 5h. P.M.; cloudless afterwards. A very fine day. Cold.
WEDNESDAY . 21	v. P. generally; v. N. at times.	5.8	10.3	Hoar frost in morning, and generally cloudless; partially cloudy afterwards. A fine day. Slight fog at times.
THURSDAY . 22	v. P. throughout	4.2	10.4	Hoar frost in morning; fine and partially cloudy till evening; overcast at night.
FRIDAY . 23	v. P. till 10h. P.M.; v. N. afterwards.	2.0	10.5	Slight hoar frost in morning; cloudless generally afterwards. Rain after 10h. P.M.
SATURDAY . 24	v. N. till 5h. A.M.; v. P. afterwards.	3.8	10.5	Overcast in morning, and rain fell till 5h. A.M.; fine and partially cloudy till evening; cloudless at night.
Sum		38.0	72.3	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.96 in. at the beginning of the week to 30.36 in. by noon on the 19th; decreased to 30.10 in. by 3h. P.M. on the 21st; increased to 30.17 in. by 9h. A.M. on the 22nd; decreased to 29.51 in. by 9h. A.M. on the 24th; and increased to 29.70 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 2, EAST HARDING ST., FETTER LANE, E.C.

No. 9. 1894. VOL. LV.] WEEK ENDING SATURDAY, MARCH 3. [Price 1½d.

General Register Office, Somerset House,
March 5th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·5 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.		Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.
Birkenhead	23·7	21·2	23·2	19·7	Liverpool -	24·2	25·4	24·8	25·4
Birmingham	22·6	16·9	20·9	21·1	London -	18·4	18·6	20·0	21·0
Blackburn -	17·4	14·9	19·9	19·5	Manchester -	21·7	22·2	23·3	22·4
Bolton -	17·6	21·6	18·1	20·3	Newcastle-on-Tyne	18·6	18·8	17·0	18·8
Bradford -	16·3	16·5	17·7	17·2	Norwich -	21·7	17·8	17·8	20·2
Brighton -	15·8	15·8	17·1	19·3	Nottingham -	20·5	14·9	18·4	23·1
Bristol -	26·5	21·2	17·7	19·0	Oldham -	16·5	20·3	22·2	25·2
Burnley -	14·6	17·8	26·5	21·1	Plymouth -	18·4	20·8	25·5	25·5
Cardiff -	19·6	17·2	16·5	17·5	Portsmouth -	17·1	17·1	12·2	15·6
Croydon -	12·1	11·2	17·2	14·9	Preston -	18·3	18·7	25·7	22·5
Derby -	15·8	11·6	14·8	16·9	Salford -	19·0	22·8	18·5	25·3
Gateshead -	17·3	15·1	16·8	18·4	Sheffield -	18·6	16·8	21·7	19·4
Halifax -	20·8	12·4	19·7	18·0	Sunderland	21·5	19·9	21·5	14·9
Huddersfield	18·0	18·5	18·0	16·9	Swansea -	19·7	18·6	23·5	14·2
Hull -	21·8	18·9	18·9	19·4	West Ham -	16·0	16·6	16·6	16·6
Leeds -	18·5	17·4	16·4	19·0	Wolverhampton -	17·8	27·0	29·4	33·1
Leicester -	13·5	16·0	18·2	13·8					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·5 in Norwich, 1·8 in Salford, 2·0 in Birkenhead, 2·2 in Leicester, and 4·3 in Wolverhampton; from *scarlet fever*, 1·1 in Huddersfield and 1·2 in Wolverhampton; from *whooping-cough*, 1·3 in Newcastle, 1·5 in Portsmouth, 1·7 in Sheffield, and 1·8 each in Plymouth, Bristol, and Cardiff; from "*fever*" 1·2 in Nottingham; and from *diarrhæa*, 1·0 in Birkenhead and 1·1 in Burnley. The 85 deaths from *diphtheria* included 59 in London, 6 in West Ham, 5 in Manchester, 3 in Nottingham, and 2 in Birmingham. Seven deaths from *small-pox* were registered in Birmingham, and one death each in London, West Ham, Bristol, and Bradford, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2564 BIRTHS and 1748 DEATHS were registered. Allowing for increase of population, the births were 231, and the deaths 58, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

per 1000 from all causes, which had been 18·4, 18·6, and 20·0 in the preceding three weeks, further rose last week to 21·0. During the four weeks ending on Saturday last the death-rate averaged 19·5 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1748 deaths included one death from small-pox, 47 deaths from measles, 20 from scarlet fever, 59 from diphtheria, 72 from whooping-cough, 12 from enteric fever, one death from an ill-defined form of continued fever, 14 deaths from diarrhoea and dysentery, and not one death from typhus or from cholera; thus, 226 deaths were referred to these diseases, exceeding by 48 the corrected average weekly number.

One death from *small-pox* was registered, the corrected average being 3 deaths. The numbers of cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals and in the Highgate Small-pox Hospital were respectively 68 and 16, making a total of 84, against 77, 78, and 81 on the preceding three Saturdays; 17 cases were admitted during the week, against 17 and 18 in the preceding two weeks. The deaths from *measles*, which had been 42, 40, and 59 in the preceding three weeks, declined again last week to 47, but exceeded the corrected average by 7. The deaths from *scarlet fever*, which had numbered 23, 24, and 20 in the preceding three weeks, were again 20 last week, and exceeded the corrected average by 4. The Metropolitan Asylum and London Fever Hospitals* contained 2188 scarlet fever patients at the end of last week, against 2387, 2270, and 2181 on the preceding three Saturdays; 239 cases were admitted during the week, against 199 and 180 in the preceding two weeks. The deaths from *diphtheria*, which had been 56, 58, and 42 in the preceding three weeks, increased again last week to 59, and were 34 above the corrected average; 8 belonged to Bethnal Green sanitary area. The Metropolitan Asylum Hospitals* contained 303 diphtheria patients at the end of last week, against 334, 320, and 310 on the preceding three Saturdays; 67 cases were admitted during the week, against 50 and 64 in the preceding two weeks. The deaths from *whooping-cough*, which had been 54, 60, and 74 in the preceding three weeks, numbered 72 last week, exceeding the corrected average by 2. The fatal cases of *enteric fever*, which had numbered so few as 6, 8, and 4 in the preceding three weeks, increased last week to 12, exceeding the corrected average by 3. The Metropolitan Asylum Hospitals* contained 102 cases of enteric fever and not one case of typhus on Saturday last; 18 cases of enteric fever were admitted during the week, against 18 and 13 in the preceding two weeks. The deaths from *diarrhoea*, which had been 17, 16, and 16 in the preceding three weeks, numbered 14 last week, the corrected average being 15.

The deaths referred to diseases of the respiratory organs, which had been 372, 340, and 408 in the preceding three weeks, numbered 413 last week, and were 83 below the corrected average.

The deaths attributed directly to *influenza* numbered 20, having been 19, 22, and 24 in the preceding three weeks.

Different forms of violence caused 70 deaths, concerning 66 of which inquests were held. Of these 70 deaths, 8 were cases of suicide, and 2 of homicide, while the remaining 60 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 9 to burns and scalds, 3 to poisons, and 11 (of which 10 were of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3437 births and 2194 deaths were registered, corresponding to annual rates of 30·1 and 19·2 per 1000 of the estimated population. In the Outer Ring one death from small-pox, 10 deaths from measles, 15 from diphtheria, and 8 from whooping-cough were recorded. The death from small-pox occurred in the district of West Ham, where also 9 of the deaths from diphtheria occurred; 2 deaths from the latter occurred in Croydon district, and 2 in Richmond district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·76 inches, and that of the Thermometer 44°·0, the latter being 3°·8 above the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 38 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 15·6 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 3rd March 1894.

CITIES AND BOROUGHES.	POPULATION estimated at the middle of the year 1864.	Registers during the Week ending 3rd Mar. 1864.			Deaths registered in the Week include										TEMPERATURE OF THE AIR.										RAINFALL.		CITIES AND BOROUGHES.									
		BIRTHS.	DEATHS.	1 Year or 60 Years Ago.	Deaths of					Deaths from					Mean.					Rainfall.																
					Infants under 1 Year.	Persons aged upwards.	Small-boys.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Influenza (Cases.)	Public Institutions.	(Nestled) cases of (Weak.)	(Cases.)	From (Cases.)	18.	17.	16.	15.	14.	13.	12.		11.	10.	9.	8.	7.	6.	5.	4.	3.
33 TOWNS.	10,458,442	4251	4110	1015	952	11	103	41	85	157	45	36	145	324	855	74	20.5	2.4	17.	18.	19.	20.	21.	22.	23.	24.	1.83	0.72	1.83	33 TOWNS.						
LONDON.	4,349,106	2504	1748	403	406	1	47	20	59	72	13	14	70	105	479	19	21.0	2.7	17.	18.	19.	20.	21.	22.	23.	24.	1.83	0.45	1.14	LONDON.						
WEST HAM.	238,184	302	76	15	17	1	5	-	6	1	-	-	-	-	10	8	10.6	3.1	-	-	-	-	-	-	-	-	1.14	0.54	1.37	WEST HAM.						
CROYDON.	111,921	64	32	8	12	-	-	-	-	-	-	-	-	-	1	2	14.9	-	-	-	-	-	-	-	-	-	1.37	0.54	1.37	CROYDON.						
BRIGHTON.	118,715	86	44	9	18	-	-	-	-	-	-	-	-	-	1	3	19.3	-	-	-	-	-	-	-	-	-	2.16	0.85	2.16	BRIGHTON.						
PORTSMOUTH.	170,073	11	51	15	11	-	-	-	-	-	-	-	-	-	11	1	15.6	2.1	15.6	2.1	15.6	2.1	15.6	2.1	15.6	2.1	2.16	0.85	2.16	PORTSMOUTH.						
PLYMOUTH.	87,831	56	43	11	10	-	-	-	-	-	-	-	-	-	2	1	25.5	2.4	25.5	2.4	25.5	2.4	25.5	2.4	25.5	2.4	3.17	1.25	3.17	PLYMOUTH.						
BRISTOL.	226,478	119	78	22	24	1	1	1	1	8	1	-	3	5	18	2	19.0	2.8	19.0	2.8	19.0	2.8	19.0	2.8	19.0	2.8	3.17	1.25	3.17	BRISTOL.						
CARDIFF.	148,890	81	50	17	7	-	-	-	-	-	-	-	-	-	4	4	17.5	2.8	17.5	2.8	17.5	2.8	17.5	2.8	17.5	2.8	1.40	0.55	1.40	CARDIFF.						
SWANSEA.	55,519	68	26	7	6	-	1	-	-	-	-	-	-	-	2	2	14.2	1.6	14.2	1.6	14.2	1.6	14.2	1.6	14.2	1.6	-	-	-	SWANSEA.						
WOLVERHAMPTON.	85,686	18	54	18	13	-	7	2	-	2	-	1	1	6	9	-	33.1	7.4	33.1	7.4	33.1	7.4	33.1	7.4	33.1	7.4	1.40	0.55	1.40	WOLVERHAMPTON.						
BIRMINGHAM.	492,301	325	149	51	42	7	7	-	2	7	2	2	7	4	40	12	21.1	2.9	21.1	2.9	21.1	2.9	21.1	2.9	21.1	2.9	-	-	-	BIRMINGHAM.						
NORWICH.	165,645	55	41	8	13	-	3	-	-	-	-	-	-	-	2	4	20.2	2.0	20.2	2.0	20.2	2.0	20.2	2.0	20.2	2.0	-	-	-	NORWICH.						
LEICESTER.	189,186	89	50	12	11	-	8	1	-	-	-	-	-	-	5	11	13.8	2.8	13.8	2.8	13.8	2.8	13.8	2.8	13.8	2.8	-	-	-	LEICESTER.						
NOTTINGHAM.	233,784	145	89	34	17	-	2	-	3	1	5	1	2	6	17	3	23.1	2.8	23.1	2.8	23.1	2.8	23.1	2.8	23.1	2.8	1.17	0.46	1.17	NOTTINGHAM.						
DERBY.	18,716	49	32	10	10	-	1	-	1	-	-	-	-	-	10	2	16.9	1.6	16.9	1.6	16.9	1.6	16.9	1.6	16.9	1.6	-	-	-	DERBY.						
BIRKENHEAD.	105,027	54	40	10	9	-	4	-	1	-	-	2	1	4	6	-	19.7	3.5	19.7	3.5	19.7	3.5	19.7	3.5	19.7	3.5	-	-	-	BIRKENHEAD.						
LIVERPOOL.	667,230	735	247	56	42	-	5	4	-	10	6	4	18	24	73	7	25.4	3.1	25.4	3.1	25.4	3.1	25.4	3.1	25.4	3.1	1.83	0.72	1.83	LIVERPOOL.						
GLASGOW.	118,203	49	46	11	9	-	-	-	-	1	2	1	-	4	5	2	20.3	1.8	20.3	1.8	20.3	1.8	20.3	1.8	20.3	1.8	-	-	-	GLASGOW.						
MANCHESTER.	520,211	400	223	51	47	-	3	3	-	8	3	1	10	19	49	1	22.4	2.8	22.4	2.8	22.4	2.8	22.4	2.8	22.4	2.8	-	-	-	MANCHESTER.						
SALFORD.	206,828	120	100	28	18	-	7	-	3	1	3	1	3	10	21	2	25.3	3.0	25.3	3.0	25.3	3.0	25.3	3.0	25.3	3.0	-	-	-	SALFORD.						
OLDHAM.	158,715	67	67	16	13	-	1	1	-	1	2	-	2	1	5	6	1	25.2	2.6	25.2	2.6	25.2	2.6	25.2	2.6	25.2	2.6	-	-	-	OLDHAM.					
BURNLEY.	16,478	13	39	13	13	-	-	-	-	1	1	1	1	1	2	1	21.1	3.2	21.1	3.2	21.1	3.2	21.1	3.2	21.1	3.2	-	-	-	BURNLEY.						
BLACKBURN.	125,797	70	47	10	13	-	-	-	-	-	-	2	2	1	4	7	2	19.5	1.7	19.5	1.7	19.5	1.7	19.5	1.7	19.5	1.7	-	-	-	BLACKBURN.					
PRESTON.	111,425	63	48	11	13	-	-	-	-	-	-	-	-	-	3	3	5	4	22.5	0.9	22.5	0.9	22.5	0.9	22.5	0.9	-	-	-	PRESTON.						
HUDDESFIELD.	18,511	46	32	3	13	-	-	-	-	-	-	-	-	-	4	-	16.9	1.1	16.9	1.1	16.9	1.1	16.9	1.1	16.9	1.1	-	-	-	HUDDESFIELD.						
HAULFAX.	92,561	42	32	7	11	-	-	-	-	-	-	-	-	-	5	1	18.0	-	18.0	-	18.0	-	18.0	-	18.0	-	-	-	-	HAULFAX.						
ADFORD.	223,185	117	74	13	16	1	-	-	-	-	-	-	-	-	2	2	8	17.2	0.2	17.2	0.2	17.2	0.2	17.2	0.2	17.2	0.2	2.82	1.11	2.82	ADFORD.					
LEEDS.	388,761	181	142	37	35	-	-	-	3	1	3	-	4	12	14	-	19.0	0.9	19.0	0.9	19.0	0.9	19.0	0.9	19.0	0.9	-	-	-	LEEDS.						
SHEFFIELD.	358,316	212	126	48	29	-	1	1	-	-	-	1	5	7	10	3	19.4	2.3	19.4	2.3	19.4	2.3	19.4	2.3	19.4	2.3	-	-	-	SHEFFIELD.						
HULL.	212,079	154	79	19	21	-	-	-	-	-	-	-	-	-	1	2	10	14	19.4	1.0	19.4	1.0	19.4	1.0	19.4	1.0	1.47	0.53	1.47	HULL.						
SUNDERLAND.	136,161	82	39	14	5	-	-	-	-	-	-	-	-	-	2	4	5	14.9	1.5	14.9	1.5	14.9	1.5	14.9	1.5	14.9	1.5	-	-	-	SUNDERLAND.					
GATESHEAD.	133,72	76	33	10	7	-	-	-	-	-	-	-	-	-	2	2	3	18.4	1.1	18.4	1.1	18.4	1.1	18.4	1.1	18.4	1.1	-	-	-	GATESHEAD.					
NEWCASTLE.	201,847	108	73	18	20	-	-	-	-	-	-	-	-	-	6	9	-	18.8	1.5	18.8	1.5	18.8	1.5	18.8	1.5	18.8	1.5	-	-	-	NEWCASTLE.					

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the NINTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2751	2623	2640	2572	2778	2603	2560	2872	2295	2783	2794.9	2564
Males . .	1407	1378	1392	1267	1439	1321	1264	1419	1183	1416	1423.3	1336
Females .	1344	1245	1248	1305	1339	1287	1296	1453	1112	1367	1371.6	1228
TOTAL Deaths	1483	1495	2143	1635	1794	1472	1803	2019	1545	1718	1805.5	1748
Males . .	768	751	1027	812	910	737	888	1009	767	850	899.1	865
Females .	715	744	1116	823	884	735	915	1010	778	868	906.4	883

* The numbers in this column are the average weekly numbers in the ninth weeks of the ten years 1884-93. raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.
TOTAL Births	2466	2474	2378	2106	2486	2367	2719	2689	2708	2709	2602	2587	2564
TOTAL Deaths	2556	2400	2170	1920	2040	2462	1975	1655	1621	1534	1552	1654	1748
Ages at Death													
{ 0-20 years	1059	1012	915	852	924	1030	813	748	717	702	705	771	793
{ 20-40 "	329	253	261	254	244	280	230	203	216	199	190	245	226
{ 40-60 "	465	446	366	325	370	450	371	277	297	276	307	272	323
{ 60-80 "	568	556	503	414	410	585	449	334	319	301	292	323	338
{ 80 years & upwards	135	138	125	75	92	117	112	83	72	56	58	53	68
Under 1 year	527	433	459	401	444	505	333	367	353	349	357	384	403
{ 1-5	383	372	338	315	347	385	332	283	245	264	253	275	267
{ 5-20	149	157	118	186	133	140	98	93	119	89	90	112	123
Deaths from													
Small-pox	4	2	1	-	2	1	-	-	1	-	-	2	1
" Measles	34	45	49	49	60	65	45	35	21	42	40	59	47
" Scarlet fever	30	29	32	27	35	26	25	9	22	23	24	20	20
" Diphtheria	89	85	63	79	66	55	48	52	74	56	58	42	59
" Whooping-cough	59	67	74	67	81	107	93	86	69	54	60	74	72
" Typhus	-	-	-	-	-	-	-	-	-	-	-	1	-
" Enteric fever	23	21	24	17	10	15	13	12	14	6	8	4	12
" Simple Cont ^d fever	1	-	-	1	-	1	3	-	-	-	-	-	1
" Diarrhoea and Dysentery	11	23	15	7	9	12	16	15	14	17	16	16	14
" Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
" all the above- mentioned Diseases	261	272	258	247	263	282	243	209	215	198	206	218	226
" Dis. of Respira- tory System	841	711	635	516	566	762	547	422	385	372	340	408	413
" Phthisis	212	196	161	164	179	230	150	149	159	148	145	185	175
" Dis. of Circula- tory System	177	149	136	130	157	188	161	124	148	114	118	112	157
Violent Deaths	72	60	65	65	77	92	73	55	73	53	61	62	70
Inquest Cases	201	169	166	144	183	227	178	115	135	108	140	141	165
Deaths in Public Institutions	687	600	555	456	474	626	531	462	469	441	486	462	479
TEMPERATURE OF THE AIR													
Mean	40.9	43.7	41.7	40.3	26.5	37.5	45.0	41.6	42.0	46.0	41.0	34.3	44.0
Mean of Highest readings	46.0	49.7	46.6	44.6	30.1	42.3	43.5	46.1	47.9	51.3	45.9	41.0	51.4
Mean of Lowest readings	34.4	35.0	36.4	35.6	22.0	31.2	40.7	36.6	37.3	40.4	36.7	27.3	37.3
Humidity of the Air	83	84	89	90	77	89	83	84	83	86	83	78	84
Rain-fall in inches	0.36	0.86	0.69	0.16	0.56	0.43	0.36	0.71	0.69	0.27	0.60	0.21	0.45
Registered Sunshine (in hours)	6.7	2.5	3.2	3.6	3.4	7.0	9.2	10.0	18.5	6.9	8.1	38.0	15.6

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Jreston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; F. Simpson, Esq., Wrothesley, Wolverhampton; Arthur Brown, Esq., and P. Roobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the NINTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 9th Week of the 10 years 1884-93.*	In the Week ending Saturday, 3rd March 1894.										CAUSES OF DEATH.	Corrected Averages for the 9th Week of the 10 years 1884-93.*	In the Week ending Saturday, 3rd March 1894.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.					ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.		
			0-1.	1-5.	5-20.										0-1.	1-5.	5-20.						
ALL CAUSES - -	1805.5	1748	403	267	123	226	323	338	63		Diseases of Organs of Special Sense - - }	3.4	3	1	1	-	1	-	-	-	-	-	
Small-pox { Vaccinated† -	1.1	-	-	-	-	-	-	-	-		Diseases of Circulatory System - - }	146.8	157	1	2	10	16	56	65	7			
{ Unvaccinated -	0.7	1	1	-	-	-	-	-	-		Croup - - - - -	12.9	4	-	2	2	-	-	-	-	-		
{ No Statement -	1.4	-	-	-	-	-	-	-	-		Bronchitis - - - -	317.7	294	57	27	2	5	38	59	16			
Measles - - - -	40.3	47	8	35	4	-	-	-	-		Pneumonia - - - -	120.5	162	44	44	4	17	23	28	2			
Scarlet Fever - -	15.6	20	-	7	11	2	-	-	-		Pleurisy - - - - -	8.3	6	1	1	2	-	-	-	1	1		
Dysentery - - - -	0.3	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System - - }	36.1	37	7	6	2	2	10	10	-			
Relapsing Fever -	-	-	-	-	-	-	-	-	-		Dentition - - - - -	15.3	11	7	4	-	-	-	-	-	-		
Infuenza - - - -	10.8	20	2	1	-	5	7	5	-		Quincy, Sore Throat -	3.6	3	-	1	-	2	-	-	-	-		
Whooping-cough -	69.7	72	36	34	2	-	-	-	-		Enteritis - - - - -	6.3	9	5	1	1	1	-	1	-	-		
Diphtheria - - -	24.6	53	4	40	14	1	-	-	-		Peritonitis - - - -	7.3	7	1	-	3	1	1	-	1	-		
Simple Continued and Ill-defined Fever - }	0.7	1	-	1	-	-	-	-	-		Diseases of Liver - -	23.7	21	2	-	1	4	6	6	2			
Enteric Fever - -	8.5	12	-	-	3	6	2	1	-		Other Diseases of Digestive System - }	30.3	37	7	3	5	6	6	8	2			
Cholera and Chol. Diarr.	0.1	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands - - }	1.6	3	-	-	-	2	-	1	-			
Diarrhoea, Dysentery -	14.8	14	10	1	2	-	-	1	-		Diseases of Urinary System - - - }	44.1	59	-	4	1	8	15	13	4			
Remittent Fever - -	-	-	-	-	-	-	-	-	-		Diseases of Generative System - - - }	7.0	7	-	-	-	4	3	-	-			
Hydrophobia - - -	0.1	-	-	-	-	-	-	-	-		Accidents of Childbirth -	4.7	5	-	-	-	4	1	-	-			
Glanders - - - -	-	-	-	-	-	-	-	-	-		Diseases of Locomotive System - - - }	9.3	8	-	-	4	2	1	1	-			
Cowpox and Effects of Vaccination - }	0.2	-	-	-	-	-	-	-	-		Diseases of Integumentary System - - }	5.7	6	1	-	-	2	1	2	-			
Veneral Affections -	10.9	10	7	-	-	1	2	-	-		VIOLENT DEATHS.†												
Erysipelas - - -	5.7	8	3	-	-	-	2	2	1		(ACCIDENT.)												
Pyæmia and Septicæmia	2.1	4	2	-	-	1	1	-	-		By Railways - - - -	3	-	-	-	2	-	1	-	-			
Puerperal Fever - -	6.3	4	-	-	-	4	-	-	-		By Vehicles or Horses -	4	-	-	1	2	-	1	-	-			
Other Zymotic Diseases	2.2	1	-	1	-	-	-	-	-		In Ships, Boats, Docks (exclusive of Drowning) - - }	1	-	-	-	-	1	-	-	-			
Thrush - - - - -	1.4	-	-	-	-	-	-	-	-		In Building Operations -	-	-	-	-	-	-	-	-	-			
Worms and other Parasitical Diseases - }	0.4	1	-	-	-	1	-	-	-		In Conflagrations - -	-	-	-	-	-	-	-	-	-			
Starvation, Want of Breast-milk - }	1.7	6	5	-	-	-	-	1	-		By Burns, Scalds, Explosions - - }	52.2	9	-	5	4	-	-	-	-			
Alcoholism - - -	5.9	12	-	-	-	4	7	1	-		By Drowning - - - -	1	-	-	-	-	1	-	-	-			
Rheumatic Fever, Rheumatism of Heart	8.0	11	-	-	6	2	1	2	-		By Suffocation in Bed -	11	10	1	-	-	-	-	-	-			
Rheumatism - - -	2.2	2	-	-	1	-	-	1	-		By Poisons or Poisonous Vapours - - - }	3	-	1	1	-	1	-	-	-			
Gout - - - - -	2.4	3	-	-	-	-	1	1	1		Other or [not stated] Causes - - - }	28	8	2	6	3	6	7	1	-			
Rickets - - - - -	4.5	5	2	3	-	-	-	-	-		(VIOLENCE OTHER THAN ACCIDENTAL.)												
Cancer - - - - -	56.8	61	-	-	1	3	32	25	-		Homicide - - - - -	0.7	2	2	-	-	-	-	-	-			
Tubercular Mesenterica	24.1	19	13	4	1	1	-	-	-		Suicide - - - - -	7.6	8	-	-	2	4	2	-	-			
Tubercular Meningitis	24.2	14	3	8	2	1	-	-	-		Execution - - - - -	0.1	-	-	-	-	-	-	-	-			
Phthisis - - - -	178.5	175	2	7	14	84	56	12	-		OTHER CAUSES - - -	57.4	53	49	1	-	1	2	-	-			
Scrofula, Tuberculos	19.0	26	6	6	8	3	1	2	-														
Other Constitutional Diseases - }	12.6	7	-	-	-	4	3	-	-														
Premature Birth - -	44.9	54	54	-	-	-	-	-	-														
Atelectasis - - -	1.7	2	2	-	-	-	-	-	-														
Congenital Malformations - }	8.3	7	7	-	-	-	-	-	-														
Old Age - - - - -	55.5	48	-	-	-	-	-	27	21														
Apoplexy - - - -	47.5	41	-	-	-	6	10	22	3														
Epilepsy - - - - -	7.1	7	-	-	2	4	1	-	-														
Convulsions - - -	33.6	36	31	5	-	-	-	-	-														
Other Diseases of Brain and Nervous System }	101.6	75	7	8	3	11	17	23	3														

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" when are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1891.	The DEATHS registered in the Week include													
		Total Births.	Total Deaths.	Deaths of		Deaths from									
				Infants under 1 Year of Age.	Persons aged 10 Years and wards.	Small- pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.
LONDON	4,211,743	2564	1748	403	406	1	47	20	59	72	-	12	1	14	70
WEST DISTRICTS	740,735	368	294	64	73	-	7	1	9	9	-	4	-	-	15
NORTH DISTRICTS	993,884	564	369	77	93	-	9	7	18	9	-	1	1	2	8
CENTRAL DISTRICTS	247,638	141	111	22	25	-	4	1	3	9	-	-	-	-	11
EAST DISTRICTS	705,114	496	369	92	60	-	12	1	11	18	-	1	-	4	17
SOUTH DISTRICTS	1,824,472	995	590	147	138	-	15	9	21	27	-	5	-	8	19
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	45	1	17	1	-	1	-	-	-	1	-	-	-
WEST DISTRICTS.															
St. Mary Paddington WHH G.J. & W.M.	84159	51	27	6	10	-	-	-	-	2	-	1	-	-	2
St. John Paddington H - G.J.	93697	10	13	2	2	-	-	-	-	-	-	-	-	-	1
Kensington Town W - W.M.	118751	53	61	12	17	-	2	-	-	-	-	-	-	1	1
Brompton H - W.M. & C.	47557	19	9	2	5	-	-	-	-	-	-	-	-	-	1
St. Peter Hammersmith - W.M.	8334	4	4	-	1	-	1	-	-	-	-	-	-	-	5
St. Paul Hammersmith H W.M. & G.J.	88653	47	35	7	5	-	2	-	-	3	-	-	-	-	7
Fulham W - W.M. & C.	91639	75	40	9	9	-	1	5	3	-	-	-	-	-	3
Chelsea Kensal Town - C.	21787	8	2	1	-	-	-	-	-	-	-	-	-	-	1
Chelsea North WHH - C.	41637	20	25	4	7	-	-	-	1	-	-	1	-	-	1
Chelsea South HH - C.	32829	10	9	3	2	-	-	-	-	-	-	-	-	-	1
May Fair W - G.J.	23733	8	7	2	4	-	-	-	-	1	-	-	-	-	2
Belgrave WHH - C.	54331	19	22	4	4	-	-	-	-	-	-	2	-	-	2
St. John Westminster HH - C.	31105	21	15	7	1	-	-	-	-	-	-	-	-	-	1
St. Margaret Westminster H - C.	21668	13	13	4	1	-	1	-	-	-	-	-	-	-	1
St. James Westminster WHH N.R. & G.J.	24995	8	9	-	6	-	-	-	1	-	-	-	-	-	-
St. Anne Soho HHHHHH - N.R.	12317	2	4	1	1	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.															
All Souls Marylebone * - W.M.	37713	17	29	3	5	-	-	-	-	1	-	-	-	-	-
HHHHHHHH - J - G.J. & W.M.	20924	12	6	1	1	-	-	-	-	-	-	-	-	-	-
Rectory Marylebone W - G.J. & W.M.	19289	25	7	1	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone HHHH G.J. & W.M.	33937	13	12	5	2	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H - W.M.	32101	22	13	5	2	-	1	-	1	-	-	-	-	-	1
St. John Marylebone H - W.M.	68416	30	26	3	4	-	-	3	4	1	-	-	1	1	3
Hampstead WHHHHH N.R. & W.M.	36590	21	15	1	5	-	-	-	-	-	-	-	-	-	1
Regent's Park Paneras HH - W.M.	26321	5	10	1	5	-	-	-	-	-	-	-	-	-	1
Tottenham-court WHHHH N.R. & W.M.	27455	4	5	2	2	-	-	-	-	-	-	-	-	-	2
Gray's Inn Lane HH - N.R.	32529	28	7	3	-	-	-	-	-	-	-	-	-	-	2
Donners Town HH - N.R.	15419	16	19	3	7	-	-	-	-	1	-	-	-	-	1
Camden Town WH - N.R.	95765	56	35	7	6	-	1	1	-	1	-	-	-	3	3
Kentish Town W - N.R.	99235	54	42	6	11	-	-	-	2	2	-	-	-	-	2
Upper Holloway WHHHHH - N.R.	105557	50	28	7	5	-	3	-	-	2	-	-	-	-	3
Islington South-west H - N.R.	84153	47	26	8	14	-	-	-	1	-	-	-	-	-	1
Islington South-east - N.R.	59193	22	23	2	10	-	-	-	1	-	-	-	-	-	1
Highbury HH - N.R.	39936	17	8	1	3	-	-	-	-	-	-	-	-	-	1
Stoke Newington H - N.R.	17759	6	2	-	1	-	-	-	-	-	-	-	-	-	1
Stamford Hill - E.L.	42892	19	7	4	-	-	-	-	1	-	-	-	-	-	1
West Hackney H - N.R.	94486	65	49	10	9	-	3	8	6	-	-	1	-	1	4
Hackney W - N.R.	31769	35	11	5	1	-	1	-	-	-	-	-	-	-	1
South Hackney W - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.															
St. George Bloomsbury - N.R.	16895	3	5	-	2	-	-	-	-	1	-	-	-	-	1
St. Giles South WH - N.R.	13454	6	11	2	3	-	-	-	-	2	-	-	-	-	6
St. Giles North H - N.R.	9933	3	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.	14616	1	6	1	1	-	-	-	-	1	-	-	-	-	1
St. Mary-le-Strand H - N.R.	5706	2	1	-	1	-	-	-	-	-	-	-	-	-	1
St. Clement Danes WH - N.R.	7194	5	8	1	1	-	-	-	-	-	-	-	-	1	5
Strand Union Workhouse, Edmonton w.	-	-	-	4	1	3	-	-	-	-	-	-	-	-	4
St. Geo. the Martyr HHHHHH N.R.	17921	15	13	3	1	-	-	-	2	2	-	-	-	-	10
St. Andrew Eastern W - N.R.	15343	8	4	1	-	-	-	-	-	-	-	-	-	-	1
St. James Clerkenwell - N.R.	16893	10	3	2	1	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - N.R.	16883	10	4	2	1	-	-	-	-	-	-	-	-	-	-
Pentonville - N.R.	17155	21	9	2	1	-	4	-	-	-	-	-	-	-	-
Goodwell-street - N.R.	15375	16	6	2	-	-	-	-	-	-	-	-	-	-	1
City-road HHH - N.R.	29177	24	7	-	2	-	-	-	-	2	-	-	-	-	2
Whitecross-street - N.R.	8278	5	3	2	-	-	-	-	-	-	-	-	-	-	3
Finsbury - N.R.	4985	2	2	-	-	-	-	-	-	-	-	-	-	-	1
Holborn Union Workhouse, Mitcham w.	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2
St. Botolph H - N.R. & E.L.	8944	8	3	1	1	-	-	1	-	1	-	-	-	-	-
Cripplegate - N.R.	4539	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - N.R.	4441	2	15	2	4	-	-	-	1	-	-	-	-	4	5
St. Bride W - N.R.	6591	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Allhallows Barking - N.R.	10432	2	2	-	-	-	-	-	-	-	-	-	-	-	1
Broad Street H - E.L.	3377	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L^o—Private Lunatic Asylum in which paupers are received; w—Workhouse/Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

* On the 1st September the sub-districts of All Souls and Cavendish Square were amalgamated under the name of All Souls sub-district.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
 3rd March, 1894.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths from														Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
					Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Septic con- tinued Fever.	Dysentery.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																</

TABLE 5.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS). AREA; POPULATION; BIRTHS AND DEATHS registered during the Week ending Saturday, 3rd March, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Sum- ma- rized Popu- lation 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fev.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Deaths in Private Institutions.	
LONDON—OUTER RING		68,749	1,422,063	873	446	101	148	1	10	1	15	8	2	4	10	22	42		
10: 1	Carshalton WHH	12228	26108	9	5	1	2	-	-	-	1	-	-	-	1	1	-		
2	Epsom, part of* WHH	10423	12508	2	2	-	1	-	-	-	-	-	-	-	1	1	1		
37: 1	Godstone, part of* W	754	1598	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
38: 1	Croydon WHH	20651	128699	78	47	10	16	-	-	-	1	3	-	-	1	2	6		
2	Mitcham W	11697	23088	11	4	1	-	-	-	-	1	-	-	-	-	-	-		
39: 1	Wimbledon HHH	3220	25761	17	5	-	3	-	-	-	-	-	-	-	-	-	1		
2	Kingston WHH	8071	44765	24	12	4	6	-	-	-	-	-	1	-	-	-	2		
3	Esher, part of*	6901	12059	8	5	2	1	-	-	-	-	-	-	-	-	1	-		
4	Hampton H	4595	18252	9	10	3	1	-	1	1	-	-	-	-	-	1	-		
40: 1	Richmond WH	2160	25389	11	9	-	6	-	-	-	2	-	-	-	-	-	5		
2	Mortlake H	2823	16159	8	3	1	1	-	-	-	-	-	-	-	1	1	-		
41: 1	Bromley HHH	9127	25815	7	6	1	2	-	-	-	-	-	-	-	-	-	-		
2	Beckenham H	6542	21969	7	6	2	1	-	-	-	-	-	-	-	-	-	-		
3	Chislehurst, pt. of* WHH	14307	20372	10	4	1	2	-	-	-	-	1	-	-	-	-	-		
42: 1	Bexley H	12540	30590	14	7	2	3	-	-	-	-	-	-	-	-	-	-		
2	Dartford Work., pt. of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1		
124: 1	Sunbury W	11054	13871	6	3	1	-	-	-	-	-	-	-	-	-	-	-		
2	Staines W	13277	13221	6	3	1	6	-	-	-	-	-	-	-	1	1	3		
125: 1	Hillingdon WHH	6035	12237	9	4	1	1	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge	4172	8417	1	2	-	1	-	-	-	-	-	-	-	-	-	-		
3	Hayes WH	14337	12618	14	9	4	3	-	2	-	-	-	-	-	-	-	2		
126: 1	Isleworth WH	6967	26273	14	11	5	3	-	-	-	2	-	-	-	-	-	-		
2	Twickenham HH	2415	16027	5	2	1	1	-	-	-	-	-	-	-	-	-	-		
3	Brentford HHHH	4318	37777	16	9	2	3	-	-	-	-	-	-	-	-	1	1		
4	Chiswick	1245	21963	13	8	1	3	-	-	-	-	-	-	-	-	-	-		
5	Aston WH	6132	30945	27	14	6	5	-	-	-	-	-	-	-	1	1	-		
127: 1	Harrow HH	13809	15715	9	5	2	1	-	-	-	-	-	-	1	-	-	-		
2	Edgware H	6994	3344	2	1	-	1	-	-	-	-	-	-	-	-	-	-		
3	Willesden HHH	4383	61265	35	16	4	6	-	-	-	-	-	-	-	-	-	-		
4	Hendon W	8334	15843	14	7	1	5	-	-	-	-	-	-	-	-	-	2		
128: 1	South Mimms	15594	8474	6	4	1	1	-	-	-	-	-	-	-	-	-	1		
2	Barnet WHH	5441	11778	6	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Finchley HH	4688	25820	14	13	3	4	-	-	-	1	1	1	-	-	-	-		
129: 1	Hornsey H	8039	61097	25	14	3	7	-	-	-	-	-	-	-	-	-	-		
2	Tottenham H	4643	37174	72	29	6	8	-	-	-	-	-	-	-	2	5	1		
3	Edmonton WH	7489	33851	29	17	2	5	-	-	-	-	-	-	1	-	3	4		
4	Enfield WHH	12639	31803	19	9	2	3	-	-	-	-	-	-	-	-	1	-		
5	Waltham Abbey	11017	6066	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
6	Chesham H	8480	9620	6	3	1	1	-	-	-	1	-	-	-	-	-	-		
130: 1	Hatfield, part of*	3306	532	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
131: 1	Bushey	9331	7737	4	1	1	-	-	-	-	-	-	-	-	-	-	-		
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
132: 1	Stratford H	1100	42963	31	13	2	4	-	-	-	1	-	-	-	-	-	-		
2	Plaistow HHH	1242	54030	55	29	7	5	1	3	-	4	-	-	1	-	-	2		
3	Canning Town H	1558	54750	47	16	4	2	-	1	-	-	-	-	-	2	2	-		
4	Forest Gate W	806	49140	27	10	2	3	-	1	-	1	1	-	-	-	-	-		
5	East Ham WH	3264	32713	24	13	1	3	-	1	-	3	-	-	-	-	-	-		
6	Leyton WH	4334	70138	39	26	2	9	-	-	-	-	-	-	-	-	-	10		
7	Walthamstow HHL	5501	57330	45	11	3	4	-	-	-	-	-	-	-	-	-	-		
133: 1	Chigwell, part of* H	11719	12941	9	4	-	2	-	-	-	-	-	-	-	-	-	-		
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
134: 1	Romford, part of* WH	6556	4324	3	2	1	1	-	-	-	-	-	-	-	-	-	-		
2	Ilford	4330	10913	11	4	1	1	-	1	-	-	-	-	-	-	-	-		
3	Barking Town	3314	14301	9	1	1	-	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39: 2, Epsom sub-district, except the parishes of Asistead and Headley (pop. 1769); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2322); 41: 2, Chislehurst sub-district, except the parishes of Chelsfield, Canning, and Kewcholt (pop. 3997); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1894); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford; 137: 3, Watford; and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 3rd March, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include—												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
ATER LONDON	443,421	5,948,300	19.2	2.3	2194	503	553	2	57	21	74	80	15	18	80	521		
INNER LONDON -	74,672	4,349,166	21.0	2.7	1748	403	403	1	47	20	59	72	13	14	70	479		
UTER RING -	368,749	1,599,134	14.5	1.3	446	100	147	1	10	1	15	8	2	4	10	42		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692,845 square miles, which is equivalent to the area of a circle having a radius of 14,851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH -	270,588	March 3	136	90	17.3	-	-	-	3	5	-	-	
GLASGOW -	686,820	" 3	421	252	19.1	-	-	11	6	15	4	4	
DUBLIN -	349,594	" 3	231	202	30.1	-	2	-	-	7	4	1	
CALCUTTA -	466,460	January 6	-	311	34.7	-	1	-	-	-	127	72+	
BOMBAY -	821,764	February 13	273	578	36.6	9	18	?	?	?	154	34+	
MADRAS -	452,518	January 26	325	386	41.3	-	4	?	?	?	124	63+	
PETERSBURG -	2,424,705	February 24	1237	1084	23.8	10	21	4	27*	11	13	39	
PARIS -	483,188	" 24	266	181	19.3	-	-	-	4*	3	-	10	
AMSTERDAM -	437,892	" 24	288	157	18.4	-	3	-	4	2	1	-	
ROTTERDAM -	222,233	" 24	147	92	21.4	7	-	1	2	4	-	-	
THE HAGUE -	169,823	" 24	119	57	17.4	-	-	-	1	1	-	-	
COPENHAGEN -	341,000	" 24	200	136	20.8	-	-	12	4	1	1	2	
STOCKHOLM -	249,246	" 17	135	88	17.3	-	-	3	8*	-	1	6	
CHRISTIANIA -	161,151	" 24	62	66	21.3	-	6	1	3	-	-	3	
PETERSBURG -	954,400	" 3	645	499	27.3	1	16	3	16	5	6	51+	
MOSCOW -	753,469	" 17	-	425	29.4	4	8	6	10	1	4	33	
BERLIN -	1,714,933	" 10	910	576	17.7	-	4	4	32	13	-	21	
ST. PETERSBURG -	594,209	" 24	-	240	21.0	-	4	2	7*	-	2	12	
BRISTOL -	308,930	" 3	172	134	22.3	-	-	1	10*	1	-	2	
PRAGUE -	353,551	" 24	-	164	24.1	-	-	1	8*	2	-	12	
VIENNA -	390,000	" 24	-	188	25.1	-	3	1	4*	-	-	18	
VENICE -	1,465,537	" 24	949	754	26.8	1	18	8	47*	5	1	40	
PARIS -	312,357	" 24	214	208	32.5	-	10	-	8	-	17	1	
BUDA-PESTH -	152,769	" 17	345	261	24.6	1	6	-	9	-	3	10	
TRIESTE -	159,427	" 17	116	120	39.1	2	3	-	2*	-	-	-	
ROME -	450,991	" 3	267	187	21.6	-	2	-	1	-	2†	8	
PARIS (11 days) -	335,625	January 31	252	323	32.1	-	20	-	5	-	2	15	
VENICE -	163,601	February 17	-	-	-	-	-	-	-	-	-	-	
CAIRO -	374,838	" 8	412	357	49.5	-	1	-	-	2	10	87	
ALEXANDRIA -	231,396	" 8	238	238	53.6	1	1	-	3*	2	4	47	
NEW YORK -	1,875,385	" 10	-	868	23.4	9	19	16	19	3	-	15	
BROOKLYN -	1,003,781	" 10	-	385	20.0	-	1	3	19	3	-	3	
PHILADELPHIA -	1,139,457	" 10	-	474	21.7	-	5	4	23	3	5	3	
NEW ORLEANS -	254,000	January 27	-	140	28.7	-	-	-	5	-	3	4	

* Including deaths from croup.

† Including 18 deaths from cholera in Calcutta, one in Bombay, one in Madras, and 18 in St. Petersburg.

‡ Including one death from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 3d MARCH, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894. MORTH AND DAY.		HARO- METER.		TEMPERATURE.					Difference between the Air Temperature and Dew Point.				TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a glass whose surface receives the fall of the ground.				
		Phases of the Moon.	Mean daily reading recti- fied deduc- ed to Fahren- heit.)	Of the Air.			Of the Dew Point.		Mean daily value.		Least. est.	Degree of saturation (Sat- uration equals 100°).	Of Radiation.		General Direction.		Pressure on the Square Foot.		Robinson's. Horizontal Movement of the Air on each day. 10 years.	Miles. Depart- ure from Average of the 10 years.	in. Ounces per square foot.			
				High- est.	Low- est.	Daily Range.	Mean value.	De- parture from Average value.	Mean daily value.	Great- est.			Highest Sun's Ray's.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.				Mean hourly obsr.		
FEBRUARY.		..	29-531	51·8	33·8	18·0	43·8	+ 3·8	40·7	3·1	4·6	1·0	89	56·0	29·7	SW. & SSW.	SW.	11·0	0·0	1·2	538 +224	in. 0·12		
SUNDAY		25	29-531	51·8	33·8	18·0	43·8	+ 3·8	40·7	3·1	4·6	1·0	89	56·0	29·7	SW. & SSW.	SW.	11·0	0·0	1·2	538 +224	in. 0·12		
MONDAY		26	29-536	52·3	47·5	4·8	50·2	+10·1	47·1	3·1	5·2	1·6	89	57·8	43·0	WSW. & SW.	SW.	13·7	0·0	1·3	589 +381	0·00		
TUESDAY		27	29-753	55·9	38·2	17·7	46·3	+ 6·2	40·8	5·5	14·0	2·0	81	98·7	33·0	SW.	WSW.	6·7	0·0	1·1	570 +248	0·00		
WEDNESDAY		28	29-768	45·3	38·6	8·7	38·9	- 1·3	37·0	1·9	8·2	0·0	93	68·1	32·0	S.S.E. & NW.	WSW. & SW.	2·8	0·0	0·1	235 — 71	0·22		
THURSDAY		1	29-705	49·4	37·3	12·1	44·3	+ 4·1	40·4	3·9	8·6	0·0	86	75·1	33·0	SSW.	SSW.	9·0	0·0	1·4	604 +275	0·11		
FRIDAY		2	29-947	52·9	36·5	16·4	43·5	+ 3·1	35·2	8·3	16·0	1·0	72	100·0	30·0	SW. & WSW.	WSW.	3·6	0·0	0·2	367 + 36	0·00		
SATURDAY		3	29-899	52·0	31·5	20·5	41·3	+ 0·8	34·6	6·7	16·0	0·0	77	91·8	26·2	SW.	SW. & S.	0·5	0·0	0·0	198 —135	0·00		
MEANS	29-757	51·4	37·3	14·0	44·0	+ 3·8	39·4	4·6	10·4	0·8	84	78·2	32·5	SW.		Sum +538	Sum 0·45		
Number of Column .		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

The results apply to the civil day, or from midnight to midnight.

The height of the column of the barometer 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's *Hygro-metrical tables*.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement is that derived from a discussion of the anerometric records for the 18 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: +, E. positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.70 in. at the beginning of the week to 29.45 in. by 8h. P.M. on the 25th of February; increased to 29.87 in. by 9h. P.M. on the 27th; decreased to 29.71 in. by noon on the 28th; increased to 29.91 in. by 9h. P.M. on the same day; decreased to 29.61 in. by 9h. P.M. on the 1st of March; increased to 30.05 in. by 9h. A.M. on the 2nd; and decreased to 29.4 in. by the end of the week.

GENERAL REMARKS.

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sun above Summit, in hours.	Horizon, in hours.	GENERAL REMARKS.
SUNDAY . 25	m. P. till noon; m. N. till 2h. P.M.; w. I. afterwards.	0-0	10-6	Overcast generally. Rain fell between noon and 2h. P.M. Windy.
MONDAY . 26	w. P. generally	0 0	10-7	Overcast generally; windy at times.
TUESDAY . 27	w. P. in morning; v. P. afterwards.	2-9	10-7	Overcast in morning, with slight rain between 1h. A.M. and noon; fine afterwards, with little cloud till evening. (cloudless at night.
WEDNESDAY . 28	v. P. till 8h. A.M.; v. N. till 1h. P.M.; v. P. afterwards.	0 4	10-8	Overcast, with rain in morning; great gloom at and about noon; generally cloudy till 10 A.M.; cloudless afterwards. Aurora Borealis seen between 7h. P.M. and 8h. P.M.
THURSDAY . 1	w. P. in morning; v. P. and w. N. after- wards.	0-0	10-8	Fine, but cloudy in morning; overcast afterwards; and rain fell frequently. Gusty wind.
FRIDAY . 2	v. P. in morning; v. P. afterwards.	7-4	10-9	A fine day; cloudless during greater part of morning; few light clouds till evening; cloudless at night.
SATURDAY . 3	m. P. in morning; v. P. afterwards.	4-9	11-0	Hour frost in morning; cloudless till 8h. A.M.; partially cloudy afterwards. A fine day.
		Sun 15-6	Sun 75-5	

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E. .

No. 10. 1894. VOL. LV.] WEEK ENDING SATURDAY, MARCH 10. [Price 1½d.

*General Register Office, Somerset House,
March 12th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·9 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.		Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.
Birkenhead	21·2	23·2	19·7	20·7	Liverpool -	25·4	24·8	25·4	25·1
Birmingham	16·9	20·9	21·1	17·4	London -	18·6	20·0	21·0	20·4
Blackburn -	14·9	19·9	19·5	23·2	Manchester -	22·2	23·3	22·4	21·7
Bolton -	21·6	18·1	20·3	20·7	Newcastle-on-Tyne	18·8	17·0	18·8	19·6
Bradford -	16·5	17·7	17·2	18·9	Norwich -	17·8	17·8	20·2	14·3
Brighton -	15·8	17·1	19·3	18·9	Nottingham -	14·9	18·4	23·1	14·9
Bristol -	21·2	17·7	19·0	20·9	Oldham -	20·3	22·2	25·2	18·8
Burnley -	17·8	26·5	21·1	18·9	Plymouth -	20·8	25·5	25·5	22·5
Cardiff -	17·2	16·5	17·5	22·4	Portsmouth -	17·1	12·2	15·6	14·6
Croydon -	11·2	17·2	14·9	17·2	Preston -	18·7	25·7	22·5	19·2
Derby -	11·6	14·8	16·9	16·4	Salford -	22·8	18·5	25·3	22·0
Gateshead -	15·1	16·8	18·4	14·5	Sheffield -	16·8	21·7	19·4	19·1
Halifax -	12·4	19·7	18·0	20·8	Sunderland -	19·9	21·5	14·9	21·5
Huddersfield	18·5	18·0	16·9	11·1	Swansea -	18·6	23·5	14·2	20·1
Hull -	18·9	18·9	19·4	16·9	West Ham -	16·6	16·6	16·6	20·1
Leeds -	17·4	16·4	19·0	17·2	Wolverhampton -	27·0	29·4	33·1	23·9
Leicester -	16·0	18·2	13·8	19·3					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·0 in Norwich, 1·1 in Swansea, and 5·4 in Birkenhead; from *scarlet fever*, 1·1 in Gateshead; from *whooping-cough*, 1·3 in Bolton, 1·4 in Croydon and in Bristol, 1·6 in Swansea, 1·8 in Cardiff and in Newcastle, and 2·4 in Plymouth; and from "*fever*," 1·1 in Burnley. The death-rate from *diarrhoea* did not reach 1·0 per 1000 in any of the thirty-three towns. The 82 deaths from *diphtheria* included 53 in London, 5 in Manchester, 4 in Liverpool and in Cardiff, 3 in Wolverhampton, 2 in Salford, and 2 in Sheffield. Four deaths from *small-pox* were registered in Bradford, 3 in West Ham, 2 in Birmingham, and one death each in Bristol, Oldham, and Leeds, but not one in London or in any other of the thirty-three towns.

LONDON.

In LONDON† 2636 BIRTHS and 1700 DEATHS were registered. Allowing for increase of population, the births were 163, and the deaths 182, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·6, 20·0, and 21·0 in the preceding three weeks, declined last week to 20·4. During the four weeks ending on

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

Saturday last the death-rate averaged 20·0 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1700 deaths included 66 from measles, 17 from scarlet fever, 53 from diphtheria, 59 from whooping-cough, 10 from enteric fever, 13 from diarrhœa and dysentery, and not one from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 218 deaths were referred to these diseases, being 29 above the corrected average weekly number.

There were 69 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals and 18 in the Highgate Small-pox Hospital. The deaths from *whooping-cough*, *enteric fever*, and *diarrhœa* were below the respective corrected averages, while those from *measles*, *scarlet fever*, and *diphtheria* showed an excess. The deaths from *diphtheria*, which had been 58, 42, and 59 in the preceding three weeks, numbered 53 last week; 6 belonged to Bethnal Green sanitary area. The Metropolitan Asylum Hospitals* contained 304 cases of diphtheria and 96 of enteric fever at the end of last week, and on the same date these hospitals, together with the London Fever Hospital, contained 2153 scarlet fever patients.

The deaths referred to diseases of the respiratory organs, which had been 340, 408, and 413 in the preceding three weeks, further increased to 434 last week, but were 85 below the corrected average.

The deaths attributed directly to *influenza* numbered 14, having been 22, 24, and 20 in the preceding three weeks.

Different forms of violence caused 65 deaths, concerning all but 2 of which inquests were held. Of these 65 deaths, 7 were cases of suicide, and one death was a case of homicide, while the remaining 57 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 7 to drowning, and 8 (of infants under one year of age) to suffocation in bed. The death of an optician, aged 24 years, was attributed, after inquest, to "hydrophobia, supposed to have arisen from the bite of a dog on 7th November 1893."

GREATER LONDON.

In Greater London 3502 births and 2165 deaths were registered, corresponding to annual rates of 30·7 and 19·0 per 1000 of the estimated population. In the Outer Ring 4 deaths from small-pox, 6 from scarlet fever, 17 from diphtheria, and 22 from whooping-cough were recorded. Of the 4 deaths from small-pox, 3 occurred in West Ham district and one death in Barnet district. Five deaths from diphtheria were registered in West Ham, 4 in Edmonton, 3 in Croydon, and 2 in Brentford districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·65 inches, and that of the Thermometer 44°·2, the latter being 3°·3 above the week's average in the 50 years 1841-90. The direction of the wind was Westerly, the horizontal movement of the air being 39 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 14·4 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of February. The supply was in the ratio of 234 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	FEBRUARY. 1893.	FEBRUARY. 1894.	FEBRUARY. 1893.	FEBRUARY. 1894.
TOTAL SUPPLY	791,308	801,971	182,253,249	187,920,100
From Thames	382,011	387,238	91,560,193	95,788,117
From Lea and from other Sources	409,297	414,733	90,693,056	92,131,983
THAMES.				
Chelsea	36,552	36,782	10,419,910	11,085,306
West Middlesex	76,191	77,197	17,254,712	18,140,459
Southwark and Vauxhall	115,044	116,277	27,601,130	30,638,003
Grand Junction	58,429	58,809	16,993,670	16,700,685
Lambeth	95,795	98,173	19,290,771	19,223,664
LEA AND OTHER SOURCES.				
New River	156,187	157,421	32,807,000	32,986,000
East London	174,583	176,936	43,801,924	44,093,715
Kent	78,527	80,376	14,084,132	15,052,268

Note.—The Return for February 1894, as compared with that for the corresponding month of 1893, shows an increase of 10,663 services and of 5,666,851 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING FEBRUARY, 1894.

*Water-analysis Laboratory, The Yews, Reigate,
28th February, 1894.*

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of February.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (a) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (b) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·7, Tottenham 1·4, East London (deep-well) 1·8, New River 2·4, Colne Valley 2·5, East London (river supply) 4·0, Grand Junction 4·8, Lambeth 4·9, Chelsea 5·0, Southwark 5·3, and West Middlesex, 5·5. The unfiltered river waters contained the following proportions:—New River Cut 2·4, East London intake 3·0, and Thames at Hampton 4·7.

The Thames at Hampton was, on 12th February, turbid and yellow. It was, both chemically and bacterially, of very much better quality than on the 15th of January, when my previous sample was taken. Chemically, indeed, it was, as is seen from the foregoing comparison, of even better quality than the water delivered by any of the five Companies drawing from this river, although bacterially, of course, enormously inferior. It was efficiently filtered before delivery, and exhibited the following per-centage bacterial improvement: Chelsea 99·89, West Middlesex 99·83, Southwark (No. 4 filter) 99·94, (No. 8 filter) 96·55, Grand Junction (Hampton general well) 97·35, (Kew general well) 99·37, (Kew South well) 99·60, Lambeth 99·37.

The New River Cut was on the 14th of February turbid and pale yellow in colour. It was, both chemically and bacterially, of very much better quality than on the 17th and 29th of January, when my last samples were taken. It was efficiently filtered before delivery, and was improved bacterially to the extent of 99·31 per cent. The crude river water of the Lea, at the East London Company's intake at Angel Road, was turbid and pale yellow in colour. It was, both chemically and bacterially, of enormously better quality than on January the 18th, when my last sample was taken. It was efficiently filtered before delivery and improved bacterially, on the average, 99 per cent. As in the case of the Thames water, the supplies derived both by the New River and East London Companies from the Lea were inferior in chemical quality, as regards dissolved constituents, to the raw river waters, owing, no doubt, to the circumstance that the water abstracted from the respective rivers on previous days was of much worse quality than that which was passing down these streams on the days when the samples of raw and filtered water were collected.

The deep-well waters of the Kent, Tottenham, and East London Companies were of excellent quality for dietetic purposes; but the Colne Valley Company's water, though better than nearly all the river waters, contained, for deep-well water, an abnormal, though small, amount of organic matter of vegetable origin. All these waters were clear and bright without filtration, and the Colne Valley Company's water was softened before delivery, and thus rendered suitable for washing. The Kent Company's water was again distinguished for its high degree of organic and bacterial purity.

Seen through a stratum two feet deep, the Kent, Tottenham, and East London (deep-well) waters were clear and colourless, the Colne Valley clear and nearly colourless, the New River clear and very pale yellow, and the rest of the waters clear and pale yellow.

The bacterioscopic examination of the raw river waters, and of those supplied by the various Companies, collected on the 12th, 13th, 14th, and 24th of February, gave the results contained in the following table:—

DESCRIPTION.	No. of Microbes per c.c.	Temp. C.
RAW RIVER WATERS.		
Thames at Hampton	6,947	6·9
New River Cut	1,395	5·2
New River Company's unfiltered water after passing through reservoirs.	1,653	6·2
Lea at Angel Road	8,947	5·7
" after storage	1,079	5·3
THAMES.		
Chelsea	8	6·0
West Middlesex	12	6·3
Southwark, No. 4 filter	4	7·3
" No. 8 "	240	7·1
Grand Junction, Hampton general well	184	7·0
" Kew general well	44	6·5
" Kew South well	28	6·8
Lambeth	44	7·3
LEA.		
New River	4	6·0
East London, No. 1 Essex well	128	5·7
" No. 12 bed	52	5·3
DEEP WELL.		
Kent	6	11·4

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city was "clear and green in the two foot tube. It was superior in its organic elements" and other respects to any recently examined."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to Glasgow from Loch Katrine was "light brown in colour, and contained a little suspended matter."

The Registrar General, &c. &c.

I am, &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Nitrates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	{ February 12th. Grand Junction Co.'s intake at Hampton. }	6.9	33.08	.287	.039	.010	.321	.368	2.2	21.2
	Chelsea - - -	{ February 15th. Cab Rank, Horse Guards, Whitehall. }	6.7	31.84	.267	.026	0	.282	.303	2.2	19.7
	West Middlesex -	{ February 15th. Cab Rank, Riding House- street. }	6.9	32.34	.280	.043	0	.324	.387	2.2	19.4
	Southwark -	{ February 15th. Cab Rank, St. George's Church, Borough. }	7.2	33.24	.289	.023	0	.322	.345	2.2	20.6
	Grand Junction -	{ February 15th. Cab Rank, Portman- street, Oxford-street. }	6.7	32.42	.262	.022	0	.312	.334	2.2	20.0
	Lambeth - - -	{ February 15th. Cab Rank, St. George's- road, Southwark. }	6.9	33.16	.273	.019	0	.324	.343	2.2	20.3
	LEA. (Unfiltered water) -	{ February 14th. New River Cut at Green-lanes. }	5.2	32.00	.128	.013	.006	.333	.351	1.8	21.8
	New River - - -	{ February 15th. Cab Rank, Tottenham Court-road. }	6.5	32.26	.127	.017	0	.307	.324	1.9	20.9
	(Unfiltered water) -	{ February 14th. East London Co.'s intake at Angel-road. }	5.7	38.44	.152	.027	.014	.356	.395	2.2	24.8
	East London -	{ February 15th. Fire Brigade Station, Commercial-road, E. }	7.2	38.50	.204	.033	0	.399	.432	2.3	23.0
Outer Circle.	DEEP WELLS. Kent - - -	{ February 15th. Mill-lane, Deptford. }	10.3	37.90	.036	.007	0	.495	.502	2.3	25.1
	Colne Valley - -	{ February 21st. Bushey. }	—	21.04	.131	.018	.006	.494	.517	2.3	8.3
	Tottenham - - -	{ February 20th. Tottenham. }	—	41.42	.075	.010	.050	.011	.062	3.0	22.7
	East London - -	{ }	—	29.70	.088	.016	.018	0	.031	2.1	17.7
Corporation of Birming- ham* - - -		{ February 12th. Clifton-terrace, Darwin-street. }	8.3	26.80	.145	.018	0	.176	.194	1.9	20.2
Corporation of Glasgow† -		{ February 15th. Loch Katrine Water. }	4.2	2.65	.113	.014	0	.005	.019	.7	.9
Column 1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.

† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 15th February, at the Horse Guards cab-rank, had a temperature of 6.7 C.; 100,000 lbs. of it contained 31.84 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained .267 lb. of carbon and .026 lb. of nitrogen. The above quantity of water also contained no ammonia and .282 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was .308 lb. The above weight of water also contained 2.2 lbs. of chlorine and 19.7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 10th March 189 .

CITIES AND BOROUGHs.	POPULATION the estimated middle of the Year 1864.		Registered during the Week ending 10th Mar. 1864.		The Deaths registered in the Week include													TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGHs.		
	1.	2.	3.	4.	Deaths of		Deaths from					Inquest Cases.			From All Causes.		Mean.		In Inches.	In Galls.						
					Persons aged 60 Years and upwards.	Infants under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.	Unreported Chance of Death.	From All Causes.	From Diseases in Cols. 5, 6, 7.			Lowest.		Fahrenheit.			
																					Highest.	Lowest.				
Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.			
33 TOWNS	10458,442	6356	3983	926	886	12	111	52	82	145	39	20	148	291	857	74	19.9	2.3	55.3	28.3	42.3	5.72	0.45	1.14	- 33 TOWNS.	
LONDON	4,349,168	2636	1700	382	421	3	66	17	53	59	10	13	65	138	500	10	20.4	2.6	55.3	30.4	44.2	6.78	0.19	0.48	LONDON.	
WEST HAM	338,184	143	92	30	14	1	2	1	1	4	1	1	1	1	8	3	20.1	2.8	54.3	28.3	42.6	5.89	-	-	WEST HAM.	
CROYDON	111,921	50	37	11	8	-	-	-	1	1	1	1	1	1	3	2	17.2	2.8	54.3	28.3	42.6	5.89	-	-	CROYDON.	
BRIGHTON	118,715	46	43	8	14	-	-	-	-	-	-	-	2	2	11	2	18.9	2.8	54.3	33.6	43.9	6.61	0.54	1.37	BRIGHTON.	
PORTEMOUTH	170,978	89	48	15	16	-	-	-	1	1	-	1	1	3	8	1	14.6	0.6	52.5	34.0	43.6	6.44	0.52	1.32	PORTEMOUTH.	
PLYMOUTH	87,931	57	28	11	12	-	-	-	-	4	-	-	-	3	3	2	22.5	2.4	52.5	34.0	43.6	6.44	-	-	PLYMOUTH.	
BRISTOL	226,578	145	91	23	22	1	3	-	1	6	2	1	1	7	15	-	20.9	3.2	50.0	34.0	42.3	5.72	0.66	1.63	BRISTOL.	
CARDIFF	148,890	101	64	21	12	-	-	-	4	5	1	1	4	7	5	-	22.4	3.3	50.0	34.0	42.3	5.72	-	-	CARDIFF.	
SWANSEA	95,889	62	37	13	5	-	2	-	-	8	-	1	-	-	-	1	20.2	3.9	50.0	34.0	42.3	5.72	-	-	SWANSEA.	
WOLVERHAMPTON	86,086	58	39	7	6	-	1	-	3	1	1	-	2	2	13	-	23.9	3.7	50.9	28.3	39.4	4.11	0.33	0.84	WOLVERHAMPTON.	
BIRMINGHAM	492,301	290	164	41	34	2	1	2	1	6	-	2	7	3	26	11	17.4	1.5	53.0	29.2	42.7	5.94	-	-	BIRMINGHAM.	
NORWICH	105,645	77	39	3	7	-	2	1	-	-	-	-	2	2	6	1	14.3	2.0	53.0	29.2	42.7	5.94	0.42	1.07	NORWICH.	
LEICESTER	184,136	110	70	14	13	-	3	3	-	1	-	-	-	1	12	4	19.3	1.9	53.0	29.2	42.7	5.94	-	-	LEICESTER.	
NOTTINGHAM	223,584	130	64	17	20	-	-	-	1	1	-	-	1	3	8	-	14.9	0.7	52.2	30.7	41.5	5.28	0.18	0.46	NOTTINGHAM.	
DERBY	138,766	61	31	6	9	-	-	-	-	-	-	-	3	4	9	-	16.4	-	-	-	-	-	-	-	DERBY.	
BIRKENHEAD	105,627	61	42	9	9	-	11	-	-	1	-	1	1	2	6	-	20.7	6.4	-	-	-	-	-	-	BIRKENHEAD.	
LIVERPOOL	607,230	352	244	54	49	-	7	6	4	11	7	-	16	19	56	8	25.1	3.6	51.2	36.9	43.3	6.28	0.78	1.98	LIVERPOOL.	
BOLTON	118,303	68	47	9	8	-	-	-	-	3	-	1	1	1	4	-	20.7	1.8	51.2	36.9	43.3	6.28	-	-	BOLTON.	
MANCHESTER	520,211	312	216	53	40	-	6	4	5	10	2	2	3	10	26	51	3	21.7	3.0	51.2	36.9	43.3	6.28	-	-	MANCHESTER.
SALFORD	206,828	147	87	22	15	-	3	2	2	2	2	2	4	4	16	1	22.0	3.3	51.2	36.9	43.3	6.28	-	-	SALFORD.	
OLDHAM	158,755	71	50	10	10	1	1	2	2	2	2	1	1	1	5	5	18.8	2.6	51.2	36.9	43.3	6.28	-	-	OLDHAM.	
BURNLEY	16,478	66	35	10	9	-	1	1	-	2	-	1	1	1	2	2	18.9	2.2	51.2	36.9	43.3	6.28	-	-	BURNLEY.	
BLACKBURN	125,797	82	56	16	14	-	-	-	-	2	1	1	1	1	2	2	23.2	1.2	51.2	36.9	43.3	6.28	-	-	BLACKBURN.	
PRESTON	111,425	68	41	17	9	-	-	-	-	1	1	1	2	2	5	2	19.2	1.9	51.2	36.9	43.3	6.28	-	-	PRESTON.	
HUDDERSFIELD	138,511	48	21	9	1	-	-	-	1	-	-	-	-	-	-	-	11.1	0.5	51.2	36.9	43.3	6.28	-	-	HUDDERSFIELD.	
HALIFAX	92,861	42	37	5	18	-	-	-	1	-	-	-	-	1	4	3	20.8	0.6	51.2	36.9	43.3	6.28	-	-	HALIFAX.	
BRADFORD	253,485	121	81	18	24	4	-	-	1	-	-	-	3	8	12	2	18.9	1.4	51.0	35.0	41.5	5.28	1.06	2.69	BRADFORD.	
LEEDS	388,761	242	128	29	22	-	1	1	-	4	1	-	2	15	19	1	17.2	0.9	51.0	35.0	41.5	5.28	-	-	LEEDS.	
SHEFFIELD	358,316	228	124	57	26	-	1	1	2	7	2	1	5	7	22	10	19.1	2.2	53.0	30.0	41.5	5.28	0.37	0.94	SHEFFIELD.	
HULL	212,679	122	69	15	15	-	1	3	-	1	-	-	-	3	13	3	16.9	1.2	53.0	30.0	41.5	5.28	0.37	0.94	HULL.	
SUNDERLAND	156,101	91	56	14	15	-	-	-	1	1	2	-	-	3	8	5	21.5	1.9	53.0	33.0	41.5	5.28	0.62	0.95	SUNDERLAND.	
GATESHEAD	133,72	56	26	9	5	-	-	-	-	1	-	-	1	1	1	-	14.5	1.1	53.0	33.0	41.5	5.28	-	-	GATESHEAD.	
NEWCASTLE	201,947	129	76	18	9	-	-	-	1	7	1	-	5	8	14	1	19.6	2.3	53.0	33.0	41.5	5.28	-	-	NEWCASTLE.	

TABLE 2. LONDON.—Births and Deaths Registered in the TENTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2754	2737	2697	2728	2583	2698	2596	2505	2510	2769	2798.6	2636
Males . .	1411	1367	1389	1369	1375	1361	1325	1300	1283	1392	1432.4	1353
Females .	1343	1370	1308	1359	1208	1337	1271	1205	1227	1377	1366.2	1278
TOTAL Deaths	1639	1678	2285	1649	1886	1637	1889	1733	1803	1576	1881.8	1700
Males . .	832	854	1122	843	928	828	978	947	921	805	956.0	876
Females .	807	824	1163	806	958	809	911	836	887	771	925.8	824

* The numbers in this column are the average weekly numbers in the tenth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.
TOTAL Births - -	2474	2378	2106	2486	2367	2719	2689	2708	2709	2602	2587	2564	2636
TOTAL Deaths - -	2400	2170	1920	2040	2462	1975	1655	1621	1534	1552	1664	1743	1700
Ages at Death													
{ 0-20 years -	1012	915	852	924	1030	813	748	717	702	705	771	793	740
{ 20-40 " -	253	261	254	244	280	230	208	216	199	190	245	226	241
{ 40-60 " -	446	366	325	370	450	371	277	297	276	307	272	323	293
{ 60-80 " -	556	503	414	410	585	449	334	319	301	292	323	338	345
{ 80 years & upwards -	133	125	75	92	117	112	83	72	56	58	53	68	76
Under 1 year -	483	459	401	444	505	383	367	353	349	357	384	403	352
{ 1-5 -	372	338	315	347	385	332	288	245	264	253	275	267	293
{ 5-20 -	157	118	186	133	140	93	93	119	89	90	112	123	95
Deaths from Small-pox -	2	1	-	2	1	-	-	1	-	-	2	1	-
" " Measles -	45	49	49	60	65	45	35	21	42	40	59	47	66
" " Scarlet fever -	29	32	27	35	26	25	9	22	23	24	20	20	17
" " Diphtheria -	85	63	79	66	55	48	52	74	56	58	42	59	53
" " Whooping-cough -	67	74	67	81	107	93	86	69	54	60	74	72	59
" " Typhus -	-	-	-	-	-	-	-	-	-	-	1	-	-
" " Enteric fever -	21	24	17	10	15	13	12	14	6	8	4	12	10
" " Simple Cont'd fever -	-	-	1	-	1	3	-	-	-	-	-	1	-
" " Diarrhoea and Dysentery -	23	15	7	9	12	16	15	14	17	16	16	14	13
" " Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-
" " all the above-mentioned Diseases -	272	258	247	263	282	243	209	215	193	203	218	226	218
" " Dis. of Respiratory System -	711	635	516	566	762	547	422	385	372	340	408	413	434
" " Phthisis -	196	161	164	179	230	150	149	159	148	145	135	175	151
" " Dis. of Circulatory System -	149	136	130	157	183	161	124	148	114	118	112	157	129
Violent Deaths - -	60	65	65	77	92	73	55	73	53	61	62	70	65
Inquest Cases - -	169	166	144	183	227	178	115	135	108	140	141	165	133
Deaths in Public Institutions	600	555	456	474	626	531	462	489	441	486	462	479	500
TEMPERATURE OF THE AIR													
Mean -	43.7	41.7	40.3	36.5	37.5	45.0	41.6	42.0	46.0	41.0	34.3	44.0	44.2
Mean of Highest readings -	49.7	46.6	44.6	30.1	42.3	48.5	46.1	47.9	51.3	45.9	41.0	51.4	51.7
Mean of Lowest readings -	35.0	36.4	35.6	22.0	31.2	40.7	36.6	37.3	40.4	36.7	27.3	37.3	37.6
Humidity of the Air - -	84	89	90	77	89	88	84	83	86	83	78	84	81
Rain-fall in inches - -	0.86	0.69	0.16	0.56	0.43	0.86	0.71	0.69	0.27	0.60	0.21	0.45	0.19
Registered Sunshine (in hours)	2.5	8.2	3.6	3.4	7.0	9.2	10.0	18.5	6.9	8.1	38.0	15.6	14.4

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met.Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; R. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McIndosh, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the Tenth Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 10th Week of the 10 years 1884-93.*	In the Week ending Saturday, 10th March 1894.										Corrected Averages for the 10th Week of the 10 years 1884-93.*	In the Week ending Saturday, 10th March 1894.														
		Deaths of Persons of the Ages											Deaths of Persons of the Ages														
		ALL AGES.	Under 20.			20 and under 40.		40 and under 60.		60 and under 80.			80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.		40 and under 60.		60 and under 80.		80 Years and upwards.			
CAUSES -	1881-8	1700	352	293	95	241	298	345	76		1700	352	293	95	241	298	345	76		1700	352	293	95	241	298	345	76
Vaccinated† -	1.3	-	-	-	-	-	-	-	-		1.3	-	-	-	-	-	-	-		1.3	-	-	-	-	-	-	-
Unvaccinated -	1.2	-	-	-	-	-	-	-	-		1.2	-	-	-	-	-	-	-		1.2	-	-	-	-	-	-	-
No Statement -	1.1	-	-	-	-	-	-	-	-		1.1	-	-	-	-	-	-	-		1.1	-	-	-	-	-	-	-
Scarlet Fever -	47.7	66	9	51	6	-	-	-	-		47.7	66	9	51	6	-	-	-		47.7	66	9	51	6	-	-	-
Diphtheria -	14.7	17	1	11	5	-	-	-	-		14.7	17	1	11	5	-	-	-		14.7	17	1	11	5	-	-	-
Erysipelas -	6.3	-	-	-	-	-	-	-	-		6.3	-	-	-	-	-	-	-		6.3	-	-	-	-	-	-	-
Measles -	9.8	14	-	2	-	7	2	3	-		9.8	14	-	2	-	7	2	3		9.8	14	-	2	-	7	2	3
Croup -	73.8	59	31	27	1	-	-	-	-		73.8	59	31	27	1	-	-	-		73.8	59	31	27	1	-	-	-
Pneumonia -	21.1	53	3	33	14	1	1	1	-		21.1	53	3	33	14	1	1	1		21.1	53	3	33	14	1	1	1
Pleurisy -	0.9	-	-	-	-	-	-	-	-		0.9	-	-	-	-	-	-	-		0.9	-	-	-	-	-	-	-
Other Diseases of Respiratory System -	11.0	10	-	1	3	4	2	-	-		11.0	10	-	1	3	4	2	-		11.0	10	-	1	3	4	2	-
Dentition -	15.4	19	6	2	-	-	-	4	1		15.4	19	6	2	-	-	-	4		15.4	19	6	2	-	-	-	4
Quinsy, Sore Throat -	0.2	-	-	-	-	-	-	-	-		0.2	-	-	-	-	-	-	-		0.2	-	-	-	-	-	-	-
Enteritis -	-	1	-	-	-	1	-	-	-		-	1	-	-	-	1	-	-		-	1	-	-	-	-	-	-
Peritonitis -	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	
Diseases of Liver -	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	
Diseases of Lymphatic System & of Ductless Glands -	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	
Diseases of Urinary System -	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	
Diseases of Generative System -	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	
Accidents of Childbirth -	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	
Diseases of Locomotive System -	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	
Diseases of Integumentary System -	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	
VIOLENT DEATHS.†											VIOLENT DEATHS.†																
(ACCIDENT.)											(ACCIDENT.)																
By Railways -	-	-	-	-	-	-	-	-	-		1	-	-	-	-	-	-	-		1	-	-	-	-	-	-	-
By Vehicles or Horses -	-	-	-	-	-	-	-	-	-		3	-	1	-	-	-	-	-		3	-	1	-	-	-	-	-
In Ships, Boats, Docks (exclusive of Drowning) -	-	-	-	-	-	-	-	-	-		1	-	-	-	-	-	-	-		1	-	-	-	-	-	-	-
In Building Operations -	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	
In Conflagrations -	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	
By Burns, Scalds, Explosions -	-	-	-	-	-	-	-	-	-		2	-	-	1	-	1	-	-		2	-	-	1	-	1	-	-
By Drowning -	-	-	-	-	-	-	-	-	-		7	-	-	-	2	3	2	-		7	-	-	-	2	3	2	-
By Suffocation in Bed -	-	-	-	-	-	-	-	-	-		8	8	-	-	-	-	-	-		8	8	-	-	-	-	-	-
By Poisons or Poisonous Vapours -	-	-	-	-	-	-	-	-	-		1	-	-	-	-	-	-	-		1	-	-	-	-	-	-	-
Other or [not stated] Causes -	-	-	-	-	-	-	-	-	-		34	3	6	2	8	5	5	5		34	3	6	2	8	5	5	5
(VIOLENCE OTHER THAN ACCIDENTAL.)											(VIOLENCE OTHER THAN ACCIDENTAL.)																
Homicide -	-	-	-	-	-	-	-	-	-		1.8	1	1	-	-	-	-	-		1.8	1	1	-	-	-	-	-
Suicide -	-	-	-	-	-	-	-	-	-		6.6	7	-	-	-	2	4	1		6.6	7	-	-	-	2	4	1
Execution -	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
OTHER CAUSES -	-	-	-	-	-	-	-	-	-		65.0	44	29	3	-	-	1	1		65.0	44	29	3	-	-	1	1

The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.34 per cent for increase of population. These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" when are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical attendant, the case is returned under the heading "no statement." The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ended

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Unme- rated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON	4,211,743	2636	1700	352	421	-	66	17	53	59	-	10	-	13	65	138	500		
WEST DISTRICTS	740,735	383	298	56	73	-	8	2	7	3	-	1	-	4	12	24	93		
NORTH DISTRICTS	993,884	610	368	68	92	-	19	7	22	12	-	5	-	1	16	28	91		
CENTRAL DISTRICTS	247,536	138	113	16	29	-	1	-	8	4	-	1	-	1	2	9	53		
EAST DISTRICTS	705,114	510	380	80	76	-	25	1	6	17	-	-	-	2	11	30	96		
SOUTH DISTRICTS	1,524,472	935	553	132	142	-	13	5	15	23	-	3	-	5	24	47	127		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	88	-	0	-	-	-	2	-	-	-	-	-	-	-	38		
West Districts.																			
St. Mary Paddington WHH G.J. & W.M.	84150	52	21	7	6	-	-	-	-	1	-	-	-	-	1	2	1		
St. John Paddington H - - - G.J.	83687	4	19	1	5	-	1	-	1	-	-	-	-	-	4	8	12		
Kensington Town W - - - W.M.	118751	75	58	10	14	-	1	-	-	-	-	-	-	1	2	2	33		
Brompton H - - - W.M. & C.	47557	16	12	2	3	-	-	-	-	-	-	-	-	-	-	-			
St. Peter Hammersmith - - - W.M.	8534	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
St. Paul Hammersmith H W.M. & G.J.	89633	51	34	8	7	-	1	-	1	1	-	1	-	-	1	3	2		
Fulham W - - - W.M. & C.	97639	69	48	11	13	-	2	2	2	1	-	-	-	-	-	4	15		
Chelsea Kensal Town - - - C.	21787	12	7	2	2	-	-	-	-	-	-	-	-	-	-	-			
Chelsea North WHHHH - - - C.	41637	31	22	2	4	-	-	-	-	-	-	-	-	-	1	2	3		
Chelsea South HH - - - C.	32829	13	9	3	-	-	-	-	1	-	-	-	-	-	-	-			
May Fair W - - - G.J.	23733	5	14	1	9	-	1	-	-	-	-	-	-	-	1	1	11		
Belgrave WHHH - - - C.	54631	23	27	3	6	-	-	-	1	-	-	-	-	-	-	-	8		
St. John Westminster HHH - - - C.	34106	12	10	5	1	-	-	-	-	-	-	-	-	-	-	-	2		
St. Margaret Westminster H - - - C.	21663	5	9	-	2	-	-	-	-	-	-	-	-	-	-	-			
St. James Westminster WHH N.R. & G.J.	54995	3	3	-	-	-	1	-	-	-	-	-	-	-	-	1	1		
St. Anne Soho HHHHHH - - - N.R.	18317	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-			
North Districts.																			
All Souls Marylebone * - - - W.M.	87713	16	21	2	6	-	-	-	1	-	-	-	-	-	2	3	11		
Regent's Park Pancras H - - - G.J. & W.M.	20924	13	9	3	4	-	1	-	-	1	-	-	-	-	-	-	3		
St. Mary Marylebone WHHHH G.J. & W.M.	19239	31	5	1	2	-	-	-	-	-	-	-	-	-	1	-			
Christchurch Marylebone H - - - W.M.	33327	10	10	6	2	-	-	-	-	1	-	-	-	-	2	2			
St. John Marylebone H - - - W.M.	32101	16	6	1	1	-	-	-	-	-	-	-	-	-	-	-			
Hampstead WHHHHH N.R. & W.M.	63416	24	33	4	3	-	1	2	9	-	-	2	-	1	1	1	14		
Regent's Park Pancras HH - - - W.M.	36590	13	14	3	4	-	-	-	-	1	-	-	-	-	-	1	10		
Tottenham-court WHHHH N.R. & W.M.	26321	18	15	4	3	-	-	-	-	1	-	-	-	-	-	-	6		
Gray's Inn Lane HHH - - - N.R.	27455	21	7	-	-	-	-	-	-	1	-	-	-	-	2	4	8		
Somers Town HH - - - N.R.	32829	20	12	3	1	-	-	-	-	-	-	1	-	1	2	1			
Camden Town WH - - - N.R.	15419	13	11	2	7	-	-	-	-	-	-	-	-	-	1	1	10		
Kensal Town W - - - N.R.	95765	55	32	10	9	-	-	-	-	3	-	-	-	-	1	1	10		
Upper Holloway WHHHH - - - N.R.	90235	55	39	3	12	-	-	-	1	2	-	-	-	1	2	2	14		
Islington South-west H - - - N.R.	105557	61	31	8	5	-	6	-	2	1	-	1	-	-	3	-			
Islington South-east - - - N.R.	64153	54	16	2	7	-	-	-	-	-	-	-	-	-	-	-			
Highbury HH - - - N.R.	59193	38	15	3	3	-	-	-	-	2	-	-	-	-	-	-			
Stoke Newington H - - - N.R.	30936	12	8	-	5	-	-	-	-	-	-	-	-	-	1	2			
Stamford Hill - - - E.L.	17759	8	4	-	2	-	-	1	-	-	-	-	-	-	-	-			
West Hackney H - - - N.R.	42902	27	11	3	4	-	-	-	-	-	-	-	-	-	-	-			
Hackney W & W - - - E.L. & N.R.	90486	70	55	8	10	-	9	3	7	-	-	1	-	3	4	19			
South Hackney W - - - E.L.	41759	34	14	2	2	-	2	1	-	-	-	-	-	-	-	-			
Central Districts.																			
St. George Bloomsbury - - - N.R.	16695	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Giles South WH - - - N.R.	13454	19	5	1	-	-	-	-	-	-	-	-	-	-	-	-	4		
St. Giles North H - - - N.R.	9638	3	4	-	2	-	-	-	-	-	-	-	-	-	1	1	1		
St. Martin-in-the-Fields HH N.R. & C.	14616	3	8	1	1	-	-	-	-	-	-	1	-	-	-	1	1		
St. Mary-le-Strand H - - - N.R.	5706	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4		
St. Clement Danes WH - - - N.R.	7194	2	9	-	3	-	-	-	-	-	-	-	-	-	-	-	4		
Strand Union Workhouse, Edmonton W.	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-			
St. Geo. the Martyr HHHHHH N.R.	17921	6	12	2	-	-	-	-	-	-	-	-	-	-	-	1	8		
St. Andrew Eastern W - - - N.R.	15343	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-			
St. James Clerkenwell - - - N.R.	16803	10	6	3	1	-	-	-	-	-	-	-	-	-	-	1			
Amwell Clerkenwell - - - N.R.	16883	8	3	2	1	-	-	-	-	1	-	-	-	1	-	-			
Pentonville - - - N.R.	17155	13	5	1	1	-	1	-	-	-	-	-	-	-	-	-			
Goosewell-street - - - N.R.	15375	11	6	2	2	-	-	-	-	-	-	-	-	-	-	-			
City-road HHHH - - - N.R.	29177	36	9	2	3	-	-	-	-	1	-	-	-	-	-	-	8		
Whitecross-street - - - N.R.	8278	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Finchbury - - - N.R.	4985	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Holborn Union Workhouse, Mitcham W.	-	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6		
St. Botolph H - - - N.R. & E.L.	8944	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-			
Cripplegate - - - N.R.	4539	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
St. Sepulchre H - - - N.R.	4444	1	19	1	2	-	-	-	3	-	-	-	-	-	1	1	18		
St. Bride W - - - N.R.	6394	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Allhallows Barking - - - N.R.	10422	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Broad Street H - - - N.R.	3377	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2			
City of London Asylum, Stone	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; W—Workhouse; E—Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. River; E. L. East London; and K. the Kent Company.

* On the 1st September the sub-districts of All Souls and Cavendish Square were amalgamated under the name of All Souls sub-district.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT day, 10th March, 1894.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Enu-merated Popu-lation, 1891.	Total Births.	Deaths of														
				Total Deaths.	Infants under 1 Year of Age.	Persons aged 30 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con-tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
EAST DISTRICTS.																		
Bedford South HL*	E.L. & N.R.	20098	12	4	-	1	-	-	-	-	1	-	-	-	-	-	-	1
Bedford New Town W	- N.R.	29313	21	7	-	7	-	-	-	-	-	-	-	-	-	-	5	
Bedford Old Town W	- N.R.	28854	20	6	1	1	-	-	-	-	-	-	-	-	-	-	-	
Bedford West HL	N.R. & E.L.	42444	45	21	8	4	-	-	-	1	-	-	-	-	-	-	9	
Bedford Green North H	E.L.	51820	45	20	10	4	-	1	-	1	2	-	-	-	1	3	-	
Bedford Green South H	E.L.	33498	24	12	6	-	-	2	-	1	2	-	-	-	-	-	-	
Bedford Green East WHL*	E.L.	44123	33	35	3	11	-	1	-	1	2	-	-	-	2	16	-	
Bedford Hills E.	N.R.	22456	15	11	5	1	-	2	-	-	2	-	-	-	1	2	-	
Bedford New Town W	E.L.	17908	29	11	4	5	-	-	-	-	-	-	-	-	-	-	7	
Bedford Chapel Church H	E.L. & N.R.	20298	8	20	4	-	-	-	-	-	-	-	-	-	1	4	17	
Bedford Fields	E.L.	18800	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
George's North	E.L.	87738	29	13	5	-	-	1	1	-	-	-	-	-	1	-	-	
John, St. George East W	E.L.	8057	8	8	-	4	-	1	-	-	-	-	-	-	1	1	8	
Bedford H	E.L. & N.R.	10246	4	8	1	-	-	2	-	-	-	-	-	-	-	-	4	
Bedford H	E.L.	14928	9	12	2	2	-	1	-	-	1	-	-	-	-	-	-	
Bedford H	E.L.	32202	28	2	-	2	-	-	-	-	-	-	-	1	-	-	-	
Bedford Old Town West H	E.L.	38650	36	12	3	-	-	2	-	2	1	-	-	-	-	2	-	
Bedford Old Town East WHW H	E.L.	68942	44	47	14	14	-	5	-	1	1	-	-	-	3	10	1	
Bedford L*	E.L.	40865	20	20	5	4	-	1	-	-	2	-	-	-	1	1	-	
Bedford W H	E.L.	70000	39	26	7	3	-	3	-	-	1	-	-	-	3	7	17	
Bedford W W	E.L.	56858	36	23	2	7	-	-	-	1	-	-	-	1	3	4	1	
SOUTH DISTRICTS.																		
Bedford Southwark WH	L. & S.	18564	11	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Bedford Southwark	S.	18913	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bedford Road	S. & L.	21867	19	11	4	2	-	1	1	-	-	-	-	-	-	1	-	-
Bedford Road WH	S. & L.	16624	12	8	3	-	-	-	-	2	-	-	-	-	-	-	4	1
Bedford Road HL	L. & S.	21221	15	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-
Bedford Newington	S. & L.	26596	21	9	3	1	-	-	-	-	-	-	-	-	-	1	-	1
Bedford Waiworth W	S. & L.	61842	54	24	10	6	-	-	-	1	-	-	-	1	-	6	1	-
Bedford Newington	L. & S.	27866	23	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Bedford WH	S.	12723	3	13	2	3	-	-	-	-	-	-	-	-	1	1	9	-
Bedford Market	S. & L.	14952	8	6	3	1	-	-	-	-	-	-	-	-	1	-	-	-
Bedford Mary Magdalene W	S.	15660	11	10	1	2	-	1	-	1	1	-	-	-	2	2	-	-
Bedford James Bernadsey	S.	54070	38	15	5	4	-	1	-	1	-	-	-	-	-	-	-	-
Bedford Hith WH	S. & K.	39255	26	26	4	7	-	2	-	-	-	-	-	-	2	2	10	-
Bedford Road 1st H	L. & S.	14031	6	6	1	2	-	-	-	1	-	-	-	-	-	-	-	-
Bedford Road 2nd H	L. & S.	14644	11	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-
Bedford Church 1st H	L. & S.	18075	14	16	5	3	-	1	-	1	-	-	-	-	2	3	9	-
Bedford Church 2nd WH	L. & S.	39097	36	26	3	8	-	1	-	-	-	-	-	-	1	3	8	-
Bedford 1st H	S. & L.	50586	45	21	3	7	-	-	-	-	-	-	-	-	1	4	-	-
Bedford 2nd H	S. & L.	39708	19	11	3	4	-	-	-	1	-	-	-	-	1	1	-	-
Bedford W	L. & S.	72405	37	30	6	8	-	-	-	-	-	-	-	-	-	-	7	1
Bedford W	L.	26637	11	11	1	3	-	1	3	4	-	-	-	-	-	-	-	-
Bedford Battersea	S.	67244	33	10	3	2	-	-	-	-	2	-	-	-	1	-	-	-
Bedford Battersea WH	S.	88314	54	33	9	9	-	1	-	-	2	-	-	-	1	1	5	8
Bedford H	S.	43698	23	11	2	2	-	1	-	1	1	-	-	-	-	-	1	-
Bedford WHL	S.	46717	39	9	7	1	-	1	-	1	-	-	-	-	1	2	3	-
Bedford H	S.	17771	12	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Bedford W W	L.	48756	31	13	3	7	-	-	-	1	-	-	-	-	-	1	3	-
Bedford W	L. & S.	6809	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bedford W L L	S. & L.	81686	32	23	7	15	-	1	-	-	-	1	-	-	-	-	23	1
Bedford W W	S. & K.	63483	43	23	5	-	-	-	-	1	-	-	-	-	1	1	-	-
Bedford George Camberwell	L. & S.	68366	40	14	6	-	-	1	-	1	-	-	-	-	2	3	-	-
Bedford North	K.	35314	23	10	3	1	-	-	-	2	-	-	-	-	1	1	-	-
Bedford Central	K.	42007	31	14	3	2	-	-	-	3	2	-	-	-	1	1	3	-
Bedford South	K.	30852	19	11	1	2	-	-	-	-	-	-	-	-	-	1	-	1
Bedford West H	K.	22007	19	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Bedford East WH	K.	35323	33	24	4	8	-	-	-	2	-	1	-	-	1	1	16	-
Bedford H	K.	5562	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bedford H	K.	23241	7	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-
Bedford WH	K.	30950	16	12	2	5	-	-	-	1	-	1	-	-	-	1	4	-
Bedford H	L.	34162	9	6	3	1	-	-	-	1	-	-	-	-	-	-	-	-
Bedford H	K.	14040	9	8	2	1	-	-	-	1	3	-	-	-	-	-	1	-
Bedford Dockyard	K.	19606	9	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Bedford Arsenal HH	K.	21242	12	8	1	3	-	-	-	-	-	-	-	-	2	2	-	1
Bedford H	K.	13689	9	5	1	2	-	-	-	1	-	-	-	-	-	1	1	-
Bedford East W	K.	36567	23	13	3	5	-	-	-	-	-	-	-	-	2	2	9	-
Bedford Asylum	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Bedford Asylum	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	6	-
Bedford Hill Asylum	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bedford Ship and Camp, Dartford	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4	-
Bedford Asylum	-	-	-	3	-	8	-	-	-	-	-	-	-	-	-	-	3	-
Bedford H	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Bedford Hill Hospital	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Bedford Asylum	-	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	5	-
Bedford Asylum	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	11	-

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—
AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 10th March, 1894.

Regis- tration District and Sub- district Num- bers.		REGISTRATION SUB-DISTRICTS.	Area in Acres.	Num- bered Popu- lation. 1891	BIRTHS.	DEATHS.	The Deaths registered in the Week include													
							Deaths of		Deaths from											
							Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fev.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	
LONDON—OUTER RING			368,749	1,422,063	866	465	133	116	4	5	6	17	22	4	3	7	19	36	12	
30: 1	Carshalton WHH -	1228	26108	13	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	
2	Epsom, part of* WHH -	10423	12508	3	8	2	5	-	-	-	-	-	-	-	-	-	-	2	-	
37: 1	Goldstone, part of* W -	754	1598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon WHH -	20851	128699	67	48	14	11	-	-	1	3	3	1	-	-	1	4	6	-	
2	Mitcham W -	11697	23068	12	3	-	1	-	-	1	-	-	-	-	-	-	1	-	-	
39: 1	Wimbledon HHH -	3220	25761	11	7	1	2	-	-	1	-	-	-	-	-	-	-	-	-	
2	Kingston WHH -	8071	44765	28	14	4	10	-	-	-	-	1	-	-	-	-	-	3	-	
3	Esher, part of* -	6601	12059	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H -	4695	18252	10	12	3	2	-	1	-	1	-	-	-	-	-	1	1	-	
40: 1	Richmond WH -	2160	25889	13	7	-	3	-	-	-	-	-	-	-	-	-	1	1	-	
2	Mortlake H -	2823	16159	6	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
41: 1	Bromley HHH -	9127	23815	12	5	2	3	-	-	-	-	-	-	-	-	-	1	-	1	
2	Beckenham H -	6542	21969	11	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	10	7	2	2	-	-	-	-	-	-	-	-	-	-	2	-	
42: 1	Bexley H -	12540	30190	25	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Dartford Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
134: 1	Sunbury W -	11054	13671	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W -	15277	13221	4	4	2	1	-	-	-	-	1	-	-	-	-	-	2	-	
135: 1	Hillingdon WHH -	6035	12237	4	7	-	1	-	-	2	-	-	-	-	-	-	1	3	-	
2	Uxbridge -	6172	5417	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH -	14537	12618	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136: 1	Uxbridge WH -	6967	26273	10	9	5	2	-	-	-	-	-	2	-	-	-	1	2	-	
2	Twickenham HH -	2415	16027	4	3	1	-	-	-	-	-	2	-	-	-	-	-	-	-	
3	Brentford HHHH	4818	37777	22	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	
4	Chiswick -	1245	21963	20	5	-	1	-	-	-	-	-	1	1	-	-	-	-	-	
5	Acton WH -	6132	30945	22	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
127: 1	Harrow RH -	13509	16715	7	7	3	2	-	1	-	-	-	-	-	-	-	-	-	-	
2	Edgware H -	6994	3844	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH	4885	61265	50	18	2	5	-	-	-	-	1	1	-	-	-	-	-	-	
4	Hendon W	8322	15843	15	10	3	3	-	-	-	-	-	-	-	1	-	-	2	-	
138: 1	South Mimms	15599	8474	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet WHH -	5441	11778	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley HH	4686	25820	12	8	3	4	1	-	-	-	-	-	-	1	-	-	-	-	
139: 1	Hornsey H -	3039	61097	20	9	3	3	-	-	-	-	1	1	-	-	1	2	-	-	
2	Tottenham H -	4642	97174	78	24	8	8	-	-	-	-	1	3	-	-	1	2	1	-	
3	Edmonton WH -	7489	36351	24	15	5	4	-	-	-	-	1	1	1	-	-	1	1	-	
4	Enfield WHH	12689	31803	27	13	6	1	-	-	-	-	-	-	-	-	2	2	-	-	
5	Waltham Abbey -	11017	6066	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt H -	8490	9620	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
140: 1	Hatfield, part of* -	8806	532	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141: 1	Bushey -	9381	7787	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
142: 1	Stratford H -	1100	42983	28	15	7	2	-	-	-	-	-	1	-	-	1	1	-	-	
2	Plaistow HHHH	1242	50980	44	38	8	6	3	1	-	-	-	1	-	-	-	-	3	-	
3	Canning Town H	1553	54760	42	18	7	-	-	1	1	-	1	-	-	1	-	-	-	-	
4	Forest Gate W -	806	49140	29	16	6	5	-	-	-	-	1	1	1	-	-	-	-	-	
5	East Ham WH -	3265	32713	47	8	1	3	-	-	-	-	3	-	-	-	-	-	-	-	
6	Leyton WHH -	4824	70188	37	29	11	7	-	-	-	-	1	1	-	-	-	1	6	-	
7	Walthamstow HHL	6501	67380	33	19	6	5	-	-	-	-	-	-	-	-	-	-	-	-	
143: 1	Chigwell, part of* H -	11719	12941	10	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
144: 1	Romford, part of* W -	6556	4324	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford -	8493	10913	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
3	Barking Town -	3314	14301	11	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, Epsom sub-district, except the parishes of Asenstead and Hoadley (pop. 1768); 37: 1, the parishes of Warrington and Farley in Goldstone sub-district; 39: 2, Esher sub-district, except the parish of Esher (pop. 2332); 41: 2, Chislehurst sub-district, except the parishes of Chislefield, Canning, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1078); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 43: 2, Dartford; 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 10th March, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	19·0	2·4	2165	485	537	4	71	23	70	81	14	16	72	536		
INNER LONDON -	74,672	4,349,166	20·4	2·6	1700	352	421	-	66	17	53	59	10	13	65	500		
OUTER RING -	368,749	1,599,134	15·2	2·0	465	133	116	4	5	6	17	22	4	3	7	36		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrheal Diseases.	
EDINBURGH	270,588	March	10	134	95	18·3	-	-	1	1	4	-	1	
GLASGOW	686,820	"	10	427	296	22·5	-	4	5	6	21	5	2	
DUBLIN	349,594	"	10	178	204	30·4	-	1	1	-	6	3	2	
CALCUTTA	466,460	January	13	-	307	34·3	-	1	-	-	1	132	64†	
BOMBAY	821,764	February	20	276	598	37·8	12	18	?	?	?	164	39†	
MADRAS	452,518	"	2	-	-	-	-	-	-	-	-	-	-	
PARIS	2,424,705	March	3	1327	1136	24·9	11	18	3	35*	5	52	43	
RUSSELS (th 8 Faubourgs)	483,188	"	3	259	201	21·4	-	-	-	4*	1	1	15	
AMSTERDAM	437,892	"	3	266	165	19·3	-	3	-	4	6	-	-	
ROTTERDAM	222,233	"	3	162	87	20·3	4	-	-	-	-	1	-	
THE HAGUE	169,828	"	3	108	65	19·9	-	-	-	2	-	-	-	
COPENHAGEN	341,000	"	3	212	131	20·0	-	-	6	8	-	-	2	
STOCKHOLM	240,246	February	24	129	87	18·2	-	-	1	12*	-	-	3	
CHRISTIANIA	161,151	March	3	38	60	19·3	-	6	1	1	-	-	2	
ST. PETERSBURG	954,400	February	10	535	526	28·7	5	11	3	14	6	9	55†	
MOSCOW	753,469	"	24	-	493	34·1	5	4	5	20	7	7	21	
BERLIN	1,714,938	"	17	945	567	17·4	-	5	7	29	10	4	30	
HAMBURG	594,209	March	3	-	209	18·3	-	4	1	15*	1	-	14	
BRESSEN	308,930	February	10	-	125	20·8	-	-	-	11*	3	-	7	
BRESLAU	353,551	March	3	-	185	27·1	-	-	1	8*	2	1	17	
MUNICH	390,000	"	3	-	185	24·7	-	3	3	5*	-	-	18	
VENNA	1,465,537	"	3	909	791	28·1	-	14	9	40*	1	2	44	
PRAGUE	332,357	"	3	209	235	36·8	-	10	1	2	3	9	10	
UDA-PESTH	552,769	February	24	380	255	24·0	-	6	-	13	2	-	10	
TRIESTE	159,427	"	24	102	140	45·6	1	9	-	8*	-	-	-	
ROME	450,991	"	10	254	211	24·4	-	3	-	-	1	2	7	
BRUSSEL (10 days)	335,111	"	10	193	246	26·7	-	12	1	1	2	-	5	
BRUSSEL	163,601	"	17	90	84	26·8	-	-	-	1*	-	1	7	
CAIRO	374,838	"	15	443	355	40·2	-	-	-	-	2	13	79	
ALEXANDRIA	231,396	"	15	216	228	51·4	-	4	-	3*	-	4	44	
NEW YORK	1,875,385	"	17	-	853	23·0	5	27	19	47	5	4	11	
BROOKLYN	1,003,781	"	17	-	371	19·3	-	1	8	20	4	1	3	
PHILADELPHIA	1,139,457	"	17	-	488	22·3	-	12	5	16	6	5	4	
NEW ORLEANS	254,000	"	3	-	137	23·1	1	-	-	4	-	9	3	

* Including deaths from croup.

† Including 20 deaths from cholera in Calcutta, and 10 in St. Petersburg.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 10TH MARCH, 1894.

[Under the Superintendence of the Astronomer Royal.]

1894.										Wind as deduced from Anemometers.										Rain collected in a cistern whose receiving surface is above the ground.				
Phases of the Moon.	Barometer, Mean daily reading reduced to 30 in. of mercury (Fahrenheit).	TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE.		Oster's.				Robinson's.		Ozone.						
		Of the Air.				Of the Dew Point.		Of Radiation.		General Direction.		Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.										
		High-est.	Low-est.	Daily Range.	Mean daily value.	Mean daily value.	De-parture from Average of 50 years.	Mean daily value.	Of the Dew Point.	Highest in Shade.	Lowest on Grass.	A.M.	P.M.	Great-est.	Least.	Mean of hourly obs.	Miles.		Miles.					
MARCH.																								
SUNDAY	4	29.903	52.0	36.0	16.0	42.7	+ 2.0	35.0	0.0	7.7	15.6	0.0	74	102.0	31.2	SW. & WSW.	WSW. & NW.	lbs. 5.6	0.0	0.5	409	+ 74	0.00	1.7
MONDAY	5	30.043	51.0	30.4	20.6	40.8	- 0.1	34.0	0.0	6.8	14.0	0.0	77	96.0	24.9	NW. & SW.	SW.	10.1	0.0	0.7	450	+ 114	0.01	6.0
TUESDAY	6	29.464	52.8	41.3	11.5	45.7	+ 4.6	36.7	1.0	9.0	17.0	0.0	71	90.9	35.5	SW. & W.	WNW.	15.5	0.0	1.8	686	+ 350	0.05	2.3
WEDNESDAY	7	29.686	50.3	35.3	15.0	42.1	+ 1.1	37.2	0.0	4.9	13.0	0.0	83	93.2	30.0	NW. & WSW.	SW. & SSW.	3.7	0.0	0.2	320	- 15	0.01	3.2
THURSDAY	8	29.462	49.3	39.4	9.9	44.2	+ 3.3	42.5	0.0	1.7	3.7	0.0	94	62.1	33.9	SSW.	SW.	4.8	0.0	0.3	392	+ 59	0.10	3.8
FRIDAY	9	29.437	51.5	37.8	13.7	45.7	+ 4.9	43.1	0.0	2.6	7.8	0.0	91	70.3	34.0	SSW.	SSW.	7.4	0.0	0.8	510	+ 179	0.01	8.0
SATURDAY	10	29.543	55.3	43.2	12.1	48.3	+ 7.6	40.6	1.0	7.7	15.6	1.0	75	91.3	38.8	SW.	SW. & SSW.	4.5	0.0	0.5	469	+ 140	0.01	10.0
MEANS		29.649	51.7	37.6	14.1	44.2	+ 3.3	38.4	0.3	5.8	12.4	0.0	81	86.5	32.6	SW. & NW.		Sum 3236	Sum + 901	Sum 0.19	5.0
Number of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 168 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1875 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily rate of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the meteorologic records for the 16 years ending 1875. The reading of the aneroid is given in column 9 and 25 it will be borne in mind that + indicates "higher," and - "lower," than the average. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable. The numbers in column 27 derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer is decreased from 29.95 in. at the beginning of the week to 29.88 in. by noon on the 4th; increased to 30.18 in. by 9h. A.M. on the 5th; decreased to 29.44 in. by noon on the 6th; increased to 29.72 in. by noon on the 7th; decreased to 29.49 in. by 3h. P.M. on the 8th; increased to 29.51 in. by 9h. P.M. on the same day; decreased to 29.39 in. by 9h. P.M. on the 9th; and increased to 29.58 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 11. 1894. VOL. LV.]

WEEK ENDING SATURDAY, MARCH 17.

[Price 1½d.

*General Register Office, Somerset House,
March 19th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·2 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.		Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.
Birkenhead	23·2	19·7	20·7	18·3	Liverpool -	24·8	25·4	25·1	25·6
Birmingham	20·9	21·1	17·4	19·3	London -	20·0	21·0	20·4	19·3
Blackburn -	19·9	19·5	23·2	19·9	Manchester -	23·3	22·4	21·7	21·1
Bolton -	18·1	20·3	20·7	16·3	Newcastle-on-Tyne	17·0	18·8	19·6	12·1
Bradford	17·7	17·2	18·9	18·6	Norwich -	17·8	20·2	14·3	14·8
Brighton -	17·1	19·3	18·9	13·6	Nottingham -	18·4	23·1	14·9	16·3
Bristol -	17·7	19·0	20·9	20·5	Oldham -	22·2	25·2	18·8	21·4
Burnley -	26·5	21·1	18·9	24·3	Plymouth -	25·5	25·5	22·5	19·6
Cardiff	16·5	17·5	22·4	14·7	Portsmouth -	12·2	15·6	14·6	13·6
Croydon -	17·2	14·9	17·2	12·1	Preston -	25·7	22·5	19·2	20·6
Derby -	14·8	16·9	16·4	20·6	Salford -	18·5	25·3	22·0	24·6
Gateshead -	16·8	18·4	14·5	22·9	Sheffield -	21·7	19·4	19·1	18·2
Halifax -	19·7	18·0	20·8	15·7	Sunderland -	21·5	14·9	21·5	17·2
Huddersfield	18·0	16·9	11·1	14·3	Swansea -	23·5	14·2	20·2	21·9
Hull -	18·9	19·4	16·9	18·6	West Ham -	16·6	16·6	20·1	18·4
Leeds -	16·4	19·0	17·2	18·2	Wolverhampton -	29·4	33·1	23·9	20·8
Leicester -	18·2	13·8	19·3	16·8					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·1 in West Ham, 1·7 in Leicester, 1·8 in Wolverhampton, and 2·0 in Birkenhead; from *scarlet fever*, 1·6 in Burnley; from *whooping-cough*, 1·1 each in Swansea, Derby, and Oldham, and 1·2 in Plymouth; from "*fever*," 1·1 in Liverpool; and from *diphtheria*, 1·1 in Derby. The 71 deaths from *diphtheria* included 52 in London, 3 in Manchester, and 2 each in West Ham, Birmingham, and Sheffield. Eight deaths from *small-pox* were registered in Birmingham, 3 in London, 2 in West Ham, one death in Cardiff, and one in Oldham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2558 BIRTHS and 1610 DEATHS were registered. Allowing for increase of population, the births were 262, and the deaths 261, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·0, 21·0, and 20·4 in the preceding three weeks, further declined last week to 19·3. During the four weeks ending on Saturday last the death-rate averaged 20·2 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1884–93.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

The 1610 deaths included 3 from small-pox, 74 from measles, 19 from scarlet fever, 52 from diphtheria, 55 from whooping-cough, 14 from enteric fever, 10 from diarrhoea and dysentery, and not one from typhus, any ill-defined form of continued fever, or from cholera; thus, 227 deaths were referred to these diseases, being 20 above the corrected average weekly number.

Three deaths from *small-pox* were registered, of which 2 were of persons brought from outside Registration London. The numbers of cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals and in the Highgate Small-pox Hospital were respectively 65 and 22, making a total of 87, against 81, 84, and 87 on the preceding three Saturdays; 20 cases were admitted during the week, against 18, 17, and 24 in the preceding three weeks. The deaths from *measles*, which had been 59, 47, and 66 in the preceding three weeks, increased last week to 74, exceeding the corrected average by 21. The deaths from *scarlet fever*, which had been 20, 20, and 17 in the preceding three weeks, numbered 19 last week, being one death in excess of the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2107 scarlet fever patients at the end of last week, against 2181, 2188, and 2153 on the preceding three Saturdays; 222 cases were admitted during the week, against 239 and 212 in the preceding two weeks. The deaths from *diphtheria*, which had been 42, 59, and 53 in the preceding three weeks, numbered 52 last week, and were 24 above the corrected average; 6 belonged to Bethnal Green sanitary area. The Metropolitan Asylum Hospitals* contained 307 diphtheria patients at the end of last week, against 310, 303, and 304 on the preceding three Saturdays; 63 cases were admitted during the week, against 67 and 69 in the preceding two weeks. The deaths from *whooping-cough*, which had been 74, 72, and 59 in the preceding three weeks, further declined last week to 55, being 21 below the corrected average. The fatal cases of *enteric fever*, which had numbered 4, 12, and 10 in the preceding three weeks, again increased last week to 14, and exceeded the corrected average by 5. The Metropolitan Asylum Hospitals* contained 95 cases of enteric fever and 2 of typhus on Saturday last; 12 cases of enteric fever were admitted during the week, against 18 and 7 in the preceding two weeks. The deaths from *diarrhoea*, which had been 16, 14, and 13 in the preceding three weeks, further declined last week to 10, and were 6 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 408, 413, and 434 in the preceding three weeks, declined to 373 last week, and were 151 below the corrected average.

The deaths attributed directly to *influenza* numbered 18, having been 24, 20, and 14 in the preceding three weeks.

The death of a wharf labourer, aged 37 years, was attributed, after inquest, to "cardiac failure consequent upon anthrax."

Different forms of violence caused 75 deaths, concerning all but 2 of which inquests were held. Of these 75 deaths, 13 were cases of suicide, and one was a case of homicide, while the remaining 61 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 9 to burns and scalds, 7 to drowning, and 20 (of infants under one year of age) to suffocation in bed.

The death of a cab-driver, aged 38 years, was attributed, after inquest, to "syncope when under the influence of chloroform duly and properly administered" when suffering from injury."

GREATER LONDON.

In Greater London 3474 births and 2043 deaths were registered, corresponding to annual rates of 30·5 and 17·9 per 1000 of the estimated population. In the Outer Ring 3 deaths from small-pox, 11 from measles, 7 from scarlet fever, 16 from diphtheria, and 13 from whooping-cough were recorded. Two of the deaths from small-pox occurred in West Ham district and one in Romford district. In the former district 8 deaths from measles, 5 from scarlet fever, 4 from diphtheria, and 5 from whooping-cough were registered. Four deaths from diphtheria occurred in Edmonton district, and 3 in Brentford district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·49 inches, and that of the Thermometer 42°·6, the latter being 1°·5 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 30 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 25·4 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 17th March 1894.

CITIES AND BOROUGHES.	Cols.	Population estimated to the middle of the Year 1841.		Registered during the Week ending 17th Mar. 1894.		Deaths of		Deaths from										TEMPERATURE OF THE AIR.										RAINFALL.		CITIES AND BOROUGHES.
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Causes.	From Diseases in Cols. 6-12.	Lowest.			Highest.			Mean.	In Inches.	In Centi- metres.			
																			19.	20.	21.	22.	23.	24.						
																												Fahrenheit.	Fahrenheit.	
33 TOWNS	-	10,458,442	6409	3855	501	944	15	124	47	71	118	39	34	157	282	787	82	19.2	2.2	56.5	25.0	41.4	5.22	0.63	1.60	-	33 TOWNS.			
LONDON	-	4,840,166	2558	1610	383	412	3	74	19	52	55	14	10	75	140	436	22	19.3	2.7	56.5	30.2	42.6	5.80	0.41	1.04	-	LONDON.			
WEST HAM	-	288,184	176	84	21	9	2	5	4	2	3	1	-	4	4	6	3	18.4	3.7	-	-	-	-	-	-	-	WEST HAM.			
CROYDON	-	111,921	56	26	6	14	-	-	-	1	-	-	-	-	1	4	-	12.1	0.5	56.5	26.0	41.6	5.33	0.64	1.63	-	CROYDON.			
BRIGHTON	-	118,715	58	31	5	12	-	-	-	1	-	-	-	2	4	8	-	13.6	0.4	51.2	32.6	43.7	6.50	0.67	1.70	-	BRIGHTON.			
PORTSMOUTH	-	170,773	98	61	17	20	-	-	-	1	-	-	-	4	6	10	1	18.6	0.6	53.0	33.0	42.9	6.06	0.74	1.88	-	PORTSMOUTH.			
PLYMOUTH	-	87,931	53	33	12	8	-	-	-	1	2	-	-	-	2	4	1	19.6	1.8	-	-	-	-	-	-	-	PLYMOUTH.			
BRISTOL	-	226,478	122	89	19	25	-	-	-	2	4	3	-	-	2	24	1	20.5	1.6	50.0	30.0	41.9	5.50	1.34	3.40	-	BRISTOL.			
CARDIFF	-	148,890	49	42	9	8	1	-	-	-	1	5	6	7	6	7	-	14.7	1.4	-	-	-	-	-	-	-	CARDIFF.			
SWANSEA	-	45,599	60	40	9	9	-	1	-	-	2	-	-	2	3	1	-	21.9	1.6	-	-	-	-	-	-	-	SWANSEA.			
WOLVERHAMPTON	-	85,036	68	24	10	8	-	3	-	-	1	-	1	1	3	7	-	20.8	3.1	50.7	25.8	39.1	3.94	0.31	0.79	-	WOLVERHAMPTON.			
BIRMINGHAM	-	492,801	310	182	47	39	8	8	1	2	3	2	1	7	6	40	13	19.3	2.6	-	-	-	5.56	0.32	0.81	-	BIRMINGHAM.			
NORWICH	-	105,645	68	20	8	10	-	1	-	-	-	-	-	2	3	4	-	14.8	0.5	55.4	29.6	42.0	-	-	-	-	NORWICH.			
LEICESTER	-	159,136	136	61	15	15	-	6	-	-	-	1	-	-	2	5	10	-	16.8	1.9	-	-	-	-	-	-	LEICESTER.			
NOTTINGHAM	-	223,484	120	70	23	19	-	2	-	-	1	1	1	3	5	9	1	16.3	1.2	52.2	25.0	40.6	4.78	0.38	0.97	-	NOTTINGHAM.			
DERBY	-	48,766	24	59	8	14	-	-	-	-	2	1	2	-	-	-	5	-	20.6	2.6	-	-	-	-	-	-	DERBY.			
BIRKENHEAD	-	105,627	76	37	5	8	-	4	-	1	2	-	-	1	1	1	-	18.3	3.5	-	-	-	-	-	-	-	BIRKENHEAD.			
LIVERPOOL	-	507,230	318	249	47	47	-	9	8	1	7	11	1	11	13	54	11	25.6	3.8	49.0	35.3	41.1	5.06	0.58	1.47	-	LIVERPOOL.			
BOLTON	-	118,303	85	37	11	8	-	-	-	-	1	-	2	-	-	5	-	16.3	1.3	-	-	-	-	-	-	-	BOLTON.			
MANCHESTER	-	220,211	318	211	56	38	-	5	1	3	10	-	8	9	18	43	2	21.1	2.7	-	-	-	-	-	-	-	MANCHESTER.			
SALFORD	-	205,838	134	97	31	19	-	2	1	-	2	2	1	5	8	14	4	24.6	2.0	-	-	-	-	-	-	-	SALFORD.			
OLDHAM	-	128,715	71	37	11	13	1	1	1	1	3	-	1	3	6	6	-	21.4	3.0	-	-	-	-	-	-	-	OLDHAM.			
BURNLEY	-	46,478	57	45	10	11	-	3	1	-	1	-	1	1	1	3	2	24.3	2.7	-	-	-	-	-	-	-	BURNLEY.			
BLACKBURN	-	125,797	85	48	8	15	-	1	1	-	-	1	1	3	4	8	1	19.9	1.7	-	-	-	-	-	-	-	BLACKBURN.			
PRESTON	-	111,425	67	44	11	11	-	-	2	-	-	-	1	1	2	2	3	20.6	1.4	-	-	-	-	-	-	-	PRESTON.			
HUDDESFIELD	-	88,511	46	27	8	8	-	-	-	-	1	-	1	2	2	4	1	14.3	1.1	-	-	-	-	-	-	-	HUDDESFIELD.			
HALEFAX	-	42,861	49	28	4	10	-	-	1	1	-	-	-	-	-	3	2	15.7	1.1	-	-	-	-	-	-	-	HALEFAX.			
BRADFORD	-	233,185	124	80	15	24	-	-	1	1	2	-	-	2	9	9	1	18.6	0.9	49.2	31.0	40.3	4.61	1.27	3.23	-	BRADFORD.			
LEEDS	-	388,761	245	136	33	34	-	-	1	1	-	-	-	4	10	25	-	18.2	0.7	-	-	-	-	-	-	-	LEEDS.			
SHEFFIELD	-	328,316	241	118	41	22	-	1	2	2	4	2	-	-	7	15	7	18.2	1.7	-	-	-	-	-	-	-	SHEFFIELD.			
HULL	-	212,079	153	76	19	20	-	-	-	1	1	-	-	5	5	10	6	18.6	0.5	52.0	25.0	39.4	4.11	0.32	0.81	-	HULL.			
SUNDERLAND	-	126,101	88	45	15	11	-	-	-	-	-	-	-	1	3	6	-	17.2	0.8	-	-	-	-	-	-	-	SUNDERLAND.			
GATEHEAD	-	43,372	83	41	15	10	-	-	-	-	1	-	-	1	4	2	-	22.9	0.6	-	-	-	-	-	-	-	GATEHEAD.			
NEWCASTLE	-	201,947	113	47	19	13	-	1	-	-	3	-	-	2	5	2	-	12.1	1.0	-	-	-	-	-	-	-	NEWCASTLE.			

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the ELEVENTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2761	2675	2750	2501	2629	2699	2717	2751	2576	2656	2819.5	2558
Males	1384	1330	1356	1251	1352	1366	1381	1413	1303	1314	1419.5	1237
Females	1377	1345	1394	1250	1277	1333	1336	1338	1273	1342	1400.0	1271
TOTAL Deaths	1660	1678	2413	1652	1604	1638	1771	1751	1983	1578	1871.0	1610
Males	856	841	1229	829	797	812	907	887	1037	799	949.2	864
Females	804	837	1184	823	807	826	864	864	946	779	921.8	746

* The numbers in this column are the average weekly numbers in the eleventh weeks of the ten years 1884-93 raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.
TOTAL Births	2378	2106	2486	2367	2719	2689	2708	2709	2602	2587	2564	2636	2538
TOTAL Deaths	2170	1920	2040	2462	1975	1655	1621	1534	1552	1664	1748	1700	1610
Ages at Death													
0-20 years	915	852	924	1030	813	748	717	702	705	771	793	740	737
20-40 "	261	254	244	280	230	203	216	199	190	245	226	241	185
40-60 "	366	325	370	450	371	277	297	276	307	272	323	298	276
60-80 "	503	414	410	585	449	334	319	301	292	323	338	345	336
80 years & upwards	125	75	92	117	112	83	72	56	58	53	68	76	76
Deaths from Small-pox	1	-	2	1	-	-	1	-	-	2	1	-	3
" " Measles	49	49	60	65	45	35	21	42	40	59	47	66	74
" " Scarlet fever	32	27	35	26	25	9	22	23	24	20	20	17	19
" " Diphtheria	63	79	66	55	48	52	74	56	58	42	59	53	52
" " Whooping-cough	74	67	81	107	93	86	69	54	60	74	72	59	55
" " Typhus	-	-	-	-	-	-	-	-	-	1	-	-	-
" " Enteric fever	24	17	10	15	13	12	14	6	8	4	12	10	14
" " Simple Contag. fever	-	1	-	1	3	-	-	-	-	-	1	-	-
" " Diarrhœa and Dysentery	15	7	9	12	16	15	14	17	16	16	14	13	10
" " Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
" " all the above-mentioned Diseases	258	247	263	282	243	209	215	198	206	218	226	218	227
" " Dis. of Respiratory System	635	516	566	762	547	422	385	372	340	408	413	434	373
" " Phthisis	161	164	179	230	150	149	159	148	145	185	175	151	151
" " Dis. of Circulatory System	136	130	157	188	161	124	148	114	118	112	157	129	114
Violent Deaths	65	65	77	92	73	55	73	53	61	62	70	65	75
Inquest Cases	166	144	183	227	178	115	135	108	140	141	165	138	140
Deaths in Public Institutions	555	456	474	626	531	462	489	441	486	462	479	500	436
TEMPERATURE OF THE AIR													
Mean	41.7	40.3	26.5	37.5	45.0	41.6	42.0	46.0	41.0	34.3	44.0	44.2	42.6
Mean of Highest readings	46.6	44.6	30.1	42.3	43.5	46.1	47.9	51.3	45.9	41.0	51.4	51.7	51.3
Mean of Lowest readings	36.4	35.6	22.0	31.2	40.7	36.6	37.3	40.4	36.7	27.3	37.3	37.6	35.9
Humidity of the Air	89	90	77	89	88	84	83	86	83	78	84	81	79
Rain-fall in inches	0.69	0.16	0.56	0.43	0.36	0.71	0.69	0.27	0.60	0.21	0.45	0.19	0.41
Registered Sunshine (in hours)	8.2	3.6	3.4	7.0	9.2	10.0	18.5	6.9	8.1	38.0	15.6	14.4	25.4

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; F. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and J. P. Bobbyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McIndosborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the ELEVENTH Week of the Year 1894.

CAUSES OF DEATH.		Corrected Averages for the 11th Week of the 10 years 1884-93.*	In the Week ending Saturday, 17th March 1894.										Corrected Averages for the 11th Week of the 10 years 1884-93.*	CAUSES OF DEATH.		Corrected Averages for the 11th Week of the 10 years 1884-93.*	In the Week ending Saturday, 17th March 1894.													
			Deaths of Persons of the Ages														Deaths of Persons of the Ages													
			ALL AGES.	Under 20.			30 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.					30 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.										
				0-1.	1-6.	5-20.						0-1.									1-6.	5-20.								
ALL CAUSES -		1871.0	1610	333	298	106	185	276	336	76	Diseases of Organs of Special Sense - - -	8.4	1	-	-	-	-	1	-	-	Diseases of Circulatory System - - -	153.6	114	2	2	8	17	32	45	8
Small-pox	Vaccinated†	1.1	1	-	-	-	1	-	-	-	Croup - - - - -	13.2	4	-	4	-	-	-	-	-	Bronchitis - - - -	334.5	208	45	39	2	6	21	77	16
	Unvaccinated	1.2	1	-	-	-	-	1	-	-	Pneumonia - - - -	134.1	142	30	43	5	12	25	24	8	Pleurisy - - - - -	6.0	4	-	1	-	-	1	2	-
	No Statement	1.5	1	-	-	-	-	-	1	-	Other Diseases of Respiratory System - - -	38.4	17	1	3	-	1	5	6	1	Dentition - - - - -	15.9	11	4	7	-	-	-	-	-
Measles -		53.0	74	19	52	3	-	-	-	-	Quinsy, Sore Throat -	2.2	1	-	1	-	-	-	-	-	Enteritis - - - - -	9.0	9	7	1	1	-	-	-	-
Scarlet Fever -		18.2	19	-	14	5	-	-	-	-	Peritonitis - - - -	8.0	6	1	-	1	2	-	1	-	Diseases of Liver - -	24.7	26	2	1	-	7	11	4	1
Typhus -		0.4	-	-	-	-	-	-	-	-	Other Diseases of Digestive System -	23.3	34	4	1	5	5	8	9	2	Diseases of Lymphatic System & of Ductless Glands - - - -	2.0	4	-	-	1	-	3	-	-
Relapsing Fever -		-	-	-	-	-	-	-	-	-	Diseases of Urinary System - - - -	43.3	44	1	1	3	8	11	18	2	Diseases of Generative System - - - -	4.4	4	-	-	-	-	3	1	-
Influenza -		9.9	18	1	1	2	2	5	6	1	Accidents of Childbirth -	3.8	8	-	-	-	7	1	-	-	Diseases of Locomotive System - - - -	7.1	5	-	-	1	1	1	2	-
Whooping-cough -		76.4	55	26	25	4	-	-	-	-	Diseases of Integumentary System - - - -	6.5	3	3	-	-	-	1	-	-	VIOLENT DEATHS, (ACCIDENT.)									
Diphtheria -		23.3	52	1	34	15	1	-	1	-	By Railways - - - -		1	-	-	-	-	-	1	-	By Vehicles or Horses -		4	-	-	1	-	2	-	1
Simple Continued and Ill-defined Fever -		1.1	-	-	-	-	-	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) -		-	-	-	-	-	-	-	-	In Building Operations -		-	-	-	-	-	-	-	-
Enteric Fever -		0.4	14	-	2	6	4	2	-	-	In Conflagrations - - -		-	-	-	-	-	-	-	-	By Burns, Scalds, Explosions - - - -	55.3	9	-	6	2	1	-	-	-
Cholera and Chol. Diarr.		0.5	-	-	-	-	-	-	-	-	By Drowning - - - -		7	-	-	2	3	2	-	-	By Suffocation in Bed -		20	20	-	-	-	-	-	-
Diarrhoea, Dysentery		15.6	10	4	1	-	2	1	2	-	By Poisons or Poisonous Vapours - - - -		1	-	-	-	-	1	-	-	Other or not stated Causes - - - -		19	4	2	4	1	-	5	3
Remittent Fever -		0.2	1	-	1	-	-	-	-	-	(VIOLENCE OTHER THAN ACCIDENTAL.)										Homicide - - - - -	1.3	1	-	-	-	1	-	-	-
Hydrophobia -		0.1	-	-	-	-	-	-	-	-	Suicide - - - - -	9.4	13	-	-	-	-	4	5	4	Execution - - - - -	0.1	-	-	-	-	-	-	-	-
Glanders -		0.3	-	-	-	-	-	-	-	-	OTHER CAUSES - - -	53.7	48	44	-	-	-	2	1	1										
Cowpox and Effects of Vaccination -		0.2	-	-	-	-	-	-	-	-																				
Veneral Affections -		10.2	10	5	1	-	8	1	-	-																				
Erysipelas -		4.7	6	-	1	-	2	2	1	-																				
Pyæmia and Septicæmia		2.2	1	1	-	-	-	-	-	-																				
Puerperal Fever -		6.4	5	-	-	5	-	-	-	-																				
Other Zymotic Diseases		1.2	4	-	2	-	1	1	-	-																				
Thrush -		1.1	-	-	-	-	-	-	-	-																				
Worms and other Parasitical Diseases -		0.3	-	-	-	-	-	-	-	-																				
Starvation, Want of Breast-milk -		1.9	2	2	-	-	-	-	-	-																				
Alcoholism -		6.4	10	-	-	2	5	3	-	-																				
Rheumatic Fever, Rheumatism of Heart		8.1	9	-	-	4	3	1	1	-																				
Rheumatism -		3.0	-	-	-	-	-	-	-	-																				
Gout -		3.9	9	-	-	1	1	6	1	-																				
Rickets -		6.2	4	2	2	-	-	-	-	-																				
Cancer -		59.9	78	-	1	1	8	33	32	1																				
Tabs Mesenterica -		23.5	19	12	4	1	1	1	-	-																				
Tubercular Meningitis		20.4	26	4	13	7	1	1	-	-																				
Phthisis -		174.6	154	1	7	10	64	52	19	-																				
Scrofula, Tuberculous		18.4	22	4	10	5	3	-	-	-																				
Other Constitutional Diseases -		11.7	10	-	-	1	-	2	7	-																				
Premature Birth -		43.0	40	40	-	-	-	-	-	-																				
Atelectasis -		2.5	3	3	-	-	-	-	-	-																				
Congenital Malformations -		7.5	10	10	-	-	-	-	-	-																				
Old Age -		59.6	37	-	-	-	-	-	14	23																				
Apoplexy -		45.2	36	-	-	-	2	12	17	5																				
Epilepsy -		7.6	7	-	-	1	2	1	3	-																				
Convulsions -		50.3	30	25	5	-	-	-	-	-																				
Other Diseases of Brain and Nervous System		105.6	63	8	10	5	7	12	23	5																				

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.341 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

		The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Enu-merated Popu-lation 1891.	Total Births.	Deaths of				Deaths from											Deaths in Public Institutions	
				Total Deaths.	Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con-tinued Fever.	Diarrhoea.	Violence.				
LONDON		4,211,743	2558	1610	333	412	3	74	19	52	55	-	14	-	10	75	140	436		
WEST DISTRICTS		740,735	362	268	58	71	-	14	6	10	8	-	2	-	3	13	22	78		
NORTH DISTRICTS		993,834	609	359	67	91	2	12	4	15	13	-	2	-	1	15	31	90		
CENTRAL DISTRICTS		247,836	124	83	19	25	-	-	-	2	-	-	-	-	1	7	13	27		
EAST DISTRICTS		705,114	576	293	69	58	-	19	1	9	15	-	3	-	3	18	33	85		
SOUTH DISTRICTS		1,524,472	957	571	120	156	-	29	6	16	19	-	4	-	2	22	41	120		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON		-	-	85	-	11	1	-	2	-	-	-	2	-	-	-	-	36		
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		84159	51	31	4	13	-	1	-	-	-	-	1	-	-	-	5	6		
St. John Paddington H - G.J.		33687	11	19	2	9	-	-	-	3	-	-	-	-	-	3	3	8		
Kensington Town WH - W.M.		118751	56	39	11	9	-	2	-	1	2	-	-	-	1	3	4	9		
Brompton H - W.M. & C.		47557	10	11	-	1	-	-	-	-	-	-	-	-	-	-	-	4		
St. Peter Hammersmith - W.M.		8368	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.		38433	45	30	11	9	-	1	-	3	-	-	1	-	-	1	3	2		
Fulham WH - W.M. & C.		91639	73	45	13	7	-	8	5	4	1	-	-	-	2	2	5	11		
Chelsea Kensal Town - C.		21757	17	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North WHHHH - C.		41637	20	80	6	5	-	-	-	-	1	-	-	-	-	1	1	17		
Chelsea South HH - C.		32823	13	7	1	4	-	-	-	-	-	-	-	-	-	1	1	-		
May Fair W - G.J.		23733	5	4	-	4	-	-	-	-	-	-	-	-	-	-	-	2		
Belgrave WHHH - C.		54631	24	16	6	2	-	1	-	-	-	-	-	-	-	-	-	8		
St. John Westminster HHH - C.		31108	12	7	2	-	-	-	-	-	-	-	-	-	-	-	-	2		
St. Margaret Westminster H - C.		21663	5	7	-	1	-	-	-	1	-	-	-	-	-	1	-	4		
St. James Westminster WHH N.R. & G.J.		24095	8	15	1	5	-	1	-	-	-	-	-	-	-	-	-	5		
St. Anne Soho HHHHHH - N.R.		12317	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																				
All Souls Marylebone - W.M.		37713	9	17	-	5	-	-	-	-	-	-	-	-	-	-	1	3		
HHHHHHHH - G.J. & W.M.		20024	5	7	1	3	-	-	-	-	-	-	-	-	-	-	-	2		
Rectory Marylebone WHH G.J. & W.M.		19239	84	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary Marylebone HHHH G.J. & W.M.		33327	20	12	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H - W.M.		32101	12	7	2	1	-	-	-	1	-	-	-	-	-	-	-	-		
St. John Marylebone H - W.M.		68416	34	36	4	9	-	1	3	8	1	-	1	-	-	1	3	17		
Hampstead WHHHH N.R. & W.M.		35590	20	12	2	3	-	-	-	-	2	-	-	-	-	-	-	1		
Regent's Park Pancras HH - W.M.		26331	16	15	3	3	-	-	-	1	-	-	-	-	1	2	1	2		
Tottenham-court WHHHH N.R. & W.M.		27455	15	5	-	4	-	-	-	-	-	-	-	-	-	2	5	10		
Gray's Inn Lane HHH - N.R.		32329	13	9	2	2	-	-	-	-	-	-	-	-	-	1	1	3		
Comers Town HH - N.R.		15419	13	7	2	2	-	-	-	-	-	-	-	-	-	1	1	5		
Camden Town WH - N.R.		95765	65	35	5	9	-	1	-	-	-	-	-	-	-	2	1	11		
Kentish Town W - N.R.		90235	53	46	8	14	2	-	-	1	1	-	1	-	-	2	2	23		
Upper Holloway WHHHH - N.R.		105557	75	28	11	6	-	2	-	-	1	-	-	-	-	-	-	-		
Islington South-west H - N.R.		64153	52	9	1	2	-	-	-	-	-	-	-	-	-	1	1	-		
Islington South-east - N.R.		59198	25	20	6	5	-	-	-	-	2	-	-	-	-	-	-	-		
Highbury HH - N.R.		39036	16	12	4	2	-	-	-	-	1	-	-	-	-	-	1	-		
Stoke Newington H - N.R.		17759	10	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - E.L.		42902	25	10	-	4	-	-	-	1	-	-	-	-	-	-	-	-		
West Hackney H - N.R.		96486	59	50	9	9	-	7	1	4	4	-	-	-	-	1	3	12		
Hackney WHHHH - N.R.		41764	31	13	6	1	-	1	-	-	-	-	-	-	-	1	3	4		
CENTRAL DISTRICTS.																				
St. George Bloomsbury - N.R.		16695	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
St. Giles South WH - N.R.		13454	8	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
St. Giles North H - N.R.		9833	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2		
St. Martin-in-the-Fields HHN R. & C.		14616	3	3	1	-	-	-	-	-	-	-	-	-	-	1	2	1		
St. Mary-le-Strand H - N.R.		5706	1	2	1	1	-	-	-	-	-	-	-	-	-	-	1	1		
St. Clement Danes WH - N.R.		7194	2	3	1	1	-	-	-	-	-	-	-	-	-	-	2	1		
Strand Union Workhouse, Edmonton w.		-	-	4	1	3	-	-	-	-	-	-	-	-	-	-	-	4		
St. Geo.-the-Martyr HHHHHH N.R.		17921	4	8	-	1	-	-	-	-	-	-	-	-	-	-	-	3		
St. Andrew Eastern W - N.R.		15343	9	3	2	1	-	-	-	-	-	-	-	-	-	1	-	-		
St. James Clerkenwell - N.R.		16303	15	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - N.R.		16893	9	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-		
Pentonville - N.R.		17155	13	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Goodwell-street - N.R.		15375	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
City-road HHHH - N.R.		29177	26	7	3	1	-	-	-	-	-	-	-	-	-	-	1	-		
Whitecross-street - N.R.		32374	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1		
Finsbury - N.R.		4985	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, Mitchenam w.		-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2		
St. Botolph H - N.R. & E.L.		8944	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Cripplegate - N.R.		4639	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - N.R.		4444	-	10	-	1	-	-	-	1	-	-	1	-	-	2	2	10		
St. Bride W - N.R.		6594	5	6	1	3	-	-	-	-	-	-	-	-	-	-	1	1		
Allhallows Barking - N.R.		10422	2	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
Broad Street H - N.R.		3577	-	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-		
City of London Asylum, Stone		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; P—Private Lunatic Asylum; in which paupers are received; w—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1891.	Total Births.	Deaths of		Deaths from											Deaths in Public Institutions.	Un- certified Causes of Death.	
				Total Deaths.	Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- nosed Fever.	Diarrhea.	Violence.			Incurable Cases.
EAST DISTRICTS.																			
Shoreditch South	HL*	E.L. & N.R.	20098	13	6	1	2	-	1	-	-	1	-	-	-	-	-	3	-
Foxton New Town	w	-	20813	28	10	2	4	-	-	-	-	-	-	-	-	-	2	5	
Foxton Old Town	-	-	28554	20	8	1	1	-	-	-	-	-	-	-	-	-	1	-	
Jaggerston	WH	-	46244	36	29	9	5	-	2	-	1	1	-	-	-	-	14	-	
Bethnal Green North	H	-	51520	31	24	4	1	-	2	-	2	1	-	-	-	-	-	-	
Bethnal Green South	-	-	33489	22	5	1	-	-	-	-	2	1	-	-	-	4	4	1	
Bethnal Green East	WHL*	-	44123	20	25	3	6	-	1	-	1	1	-	-	-	1	2	9	
Spitalfields	-	-	22456	16	6	5	-	-	1	-	-	1	-	-	-	1	1	-	
Mile End New Town	W	-	17908	14	15	3	1	-	1	-	-	1	-	-	-	-	1	9	
Whitechapel Church	H	-	20293	15	16	3	3	-	-	-	-	-	-	-	-	1	-	15	
Woodman's Fields	-	-	13600	13	8	3	2	-	-	-	-	1	-	-	-	-	-	-	
St. George's North	-	-	37728	36	13	5	2	-	2	-	-	-	-	-	-	-	-	-	
St. John, St. George East	W	-	8057	8	10	1	3	-	2	-	-	-	-	-	-	-	5	-	
Shadwell	H	-	10246	4	8	5	-	-	1	-	1	1	-	-	-	2	2	5	
Ratcliff	-	-	14928	9	3	1	-	-	-	-	-	-	-	-	-	2	2	-	
Lincolns	-	-	32202	19	10	2	1	-	1	-	-	1	-	-	-	1	3	-	
Mile End Old Town West	H	-	38650	26	15	5	3	-	1	-	1	2	-	-	-	1	4	1	
Mile End Old Town East	WHL	-	68942	55	29	3	9	-	1	1	-	2	-	-	-	1	1	8	
Bow L*	-	-	40265	28	14	4	3	-	1	-	-	2	-	-	-	-	-	-	
Bromley	WHL	-	70000	48	19	3	8	-	2	-	-	-	-	-	-	1	3	8	
Poplar	WHL	-	64383	16	25	5	5	-	-	-	3	1	-	-	-	2	2	2	
SOUTH DISTRICTS.																			
Christchurch Southwark	WH	L. & S.	18264	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark	-	-	13893	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kent-road	-	-	21867	16	10	3	3	-	2	-	-	-	-	-	-	-	2	1	
Borough-road	WH	-	16824	16	9	3	1	-	-	-	-	-	-	-	-	-	1	5	
London-road	HL	-	21221	8	7	1	1	-	1	-	-	-	-	-	-	-	-	-	
Trinity Newington	-	-	26598	19	11	4	-	-	-	-	-	-	-	-	-	-	-	2	
St. Peter Walworth	W	-	61342	49	18	7	5	-	-	-	2	-	-	-	-	-	-	-	
St. Mary Newington	-	-	47866	14	5	3	-	-	1	-	-	-	-	-	-	-	-	-	
St. Olave	WH	-	12723	9	17	1	2	-	-	-	-	-	-	-	-	4	6	11	
Leather Market	-	-	14052	13	10	5	1	-	1	-	-	-	-	-	-	-	1	-	
St. Mary Magdalen	W	-	15660	18	8	4	1	-	-	-	1	-	-	-	-	-	-	-	
St. James Bermondsey	-	-	54070	43	28	6	7	-	3	-	-	-	-	-	-	1	2	-	
Rotherhithe	WH	-	89255	23	21	3	7	-	3	-	1	1	-	-	-	1	-	6	
Waterloo-road 1st	H	-	14031	12	7	4	1	-	-	-	-	-	-	-	-	-	-	-	
Waterloo-road 2nd	H	-	14644	14	6	1	1	-	2	-	-	-	-	-	-	-	-	-	
Lambeth Church 1st	H	-	1865	12	14	1	3	-	-	-	-	-	-	-	-	-	-	-	
Lambeth Church 2nd	WH	-	38097	27	24	4	7	-	-	-	-	-	-	-	-	2	3	11	
Kennington 1st	H	-	60686	29	14	1	3	-	1	-	2	-	-	-	-	1	3	12	
Kennington 2nd	-	-	89708	16	10	1	5	-	-	-	1	-	-	-	-	-	-	-	
Brixton	w	-	73405	42	30	5	11	-	3	2	-	1	-	-	-	-	-	-	
Norwood	W	-	25657	4	9	2	3	-	2	-	-	-	-	-	-	1	2	2	
East Battersea	-	-	67244	52	15	4	4	-	-	-	1	1	-	-	-	2	3	-	
West Battersea	WHL	-	83314	60	17	9	5	-	3	-	1	-	-	-	-	1	1	9	
Clapham	HH	-	43698	20	7	-	3	-	-	-	-	-	-	-	-	-	-	-	
Wandsworth	WHL	-	46717	18	10	2	3	-	-	-	1	-	-	-	-	1	1	-	
Putney	-	-	17771	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
Streatham	WHL	-	48756	26	11	3	5	-	-	2	-	-	-	-	-	-	5	1	
Dulwich	-	-	6809	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
Camberwell	WHL	-	61666	49	62	6	24	-	3	-	-	1	-	-	-	1	2	39	
Pekham	WH	-	83483	67	22	6	3	-	1	-	-	-	-	-	-	2	3	-	
St. George Camberwell	-	-	63266	47	21	3	5	-	1	-	1	1	-	-	-	-	-	3	
Deptford, North	-	-	35314	17	10	2	1	-	1	-	1	1	-	-	-	-	-	2	
Deptford, Central	w	-	42007	28	21	5	3	-	1	2	2	3	-	-	-	2	5	-	
Deptford, South	-	-	30862	12	13	-	2	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West	H	-	22007	10	6	1	4	-	-	-	1	1	-	-	-	-	-	-	
Greenwich East	WH	-	35223	32	17	2	2	-	-	2	-	-	-	-	-	1	1	7	
Eltham	H	-	5682	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-	
Lee	H	-	23541	10	5	-	3	-	-	-	-	-	-	-	-	-	-	-	
Lewisham	WH	-	30950	18	16	3	10	-	-	-	2	-	-	-	-	1	1	1	
Sydenham	H	-	34162	15	6	-	3	-	-	-	-	-	-	-	-	-	-	-	
Charlton	HH	-	14040	8	6	-	3	-	-	-	1	-	-	-	-	1	1	1	
Woolwich Dockyard	-	-	19606	6	6	2	1	-	-	-	-	-	-	-	-	-	-	-	
Woolwich Arsenal	HH	-	21242	15	5	1	1	-	-	-	-	1	-	-	-	1	2	-	
Plumstead, West	H	-	15869	8	4	1	-	-	-	-	1	-	-	-	-	1	1	-	
Plumstead, East	W	-	36567	27	14	4	3	-	-	-	-	-	-	-	-	-	5	-	
Banstead Asylum	-	-	-	-	7	-	3	-	-	-	-	-	-	-	-	-	7	-	
Caterham Asylum	-	-	-	-	5	-	1	-	-	-	-	-	2	-	-	-	5	-	
Cane Hill Asylum	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-	
Hospital Ships and Camp, Dartford	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	
Darenth Asylum	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-	
Hanwell Asylum	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	
Colney Hatch Asylum	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	5	-	
N.E. Hospital	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	2	-	
Winchmore Hill Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Leavesden Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Slaybury Asylum	-	-	-	-	7	-	1	-	-	-	-	-	-	-	-	-	1	7	

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).
AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 17th March, 1894.

Regis- tration District and Sub- district Name.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include															
						Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 15 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes.			
LONDON—OUTER RING						363 749	1,422,063	916	433	112	105	3	11	7	16	13	3	4	15	21	45
1	Carshalton WHH	12226	26108	13	6	-	2	-	2	-	-	-	-	-	-	-	-	2	1	1	-
2	Epsom, part of* WHH	10423	12508	11	6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
3	Godstone, part of* WHH	754	1594	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Croydon WHH	20451	12699	64	40	6	19	-	-	-	-	-	1	2	-	-	-	2	3	9	-
5	Mitcham W	1169	33083	15	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
6	Wimbledon HHH	322	25761	19	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Kingston WHH	8071	44765	27	16	3	7	-	-	-	-	-	1	-	-	-	-	1	2	3	-
8	Esher, part of* W	6601	12059	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Hampton H	4535	18252	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Richmond WH	2160	25389	18	8	4	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-
11	Mortlake H	2823	16159	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Bromley HHH	9127	23815	18	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
13	Beckenham H	6542	21969	10	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
14	Chislehurst, pt. of* WHH	14307	20373	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Bexley H	12540	30690	23	10	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
16	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Susbury W	11054	13671	8	5	2	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-
18	Staines W	18277	13221	5	7	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
19	Hillingdon WHH	6035	12237	7	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
20	Uxbridge	2172	5417	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	Hayes WH	14537	12619	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Uxbridge WH	6967	26273	13	15	2	7	-	-	-	-	-	1	1	-	-	-	-	1	5	-
23	Twickenham HH	2415	16027	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Brentford HHHH	4318	37777	25	10	4	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-
25	Chislewick	1245	21963	6	6	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
26	Aston WH	6132	30945	18	6	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
27	Harrow RH	13809	15715	6	6	-	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-
28	Edgware H	6994	3344	3	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
29	Willesden HHH	4388	61265	47	17	3	3	-	-	-	-	-	1	1	1	-	-	-	1	-	-
30	Hendon W	8349	15843	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	South Mimms	15595	8474	2	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-
32	Barnet WHH	5441	11778	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
33	Finchley HH	468	25821	10	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
34	Hornsey H	3039	61097	35	14	5	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-
35	Tottenham H	4642	97174	63	22	10	3	-	-	-	-	1	1	-	-	-	-	1	1	2	2
36	Edmonton W	7489	33351	33	13	4	4	-	-	-	-	-	2	1	-	-	-	1	-	-	1
37	Enfield WHH	12639	31803	23	11	2	5	-	-	-	-	-	1	-	-	-	-	-	-	2	-
38	Waltham Abbey	11017	6066	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	Chesham H	8420	9620	11	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
40	Hatfield, part of*	8906	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Bushy	9331	7737	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	Stratford H	1100	42983	34	13	3	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-
44	Plaistow HHHH	1242	55030	56	27	8	1	2	1	2	2	1	-	-	-	-	-	-	1	2	1
45	Canning Town H	1558	54750	41	21	6	-	-	-	3	1	-	2	-	-	-	-	3	2	-	1
46	Forest Gate W	506	49140	40	20	4	7	-	-	1	1	-	-	-	-	-	-	-	-	-	1
47	East Ham W	326	32713	31	11	1	5	-	-	-	1	2	-	-	-	-	-	1	1	1	-
48	Leyton WHH	4524	70188	49	23	10	3	-	-	2	-	-	-	1	-	-	-	-	-	7	2
49	Walthamstow HHL	6501	57330	33	18	5	5	-	-	1	-	-	-	1	-	-	-	-	-	-	2
50	Chigwell, part of* H	11719	12941	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
51	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	Romford, part of* WHH	6556	4324	1	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
53	Ilford	493	10913	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54	Barking Town	3814	14301	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—31: 2, Epsom sub-district, except the parishes of Ashted and Huxley (pop. 1739); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 30: 3, Esher sub-district, except the parish of Esher (pop. 2322); 41: 2, Chislehurst sub-district, except the parishes of Chislefield, Cramm, and Knockholt (pop. 307); 135: 1, the parish of Northw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theodora Bots (pop. 139); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford; 137: 3, Watford, and 187: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 17th March, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from									
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	443,421	5,948,300	17.9	2.5	2043	445	517	6	85	26	63	68	17	14	90	481	
INNER LONDON	74,662	4,349,166	19.3	2.7	1610	333	412	3	74	19	52	55	14	10	75	436	
OUTER RING	368,749	1,599,134	14.1	1.9	433	112	105	3	11	7	16	13	3	4	15	45	

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	March 17	154	103	19.8	2	-	1	2	3	-	1	
GLASGOW	686,820	" 17	478	303	23.0	1	2	4	6	18	7	3	
DUBLIN	349,594	" 17	187	173	25.8	-	1	-	-	5	2	1	
CALCUTTA	466,460	January 20	-	296	33.1	1	2	-	-	-	118	79†	
BOMBAY	821,764	February 27	316	575	36.3	27	22	9	9	9	120	36	
MADRAS	452,518	" 2	329	323	37.1	-	7	9	9	9	113	46	
		" 9	314	353	40.5	-	6	9	9	9	123	62†	
PARIS	2,424,705	March 10	1229	1157	25.5	7	23	3	36*	6	70	32	
BRUSSELS	488,188	" 10	272	200	21.3	-	-	-	4*	4	2	6	
(with 8 Faubourgs)													
AMSTERDAM	437,892	" 10	273	153	17.9	-	4	-	-	3	2	-	
ROTTERDAM	222,233	" 10	171	101	23.5	10	-	1	-	3	-	-	
THE HAGUE	169,823	" 10	123	56	17.1	-	-	-	-	1	-	-	
COPENHAGEN	341,000	" 10	180	136	20.8	-	-	6	-	1	-	3	
STOCKHOLM	249,246	" 3	124	76	15.9	-	-	3	8*	-	-	2	
CHRISTIANIA	161,151	" 10	53	69	22.2	-	10	1	5	-	-	2	
ST. PETERSBURG	954,400	February 17	729	511	27.9	2	11	7	13	3	11	34†	
MOSCOW	753,469	March 3	-	470	32.5	3	9	6	19	6	4	42	
BERLIN	1,714,938	February 24	937	568	17.1	-	4	5	29	5	1	27	
HAMBURG	594,209	March 10	-	-	-	-	-	-	-	-	-	-	
DRESDEN	308,930	February 17	-	-	-	-	-	-	-	-	-	-	
BRESLAU	353,551	March 10	-	196	28.7	-	-	1	5*	2	-	22	
MUNICH	390,000	" 10	-	172	22.9	-	-	-	6*	-	-	19	
VIENNA	1,465,537	" 10	842	895	31.8	-	20	13	43*	2	1	56	
PRAGUE	323,357	" 10	214	195	30.5	-	6	-	5	-	9	5	
BUDA-PESTH	152,769	" 3	410	227	21.4	1	3	1	9	2	2	7	
TRIESTE	169,427	" 3	128	125	40.7	4	1	1	7*	-	-	-	
ROME	450,991	February 17	244	225	26.0	-	2	-	2	1	2†	7	
TURIN (10 days)	335,111	" 20	204	248	27.0	-	16	2	3	1	-	5	
VENICE	163,601	" 24	72	101	32.2	-	-	-	3*	-	-	6	
CAIRO	374,838	" 22	413	366	50.8	-	1	-	1*	1	7	79	
ALEXANDRIA	231,396	" 22	228	190	42.8	1	2	-	4*	2	2	41	
NEW YORK	1,925,569	" 24	-	830	22.4	5	35	20	53	9	3	8	
BROOKLYN	1,003,781	" 24	-	372	19.3	-	7	4	23	2	2	1	
PHILADELPHIA	1,139,457	" 24	-	484	22.1	-	10	5	24	7	4	2	
NEW ORLEANS	254,000	" 10	-	119	24.4	-	-	-	1	-	6	5	

* Including deaths from croup.

† Including 41 deaths from cholera in Calcutta 3 in Madras, and 2 in St. Petersburg.

‡ Malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 17TH MARCH, 1894.

1894.		TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a gauge receiving surface five inches square over the ground.							
Phases of the Moon.	Mean daily reading (corrected to 32° Fahrenheit).	Of the Air.				Of the Dew Point.		Degree of humidity (Saturation 100).		Of Radiation.		General Direction.		Pressure on the Square Foot.		Robinson's.		Ozone.					
		High-est.	Low-est.	Daily Range.	Mean value.	Dew point from Average of 50 years.	Mean daily value.	Great-est.	Least.	Highest Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great-est.	Mean Least.	Mean of the Air on each Day.	Horizontal Movement of the Air on each Day.		Dispar-ity from Average of 10 Years.				
MARCH.		in.	°	°	°	°	°	°	°	°	°	°	°	°	lbs.	lbs.	Miles.	Miles.	in.				
SUNDAY	11	29° 37' 2	56° 5	39° 5	17° 0	47° 1	0°	41° 2	5° 9	12° 7	0° 0	80	99° 1	36° 0	SSW. & SW.	WSW. & SW.	15° 0	0° 0	2° 0	721	+ 305	0° 02	
MONDAY	12	29° 45' 7	52° 1	39° 2	12° 9	45° 6	2° 1	38° 3	7° 3	13° 0	2° 1	75	99° 2	35° 0	SW.	SW. & SSW.	7° 4	0° 0	1° 0	534	+ 270	0° 11	
TUESDAY	13	29° 13° 5	50° 2	39° 2	11° 0	43° 0	3° 0	35° 3	7° 7	12° 9	3° 0	74	99° 2	34° 5	SSW. & SW.	SW.	15° 0	0° 0	1° 9	639	+ 337	0° 14	
WEDNESDAY	14	First Qc.	29° 38° 8	51° 3	35° 2	16° 1	41° 8	0° 6	36° 4	5° 4	15° 6	81	98° 0	31° 7	SW. & WSW.	SSW. & SE.	4° 3	0° 0	0° 1	344	+ 25	0° 03	
THURSDAY	15	Greatest Dec. N.	29° 34° 4	48° 4	37° 5	10° 9	42° 1	0° 7	37° 4	4° 7	9° 0	84	84° 4	30° 4	ESE. NE. & NNW.	NNW.	2° 5	0° 0	0° 1	288	- 29	0° 11	
FRIDAY	16	29° 73° 2	51° 0	30° 6	20° 4	39° 8	3° 0	33° 4	6° 4	17° 6	0° 0	78	94° 5	25° 9	WSW. & NNW.	NNW. & ENE.	1° 8	0° 0	0° 0	170	- 145	0° 00	
SATURDAY	17	Perigee.	30° 06° 4	49° 3	30° 2	19° 1	38° 7	2° 9	34° 3	4° 4	14° 5	84	105° 2	24° 8	NNW. & N.	NNE. & SW.	0° 0	0° 0	0° 0	130	- 183	0° 00	
MEANS	..	29° 49' 2	51° 3	35° 9	15° 3	42° 6	+ 1° 5	36° 6	6° 0	13° 6	0° 9	79	97° 1	31° 2	Variable.	Variable.	Sum 2906	Sum + 570	0° 41	
Number of Column.		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24

The results apply to the civil day, or from midnight to midnight. The height of the column of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h, A.M.; noon; 3h, P.M.; and 9h, P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1878 for the barometer and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's *Hygro-metrical Tables*.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 13 years ending 1875.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.58 in. at the beginning of the week to 29.32 in. on May 10th; A.M. on the 11th; increased to 29.53 in. by 9h. A.M. on the 12th; decreased to 29.54 in. by 6h. A.M. on the 13th; increased to 29.38 in. by 9h. A.M. on the 14th; decreased to 29.51 in. by 9h. A.M. on the 15th; and increased to 30.12 in. by the end of the week.

GENERAL REMARKS.

SUNDAY .	11	w. P. in morning; m. P. afterwards.	2·3	11·5	Cloudy and showery in morning; fine afterwards. Generally cloudless after 4h. p.m. Strong gusty wind.
MONDAY .	12	m. P. in morning; v. N. and v. P. afterwards.	1·2	11·6	Fine with little cloud in morning; generally overcast afterwards. Showery in evenings.
TUESDAY .	13	v. N. in morning; v. P. principally afterwards.	4·9	11·6	Overcast with frequent rain in morning; generally fine afterwards till 3h. p.m. Rain and hail between 3h. p.m. and 4h. p.m. at night nearly cloudless. Gusty wind prevailed till evening.
WEDNESDAY .	14	m. P. in morning; v. P. and v. N. afterwards.	5·9	11·7	Cloudless in morning; partially cloudy till evening; overcast and showery at night.
THURSDAY .	15	v. N. and v. P.	0·6	11·8	Rain in morning; overcast till afternoon; fine and partially cloudy afterwards.
FRIDAY .	16	v. P. generally -	5·0	11·8	Hoar frost in morning; generally cloudless till 9h. a.m.; partially cloudy till evening; cloudless at night.
SATURDAY .	17	v. P. throughout	5·5	11·9	Hoar frost and fog in morning; fine with little cloud during the day; cloudless but hazy and foggy at night.
		Sum	Sum		
		25·4	81·9		
		27	28		
		26			

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 12. 1894. VOL. LV.] WEEK ENDING SATURDAY, MARCH 24. [Price 1½d.

*General Register Office, Somerset House,
March 27th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·8 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.		Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.
Birkenhead	19·7	20·7	18·3	17·3	Liverpool -	25·4	25·1	25·6	23·0
Birmingham	21·1	17·4	19·3	21·0	London -	21·0	20·4	19·3	20·3
Blackburn -	19·5	23·2	19·9	17·4	Manchester	22·4	21·7	21·1	23·8
Bolton -	20·3	20·7	16·3	22·5	Newcastle-on-Tyne	18·8	19·6	12·1	20·1
Bradford -	17·2	18·9	18·6	17·5	Norwich -	20·2	14·3	14·8	18·8
Brighton -	19·3	18·9	13·6	15·4	Nottingham	23·1	14·9	16·3	18·0
Bristol -	19·0	20·9	20·5	21·2	Oldham -	25·2	18·8	21·4	18·8
Burnley -	21·1	18·9	24·3	18·4	Plymouth -	25·5	22·5	19·6	18·4
Cardiff -	17·5	22·4	14·7	18·2	Portsmouth -	15·6	14·6	18·6	13·1
Croydon -	14·9	17·2	12·1	14·9	Preston -	22·5	19·2	20·6	22·0
Derby -	16·9	16·4	20·6	10·6	Salford -	25·3	22·0	24·6	25·1
Gateshead -	18·4	14·5	22·9	22·3	Sheffield -	19·4	19·1	18·2	17·4
Halifax -	18·0	20·8	15·7	14·6	Sunderland	14·9	21·5	17·2	23·8
Huddersfield	16·9	11·1	14·3	16·4	Swansea -	14·2	20·2	21·9	14·2
Hull -	19·4	16·9	18·6	16·2	West Ham -	16·6	20·1	18·4	18·6
Leeds -	19·0	17·2	18·2	18·9	Wolverhampton -	33·1	23·9	20·8	22·1
Leicester	13·8	19·3	16·8	19·8					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·2 in London, 1·3 in Salford, 1·4 in Birmingham, 1·9 in Leicester, and 4·9 in Birkenhead; from *scarlet fever*, 1·1 in Burnley, and 1·2 in Wolverhampton; from *whooping-cough*, 1·3 in West Ham, 1·4 in Bristol, 1·5 in Hull and in Newcastle, and 2·0 in Birkenhead; and from "*fever*," 1·1 in Gateshead. The death-rate from *diarrhoea* did not reach 1·0 per 1000 in any of the thirty-three towns. The 84 deaths from *diphtheria* included 56 in London, 8 in Manchester, 3 each in Liverpool, Salford, and Bristol, and 2 each in West Ham, Bradford, Leeds, and Sheffield. Five deaths from *small-pox* were registered in Birmingham, 3 in Oldham, and one death in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2496 BIRTHS and 1691 DEATHS were registered. Allowing for increase of population, the births were 256, and the deaths 119, below the average numbers in the corresponding weeks of the last ten years. The annual

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

death-rate per 1000 from all causes, which had been 21·0, 20·4, and 19·3 in the preceding three weeks, rose last week to 20·3. During the four weeks ending on Saturday last the death-rate averaged 20·3 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1691 deaths included one death from small-pox, 96 deaths from measles, 13 from scarlet fever, 56 from diphtheria, 49 from whooping-cough, 9 from enteric fever, 12 from diarrhoea and dysentery, and not one death from typhus, any ill-defined form of continued fever, or from cholera; thus, 236 deaths were referred to these diseases, being 41 above the corrected average weekly number.

One death from *small-pox* was registered, being that of a person who had been brought from Ilford, in the Outer Ring. There were 61 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals and 24 in the Highgate Small-pox Hospital, making a total of 85, against 84, 87, and 87 on the preceding three Saturdays; 17 cases were admitted during the week, against 17, 24, and 20 in the preceding three weeks. The deaths from *measles*, which had been 47, 66, and 74 in the preceding three weeks, further rose last week to 96, and exceeded the corrected average by 43; 11 belonged to Poplar and 10 to Fulham sanitary areas. The deaths from *scarlet fever*, which had numbered 20, 17, and 19 in the preceding three weeks, declined last week to 13, being 2 below the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2103 scarlet fever patients at the end of last week, against 2188, 2153, and 2107 on the preceding three Saturdays; 233 cases were admitted during the week, against 212 and 222 in the preceding two weeks. The deaths from *diphtheria*, which had been 59, 53, and 52 in the preceding three weeks, numbered 56 last week, exceeding the corrected average by 32. The Metropolitan Asylum Hospitals* contained 299 diphtheria patients at the end of last week, against 303, 304, and 307 on the preceding three Saturdays; 58 cases were admitted during the week, against 69 and 63 in the preceding two weeks. The deaths from *whooping-cough*, which had been 72, 59, and 55 in the preceding three weeks, further declined last week to 49, and were 28 below the corrected average. The fatal cases of *enteric fever*, which had been 12, 10, and 14 in the preceding three weeks, declined last week to 9, but exceeded the corrected average by one death. The Metropolitan Asylum Hospitals* contained 100 cases of enteric fever and 2 of typhus on Saturday last; 12 cases of enteric fever were admitted during the week, against 7 and 12 in the preceding two weeks. The deaths from *diarrhoea*, which had been 14, 13, and 10 in the preceding three weeks, numbered 12 last week, and were 2 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 413, 434, and 373 in the preceding three weeks, rose to 397 last week, but were 87 below the corrected average.

The deaths attributed directly to *influenza* numbered 17, having been 20, 14, and 18 in the preceding three weeks.

Different forms of violence caused 62 deaths, concerning all of which inquests were held. Of these 62 deaths, 14 were cases of suicide, and 4 of homicide, while the remaining 44 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 6 to burns and scalds, 6 to drowning, and 9 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3316 births and 2105 deaths were registered, corresponding to annual rates of 29·1 and 18·5 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 10 from diphtheria, 26 from whooping-cough, 3 from "fever," and 7 from diarrhoea were recorded. Of the 10 deaths from diphtheria, 5 occurred in West Ham district and 3 in Edmonton district. Nine deaths from whooping-cough occurred in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·16 inches, and that of the Thermometer 43°·1, the latter being 1°·5 above the week's average in the 50 years 1841-90. The direction of the wind was North-Easterly, the horizontal movement of the air being 32 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 20·6 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—Births, Deaths, and Meteorology, in 33 GREAT TOWNS, during the Week ending 24th March 1894.

CITIES AND BOROUGHES.	Colts.	Registered during the Week ending 24th Mar. 1894.		The Deaths registered in the Week include										TEMPERATURE OF THE AIR.						RAINFALL.		Colts.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		1.	2.	3.	Deaths of			Deaths from						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.		Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Causes.			From Cols. 6-12.			Mean.		In Inches.	In Centis.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
					1 Year of Age.	Persons aged 60 Years and upwards.	6.	7.	8.	9.	10.	11.	12.													13.	14.	15.	16.	17.	18.	19.	20.			21.	22.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the TWELFTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.	1894
TOTAL Births	2665	2537	2731	2671	2522	2670	2534	2575	2437	2729	2751·6	2496
Males . .	1342	1271	1384	1397	1284	1404	1283	1335	1269	1373	1408·2	1289
Females .	1323	1266	1347	1274	1238	1266	1251	1240	1168	1356	1343·4	1207
TOTAL Deaths	1588	1734	2141	1720	1655	1554	1637	1667	1744	1708	1809·8	1691
Males . .	799	869	1067	860	835	762	850	879	930	877	921·1	851
Females .	789	865	1074	860	820	792	787	788	814	831	888·7	840

* The numbers in this column are the average weekly numbers in the twelfth weeks of the ten years 1884-93 raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

		Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.
TOTAL Births - -		2106	2486	2867	2719	2689	2708	2709	2602	2587	2564	2636	2553	2496
TOTAL Deaths - -		1920	2040	2462	1975	1655	1621	1534	1552	1654	1748	1700	1610	1691
Ages at Death	{ 0—20 years -	852	924	1030	813	748	717	702	705	771	793	740	737	802
	{ 20—40 " -	254	244	280	230	208	216	199	190	245	226	241	185	208
	{ 40—60 " -	325	370	450	371	277	297	276	307	272	323	298	276	305
	{ 60—80 " -	414	410	585	449	334	319	301	292	323	338	345	336	301
	{ 80 years & upwards	75	92	117	112	83	72	56	58	53	68	76	76	75
{ Under 1 year -	{ 1—5 -	401	444	505	383	367	353	349	357	384	403	352	333	370
	{ 5—20 -	315	347	385	332	288	245	264	253	275	267	293	293	313
		136	133	140	98	93	119	89	90	112	123	95	106	119
Deaths from Small-pox -		-	2	1	-	-	1	-	-	2	1	-	3	1
"	" Measles -	49	60	65	45	35	21	42	40	59	47	66	74	96
"	" Scarlet fever -	27	35	26	25	9	22	23	24	20	20	17	19	13
"	" Diphtheria -	79	66	55	48	52	74	56	58	42	59	53	52	56
"	" Whooping-cough -	67	81	107	93	86	69	54	60	74	72	59	55	49
"	" Typhus -	-	-	-	-	-	-	-	-	1	-	-	-	-
"	" Enteric fever -	17	10	15	13	12	14	6	8	4	12	10	14	9
"	" Simple Cont'd fever -	1	-	1	3	-	-	-	-	-	1	-	-	-
"	" Diarrhoea and Dysentery - }	7	9	12	16	15	14	17	16	16	14	18	10	12
"	" Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-
"	" all the above- mentioned Diseases }	247	263	282	243	209	215	198	206	218	226	218	227	236
"	" Dis. of Respira- tory System }	516	566	762	547	422	385	372	340	408	413	434	373	397
"	" Phthisis -	164	179	230	150	149	159	148	145	185	175	151	154	182
"	" Dis. of Circula- tory System }	130	157	188	161	124	148	114	118	112	157	129	114	138
Violent Deaths - -		65	77	92	73	55	73	53	61	62	70	65	75	62
Inquest Cases - -		144	183	227	178	115	135	108	140	141	165	138	140	133
Deaths in Public Institutions		456	474	626	531	462	489	441	486	462	479	500	436	450
TEMPERATURE OF THE AIR														
Mean - - -		40·3	26·5	37·5	45·0	41·6	42·0	46·0	41·0	34·3	44·0	44·2	42·6	43·1
Mean of Highest readings -		44·6	30·1	42·3	43·5	46·1	47·9	51·3	45·9	41·0	51·4	51·7	51·3	52·4
Mean of Lowest readings		35·6	22·0	31·2	40·7	36·6	37·3	40·4	36·7	27·3	37·3	37·6	35·9	35·8
Humidity of the Air - -		90	77	89	83	84	83	86	83	78	84	81	79	86
Rain-fall in inches - -		0·16	0·56	0·43	0·86	0·71	0·69	0·27	0·60	0·21	0·45	0·19	0·41	0·00
Registered Sunshine (in hours)		3·6	3·4	7·0	9·2	10·0	18·5	6·9	8·1	38·0	15·6	14·4	25·4	20·6

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and J. P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandsoer, Esq., F.R.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.--DEATHS Registered at several groups of AGES from different CAUSES in the TWELFTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 12th Week of the 10 years 1884-93.*	In the Week ending Saturday, 24th March 1894.										CAUSES OF DEATH.	Corrected Averages for the 12th Week of the 10 years 1884-93.*	In the Week ending Saturday, 24th March 1894.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.														
			0-1.	1-6.	5-20.																		0-1.
ALL CAUSES -	1890-8	1691	370	313	119	208	305	301	75		Diseases of Organs of Special Sense - -	2-5	1	-	-	1	-	-	-	-	-	-	-
Small-pox { Vaccinated†	1-1	-	-	-	-	-	-	-	-		Diseases of Circulatory System - - -	144-7	138	-	1	7	10	48	65	7			
Unvaccinated	1-8	-	-	-	-	-	-	-	-		Croup - - - - -	9-9	2	-	2	-	-	-	-	-	-	-	
No Statement	0-9	1	-	-	-	1	-	-	-		Bronchitis - - - -	291-9	219	52	39	8	5	21	62	23			
Measles - - - -	53-0	98	19	71	6	-	-	-	-		Pneumonia - - - -	136-9	154	38	53	8	17	22	14	2			
Scarlet Fever -	14-7	13	2	9	2	-	-	-	-		Pleurisy - - - - -	6-5	3	-	-	1	2	1	-	-	-	-	
Typhus - - - - -	6-2	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System - -	38-4	19	4	2	1	1	4	4	8			
Relapsing Fever -	-	-	-	-	-	-	-	-	-		Dentition - - - - -	18-9	14	6	8	-	-	-	-	-	-	-	
Influenza - - - -	8-2	17	1	-	1	2	6	7	-		Quinsy, Sore Throat -	2-7	3	1	1	1	-	-	-	-	-	-	
Whooping-cough -	76-8	49	16	29	4	-	-	-	-		Enteritis - - - - -	8-4	5	2	-	-	1	-	2	-	-	-	
Diphtheria - - -	23-5	53	3	37	16	-	-	-	-		Peritonitis - - - -	7-3	7	-	-	1	4	2	-	-	-	-	
Simple Continued and Ill-defined Fever -	0-7	-	-	-	-	-	-	-	-		Diseases of Liver - -	28-6	19	-	-	1	-	10	7	1			
Enteric Fever - -	8-2	9	-	2	3	2	2	-	-		Other Diseases of Digestive System -	38-9	36	9	2	3	10	5	7	-	-	-	
Cholera and Chol. Diarr.	0-2	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands -	1-8	1	-	-	-	1	-	-	-	-	-	
Diarrhoea, Dysentery	14-4	12	9	-	-	-	-	2	1		Diseases of Urinary System - - - -	44-8	52	1	1	1	11	20	17	1			
Remittent Fever -	0-3	-	-	-	-	-	-	-	-		Diseases of Generative System - - - -	6-5	5	-	-	-	1	2	2	-	-	-	
Hydrophobia - -	0-1	-	-	-	-	-	-	-	-		Accidents of Childbirth -	4-3	9	-	-	1	6	2	-	-	-	-	
Glanders - - - -	-	-	-	-	-	-	-	-	-		Diseases of Locomotive System - - - -	7-1	4	-	-	1	2	1	-	-	-	-	
Cowpox and Effects of Vaccination - -	0-2	-	-	-	-	-	-	-	-		Diseases of Integumentary System - -	6-2	5	1	-	-	-	2	1	1			
Venereal Affections	10-0	10	7	2	-	1	-	-	-		VIOLENT DEATHS.†												
Erysipelas - - -	8-5	4	2	-	-	1	-	1	-		(ACCIDENT.)												
Fymia and Septicæmia	2-2	2	-	-	-	-	1	1	-		By Railways - - - -		1	-	-	-	1	-	-	-	-	-	
Puerperal Fever -	8-3	6	-	-	1	5	-	-	-		By Vehicles or Horses -		7	-	2	4	1	-	-	-	-	-	
Other Zymotic Diseases	1-9	-	-	-	-	-	-	-	-		In Ships, Boats, Docks (exclusive of Drowning) -		1	-	-	-	-	1	-	-	-	-	
Thrush - - - - -	0-9	-	-	-	-	-	-	-	-		In Building Operations -		-	-	-	-	-	-	-	-	-	-	
Worms and other Parasitical Diseases - -	0-3	-	-	-	-	-	-	-	-		In Conflagrations - -		-	-	-	-	-	-	-	-	-	-	
Starvation, Want of Breast-milk - - -	0-9	5	5	-	-	-	-	-	-		By Burns, Scalds, Explosions - -	53-7	6	2	3	1	-	-	-	-	-	-	
Alcoholism - - -	6-6	4	-	-	-	1	2	1	-		By Drowning - - - -		6	1	-	-	2	3	-	-	-	-	
Rheumatic Fever, Rheumatism of Heart	7-4	3	-	-	2	1	-	-	-		By Suffocation in Bed -		9	9	-	-	-	-	-	-	-	-	
Rheumatism - - -	2-2	5	-	-	-	-	2	1	2		By Poisons or Poisonous Vapours - - - - -		1	-	-	-	-	-	1	-	-	-	
Gout - - - - -	3-1	5	-	-	-	-	1	3	1		Other or not stated Causes - - - - -		13	1	3	-	1	3	4	1			
Rickets - - - - -	6-2	7	2	5	-	-	-	-	-		(VIOLENCE OTHER THAN ACCIDENTAL.)												
Cancer - - - - -	59-4	59	-	-	-	7	32	17	3		Homicide - - - - -	0-9	4	2	-	1	-	-	1	-	-	-	
Tubercles Mesenteric	21-7	15	8	3	4	-	-	-	-		Suicide - - - - -	6-6	14	-	-	1	7	5	1	-	-	-	
Tubercular Meningitis	26-9	25	11	9	5	-	-	-	-		Execution - - - - -	0-1	-	-	-	-	-	-	-	-	-	-	
Phtisis - - - - -	173-7	182	5	5	13	87	61	11	-		OTHER CAUSES - - -	56-1	53	53	3	-	-	1	1	-	-	-	
Scrophula, Tuberculous	20-9	21	6	4	6	2	3	-	-														
Other Constitutional Diseases - - - -	13-8	10	-	-	-	2	5	2	1														
Premature Birth - -	43-6	83	83	-	-	-	-	-	-														
Atelectasis - - -	2-2	4	4	-	-	-	-	-	-														
Congenital Malformations - - - -	9-0	5	4	1	-	-	-	-	-														
Old Age - - - - -	64-3	37	-	-	-	-	-	19	13														
Apoplexy - - - -	46-3	40	2	-	-	3	11	19	5														
Epilepsy - - - - -	6-9	7	1	-	2	2	1	1	-														
Convulsions - - -	51-5	39	35	2	2	-	-	-	-														
Other Diseases of Brain and Nervous System	98-3	94	13	14	11	9	14	27	6														

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5-541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Unnum- erated Popu- lation 1891.	Total Births.	Total Deaths.	Deaths of													
				Infants under 1 Year of Age.	Persons aged 60 Years upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2496	1691	370	376	1	96	13	56	49	-	9	-	12	62	133	450
WEST DISTRICTS	740,735	365	295	51	78	-	17	3	12	6	-	-	-	3	6	20	91
NORTH DISTRICTS	993,884	565	357	80	83	1	18	3	15	11	-	-	-	2	22	34	74
CENTRAL DISTRICTS	247,538	117	110	23	21	-	3	-	2	1	-	-	-	1	6	11	39
EAST DISTRICTS	705,114	499	353	84	71	-	34	1	8	12	-	3	-	2	14	33	109
SOUTH DISTRICTS	1,524,472	950	549	131	116	-	29	5	19	19	-	5	-	4	14	32	115
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	22	1	7	-	-	1	-	-	-	1	-	-	-	-	22
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	84159	38	21	4	9	-	2	-	-	1	-	-	-	-	-	1	3
St. John Paddington H - G.J.	33687	10	14	1	5	-	-	-	1	1	-	-	-	-	-	-	8
Kensington Town Ww - W.M.	118751	65	59	9	21	-	2	-	2	-	-	-	-	1	1	7	16
Brompton H - W.M. & C.	47557	13	12	1	3	-	-	-	-	-	-	-	-	1	-	2	2
S. Peter Hammersmith - W.M.	8533	5	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	88433	46	24	6	3	-	1	-	2	2	-	-	-	1	3	4	4
Fulham Ww - W.M. & C.	91639	79	56	12	7	-	10	3	4	-	-	-	-	-	-	1	19
Chelsea Kensal Town - C.	21787	11	8	6	1	-	-	-	-	1	-	-	-	-	-	-	-
Chelsea North WH/HHH - C.	41637	25	23	3	6	-	1	-	1	-	-	-	-	-	-	3	13
Chelsea South HH - C.	33829	11	9	1	4	-	1	-	-	-	-	-	-	-	-	-	3
May Fair W - G.J.	23733	4	16	-	8	-	-	-	1	-	-	-	-	-	-	-	10
Belgrave WHH - C.	54631	26	21	1	6	-	1	-	-	-	-	-	-	-	-	1	9
St. John Westminster HHH - C.	34106	19	7	3	-	-	-	-	-	1	-	-	-	-	-	-	2
St. Margaret Westminster H - C.	21683	3	7	1	2	-	-	-	1	-	-	-	-	-	-	-	1
St. James Westminster WHH N.R. & G.J.	24995	5	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho HHHHHH - N.R.	12317	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone - W.M.	37713	16	21	1	6	-	-	-	2	-	-	-	-	-	3	4	8
HHHHHHH - G.J. & W.M.	20024	12	8	1	4	-	1	-	-	-	-	-	-	-	-	-	2
Rectory Marylebone W - G.J. & W.M.	19239	30	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1
St. Mary Marylebone HHHH G.J. & W.M.	38327	16	13	5	2	-	-	-	-	-	-	-	-	-	2	2	-
Christchurch Marylebone H - W.M.	32101	16	7	2	2	-	-	-	1	-	-	-	-	-	1	1	-
St. John Marylebone H - W.M.	68416	27	20	-	1	-	1	1	6	1	-	-	-	-	2	2	11
Hampstead WHHHHH N.R. & W.M.	36530	22	16	2	4	-	1	-	-	-	-	-	-	-	-	-	1
Regent's Park Panacea HH - W.M.	26321	9	13	-	3	-	-	-	-	-	-	-	-	-	1	1	6
Tottenham-court WHHHH N.R. & W.M.	27455	12	11	2	1	-	1	-	-	-	-	-	-	-	1	2	3
Gray's Inn Lane HHH - N.R.	32829	16	9	4	3	-	-	-	-	-	-	-	-	-	-	-	-
Conners Town HH - N.R.	15419	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Camden Town WH - N.R.	95765	63	33	14	6	-	3	-	-	1	-	-	-	-	1	6	2
Kentish Town W - N.R.	90285	43	32	6	11	1	-	-	1	1	-	-	-	-	1	2	11
Upper Holloway WwHHH - N.R.	105557	61	39	13	5	-	3	1	2	3	-	-	-	-	3	5	1
Islington South-west H - N.R.	64153	38	18	4	6	-	-	-	-	2	-	-	-	-	1	1	-
Islington South-east - N.R.	69193	31	22	5	10	-	-	-	-	1	-	-	-	-	2	1	-
Highbury HH - N.R.	39936	16	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - N.R.	17759	7	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.	42902	21	14	5	9	-	-	-	-	-	-	-	-	-	2	2	3
West Hackney H - N.R.	96486	63	33	8	7	-	2	1	1	1	-	-	-	-	2	2	21
Hackney WwHHH - E.L. & N.R.	41759	31	15	4	4	-	1	-	1	-	-	-	-	-	2	2	-
South Hackney W - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16695	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - N.R.	13454	5	10	1	5	-	-	-	-	-	-	-	-	-	-	-	6
St. Giles North H - N.R.	9683	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields HHH N.R. & C.	14616	1	11	1	2	-	1	-	1	-	-	-	-	2	3	2	2
St. Mary-le-Strand H - N.R.	3706	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Clement Danes WH - N.R.	7194	1	5	1	1	-	-	-	-	-	-	-	-	-	-	1	3
Strand Union Workhouse, Edmonton W.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Geo-the-Martyr HHHHHH N.R.	17921	7	15	3	4	-	1	-	1	-	-	-	-	-	-	-	8
St. Andrew Eastern W - N.R.	13443	7	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.	16903	14	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Amwell Clerkenwell - N.R.	16883	10	6	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Pentonville - N.R.	17155	9	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Goosewell-street - N.R.	15375	6	8	2	2	-	-	-	-	-	-	-	-	1	1	1	-
City-road HHHH - N.R.	29177	32	7	1	1	-	-	-	-	-	-	-	-	-	-	1	3
Whitecross-street - N.R.	8278	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.	4385	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham W.	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
St. Botolph H - N.R. & E.L.	8944	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - N.R.	4444	2	13	1	1	-	-	-	-	1	-	-	-	-	-	-	11
St. Bride W - N.R.	6594	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Allhallows Barking - N.R.	10422	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - N.R.	3377	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; P—Private Lunatic Asylum in which paupers are received; W—Workhouse / Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

MR. DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
 day, 24th March, 1894.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enume- rated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of														
				Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple con- tinued Fever.	Dysentery.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
Aldgate South HL*	E.L. & N.R.	20098	7	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aldgate New Town w -	N.R.	28313	18	13	1	1	-	-	-	2	-	-	-	-	-	1	1	1
Aldgate Old Town -	N.R.	28354	20	9	-	6	-	-	-	-	-	-	-	-	-	6	-	-
Aldgate WH -	N.R. & E.L.	46244	25	33	5	12	-	-	-	-	-	-	-	-	-	4	16	-
Bethnal Green North H -	E.L.	51520	35	21	6	2	-	3	-	-	3	-	-	-	-	2	1	-
Bethnal Green South -	E.L.	38489	28	11	3	2	-	8	-	-	1	-	-	-	-	1	-	-
Bethnal Green East WHL*	E.L.	44123	33	19	3	4	-	1	-	1	-	-	-	-	-	1	6	-
Catfields -	E. . N.R.	22456	18	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
East End New Town W	E.L.	17908	21	11	4	3	-	-	-	-	1	-	-	-	-	2	7	-
St. George's Church H	E.L. & N.R.	20298	20	27	4	3	-	1	-	1	1	-	-	-	3	3	20	-
Spalding's Fields -	E.L.	18800	4	3	-	-	-	1	-	-	-	-	-	-	3	2	-	-
George's, North -	E.L.	37738	31	13	5	3	-	3	-	-	-	-	-	-	-	2	2	-
John, St. George East W	E.L.	8057	3	3	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Adwell H -	E.L. & N.R.	10246	4	11	5	1	-	1	-	-	-	-	-	-	-	-	9	-
Beliff W -	E.L.	14928	5	4	1	1	-	1	-	-	-	-	-	-	-	-	1	-
Beckhouse -	E.L.	32302	22	9	5	1	-	-	-	-	-	1	-	-	-	-	-	-
East End Old Town West H	E.L.	38650	41	20	6	2	-	1	1	-	1	-	-	-	1	-	2	3
East End Old Town East WwH-E.L.	E.L.	68942	44	37	7	6	-	8	-	1	2	-	-	-	-	2	8	-
Elephant & Castle L*	E.L.	40365	29	17	6	1	-	1	-	2	-	-	-	-	-	1	-	-
Hemley WwH -	E.L.	70000	54	65	9	15	-	10	-	-	1	-	-	-	3	7	30	-
Old Ford WW -	E.L.	56833	37	20	6	6	-	-	-	1	-	-	-	-	3	4	1	-
SOUTH DISTRICTS.																		
Abchurch Southwark WB	L. & S.	18264	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch Southwark -	S.	18913	12	6	2	-	-	1	-	-	-	-	-	-	-	-	-	1
Abchurch-road -	S. & L.	21867	15	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Abchurch-road WH	L. & S.	16624	9	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch-road HL	L. & S.	21221	14	9	1	3	-	-	-	-	1	-	-	-	1	1	-	-
Abchurch-road S. & L.	S. & L.	26596	20	9	4	-	-	1	-	1	-	-	-	-	1	1	-	-
Peter Walworth W	S. & L.	61342	35	19	5	3	-	-	1	-	1	-	-	-	-	2	-	-
Mary Newington -	L. & S.	47866	29	8	3	1	-	-	-	-	-	-	-	-	1	2	-	-
Olive WH -	S.	12733	7	21	3	3	-	1	-	-	-	1	-	-	-	4	-	-
Other Market -	S. & L.	14652	13	9	5	1	-	1	-	-	-	-	-	-	-	1	-	-
Mary Magdalen W	S.	16660	16	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-
James Bermondsey	S.	54070	38	18	3	1	-	3	-	-	4	-	-	-	-	-	-	-
Abchurch WH	S. & K.	39255	16	25	1	8	-	4	-	-	2	-	-	-	-	-	8	-
Abchurch-road 1st H	L. & S.	14081	16	11	3	1	-	4	-	-	-	-	-	-	2	3	2	-
Abchurch-road 2nd H	L. & S.	14044	24	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Abchurch Church 1st H	L. & S.	18075	15	16	6	-	-	-	-	2	-	-	-	-	3	3	6	-
Abchurch Church 2nd W	L. & S.	39097	26	27	5	13	-	2	-	-	-	-	-	-	-	1	13	-
Abchurch 1st H	S. & L.	50586	31	17	6	2	-	1	-	1	2	-	-	-	-	-	-	-
Abchurch 2nd W	S. & L.	39708	19	11	1	6	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch W	L. & S.	73405	45	33	7	6	-	1	-	7	1	-	2	-	1	2	9	1
Abchurch W	L.	25687	12	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch Battersea -	S.	67244	46	23	8	3	-	-	1	1	-	-	-	-	2	2	-	-
Abchurch Battersea WwH	S.	83314	56	19	9	7	-	4	-	-	-	-	-	-	2	3	7	-
Abchurch W	S.	43698	22	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch WHL	S.	46717	19	14	3	3	-	-	-	1	-	-	1	-	-	-	2	-
Abchurch W	S.	17771	3	6	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Abchurch WwW	L.	45755	25	9	1	3	-	-	-	-	-	-	-	-	-	1	1	1
Abchurch W	L. & S.	6809	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch WwL*	S. & L.	81686	44	46	9	18	-	1	1	2	-	-	-	-	1	-	21	1
Abchurch W	S. & L. & K.	83488	52	23	4	5	-	-	-	-	-	-	-	-	-	1	-	-
Abchurch Camberwell -	L. & S.	63366	34	12	3	1	-	1	-	-	-	1	-	-	-	2	-	-
Abchurch North -	K.	35314	20	9	3	-	-	-	-	1	-	-	-	-	-	-	-	1
Abchurch Central w	K.	42007	33	15	5	3	-	-	1	2	3	-	-	-	-	-	2	-
Abchurch South -	K.	30852	10	6	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Abchurch West H	K.	22007	18	7	3	2	-	1	-	-	-	-	-	-	-	-	-	-
Abchurch East WH	K.	35323	19	14	-	4	-	-	-	-	-	-	-	-	1	1	7	-
Abchurch H -	K.	5682	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch H -	K.	23541	4	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch WH	K.	30850	20	8	3	3	-	-	-	-	-	-	-	-	-	-	4	-
Abchurch H	L.	34162	16	12	2	-	-	-	-	1	1	-	-	-	-	-	2	-
Abchurch HH	K.	14040	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch Dockyard -	K.	18608	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch Arsenal HH	K.	21242	15	5	2	1	-	-	-	-	-	-	-	-	-	-	1	1
Abchurch West H	K.	15869	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch East W	K.	36567	38	17	5	3	-	-	-	-	3	-	-	-	-	-	7	2
Abchurch Asylum -	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Abchurch Asylum -	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
Abchurch Asylum -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch Asylum -	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Abchurch Asylum -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch Asylum -	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5	1
Abchurch Asylum -	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Abchurch Asylum -	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5	-
Abchurch Asylum -	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 5.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—
AREA; POPULATION; BIRTHS AND DEATHS registered during the Week ending Saturday, 24th March, 1894.

Regis- tration District and Sub- District Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lated Popu- lation. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from												
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Cases of Death.		
LONDON—OUTER RING		368,749	1,422,063	820	414	101	105	-	8	2	10	26	3	7	11	25	46	7		
30: 1	Carchalton WHY -	12228	26108	12	6	-	1	-	1	-	-	-	-	-	-	-	-	-		
2	Epsom, part of* WHH	10423	12508	5	3	1	2	-	-	-	-	-	-	-	-	-	3	-		
37: 1	Godstone, part of* W-	754	1593	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
38: 1	Croydon WHH-	20851	128699	55	40	6	12	-	-	-	-	4	-	1	1	3	7	-		
2	Mitcham w -	11697	23083	22	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
39: 1	Wimbledon HHH	3220	25761	18	5	3	2	-	-	-	-	-	-	1	-	-	-	-		
2	Kingston WHH-	8071	44765	22	14	4	6	-	-	-	-	-	-	2	-	-	4	1		
3	Esher, part of,*	6601	12059	18	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
4	Hampton H -	4595	18252	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-		
40: 1	Richmond WH -	2160	25389	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Mortlake H -	2823	16159	6	5	1	1	-	-	-	-	-	-	-	-	1	-	-		
41: 1	Bromley HHH -	9127	23815	18	12	5	3	-	-	-	-	1	-	1	-	-	-	-		
2	Beckenham H -	6542	21969	14	7	-	1	-	1	-	-	1	1	-	-	-	1	-		
3	Chislehurst, pt. of* WHH	14307	20372	7	8	1	3	-	-	-	-	-	-	-	-	2	1	1		
42: 1	Bexley H -	12340	30590	18	7	2	2	-	-	-	1	-	-	-	-	-	-	-		
2	Dartford Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124: 1	Sunbury w -	11054	13671	8	6	1	3	-	-	-	-	2	-	-	-	-	-	-		
2	Staines W -	18277	13221	13	4	3	-	-	1	-	-	-	-	-	-	1	-	-		
125: 1	Hillingdon WHH	6035	12237	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge -	2172	5417	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes wH -	14537	12613	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
123: 1	Isleworth WH	6967	26273	15	3	2	1	-	-	-	-	1	-	-	-	1	-	-		
2	Twickenham HH	2415	16027	8	5	1	3	-	-	-	-	-	-	-	-	-	-	-		
3	Brentford HHHH	4318	37777	22	10	1	3	-	-	-	-	2	-	-	-	-	1	-		
4	Chiswick -	1245	21963	13	8	2	5	-	-	-	-	-	-	-	1	1	-	-		
5	Acton wH -	6132	30945	16	8	2	1	-	-	-	-	-	-	-	-	-	-	-		
127: 1	Harrow HHH	13809	15715	5	6	3	1	-	-	-	-	-	-	-	-	-	-	-		
2	Edgware H -	6994	8344	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden HHH	4383	61265	58	15	6	5	-	-	-	-	-	-	1	1	1	-	-		
4	Hendon W -	8382	15843	10	7	3	2	-	-	-	-	-	-	-	1	1	2	-		
128: 1	South Mimms	1559	8474	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet WHH	5441	11778	2	4	-	-	-	-	-	-	1	-	-	-	-	2	-		
3	Finchley HH	4688	25820	16	10	-	2	-	-	-	-	-	-	-	-	1	-	-		
129: 1	Hornsey H-	3039	61097	29	19	4	5	-	-	-	1	2	-	-	1	1	-	-		
2	Tottenham H -	4642	97174	44	29	8	4	-	-	-	1	2	-	-	2	6	3	1		
3	Edmonton Ww	7489	36351	23	12	1	2	-	-	-	1	-	-	-	-	-	2	-		
4	Enfield WWHH	12639	31803	12	7	2	3	-	-	-	-	-	-	-	-	1	2	-		
5	Waltham Abbey -	11017	6066	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-		
6	Chesham H -	8430	9620	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
135: 1	Hatfield, part of *	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137: 1	Bushy -	9331	7737	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Watford Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
136: 1	Stratford H-	1100	42983	27	21	7	5	-	1	-	1	1	-	-	3	3	3	-		
2	Plaistow HHHH	1242	55030	45	22	7	4	-	1	2	1	2	-	-	-	-	1	1		
3	Canning Town H	1558	54750	52	21	11	3	-	3	-	-	3	1	-	-	-	1	1		
4	Forest Gate w -	806	49140	29	16	-	4	-	-	-	-	-	-	-	1	1	-	-		
5	East Ham ww	3266	32713	33	7	2	1	-	-	-	-	-	-	-	-	-	-	-		
6	Leyton WWH	4534	70188	26	19	1	4	-	-	-	3	2	-	1	-	-	8	-		
7	Walthamstow HHL	6501	57330	37	11	1	2	-	-	-	-	1	1	-	-	1	-	1		
137: 1	Chigwell, part of * H-	11719	12941	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Epping Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
139: 1	Romford, part of* WH	6556	4324	1	6	1	4	-	-	-	-	1	-	-	-	-	5	-		
2	Ilford -	8493	10913	7	4	1	-	-	-	-	-	-	-	-	-	-	-	1		
3	Barking Town -	3814	14301	17	2	1	-	-	-	-	1	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—
 30: 2, Epsom sub-district, except the parishes of Ashted and Haxley (pop. 1765); 37: 1, the parishes of Warrington and Farley in Goldstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2232); 41: 2, Chislehurst sub-district, except the parishes of Chislefield, Cutham, and Knockholt (pop. 3997); 135: 1, the parish of Northw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1979); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 142: 2, Dartford; 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 24th March, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Deaths in Public Institutions.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	18.5	2.6	2105	471	481	1	104	15	63	75	12	19	73	496		
INNER LONDON -	74,672	4,349,166	20.3	2.8	1691	370	376	1	96	13	56	49	9	12	62	450		
OUTER RING	368,749	1,599,134	13.5	1.8	414	101	105	-	8	2	10	26	3	7	11	46		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.								
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.		
EDINBURGH -	270,538	March	24	146	90	17.3	-	-	2	2	4	-	-		
GLASGOW -	686,820	"	24	367	265	20.1	-	2	3	2	15	3	1		
DUBLIN -	349,594	"	24	161	197	29.4	-	3	5	1	3	1	3		
CALCUTTA -	466,460	January	27	-	298	33.3	-	-	-	-	-	106	78†		
BOMBAY -	821,764	March	6	324	528	33.4	19	18	?	?	?	117	37		
MADRAS -	452,518	February	16	283	325	37.3	-	4	?	?	?	114	58†		
PARIS -	2,424,705	March	17	1262	1107	24.3	2	20	5	30*	8	71	43		
BRUSSELS -	488,188	"	17	255	165	17.6	1	-	-	5*	-	-	9		
(with 8 Faubourgs)															
AMSTERDAM -	437,892	"	17	284	174	20.4	-	1	-	4	1	-	-		
ROTTERDAM -	222,233	"	17	175	94	22.1	12	-	1	3	3	-	-		
THE HAGUE -	169,828	"	17	95	51	15.6	-	-	-	-	-	-	-		
COPENHAGEN -	341,000	"	17	200	128	19.6	-	1	8	3	-	-	5		
STOCKHOLM -	249,246	"	10	132	87	18.2	-	-	1	3*	-	-	6		
CHRISTIANIA -	161,161	"	17	45	50	16.1	-	10	-	-	1	-	1		
ST. PETERSBURG	954,400	February	24	643	526	28.7	2	12	8	16	2	5	50†		
MOSCOW -	753,469	March	3	572	497	27.2	1	14	4	9	6	6	35†		
		"	10	-	496	34.3	1	12	8	16	-	3	32		
BERLIN -	1,714,938	"	3	910	558	17.1	-	7	5	34	13	-	28		
HAMBURG -	594,209	"	17	-	202	17.7	-	4	-	4*	2	1	4		
DRESDEN -	308,980	February	17	-	-	-	-	-	-	-	-	-	-		
BRESLAU -	353,551	March	17	-	191	28.0	-	-	-	6*	3	1	15		
MUNICH -	390,000	"	17	-	176	23.5	-	-	2	5*	1	1	17		
VIENNA -	1,465,537	"	17	974	921	32.7	3	15	7	42*	1	3	54		
PRAGUE -	332,357	"	17	220	198	31.0	-	6	1	1	-	7	4		
BUDA-PESTH -	552,769	"	10	425	270	25.6	-	3	1	9	-	-	16		
TRIESTE -	159,427	"	10	99	107	34.9	1	5	-	5*	1	-	-		
ROME -	450,991	February	24	-	-	-	-	-	-	-	-	-	-		
TURIN (8 days)	335,111	"	28	158	183	25.5	-	20	1	4	-	1	7		
VENICE -	163,601	March	3	62	91	29.0	-	-	-	-	1	-	4		
CAIRO -	374,838	"	1	400	353	49.7	-	-	-	-	2	9	80		
ALEXANDRIA -	231,396	"	1	212	233	52.9	1	-	-	4*	2	2	51		
NEW YORK -	1,925,569	"	3	-	857	23.1	6	25	15	48	7	5	10		
BROOKLYN -	1,003,781	"	3	-	431	22.4	8	3	8	26	4	4	1		
PHILADELPHIA -	1,139,457	"	3	-	463	21.4	-	3	2	19	2	4	6		
NEW ORLEANS -	254,000	February	17	-	151	31.0	-	-	-	1	-	5	12		

* Including deaths from croup.

† Including 35 deaths from cholera in Calcutta, one in Bombay, 5 in Madras, and 3 and one, respectively, in St. Petersburg.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 24TH MARCH, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.		TEMPERATURE.										Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE.		Wind as deduced from Anemometers.						Rain collected in a Gauge whose surface is included in the ground.	
PHASES OF THE MOON.	BAROMETER.	Of the Air.				Of the Dew.		Difference between the Air Temperature and Dew Point Temperature.				Degree of Saturation (Scale 100).		Of Radiation.		General Direction.		Oiler's.		Pressure on the Square Foot.		Robinson's.		Ozone.	
		High. est.	Low. est.	Daily Range.	Mean value.	De- parture from daily Average value.	Mean daily value.	Mean Great- est.	Highest in Sun's Ray's.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.	Mean hourly obs.	Horizontal Movement of the Air of each Day.	Miles.	lbs.	lbs.	lbs.	Miles.	in.			
MARCH.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°		
SUNDAY . . 18	30.133	49.4	29.3	20.1	37.8	- 3.8	34.0	3.8	13.4	0.0	86	66.7	26.2	SW.	S. & E.	0.0	0.0	0.0	0.0	136	-176	0.00	3.8		
MONDAY . . 19	30.135	52.9	30.2	22.7	42.1	+ 0.6	37.9	4.2	11.8	0.0	85	73.8	25.1	SW.	NW. & Calm	0.0	0.0	0.0	0.0	107	-204	0.00	0.0		
TUESDAY . . 20	30.101	53.0	40.2	12.8	44.9	+ 3.5	43.8	1.1	7.6	0.0	96	86.0	32.3	N. & NE.	E. & ENE.	0.0	0.0	0.0	0.0	146	-164	0.00	1.7		
FULL. IN EQUINOX.	30.087	54.8	38.4	16.4	45.5	+ 4.1	39.3	6.2	12.8	0.5	79	113.0	31.9	NE. & ENE.	ENE. & E.	0.0	0.0	0.0	0.0	267	- 42	0.00	5.3		
THURSDAY . . 22	30.210	46.7	38.4	8.3	42.0	+ 0.5	38.4	3.6	6.6	0.0	87	60.7	35.0	NE. & ENE.	ENE.	1.5	0.0	0.0	0.0	268	- 41	0.00	0.0		
FRIDAY . . 23	30.291	53.0	39.3	13.7	44.4	+ 2.6	39.8	4.6	11.6	0.0	84	107.0	35.0	ENE.	ENE.	1.3	0.0	0.0	0.0	271	- 33	0.00	1.2		
SATURDAY . . 24	30.151	57.0	34.7	22.3	45.0	+ 2.9	40.0	5.0	15.2	0.0	83	112.0	28.9	NE.	ENE.	2.6	0.0	0.0	0.0	271	- 31	0.00	3.8		
MEANS . . .	30.158	52.4	35.8	16.6	43.1	+ 1.5	39.0	4.1	11.3	0.1	86	88.5	30.6	ENE.	ENE.	Sum 1464	-631	Sum 0.00	2.8		
Number of Column . . 3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25			

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h, 12h, 3p, 6p, and 9h. P.M. The means of the above readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875. In reading the columns 9 and 23 it will be borne in mind that *"higher"* and *"lower"* than the average.

The number in column 27, derived from the Campbell-Stokes Sunshine Instrument, shows the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30.72 in. at the beginning of the week to 30.75 in. by 31. a.m. on the 19th; decreased to 30.67 in. by 31. p.m. on the 21st; increased to 30.31 in. by 31. a.m. on the 23rd; and decreased to 30.09 in. by the end of the week.

GENERAL REMARKS.

DATE.		ELECTRICITY. (For explanation of symbols, <i>see</i> Note.)	Registered Sunshine, in hours.	Sum Above Horizon, in hours.	GENERAL REMARKS.
MARCH.					
SUNDAY	18	m. P. generally - v. P. till evening; w. N. at night.	0·0	12·0	Hoar frost and fog in morning; great gloom between 11 h. A.M. and noon; generally cloudy till evening; cloudless at night.
MONDAY	19	v. P. throughout - v. P. throughout	0·3	12·0	Hoar frost and fog in morning; generally overcast afterwards. Fog at night.
TUESDAY	20	m. P. generally - v. P. in morning; m. P. afterwards.	0·4	12·1	Overcast till 6 h. P.M., a little fine rain about 9 h. A.M.; cloudless in evening; cloudy after 10 h. P.M.
WEDNESDAY	21	m. P. generally - v. P. in morning; m. P. afterwards.	8·2	12·2	Partially cloudy in morning; cloudless and very fine till night; cloudy after 10 h. P.M.
THURSDAY	22	m. P. generally - v. P. in morning; m. P. afterwards.	0·0	12·2	Generally overcast; foggy in morning.
FRIDAY	23	m. P. in morning; m. P. afterwards.	5·7	12·3	Overcast and somewhat foggy in morning; very fine throughout the remainder of the day; slightly cloudy in afternoon; cloudless afterwards.
SATURDAY	24	m. P. generally - v. P. in morning; m. P. afterwards.	6·0	12·4	Generally cloudy in morning and dense fog prevailed between 4 h. A.M. and 9 h. A.M.; cloudless and very fine during the afternoon and evening.
		Sum	Sum	Sum	
		20·6	50	50	

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationary Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 13. 1894. VOL. LV.] WEEK ENDING SATURDAY, MARCH 31. [Price 1½d.

General Register Office, Somerset House,
April 2nd, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·0 per 1000 of their aggregate population, which is estimated* at 10,458,412 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.		Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.
Birkenhead	20·7	18·3	17·3	23·7	Liverpool - -	25·1	25·6	23·0	24·5
Birmingham	17·4	19·3	21·0	20·0	London - -	20·4	19·3	20·3	20·8
Blackburn -	23·2	19·9	17·4	18·7	Manchester -	21·7	21·1	23·8	22·7
Bolton -	20·7	16·3	22·5	22·0	Newcastle-on-Tyne	19·6	12·1	20·1	21·2
Bradford -	18·9	18·6	17·5	17·2	Norwich -	14·3	14·8	18·8	19·2
Brighton -	18·9	13·6	15·4	15·4	Nottingham -	14·9	16·3	18·0	20·8
Bristol -	20·9	20·5	21·2	14·5	Oldham - -	18·8	21·4	18·8	19·5
Burnley -	18·9	24·3	18·4	17·3	Plymouth - -	22·5	19·6	18·4	23·7
Cardiff -	22·4	14·7	18·2	18·6	Portsmouth -	14·6	18·6	12·8	12·2
Croydon -	17·2	12·1	14·9	19·6	Preston - -	19·2	20·6	22·0	17·3
Derby -	16·4	20·6	10·6	15·3	Salford - -	22·0	24·6	25·1	25·8
Gateshead -	14·5	22·9	22·3	17·9	Sheffield - -	19·1	18·2	17·4	18·6
Halifax -	20·8	15·7	14·6	21·3	Sunderland -	21·5	17·2	23·8	19·9
Huddersfield	11·1	14·3	15·4	16·9	Swansea - -	20·2	21·9	14·2	16·9
Hull -	16·9	18·6	16·2	18·4	West Ham - -	20·1	18·4	18·6	15·8
Leeds -	17·2	18·2	18·9	15·0	Wolverhampton -	23·9	20·8	22·1	19·0
Leicester -	19·3	16·8	19·8	19·8					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·2 in Wolverhampton, 1·3 in Salford, 1·4 in Leicester, 1·6 in Liverpool, 1·7 in London, 2·1 in Birmingham, and 3·0 in Birkenhead; from *whooping-cough*, 1·3 in Bolton and in Salford, 1·4 in Bristol and in Sheffield, 2·0 in Birkenhead, and 2·5 in Cardiff; from "*fever*," 3·0 in Norwich; and from *diarrhoea*, 1·1 each in Swansea, Burnley, and Gateshead. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 96 deaths from *diphtheria* included 57 in London, 7 in Manchester, 5 in West Ham, 4 in Birmingham, 3 in Cardiff and in Burnley, and 2 each in Liverpool, Salford, Leeds, and Newcastle. Five deaths from *small-pox* were registered in West Ham, 3 in Birmingham, and one death each in Bristol, Manchester, and Oldham, but not one in London or in any other of the thirty-three towns.

LONDON.

In LONDON† 2437 BIRTHS and 1737 DEATHS were registered. Allowing for increase of population, the births were 333, and the deaths 16, below the average numbers in the corresponding weeks of the last ten years. The annual

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

death-rate per 1000 from all causes, which had been 20·4, 19·3, and 20·3 in the preceding three weeks, further rose last week to 20·8. During the four weeks ending on Saturday last the death-rate averaged 20·2 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1737 deaths included 138 from measles, 23 from scarlet fever, 57 from diphtheria, 73 from whooping-cough, 12 from enteric fever, 7 from diarrhœa and dysentery, and not one from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 310 deaths were referred to these diseases, being 111 above the corrected average weekly number.

There were 56 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals and 25 in the Highgate Small-pox Hospital, making a total of 81, against 87, 87, and 85 on the preceding three Saturdays; 14 cases were admitted during the week, against 24, 20, and 17 in the preceding three weeks. The deaths from *measles*, which had been 47, 66, 74, and 96 in the preceding four weeks, further rose last week to 138, exceeding the corrected average by no fewer than 83; 18 belonged to Fulham, 12 to Islington, 14 to Mile End Old Town, 15 to Poplar, and 11 to Lambeth sanitary areas. The deaths from *scarlet fever*, which had been 17, 19, and 13 in the preceding three weeks, increased last week to 23, and were 6 above the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2118 scarlet fever patients at the end of last week, against 2153, 2107, and 2103 on the preceding three Saturdays; 215 cases were admitted during the week, against 222 and 233 in the preceding two weeks. The deaths from *diphtheria*, which had been 53, 52, and 56 in the preceding three weeks, numbered 57 last week, and were nearly three times the corrected average. The Metropolitan Asylum Hospitals* contained 307 diphtheria patients at the end of last week, against 304, 307, and 299 on the preceding three Saturdays; 66 cases were admitted during the week, against 63 and 58 in the preceding two weeks. The deaths from *whooping-cough*, which had been 59, 55, and 49 in the preceding three weeks, increased last week to 73, being, however, 8 below the corrected average. The fatal cases of *enteric fever*, which had been 10, 14, and 9 in the preceding three weeks, numbered 12 last week, and exceeded the corrected average by 3. The Metropolitan Asylum Hospitals* contained 92 cases of enteric fever and 3 of typhus on Saturday last; 9 cases of enteric fever were admitted during the week, against 12 in each of the preceding two weeks. The deaths from *diarrhœa*, which had amounted to 13, 10, and 12 in the preceding three weeks, declined last week to 7, and were 5 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 434, 373, and 397 in the preceding three weeks, declined to 347 last week, and were 103 below the corrected average.

The deaths attributed directly to *influenza* numbered 16, having been 14, 18, and 17 in the preceding three weeks.

Different forms of violence caused 74 deaths, concerning 73 of which inquests were held. Of these 74 deaths, 10 were cases of suicide, and one death was a case of homicide, while the remaining 63 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 8 to conflagrations, 5 to drowning, and 11 (including 10 of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3309 births and 2174 deaths were registered, corresponding to annual rates of 29·0 and 19·1 per 1000 of the estimated population. In the Outer Ring 5 deaths from small-pox, 8 from measles, 6 from scarlet fever, 16 from diphtheria, 25 from whooping-cough, and 3 from "fever" were recorded. The 5 deaths from small-pox occurred in West Ham district. Of the 16 deaths from diphtheria, 7 occurred in West Ham district, and 4 in Edmonton district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·89 inches, and that of the Thermometer 48°·2, the latter being 4°·5 above the week's average in the 50 years 1841-90. The direction of the wind was Easterly, the horizontal movement of the air being 41 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 60·5 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—Births, Deaths, and Meteorology, in 33 Great Towns, during the Week ending 31st March 1894.

CITIES AND BOROUGH.	Population estimated to the middle of the Year 1844.*	Registered during the Week ending 31st Mar. 1894.			Deaths from										TEMPERATURE OF THE AIR.										RAINFALL.		CITIES AND BOROUGH.						
		1.	2.	3.	Deaths of					Deaths from					Mean.					Lowest.					In Cent.	In Inches.							
					Infants under 1 Year of Age.	Persons aged 15 Years and upwards.	Small-pox.	Measles.	Scarlat. Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths Public Institutions.	Unidentified Causes of Death.	From All Causes.	From Diseases in 12.	Highest.	Fahrenheit.	Abnormal.	Untraced.										
33 TOWNS.	10,458,442	5569	4C10	359	889	11	210	51	56	158	46	40	151	294	868	74	200	31	68	0	27	0	46	7	8	17	0	02	0	05	33 TOWNS.		
LONDON.	4,240,168	2487	1787	335	414	5	158	23	57	73	12	7	74	353	405	10	208	37	68	0	29	4	48	2	9	60	0	00	0	00	LONDON.		
WEST HAM.	23,184	142	72	17	12	3	2	2	5	5	2	1	1	2	16	3	15	8	4	-	-	-	-	-	-	9	00	0	00	0	00	WEST HAM.	
CROYDON.	111,921	54	42	7	33	1	-	2	1	2	1	-	1	2	11	-	19	6	2	3	65	0	28	0	47	7	8	72	0	00	CROYDON.		
BRIGHTON.	118,715	67	35	9	12	1	-	-	1	1	-	-	1	2	6	-	15	4	0	4	61	8	38	6	49	9	94	0	04	0	10	BRIGHTON.	
PORESMOUTH.	170,973	94	40	7	14	1	-	-	-	-	-	-	1	1	7	-	12	2	0	3	60	0	34	5	47	7	8	72	0	00	0	00	PORESMOUTH.
PLYMOUTH.	57,931	43	40	10	13	1	-	-	1	6	-	-	-	1	3	1	23	7	1	2	23	7	1	-	-	-	-	-	-	-	-	PLYMOUTH.	
BRISTOL.	226,578	723	63	14	13	1	3	-	1	7	-	-	4	8	14	-	14	5	2	5	64	0	33	0	46	8	8	52	0	01	0	03	BRISTOL.
CARDIFF.	148,890	109	63	18	5	1	-	1	3	7	-	2	1	3	1	1	18	6	3	9	-	-	-	-	-	-	-	-	-	-	-	CARDIFF.	
SWANSEA.	45,319	58	31	10	6	1	-	-	1	2	-	1	1	1	1	1	16	9	2	1	-	-	-	-	-	-	-	-	-	-	-	SWANSEA.	
WOLVERHAMPTON.	55,036	60	51	6	9	3	2	-	1	-	-	1	-	1	2	-	10	0	2	5	63	3	28	8	44	5	6	94	0	10	0	25	WOLVERHAMPTON.
BIRMINGHAM.	492,361	292	189	34	25	3	10	3	4	3	2	4	3	3	3	3	20	0	4	1	-	-	-	-	-	-	-	-	-	-	-	BIRMINGHAM.	
NORWICH.	115,645	66	39	6	13	1	5	2	-	-	6	-	2	7	10	-	19	2	3	0	65	0	28	6	45	3	7	39	0	00	0	00	NORWICH.
LEICESTER.	139,136	106	72	15	16	1	5	2	-	-	1	-	2	5	12	-	19	8	2	2	-	-	-	-	-	-	-	-	-	-	-	LEICESTER.	
NOTTINGHAM.	223,584	132	89	24	22	1	4	-	-	4	-	1	2	4	11	3	20	8	2	6	66	0	30	0	46	0	7	78	0	00	0	00	NOTTINGHAM.
DERBY.	187,556	61	49	5	6	1	-	1	-	1	1	1	1	2	5	1	15	3	1	6	-	-	-	-	-	-	-	-	-	-	-	DERBY.	
BIRKENHEAD.	105,627	61	43	11	18	1	6	-	1	4	-	1	1	2	4	-	23	7	5	9	-	-	-	-	-	-	-	-	-	-	-	BIRKENHEAD.	
LIVERPOOL.	407,290	286	258	63	26	3	15	7	2	6	9	3	1	13	25	3	24	5	4	0	65	4	23	1	49	6	9	78	0	00	0	00	LIVERPOOL.
BOLTON.	118,263	66	70	7	13	1	3	-	1	3	-	1	1	2	6	-	22	0	2	2	-	-	-	-	-	-	-	-	-	-	-	BOLTON.	
MANCHESTER.	150,211	803	516	47	42	1	3	2	7	6	-	5	9	19	25	4	22	7	7	1	-	-	-	-	-	-	-	-	-	-	-	MANCHESTER.	
SALFORD.	505,828	146	162	53	20	1	5	2	9	5	-	2	7	10	15	4	25	8	4	1	-	-	-	-	-	-	-	-	-	-	-	SALFORD.	
OLDHAM.	138,713	64	72	10	11	1	1	1	1	2	-	2	2	2	5	1	17	3	8	1	-	-	-	-	-	-	-	-	-	-	-	OLDHAM.	
BURNLEY.	164,478	52	42	7	8	1	-	1	3	1	1	2	2	2	5	1	13	7	3	8	-	-	-	-	-	-	-	-	-	-	-	BURNLEY.	
BLACKBURN.	125,757	64	45	11	6	1	2	-	1	1	-	2	4	4	1	3	4	18	7	1	-	-	-	-	-	-	-	-	-	-	-	BLACKBURN.	
PRESBURN.	111,425	89	37	13	4	1	2	-	-	1	-	2	4	1	3	4	17	3	1	4	-	-	-	-	-	-	-	-	-	-	-	PRESBURN.	
HUDDERSFIELD.	133,111	28	32	6	7	1	-	-	-	2	-	-	2	1	1	1	16	9	1	1	-	-	-	-	-	-	-	-	-	-	-	HUDDERSFIELD.	
HALIFAX.	124,661	57	48	6	7	1	1	1	1	1	1	1	2	3	4	3	21	3	1	7	-	-	-	-	-	-	-	-	-	-	-	HALIFAX.	
BRADFORD.	234,155	49	74	13	16	1	-	3	1	2	2	2	2	5	6	-	17	2	3	0	62	0	31	6	46	1	7	83	0	00	0	00	BRADFORD.
LEEDS.	388,761	215	112	21	27	1	2	2	2	2	2	2	6	12	25	1	15	0	1	1	-	-	-	-	-	-	-	-	-	-	-	LEEDS.	
SHEFFIELD.	338,516	194	131	37	18	1	2	-	1	0	2	1	3	4	13	8	18	6	2	3	-	-	-	-	-	-	-	-	-	-	-	SHEFFIELD.	
HULL.	212,079	111	75	16	18	1	-	-	-	3	-	-	4	6	18	3	18	4	0	7	61	0	27	0	42	4	5	78	0	05	0	13	HULL.
SUNDERLAND.	126,101	85	42	11	9	1	1	-	-	1	-	-	-	1	5	1	19	9	0	8	-	-	-	-	-	-	-	-	-	-	-	SUNDERLAND.	
GATESHEAD.	133,72	57	32	8	7	1	1	1	-	1	1	2	2	3	1	1	17	9	2	2	-	-	-	-	-	-	-	-	-	-	-	GATESHEAD.	
NEWCASTLE.	201,947	123	82	17	17	1	-	1	2	4	-	1	2	7	13	1	21	2	1	8	-	-	-	-	-	-	-	-	-	-	-	NEWCASTLE.	

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTEENTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2732	2404	2698	2736	2492	2808	2513	2731	2498	2553	2769.9	2437
Males	1386	1247	1359	1379	1283	1403	1332	1457	1259	1276	1412.7	1244
Females	1346	1157	1339	1357	1204	1405	1211	1324	1239	1277	1357.2	1193
TOTAL Deaths	1573	1701	1745	1583	1668	1476	1571	1793	1753	1732	1752.6	1737
Males	829	852	876	806	828	731	810	944	900	918	896.5	864
Females	744	849	869	782	840	745	761	855	853	814	856.1	873

* The numbers in this column are the average weekly numbers in the thirteenth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.
TOTAL Births	2486	2367	2719	2689	2708	2709	2602	2587	2564	2636	2553	2496	2437
TOTAL Deaths	2040	2462	1975	1655	1621	1534	1552	1634	1748	1700	1610	1691	1737
Ages at Death													
0-20 years	924	1030	813	748	717	702	705	771	793	740	737	802	822
20-40 "	244	280	230	208	216	199	190	245	226	241	185	208	214
40-60 "	370	450	371	277	297	276	307	272	323	298	276	305	287
60-80 "	410	585	449	334	319	201	292	323	338	345	336	301	310
80 years & upwards	92	117	112	83	72	56	58	53	68	76	76	75	74
Under 1 year	441	505	383	367	353	349	357	384	403	352	333	370	385
1-5	347	385	332	288	245	264	258	275	267	293	293	313	357
5-20	133	140	98	93	119	89	90	112	123	95	106	119	120
Deaths from Small-pox	2	1	-	-	1	-	-	2	1	-	3	1	-
" " Measles	60	65	45	35	21	42	40	59	47	66	74	96	138
" " Scarlet fever	35	26	25	9	22	23	24	20	20	17	19	13	23
" " Diphtheria	66	55	48	52	74	56	58	42	59	53	52	56	57
" " Whooping-cough	81	107	93	86	69	54	60	74	72	59	55	49	73
" " Typhus	-	-	-	-	-	-	-	1	-	-	-	-	-
" " Enteric fever	10	15	13	12	14	6	8	4	12	10	14	9	12
" " Simple Cont'd fever	-	1	3	-	-	-	-	-	1	-	-	-	-
" " Diarrhœa and Dysentery	9	12	16	15	14	17	16	16	14	13	10	12	7
" " Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
" " all the above-mentioned Diseases	263	282	243	209	215	198	206	218	226	218	227	236	310
" " Dis. of Respiratory System	566	762	547	422	385	372	340	403	413	434	373	397	347
" " Phthisis	179	230	150	149	159	148	145	185	175	151	154	182	173
" " Dis. of Circulatory System	157	188	161	124	148	114	118	112	157	129	114	138	137
Violent Deaths	77	92	73	55	73	53	61	62	70	65	75	62	74
Inquest Cases	183	227	178	115	135	108	140	141	165	138	140	133	153
Deaths in Public Institutions	474	626	531	462	489	441	486	462	479	500	436	450	425
TEMPERATURE OF THE AIR													
Mean	26.5	37.5	45.0	41.6	42.0	46.0	41.0	34.3	41.0	44.2	42.6	43.1	43.2
Mean of Highest readings	30.1	42.3	48.5	46.1	47.9	51.3	45.9	41.0	51.4	51.7	51.3	52.4	61.4
Mean of Lowest readings	22.0	31.2	40.7	36.6	37.3	40.4	36.7	27.3	37.3	37.6	35.9	35.8	34.5
Humidity of the Air	77	89	88	84	83	86	83	78	84	81	79	86	71
Rain-fall in inches	0.56	0.43	0.86	0.71	0.69	0.27	0.60	0.21	0.45	0.19	0.41	0.00	0.00
Registered Sunshine (in hours)	3.4	7.0	9.2	10.0	18.5	6.9	8.1	38.0	15.6	14.4	25.4	20.6	60.5

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Jexon, Esq., F.R.Met.Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McIlandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTEENTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 13th Week of the 10 years 1884-93.	In the Week ending Saturday, 31st March 1894.								CAUSES OF DEATH.	Corrected Averages for the 13th Week of the 10 years 1884-93.	In the Week ending Saturday, 31st March 1894.									
		Deaths of Persons of the Ages										Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.		
			0-1.	1-5.	5-20.								0-1.	1-5.	5-20.						
ALL CAUSES -	1752.6	1737	335	357	130	214	287	340	74	Diseases of Organs of Special Sense -	2.3	4	-	1	1	2	-	-	-		
Small-pox { Vaccinated†	1.2	-	-	-	-	-	-	-	-	Diseases of Circulatory System -	147.3	137	-	1	11	19	39	61	6		
{ Unvaccinated	1.8	-	-	-	-	-	-	-	-	Croup -	11.0	3	3	-	-	-	-	-	-		
{ No Statement	1.9	-	-	-	-	-	-	-	-	Bronchitis -	270.5	173	37	33	-	1	20	67	30		
Measles -	55.4	188	29	97	12	-	-	-	-	Pneumonia -	131.7	138	29	43	5	13	23	20	-		
Scarlet Fever -	16.7	23	-	15	6	2	-	-	-	Pleurisy -	5.9	8	1	1	-	-	3	3	-		
Typhus -	0.3	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System -	31.2	20	2	5	-	2	2	3	4		
Relapsing Fever -	-	-	-	-	-	-	-	-	-	Dentition -	14.0	9	6	3	-	-	-	-	-		
Influenza -	8.4	16	-	1	2	2	3	8	-	Quinsy, Sore Throat -	2.0	1	1	-	-	-	-	-	-		
Whooping-cough -	80.9	73	26	46	1	-	-	-	-	Enteritis -	7.4	10	4	-	1	2	2	1	-		
Diphtheria -	19.8	67	5	33	16	2	1	-	-	Peritonitis -	6.9	5	-	-	2	1	2	-	-		
Simple Continued and Ill-defined Fever -	0.6	-	-	-	-	-	-	-	-	Diseases of Liver -	27.1	23	3	-	-	4	5	11	-		
Enteric Fever -	9.2	12	-	1	2	7	1	1	-	Other Diseases of Digestive System -	28.1	31	7	-	2	4	6	11	1		
Cholera and Chol. Diarr.	11.5	7	3	3	-	-	-	-	1	Diseases of Lymphatic System & of Glandless Glands -	2.2	4	-	-	-	3	1	-	-		
Diarrhoea, Dysentery	0.2	-	-	-	-	-	-	-	-	Diseases of Urinary System -	43.9	50	-	1	2	8	22	12	5		
Remittent Fever -	0.2	-	-	-	-	-	-	-	-	Diseases of Generative System -	4.5	5	-	-	-	2	2	1	-		
Hydrophobia -	0.2	-	-	-	-	-	-	-	-	Accidents of Childbirth -	4.7	4	-	-	-	4	-	-	-		
Glanders -	-	-	-	-	-	-	-	-	-	Diseases of Locomotive System -	7.5	7	-	1	4	1	-	1	-		
Cowpox and Effects of Vaccination	0.1	-	-	-	-	-	-	-	-	Diseases of Integumentary System -	4.7	5	1	1	-	1	1	-	1		
Veneral Affections	11.0	14	4	1	-	3	3	8	-	VIOLENT DEATHS.†											
Erysipelas -	4.5	2	1	-	-	1	-	-	-	(ACCIDENT.)											
Pyæmia and Septicæmia	2.2	4	-	-	-	2	1	1	-	By Railways -											
Puerperal Fever -	5.7	3	-	-	-	3	-	-	-	By Vehicles or Horses -		4	-	1	2	-	-	1	-		
Other Zymotic Diseases	0.9	2	1	1	-	-	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) -		1	-	-	-	1	-	-	-		
Thrush -	1.3	2	2	-	-	-	-	-	-	In Building Operations -		1	-	-	-	1	-	-	-		
Worms and other Parasitical Diseases -	0.2	1	-	-	1	-	-	-	-	In Conflagrations -		8	-	4	1	3	-	-	-		
Starvation, Want of Breast-milk -	1.9	7	5	-	-	-	1	1	-	By Burns, Scalds, Explosions -	57.6	5	-	-	4	-	1	-	-		
Alcoholism -	7.8	5	-	-	-	4	1	-	-	By Drowning -		5	-	-	-	1	4	-	-		
Rheumatic Fever, Rheumatism of Heart	8.9	13	-	1	6	1	4	1	-	By Suffocation in Bed -		11	10	1	-	-	-	-	-		
Rheumatism -	3.0	2	-	-	-	-	1	1	-	By Poisons or Poisonous Vapours -		1	-	-	1	-	-	-	-		
Gout -	3.6	4	-	-	-	-	1	3	-	Other or not stated Causes -		27	5	-	5	4	3	3	2		
Rickets -	6.2	2	-	2	-	-	-	-	-	(VIOLENCE OTHER THAN ACCIDENTAL.)											
Cancer -	55.5	72	-	1	-	7	23	30	1	Homicide -	1.3	1	-	-	-	1	-	-	-		
Tabs Mesenterica	23.8	14	6	5	3	-	-	-	-	Suicide -	7.5	10	-	-	1	3	3	3	-		
Tubercular Meningitis	26.3	33	11	18	4	-	-	-	-	Execution -	0.2	-	-	-	-	-	-	-	-		
Phthisis -	170.8	173	3	5	22	75	51	16	1	OTHER CAUSES -	52.5	41	35	2	-	-	1	3	-		
Scrophula, Tuberculos	19.8	19	-	9	4	5	1	-	-												
Other Constitutional Diseases -	12.6	11	-	-	-	1	6	2	2												
Premature Birth -	41.7	47	47	-	-	-	-	-	-												
Atelactasis -	2.8	3	3	-	-	-	-	-	-												
Congenital Malformations -	7.9	7	7	-	-	-	-	-	-												
Old Age -	53.0	42	-	-	-	-	-	22	20												
Apoplexy -	45.7	44	1	1	2	4	15	17	4												
Epilepsy -	7.9	5	-	-	2	2	1	-	-												
Convulsions -	46.4	27	22	5	-	-	-	-	-												
Other Diseases of Brain and Nervous System	97.5	96	15	14	4	7	22	26	8												

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DYPHTHERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHOEA, VIOLENCE, INQUEST CASES, Deaths in Public Institutions during the Week end

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation 1891.	Total BIRTHS.	Total DEATHS.	Deaths from													
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2437	1737	335	414		138	23	57	73	-	12	-	7	74	153	495
WEST DISTRICTS	740,735	387	315	65	78	-	98	1	7	13	-	1	-	1	12	28	102
NORTH DISTRICTS	993,884	558	365	67	104	-	22	9	22	13	-	3	-	1	12	28	92
CENTRAL DISTRICTS	247,538	129	113	15	22	-	5	1	5	6	-	1	-	-	13	19	61
EAST DISTRICTS	705,114	437	340	82	62	-	89	3	10	24	-	1	-	3	15	36	95
SOUTH DISTRICTS	1,524,472	946	553	104	141	-	49	9	13	17	-	3	-	2	23	43	109
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	46	1	12	-	1	-	1	-	-	3	-	-	-	-	46
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	84159	58	31	7	6	-	-	-	-	2	-	-	-	-	1	3	7
St. John Paddington H - G.J.	33987	7	18	1	6	-	-	-	1	-	-	1	-	-	2	3	11
Kensington Town Ww - W.M.	118751	47	45	11	21	-	-	-	-	2	-	-	-	1	3	8	19
Brompton H - W.M. & C.	47557	11	7	-	1	-	1	-	1	-	-	-	-	-	-	-	1
St. Peter Hammersmith - W.M.	8588	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	88453	42	32	7	9	-	4	-	1	2	-	-	-	-	2	6	3
Fulham Ww - W.M. & C.	91639	70	61	20	9	-	18	1	1	3	-	-	-	-	1	4	11
Chelsea Kensal Town - C.	21787	16	7	1	-	-	-	-	-	2	-	-	-	-	-	-	-
Chelsea North WHHHH - C.	41637	30	28	3	8	-	-	-	-	-	-	-	-	-	4	10	2
Chelsea South HH - C.	32829	14	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
May Fair W - G.J.	23733	6	14	3	4	-	-	-	-	-	-	-	-	-	-	-	11
Belgrave WHHH - C.	54531	28	35	5	8	-	2	-	2	1	-	-	-	-	2	3	15
St. John Westminster HHH - C.	34193	19	12	2	2	-	1	-	1	1	-	-	-	-	-	-	1
St. Margaret Westminster H - C.	21668	8	10	2	1	-	1	-	-	-	-	-	-	-	1	2	8
St. James Westminster WHH N.R. & G.J.	24995	7	7	2	2	-	1	-	-	-	-	-	-	-	-	-	1
St. Anne Soho HHHHHH - N.R.	12317	6	6	1	-	-	-	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone } - W.M.	37713	15	16	1	2	-	-	1	-	-	-	1	-	-	3	3	11
HHHHHHHH } - G.J. & W.M.	20024	4	6	1	3	-	2	-	-	-	-	-	-	-	-	-	1
Rectory Marylebone W - G.J. & W.M.	19239	39	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone HHHH G.J. & W.M.	88327	14	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H - W.M.	83101	16	15	3	2	-	-	-	1	-	-	-	-	-	1	3	-
St. John Marylebone H - W.M.	86416	30	32	5	6	-	3	10	2	-	-	-	-	-	1	2	14
Hampstead WvHHHHH N.R. & W.M.	36590	14	9	2	3	-	-	-	-	-	-	-	-	-	1	1	-
Regent's Park Pancras HH - W.M.	26321	12	15	1	4	-	-	-	-	-	-	-	-	-	1	-	9
Tottenham-court WHHHH N.R. & W.M.	27455	12	14	4	1	-	-	-	2	1	-	-	-	-	2	3	5
Gray's Inn Lane HHH - N.R.	32329	16	7	2	1	-	-	-	-	-	-	-	-	-	-	1	1
Comers Town HH - N.R.	15419	11	9	-	6	-	-	-	-	-	-	-	-	-	1	2	6
Camden Town WH - N.R.	95735	47	31	4	11	-	2	-	1	1	-	-	-	-	1	1	8
Kentish Town W - N.R.	90235	52	44	7	21	-	2	-	1	2	-	-	-	1	-	-	18
Upper Holloway WvWHH - N.R.	105537	70	36	13	4	-	8	-	2	2	-	-	-	-	2	5	-
Islington South-west H - N.R.	64153	38	17	6	7	-	-	-	1	-	-	-	-	-	-	-	-
Islington South-east - N.R.	59193	28	16	2	6	-	2	-	1	-	-	-	-	-	1	1	-
Highbury HH - N.R.	80936	19	6	2	2	-	-	-	-	-	-	1	-	-	-	-	-
Stoke Newington H - N.R.	17759	4	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.	42602	13	13	2	3	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney H - N.R.	96496	75	50	4	10	-	5	5	3	3	-	1	-	-	-	1	17
Hackney WvWHH - E.L. & N.R.	41759	30	12	6	2	-	1	-	-	1	-	-	-	-	1	8	-
South Hackney W - E.L.																	
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16623	7	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-
St. Giles South WH - N.R.	13454	8	6	1	4	-	-	-	-	2	-	-	-	-	-	1	3
St. Giles North H - N.R.	9633	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.	14616	7	12	1	1	-	-	-	1	1	-	-	-	-	1	1	6
St. Mary-le-Strand H - N.R.	3706	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes WH - N.R.	7194	2	10	1	1	-	2	-	-	-	-	-	-	-	-	1	7
Strand Union Workhouse, Edmonton w.	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1	2
St. Geo. the Martyr HHHHHH N.R.	17921	11	13	4	2	-	-	-	3	1	-	-	-	-	-	1	10
St. Andrew Eastern W - N.R.	15343	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.	16803	9	11	2	2	-	-	-	-	-	-	-	-	-	-	1	1
Amwell Clerkenwell - N.R.	16883	7	6	-	1	-	1	-	-	1	-	-	-	-	5	2	-
Pentonville - N.R.	17155	13	6	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Goodwill-street - N.R.	15375	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHHH - N.R.	39177	28	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Whitecross-street - N.R.	3273	4	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-
Flinsbury - N.R.	4985	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham w.	-	-	3	-	3	-	-	-	-	-	-	-	-	-	2	2	-
St. Botolph H - N.R. & E.L.	8944	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Cripplegate - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - N.R.	4444	2	17	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Bride W - N.R.	6594	4	-	-	-	-	1	1	-	-	-	-	-	-	3	3	16
Allhallows Barking - N.R.	10422	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - N.R.	3377	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; P—Private Lunatic Asylum in which paupers are received; w—Workhouse / Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N. Rivers; E. L., East London; and K., the Kent Company.

er, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT day, 31st March, 1894.

The DEATHS registered in the Week include																						
REGISTRATION SUB-DISTRICTS.			Enu-merated Popu-lation, 1891.	Total Births.	Total Deaths.	Deaths of														Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple continued Fever.	Diarrhoea.	Violence.					
EAST DISTRICTS.																						
Bedford South	HL*	E.L. & N.R.	20098	11	10	2	2	-	-	-	-	-	-	-	-	-	1	1	1			
Bedford New Town	-	-	23813	27	13	3	5	-	-	-	3	-	-	-	-	-	1	1	3			
Bedford Old Town	-	-	23854	15	6	12	2	1	-	-	-	-	-	-	-	-	1	1	3			
Bedfordgerston	WH	-	46244	31	27	9	3	-	-	2	1	-	-	-	-	-	1	1	9			
Bedford Green North	H	-	51520	23	23	9	2	-	-	-	4	-	-	-	-	-	2	6	2			
Bedford Green South	-	-	39489	20	11	8	2	-	-	-	-	-	-	-	-	-	-	-	-			
Bedford Green East	WHL*	-	44123	28	34	4	11	-	-	1	1	-	-	-	1	2	3	17	-			
Bedfordfields	-	-	22456	11	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
Bedford End New Town	W	-	17908	18	12	2	5	-	-	-	1	-	-	-	-	-	2	9	-			
Bedford Church	H	-	20098	14	20	4	1	-	-	1	-	-	-	-	-	-	1	17	-			
Bedfordman's Fields	-	-	13800	6	3	-	2	-	-	-	-	-	-	-	-	-	1	-	-			
Bedford George's, North	-	-	87778	33	14	9	1	2	-	-	1	-	-	-	1	-	2	-	-			
Bedford John, St. George East	W	-	7037	4	8	-	4	-	-	-	1	-	-	-	-	-	-	8	-			
Bedfordwell	H	-	40216	9	14	5	-	-	-	-	-	-	-	-	-	2	2	10	-			
Bedford Cliff	W	-	14928	9	6	1	1	-	1	-	-	-	-	-	-	1	1	-	-			
Bedfordhouse	-	-	32202	26	13	3	2	2	-	-	2	-	-	-	-	1	1	-	-			
Bedford End Old Town West	H	-	38650	23	11	1	-	2	1	1	3	-	-	-	-	-	1	-	-			
Bedford End Old Town East	WwH	-	68942	29	30	8	3	12	1	-	5	-	-	-	-	-	4	1	-			
Bedford Z	-	-	40265	29	16	3	3	-	6	-	1	-	-	-	-	-	-	-	-			
Bedfordmley	WwH	-	70000	46	48	6	9	-	7	-	4	-	-	-	1	3	6	18	-			
Bedfordlar	Ww	-	56883	25	16	6	3	-	2	-	1	-	-	-	-	1	2	-	-			
SOUTH DISTRICTS.																						
Bedford Blatchford Southwark	WH	L. & S.	18264	9	3	-	-	-	1	-	-	2	-	-	-	-	-	-	-			
Bedford Saviour Southwark	-	-	18913	9	9	-	1	-	2	-	-	-	-	-	-	-	-	-	-			
Bedford East-road	-	S. & L.	21887	13	10	4	1	-	1	-	-	1	-	-	-	-	1	-	-			
Bedford Rough-road	WH	-	16624	8	10	5	1	1	1	-	-	-	-	-	-	-	1	-	2			
Bedford Addon-road	HL	-	9123	10	9	1	1	3	1	-	1	-	-	-	-	-	1	2	-			
Bedford City Newington	-	-	26556	21	10	5	1	1	-	-	-	-	-	-	-	-	2	2	-			
Bedford Peter Walworth	W	-	61342	31	32	11	14	-	-	-	-	-	-	-	1	-	3	4	7			
Bedford Mary Newington	-	-	17866	14	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-			
Bedford Olave	WH	-	12723	6	13	1	1	-	1	-	-	-	-	-	-	-	1	9	-			
Bedford Father Market	-	-	14952	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bedford Mary Magdalen	W	-	15460	11	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-			
Bedford James Bernondsey	-	-	54070	33	25	5	8	-	5	-	-	-	-	-	-	-	1	1	-			
Bedford Sherbithe	WH	-	56255	26	11	-	2	4	-	-	1	-	-	-	-	-	-	6	-			
Bedford Waterloo-road 1st	H	-	14031	12	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-			
Bedford Waterloo-road 2nd	H	-	14644	13	6	1	-	2	-	-	-	-	-	-	-	-	-	-	-			
Bedford Ambeth Church 1st	H	-	18075	12	20	4	4	1	-	-	1	-	-	-	-	-	1	3	12			
Bedford Ambeth Church 2nd	Ww	-	3367	32	18	2	6	2	-	-	-	-	-	-	-	-	2	3	4			
Bedford Annington 1st	H	-	50586	40	13	2	3	-	-	-	-	-	-	-	-	-	-	-	-			
Bedford Annington 2nd	-	-	39716	22	8	-	2	-	2	-	-	-	-	-	-	-	1	1	-			
Bedford Kington	W	-	78405	40	24	6	6	-	1	-	2	-	1	-	-	-	1	1	-			
Bedford Kewwood	W	-	25457	13	6	1	2	-	3	-	-	-	-	-	-	-	-	-	-			
Bedford St Battersea	-	-	62244	53	16	4	4	-	-	1	-	-	-	-	-	-	-	2	-			
Bedford St Battersea WwH	-	-	63314	66	56	6	13	-	2	-	1	-	-	-	-	-	1	3	12			
Bedford Statham	HH	-	43408	21	10	1	6	-	1	-	-	-	-	-	-	-	-	1	-			
Bedford Sandworth	WHL	-	44717	19	10	2	6	-	-	-	-	-	-	-	-	-	2	1	-			
Bedford Sney	-	-	17771	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bedford Southam	Ww	-	48755	50	10	2	11	-	2	-	-	-	-	-	1	-	-	5	1			
Bedford Twich	-	-	6809	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bedford St Botolph	WwH	-	31363	53	47	8	15	-	3	1	1	-	1	-	-	-	2	2	24			
Bedford Statham Ww	-	-	65463	31	29	8	5	-	1	-	-	-	-	-	-	-	1	1	-			
Bedford George Camberwell	-	-	63366	46	23	4	-	-	3	1	1	1	-	-	-	-	2	3	-			
Bedford Bedford, North	-	-	35314	27	8	1	-	-	1	-	-	1	-	-	-	-	1	1	-			
Bedford Bedford, Central	W	-	4207	26	14	-	-	-	1	4	2	1	-	-	-	-	-	4	-			
Bedford Bedford, South	-	-	30852	10	8	1	2	-	-	-	1	-	-	-	-	-	1	3	-			
Bedford Bedford, West	H	-	22607	13	8	3	-	-	-	-	1	1	-	-	-	-	-	1	-			
Bedford Bedford East	WH	-	5523	27	21	4	7	-	-	-	2	1	-	-	-	-	1	10	1			
Bedford Bedfordham	H	-	5682	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bedford Bedfordham	H	-	23541	14	5	1	1	-	-	-	-	1	-	-	-	-	-	-	-			
Bedford Bedfordham	WH	-	30550	21	12	1	3	-	1	-	1	-	-	-	-	-	-	2	-			
Bedford Bedfordham	H	-	34162	18	8	-	3	-	-	-	1	-	-	-	-	1	-	-	-			
Bedford Bedfordham	H	-	14040	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-			
Bedford Bedfordham Dockyard	-	-	19696	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bedford Bedfordham Arsenal	HH	-	21244	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bedford Bedfordham West	H	-	15869	7	6	2	1	-	-	-	-	1	-	-	-	-	-	-	1			
Bedford Bedfordham East	W	-	36867	19	18	4	5	-	-	-	1	-	-	-	1	1	3	7	-			
Bedford Bedfordham	-	-	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	7	-			
Bedford Bedfordham	-	-	-	-	12	-	2	-	-	-	-	-	-	-	-	-	-	12	-			
Bedford Bedfordham	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-			
Bedford Bedfordham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bedford Bedfordham	-	-	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	5	-			
Bedford Bedfordham	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-			
Bedford Bedfordham	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-			
Bedford Bedfordham	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-			
Bedford Bedfordham	-	-	-	-	8	1	-	-	-	-	-	-	-	-	-	-	-	8	-			
Bedford Bedfordham	-	-	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	7	-			

TABLE 5.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 31st March, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lated Popu- lation 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of		Deaths from														
						Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.				
LONDON—OUTER RING						368 749	1,422,063	872	437	110	119	5	8	6	16	25	3	4	16	30	62	11
01:1	Carsington WHI	1925	26179	19	5	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* WHH	1423	12308	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17:1	Godstone, part of* WHH	754	1593	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18:1	Croydon WHH	2142	128699	71	54	11	15	-	2	2	1	5	-	-	-	1	3	15	-	-	-	-
2	Mitcham w	116	23088	13	6	1	2	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
19:1	Wimbledon HHH	320	25761	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston WHH	8071	44765	32	22	5	10	-	-	-	-	-	-	-	1	-	2	3	-	-	-	-
3	Esher, part of*	6691	12059	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton H	4535	18252	10	4	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
10:1	Richmond WH	2760	25389	11	11	2	2	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-
2	Mortlake H	2821	16159	9	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
11:1	Bromley HHH	9127	23815	11	10	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	6542	21989	9	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
3	Chislehurst, pt. of* WHH	14307	20372	7	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
21:1	Rexley H	12740	30790	21	11	4	5	-	-	-	-	1	-	-	-	1	1	1	2	-	-	-
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14:1	Sussexbury w	11054	13871	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines w	18277	13221	4	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15:1	Hillingdon WHH	6725	12237	11	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2	Uxbridge	4174	5417	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes WH	14537	12613	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13:1	Isleworth WH	6977	26373	17	13	2	5	-	-	-	-	1	-	-	-	-	1	3	-	-	-	-
2	Twickenham HH	2415	16027	8	5	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
3	Brentford HHHH	418	37777	17	7	3	3	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-
4	Chiswick	1245	21363	15	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
5	Acton WH	6132	30945	21	13	4	4	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-
17:1	Harrow HHH	18819	15715	7	7	1	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
2	Edgware H	6994	3344	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3	Willesden HHH	4353	61265	51	15	5	2	-	2	1	-	1	-	-	-	2	3	2	-	-	-	-
4	Hendon W	83-2	15843	10	6	-	1	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
18:1	South Mimms	153	847	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet WHH	6441	11773	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3	Finchley HH	4688	25822	7	10	3	2	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-
122:1	Horsey H	3049	61097	43	21	3	5	-	-	-	3	2	-	-	-	1	2	-	-	-	-	-
2	Tottenham H	494	97174	61	24	7	6	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-
3	Edmonton WH	7430	36351	24	6	-	3	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
4	Enfield WHH	12639	31893	25	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Waltham Abbey	111	6066	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Chesham H	2450	9820	6	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
13:1	Hatfield, part of*	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushy	9351	7727	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136:1	Stratford H	1109	42283	29	14	4	4	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-
2	Plaistow HHHH	1242	6030	49	25	5	2	5	1	-	4	1	-	-	-	-	-	5	2	-	-	-
3	Canning Town H	1553	54759	38	14	5	1	-	-	-	-	3	1	1	-	-	-	1	1	-	-	-
4	Forest Gate w	805	4214	25	10	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5	East Ham WH	3266	32713	22	11	5	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	2
6	Leyton WHH	424	70183	43	27	6	10	-	-	-	-	1	1	-	-	1	1	16	-	-	-	-
7	Walthamstow HHL	654	57330	35	12	6	2	-	-	1	-	-	-	-	-	3	3	-	-	-	-	-
187:1	Chigwell, part of* H	1179	12941	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping Work., pt. of*	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
189:1	Romford, part of* WHH	6558	4324	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford	8493	10913	6	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Barking Town	3814	14301	15	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—121: 2, Epsom sub-district, except the parishes of Ashted and Handley (pop. 1768); 57: 1, the parishes of Warrington and Farley in Goldstone sub-district; 69: 3, Esher sub-district, except the parish of Esher (pop. 2352); 41: 2, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knechtols (pop. 3997); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (pop. 189); 189: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 43: 2, Dartford; 137: 3, Watford; and 187: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 31st March, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Coll. 8-14.		Deaths of		Deaths from												Deaths in Public Houses.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
GREATER LONDON	443,421	5,943,300	19.1	3.3	2174	445	533	5	113	20	73	93	15	11	90	557				
INNER LONDON	746 2	4,349,163	20.8	3.7	1737	335	414	-	133	23	57	73	12	7	74	495				
OUTER RING	303,749	1,593,134	14.3	2.2	437	110	119	5	8	6	16	25	3	4	16	62				

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 632,845 square miles, which is equivalent to the area of a circle having a radius of 14,351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,583	March 31	147	82	16.0	-	-	1	1	8	-	3	
GLASGOW	686,820	" 31	505	295	22.4	-	-	3	-	17	9	5	
DUBLIN	349,594	" 31	244	216	32.2	-	1	1	1	5	4	3	
CALCUTTA	466,460	February 3	-	290	32.4	3	2	-	-	2	118	63†	
BOMBAY	821,764	March 13	230	547	34.6	26	25	?	?	?	131	38	
MADRAS	452,513	February 23	283	303	35.5	-	7	?	?	?	114	52†	
PARIS	2,424,705	March 24	1231	1123	24.7	4	21	4	35*	4	70	41	
BRUSSELS	488,188	" 24	255	195	20.8	-	-	-	4*	4	-	8	
(with 8 Faubourgs)													
AMSTERDAM	437,892	" 24	294	163	19.1	-	2	-	4	1	1	1	
ROTTERDAM	222,233	" 24	161	79	18.4	7	-	-	1	1	-	-	
THE HAGUE	169,828	" 24	116	58	17.7	-	-	-	-	-	1	-	
COPENHAGEN	341,000	" 24	195	155	23.7	-	2	8	5	2	-	6	
STOCKHOLM	249,246	" 17	133	81	16.9	-	-	3	10*	-	1	6	
CHRISTIANIA	161,151	" 24	54	59	19.0	-	14	-	-	-	1	5	
ST. PETERSBURG	954,400	" 10	987	493	26.9	5	9	8	10	4	10	35	
MOSCOW	753,469	" 17	-	489	33.8	7	6	1	7	3	1	33	
BERLIN	1,714,938	" 10	944	573	17.6	-	2	4	38	13	3	18	
HAMBURG	594,209	" 24	-	212	18.6	-	5	2	4*	1	-	8	
DRESDEN	308,930	February 17	-	-	-	-	-	-	-	-	-	-	
BRISLAU	353,551	March 24	-	166	24.3	-	1	1	9*	1	-	16	
MUNICH	390,000	" 24	-	181	24.1	-	-	-	3*	-	-	20	
VIENNA	1,465,537	" 24	855	853	30.3	1	15	14	35*	3	1	37	
PRAGUE	3 2 357	" 24	219	183	28.6	-	17	2	6	1	5	4	
BUDA-PESTH	152,769	" 17	448	302	23.2	-	-	2	11	-	1	15	
TRIESTE	159,427	" 17	100	104	33.8	1	2	3	4*	-	1	-	
ROME	450,991	February 24	212	239	27.6	-	5	-	2	-	3†	7	
TURIN (10 days)	335,111	March 10	200	247	26.8	-	15	-	5	1	4	9	
VENICE	163,601	" 10	88	93	29.6	-	-	-	1*	-	-	-	
CAIRO	374,838	" 8	463	351	52.9	-	1	-	3*	2	14	95	
ALEXANDRIA	231,398	" 8	231	213	48.0	-	3	-	6*	4	2	34	
NEW YORK	1,925,569	" 10	-	862	23.2	2	29	14	45	7	5	12	
BROOKLYN	1,003,781	" 10	-	367	19.1	3	6	7	17	1	1	1	
PHILADELPHIA	1,139,457	" 10	-	450	20.6	-	8	4	17	6	6	9	
NEW ORLEANS	254,000	February 24	-	120	24.6	-	-	-	1	-	4	9	

* Including deaths from croup.

† Including 21 deaths from cholera in Calcutta, and 3 in Madras.

‡ Including 2 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 31ST MARCH, 1894.

[Under the Superintendence of the Astronomer Royal.]

1894.		TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a gauge which receives surface of the Air over the Ground.	
Phases of the Moon.	MORNING AND DAY.	BAROMETER.	Of the Air.					Of the Dew Point.					Difference between the Air Temperature and Dew Point Temperature.					Degree of humidity (Saturation equals 100°).	Of Radiation.		General Direction.		Pressure on the Square Foot.		Robinson's.		Horizontal Movement of the Air on each Day.	Vertical Movement of the Air on each Day.	Ozone.				
			High-est.	Low-est.	Daily Range.	Mean daily Average.	De- parture from Average.	Mean daily value.	Great- est.	Mean daily value.	Least.	Highest in the 24 Hrs.	Lowest on the Grass.	A. M.	P. M.	Great- est.	Least.		Mean of 24 hours.	Miles.	Miles.												
MARCH.																																	
SUNDAY	25	29.935	27.4	36.9	20.5	47.7	+ 5.3	37.6	19.1	19.0	6.2	68	111.5	29.4	ENE.	E. & ENE.	lbs. 2.0	0.0	0.0	221	— 81	0.09	0.0	0.0	171	— 12.9	0.09	3.0	0.0				
MONDAY	26	29.868	30.5	31.8	28.7	47.2	+ 4.3	37.0	10.2	20.0	0.7	68	117.7	25.1	ENE.	E.	0.2	0.0	0.0	139	— 170	0.00	0.0	0.0	139	— 170	0.00	0.0	0.0				
TUESDAY	27	29.977	34.0	30.2	33.8	48.0	+ 4.7	37.3	10.7	21.0	0.0	67	115.9	23.7	ENE.	ENE. & E.	0.0	0.0	0.0	199	— 139	0.09	0.0	0.0	165	— 134	0.09	3.8	0.0				
WEDNESDAY	28	30.091	50.7	29.4	27.3	43.2	— 0.5	38.8	4.4	12.7	0.0	85	110.7	35.0	ENE.	ENE. & E.	0.4	0.0	0.0	159	— 103	0.00	0.0	0.0	159	— 103	0.00	0.0	0.0				
THURSDAY	29	30.024	58.0	36.8	31.2	45.2	+ 1.1	42.2	3.0	12.5	0.0	89	112.6	32.5	ENE.	ENE. & E.	0.0	0.0	0.0	129	— 129	0.00	0.0	0.0	129	— 129	0.00	0.0	0.0				
FRIDAY	30	29.672	65.0	32.0	32.1	50.7	+ 6.1	38.4	12.3	22.3	0.0	63	129.0	30.6	NE. ENE. & E.	SE. S.E. & W. S.W.	1.7	0.0	0.0	195	— 105	0.00	0.0	0.0	195	— 105	0.00	0.0	0.0				
SATURDAY	31	29.639	68.0	43.8	24.2	55.2	+ 10.2	41.3	13.9	24.1	4.0	61	118.8	33.8	ENE. & E.	ENE. & E.	0.6	0.0	0.0	Sum 1240	— 855	Sum 0.09	Sum 1.4	Sum 2.4	Sum 23	Sum 24	Sum 25	Sum 26	Sum 27				
MEANS		29.889	61.4	34.5	26.8	48.2	+ 4.5	38.9	9.2	18.8	0.7	71	115.3	29.0	ENE. & E.	ENE. & E.	Sum 1240	— 855	Sum 0.09	Sum 1.4	Sum 2.4	Sum 23	Sum 24	Sum 25	Sum 26	Sum 27				
Number of Column.		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31			

GENERAL REMARKS.

SUNDAY	25	m. P. throughout	10° 4'	12° 4'	Very fine. Cloudless throughout.
MONDAY	26	v. P. till afternoon; s. P. at night.	9° 2'	12° 5'	Fair frost and fog in morning; cloudless and very fine throughout the day.
TUESDAY	27	v. P. in morning; m. P. in afternoon; s. P. at night.	9° 6'	12° 6'	Cloudless throughout. Hear frost and slight fog in morning. Very fine.
WEDNESDAY	28	v. P. throughout	7° 4'	12° 6'	Cloudless with hear frost and fog in early morning; cloudy between 8h. A.M. and 9° 30h. A.M.; cloudless and very fine till 6h. P.M. Overcast afterwards.
THURSDAY	29	v. P. in morning; s. P. afterwards.	5° 6'	12° 7'	Overcast and foggy in morning; cloudless and very fine till evening; dense fog at night.
FRIDAY	30	m. P. till 3h. P.M.; v. N. and v. P. afterwards.	9° 2'	12° 8'	Dense fog prevailed in early morning; cloudless and very fine till evening; overcast at night. A little fine rain fell about 10h. P.M.
SATURDAY	31	v. P. throughout	9°	12° 8'	Very fine and warm day. Small amounts of cloud usually prevailed.
Sum		60° 5'	Sum 60° 5'	Sum 88° 4'	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and of the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 30° 09 in. at the beginning of the week to 29° 58 in. by 8h. P.M. on the 26th; increased to 30° 10 in. by 3h. P.M. on the 28th; decreased to 29° 30 in. by 9h. A.M. on the 31st; and increased to 29° 74 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 14. 1894. VOL. LV.]

WEEK ENDING SATURDAY, APRIL 7.

[Price 1½d.

*General Register Office, Somerset House,
April 9th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·6 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.		Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.
Birkenhead	18·3	17·3	23·7	19·7	Liverpool -	25·6	23·0	24·5	25·3
Birmingham	19·3	21·0	20·0	23·0	London -	19·3	20·3	20·8	19·0
Blackburn -	19·9	17·4	18·7	20·3	Manchester -	21·1	23·8	22·7	21·6
Bolton -	16·3	22·5	22·0	23·4	Newcastle-on-Tyne	12·1	20·1	21·2	22·2
Bradford -	18·6	17·5	17·2	15·1	Norwich -	14·8	18·8	19·2	20·7
Brighton -	13·6	15·4	15·4	12·7	Nottingham	16·3	18·0	20·8	18·4
Bristol -	20·5	21·2	14·5	18·9	Oldham -	21·4	18·8	19·5	24·8
Burnley -	24·3	18·4	17·3	22·7	Plymouth -	19·6	18·4	23·7	23·7
Cardiff -	14·7	18·2	18·6	17·9	Portsmouth -	18·6	12·8	12·2	16·5
Croydon -	12·1	14·9	19·6	16·3	Preston -	20·6	22·0	17·3	17·8
Derby -	20·6	10·6	15·3	14·8	Salford -	24·6	25·1	25·8	27·4
Gateshead -	22·9	22·3	17·9	18·4	Sheffield -	18·2	17·4	18·6	18·5
Halifax -	15·7	14·6	21·3	20·8	Sunderland -	17·2	23·8	19·9	18·8
Huddersfield	14·3	15·4	16·9	14·3	Swansea -	21·9	14·2	16·9	14·2
Hull -	18·6	16·2	18·4	17·9	West Ham -	18·4	18·6	15·8	14·7
Leeds -	18·2	18·9	15·0	20·5	Wolverhampton -	20·8	22·1	19·0	19·6
Leicester -	16·8	19·8	19·8	14·9					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·2 in Wolverhampton, 1·6 in London, 1·8 in Salford, 1·9 in Leicester, and 2·0 each in West Ham, Birmingham, and Birkenhead; and from *whooping-cough*, 1·3 in Salford, 1·4 in Sheffield, 1·5 in Birkenhead, 1·6 in Bristol, 2·1 in Newcastle, and 2·5 in Cardiff. The death-rates from *scarlet fever*, "*fever*," and *diarrhoea* did not reach 1·0 per 1000 in any of the thirty-three towns. The

deaths from *diphtheria* included 63 in London, 3 in Manchester, 3 in Leeds, and 2 each in West Ham, Brighton, and Birmingham. Four deaths from *small-pox* were registered in Birmingham, 2 in London, 2 in West Ham, and one death in Bradford, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2682 BIRTHS and 1587 DEATHS were registered. Allowing for increase of population, the births were 46, and the deaths 140, below the average numbers in the corresponding weeks of the last ten years. The annual

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

death-rate per 1000 from all causes, which had been 19·3, 20·3, and 20·8 in the preceding three weeks, declined last week to 19·0. During the four weeks ending on Saturday last the death-rate averaged 19·9 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1587 deaths included 2 from small-pox, 132 from measles, 20 from scarlet fever, 63 from diphtheria, 64 from whooping-cough, 7 from enteric fever, 7 from diarrhœa and dysentery, and not one from typhus, any ill-defined form of continued fever, or from cholera; thus, 295 deaths were referred to these diseases, being 96 above the corrected average weekly number.

Two deaths from *small-pox* were registered, the corrected average being 6. There were 66 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals and 29 in the Highgate Small-pox Hospital, making a total of 95, against 87, 85, and 81 on the preceding three Saturdays; 26 cases were admitted during the week, against 20, 17, and 14 in the preceding three weeks. The deaths from *measles*, which had risen successively in the preceding five weeks from 47 to 138, numbered 132 last week, and exceeded the corrected average by 76; 16 belonged to Lambeth, 13 to Poplar, 11 to Islington, and 9 to Fulham sanitary areas. The deaths from *scarlet fever*, which had been 19, 13, and 23 in the preceding three weeks, declined last week to 20, but were 5 above the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2110 scarlet fever patients at the end of last week, against 2107, 2103, and 2120 on the preceding three Saturdays; 255 cases were admitted during the week, against 233 and 217 in the preceding two weeks. The deaths from *diphtheria*, which had been 52, 56, and 57 in the preceding three weeks, further increased last week to 63, and were 40 in excess of the corrected average. The Metropolitan Asylum Hospitals* contained 306 diphtheria patients at the end of last week, against 307, 299, and 307 on the preceding three Saturdays; 68 cases were admitted during the week, against 58 and 66 in the preceding two weeks. The deaths from *whooping-cough*, which had been 55, 49, and 73 in the preceding three weeks, declined last week to 64, and were 10 below the corrected average. The fatal cases of *enteric fever*, which had been 14, 9, and 12 in the preceding three weeks, numbered 7 last week, and were 2 below the corrected average. The Metropolitan Asylum Hospitals* contained 82 cases of enteric fever and 3 of typhus on Saturday last; 11 cases of enteric fever were admitted during the week, against 12 and 9 in the preceding two weeks. The deaths from *diarrhœa*, which had amounted to 10, 12, and 7 in the preceding three weeks, were again 7 last week, being but half the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 373, 397, and 347 in the preceding three weeks, declined to 314 last week, and were 100 below the corrected average.

The deaths attributed directly to *influenza* numbered 18, having been 18, 17, and 16 in the preceding three weeks.

Different forms of violence caused 63 deaths, concerning all of which inquests were held. Of these 63 deaths, 10 were cases of suicide, while the remaining 53 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 6 to drowning, and 12 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3638 births and 1984 deaths were registered, corresponding to annual rates of 31·9 and 17·4 per 1000 of the estimated population. In the Outer Ring 2 deaths from small-pox, 14 from measles, 13 from diphtheria, 18 from whooping-cough, and 4 from "fever" were recorded. The 2 deaths from small-pox, and 9 of those from measles, occurred in the district of West Ham. The 13 deaths from diphtheria included 4 in Brentford, 3 in West Ham, 2 in Edmonton, and 2 in Romford districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·82 inches, and that of the Thermometer 50°·6, the latter being 4°·6 above the week's average in the 50 years 1841-90. The direction of the wind was North-Easterly, the horizontal movement of the air being 25 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 36·9 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 7th April 1894.

CITIES AND BOROUGHES.	Cols.	Population registered during the Week ending 7th Apr. 1894.			The Deaths registered in the Week include										Annual Rate per 1000, corresponding to the Week's Deaths						TEMPERATURE OF THE AIR.						RAINFALL.		CITIES AND BOROUGHES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		BIRTHS.	DEATHS.	1.	Deaths of 1 Year or more (males under 60 Years and upwards).		Deaths from						Inquest Cases.				From All Causes.		From Diseases in Cols. 6-12.		Fahrenheit.		Fahrenheit.		In Inches.	In Centi-metres.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.	Unidentified Causes of Death.	Lowest.	Highest.	Mean.	Lowest.	Highest.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
33 TOWNS	10,458,442	6810	3923		932	846	9	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the FOURTEENTH Week of each of the Eleven Years, 1884–94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884–93.*	1894
TOTAL Births	2711	2473	2700	2538	2588	2676	2329	2920	2448	2566	2728·1	2682
Males . .	1377	1223	1378	1310	1305	1408	1204	1468	1246	1275	1392·5	1324
Females . .	1334	1250	1322	1228	1283	1268	1125	1352	1202	1291	1335·6	1358
TOTAL Deaths	1689	1859	1578	1437	1593	1572	1419	1722	1812	1683	1727·1	1587
Males . .	845	971	780	752	841	807	720	914	953	884	893·6	886
Females . .	844	888	798	685	752	765	699	808	859	799	833·5	751

* The numbers in this column are the average weekly numbers in the fourteenth weeks of the ten years 1884–93 raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.
TOTAL Births	2867	2719	2689	2708	2709	2602	2587	2564	2636	2553	2496	2437	2682
TOTAL Deaths	2462	1975	1655	1621	1534	1552	1664	1748	1700	1610	1691	1737	1587
Ages at Death													
{ 0–20 years	1030	813	748	717	702	705	771	793	740	737	802	822	792
{ 20–40 "	280	290	208	216	199	190	245	226	241	185	208	214	197
{ 40–60 "	450	371	277	297	276	307	272	323	298	276	305	287	265
{ 60–80 "	585	449	334	319	301	292	323	338	345	336	301	340	263
{ 80 years & upwards	117	112	83	72	56	58	53	68	76	76	75	74	70
Under 1 year	505	383	367	353	349	357	384	403	352	333	370	395	368
{ 1–5	385	332	288	245	264	253	275	267	293	298	313	357	320
{ 5–20	140	98	93	119	89	90	112	123	95	106	119	130	104
Deaths from													
Small-pox	1	—	—	1	—	—	2	1	—	3	1	—	2
" Measles	65	45	35	21	42	40	59	47	66	74	96	138	132
" Scarlet fever	26	25	9	22	23	24	20	20	17	19	13	23	20
" Diphtheria	55	48	52	74	56	58	42	59	53	52	56	57	63
" Whooping-cough	107	93	86	69	54	60	74	72	59	55	49	73	64
" Typhus	—	—	—	—	—	—	1	—	—	—	—	—	—
" Enteric fever	15	13	12	14	6	8	4	12	10	14	9	12	7
" Simple Cont'd fever	1	3	—	—	—	—	—	1	—	—	—	—	—
" Diarrhoea and Dysentery	12	16	15	14	17	16	16	14	13	10	12	7	7
" Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
" all the above-mentioned Diseases	282	243	209	215	193	206	218	226	218	227	236	310	295
" Dis. of Respiratory System	762	547	422	385	372	340	408	413	434	373	397	347	314
" Phthisis	230	150	149	159	148	145	185	175	151	154	182	179	128
" Dis. of Circulatory System	188	161	124	148	114	118	112	157	129	114	138	137	111
Violent Deaths	92	73	55	73	53	61	62	70	65	75	62	74	63
Inquest Cases	227	178	115	135	108	140	141	165	138	140	133	153	128
Deaths in Public Institutions	626	531	462	489	441	486	462	479	500	436	450	495	444
TEMPERATURE OF THE AIR													
Mean	37·5	45·0	41·6	42·0	46·0	41·0	34·3	44·0	44·2	42·6	43·1	43·2	50·6
Mean of Highest readings	42·3	48·5	46·1	47·9	51·3	45·9	41·0	51·4	51·7	51·3	52·4	61·4	63·1
Mean of Lowest readings	31·2	40·7	36·6	37·3	40·4	36·7	27·3	37·3	37·6	35·9	35·8	34·5	40·5
Humidity of the Air	89	88	84	83	86	83	78	84	81	79	86	71	76
Rain-fall in inches	0·43	0·86	0·71	0·69	0·27	0·60	0·21	0·45	0·19	0·41	0·00	0·00	0·01
Registered Sunshine (in hours)	7·0	9·2	10·0	18·5	6·9	8·1	38·0	15·6	14·4	25·4	20·6	60·5	35·9

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.B.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FOURTEENTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 14th Week of the 10 years 1884-93.*	In the Week ending Saturday, 7th April 1894.								CAUSES OF DEATH.	Corrected Averages for the 14th Week of the 10 years 1884-93.*	In the Week ending Saturday, 7th April 1894.								
		Deaths of Persons of the Ages										Deaths of Persons of the Ages								
		ALL AGES.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years, and upwards.			ALL AGES.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years, and upwards.	
ALL CAUSES - -	1727.1	1537	368	320	104	197	265	263	70	Diseases of Organs of Special Sense - - }	2.5	5	1	1	2	1	-	-	-	-
Small-pox { Vaccinated† -	1.7	1	-	-	-	1	-	-	-	Diseases of Circulatory System - - }	136.4	111	-	-	5	16	41	47	2	-
Unvaccinated -	1.5	-	-	-	-	-	-	-	-	Croup - - - -	12.1	4	1	3	-	-	-	-	-	-
No Statement -	2.5	1	-	-	-	1	-	-	-	Bronchitis - - -	332.0	150	33	23	1	4	19	51	14	-
Measles -	56.1	132	23	93	11	-	-	-	-	Pneumonia - - -	180.0	134	31	38	6	15	23	15	7	-
Scarlet Fever -	14.8	20	-	14	5	-	1	-	-	Pleurisy - - - -	7.1	7	-	2	-	2	3	-	-	-
Typhus - - - -	0.2	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - }	33.1	19	2	3	-	1	9	3	1	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	Dentition - - - -	18.0	12	8	4	-	-	-	-	-	-
Influenza - - -	7.9	18	1	-	1	2	5	8	1	Quinsy, Sore Throat -	1.2	2	-	2	-	-	-	-	-	-
Whooping-cough -	73.6	64	33	30	1	-	-	-	-	Enteritis - - - -	6.9	10	4	1	-	1	3	1	-	-
Diphtheria - -	23.1	63	6	34	20	3	-	-	-	Peritonitis - - -	7.2	6	1	-	3	1	-	1	-	-
Simple Continued and Ill-defined Fever - }	1.7	-	-	-	-	-	-	-	-	Diseases of Liver -	25.6	19	1	-	-	4	7	7	-	-
Enteric Fever -	8.8	7	-	-	2	3	1	1	-	Other Diseases of Digestive System - }	32.5	31	12	1	1	4	8	5	-	-
Cholera and Chol. Diarr.	0.4	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands - }	2.5	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery -	14.5	7	6	-	-	-	1	-	-	Diseases of Urinary System - }	44.3	43	-	1	-	11	19	11	4	-
Remittent Fever -	0.3	-	-	-	-	-	-	-	-	Diseases of Generative System - }	6.1	7	-	-	-	2	3	2	-	-
Hydrophobia -	0.1	-	-	-	-	-	-	-	-	Accidents of Childbirth -	2.3	8	-	-	1	7	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	Diseases of Locomotive System - }	7.7	6	1	1	1	1	1	1	-	-
Cowpox and Effects of Vaccination - }	0.1	-	-	-	-	-	-	-	-	Diseases of Integumentary System - }	5.3	4	2	-	-	-	-	2	-	-
Veneral Affections -	11.2	7	4	-	-	1	2	-	-	VIOLENT DEATHS; (ACCIDENT.)	-	-	-	-	-	-	-	-	-	-
Erysipelas - -	6.5	5	2	-	-	2	-	1	-	By Railways - - -	-	3	-	-	1	1	1	-	-	-
Pyæmia and Septicæmia	3.4	2	-	-	1	-	1	-	-	By Vehicles or Horses -	-	-	-	-	-	-	-	-	-	-
Puerperal Fever -	5.6	5	-	-	-	4	1	-	-	In Ships, Boats, Docks (exclusive of Drowning) - }	-	3	-	-	2	1	-	-	-	-
Other Zymotic Diseases	1.1	2	1	-	1	-	-	-	-	In Building Operations -	-	3	-	-	3	-	-	-	-	-
Thrush - - - -	1.1	1	1	-	-	-	-	-	-	In Conflagrations -	-	-	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases - }	0.3	1	-	1	-	-	-	-	-	By Burns, Scalds, Explosions - }	57.1	4	-	3	-	1	-	-	-	-
Starvation, Want of Breast-milk - }	1.3	2	1	1	-	-	-	-	-	By Drowning - - -	-	6	-	-	4	1	1	-	-	-
Alcoholism - - -	5.7	5	-	-	-	3	2	-	-	By Suffocation in Bed -	-	13	13	-	-	-	-	-	-	-
Rheumatic Fever, Rheumatism of Heart	7.3	8	-	1	1	2	3	1	-	By Poisons or Poisonous Vapours -	-	2	-	-	-	2	-	-	-	-
Rheumatism - -	1.8	1	-	-	-	-	-	1	-	Other or not stated Causes - }	-	20	5	3	4	1	3	2	2	-
Gout - - - -	3.6	1	-	-	-	-	1	-	-	(VIOLENCE OTHER THAN ACCIDENTAL.)	-	-	-	-	-	-	-	-	-	-
Rickets - - - -	4.6	6	3	3	-	-	-	-	-	Homicide - - - -	1.5	-	-	-	-	-	-	-	-	-
Cancer - - - -	57.7	68	-	-	2	3	31	29	3	Suicide - - - -	8.5	10	-	-	1	6	2	1	-	-
Tabes Mesenterica -	23.4	13	5	6	1	1	-	-	-	Execution - - - -	-	-	-	-	-	-	-	-	-	-
Tubercular Meningitis	25.9	23	5	19	3	1	-	-	-	OTHER CAUSES - -	54.2	49	44	3	-	-	-	1	1	-
Phthisis - - - -	179.0	128	1	5	17	64	34	5	2											
Serofula, Tuberculous	23.1	20	13	2	2	3	-	-	-											
Other Constitutional Diseases - }	11.5	17	3	1	-	3	5	5	-											
Premature Birth - -	89.8	42	42	-	-	-	-	-	-											
Atelectasis - - -	3.5	2	2	-	-	-	-	-	-											
Congenital Malformations - }	7.4	5	5	-	-	-	-	-	-											
Old Age - - - -	55.4	53	-	-	-	-	-	25	25											
Apoplexy - - - -	45.6	32	-	1	-	2	11	17	1											
Epilepsy - - - -	7.2	10	-	-	1	2	7	-	-											
Convulsions - - -	51.0	41	33	3	-	-	-	-	-											
Other Diseases of Brain and Nervous System }	101.7	79	10	12	5	12	16	17	7											

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.341 per cent. for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated," when as so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquest is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DURING the Week ending

The DEATHS registered in the Week include																				
REGISTRATION		Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of														Inquest Cases.	Deaths in Public Institutions
SUB-DISTRICTS.					Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON		4,211,743	2632	1587	368	333	2	132	20	63	64	-	7	-	7	63	128	44		
WEST DISTRICTS		740,735	365	273	59	80	-	17	2	10	8	-	1	-	-	8	12	87		
NORTH DISTRICTS		993,884	613	345	73	72	1	25	3	21	8	-	2	-	1	20	37	79		
CENTRAL DISTRICTS		247,538	135	78	22	14	-	6	-	1	2	-	-	-	-	6	10	26		
EAST DISTRICTS		705,114	618	295	78	47	-	32	-	9	22	-	-	-	-	12	39	100		
SOUTH DISTRICTS		1,524,472	1051	553	138	19	-	52	11	22	24	-	3	-	6	17	30	119		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON		-	-	43	-	11	1	-	4	-	-	-	1	-	-	-	-	43		
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		84160	43	23	7	6	-	2	-	-	1	-	-	-	-	-	-	5		
St. John Paddington H - G.J.		33937	6	13	-	3	-	-	-	-	-	-	-	-	-	1	1	7		
Kensington Town Ww - W.M.		118751	68	32	7	12	-	3	-	1	-	-	-	-	-	-	6	-		
Brompton H - W.M. & C.		47557	12	15	3	7	-	-	-	-	-	-	-	-	-	-	-	-		
St. Peter Hammersmith - W.M.		8536	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.		83653	49	31	5	8	-	1	-	2	-	-	-	-	1	2	2	23		
Fulham Ww - W.M. & C.		91639	74	37	16	11	-	9	2	5	3	-	1	-	-	-	-	-		
Chelsea Kensal Town - C.		21787	12	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North WHHHH - C.		41637	17	19	3	9	-	-	-	1	-	-	-	-	-	-	7	-		
Chelsea South HH - C.		32829	13	9	2	4	-	-	-	-	-	-	-	-	1	1	3	-		
May Fair W - G.J.		23733	-	17	1	8	-	-	-	-	-	-	-	-	-	1	1	14		
Belgrave WHHH - C.		54391	31	24	5	3	-	2	-	1	-	-	-	-	3	3	12	-		
St. John Westminster HHH - C.		31105	21	10	3	2	-	-	-	-	-	-	-	-	-	1	1	1		
St. Margaret Westminster H - C.		21668	6	8	2	2	-	-	-	1	-	-	-	-	-	-	-	4		
St. James Westminster WHH N.R. & G.J.		24995	6	7	1	4	-	-	-	1	1	-	-	-	-	-	2	1		
St. Anne Soho HHHHHH - N.R.		12317	5	3	1	-	-	-	-	-	1	-	-	-	-	-	-	1		
NORTH DISTRICTS.																				
All Souls Marylebone } - W.M.		37713	12	18	1	4	-	-	-	-	-	-	-	-	-	2	5	9		
HHHHHHHH																				
Rectory Marylebone W - G.J. & W.M.		20024	13	6	1	2	-	1	-	-	-	-	-	-	-	-	1	1		
St. Mary Marylebone HHHH G.J. & W.M.		19239	35	8	2	1	-	-	-	-	-	-	-	-	-	2	4	1		
Christchurch Marylebone H - W.M.		33327	13	7	1	-	-	1	-	3	-	-	-	-	-	1	2	-		
St. John Marylebone H - W.M.		32101	20	11	4	4	-	-	-	-	-	-	-	-	1	-	-	-		
Hampstead WwHHHHH N.R. & W.M.		68416	24	30	3	4	-	2	12	1	-	-	-	-	-	1	1	19		
Regent's Park Panoras H - W.M.		36590	29	10	1	1	-	3	-	-	-	-	-	-	-	-	-	1		
Tottenham-court WHHHH N.R. & W.M.		26321	13	7	1	-	-	-	-	-	1	-	-	-	-	-	1	6		
Gray's Inn Lane HHH - N.R.		27455	14	10	2	2	-	-	-	-	1	-	-	-	-	-	1	2		
Somers Town HH - N.R.		32829	23	14	3	1	-	-	-	-	-	-	-	-	-	1	1	2		
Camden Town WH - N.R.		15419	12	9	1	5	-	-	-	-	-	-	-	-	-	1	1	4		
Kensal Town W - N.R.		95765	57	30	8	8	-	1	-	-	4	-	-	-	-	1	2	6		
Upper Holloway WwHHH - N.R.		90235	62	41	7	13	1	2	-	3	-	-	-	-	-	-	1	11		
Islington South-west H - N.R.		105557	62	35	10	4	-	8	1	-	-	-	-	-	-	-	1	1		
Islington South-east - N.R.		64153	49	16	7	-	-	-	-	-	-	1	-	-	-	-	1	1		
Highbury HH - N.R.		59193	29	15	4	4	-	-	-	1	-	-	-	-	-	2	4	1		
Stoke Newington H - N.R.		39936	13	6	1	3	-	-	-	-	-	-	-	-	-	1	2	1		
Stamford Hill - E.L.		17759	8	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-		
West Hackney H - N.R.		42802	24	12	2	3	-	-	-	-	-	-	-	-	-	1	1	3		
Hackney WwHHH - E.L. & N.R.		96486	65	44	10	7	-	4	-	-	-	-	-	-	-	6	8	14		
South Hackney w - E.L.		31759	28	12	3	3	-	2	-	1	2	-	1	-	-	1	1	-		
CENTRAL DISTRICTS.																				
St. George Bloomsbury - N.R.		16695	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - N.R.		13454	10	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles North H - N.R.		9633	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3		
St. Martin-in-the-Fields HH N.R. & C.		14616	6	10	2	-	-	2	-	-	-	-	-	-	-	-	-	-		
St. Mary-le-Strand H - N.R.		5706	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3		
St. Clement Danes WH - N.R.		7194	1	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-		
Strand Union Workhouse, Edmonton w.		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2		
St. Geo.-the Martyr HHHHHH N.R.		17921	13	10	3	1	-	2	-	-	-	-	-	-	-	-	-	-		
St. Andrew Eastern W - N.R.		15343	9	4	-	1	-	1	-	-	-	-	-	-	-	-	-	3		
St. James Clerkenwell - N.R.		16803	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - N.R.		16883	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Pentonville - N.R.		17185	9	5	2	1	-	-	-	1	-	-	-	-	-	-	-	-		
Goswell-street - N.R.		15375	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
City-road HHHH - N.R.		29177	34	13	5	4	-	1	-	-	1	-	-	-	-	-	-	-		
Whitecross-street - N.R.		8278	4	1	1	-	-	-	-	-	-	-	-	-	-	-	2	1		
Finchbury - N.R.		4985	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
Holborn Union Workhouse, Mitcham w.		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - N.R. & E.L.		8944	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Cripplegate - N.R.		4539	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - N.R.		4444	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Bride W - N.R.		8594	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Allhallows Barking - N.R.		10432	2	3	2	-	-	-	-	-	-	-	-	-	-	1	1	3		
Broad Street H - N.R.		3377	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
City of London Asylum, Stone		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; w—Workhouse/Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts; G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
7th April, 1894.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of													
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Deaths from										
							Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
EAST DISTRICTS.																	
St. South HL*	E.L. & N.R.	20098	11	8	-	2	-	-	-	-	1	-	-	-	-	1	1
New Town w	- N.R.	29818	12	14	3	8	-	-	-	-	1	-	-	-	-	1	7
Old Town	- N.R.	28354	24	7	1	-	-	-	-	-	1	-	-	-	-	2	-
St. East WH	- N.R. & E.L.	46244	26	21	5	7	-	1	-	-	-	-	-	-	-	2	14
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	2	-	-	2	5	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	1	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	3
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	2	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East WHL*	- E.L.	44123	33	10	-	1	-	1	-	-	-	-	-	-	-	-	-
St. Green North H	- E.L.	51520	34	11	6	2	-	1	-	-	-	-	-	-	-	-	-
St. Green South	- E.L.	33489	26	10	5	2	-	-	-	-	-	-	-	-	-	-	-
St. Green East																	

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).
AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 7th April, 1894.

Regis- tration District and Sub- District Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Unname- rated Popu- lation. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Cases.	
LONDON—OUTER RING		368 749	1,422,063	956	397	101	101	2	14	1	13	18	4	4	18	26	26		
30: 1	Carshalton WHH -	12228	26108	8	3	1	1	-	-	-	-	-	-	-	1	-	-	-	
2	Epsom, part of* WHH -	10423	12508	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W -	754	1593	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon WHH -	20851	128699	62	43	15	9	-	3	-	1	2	-	-	2	4	5	-	
2	Mitcham W -	11697	23088	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon HHH -	3220	25761	21	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston WHH -	8071	44765	19	18	4	4	-	-	-	-	1	-	-	3	3	1	-	
3	Esher, part of,* -	6601	12059	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H -	4555	18252	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond WH -	2160	25389	10	10	2	6	-	-	-	-	1	-	-	2	2	1	-	
2	Mortlake H -	2823	16159	15	5	1	2	-	-	-	-	-	-	-	1	2	-	-	
41: 1	Bromley HHH -	9127	23815	12	7	-	-	-	-	-	-	1	-	1	-	-	-	-	
2	Beckenham H -	6542	21989	11	12	3	2	-	2	-	1	-	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH -	14307	20372	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
42: 1	Bexley H -	12540	30690	22	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Dartford Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124: 1	Sunbury W -	11054	13671	11	7	4	-	-	-	-	-	4	-	-	1	1	-	-	
2	Staines W -	18277	13221	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hillingdon WHH -	6035	12237	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge -	6172	5417	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH -	14537	12618	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
126: 1	Isleworth WH -	6967	26273	15	10	1	4	-	-	-	-	-	-	-	-	-	-	-	
2	Twickenham HH -	2415	16027	9	4	-	-	-	-	-	4	-	-	-	-	-	-	-	
3	Brentford HHHH -	4818	37777	26	17	6	3	-	-	-	-	-	-	-	1	1	-	-	
4	Chiswick -	1245	21963	19	4	-	3	-	-	-	-	-	-	-	-	-	-	-	
5	Aston WH -	6132	30945	20	8	1	2	-	-	-	-	-	-	1	-	-	-	-	
127: 1	Harrow HHH -	12809	15715	6	2	1	-	-	-	-	-	1	-	-	-	-	-	-	
2	Edgware H -	6994	3844	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH -	4333	61265	36	13	3	6	-	-	-	-	3	-	-	-	-	-	-	
4	Hendon W -	8382	16843	12	9	-	2	-	-	-	-	-	1	-	-	-	3	-	
128: 1	South Mimms -	1359	8474	9	5	2	1	-	-	-	-	-	-	-	1	1	-	-	
2	Barnet WHH -	5441	11778	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-	
3	Finchley HH -	4688	25820	22	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
129: 1	Hornsey H -	3039	61097	33	20	5	7	-	-	1	2	-	1	-	1	1	-	-	
2	Tottenham H -	4642	97174	64	29	5	8	-	-	-	-	2	-	-	2	4	3	-	
3	Edmonton WH -	7489	36551	19	11	3	5	-	-	-	-	-	-	-	-	2	2	3	
4	Enfield WHH -	12689	31803	29	7	3	1	-	-	-	-	-	-	-	-	-	-	-	
5	Waltham Abbey -	1111	6066	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt H -	8480	9620	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
130: 1	Hatfield, part of* -	3306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushy -	9331	7787	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136: 1	Stratford H -	1100	42883	51	14	5	1	-	1	-	1	-	-	-	-	-	-	-	
2	Plaistow HHHH -	1242	56030	57	15	9	-	2	2	-	1	1	1	-	-	-	1	-	
3	Canning Town H -	1553	54750	40	28	6	2	-	6	-	-	2	1	-	1	3	1	-	
4	Forest Gate W -	806	42140	40	6	3	-	-	-	-	-	-	-	-	-	-	-	-	
5	East Ham WH -	3266	32713	42	10	4	3	-	-	-	1	-	-	-	-	-	-	-	
6	Leyton WHH -	4234	70188	55	20	2	6	-	-	-	-	-	-	-	-	1	7	-	
7	Walthamstow HHL -	6501	37330	46	17	4	5	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Chigwell, part of* H -	11779	12941	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, part of* WH -	6556	4324	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford -	3493	10913	7	2	1	1	-	-	-	-	-	-	-	1	1	-	-	
3	Barking Town -	3814	14301	14	3	1	-	-	-	-	2	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39: 2, Epsom sub-district, except the parishes of Ashted and Headley (pop. 1768); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2282); 41: 2, Chislehurst sub-district, except the parishes of Chislehurst, Cuddaan, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1079); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 7th April, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	17·4	3·1	1984	469	434	4	146	21	76	82	11	11	81	470		
INNER LONDON	74,672	4,349,168	19·0	3·5	1587	363	333	2	132	20	63	64	7	7	63	444		
OUTER RING	368,749	1,599,134	12·9	1·8	397	101	101	2	14	1	13	18	4	4	18	26		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.
EDINBURGH	270,598	April 7	150	97	18·7	-	-	1	-	7	1	1
GLASGOW -	686,820	" 7	492	304	23·1	1	2	2	4	16	4	3
DUBLIN - -	349,594	" 7	165	155	23·1	-	2	3	-	5	6	1
CALCUTTA - -	466,460	February 10	-	277	30·9	2	1	-	-	1	102	63†
COCHIN - -	821,764	March 20	312	506	32·0	16	36	9	9	9	144	25
BRAS - - -	452,518	" 2	-	-	-	-	-	-	-	-	-	-
PARIS - - -	2,424,705	" 31	1185	1170	25·7	7	29	2	32*	5	54	57
BRUSSELS - & 8 Faubourgs)	488,183	" 31	271	189	20·1	-	-	-	4*	1	1	5
AMSTERDAM	437,892	" 31	267	135	15·8	-	1	-	1	-	1	-
ROTTERDAM	222,233	" 31	163	115	26·8	13	-	1	-	1	-	-
THE HAGUE	169,823	" 31	100	45	13·8	-	-	-	-	-	-	-
COPENHAGEN -	341,000	" 31	238	130	19·9	-	1	3	4	-	-	3
STOCKHOLM	249,246	" 24	153	99	20·7	-	-	5	5*	-	1	4
CHRISTIANIA	161,151	" 31	46	81	26·1	-	14	2	1	1	-	5
PETERSBURG	954,400	" 17	-	-	-	-	-	-	-	-	-	-
MOSCOW - -	753,469	" 24	-	472	32·7	-	4	4	17	3	3	31
BERLIN - - -	1,714,938	" 17	888	556	17·1	1	1	7	32	9	2	22
ST. PETERSBURG	594,209	" 31	-	206	18·0	-	6	3	9*	1	-	9
BRISTOL - -	308,930	February 17	232	98	16·3	-	-	-	10*	3	-	5
PRAGUE - - -	353,551	March 24	222	126	21·0	-	-	1	9*	1	-	8
WARSAW - - -	353,551	March 31	-	135	19·8	-	1	2	4*	1	1	16
VIENNA - - -	390,000	" 31	-	202	26·9	-	-	-	6*	-	-	17
BOLOGNA - -	1,465,537	" 31	1048	758	26·9	1	21	6	37*	1	2	26
LYON - - - -	332,357	" 31	219	194	29·7	-	17	-	2	5	6	8
VIENNA-PESTH	552,769	" 24	388	275	25·9	-	3	-	9	1	1	10
BRISTOL - -	159,427	" 24	82	100	32·6	3	4	-	2*	-	-	-
NEW YORK - -	450,991	" 3	-	-	-	-	-	-	-	-	-	-
PARIS (10 days)	335,111	" 20	-	-	-	-	-	-	-	-	-	-
PARIS - - -	163,601	" 17	86	67	21·3	-	-	-	1*	-	-	5
PARIS - - -	374,838	" 15	382	366	50·8	-	1	-	1*	1	11	89
ALEXANDRIA -	231,396	" 15	215	202	45·5	-	2	-	1*	1	3	56
NEW YORK - -	1,925,569	" 17	-	787	21·2	7	25	15	40	6	2	9
BROOKLYN - -	1,003,781	" 17	-	361	18·8	5	5	12	18	4	-	2
PHILADELPHIA	1,139,457	" 17	-	431	19·7	-	5	4	22	-	4	9
NEW ORLEANS -	254,000	" 3	-	-	-	-	-	-	-	-	-	-

* Including deaths from croup.

† Including 4 deaths from cholera in Calcutta.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 7TH APRIL, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.		Phases of the Moon.	TEMPERATURE.										TEMPERATURE.				Wind as deduced from Anemometers.						Rain collected by Gauge, or received from surface above the ground.	Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			Of the Air.					Difference between the Air Temperature and Dew Point.					Of Radiation.		Of Humidity (Saturation 100°).		Oiler's.		General Direction.		Pressure on the Square Foot.				Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
			High-est.	Low-est.	Daily Range.	Mean daily value.	Mean daily value.	Dew Point.	Mean daily value.	Mean daily value.	Greatest.	Least.	Degree of humidity (Saturation 100°).	Highest Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great-est.	Least.	Mean hourly obs.	Horizontal Movement of the Air in each Day.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
																						Miles.				Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
APRIL.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

ELECTRICITY.
(For explanation of symbols, see Note.)

GENERAL REMARKS.

DATE.	APRIL.	Registered Sun above Horizon, in hours.	Registered Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	1	2-3	12-9	Generally cloudy. Gloomy and foggy in morning; fine in afternoon. One or two light showers of rain.
MONDAY	2	3-5	13-0	Fine in early morning; variable amounts of cloud till evening, with a sharp but brief shower at 4 p.m.; cloudless at night.
TUESDAY	3	9-7	13-0	A very fine day; cloudless during the greater part.
WEDNESDAY	4	5-3	13-1	Cloudy in morning; fine, with small amounts of cloud during day. Brilliant solar halo, with parhelia in afternoon.
THURSDAY	5	7-9	13-2	Cloudy and foggy in morning; fine and generally cloudless till evening; cloudy at night.
FRIDAY	6	0-8	13-2	A few light showers in morning; generally cloudy till 3 p.m.; fine afterwards. Cloudless at night.
SATURDAY	7	7-4	13-3	Cloudy and foggy in morning; very fine, with little cloud throughout day.
Sum				

The results apply to the civil day, or from midnight to midnight.
The height of the cistern, or barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1878 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased from 29° 74 in. at the beginning of the week to 29° 86 in. by 10h. A.M. on the 1st; and decreased to 29° 68 in. by 3h. P.M. on the 3rd; increased to 29° 80 in. by 9h. A.M. on the 5th; and decreased to 29° 76 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 15. 1894. VOL. LV.]

WEEK ENDING SATURDAY, APRIL 14.

[Price 1½d.

*General Register Office, Somerset House,
April 16th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·3 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.		Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.
Birkenhead	17·3	23·7	19·7	20·7	Liverpool -	23·0	24·5	25·3	24·7
Birmingham	21·0	20·0	23·0	21·8	London -	20·3	20·8	19·0	19·3
Blackburn -	17·4	18·7	20·3	23·6	Manchester -	23·8	22·7	21·6	22·8
Bolton -	22·5	22·0	23·4	19·8	Newcastle-on-Tyne	20·1	21·2	22·2	21·7
Bradford -	17·5	17·2	15·1	17·9	Norwich -	18·8	19·2	20·7	19·2
Brighton -	15·4	15·4	12·7	18·0	Nottingham -	18·0	20·8	18·4	18·4
Bristol -	21·2	14·5	18·9	18·4	Oldham -	18·8	19·5	24·8	16·5
Burnley -	18·4	17·3	22·7	18·9	Plymouth -	18·4	23·7	23·7	17·8
Cardiff -	18·2	18·6	17·9	18·9	Portsmouth -	12·8	12·2	16·5	15·6
Croydon -	14·9	19·6	16·3	12·6	Preston -	22·0	17·3	17·8	19·7
Derby -	10·6	15·3	14·8	15·8	Salford -	25·1	25·8	27·4	18·7
Gateshead -	22·3	17·9	18·4	16·2	Sheffield -	17·4	18·6	18·5	18·6
Halifax -	14·6	21·3	20·8	17·4	Sunderland -	23·8	19·9	18·8	18·0
Huddersfield	15·4	16·9	14·3	11·6	Swansea -	14·2	16·9	14·2	19·7
Hull -	16·2	18·4	17·9	19·4	West Ham -	18·6	15·8	14·7	16·9
Leeds -	18·9	15·0	20·5	16·2	Wolverhampton -	22·1	19·0	19·6	31·9
Leicester -	19·8	19·8	14·9	13·5					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·3 in London, 1·4 in Preston, 1·5 in Birkenhead, 1·7 in Leicester, 2·0 in Birmingham, and 2·5 in Wolverhampton; from *scarlet fever*, 1·2 in Wolverhampton; and from *whooping-cough*, 1·5 in Birkenhead, 2·2 in Sheffield, and 2·5 in Cardiff. The death-rate from "*fever*" and from *diarrhœa* did not reach 1·0 per 1000 in any of the thirty-three towns. The 72 deaths from *diphtheria* included 50 in London, 3 each in West Ham, Cardiff, and Leeds, and 2 each in Bristol, Birmingham, Burnley, and Newcastle. Three deaths from *small-pox* were registered in Birmingham, 2 in West Ham, and one death in Portsmouth, but not one in London or in any other of the thirty-three towns.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

LONDON.

In LONDON† 2600 BIRTHS and 1609 DEATHS were registered. Allowing for increase of population, the births were 102, and the deaths 96, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·3, 20·8, and 19·0 in the preceding three weeks, increased again last week to 19·3. During the four weeks ending on Saturday last the death-rate averaged 19·9 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1609 deaths included 112 from measles, 29 from scarlet fever, 50 from diphtheria, 53 from whooping-cough, 9 from enteric fever, 14 from diarrhœa and dysentery, one death from cholera, and not one from small-pox, typhus, or any ill-defined form of continued fever; thus, 268 deaths were referred to these diseases, being 60 above the corrected average weekly number.

There were 75 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals and 27 in the Highgate Small-pox Hospital, making a total of 102, against 85, 81, and 95 on the preceding three Saturdays; 31 cases were admitted during the week, against 17, 14, and 26 in the preceding three weeks. The deaths from *measles*, which had been 96, 138, and 132 in the preceding three weeks, declined last week to 112, but were 49 above the corrected average; 13 belonged to Islington, 12 to Fulham, 10 to Poplar, 8 to Lambeth, 8 to Battersea, and 7 to Bermondsey sanitary areas. The deaths from *scarlet fever*, which had numbered 13, 23, and 20 in the preceding three weeks, increased last week to 29, being double the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2128 scarlet fever patients at the end of last week, against 2103, 2117, and 2109 on the preceding three Saturdays; 261 cases were admitted during the week, against 214 and 255 in the preceding two weeks. The deaths from *diphtheria*, which had been 56, 57, and 63 in the preceding three weeks, declined last week to 50, being, however, 23 above the corrected average; 5 belonged to Islington, 4 to Lambeth, and 4 to Camberwell sanitary areas. The Metropolitan Asylum Hospitals* contained 315 diphtheria patients at the end of last week, against 299, 307, and 307 on the preceding three Saturdays; 71 cases were admitted during the week, against 66 and 68 in the preceding two weeks. The deaths from *whooping-cough*, which had been 49, 73, and 64 in the preceding three weeks, further declined last week to 53, and were 22 below the corrected average. The fatal cases of *enteric fever*, which had been 9, 12, and 7 in the preceding three weeks, numbered 9 last week, the corrected average being 10; 3 belonged to Lambeth sanitary area. The Metropolitan Asylum Hospitals* contained 76 cases of enteric fever and one case of typhus on Saturday last; 11 cases of enteric fever were admitted during the week, against 9 and 11 in the preceding two weeks. The deaths from *diarrhœa*, which had been 12, 7, and 7 in the preceding three weeks, increased last week to 14, exceeding the corrected average by one death.

The deaths referred to diseases of the respiratory organs, which had amounted to 397, 347, and 314 in the preceding three weeks, further declined to 304 last week, and were 102 below the corrected average.

The deaths attributed directly to *influenza* numbered 9, having been 17, 16, and 18 in the preceding three weeks.

Different forms of violence caused 64 deaths, concerning 63 of which inquests were held. Of these 64 deaths, 7 were cases of suicide, and 2 of homicide, while the remaining 55 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 6 to burns and scalds, 9 to drowning, and 13 (including 12 of infants under one year of age) to suffocation in bed.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

DEATHS BELONGING to the SEVERAL SANITARY AREAS of REGISTRATION LONDON
registered in the 13 WEEKS ENDING on 31ST MARCH, 1894.

SANITARY AREAS.	Total Deaths from all Causes.	Deaths from Principal Zymotic Diseases.									Deaths of In- fants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhus.	Euteric Fever.	Simple and Undefined Fever.	Diarrhoea.		
REGISTRATION LONDON	22,573	7	787	273	712	932	1	136	5	168	4909	144
WEST.												
Paddington - - - -	523	1	7	4	20	16	-	4	-	3	100	138
Kensington - - - -	825	-	27	11	19	31	-	5	-	11	188	190
Hammer-smith - - -	501	-	18	6	12	31	-	3	3	5	109	146
Fulham - - - - -	583	-	39	8	33	18	-	1	-	4	147	157
Chelsea - - - - -	469	-	4	1	9	7	-	5	-	-	83	127
St. George Hanover Square -	830	-	8	1	6	6	-	4	-	2	48	128
Westminster - - -	324	-	15	3	7	7	-	1	-	1	56	179
St. James Westminster - -	128	-	6	2	7	1	-	1	-	-	14	132
NORTH.												
Marylebone - - - -	831	-	39	14	20	9	-	6	-	3	162	145
Hamstead - - - - -	245	-	1	1	7	13	-	1	1	3	47	127
Pancras - - - - -	1271	-	21	13	33	37	-	11	-	7	271	150
Islington - - - - -	1617	-	69	16	68	75	-	8	-	7	315	127
Stoke Newington* - - -	111	-	1	2	1	3	-	-	-	-	24	122
Hackney - - - - -	941	-	64	11	36	34	-	8	-	6	195	122
CENTRAL.												
St. Giles - - - - -	261	-	3	2	5	16	-	1	-	-	42	162
St. Martin-in-the-Fields -	92	-	2	-	2	3	-	1	-	1	15	259
Strand - - - - -	184	-	6	1	4	10	-	3	-	-	27	208
Holborn - - - - -	215	-	9	-	8	7	-	1	-	1	43	206
Clerkenwell - - - -	340	-	10	3	11	20	-	1	-	6	88	144
St. Luke - - - - -	274	-	6	4	6	5	-	-	-	1	55	105
London City - - - -	216	-	-	6	-	6	-	-	-	-	24	169
EAST.												
Shoreditch - - - - -	753	-	15	9	26	57	-	1	-	1	163	162
Bethnal Green - - - -	807	-	33	10	48	44	-	8	-	3	178	144
Whitechapel - - - -	481	-	13	9	7	25	-	3	-	4	134	168
St. George-in-the-East - -	372	-	26	4	13	20	-	3	-	8	93	189
Limehouse - - - - -	345	-	22	9	11	15	-	4	-	5	78	155
Mile End Old Town - - -	694	1	62	14	23	35	-	2	-	12	163	163
Poplar - - - - -	920	1	46	6	38	44	-	6	-	10	231	151
SOUTH.												
St. Saviour Southwark - -	147	-	13	-	2	6	-	-	-	1	25	114
St. George Southwark - -	408	-	21	7	7	17	-	-	-	1	98	182
Newington - - - - -	760	-	22	6	17	53	-	4	-	5	194	173
St. Olave Southwark - -	90	-	5	-	2	4	-	-	-	-	16	143
Bermondsey - - - - -	536	-	22	5	8	32	-	3	-	4	133	163
Rotherhithe - - - - -	226	-	15	3	2	4	-	-	-	3	65	161
Lambeth - - - - -	1492	-	52	17	35	33	-	12	-	11	304	126
Battersea - - - - -	684	-	27	12	31	12	-	5	-	9	163	142
Wandsworth - - - - -	623	-	3	6	29	14	-	-	-	13	137	117
Canterbury - - - - -	1122	-	17	15	30	34	-	6	-	15	268	184
Greenwich - - - - -	898	-	11	17	42	70	-	5	1	1	209	145
Lee - - - - -	149	2	2	1	11	6	1	-	-	2	23	115
Lewisham (excluding Penge) -	321	-	1	4	10	20	-	3	-	1	80	164
Woolwich - - - - -	209	1	1	3	1	10	-	4	-	1	46	145
Plumstead* - - - - -	232	1	-	5	8	22	-	-	-	1	52	106

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the sanitary areas in which the deceased had previously resided. The deaths of 580 London residents who died outside Registration London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, and the Metropolitan Hospitals and Asylums have been similarly distributed. In 416 cases the previous residence was outside Registration London, and these have been excluded from the Table.

* The parishes of Stoke Newington and Plumstead did not form separate sanitary areas until 25th March 1894 but, for convenience, the deaths are shown as though these sanitary areas had existed during the whole 13 weeks.

GREATER LONDON.

In Greater London 3471 births and 2013 deaths were registered, corresponding to annual rates of 30·4 and 17·6 per 1000 of the estimated population. In the Outer Ring 3 deaths from small-pox, 12 from measles, 6 from scarlet fever, 15 from diphtheria, and 25 from whooping-cough were recorded. Two of the deaths from small-pox occurred in West Ham district, and one death in Romford district. Of the 15 deaths from diphtheria, 7 occurred in West Ham, 3 in Edmonton, and 2 in Romford districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·70 inches, and that of the Thermometer 55°·2, the latter being 9°·4 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 29 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 37·7 hours.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of March. The supply was in the ratio of 231 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	MARCH. 1893.	MARCH. 1894.	MARCH. 1893.	MARCH. 1894.
TOTAL SUPPLY	792,467	803,215	182,275,807	185,463,942
From Thames	382,716	388,007	92,193,842	94,569,624
From Lea and from other Sources	409,751	415,208	90,081,965	90,894,318
THAMES.				
Chelsea	36,578	36,791	10,537,521	10,730,938
West Middlesex	76,342	77,527	17,514,613	17,799,251
Southwark and Vauxhall	115,235	116,377	27,876,093	30,176,875
Grand Junction	58,514	58,865	16,875,751	17,157,926
Lambeth	96,047	98,447	19,389,864	18,704,634
LEA AND OTHER SOURCES.				
New River	156,199	157,500	33,828,000	32,808,000
East London	174,913	177,274	42,114,500	42,962,733
Kent	78,639	80,434	14,139,465	15,123,585

Note.—The Return for March 1894, as compared with that for the corresponding month of 1893, shows an increase of 10,748 services and of 3,188,135 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING MARCH, 1894.

*Water-analysis Laboratory, The Yews, Reigate,
10th April, 1894.*

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of March.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (a) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (b) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·7, East London (deep-well) 1·2, Colne Valley and Tottenham 1·7, New River 2·4, East London (river supply) 2·9, Chelsea 4·3, West Middlesex, Southwark, and Lambeth 4·4, and Grand Junction 4·8. The unfiltered river waters contained the following proportions:—New River Cut 2·7, East London intake 5·4, and Thames at Hampton 5·1.

The Thames at Hampton was, on 13th March, turbid and yellow in colour. It was, both chemically and bacterially, considerably inferior in quality to its condition on the 12th of February, when my last sample was taken. As delivered by the five Companies drawing from this river, however, it was of considerably better chemical quality than on the previous occasion. It was in every case efficiently filtered, and exhibited the following per-centage bacterial improvement: Chelsea 99·79, West Middlesex 99·94, Southwark 99·49, Grand Junction (Hampton filters), 98·65, (Kew filters) 99·79, (Kew South filter) 99·35, and Lambeth 99·92.

The New River Cut was on the 14th March turbid and pale yellow. It was, both chemically and bacterially, of nearly the same fairly good quality as in February, when my last samples were taken. It was efficiently filtered before delivery, and was improved bacterially to the extent of 98·92 per cent. The raw river water of the Lea, at the East London Company's intake at Angel

Road, was turbid and yellow, and chemically of worse, but bacterially of much better, quality than the Thames at Hampton. It was efficiently filtered before delivery, greatly improved in chemical quality, and ameliorated bacterially on the average 94·29 per cent.

The deep-well waters of the Kent, Colne Valley, Tottenham, and East London Companies were of excellent quality for dietetic purposes. All these waters were clear and bright without filtration, and the Colne Valley Company's water was softened before delivery, and thus rendered suitable for washing. The Kent Company's water was again distinguished for its high degree of organic and bacterial purity.

Seen through a stratum two feet deep, the Kent, Colne Valley, Tottenham, and East London (deep-well) waters were clear and colourless, the New River clear and very pale yellow, and the rest of the waters clear and pale yellow.

The bacterioscopic examination of the raw river waters, and of those supplied by the various Companies, collected on the 13th, 14th, 15th, and 16th of March, gave the results contained in the following table:—

DESCRIPTION.	No. of Microbes per c.c.	Temp. C.
RAW RIVER WATERS.		
Thames at Hampton - - -	9,480	8°0
New River Cut - - -	1,300	8°9
New River unfiltered water after passing through subsidence lakes.	420	7°8
Lea at Angel Road - - -	4,920	7°6
„ after storage - - -	580	6°8
THAMES.		
Chelsea - - -	20	7°3
Chelsea Company's water after storage or just before filtration.	920	7°2
West Middlesex - - -	6	7°0
Southwark, No. 4 well - - -	48	7°4
Grand Junction (Hampton filters) - -	128	7°6
„ (Kew Bridge filters) - -	20	7°4
„ (Kew South filter) - -	62	7°8
Lambeth - - -	8	7°5
LEA.		
New River, main filter well - - -	14	7°1
„ No. 4 filter - - -	12	7°2
East London, No. 1 Essex well - - -	332	6°6
„ No. 2 - - -	344	6°7
„ Middlesex well - - -	166	6°6
DEEP WELL.		
Kent - - -	14	10°5

In explanation of the abnormally high numbers of microbes found in the East London Company's filtered water, the engineer writes me that three of the filter beds connected with No. 1 Essex well, and three of those connected with No. 2 Essex well, were cleaned only a few days previous to the taking of the samples. No beds connected with the Middlesex well were cleaned within a fortnight of the time when the bacterioscopic examination was made. A number of these beds had been re-sanded, and had not become properly consolidated.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city “was very slightly turbid, and superior in quality, both chemically and physically, to “the few previous samples.”

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was “light brown in colour, and contained “suspended matter.”

The Registrar General, &c. &c.

I am, &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.	March 13th.	8°0	31°92	·266	·035	·006	·251	·291	1·9	20·0
	(Unfiltered water) -	Grand Junction Co.'s intake at Hampton.									
	Chelsea - - -	March 16th.	7·3	30°24	·231	·020	0	·281	·301	1·9	19·7
		Cab Rank, Horse Guards, Whitehall.									
	West Middlesex -	March 16th.	6·5	30°42	·228	·029	0	·271	·300	1·9	19·7
		Cab Rank, Riding House- street.									
	Southwark -	March 16th.	7·8	30°60	·227	·033	0	·247	·280	1·9	20·3
		Cab Rank, St. George's Church, Borough.									
	Grand Junction -	March 16th.	8°0	30°70	·249	·035	0	·263	·298	1·9	19·7
		Cab Rank, Portman- street, Oxford-street.									
Outer Circle.	Lambeth - - -	March 16th.	7·6	31°10	·238	·022	0	·283	·305	1·9	20·0
		Cab Rank, St. George's- road, Southwark.									
	LEA.	March 14th.	8·9	28°60	·135	·027	·004	·263	·293	1·8	19·1
	(Unfiltered water) -	New River Cut at Green-lanes.									
	New River - - -	March 16th.	6·8	29°68	·129	·015	0	·282	·297	1·8	20·0
		Cab Rank, Tottenham Court-road.									
	(Unfiltered water) -	March 15th.	7·6	35°68	·277	·042	·010	·287	·337	2·1	23·0
		East London Co.'s intake at Angel-road.									
	East London -	March 16th.	6·7	35°74	·149	·023	0	·309	·332	2·1	22·4
		Cambridge-road, E.									
Outer Circle.	DEEP WELLS.	March 16th.	10·5	37°76	·087	·003	0	·506	·509	2·2	24·8
	Kent - - -	Mill-lane, Deptford.									
	{ Colne Valley - - -	March 7th.	—	19°00	·085	·017	·028	·446	·436	2·2	8·3
	{ Tottenham - - -	Bushey.	—	41°16	·075	·016	·036	·079	·124	2·8	23·9
	{ East London - - -	March 6th.	—	28°90	·054	·016	0	0	·016	2·0	20·6
		Tottenham.									
		March 15th.									
		Chingford.									
Corporation of Birming- ham* - - -		March 7th.	7·2	28°2	·131	·020	·001	·264	·285	2·0	21·0
		23 & 24, Ruston-street.									
Corporation of Glasgow† -		March 15th.	4·5	3·65	·117	·014	0	·006	·020	·7	·9
		Loch Katrine Water.									
Column 1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.

† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 16th March, at the Horse Guards cab-rank, had a temperature of 7°·3 C.; 100,000 lbs. of it contained 30·24 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·231 lb. of carbon and ·020 lb. of nitrogen. The above quantity of water also contained no ammonia and ·281 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·301 lb. The above weight of water also contained 1·9 lb. of chlorine and 19·7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

CITIES AND BOROUGHES.	POPULATION to the middle of 1864.*		Registered during the week ending 14th Apr. 1864.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.						RAINFALL.		CITIES AND BOROUGHES.	
	1.	2.	3.	4.	Deaths of		Deaths from							Deaths in			Inches.	In Centi- metres.	Cols.					
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Malaria.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.				Unrecorded Causes of Death.	From All Causes.	From (Diseases in Cols. 6-12)		High- est.
Colts.	Colts.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.
33 TOWNS.	10,458,442	6340	3877	936	858	6	87	50	72	142	33	38	143	257	828	59	19.3	2.6	75.8	36.4	50.0	10.00	0.41	1.04
LONDON.	4,349,166	2600	1609	334	-	112	29	53	9	14	-	-	64	121	462	15	19.3	3.2	75.8	39.4	55.2	12.89	0.06	0.15
WEST HAM.	238,184	167	77	19	17	2	5	-	3	4	1	-	-	2	13	3	16.9	3.3	-	-	-	-	-	-
CROYDON.	111,921	55	27	6	7	-	1	-	-	-	-	-	-	5	5	-	12.6	0.9	-	-	-	-	-	-
BRIGHTON.	118,715	55	41	7	17	-	-	-	-	3	-	1	2	3	4	-	15.6	1.5	-	-	-	-	-	-
PORTSMOUTH.	170,973	91	51	16	1	-	-	-	-	1	-	1	2	3	-	-	17.8	0.6	-	-	-	-	-	-
PLYMOUTH.	57,931	59	80	4	14	-	5	-	2	4	-	-	3	3	14	-	18.4	2.5	63.0	39.0	51.0	10.56	0.46	1.17
BRISTOL.	226,573	182	80	19	20	-	5	-	3	7	-	-	3	4	8	-	18.9	4.2	-	-	-	-	-	-
CARDIFF.	148,890	104	54	14	12	-	2	-	3	1	-	-	1	3	-	1	19.7	2.2	-	-	-	-	-	-
SWANSEA.	95,399	64	36	10	5	-	2	1	-	-	-	-	-	-	-	-	19.7	4.2	-	-	-	-	-	-
WOLVERHAMPTON.	85,086	70	52	12	20	-	4	2	-	1	-	-	3	3	18	1	31.9	4.3	69.0	36.4	48.0	8.89	0.60	1.52
BIRMINGHAM.	492,301	343	206	49	48	3	19	2	2	9	2	2	2	2	27	5	21.8	4.1	-	-	-	-	-	-
NEWICH.	105,645	54	39	13	7	-	-	1	1	1	-	-	2	3	5	-	19.2	1.5	-	-	-	-	-	-
LEICESTER.	189,136	114	49	15	9	-	6	1	-	1	-	-	3	5	7	1	13.5	2.2	-	-	-	-	-	-
NOTTINGHAM.	223,584	111	79	20	14	-	1	-	1	4	3	1	2	3	12	1	18.4	2.3	71.1	40.6	49.9	9.94	0.13	0.38
DERBY.	98,796	57	30	6	7	-	-	-	-	-	1	1	1	1	6	-	15.8	1.1	-	-	-	-	-	-
BIRKENHEAD.	108,627	61	42	10	4	-	3	-	-	3	-	-	-	2	3	-	20.7	3.0	-	-	-	-	-	-
LIVERPOOL.	607,230	356	240	56	44	-	8	3	-	10	4	4	9	11	54	6	24.7	3.0	70.1	40.0	51.0	10.56	0.42	1.07
BOLTON.	118,303	80	45	12	8	-	-	2	2	2	2	-	1	2	7	-	19.8	1.8	-	-	-	-	-	-
MANCHESTER.	520,211	321	227	43	46	-	8	1	1	10	3	7	15	24	57	2	22.8	3.0	-	-	-	-	-	-
SALFORD.	205,828	139	74	21	23	-	3	2	-	3	2	-	3	6	10	1	18.7	2.5	-	-	-	-	-	-
OLDHAM.	138,755	78	44	14	7	-	3	-	-	1	-	1	-	1	6	4	16.5	1.5	-	-	-	-	-	-
BURNLEY.	96,478	63	35	15	4	-	-	1	2	-	1	-	1	1	6	-	18.9	1.6	-	-	-	-	-	-
BLACKBURN.	125,797	78	57	18	14	-	1	-	1	1	1	2	1	3	3	2	23.6	2.1	-	-	-	-	-	-
PRESTON.	111,425	45	42	14	14	-	3	-	-	-	-	-	2	2	3	2	19.7	1.4	-	-	-	-	-	-
HUDDESFIELD.	98,511	30	22	3	9	-	1	1	1	-	-	-	-	-	1	-	11.6	1.1	-	-	-	-	-	-
HAILEFAX.	92,861	42	31	7	11	-	-	-	-	-	-	-	-	2	2	-	17.4	-	-	-	-	-	-	-
BRADFORD.	223,885	99	77	20	16	-	-	1	-	3	8	-	7	12	11	1	17.9	0.9	67.2	39.2	47.8	8.78	0.78	1.98
LEEDS.	388,761	235	121	29	32	-	-	-	1	3	-	-	5	13	15	2	16.2	0.9	-	-	-	-	-	-
SHEFFIELD.	328,316	206	121	35	17	-	3	-	1	14	2	1	3	4	15	5	18.6	3.4	-	-	-	-	-	-
HULL.	212,679	154	79	22	17	-	-	-	-	2	-	3	-	1	13	1	19.4	1.2	67.0	37.0	47.2	8.44	0.40	1.02
SUNDERLAND.	186,401	85	47	9	17	-	-	1	-	-	-	1	1	3	11	1	18.0	0.8	-	-	-	-	-	-
GATEHEAD.	98,372	57	29	10	8	-	-	-	-	-	-	1	-	1	1	-	16.2	0.6	-	-	-	-	-	-
NEWCASTLE.	201,947	135	84	27	20	-	-	-	2	3	-	-	4	5	13	4	21.7	1.3	-	-	-	-	-	-

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTEENTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2429	2617	2655	2626	2831	2509	2360	2716	2187	2667	2701·5	2600
Males . .	1232	1358	1342	1328	1442	1292	1154	1345	1112	1313	1363·3	1338
Females .	1197	1259	1313	1298	1389	1217	1206	1371	1075	1354	1338·2	1262
TOTAL Deaths	1474	1706	1571	1558	1692	1493	1619	1766	1590	1681	1704·5	1609
Males . .	771	865	828	805	882	777	842	978	836	894	894·6	815
Females .	703	841	743	755	810	716	777	788	754	787	809·9	794

* The numbers in this column are the average weekly numbers in the fifteenth weeks of the ten years 1884-93. raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.
TOTAL Births	2719	2689	2708	2709	2602	2587	2564	2686	2558	2496	2437	2682	2600
TOTAL Deaths	1975	1655	1621	1534	1552	1664	1748	1700	1610	1691	1737	1587	1609
Ages at Death													
{ 0-20 years	813	748	717	702	705	771	793	740	737	802	822	792	800
{ 20-40 "	230	208	216	199	190	245	226	241	185	208	214	197	210
{ 40-60 "	371	277	297	276	307	272	323	298	276	305	287	265	265
{ 60-80 "	449	334	319	301	292	323	338	345	336	301	340	263	281
{ 80 years & upwards	112	88	72	56	58	53	68	76	76	75	74	70	53
Deaths from													
{ Under 1 year	383	367	353	349	357	384	403	352	333	370	335	368	361
{ 1-5 "	332	288	245	264	258	275	267	293	298	313	357	320	327
{ 5-20 "	98	93	119	89	90	112	123	95	106	119	130	104	112
Deaths from Small-pox	-	-	1	-	-	2	1	-	3	1	-	2	-
" " Measles	45	35	21	42	40	59	47	66	74	96	138	132	112
" " Scarlet fever	25	9	22	23	24	20	20	17	19	13	23	20	29
" " Diphtheria	48	52	74	56	58	42	59	53	52	56	57	63	50
" " Whooping-cough	93	86	69	54	60	74	72	59	55	49	73	64	53
" " Typhus	-	-	-	-	-	1	-	-	-	-	-	-	-
" " Enteric fever	13	12	14	6	8	4	12	10	14	9	12	7	9
" " Simple Contag. fever	3	-	-	-	-	-	1	-	-	-	-	-	-
" " Diarrhoea and Dysentery	16	15	14	17	16	16	14	13	10	12	7	7	14
" " Cholera	-	-	-	-	-	-	-	-	-	-	-	-	1
" " all the above-mentioned Diseases	243	209	215	198	206	218	226	218	227	236	310	295	268
" " Dis. of Respiratory System	547	422	385	372	340	408	413	434	373	397	347	314	304
" " Phthisis	150	149	159	148	145	185	175	151	154	182	173	128	144
" " Dis. of Circulatory System	161	124	148	114	118	112	157	129	114	138	137	111	131
Violent Deaths	73	55	73	53	61	62	70	65	75	62	74	63	64
Inquest Cases	178	115	135	108	140	141	165	138	140	133	153	128	121
Deaths in Public Institutions	531	462	489	441	486	462	479	500	436	450	495	444	462
TEMPERATURE OF THE AIR													
Mean	45·0	41·6	42·0	46·0	41·9	34·3	44·0	44·2	42·6	43·1	48·2	50·6	55·2
Mean of Highest readings	48·5	46·1	47·9	51·3	45·9	41·0	51·4	51·7	51·8	52·4	61·4	63·1	68·5
Mean of Lowest readings	40·7	36·6	37·3	40·4	36·7	27·3	37·3	37·6	35·9	35·8	34·5	40·5	43·4
Humidity of the Air	88	84	83	86	83	78	84	81	79	86	71	76	67
Rain-fall in inches	0·86	0·71	0·69	0·27	0·60	0·21	0·45	0·19	0·41	0·00	0·00	0·01	0·06
Registered Sunshine (in hours)	9·2	10·0	18·5	6·9	8·1	38·0	15·6	14·4	25·4	20·6	60·5	36·9	37·7

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A.W. Ireston, Esq., F.R.Met.Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Worcester; Wolverhampton; Arthur Brown, Esq., and P. Bobblyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandsoer, Esq., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTEENTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 15th Week of the 10 years 1884-93.*	In the Week ending Saturday, 14th April 1894.										Corrected Averages for the 15th Week of the 10 years 1884-93.*	CAUSES OF DEATH.	In the Week ending Saturday, 14th April 1894.											
		Deaths of Persons of the Ages												Deaths of Persons of the Ages											
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 and under 90.	90 Years and upwards.	ALL AGES.			Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.					
			0-1.	1-5.	5-20.									0-1.	1-5.	5-20.									
ALL CAUSES - -	1704.5	1609	361	327	112	210	265	281	53				Diseases of Organs of } Special Sense - - }	2.8	2	1	1	-	-	-	-	-			
Small-pox { Vaccinated†	1.1	-	-	-	-	-	-	-	-	-	-	-	Diseases of Circulatory } System - - }	134.1	131	-	1	8	21	38	52	11			
Small-pox { Unvaccinated	2.3	-	-	-	-	-	-	-	-	-	-	-	Croup - - - - -	10.1	4	-	4	-	-	-	-	-			
Small-pox { No Statement	2.2	-	-	-	-	-	-	-	-	-	-	-	Bronchitis - - -	220.5	142	83	26	2	1	20	43	12			
Measles - - - - -	63.0	112	23	81	8	-	-	-	-	-	-	-	Pneumonia - - -	187.8	136	26	48	5	24	20	13				
Scarlet Fever - -	13.9	29	2	12	14	1	-	-	-	-	-	-	Pleurisy - - - -	7.8	4	-	1	-	1	1	1	-			
Typhus - - - - -	0.5	-	-	-	-	-	-	-	-	-	-	-	Other Diseases of Respi- ratory System - - }	29.9	18	6	4	1	-	2	3	2			
Scarlet Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	Dentition - - - -	13.1	10	5	5	-	-	-	-	-			
Whooping-cough -	74.9	53	13	32	3	-	-	-	-	-	-	-	Quinsy, Sore Throat -	1.4	3	-	2	-	-	1	-	-			
Diphtheria - - -	26.9	50	-	34	14	1	1	-	-	-	-	-	Enteritis - - - -	7.3	11	7	3	-	-	-	1	-			
Simple Continued and } Ill-defined Fever - }	0.7	-	-	-	-	-	-	-	-	-	-	-	Peritonitis - - -	0.6	5	-	-	-	3	1	1	-			
Euteric Fever - - -	9.9	9	-	-	3	3	3	-	-	-	-	-	Diseases of Liver - -	26.3	20	2	2	1	3	8	4	-			
Cholera and Chol. Diarr.	0.1	1	-	-	1	-	-	-	-	-	-	-	Other Diseases of } Digestive System - }	30.0	22	4	1	2	2	5	7	1			
Diarrhoea, Dysentery -	12.6	14	7	2	-	1	2	2	-	-	-	-	Diseases of Lymphatic } System & of Ductless } Glands - - - }	2.4	3	-	-	1	1	1	-	-			
Remittent Fever - -	0.2	-	-	-	-	-	-	-	-	-	-	-	Diseases of Urinary } System - - }	47.4	43	1	1	4	11	9	17	-			
Hydrophobia - - -	0.1	-	-	-	-	-	-	-	-	-	-	-	Diseases of Generative } System - - }	6.5	5	-	-	-	2	1	2	-			
Glanders - - - - -	0.2	-	-	-	-	-	-	-	-	-	-	-	Accidents of Childbirth -	4.7	7	-	-	-	3	4	-	-			
Cowpox and Effects of } Vaccination - - }	-	-	-	-	-	-	-	-	-	-	-	-	Diseases of Locomotive } System - - }	7.1	8	-	1	1	4	1	1	-			
Veneral Affections -	11.1	11	6	1	1	-	-	3	-	-	-	-	Diseases of Integumen- tary System - - }	5.1	4	1	-	-	-	-	3	-			
Erysipelas - - -	5.5	9	1	-	-	3	2	3	-	-	-	-	VIOLENT DEATHS.												
Pyæmia and Septicæmia	1.7	2	1	-	-	1	-	-	-	-	-	-	(ACCIDENT.)												
Puerperal Fever - -	4.4	3	-	-	3	-	-	-	-	-	-	-	By Railways - - -		3	-	-	-	1	2	-	-			
Other Zymotic Diseases	2.4	6	1	5	-	-	-	-	-	-	-	-	By Vehicles or Horses -		7	-	1	2	-	2	2	-			
Thrush - - - - -	1.1	1	1	-	-	-	-	-	-	-	-	-	In Ships, Boats, Docks } (exclusive of Drown- ing) - - - }		-	-	-	-	-	-	-				
Worms and other Para- sitical Diseases - }	0.5	1	1	-	-	-	-	-	-	-	-	-	In Building Operations -		-	-	-	-	-	-	-				
Starvation, Want of } Breast-milk - - }	1.2	2	2	-	-	-	-	-	-	-	-	-	In Conflagrations - -		-	-	-	-	-	-	-				
Alcoholism - - - -	8.3	7	-	-	-	3	3	1	-	-	-	-	By Burns, Scalds, Ex- plosions - - - }	52.9	6	1	3	-	2	-	-				
Rheumatic Fever, } Rheumatism of Heart }	8.3	8	-	-	4	3	-	1	-	-	-	-	By Drowning - - -		9	1	-	1	4	2	1				
Rheumatism - - -	3.3	-	-	-	-	-	-	-	-	-	-	-	By Suffocation in Bed -		13	12	-	-	1	-	-				
Gout - - - - -	2.8	4	-	-	-	-	1	1	2	-	-	-	By Poisons or Poisonous } Vapours - - - }		1	-	-	-	-	-	1				
Rickets - - - - -	5.6	6	1	5	-	-	-	-	-	-	-	-	Other or not stated } Causes - - - }		16	2	3	2	-	5	4	-			
Cancer - - - - -	57.9	58	-	-	3	12	25	17	1	-	-	-	(VIOLENCE OTHER THAN } ACCIDENTAL.)												
Tubercular Meningitis	30.0	22	7	11	4	-	-	-	-	-	-	-	Homicide - - - - -	1.2	2	2	-	-	-	-	-				
Phthisis - - - - -	165.4	144	4	3	12	76	43	6	-	-	-	-	Suicide - - - - -	10.1	7	-	-	2	1	4	-				
Serofula, Tuberculos	16.4	20	7	5	5	3	-	-	-	-	-	-	Execution - - - - -	-	-	-	-	-	-	-	-				
Other Constitutional } Diseases - - }	10.7	20	2	-	2	3	6	6	1	-	-	-	OTHER CAUSES - - -	56.7	62	43	4	-	1	-	1				
Premature Birth - -	42.0	58	56	-	-	-	-	-	-	-	-	-													
Atelectasis - - - -	2.2	7	7	-	-	-	-	-	-	-	-	-													
Congenital Malforma- tions - - - - - }	6.3	11	9	-	2	-	-	-	-	-	-	-													
Old Age - - - - -	54.3	40	-	-	-	-	-	26	14	-	-	-													
Apoplexy - - - - -	46.6	37	-	-	-	1	13	20	3	-	-	-													
Epilepsy - - - - -	9.0	8	-	-	-	1	5	1	1	-	-	-													
Convulsions - - - -	46.6	49	43	6	-	-	-	-	-	-	-	-													
Other Diseases of Brain } and Nervous System }	93.9	92	8	13	4	8	27	27	6	-	-	-													

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.34 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" when no certificate of registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquest is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Enu-merated Popu-lation. 1891.	Total Births.	Total Deaths.	Deaths of													
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple continued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON		4,211,743	2600	1609	361	334	-	112	29	50	53	-	9	-	14	61	121	462
WEST DISTRICTS		740,735	395	272	59	57	-	19	1	7	5	-	-	-	3	14	22	74
NORTH DISTRICTS		993,884	606	352	83	83	-	24	6	18	10	-	1	-	2	19	23	91
CENTRAL DISTRICTS		247,538	159	95	24	19	-	1	1	1	3	-	1	-	1	3	9	34
EAST DISTRICTS		705,114	435	271	69	48	-	24	-	11	17	-	-	-	4	8	23	85
SOUTH DISTRICTS		1,524,472	955	550	135	110	-	44	13	18	18	-	7	-	4	19	35	119
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON		-	-	59	-	17	-	-	8	-	-	-	-	-	-	1	1	59
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.		84159	56	21	6	4	-	-	-	2	1	-	-	-	-	1	2	5
St. John Paddington H - G.J.		33687	9	11	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town WH - W.M.		118751	53	53	10	17	-	-	-	1	1	-	-	-	1	4	6	21
Brompton H - W.M. & C.		47557	13	18	1	3	-	-	-	1	-	-	-	-	-	-	-	6
St. Peter Hammersmith - W.M.		8388	6	6	1	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Paul Hammersmith H W.M. & G.J.		88433	51	32	3	12	-	2	-	2	-	-	-	-	3	4	1	-
Fulham WH - W.M. & C.		91659	78	46	12	4	-	12	1	-	3	-	-	-	1	2	3	8
Chelsea Kensal Town - C.		21787	10	5	2	1	-	1	-	-	-	-	-	-	1	-	-	-
Chelsea North WHHHH - C.		41637	28	15	3	3	-	-	-	-	-	-	-	-	-	-	4	-
Chelsea South HH - C.		32829	16	9	3	1	-	1	-	-	-	-	-	-	-	-	4	-
May Fair WH - G.J.		23733	6	9	-	3	-	-	-	-	-	-	-	-	-	-	1	7
Belgrave WHHH - C.		54631	25	17	1	3	-	1	-	1	-	-	-	-	-	1	2	6
St. John Westminster HHH - C.		34108	17	10	3	2	-	1	-	-	-	-	-	-	-	1	1	-
St. Margaret Westminster H - C.		21668	6	13	2	1	-	-	-	-	-	-	-	-	1	3	3	8
St. James Westminster WHH N.R. & G.J.		24995	12	6	2	1	-	-	-	-	-	-	-	-	-	-	-	4
St. Anne Soho HHHHHH - N.R.		12317	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone } - W.M.		37713	12	8	-	2	-	-	-	-	-	-	-	-	-	-	-	4
HHHHHHHHH } - G.J. & W.M.		20024	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Rectory Marylebone WH - G.J. & W.M.		19239	31	9	4	2	-	-	-	-	-	-	-	-	-	-	4	-
St. Mary Marylebone HHHH G.J. & W.M.		33327	21	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H - W.M.		32101	15	9	4	3	-	-	-	-	-	-	-	-	-	1	-	-
St. John Marylebone H - W.M.		32101	15	9	4	3	-	-	-	-	-	-	-	-	-	-	-	-
Barnstead WWHHHH N.R. & W.M.		68416	25	24	4	4	-	2	1	4	-	-	1	-	1	1	15	-
Regent's Park Pancras HH - W.M.		36590	24	11	5	4	-	-	-	-	-	-	-	-	-	1	3	2
Tottenham-court WHHHH N.R. & W.M.		26321	9	17	2	4	-	-	-	-	1	-	-	-	-	4	4	12
Gray's Inn Lane HHH - N.R.		27455	26	10	1	3	-	-	-	-	-	-	-	-	-	3	4	3
Commons Town HH - N.R.		33829	17	7	3	1	-	-	-	-	-	-	-	-	1	-	1	-
Camden Town WH - N.R.		15419	10	9	1	2	-	-	-	1	1	-	-	-	1	1	6	-
Knights Town W - N.R.		95765	59	33	9	6	-	2	-	1	1	-	-	-	1	3	7	-
Upper Holloway WWHHH - N.R.		99235	60	50	10	13	-	2	-	4	1	-	-	-	1	-	1	18
Islington South-west H - N.R.		105557	77	37	10	7	-	9	-	-	3	-	-	-	-	1	-	-
Islington South-east - N.R.		64153	41	17	4	8	-	-	-	-	1	-	-	-	-	1	2	-
Highbury HH - N.R.		59193	31	18	2	7	-	1	-	1	-	-	-	-	-	1	1	-
Stoke Newington H - N.R.		39933	14	8	3	1	-	-	-	-	-	-	-	-	-	1	1	-
Stamford Hill - N.R.		17759	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney H - N.R.		42902	22	11	3	-	-	-	-	1	1	-	-	-	-	2	-	-
Hackney WWHHH - E.L. & N.R.		96486	70	46	9	12	-	4	5	1	1	-	-	-	2	2	1	-
South Hackney WH - E.L.		31759	35	14	5	2	-	2	-	-	-	-	-	-	2	2	18	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - N.R.		16695	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - N.R.		13454	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles North H - N.R.		5633	8	2	1	-	-	-	-	-	1	-	-	-	-	-	3	-
St. Martin-in-the-Fields HH N.R. & C.		14616	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary-le-Strand H - N.R.		5709	2	3	1	-	-	-	1	-	-	-	-	-	-	-	1	-
St. Clement Danes WH - N.R.		7194	2	11	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Strand Union Workhouse, Edmonton W.		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	10	1
St. Geo.-the-Martyr HHHHHH N.R.		17921	14	11	2	4	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Eastern W - N.R.		15343	12	4	2	-	-	-	-	-	-	-	-	-	-	-	1	5
St. James Clerkenwell - N.R.		16803	14	7	4	-	-	-	-	-	1	-	-	-	-	-	1	-
Amwell Clerkenwell - N.R.		16883	15	3	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Pentonville - N.R.		17155	12	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - N.R.		15375	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHHH - N.R.		29177	34	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Whitecross-street - N.R.		3375	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Finsbury - N.R.		4985	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn Union Workhouse, Mitcham W.		-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - N.R. & E.L.		3944	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3
Tripplegate - N.R.		4539	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - N.R.		4444	2	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Bride W - N.R.		6594	1	1	1	-	-	-	1	1	-	-	1	-	1	1	1	9
Allhallows Barking - N.R.		10422	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Broad Street H - N.R.		3377	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-
City of London Asylum, Stone		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub-districts denote those institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L^o—Private Lunatic Asylum in which paupers are received; W—Workhouse Establishment; Sub-districts:—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; E. Lambeth; N. R. N. & R. North & Kent; and K. the Kent Company.

ay, 14th April, 1894.

		The DEATHS registered in the Week include																
REGISTRATION		Enu- merated Popu- lation, 1891.	Total Births.	Deaths of		Deaths from											Deaths in Public Institutions.	Unidentified Causes of Death.
SUB-DISTRICTS.				Total Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.		
EAST DISTRICTS.																		
Aditch South	HL* E.L. & N.R.	20098	8	9	1	1	-	-	-	2	-	-	-	-	-	1	2	
Aditch New Town	W - N.R.	29313	28	16	6	5	-	1	-	1	-	-	-	-	-	1	3	
Aditch Old Town	- - N.R.	28854	23	8	2	2	-	-	-	-	-	-	-	-	-	-	-	
Aditch Erston	WH - N.R. & E.L.	46244	35	20	4	4	-	-	2	-	-	-	-	-	1	3	11	
Aditch Green North	H - E.L.	51820	47	8	4	-	-	-	-	-	-	-	-	1	-	-	-	
Aditch Green South	- - E.L.	33489	19	5	3	-	2	-	-	-	-	-	-	-	1	1	1	
Aditch Green East	WHL* - E.L.	44123	24	24	6	9	-	-	1	-	-	-	-	1	1	1	14	
Aditchfields	- E. & N.R.	22456	10	6	2	1	-	1	-	2	-	-	-	-	-	-	-	
Aditch End New Town	W - E.L.	17908	26	16	-	6	-	-	2	1	-	-	-	1	2	12	-	
Aditch Echapel Church	H* E.L. & N.R.	20298	9	21	5	2	-	2	-	2	1	-	1	1	3	16	-	
Aditch Man's Fields	- - E.L.	18800	7	3	2	-	-	1	-	1	-	-	-	-	-	-	-	
Aditch George's, North	- - E.L.	87738	20	13	3	1	-	3	-	1	-	-	-	-	1	-	-	
Aditch John, St. George East	W - E.L.	8037	5	3	-	-	-	-	-	-	-	-	-	-	-	2	-	
Aditch Well H	- E.L. & N.R.	40246	3	10	4	1	-	1	-	-	-	-	-	1	1	7	-	
Aditch W	- - E.L.	14928	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
Aditch House	- - E.L.	32202	23	8	2	-	2	-	1	1	-	-	-	-	1	-	-	
Aditch End Old Town West	H - E.L.	38650	87	7	3	-	-	-	-	-	-	-	-	-	-	-	-	
Aditch End Old Town East	W & H - E.L.	68942	37	23	7	2	-	1	-	3	-	-	-	-	2	4	-	
Aditch L*	- - E.L.	40365	24	17	4	3	-	4	-	1	3	-	-	1	1	5	-	
Aditch Daley	W & H - E.L.	70000	46	39	9	9	-	5	-	2	-	-	-	-	-	14	-	
Aditch W & W	- - E.L.	56888	38	9	-	2	-	1	-	1	-	-	-	1	2	-	-	
SOUTH DISTRICTS.																		
Aditch Church Southwark	WH L. & S.	18264	12	9	2	-	-	1	-	-	-	-	-	-	-	-	1	
Aditch Avonmouth Southwark	- - S.	18913	8	5	1	1	-	3	-	-	-	-	-	-	-	-	-	
Aditch Road	- - S. & L.	21887	19	8	1	2	-	2	-	1	-	-	-	1	-	-	-	
Aditch Hugh-road	WH - S. & L.	16624	17	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
Aditch Non-road	HL - L. & S.	51221	17	4	1	4	-	1	-	-	-	-	-	-	-	-	1	
Aditch City Newington	- - S. & L.	26365	25	8	1	4	-	-	-	-	-	-	-	-	1	-	-	
Aditch Peter Walworth	W - S. & L.	61242	48	20	6	2	-	-	2	1	-	-	-	3	3	3	-	
Aditch Mary Newington	- - L. & S.	47866	22	11	5	2	-	2	-	-	-	-	-	1	1	2	-	
Aditch Slave WH	- - S.	12723	10	18	3	3	-	-	-	1	-	-	-	3	3	11	-	
Aditch Fisher Market	- - S. & L.	14952	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
Aditch Mary Magdalen	W - S. & L.	16860	10	8	1	2	-	2	1	-	-	-	-	-	-	-	-	
Aditch James Bermondsey	- - S.	54070	86	19	5	-	5	-	-	1	-	-	-	-	-	-	-	
Aditch Berthick WH	- - S. & K.	39255	24	15	4	1	-	2	-	-	-	-	-	2	2	5	1	
Aditch Priolo-road 1st	H - L. & S.	14031	14	8	1	2	-	4	-	-	-	-	-	-	-	-	-	
Aditch Priolo-road 2nd	H - L. & S.	14644	22	12	2	1	-	1	-	-	2	-	-	1	1	1	-	
Aditch Beth Church 1st	H - L. & S.	18075	16	26	7	5	-	1	-	1	-	-	-	1	2	11	1	
Aditch Beth Church 2nd	W & W - L. & S.	39097	31	16	8	3	1	-	-	1	-	-	-	1	1	-	-	
Aditch Beth Church 1st	H - S. & L.	60586	32	16	8	3	1	-	-	1	-	-	-	1	2	-	-	
Aditch Kingston 2nd	H - S. & L.	89708	14	12	2	2	-	-	1	-	-	-	-	1	1	9	1	
Aditch Non W	- - L. & S.	78405	43	28	5	2	-	8	5	-	2	-	-	-	-	-	-	
Aditch Road W	- - L.	25637	13	7	1	2	-	1	-	1	-	-	-	-	-	-	-	
Aditch Battersea	- - S.	67244	24	7	-	2	-	-	1	-	-	-	-	-	-	-	-	
Aditch Battersea W & H	- - S.	8314	56	41	8	9	-	8	-	2	1	-	1	1	1	14	-	
Aditch Ham H	- - S.	43988	10	13	3	4	-	2	-	1	1	-	1	-	-	-	-	
Aditch Sawdworth	WHL - S.	46717	25	18	1	4	-	1	-	-	-	-	-	-	4	1	-	
Aditch Ey	- - S.	17771	12	2	1	-	-	-	-	-	-	-	-	1	1	-	-	
Aditch Ham W & W	- - L.	48756	27	19	2	8	-	2	-	3	-	-	-	1	1	1	8	
Aditch Fish	- - L. & S.	6809	3	1	-	1	-	-	-	-	-	-	-	-	1	1	-	
Aditch Camberwell W & L & S.	- - S. & L.	51686	39	35	9	11	-	1	1	-	1	-	-	-	2	18	-	
Aditch Ham W & W	- - S. & K.	61277	61	27	9	3	-	2	-	2	1	-	-	-	2	-	-	
Aditch George Camberwell	- - L. & S.	63366	43	22	8	3	-	4	-	-	-	-	-	1	1	-	-	
Aditch Ford, North	- - K.	55814	20	9	3	1	-	1	-	-	-	-	-	-	-	-	-	
Aditch Ford, Central	W - K.	42007	40	12	6	1	-	-	3	1	-	-	-	-	-	8	-	
Aditch Ford, South	- - K.	80852	11	8	2	2	1	-	-	-	-	-	-	-	-	-	-	
Aditch New West	H - K.	22007	9	6	2	4	-	1	-	-	-	-	-	-	-	-	-	
Aditch New East	WH - K.	35233	22	28	5	8	-	1	-	4	-	-	-	1	2	16	-	
Aditch Ham H	- - K.	5682	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Aditch H	- - K.	23641	4	4	2	-	-	-	-	1	-	-	-	-	-	1	-	
Aditch Ham WH	- - K.	30950	17	14	8	5	-	-	1	-	-	-	-	-	-	5	1	
Aditch Ham H	- - L.	34182	16	9	1	3	-	-	-	-	-	-	-	-	1	-	-	
Aditch Ham H	- - K.	14040	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Aditch Ham Dockyard	- - K.	18966	14	4	2	-	-	-	-	1	-	-	-	1	-	-	-	
Aditch Ham Arsenal	HH - K.	21242	14	8	2	1	-	-	-	-	-	-	-	-	1	-	-	
Aditch Ham West	H - K.	18869	12	4	-	-	-	-	-	-	1	-	-	-	-	-	-	
Aditch Ham East	W - K.	86567	25	13	4	2	-	-	-	-	-	-	-	-	-	2	1	
Aditch Ham	- - K.	-	-	-	6	-	2	-	-	-	-	-	-	-	-	6	-	
Aditch Ham	- - K.	-	-	-	8	-	3	-	-	-	-	-	-	1	1	8	-	
Aditch Ham	- - K.	-	-	-	0	-	1	-	-	-	-	-	-	-	-	6	-	
Aditch Ham	- - K.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	
Aditch Ham	- - K.	-	-	-	4	-	1	-	-	-	-	-	-	-	-	3	-	
Aditch Ham	- - K.	-	-	-	3	-	2	-	-	-	-	-	-	-	-	4	-	
Aditch Ham	- - K.	-	-	-	4	-	1	-	-	-	-	-	-	-	-	6	-	
Aditch Ham	- - K.	-	-	-	6	-	-	-	6	-	-	-	-	-	-	2	-	
Aditch Ham	- - K.	-	-	-	2	-	-	-	2	-	-	-	-	-	-	2	-	
Aditch Ham	- - K.	-	-	-	10	-	3	-	-	-	-	-	-	-	-	10	-	
Aditch Ham	- - K.	-	-	-	10	-	4	-	-	-	-	-	-	-	-	10	-	

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 14th April, 1894)

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lation. 1891	BIRTHS.	The DEATHS registered in the Week include																
					DEATHS.	Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 15 Years & upwards.	Small-pox.	diphtheria.	Scarlet Fever.	Pneumonia.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.				
LONDON—OUTER RING					363,749	1,422,063	871	404	83	101	3	12	6	15	25	2	3	9	20	44	
30: 1	Carshalton WH	1222	26104	12	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1
2	Epsom, part of WH	10423	12508	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37: 1	Godstone, part of W	754	1594	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Croydon WHH	20451	128699	65	36	9	8	-	1	2	1	1	-	-	-	-	-	-	-	-	9
2	Mitcham W	11697	23088	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon HH	8220	25761	21	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston WH	8071	44765	25	12	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3
3	Esher, part of	6601	12059	4	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton H	4545	18252	10	6	1	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-
40: 1	Richmond WH	2160	25339	11	6	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1
2	Mortlake H	2823	16159	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41: 1	Bromley HHH	9127	23315	16	9	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
2	Beckenham H	6542	21969	6	10	2	3	-	-	-	-	3	-	-	-	-	-	1	1	-	-
3	Chislehurst, pt. of WHH	14307	20372	9	7	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
42: 1	Bexley H	12540	30690	18	9	3	2	-	1	-	-	-	-	-	-	-	-	1	-	1	-
2	Dartford Work., pt. of W	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124: 1	Sunbury W	11054	13871	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Staines W	18277	13221	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125: 1	Hillingdon WHH	6035	12237	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge	6172	5417	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes WH	14537	12613	2	4	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
136: 1	Isleworth WH	6967	26273	26	11	3	3	-	-	-	-	-	-	-	-	-	-	1	1	3	-
2	Twickenham HH	2415	16027	11	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
3	Brentford HHHH	4318	37777	30	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislewick	1245	21963	14	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Aston WH	6132	30945	22	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
127: 1	Harrow HHH	13809	15715	4	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware H	6994	3844	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden HHH	4383	61265	44	16	3	1	-	-	-	1	1	-	1	-	-	1	-	-	2	-
4	Hendon W	8382	15843	8	8	1	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-
128: 1	South Mimms	1559	8471	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet WHH	5441	11773	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley HH	4688	25820	8	9	3	1	-	-	-	-	2	-	-	-	-	-	1	-	-	-
129: 1	Hornsey H	5035	61097	35	14	2	4	-	-	-	-	2	-	1	-	-	-	2	-	-	-
2	Tottenham H	4942	97174	48	27	4	4	-	-	1	3	5	-	-	-	-	1	3	3	-	-
3	Edmonton WH	7489	36351	22	9	2	4	-	-	-	-	1	-	-	-	-	-	-	1	3	-
4	Enfield WHH	12389	31803	18	12	2	5	-	-	1	-	1	-	-	-	-	-	-	-	1	-
5	Waltham Abbey	1111	6066	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt H	8430	9620	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135: 1	Hatfield, part of W	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Buabey	9331	7737	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford Work., pt. of W	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136: 1	Stratford H	1100	42983	33	13	2	4	-	-	-	-	-	2	-	-	-	-	1	1	-	-
2	Plaistow HHHH	1242	56030	44	22	8	4	2	3	-	1	1	1	-	-	-	-	-	-	2	-
3	Canning Town H	1558	54760	53	23	7	3	-	2	-	1	1	-	-	-	-	1	1	-	-	-
4	Forest Gate W	806	49140	33	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	East Ham WW	3266	32713	22	12	1	3	-	2	-	3	-	-	-	-	-	1	1	-	-	-
6	Leyton WH	4184	70188	59	23	4	3	-	1	1	1	1	1	-	-	-	-	-	-	14	-
7	Walthamstow HHL	5611	57330	35	7	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
137: 1	Chigwell, part of WH	117.9	12941	5	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
2	Epping Work., pt. of W	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139: 1	Romford, part of WH	6558	4324	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford	8493	10913	11	10	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3	Barking Town	3514	14501	11	8	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 32: 2, Epsom sub-district, except the parishes of Asisted and Hadley (pop. 1766); 37: 1, the parishes of Warlingham and Farley in Goldstone district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2232); 41: 2, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135: 1, the parish of Northw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the part Thorday Bois (pop. 1079); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 14th April, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from												Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
WATER LONDON	443,421	5,948,300	17.6	2.9	2013	444	435	3	124	35	65	78	11	17	73	506				
INNER LONDON	74,672	4,349,166	19.3	3.2	1609	361	334	-	112	29	50	53	9	14	64	462				
OUTER RING	368,749	1,599,134	13.2	2.2	404	83	101	3	12	6	15	25	2	3	9	44				

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,583	April 14	163	88	17.0	-	-	2	4	6	-	1	
GLASGOW	686,820	" 14	469	304	23.1	-	-	2	5	18	4	4	
DUBLIN	349,594	" 14	201	175	26.1	-	1	-	-	2	3	3	
CALCUTTA	466,460	February 17	-	303	33.8	2	1	-	1	-	117	75†	
BOMBAY	821,764	March 27	186	543	34.4	20	30	?	?	?	117	45†	
MADRAS	452,518	" 2	308	315	36.1	1	4	?	?	?	112	38†	
BRUSSELS	2,424,705	April 7	1188	1219	26.8	4	39	4	42*	6	22	52	
AMSTERDAM	483,188	" 7	246	179	19.1	-	-	1	3*	3	1	12	
ROTTERDAM	437,892	" 7	305	159	18.6	-	2	-	1	1	1	-	
THE HAGUE	222,233	" 7	163	91	21.2	20	-	1	1	1	-	-	
COPENHAGEN	169,828	" 7	86	47	14.4	-	-	-	-	1	1	-	
STOCKHOLM	341,000	" 7	194	130	19.9	-	1	3	4	-	-	2	
CHRISTIANIA	249,246	March 31	145	99	20.7	-	-	1	6*	1	-	9	
PETERSBURG	161,151	April 7	91	70	22.6	-	7	1	1	-	-	2	
MOSCOW	954,400	March 17	352	571	31.2	2	11	10	14	4	9	36	
BERLIN	753,469	" 31	-	508	35.2	2	4	7	19	6	5	36	
FRANKFURT	1,714,938	" 24	903	562	17.3	-	6	5	27	9	-	24	
LEIPZIG	594,209	April 7	-	216	18.9	-	3	1	6*	1	1	6	
DRESDEN	312,772	March 3	198	140	23.3	-	-	-	8*	-	-	19	
BRATISLAVA	360,660	April 7	-	199	29.2	-	-	1	13*	1	-	22	
MUNICH	390,000	" 7	-	183	24.4	-	-	3	1*	-	-	20	
MILAN	1,465,537	" 7	897	755	26.8	2	12	10	42*	-	-	46	
PARIS	339,172	" 7	209	197	30.2	-	12	2	2	1	7	7	
VIENNA	552,769	March 31	468	270	25.4	-	3	3	11	-	2	7	
TRIESTE	159,739	" 31	132	116	37.7	3	4	-	7*	-	-	-	
ROME	450,991	" 3	226	234	27.1	-	2	-	3	-	-	6	
GENOA (10 days)	335,157	" 20	207	232	25.2	-	20	-	4	1	4	5	
VENICE	160,406	" 24	81	83	27.0	-	-	-	-	-	-	3	
CAIRO	374,838	" 22	461	350	48.6	-	1	-	-	1	19	95	
ALEXANDRIA	231,396	" 22	216	189	42.6	1	2	-	2*	1	5	34	
NEW YORK	1,925,569	" 24	-	873	25.5	7	29	18	52	8	6	20	
BROOKLYN	1,008,781	" 24	-	326	16.9	4	2	16	17	7	2	4	
PHILADELPHIA	1,139,457	" 24	-	394	18.0	-	8	5	15	5	5	6	
NEW ORLEANS	254,000	" 3	-	122	25.1	-	-	-	1	-	4	2	

* Including deaths from croup.

† Including 46 deaths from cholera in Calcutta, one in Bombay, and 2 in Madras

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 14TH APRIL, 1894.

[Under the Superintendence of the Astronomer Royal.]

1894. MONTH AND DAY.		TEMPERATURE.										Wind as deduced from Anemometers.					Rain collected in a Gauge whose surface is 5 inches above the ground.					
		Phases of the Moon.		BARO-METER.		TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.		TEMPERATURE. Or Radiation.		Oiler's.				Robinson's.				
				Mean daily reading re- duced to Fahren- heit).	Mean daily reading re- duced to Fahren- heit).	Of the Air.		Of the Dew Point.						General Direction.		Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depar- ture from Average of 24 hours of the Day.			
		High- est.	Low- est.			Daily Range.	Mean value.	De- parture from Average value.	Mean daily value.	Great- est.	Least.	A.M.	P.M.	Great- est.	Mean of 24 hourly obs.							
APRIL.		in.	°	°	°	°	°	°	°	°	°	°	°	lbs.	lbs.	lbs.	Miles.	lbs.	lbs.	Miles.	in.	
SUNDAY	8	29.729	75.8	44.0	31.8	59.1	+13.2	47.2	11.9	27.0	0.0	65	130.9	36.3	NE. & SW.	SSE. & SSW.	0.7	0.0	0.0	146	0.00	1.5
MONDAY	9	29.844	68.8	46.4	22.4	56.4	+10.8	44.6	11.8	23.6	1.0	65	128.8	40.0	SSW.	S. & SSW.	1.7	0.0	0.1	242	0.00	4.5
TUESDAY	10	29.880	73.8	39.4	34.4	56.8	+11.3	44.3	12.5	24.1	0.0	63	133.0	32.9	Calm & SE.	S. SSE. & ENE.	0.2	0.0	0.0	119	0.00	0.0
WEDNESDAY	11	29.684	74.9	43.2	31.7	58.0	+12.5	44.9	13.1	25.0	0.0	62	131.0	36.6	NE. ESE. & S.	E. & SE.	1.8	0.0	0.0	186	0.01	0.5
THURSDAY	12	29.602	67.0	47.8	19.2	55.4	+9.7	44.5	10.9	20.0	1.0	67	126.4	41.5	S. & SW.	SW. & W.	1.8	0.0	0.0	238	0.00	1.5
FRIDAY	13	29.618	63.0	42.3	20.7	51.3	+5.3	40.1	11.2	21.4	2.6	66	116.2	32.0	WSW. & W.	W. & SW.	1.1	0.0	0.0	206	0.00	0.0
SATURDAY	14	29.572	56.5	40.4	16.1	49.5	+3.1	44.1	5.4	10.8	0.0	81	80.0	29.6	ESE. & SSE.	SSE. & S.	3.4	0.0	0.2	307	0.06	5.5
MEANS	.	29.704	68.5	43.4	25.2	55.2	+9.4	44.2	11.0	21.7	0.7	67	120.9	35.6	Variable.	Variable.	Sum 1444	Sum -580	1.9
Number of Column	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)		Registered Sun above, Sunshine, Horizon, in hours.		GENERAL REMARKS.
APRIL.						
SUNDAY	8	m. P. generally	-	4.8	13.4	A very fine and warm day. Partially cloudy.
MONDAY	9	v. P. throughout	-	7.0	13.4	Fine; partially cloudy till evening; cloudless at night. Very warm. Lightning at 11h. P.M.
TUESDAY	10	v. P. and w. N. in morning; w. P. to m. P. afterwards.	-	11.2	13.5	A very fine day. The amount of cloud was small. Fog prevailed between 7h. A.M. and 8h. A.M. Very warm.
WEDNESDAY	11	w. P. in morning; v. P. and v. N. afterwards.	-	5.2	13.6	Cloudless in early morning; fine and partially cloudy throughout the day. A brief thunder-shower at 1h. P.M. A warm day.
THURSDAY	12	w. P. in morning; v. P. afterwards.	-	4.8	13.6	Fine; partially cloudy.
FRIDAY	13	v. P. in morning; v. P. and v. N. afterwards.	-	4.7	13.7	Fine; partially cloudy.
SATURDAY	14	m. P. in morning; v. P. and v. N. afterwards.	-	0.0	13.7	Fine in morning; overcast afterwards. Occasional rain in afternoon and evening.
		Sum	Sum	37.7	94.9	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 168 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of the corrections from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer, the corrected mean readings of the wet bulb thermometer, and the mean daily value of the reading of the air thermometer, forming the mean daily value of temperature of the air (column 8), the mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.
In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29.76 at the beginning of the week to 29.73 in. by 8h. P.M. on the 8th; increased to 29.91 in. by 9h. A.M. on the 10th; decreased to 29.59 in. by 3h. P.M. on the 12th; increased to 29.63 in. by noon on the 13th; decreased to 29.56 in. by noon on the 14th; and was 29.60 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 16. 1894. VOL. LV.] WEEK ENDING SATURDAY, APRIL 21.

[Price 1½d.]

*General Register Office, Somerset House,
April 23rd, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·2 per 1000 of their aggregate population, which is estimated* at 10,458,412 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.		Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.
Birkenhead	23·7	19·7	20·7	18·3	Liverpool	24·5	25·3	24·7	22·7
Birmingham	20·0	23·0	21·8	20·2	London	20·8	19·0	19·3	18·1
Blackburn	18·7	20·3	23·6	21·6	Manchester	22·7	21·6	22·8	19·2
Bolton	22·0	23·4	19·8	17·6	Newcastle-on-Tyne	20·9	22·2	21·7	16·3
Bradford	17·2	15·1	17·9	17·9	Norwich	19·2	20·7	19·2	16·8
Brighton	15·4	12·7	18·0	14·1	Nottingham	20·8	18·4	18·4	16·3
Bristol	14·5	18·9	18·4	17·7	Oldham	19·5	24·8	16·5	17·3
Burnley	17·3	22·7	18·9	20·0	Plymouth	23·7	23·7	17·8	20·2
Cardiff	18·6	17·9	18·9	19·3	Portsmouth	12·2	16·5	15·6	11·9
Croydon	19·6	16·3	12·6	13·0	Preston	17·3	17·8	19·7	22·9
Derby	15·3	14·8	15·8	15·8	Salford	25·8	27·4	18·7	22·5
Gateshead	17·9	18·4	16·2	21·8	Sheffield	18·6	18·5	18·6	15·3
Halifax	21·3	20·8	17·4	16·8	Sunderland	19·9	18·8	18·0	19·5
Huddersfield	16·9	14·3	11·6	16·4	Swansea	16·9	14·2	19·7	19·7
Hull	18·4	17·9	19·4	15·9	West Ham	15·8	14·7	16·9	17·3
Leeds	15·0	20·5	16·2	16·6	Wolverhampton	19·0	19·6	31·9	26·4
Leicester	19·8	14·9	13·5	14·6					

The highest annual death-rates, as measured by last week's mortality, were :— from *measles*, 1·1 in Leicester, 1·5 in London, 1·6 in Birmingham, 2·6 in West Ham, and 3·1 in Wolverhampton; from *scarlet fever*, 1·1 in Swansea; and from *whooping-cough*, 1·0 in Hull, 1·5 in Birkenhead, and 1·8 in Cardiff and in Salford. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 79 deaths from *diphtheria* included 53 in London, 5 in West Ham, 5 in Cardiff, 4 in Birmingham, 4 in Manchester, and 2 in Huddersfield. Four deaths from *small-pox* were registered in London, 3 in Birmingham, 2 in West Ham, and 1 death in Manchester, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2457 BIRTHS and 1511 DEATHS were registered. Allowing for increase of population, the births were 290, and the deaths 201, below the average numbers in the corresponding weeks of the last ten years. The annual

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

death-rate per 1000 from all causes, which had been 20·8, 19·0, and 19·3 in the preceding three weeks, declined last week to 18·1. During the four weeks ending on Saturday last the death-rate averaged 19·3 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1511 deaths included 4 from small-pox, 124 from measles, 30 from scarlet fever, 53 from diphtheria, 48 from whooping-cough, 1 from typhus, 8 from enteric fever, 9 from diarrhœa and dysentery, and not one death from any ill-defined form of continued fever or from cholera; thus, 277 deaths were referred to these diseases, being 52 above the corrected average weekly number.

Four deaths from *small-pox* were registered, the corrected average being 7. There were 122 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals and 26 in the Highgate Small-pox Hospital, making a total of 148, against 81, 95, and 102 on the preceding three Saturdays; 59 cases were admitted during the week, against 14, 26, and 31 in the preceding three weeks. The deaths from *measles*, which had been 138, 132, and 112 in the preceding three weeks, rose again last week to 124, and were 50 above the corrected average; 26 belonged to Fulham, 10 to Hackney, 11 to Lambeth, 8 to Mile End Old Town, 6 to St. George Southwark, and 5 to Rotherhithe sanitary areas. The deaths from *scarlet fever*, which had been 23, 20, and 29 in the preceding three weeks, were 30 last week, and were 14 above the corrected average; 6 belonged to Islington sanitary area. The Metropolitan Asylum and London Fever Hospitals* contained 2172 scarlet fever patients at the end of last week, against 2117, 2109, and 2128 on the preceding three Saturdays; 260 cases were admitted during the week, against 255 and 261 in the preceding two weeks. The deaths from *diphtheria*, which had been 57, 63, and 50 in the preceding three weeks, were 53 last week, and exceeded the corrected average by 31; 5 belonged to Islington, 5 to Poplar, 5 to Bermondsey, and 3 to St. George Southwark sanitary areas. The Metropolitan Asylum Hospitals* contained 316 diphtheria patients at the end of last week, against 307 and 315 on the preceding two Saturdays; 60 cases were admitted during the week, against 68 and 71 in the preceding two weeks. The deaths from *whooping-cough*, which had been 73, 64, and 53 in the preceding three weeks, further declined to 48 last week, and were 32 below the corrected average. The fatal cases of *enteric fever*, which had been 12, 7, and 9 in the preceding three weeks, were 8 last week, and were 2 below the corrected average. The Metropolitan Asylum Hospitals* contained 72 cases of enteric fever and not one of typhus on Saturday last; 3 cases of enteric fever were admitted during the week, against 11 in each of the preceding two weeks. The deaths from *diarrhœa*, which had been 7 and 14 in the preceding two weeks, were 9 last week, and were 8 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had declined from 397 to 304 in the preceding four weeks, were again 304 last week, and were 81 below the corrected average.

The deaths attributed directly to *influenza* numbered 13, having been 16, 18, and 9 in the preceding three weeks.

Different forms of violence caused 63 deaths, concerning all of which inquests were held. Of these 63 deaths, 15 were cases of suicide, while the remaining 48 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 11 to drowning, and 10 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3295 births and 1898 deaths were registered, corresponding to annual rates of 28·9 and 16·6 per 1000 of the estimated population. In the Outer Ring 4 deaths from small-pox, 18 from measles, 5 from scarlet fever, 14 from diphtheria, and 19 from whooping-cough were recorded. The 4 deaths from small-pox, 13 deaths from measles, and 9 from diphtheria occurred in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·64 inches, and that of the Thermometer 48°·7, the latter being 0°·8 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 12 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 18·6 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 2. LONDON.—Births and Deaths Registered in the SIXTEENTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2568	2541	2505	2879	2579	2438	2735	2577	2494	2660	2746·8	2457
Males . .	1310	1292	1257	1490	1289	1301	1358	1308	1311	1357	1400·8	1249
Females .	1258	1249	1248	1389	1290	1137	1377	1269	1183	1303	1346·0	1208
TOTAL Deaths	1649	1743	1460	1529	1551	1426	1611	1809	1715	1730	1712·2	1511
Males . .	860	889	748	798	792	708	816	923	876	872	874·6	788
Females .	789	854	712	731	759	718	795	881	839	858	837·6	723

* The numbers in this column are the average weekly numbers in the sixteenth weeks of the ten years 1884-93. raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

			Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	
TOTAL Births	-	-	2689	2708	2709	2602	2587	2564	2636	2558	2496	2437	2682	2600	2457	
TOTAL Deaths	-	-	1655	1621	1534	1552	1664	1748	1700	1610	1631	1737	1587	1609	1511	
Ages at Death	{	0—20 years	-	748	717	702	705	771	793	740	737	802	822	792	800	728
		20—40 "	-	208	216	199	190	245	226	241	185	208	214	197	210	187
		40—60 "	-	277	297	276	307	272	323	298	276	305	287	265	265	296
		60—80 "	-	334	319	301	292	323	338	345	336	301	340	263	281	259
		80 years & upwards	-	83	72	56	58	53	68	76	76	75	74	70	53	41
	{	Under 1 year	-	367	353	349	357	384	403	352	333	370	335	368	361	337
		1—5	-	283	245	264	253	275	267	293	293	313	357	320	327	299
		5—20	-	93	119	89	90	112	123	95	106	119	130	104	112	92
Deaths from																
		Small-pox	-	-	1	-	2	1	-	3	1	-	2	-	4	
"	"	Measles	-	35	21	42	40	59	47	66	74	96	133	132	112	124
"	"	Scarlet fever	-	9	22	23	24	20	20	17	19	13	23	20	29	30
"	"	Diphtheria	-	52	74	56	58	42	59	53	52	56	57	63	50	53
"	"	Whooping-cough	-	86	69	54	60	74	72	59	55	49	73	64	53	48
"	"	Typhus	-	-	-	-	1	-	-	-	-	-	-	-	1	
"	"	Enteric fever	-	12	14	6	8	4	12	10	14	9	12	7	9	8
"	"	Simple Cont ^d fever	-	-	-	-	-	1	-	-	-	-	-	-	-	
"	"	Diarrhoea and Dysentery }	-	15	14	17	16	16	14	13	10	12	7	7	14	9
"	"	Cholera	-	-	-	-	-	-	-	-	-	-	-	1	-	
"	"	all the above- mentioned Diseases }	-	209	215	198	206	218	226	218	227	236	310	295	268	277
"	"	Dis. of Respira- tory System }	-	422	385	372	340	408	413	434	373	397	347	314	304	304
"	"	Phthisis	-	149	159	148	145	135	175	151	154	182	173	128	144	153
"	"	Dis. of Circula- tory System }	-	124	148	114	118	112	157	129	114	138	137	111	131	104
Violent Deaths	-	-	55	73	53	61	62	70	65	75	62	74	63	64	63	
Inquest Cases	-	-	115	135	108	140	141	165	138	140	133	153	123	121	146	
Deaths in Public Institutions	-	-	462	489	441	486	462	479	500	436	450	495	444	461	449	
TEMPERATURE OF THE AIR																
		Mean	-	41·6	42·0	46·0	41·0	34·3	44·0	44·2	42·6	43·1	48·2	50·6	55·2	48·7
		Mean of Highest readings	-	46·1	47·9	51·3	45·9	41·0	51·4	51·7	51·3	52·4	61·4	63·1	68·5	56·0
		Mean of Lowest readings	-	36·6	37·3	40·4	36·7	27·3	37·3	37·6	35·9	35·8	34·5	40·5	43·4	43·1
Humidity of the Air	-	-	84	83	86	83	78	84	81	79	86	71	76	67	81	
Rain-fall in inches	-	-	0·71	0·69	0·27	0·60	0·21	0·45	0·19	0·41	0·00	0·00	0·01	0·06	0·26	
Registered Sunshine (in hours)	-	-	10·0	18·5	6·9	8·1	38·0	15·6	14·4	25·4	20·6	60·5	36·9	37·7	13·6	

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Jester, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; B. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrothesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.R.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer, of Health, Sunderland.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SIXTEENTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 16th Week of the 10 years 1884-93.*	In the Week ending Saturday, 21st April 1894.										Corrected Averages for the 16th Week of the 10 years 1884-93.*	In the Week ending Saturday, 21st April 1894.									
		Deaths of Persons of the Ages											Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.					
			0-1.	1-5.	5-20.						0-1.		1-5.					5-20.				
ALL CAUSES -	1712.2	1511	337	299	92	187	296	259	41													
Small-pox { Vaccinated†	2.7	2	-	-	-	1	1	-	-													
Unvaccinated	2.6	2	1	1	-	-	-	-	-													
No Statement	1.8	-	-	-	-	-	-	-	-													
Measles -	74.1	124	31	19	4	-	-	-	-													
Scarlet Fever -	15.7	30	1	22	7	-	-	-	-													
Typhus -	0.8	1	-	-	-	1	-	-	-													
Relapsing Fever -	-	-	-	-	-	-	-	-	-													
Influenza -	6.9	13	1	-	2	-	3	6	1													
Whooping-cough -	79.5	45	12	34	2	-	-	-	-													
Diphtheria -	21.7	53	4	33	15	-	1	-	-													
Simple Continued and Ill-defined Fever -	0.4	-	-	-	-	-	-	-	-													
Enteric Fever -	9.8	8	-	1	2	4	-	1	-													
Cholera and Chol. Diarr.	0.1	-	-	-	-	-	-	-	-													
Diarrhoea, Dysentery -	16.8	9	6	2	-	-	-	-	1													
Remittent Fever -	0.2	-	-	-	-	-	-	-	-													
Hydrophobia -	0.2	-	-	-	-	-	-	-	-													
Glanders -	-	-	-	-	-	-	-	-	-													
Cowpox and Effects of Vaccination -	0.3	1	1	-	-	-	-	-	-													
Veneral Affections -	7.8	11	8	-	-	1	2	-	-													
Erysipelas -	5.1	-	-	-	-	-	-	-	-													
Pysæmia and Septicæmia -	3.7	3	-	-	1	1	-	-	-													
Puerperal Fever -	5.6	5	-	-	5	-	-	-	-													
Other Zymotic Diseases -	1.9	2	1	-	-	-	1	-	-													
Thrush -	1.2	1	1	-	-	-	-	-	-													
Worms and other Parasitical Diseases -	0.4	-	-	-	-	-	-	-	-													
Starvation, Want of Breast-milk -	1.9	2	2	-	-	-	-	-	-													
Alcoholism -	7.5	6	-	-	-	2	4	-	-													
Rheumatic Fever, Rheumatism of Heart	7.1	2	-	-	1	1	-	-	-													
Rheumatism -	2.0	-	-	-	-	-	-	-	-													
Gout -	3.3	1	-	-	-	-	-	1	-													
Rickets -	5.5	6	4	2	-	-	-	-	-													
Cancer -	60.7	69	1	-	-	4	39	25	-													
Tabes Mesenterica -	21.5	11	8	1	1	-	1	-	-													
Tubercular Meningitis -	29.1	11	2	5	3	1	-	-	-													
Phthisis -	172.3	153	1	8	11	68	61	4	1													
Serofula, Tuberculosis -	20.2	18	5	8	1	2	2	-	-													
Other Constitutional Diseases -	10.3	11	-	-	2	2	4	3	-													
Premature Birth -	42.4	32	32	-	-	-	-	-	-													
Atelectasis -	2.5	5	5	-	-	-	-	-	-													
Congenital Malformations -	7.4	10	9	1	-	-	-	-	-													
Old Age -	56.0	43	-	-	-	-	-	25	13													
Apoplexy -	44.4	35	-	1	-	1	14	19	-													
Epilepsy -	9.0	2	-	-	2	-	-	-	-													
Convulsions -	49.8	35	30	5	-	-	-	-	-													
Other Diseases of Brain and Nervous System	97.1	73	9	5	5	10	13	29	2													
CAUSES OF DEATH.																						
Diseases of Organs of Special Sense -	3.6		2	-	1	1	-	-	-													
Diseases of Circulatory System -	139.2	104	2	1	9	21	33	29	4													
Croup -	8.3	1	-	1	-	-	-	-	-													
Bronchitis -	207.5	134	40	20	1	4	17	42	10													
Pneumonia -	130.2	143	30	45	5	15	29	18	1													
Pleurisy -	3.9	5	-	1	-	-	3	1	-													
Other Diseases of Respiratory System -	30.0	21	4	3	-	-	6	7	1													
Dentition -	16.8	10	6	4	-	-	-	-	-													
Quinsy, Sore Throat -	2.6	1	-	1	-	-	-	-	-													
Enteritis -	7.3	11	6	-	1	2	1	1	-													
Peritonitis -	5.8	10	-	-	2	4	1	3	-													
Diseases of Liver -	30.0	20	-	-	-	4	11	5	-													
Other Diseases of Digestive System -	20.1	34	6	1	2	2	9	14	-													
Diseases of Lymphatic System & of Ductless Glands -	2.3	2	-	-	-	1	1	-	-													
Diseases of Urinary System -	46.3	43	-	1	1	9	15	15	2													
Diseases of Generative System -	5.7	3	-	-	1	1	-	1	-													
Accidents of Childbirth -	4.0	4	-	-	-	4	-	-	-													
Diseases of Locomotive System -	6.0	10	2	-	4	1	2	1	-													
Diseases of Integumentary System -	6.0	-	-	-	-	-	-	-	-													
VIOLENT DEATHS; (ACCIDENT.)																						
By Railways -	-	-	-	-	-	-	-	-	-													
By Vehicles or Horses -	-	6	-	2	1	1	2	-	-													
In Ships, Boats, Docks (exclusive of Drowning) -	-	-	-	-	-	-	-	-	-													
In Building Operations -	-	-	-	-	-	-	-	-	-													
In Conflagrations -	-	-	-	-	-	-	-	-	-													
By Burns, Scalds, Explosions -	47.4	3	1	1	1	-	-	-	-													
By Drowning -	-	11	1	-	1	5	3	1	-													
By Suffocation in Bed -	-	10	10	-	-	-	-	-	-													
By Poisons or Poisonous Vapours -	-	-	-	-	-	-	-	-	-													
Other or not stated Causes -	-	13	5	-	2	1	5	5	-													
(VIOLENCE OTHER THAN ACCIDENTAL.)																						
Homicide -	1.5	-	-	-	-	-	-	-	-													
Suicide -	10.2	15	-	-	-	3	6	1	-													
Execution -	-	-	-	-	-	-	-	-	-													
OTHER CAUSES -	54.6	50	47	1	-	-	-	2	-													

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

The DEATHS registered in the Week include																			
REGISTRATION		Enu- mer- ated Popu- lation 1891.	Total Births.	Deaths of				Deaths from										Inquest Cases.	Deaths in Public Institutions
SUB-DISTRICTS.				Total Deaths.	Infants under 1 Year of Age.	Persons aged 15 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.			
LONDON		4,211,743	2457	1511	337	300	4	124	30	53	48	1	8	-	9	63	146	440	
WEST DISTRICTS.																			
St. Mary Paddington WHH	G.J. & W.M.	84159	49	25	7	7	-	1	-	1	2	-	-	-	-	-	2	3	
St. John Paddington H	- G.J.	33837	9	9	-	4	-	-	-	1	-	-	-	-	-	-	1	5	
Kensington Town Ww	- W.M.	118751	55	42	12	10	-	3	-	-	1	-	-	-	1	1	1	21	
Brompton H	- W.M. & C.	47557	11	9	-	1	-	-	-	-	-	-	-	-	-	-	1	3	
S. Peter Hammersmith	- W.M.	8585	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H	W.M. & G.J.	88453	66	25	5	5	-	2	-	1	-	-	-	-	1	3	5	2	
Fulham Ww	- W.M. & C.	91639	62	64	16	8	-	23	2	5	1	-	-	-	-	-	6	15	
Chelsea Kensal Town	- C.	21787	11	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Chelsea North WHHHH	- C.	41637	20	10	2	4	-	-	-	1	-	-	-	-	-	-	5	2	
Chelsea South HH	- C.	32829	12	14	7	4	-	3	-	-	-	1	-	-	2	3	2	6	
May Fair W	- G.J.	23733	6	9	-	5	-	-	-	-	-	-	-	-	-	-	1	6	
Belgrave WHHH	- C.	54431	31	22	5	4	-	2	-	-	1	-	-	-	-	2	2	9	
St. John Westminster HH	- C.	34106	18	9	4	1	-	1	-	-	-	-	-	-	-	1	2	-	
St. Margaret Westminster H	- C.	21668	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	3	
St. James Westminster WHH	N.R. & G.J.	24995	13	7	3	1	-	1	-	1	-	-	-	-	-	-	-	-	
St. Anne Soho HHHHHH	- N.R.	12317	6	6	1	1	-	-	-	-	-	-	-	-	-	-	-	2	
NORTH DISTRICTS.																			
All Souls Marylebone	- W.M.	37713	10	14	2	3	-	-	-	-	-	1	-	-	-	-	-	5	
Restory Marylebone W	G.J. & W.M.	20024	11	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
St. Mary Marylebone HHHH	G.J. & W.M.	19389	27	6	2	2	-	-	-	-	-	1	-	-	-	-	-	1	
Christchurch Marylebone H	- W.M.	33327	23	12	3	-	-	1	-	-	1	-	-	-	-	-	-	-	
St. John Marylebone H	- W.M.	32101	9	10	1	3	-	-	-	-	-	-	-	-	-	1	2	-	
Hampstead WwHHHH	N.R. & W.M.	68416	28	21	2	1	-	-	2	7	-	-	-	-	-	1	2	12	
Regent's Park Pancras HH	- W.M.	36590	23	8	4	1	-	1	-	-	-	-	-	-	-	1	2	-	
Tottenham-court WHHHH	N.R. & W.M.	29321	11	16	2	3	-	-	-	-	-	-	-	-	-	-	8	-	
Gray's Inn Lane HH	- N.R.	27455	18	10	1	1	-	-	-	1	-	-	-	-	-	-	-	4	
Connaught Town HH	- N.R.	32829	15	14	3	6	-	-	-	-	-	-	-	-	-	-	-	2	
Camden Town WH	- N.R.	15419	18	14	1	4	-	1	-	-	-	-	-	-	-	2	3	2	
Kentish Town W	- N.R.	95765	50	19	2	3	-	-	-	-	1	-	-	-	-	1	1	2	
Upper Holloway WwHHH	- N.R.	90235	51	33	3	11	-	1	-	2	3	-	-	-	-	-	-	16	
Islington South-west H	- N.R.	105557	67	37	13	6	-	4	1	-	3	-	-	-	1	1	4	-	
Islington South-east	- N.R.	64153	44	16	4	6	-	-	-	2	-	-	-	-	-	1	3	-	
Highbury HH	- N.R.	59193	27	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H	- N.R.	30936	15	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Stamford Hill	- E.L.	17759	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney H	- N.R.	42902	23	15	-	3	-	-	-	-	2	-	-	-	-	1	3	1	
Hackney WwHH	- E.L. & N.R.	96466	69	45	13	5	-	5	6	3	-	1	-	-	1	1	17	-	
South Hackney W	- E.L.	41759	22	16	3	4	-	4	-	-	-	-	-	-	1	1	2	-	
CENTRAL DISTRICTS.																			
St. George Bloomsbury	- N.R.	16695	5	2	1	-	-	1	-	-	1	-	-	-	-	-	-	-	
St. Giles South WH	- N.R.	13454	8	5	1	2	-	-	-	-	-	-	-	-	-	-	2	-	
St. Giles North H	- N.R.	9633	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HH	N.R. & C.	14616	3	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary-le-Strand H	- N.R.	5706	3	2	1	-	-	-	-	-	-	-	-	-	-	-	4	-	
St. Clement Danes WH	- N.R.	7194	8	7	-	1	-	1	-	-	-	-	-	-	-	-	1	7	
Strand Union Workhouse, Edmonton w.	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	2	
St. Geo.-the-Martyr HHHHHH	N.R.	17921	9	12	3	1	-	-	-	1	1	-	-	-	-	-	-	-	
St. Andrew Eastern W	- N.R.	15343	5	6	-	1	-	-	-	-	-	-	-	-	-	-	10	-	
St. James Clerkenwell	- N.R.	16803	11	6	1	2	-	-	-	-	-	-	-	-	-	-	3	-	
Amwell (Clerkenwell)	- N.R.	18883	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pentonville	- N.R.	17465	8	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Goosewell-street	- N.R.	16375	7	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	
City-road HHHL	- N.R.	29177	23	9	3	1	-	-	-	-	-	-	-	-	1	1	-	-	
Whitecross-street	- N.R.	8278	3	2	-	1	-	-	-	-	-	-	-	-	-	-	3	-	
Finsbury	- N.R.	4985	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn Union Workhouse, Mitcham w.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	2	-	
St. Botolph H	- N.R. & E.L.	8944	4	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
Cripplegate	- N.R.	4539	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H	- N.R.	4444	3	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Bride W	- N.R.	6394	4	2	-	1	-	-	-	-	-	-	-	-	-	6	6	8	
Allhallows Barking	- N.R.	10432	-	4	-	1	-	-	-	-	-	-	-	-	-	1	2	-	
Broad Street H	- N.R.	8377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
City of London Asylum, Stone	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts.—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L. East London; and K. the Kent Company.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT day, 21st April, 1894.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.			Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of												Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- vulsed Fever.	Diarhoea.	Violence.		
EAST DISTRICTS.																			
Reddish South	HL*	E.L. & N.R.	20098	13	4	1	1	-	-	-	-	-	-	-	1	-			
St. New Town	W	- N.R.	29313	23	14	3	1	-	-	-	-	-	-	-	1	-			
St. Old Town	-	- N.R.	28354	14	5	1	1	-	-	-	-	-	-	-	-	6			
St. Gerston	WH	- N.R. & E.L.	46244	36	24	6	4	-	1	1	-	1	-	4	4	12			
St. Green North	H	- E.L.	51520	27	4	3	-	-	-	-	-	-	-	-	1	-			
St. Green South	-	- E.L.	33439	29	14	6	3	-	-	-	-	-	-	-	1	4			
St. Green East	WHL*	- E.L.	44123	35	22	7	3	-	2	-	2	-	-	-	2	9			
St. Fields	-	E. . N.R.	22453	10	4	2	2	-	-	-	-	-	-	-	-	-			
St. End New Town	W	- E.L.	17908	14	14	1	1	-	-	-	1	-	-	-	2	9			
St. Chapel Church	H	E.L. & N.R.	20298	9	28	6	1	-	1	-	4	1	1	1	3	20			
St. Man's Fields	-	- E.L.	18800	6	7	4	-	-	-	-	1	-	-	-	1	-			
St. George's, North	-	- E.L.	37738	27	7	4	-	2	-	1	-	-	-	-	1	-			
St. John, St. George East	W	- E.L.	8057	8	10	1	7	-	-	1	-	-	-	-	-	9			
St. Well	H	- E.L. & N.R.	40246	7	6	2	-	-	1	-	-	-	-	-	-	5			
St. Cliff	W	- E.L.	14928	11	3	1	1	-	-	-	-	-	-	-	-	-			
St. House	-	- E.L.	32202	23	9	3	-	3	-	1	-	-	-	-	2	-			
St. End Old Town West	H	- E.L.	38650	41	18	3	1	-	-	-	2	-	-	-	2	-			
St. End Old Town East	W & WH	- E.L.	68942	41	32	6	7	-	8	-	-	-	1	-	2	9			
St. Y	L*	- E.L.	40385	14	16	7	-	2	-	1	1	-	-	-	2	1			
St. May	W & WH	- E.L.	70000	41	38	10	8	-	-	1	1	-	-	2	6	15			
St. Mar.	W	- E.L.	56383	18	28	8	4	2	-	-	-	-	-	5	10	4			
SOUTH DISTRICTS.																			
St. Church Southwark	WH	L. & S.	12264	6	1	-	-	-	1	-	-	-	-	-	-	-			
St. Saviour Southwark	-	S.	13913	6	9	2	-	-	2	-	-	-	-	-	1	-			
St. At-road	-	E. & L.	21867	19	9	-	-	-	2	-	-	-	-	-	-	-			
St. Don-road	WH	S. & L.	16624	8	13	4	-	-	3	-	3	2	-	-	5	1			
St. Adon-road	HL	L. & S.	21221	12	9	2	1	-	1	3	2	-	-	-	-	-			
St. City Newington	-	S. & L.	26596	18	5	3	-	-	-	-	-	-	-	1	1	-			
St. Peter Walworth	W	S. & L.	61342	38	16	5	3	-	3	-	-	-	1	-	2	3			
St. Mary Newington	-	L. & S.	27866	21	9	2	1	-	-	-	-	-	-	2	2	-			
St. Olave	WH	- S.	12723	4	11	2	2	-	1	-	-	-	-	1	2	9			
St. Ther Market	-	S. & L.	14932	11	2	1	-	2	-	-	-	-	-	-	-	-			
St. Mary Magdalen	W	- S.	15660	14	4	1	-	-	-	-	-	-	-	-	-	-			
St. James Bermondsey	-	- S.	54070	29	15	1	2	-	1	-	-	-	-	1	2	-			
St. Herbithe	WH	- S. & K.	39255	25	24	5	9	-	5	1	1	-	1	1	2	7			
St. Herio-road 1st	H	- L. & S.	14031	5	14	4	-	-	6	-	-	-	-	1	1	2			
St. Herio-road 2nd	H	- L. & S.	14644	14	3	1	-	-	-	-	-	-	-	-	-	-			
St. Beth Church 1st	H	- L. & S.	18075	12	13	2	-	-	-	-	1	-	1	-	3	5			
St. Beth Church 2nd	W & WH	- L. & S.	39097	17	22	6	8	-	2	-	-	-	-	-	11	-			
St. Vinington 1st	H	- S. & L.	50586	40	10	4	3	-	-	-	-	-	-	-	2	1			
St. Vinington 2nd	-	- S. & L.	39708	23	6	1	2	-	-	-	-	-	-	-	-	-			
St. Vinton	W	- L. & S.	73405	36	23	3	2	-	2	4	5	1	1	-	-	10			
St. Wood	W	- L.	25667	12	5	1	2	-	-	-	1	-	-	-	-	-			
St. Battersea	-	- S.	67244	42	10	5	-	-	1	-	-	-	-	-	-	-			
St. Battersea	W & WH	- S.	83314	50	27	5	5	-	2	-	1	1	-	-	5	7			
St. Bham	H	- S.	43698	24	9	1	1	-	-	-	-	-	-	-	-	1			
St. Endsworth	WHL	- S.	46717	45	9	1	2	-	-	-	-	1	-	-	1	2			
St. Mey	-	- S.	17771	7	4	1	2	-	-	-	-	-	-	-	-	-			
St. Asham	W & WH	- L.	48756	25	11	1	3	-	2	2	-	1	-	-	-	4			
St. Bich	-	- L. & S.	6809	-	2	-	-	-	-	-	-	-	-	-	-	-			
St. Boverwell	W & L*	- S. & L.	81686	46	30	4	10	-	-	1	2	-	-	-	1	18			
St. Bham	-	- S., L. & K.	33433	56	25	8	6	-	5	-	1	-	-	1	1	1			
St. George Camberwell	-	- L. & S.	63366	42	21	9	3	-	2	-	-	4	-	1	1	1			
St. Bedford, North	-	- K.	35314	23	10	4	2	-	1	-	-	1	-	-	1	1			
St. Bedford, Central	W	- K.	42607	28	15	3	3	-	1	2	2	1	-	-	2	4			
St. Bedford, South	-	- K.	30852	13	5	-	1	-	-	-	-	-	-	-	-	-			
St. Benwich West	H	- K.	22007	8	4	1	2	-	-	-	-	-	-	-	-	1			
St. Benwich East	WH	- K.	35233	23	15	1	7	-	-	-	-	1	-	-	-	9			
St. Bham	H	- K.	5682	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Bham	-	- K.	23541	5	3	1	1	-	-	-	-	-	-	-	-	-			
St. Bisham	WH	- K.	30950	27	8	1	2	-	1	-	-	-	-	-	1	2			
St. Bisham	H	- L.	34162	16	14	2	5	-	-	-	3	1	-	-	1	1			
St. Bilton	HH	- K.	14040	6	5	1	1	-	-	-	-	-	-	-	-	-			
St. Bivich Dockyard	-	- K.	19606	14	4	-	2	-	-	-	-	-	-	-	-	2			
St. Bivich Arsenal	HH	- K.	41242	8	5	1	-	-	-	-	-	-	-	-	1	-			
St. Binstead, West	H	- K.	15859	14	5	1	2	-	-	-	-	-	-	-	-	-			
St. Binstead, East	W	- K.	86567	32	12	5	1	-	-	-	-	-	-	-	1	3			
St. Binstead Asylum	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	3			
St. Braham Asylum	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3			
St. Bhill Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1			
St. Bhill Ship and Camp, Darford	-	-	-	-	4	1	-	4	-	-	-	-	-	-	-	4			
St. Bhill Asylum	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	5			
St. Bhill Asylum	-	-	-	-	4	-	1	-	-	-	-	-	-	-	1	4			
St. Bhill Asylum	-	-	-	-	7	0	1	-	-	-	-	-	-	-	-	7			
St. Bhill Asylum	-	-	-	-	10	1	-	-	1	0	1	-	-	-	-	10			
St. Bhill Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1			
St. Bhill Asylum	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	5			
St. Bhill Asylum	-	-	-	-	7	-	4	-	-	-	-	-	-	-	-	7			

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).
AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 21st April, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lation 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 years and upward.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertained Causes.	
LONDON—OUTER RING						387	93	95	4	18	5	14	19	3	4	7	9	44	
30: 1	Carshalton WHI -	1222*	26108	11	3	1	-	-	-	-	-	-	1	-	-	-	-	1	
2	Epsom, part of* WOI	10423	12508	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W-	754	1593	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon WOH- -	20851	128699	52	36	10	14	-	2	2	1	2	-	-	-	-	-	5	
2	Mitcham W -	11697	23088	9	4	3	1	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon HHH -	3220	25761	19	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston WHH -	8071	44765	25	8	2	2	-	-	-	-	-	-	-	-	-	-	-	
3	Esher, part of,*	6601	12059	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H -	4655	18252	17	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond WH -	2160	25389	15	11	2	2	-	-	-	-	-	-	-	1	1	5	-	
2	Mortlake H -	2823	16159	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	
41: 1	Bromley HHH -	9127	23815	10	6	1	3	-	-	-	1	1	-	-	-	-	-	-	
2	Beckenham H -	6542	21969	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
3	Chislehurst, pt. of* VII	14307	20372	15	12	1	7	-	-	-	-	-	-	-	1	1	6	-	
42: 1	Bexley H -	12540	30690	12	8	1	3	-	-	-	-	1	-	-	-	1	-	-	
2	Dartford Work., pt. of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
124: 1	Sunbury W -	11054	13671	7	3	2	1	-	-	-	-	2	-	-	-	-	-	-	
2	Staines W -	18277	18221	6	4	1	2	-	-	-	-	1	-	-	-	-	1	-	
125: 1	Hillingdon WHH -	6035	12237	6	4	-	3	-	-	-	-	-	-	-	-	-	-	2	
2	Uxbridge -	6172	5417	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH -	14537	12618	7	2	-	1	-	-	-	-	-	-	-	-	-	1	-	
126: 1	Isleworth WH -	6967	23273	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Twickenham HH -	2415	16027	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford HHHH -	4313	37777	25	5	1	-	-	-	-	-	-	-	-	-	-	1	-	
4	Chiswick -	1245	21963	13	8	2	1	-	-	-	-	1	-	-	-	-	-	-	
5	Acton WH -	6132	30945	28	8	4	1	-	-	-	-	-	-	-	-	-	1	-	
127: 1	Harrow HHH -	12809	15715	6	3	1	1	-	-	-	-	-	-	-	1	1	-	-	
2	Edgware H -	6994	3844	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	
3	Willesden HHH -	4383	61265	50	17	5	1	-	-	1	1	-	-	1	1	1	1	-	
4	Hendon W -	8382	15843	10	3	-	-	-	-	-	-	-	-	-	-	-	2	-	
128: 1	South Mimms -	1559	8474	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet WHH -	5441	11778	4	4	1	3	-	-	-	-	-	-	-	-	-	1	-	
3	Finchley HH -	4688	25820	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
129: 1	Hornsey H- -	8039	61097	30	12	-	3	-	-	-	1	2	-	-	1	1	-	-	
2	Tottenham H -	4642	97174	72	29	9	5	-	-	-	1	1	-	1	1	1	1	-	
3	Edmonton WOI -	7489	33351	23	18	6	4	-	-	-	-	1	-	-	1	1	6	-	
4	Enfield WWHH -	12339	21803	12	8	1	-	-	-	1	-	-	-	-	-	-	1	-	
5	Waltham Abbey -	11617	6066	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Chesham H -	8480	9620	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
130: 1	Hatfield, part of*	3306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey -	9331	7737	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136: 1	Stratford H- -	1100	42983	25	13	5	2	-	2	-	-	-	-	-	1	-	-	-	
2	Plaistow HHHH -	1242	55030	46	23	4	3	2	4	1	1	-	1	-	-	-	1	-	
3	Canning Town H -	1553	54750	49	22	4	4	-	5	-	1	4	-	1	-	-	-	-	
4	Forest Gate W -	806	49140	27	20	2	2	-	1	-	3	-	-	-	-	1	-	-	
5	East Ham WOI -	3266	32713	35	8	2	1	2	-	-	-	1	-	-	-	-	-	-	
6	Leyton WWHOI -	4334	70133	38	24	5	7	-	1	-	4	-	-	-	-	-	5	-	
7	Walthamstow HHL -	5501	57330	32	9	4	3	-	-	-	-	1	-	-	-	-	-	-	
137: 1	Chigwell, part of* H-	11779	12941	4	6	2	1	-	-	-	-	-	-	-	-	-	1	-	
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, part of* WH	6556	4324	3	4	1	1	-	2	-	-	-	-	-	-	-	1	-	
2	Uford -	8493	10913	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town -	3314	14301	15	4	-	1	-	-	-	-	-	-	1	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39: 2, Epsom sub-district, except the parishes of Aspley and Hatfield (pop. 1753); 37: 1, the parishes of Warrington and Farley in Goldstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2243); 41: 2, Chislehurst sub-district, except the parishes of Chislefield, Cadnam, and Kneebolt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydin Bois (1073); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford; 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 21st April, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
EATER LONDON	443,421	5,948,300	16·6	3·0	1898	430	395	8	142	35	67	67	12	13	70	493		
INNER LONDON -	74,672	4,349,166	18·1	3·3	1511	337	300	4	124	30	53	48	9	9	63	449		
OUTER RING	368,749	1,599,134	12·6	2·2	387	93	95	4	18	5	14	19	3	4	7	44		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 602·845 square miles, which is equivalent to the area of a circle having a radius of 14·351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
		Week ending											
EDINBURGH	270,598	April 21	137	79	15·2	-	-	-	1	1	-	1	
GLASGOW	686,820	" 21	461	244	18·5	2	1	2	1	12	5	6	
DUBLIN	349,594	" 21	155	156	23·3	-	-	-	1	2	-	1	
MILAN	466,460	February 24	-	-	-	-	-	-	-	-	-	-	
MUMBAI	821,764	April 3	254	531	33·6	20	32	?	?	?	123	39	
PARIS	452,518	March 9	333	337	38·7	-	8	?	?	?	110	40	
ST. PETERSBURG	2,424,705	April 14	1269	1217	26·7	6	42	4	31*	5	25	45	
BRUSSELS	488,188	" 14	275	172	18·3	1	-	-	-	2	2	8	
AMSTERDAM	487,892	" 14	284	177	20·7	-	3	-	5	5	-	-	
ROTTERDAM	222,233	" 14	161	104	24·2	21	-	-	-	3	1	-	
THE HAGUE	169,923	" 14	109	72	22·0	-	-	-	-	-	-	-	
COPENHAGEN	341,000	" 14	175	127	19·4	-	2	4	3	2	-	6	
STOCKHOLM	249,246	" 7	131	91	18·7	-	-	4	2*	-	2	3	
CHRISTIANIA	161,151	" 14	69	78	25·2	-	12	1	3	-	-	-	
PETERSBURG	954,400	March 24	-	-	-	-	-	-	-	-	-	-	
MOSCOW	753,469	April 7	-	492	34·1	3	13	5	15	3	5	24	
BERLIN	1,714,938	March 31	847	552	17·0	-	13	6	25	8	1	27	
FRANKFURT	594,209	April 14	-	212	18·6	-	8	1	5*	2	3	6	
LEIPZIG	312,772	March 10	185	140	23·3	-	-	-	14*	3	-	7	
PRAGUE	360,660	April 17	198	127	21·1	-	-	1	10*	2	1	4	
WARSAW	390,000	April 14	-	191	28·0	-	-	-	4*	-	1	14	
VIENNA	390,000	" 14	-	175	28·3	-	-	4	5*	1	-	21	
BUDAPEST	1,465,537	" 14	963	777	27·6	-	16	12	52*	4	1	33	
AGUE	339,172	" 14	213	198	30·4	-	14	-	3	1	4	3	
DA-PESTH	552,769	" 7	375	296	27·8	-	5	2	9	-	1	9	
KESTE	159,739	" 7	94	114	37·1	-	9	2	3*	-	-	-	
ME	450,991	March 10	205	215	24·9	-	-	-	-	-	7†	8	
BRIN (11 days)	335,157	" 31	237	238	23·5	-	22	2	11	-	1	9	
NICE	160,406	April 31	83	83	27·0	-	-	-	-	1	-	1	
RO	374,838	April 7	78	73	23·7	-	-	-	-	1	-	3	
ALEXANDRIA	231,306	March 29	-	-	-	-	-	-	-	-	-	-	
NEW YORK	1,925,569	" 29	-	-	-	-	-	-	-	-	-	-	
BROOKLYN	1,008,781	" 31	-	821	22·1	4	24	13	54	7	2	14	
PHILADELPHIA	1,139,457	" 31	-	340	17·7	3	7	9	24	5	-	3	
NEW ORLEANS	254,000	" 31	-	455	20·8	-	2	13	28	4	5	5	
		" 10	-	112	23·0	-	-	-	6	1	9	5	

* Including deaths from croup.

† Including one death from cholera.

‡ Including 4 deaths from malarial fever.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 17. 1894. VOL. LV.]

WEEK ENDING SATURDAY, APRIL 28.

[Price 1½d.

General Register Office, Somerset House,
April 30th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·3 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.		Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.
Birkenhead	19·7	20·7	18·3	19·7	Liverpool -	25·3	24·7	22·7	25·6
Birmingham	23·0	21·8	20·2	22·5	London -	19·0	19·3	18·1	18·5
Blackburn -	20·3	23·6	21·6	12·0	Manchester -	21·6	22·8	19·2	20·9
Bolton -	23·4	19·8	17·6	16·7	Newcastle-on-Tyne	22·2	21·7	16·3	19·9
Bradford -	15·1	17·9	17·9	17·5	Norwich -	20·7	19·2	16·8	15·3
Brighton -	12·7	18·0	14·1	12·7	Nottingham -	18·4	18·4	16·3	18·2
Bristol -	18·9	18·4	17·7	14·3	Oldham -	24·8	16·5	17·3	25·9
Burnley -	22·7	18·9	20·0	21·6	Plymouth -	23·7	17·8	20·2	11·9
Cardiff -	17·9	18·9	19·3	15·1	Portsmouth -	16·5	15·6	11·9	11·0
Croydon -	16·3	12·6	13·0	10·2	Preston -	17·8	19·7	22·9	17·3
Derby -	14·8	15·8	15·8	12·7	Salford -	27·4	18·7	22·5	16·2
Gateshead -	18·4	16·2	21·8	19·5	Sheffield -	18·5	18·6	15·3	16·3
Halifax -	20·8	17·4	16·8	15·7	Sunderland -	18·8	18·0	19·5	18·4
Huddersfield	14·3	11·6	16·4	13·8	Swansea -	14·2	19·7	19·7	20·8
Hull -	17·9	19·4	15·9	18·4	West Ham -	14·7	16·9	17·3	14·0
Leeds -	20·5	16·2	16·6	16·2	Wolverhampton -	19·6	31·9	26·4	25·1
Leicester -	14·9	13·5	14·6	14·6					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·1 in Leicester, 1·4 in Nottingham, 1·5 in West Ham, 1·6 in London, 2·2 in Birmingham, and 4·9 in Wolverhampton; from *scarlet fever*, 2·2 in Burnley; from *whooping-cough*, 1·0 in Birkenhead and in Salford, 1·1 in Swansea, and 1·2 in Liverpool and in Sheffield; and from "*fever*", 1·1 in Gateshead. The death-rate from *diarrhoea* did not reach 1·0 per 1000 in any of the thirty-three towns. The 77 deaths from *diphtheria* included 63 in London, 3 in Birmingham, 2 in Burnley, and 2 in Sheffield. Nine deaths from *small-pox* were registered in Birmingham, 6 in London, and 3 in Portsmouth, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2485 BIRTHS and 1546 DEATHS were registered. Allowing for increase of population, the births were 232, and the deaths 124, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·0, 19·3, and 18·1 in the preceding three weeks, rose last week to 18·5. During the four weeks ending on

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

Saturday last the death-rate averaged 18·7 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1546 deaths included 6 from small-pox, 130 from measles, 25 from scarlet fever, 63 from diphtheria, 77 from whooping-cough, 9 from enteric fever, 8 from diarrhoea and dysentery; and not one death from typhus, any ill-defined form of continued fever or from cholera; thus, 318 deaths were referred to these diseases, being 96 above the corrected average weekly number.

Six deaths from *small-pox* were registered, agreeing with the corrected average; 2 belonged to West Ham district in the Outer Ring. There were 129 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 22 in the Highgate Small-pox Hospital, making a total of 151, against 95, 102, and 148 on the preceding three Saturdays; 47 cases were admitted during the week, against 26, 31, and 59 in the preceding three weeks. The deaths from *measles*, which had been 132, 112, and 124 in the preceding three weeks, increased last week to 130, and were 55 above the corrected average; 19 belonged to Battersea, 9 to Kensington, 9 to Fulham, 8 to Islington, and 7 each to Bethnal Green, St. Saviour Southwark, and Newington sanitary areas. The deaths from *scarlet fever*, which had been 20, 29, and 30 in the preceding three weeks, declined last week to 25, but were 8 above the corrected average; 4 belonged to Marylebone sanitary area. The Metropolitan Asylum and London Fever Hospitals* contained 2258 scarlet fever patients at the end of last week, against 2109, 2128, and 2172 on the preceding three Saturdays; 296 cases were admitted during the week, against 261 and 260 in the preceding two weeks. The deaths from *diphtheria*, which had numbered 63, 50, and 53 in the preceding three weeks, further increased last week to 63, exceeding the corrected average by 39; 5 each belonged to Pancras (including 2 from one house in Gower Street), Islington, Shoreditch, and Greenwich, 4 to Paddington (including 2 from one house in Fermoy Road), and 4 to Bermondsey sanitary areas. The Metropolitan Asylum Hospitals* contained 316 diphtheria patients at the end of last week, against 307, 315, and 316 on the preceding three Saturdays; 68 cases were admitted during the week, against 71 and 60 in the preceding two weeks. The deaths from *whooping-cough*, which had been 64, 53, and 48 in the preceding three weeks, increased again last week to 77, being equal to the corrected average; 13 belonged to Camberwell sanitary area. The fatal cases of *enteric fever*, which had been 7, 9, and 8 in the preceding three weeks, numbered 9 last week, and were 2 above the corrected average. The Metropolitan Asylum Hospitals* contained 68 cases of enteric fever and not one case of typhus on Saturday last; 6 cases of enteric fever were admitted during the week, against 11 and 3 in the preceding two weeks. The deaths from *diarrhoea*, which had been 7, 14, and 9 in the preceding three weeks, numbered 8 last week, being 6 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 314, 304, and 304 in the preceding three weeks, declined to 255 last week, and were 118 below the corrected average.

The deaths attributed directly to *influenza* numbered 8, having been 18, 9, and 13 in the preceding three weeks.

Different forms of violence caused 55 deaths, concerning 54 of which inquests were held. Of these 55 deaths, 8 were cases of suicide, and one death was a case of homicide, while the remaining 46 deaths were attributed to accident or negligence. Two of these were referred to vehicles in the streets, 8 to burns and scalds, 5 to drowning, and 11 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3305 births and 1909 deaths were registered, corresponding to annual rates of 29·0 and 16·7 per 1000 of the estimated population. In the Outer Ring one death from small-pox, 9 deaths from measles, 5 from scarlet fever, 7 from diphtheria, and 20 from whooping-cough were recorded. The death from small-pox occurred in Romford district. Seven of the deaths from measles, and 2 of those from scarlet fever, were registered in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·58 inches, and that of the Thermometer 49°·5, the latter being 1°·1 above the week's average in the 50 years 1841-90. The direction of the wind was Southerly, the horizontal movement of the air being 15 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 27·7 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 2.—BIRTHS, DEATHS, AND METEOROLOGY, IN 33 GREAT TOWNS, during the week ending 28th April 1894.

CITIES AND BOROUGH.	POPULATION estimated middle of the Year 1864.*	Registered during the Week ending 28th Apr. 1894.		Deaths of		The Deaths registered in the Week include										Annual Rate per 1000, corresponding to the Week of Deaths					TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGH.
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Causes.	From Diseases in Coils, 6-12.	Highest.			Mean.		In Inches.	In Centi-metres.			
																			19.	20.	21.	22.	Contingent.			Barometrical.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.			
33 TOWNS.	10,458,442	6085	3665	858	716	18	203	58	77	148	26	28	146	286	778	51	18.3	2.8	62.0	29.5	47.3	8.50	0.84	2.13	- 33 TOWNS.			
LONDON.	4,340,166	2485	1546	356	286	6	130	25	63	77	9	8	55	128	432	16	18.5	3.8	62.0	34.3	49.5	9.72	0.98	2.49	LONDON.			
WEST HAM.	238,184	142	64	18	11	-	7	2	-	1	-	-	2	2	6	2	14.0	2.2	-	-	-	-	-	-	WEST HAM.			
CROYDON.	111,921	58	22	5	5	-	1	-	-	2	-	-	1	1	5	-	10.2	1.4	62.0	32.0	49.0	9.44	0.98	2.49	CROYDON.			
BRIGHTON.	118,715	53	29	4	11	-	-	-	-	1	-	-	1	1	6	-	12.7	0.4	58.8	36.8	49.1	9.50	1.78	4.52	BRIGHTON.			
PORTSMOUTH.	170,973	84	36	10	9	3	-	-	-	-	-	-	-	-	9	1	11.0	1.5	57.5	37.0	48.1	8.94	0.92	2.34	PORTSMOUTH.			
PLYMOUTH.	87,931	55	20	5	6	-	-	-	1	1	-	-	-	-	-	1	11.9	1.2	-	-	-	-	-	-	PLYMOUTH.			
BRISTOL.	226,578	88	62	18	17	-	4	-	-	4	-	2	3	5	12	1	14.3	2.3	62.0	36.0	46.5	8.06	1.27	3.23	BRISTOL.			
CARDIFF.	148,890	96	43	10	8	-	-	-	-	1	-	-	3	4	3	1	15.1	0.4	-	-	-	-	-	-	CARDIFF.			
SWANSEA.	55,359	64	28	6	10	-	1	-	1	-	-	-	2	3	1	-	20.8	2.2	-	-	-	-	-	-	SWANSEA.			
WOLVERHAMPTON.	85,036	49	41	9	6	-	8	-	1	-	-	-	2	4	3	1	25.1	5.5	60.4	29.5	44.0	6.67	0.45	1.14	WOLVERHAMPTON.			
BIRMINGHAM.	492,301	310	212	55	25	9	21	3	3	7	-	2	11	13	47	4	22.5	4.8	-	-	-	-	-	-	BIRMINGHAM.			
NORWICH.	105,645	64	31	8	4	-	-	1	-	-	-	-	-	-	4	-	15.3	0.5	61.0	32.8	48.1	8.94	1.11	2.82	NORWICH.			
LEICESTER.	180,136	101	53	10	14	-	4	2	-	-	-	-	1	3	9	1	14.6	1.9	-	-	-	-	-	-	LEICESTER.			
NOTTINGHAM.	223,684	132	78	21	19	-	6	1	-	-	-	-	6	11	13	-	18.2	2.3	60.1	31.3	46.6	8.11	0.60	1.52	NOTTINGHAM.			
DERBY.	187,716	54	24	5	4	-	1	-	-	-	-	-	-	2	2	1	12.7	0.5	-	-	-	-	-	-	DERBY.			
BIRKENHEAD.	105,627	67	40	8	7	-	1	1	1	2	1	-	2	5	5	-	19.7	3.0	-	-	-	-	-	-	BIRKENHEAD.			
LIVERPOOL.	507,230	305	249	54	37	-	6	7	-	12	5	2	14	21	59	7	25.6	3.3	59.1	40.6	47.9	8.33	0.36	0.91	LIVERPOOL.			
BOLTON.	118,303	55	38	8	10	-	-	-	-	2	-	-	1	2	5	-	16.7	0.9	-	-	-	-	-	-	BOLTON.			
MANCHESTER.	230,211	318	269	51	42	-	3	3	1	6	-	5	11	20	52	3	20.9	1.8	-	-	-	-	-	-	MANCHESTER.			
SAFORD.	205,828	152	64	14	13	-	2	1	-	4	1	-	1	2	8	1	16.2	2.0	-	-	-	-	-	-	SAFORD.			
OLDHAM.	188,755	79	69	11	15	-	2	1	-	2	2	1	1	2	5	3	25.9	3.0	-	-	-	-	-	-	OLDHAM.			
BURNLEY.	164,478	60	40	10	3	-	-	4	2	-	1	1	2	2	2	1	21.6	4.3	-	-	-	-	-	-	BURNLEY.			
BLACKBURN.	125,797	71	59	6	6	-	-	-	1	-	-	-	1	1	1	-	12.0	0.8	-	-	-	-	-	-	BLACKBURN.			
PRESTON.	111,425	65	37	9	5	-	1	-	-	2	-	-	-	-	-	1	17.3	1.4	-	-	-	-	-	-	PRESTON.			
HUDDESFIELD.	185,111	82	26	7	6	-	-	1	-	1	1	-	-	-	2	2	13.8	1.6	-	-	-	-	-	-	HUDDESFIELD.			
HALIFAX.	128,861	43	28	8	6	-	-	-	-	-	-	-	1	1	2	-	15.7	-	-	-	-	-	-	-	HALIFAX.			
BRADFORD.	223,485	117	75	16	20	-	2	-	-	-	-	-	1	4	17	1	17.5	0.7	57.0	39.0	46.0	7.78	0.37	0.94	BRADFORD.			
LEEDS.	388,761	237	121	34	23	-	1	1	1	4	2	-	6	17	14	3	16.2	1.1	-	-	-	-	-	-	LEEDS.			
SHEFFIELD.	338,316	219	106	31	20	-	1	2	2	8	-	-	4	6	14	3	16.3	2.0	-	-	-	-	-	-	SHEFFIELD.			
HULL.	212,679	138	75	16	19	-	1	2	-	-	-	-	1	3	4	15	1	18.4	1.0	62.0	32.0	45.5	7.50	0.41	1.04	HULL.		
SUNDERLAND.	136,101	82	48	16	10	-	-	1	-	2	-	2	6	9	7	-	18.4	1.9	-	-	-	-	-	-	SUNDERLAND.			
GATESHEAD.	133,372	60	35	9	11	-	-	-	-	1	2	1	-	2	4	-	19.5	2.2	-	-	-	-	-	-	GATESHEAD.			
NEWCASTLE.	201,347	130	77	10	18	-	1	-	-	3	-	-	6	11	14	-	19.9	1.0	-	-	-	-	-	-	NEWCASTLE.			

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the SEVENTEENTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2807	2561	2515	2516	2577	2522	2538	2507	2614	2582	2716.5	2485
Males . .	1402	1326	1253	1307	1297	1279	1298	1310	1318	1318	1382.4	1274
Females .	1405	1235	1262	1209	1280	1243	1250	1197	1296	1264	1334.1	1211
TOTAL Deaths	1660	1549	1472	1481	1437	1462	1567	2006	1619	1570	1670.0	1546
Males . .	881	793	762	748	750	777	826	1060	823	857	873.6	791
Females .	779	756	710	733	687	685	741	946	796	713	796.4	755

* The numbers in this column are the average weekly numbers in the seventeenth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Feb. 8.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.
TOTAL Births	2708	2709	2602	2587	2564	2636	2558	2496	2437	2682	2600	2457	2485
TOTAL Deaths	1621	1534	1552	1664	1743	1700	1610	1691	1737	1587	1609	1511	1546
Ages at Death													
{ 0-20 years	717	702	705	771	793	740	737	802	822	792	800	728	778
{ 20-40 "	216	199	190	245	226	241	185	208	214	197	210	187	179
{ 40-60 "	297	276	307	272	323	298	276	305	237	265	265	296	303
{ 60-80 "	319	301	292	323	338	345	336	301	340	263	281	259	250
{ 80 years & upwards	72	56	58	53	68	76	76	75	74	70	53	41	36
Under 1 year	353	349	357	384	403	352	333	370	335	368	361	337	356
1-5	245	264	258	275	267	293	298	313	357	320	327	299	321
5-20	119	89	90	112	123	95	106	119	130	104	112	92	101
Deaths from Small-pox	1	-	-	2	1	-	3	1	-	2	-	4	6
" " Measles	21	42	40	59	47	66	74	96	138	132	112	124	130
" " Scarlet fever	22	23	24	20	20	17	19	13	23	20	29	30	25
" " Diphtheria	74	56	58	42	59	53	52	56	57	63	50	53	63
" " Whooping-cough	69	54	60	74	72	59	55	49	73	64	53	48	77
" " Typhus	-	-	-	1	-	-	-	-	-	-	-	1	-
" " Enteric fever	14	6	8	4	12	10	14	9	12	7	9	8	9
" " Simple Cont'd fever	-	-	-	-	1	-	-	-	-	-	-	-	-
" " Diarrhoea and Dysentery	14	17	16	16	14	13	10	12	7	7	14	9	8
" " Cholera	-	-	-	-	-	-	-	-	-	-	1	-	-
" " all the above-mentioned Diseases	215	198	206	218	226	218	227	236	310	295	268	277	318
" " Dis. of Respiratory System	385	372	340	408	413	434	373	397	347	314	304	304	255
" " Phthisis	159	148	145	185	175	151	154	182	173	128	144	153	153
" " Dis. of Circulatory System	148	114	118	112	157	129	114	138	137	111	131	104	124
Violent Deaths	73	53	61	62	70	65	75	62	74	63	64	63	55
Inquest Cases	135	108	140	141	165	138	140	133	153	128	121	146	128
Deaths in Public Institutions	489	441	486	462	479	500	436	450	495	444	461	451	432
TEMPERATURE OF THE AIR													
Mean	42° 0	46° 0	41° 0	34° 3	44° 0	44° 2	42° 6	43° 1	48° 2	50° 6	55° 2	48° 7	49° 5
Mean of Highest readings	47° 9	51° 3	45° 9	41° 0	51° 4	51° 7	51° 3	52° 4	61° 4	63° 1	68° 5	56° 0	60° 4
Mean of Lowest readings	37° 3	40° 4	36° 7	27° 3	37° 3	37° 6	35° 9	35° 8	34° 5	40° 5	43° 4	43° 1	40° 9
Humidity of the Air	83	86	83	78	84	81	79	86	71	76	67	81	73
Rain-fall in inches	0.69	0.27	0.60	0.21	0.45	0.19	0.41	0.00	0.00	0.01	0.06	0.26	0.98
Registered Sunshine (in hours)	18.5	6.9	8.1	38.0	15.6	14.4	25.4	20.6	50.5	33.9	37.7	18.6	27.7

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer, of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SEVENTEENTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 17th Week of the 10 years 1884-93.*	In the Week ending Saturday, 28th April 1894.										Corrected Averages for the 17th Week of the 10 years 1884-93.*	CAUSES OF DEATH.	Corrected Averages for the 17th Week of the 10 years 1884-93.*	In the Week ending Saturday, 28th April 1894.												
		Deaths of Persons of the Ages													Deaths of Persons of the Ages												
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.				20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.									
			0-1.	1-5.	5-20.						0-1.								1-5.	5-20.							
ALL CAUSES - -	1670.0	1546	356	321	101	179	303	250	36				Diseases of Organs of Special Sense - - }	3.4	6	1	2	2	1	-	-	-	-				
Small-pox { Vaccinated† - - -	1.5	1	-	-	-	1	-	-	-				Diseases of Circulatory System - - }	125.0	124	2	-	15	18	38	45	6					
Unvaccinated - - -	1.6	4	2	-	2	-	-	-	-				Croup - - - - -	8.9	3	-	3	-	-	-	-	-					
No Statement - - -	2.5	1	-	-	-	1	-	-	-				Bronchitis - - - -	194.1	118	31	15	2	3	23	37	2					
Measles - - - - -	75.0	180	34	91	5	-	-	-	-				Pneumonia - - - -	131.3	114	22	41	9	9	21	10	2					
Scarlet Fever - - -	16.8	25	1	18	0	-	-	-	-				Pleurisy - - - - -	9.3	8	-	2	-	1	4	1	-					
Typhus - - - - -	0.3	-	-	-	-	-	-	-	-				Other Diseases of Respiratory System - - }	29.6	17	4	5	-	-	4	4	-					
Relapsing Fever - -	-	-	-	-	-	-	-	-	-				Dentition - - - - -	15.1	9	7	2	-	-	-	-	-					
Whooping-cough - -	9.8	8	-	2	-	3	3	-	-				Quinsy, Sore Throat - -	1.6	-	-	-	-	-	-	-	-					
Diphtheria - - - -	24.2	63	4	41	17	1	-	-	-				Enteritis - - - - -	7.6	12	10	1	1	-	-	-	-					
Simple Continued and Ill-defined Fever - -	1.2	-	-	-	-	-	-	-	-				Peritonitis - - - -	7.3	3	1	-	1	1	-	-	-					
Enteric Fever - - -	7.0	9	-	-	3	6	-	-	-				Diseases of Liver - -	26.5	22	5	-	-	4	7	6	-					
Cholera and Chol. Diarr.	0.3	-	-	-	-	-	-	-	-				Other Diseases of Digestive System - }	32.6	42	7	1	1	5	15	11	2					
Diarrhoea, Dysentery -	14.1	8	5	1	-	1	-	-	1				Diseases of Lymphatic System & of Ductless Glands - - }	2.4	6	2	-	-	1	1	2	-					
Remittent Fever - -	-	-	-	-	-	-	-	-	-				Diseases of Urinary System - - }	43.7	43	-	-	4	8	15	16	-					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-				Diseases of Generative System - - }	5.3	6	-	-	-	3	2	1	-					
Glanders - - - - -	-	-	-	-	-	-	-	-	-				Accidents of Childbirth -	5.2	2	-	-	-	2	-	-	-					
Cowpox and Effects of Vaccination - - -	0.1	-	-	-	-	-	-	-	-				Diseases of Locomotive System - - }	7.4	9	-	1	3	1	-	2	2					
Veneral Affections -	7.6	10	7	-	-	2	1	-	-				Diseases of Integumentary System - - }	5.0	3	2	-	-	1	-	-	-					
Erysipelas - - - -	4.3	3	-	-	-	1	1	1	-				VIOLENT DEATHS.†														
Pyæmia and Septicæmia	3.2	1	-	-	-	1	-	-	-				(Accident.)														
Puerperal Fever - -	5.2	5	-	-	5	-	-	-	-				By Railways - - - -		1	-	-	-	1	-	-	-					
Other Zymotic Diseases	2.4	1	1	-	-	-	-	-	-				By Vehicles or Horses -		2	-	1	-	1	-	-	-					
Thrush - - - - -	1.4	-	-	-	-	-	-	-	-				In Ships, Boats, Docks (exclusive of Drowning) - - }		-	-	-	-	-	-	-	-					
Worms and other Parasitical Diseases - - }	0.4	-	-	-	-	-	-	-	-				In Building Operations -		-	-	-	-	-	-	-	-					
Starvation, Want of Breast-milk - - - }	1.2	1	1	-	-	-	-	-	-				In Conflagrations - -		-	-	-	-	-	-	-	-					
Alcoholism - - - -	6.1	17	-	-	6	10	1	-	-				By Burns, Scalds, Explosions - - }	59.9	8	-	4	1	1	1	-	1					
Rheumatic Fever, Rheumatism of Heart }	7.2	7	-	1	2	2	2	-	-				By Drowning - - - -		5	-	-	2	3	-	-	-					
Rheumatism - - - -	4.0	3	-	-	-	-	1	2	-				By Suffocation in Bed -		11	11	-	-	-	-	-	-					
Gout - - - - -	4.0	1	-	-	-	-	1	-	-				By Poisons or Poisonous Vapours - - - - }		-	-	-	-	-	-	-	-					
Eklsets - - - - -	6.3	6	3	3	-	-	-	-	-				Other or not stated Causes - - - }		19	3	-	3	3	4	6	-					
Cancer - - - - -	58.5	63	-	1	1	7	34	23	-				(VIOLENCE OTHER THAN ACCIDENTAL.)														
Tubercles Mesenterics	23.1	9	2	4	1	2	-	-	-				Homicide - - - - -	2.7	1	1	-	-	-	-	-	-					
Tubercular Meningitis	24.4	22	2	16	3	1	-	-	-				Suicide - - - - -	8.5	8	-	-	1	2	4	1	-					
Phthisis - - - - -	172.7	153	2	2	10	61	66	12	-				Execution - - - - -	-	-	-	-	-	-	-	-	-					
Scrophula, Tubercles	20.5	24	10	9	3	1	1	-	-				OTHER CAUSES - - -	53.2	45	41	2	-	-	1	1	-					
Other Constitutional Diseases - - }	10.9	6	-	-	-	3	2	1	-																		
Premature Birth - - -	40.7	52	52	-	-	-	-	-	-																		
Atelectasis - - - -	2.8	4	4	-	-	-	-	-	-																		
Congenital Malformations - - }	6.9	6	6	-	-	-	-	-	-																		
Old Age - - - - -	47.9	33	-	-	-	-	-	17	16																		
Apoplexy - - - - -	46.0	41	1	1	-	-	13	26	1																		
Epilepsy - - - - -	7.1	7	-	-	1	1	4	1	-																		
Convulsions - - - -	43.4	27	25	2	-	-	-	-	-																		
Other Diseases of Brain and Nervous System }	94.6	73	11	8	1	9	19	22	3																		

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The violence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, &c., during the Week ending

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1891.	Total Births.	Deaths of		Deaths from												
			Total Deaths.	Infants under 1 Year of Age.	Persons aged 40 Years upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2435	1546	356	236	6	130	25	63	77	-	9	-	8	55	128	439
West Districts	740,735	353	272	53	49	-	29	5	17	16	-	3	-	1	9	19	74
North Districts	993,884	571	345	76	71	-	14	8	15	13	-	-	-	4	13	30	82
Central Districts	247,538	116	93	21	18	-	2	-	3	3	-	1	-	1	3	7	45
East Districts	705,114	527	293	80	52	-	27	1	8	9	-	2	-	2	14	42	32
South Districts	1,524,472	918	495	124	86	-	53	7	20	31	-	3	-	-	16	30	106
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	43	2	10	6	-	4	-	-	-	-	-	-	-	-	43
West Districts.																	
St. Mary Paddington WHH G.J. & W.M.	84159	44	23	2	2	-	-	-	2	3	-	1	-	-	3	4	1
St. John Paddington H - - G.J.	33387	4	18	2	6	-	1	-	-	-	-	-	-	-	1	1	9
Kensington Town W - - W.M.	118751	65	54	11	10	-	7	-	2	4	-	-	-	-	1	5	15
Brompton H - - W.M. & C.	47557	13	16	4	5	-	-	-	-	1	-	-	-	-	-	1	2
St. Peter Hammersmith - - W.M.	8533	5	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-
St. Paul Hammersmith H W.M. & G.J.	89433	45	16	3	3	-	-	-	-	-	-	-	-	-	-	-	2
Fulham W - - W.M. & C.	91639	6	49	9	1	-	9	5	10	1	-	-	-	-	1	1	17
Chelsea Kensal Town - - C.	21787	14	6	2	2	-	1	-	-	-	-	-	-	-	-	1	-
Chelsea North WHHHH - - C.	41637	19	15	4	2	-	1	-	-	2	-	-	-	-	1	1	6
Chelsea South HH - - C.	39829	8	9	3	2	-	1	-	-	1	-	-	-	-	-	-	2
May Fair W - - G.J.	23733	6	12	1	4	-	-	-	-	-	-	-	-	-	-	-	10
Belgrave WHHH - - C.	54031	23	21	5	5	-	3	-	1	2	-	1	-	-	-	2	7
St. John Westminster HHH - - C.	34106	23	16	3	3	-	-	-	-	1	-	-	-	-	1	1	-
St. Margaret Westminster H - C.	21668	7	9	1	2	-	2	-	1	1	-	-	-	1	-	-	3
St. James Westminster WHH N.R. & G.J.	24995	10	4	2	2	-	-	-	-	-	-	-	-	-	1	1	-
St. Anne Soho HHHHHH - - N.R.	12317	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
North Districts.																	
All Souls Marylebone } - - W.M.	37713	20	13	-	2	-	-	-	1	-	-	-	-	-	-	1	7
HHHHHHHHH } - - G.J. & W.M.	20924	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Rectory Marylebone W - - G.J. & W.M.	19230	30	5	-	1	-	-	-	-	1	-	-	-	-	-	1	-
St. Mary Maryleb. HHHH G.J. & W.M.	33327	25	15	7	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H - - W.M.	32101	10	13	5	2	-	2	-	-	-	-	-	-	-	1	2	-
St. John Marylebone H - - W.M.	68416	21	25	2	2	-	1	4	7	1	-	-	-	-	-	1	16
Hamstead WWHHHH N.R. & W.M.	38590	20	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Regent's Park Pancras HH - - W.M.	24321	12	15	1	5	-	-	-	-	-	-	-	-	-	1	1	2
Tottenham-court WHHHH N.R. & W.M.	27455	13	12	4	1	-	-	-	1	-	-	-	-	-	1	1	12
Gray's Inn Lane HHH - - N.R.	32339	14	14	5	4	-	-	-	-	-	-	-	-	-	1	2	2
Common Town HH - - N.R.	15419	8	7	1	3	-	-	-	-	-	-	-	-	-	3	2	1
Camden Town WH - - N.R.	15419	8	7	1	3	-	-	-	-	-	-	-	-	-	-	2	2
Kenilworth Town W - - N.R.	95765	48	27	9	2	-	-	-	2	3	-	-	-	-	1	3	2
Upper Holloway WWHHH - - N.R.	90235	61	44	4	13	-	5	-	1	3	-	-	-	1	2	3	21
Islington South-west H - - N.R.	105557	73	31	13	2	-	1	-	1	3	-	-	-	-	2	-	-
Islington South-east - - N.R.	64153	33	14	2	3	-	1	-	1	-	-	-	-	1	-	2	-
Highbury HH - - N.R.	69193	29	11	2	3	-	1	1	1	3	-	-	-	-	1	1	1
Stoke Newington H - - N.R.	30936	20	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - E.L.	17759	9	10	3	2	-	-	-	-	-	-	-	-	-	1	1	-
West Hackney H - - N.R.	43902	23	17	4	6	-	-	2	-	1	-	-	-	-	1	1	2
Hackney WWHHH - - E.L. & N.R.	96486	61	43	8	14	-	2	2	-	1	-	-	-	1	1	3	12
South Hackney W - - E.L.	31759	24	13	1	4	-	1	-	-	-	-	-	-	-	-	3	-
Central Districts.																	
St. George Bloomsbury - - N.R.	16695	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - - N.R.	13454	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2
St. Giles North H - - N.R.	9633	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields HHN R. & C.	14616	3	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary-le-Strand H - - N.R.	5706	2	1	-	-	-	-	-	-	-	-	-	-	-	2	3	8
St. Clement Danes WH - - N.R.	7194	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Strand Union Workhouse, Edmonton w.	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
St. Geo.-the-Martyr HHHHHH N.R.	17921	7	17	2	-	-	-	-	2	2	-	1	-	-	-	-	9
St. Andrew Eastern W - - N.R.	13343	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2
St. James Clerkenwell - - N.R.	16803	8	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.R.	10883	11	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Pentonville - - N.R.	17135	10	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Gooswell-street - - N.R.	15375	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHHH - - N.R.	29177	24	9	4	1	-	-	-	-	-	-	-	-	-	1	1	-
Whitecross-street - - N.R.	8278	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Flintbury - - N.R.	4985	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham w.	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
S. Botolph H - - N.R. & E.L.	8944	5	3	2	-	-	1	-	-	1	-	-	-	-	-	-	-
Cripplegate - - N.R.	4539	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
S. Sepulchre H - - N.R.	4444	-	12	-	2	-	-	-	1	-	-	-	-	1	-	-	-
A. Bride W - - N.R.	6391	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	13
A. Hallows Barking - - N.R.	10432	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.	3377	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The initials placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H.—Hospital; L.—Lunatic Asylum; L.—Private Lunatic Asylum in which paupers are received; w.—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts:—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N. R. River; E. L., East London; and K., the Kent Company.

ay, 28th April, 1894.

[illegible]

TABLE 5.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).
AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 28th April, 1894.

Regis- tration District and Sub- District Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lation. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Cases.	
LONDON - OUTER RING		368,749	1,422,063	820	363	96	79	1	9	5	7	20	2	3	11	23	35	1	
30:1	Carshalton WHI	12228	26108	17	6	2	1	-	-	-	-	-	-	-	-	-	-	-	
1	Epsom, part of* WHH	10423	12508	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
37:1	Godstone, part of* WH	754	1593	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon WHH-	20851	128699	63	33	9	6	-	1	1	-	2	-	-	1	2	8	-	
2	Mitcham w	11697	23088	11	11	1	1	-	-	-	1	1	1	-	-	1	1	-	
39:1	Wimbledon HHH	3220	25761	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston WHH-	8071	44765	30	10	3	1	-	-	-	1	1	-	-	3	3	-	-	
3	Esher, part of* -	6601	12059	2	3	-	1	-	-	-	-	-	-	-	-	-	1	-	
4	Hampton H	4535	18252	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
40:1	Richmond WH	2160	25389	20	7	2	1	-	-	-	-	1	-	-	-	-	1	-	
2	Mortlake H	2823	16159	13	3	1	2	-	-	-	-	-	-	-	1	1	-	-	
41:1	Bromley HHH	9127	23815	16	9	3	1	-	-	-	-	1	-	-	-	-	-	2	
2	Beckenham H	6542	21969	8	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	6	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
42:1	Bexley H	12540	30590	12	6	3	1	-	-	-	-	-	-	-	-	-	-	1	
2	Dartford Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124:1	Sunbury w	11954	13871	7	2	1	-	-	-	-	-	1	-	-	-	-	-	-	
2	Staines W	18277	13221	2	3	1	-	-	-	-	-	-	-	-	-	1	-	-	
125:1	Hillingdon WHH	6035	12237	6	6	2	1	-	-	1	-	1	-	-	-	-	3	-	
2	Uxbridge	6172	5417	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH	14537	12618	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
126:1	Isleworth WH	6967	26273	11	9	-	2	-	-	-	-	-	-	-	-	-	3	-	
2	Twickenham HH	2415	16027	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Brantford HHHH	4318	37777	17	13	3	6	-	-	-	1	-	-	-	-	-	-	-	
4	Chiswick	1245	21963	10	4	1	3	-	-	-	-	-	-	-	-	1	-	-	
5	Aston WH	6132	30945	13	10	2	3	-	-	1	-	-	-	-	-	2	-	-	
127:1	Harrow HHH	13809	15715	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware H	6994	3844	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH	4383	61265	44	18	5	4	-	-	-	-	2	-	1	-	1	-	-	
4	Hendon W	8382	15843	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
128:1	South Mumps	1559	8474	6	2	-	2	-	-	-	-	-	-	-	-	-	1	-	
2	Barnet WHH	5441	11778	14	3	1	-	-	-	-	-	-	-	-	-	-	1	-	
3	Finchley HH	4688	25820	23	11	2	4	-	-	-	-	-	-	-	1	2	-	-	
129:1	Hornsey H-	3039	61097	29	10	1	5	-	-	-	-	1	-	-	-	-	-	-	
2	Tottenham H	4842	97174	55	21	8	3	-	-	-	-	-	-	-	1	3	1	-	
3	Edmonton Ww	7439	36351	18	16	3	3	-	1	-	5	-	-	-	-	1	5	-	
4	Enfield WWHH	12639	31803	24	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Waltham Abbey	1101	6066	8	3	1	-	-	-	1	1	-	-	-	-	-	-	-	
6	Chesham H	8430	9620	6	3	-	1	-	-	-	-	-	-	-	-	1	-	-	
135:1	Hatfield, part of*	8306	532	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushy	9351	7737	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford H-	1100	42983	30	16	5	3	-	2	-	-	-	-	-	1	1	-	1	
2	Plaistow HHHH	1242	56030	33	14	4	2	-	2	2	-	-	-	-	1	1	-	-	
3	Canning Town H	1568	54750	48	18	6	2	-	3	-	-	1	-	-	-	-	-	-	
4	Forest Gate w	806	49140	29	10	3	1	-	-	-	-	-	-	-	-	-	-	1	
5	East Ham ww	3266	32713	23	7	3	1	-	-	-	1	-	1	-	-	-	-	1	
6	Leyton WWHw	4334	70183	32	19	4	6	-	-	-	-	-	-	-	1	1	1	8	
7	Walthamstow HHL	6501	57330	35	11	5	1	-	-	-	-	1	-	1	-	-	-	1	
137:1	Chigwell, part of* H-	11779	12941	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139:1	Romford, part of* WH	6556	4324	5	5	4	-	-	-	-	-	-	-	-	-	-	1	-	
2	Uford	8493	10913	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town	3814	14391	14	4	1	1	1	-	-	1	-	-	-	1	1	1	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—30:2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37:1, the parishes of Warrington and Farley in Goldstone sub-district; 39:3, Esher sub-district, except the parish of Esher (pop. 2282); 41:2, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3997); 135:1, the parish of Northaw in Hatfield sub-district; 137:1, Chigwell sub-district, except the parish of Theydon Bois (1679); 139:1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42:2, Dartford, 137:3, Watford, and 137:2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 28th April, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 50 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	8,300	16.7	3.2	1909	452	365	7	139	30	70	97	11	11	66	467		
INNER LONDON -	74,612	4,340,166	18.5	3.8	1546	358	286	6	130	25	63	77	9	8	55	432		
OUTER RING -	368,749	1,599,134	11.8	1.5	363	96	79	1	9	5	7	20	2	3	11	35		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,583	April 28	177	99	19.1	1	-	2	5	2	-	1	
GLASGOW	686,820	" 28	421	245	18.6	1	-	2	6	11	10	4	
DUBLIN	349,594	" 28	217	159	23.7	-	4	2	-	6	1	3	
CALCUTTA	466,460	February 24	-	-	-	-	-	-	-	-	-	-	
BOMBAY	821,764	April 10	214	539	34.1	23	34	?	?	?	128	46	
MADRAS	452,513	March 16	332	269	30.9	-	8	?	?	?	87	34†	
PARIS	2,424,705	April 21	1103	1075	23.6	10	33	5	23*	6	12	52	
BRUSSELS	483,188	" 21	-	-	-	-	-	-	-	-	-	-	
AMSTERDAM	437,892	" 21	264	164	19.2	-	-	-	2	1	2	-	
ROTTERDAM	222,233	" 21	144	117	27.3	22	-	-	-	3	-	-	
THE HAGUE	169,828	" 21	89	62	19.0	-	-	-	-	1	-	-	
COPENHAGEN	341,000	" 21	202	129	19.7	-	4	4	6	1	-	9	
STOCKHOLM	249,246	" 14	105	83	17.1	-	-	4	5*	-	1	2	
CHRISTIANIA	161,151	" 21	42	52	16.8	-	7	2	2	1	-	4	
ST. PETERSBURG	954,400	" 7	634	501	27.4	1	11	4	11	3	6	41	
MOSCOW	753,469	" 14	-	491	34.0	5	12	6	11	1	5	30	
BERLIN	1,714,938	" 7	866	604	18.6	1	6	4	31	11	-	27	
HAMBURG	594,209	" 21	-	225	19.7	-	9	1	9*	1	3	7	
DRESDEN	312,772	March 24	176	135	22.5	-	-	2	11*	4	-	5	
BRESLAU	360,660	" 31	222	144	23.9	-	-	-	10*	2	-	6	
MUNICH	390,000	April 21	-	187	27.2	-	-	1	7*	1	-	16	
		" 21	-	188	25.1	-	-	4	4*	1	-	18	
VIENNA	1,465,537	" 21	963	724	25.7	2	26	13	31*	2	2	32	
PRAGUE	339,172	" 21	244	223	34.2	1	17	2	1	1	-	4	
BUDA-PESTH	552,769	" 14	398	321	30.2	1	6	-	15	-	1	14	
TRIESTE	159,739	" 14	88	108	33.9	1	5	2	3*	-	-	-	
ROME	450,991	March 17	248	182	21.0	-	2	-	1	1	3‡	7	
TURIN (10 days)	335,157	April 10	-	-	-	-	-	-	-	-	-	-	
VENICE	160,406	" 14	89	62	20.2	-	-	-	-	-	-	5	
CAIRO	374,833	March 29	423	354	49.1	-	1	-	-	-	9	106	
ALEXANDRIA	231,396	" 29	182	180	40.6	-	5	-	5*	2	1	42	
NEW YORK	1,925,569	April 7	-	850	22.8	5	25	21	52	5	6	11	
BROOKLYN	1,068,781	" 7	-	400	20.4	7	9	14	22	6	2	3	
PHILADELPHIA	1,139,457	" 7	-	440	20.1	-	6	9	25	2	7	2	
NEW ORLEANS	254,000	March 17	-	130	26.7	-	-	-	3	-	12	2	

* Including deaths from croup.

† Including one death from cholera.

‡ Including one death from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 28TH APRIL, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.		HARVARD.		TEMPERATURE.					TEMPERATURE.					WIND as deduced from Anemometers.					Rain collected in a Gauge whose readings are reduced to the surface of the Ground.						
Phases of the Moon.	Mean daily reading (corrected to 32° Fahrenheit).	Of the Air.					Of the Dew Point.		Difference between the Air Temperature and the Dew Point.		Degree of Humidity (Saturation equals 100°).		Of Radiation.		General Direction.		Osler's.		Pressure on the Square Foot.		Robinson's.		Horizontal movement of the Air on each Day.	Deparment from the Average of 16 Years.	
		High. est.	Low. est.	Daily Range.	Mean daily value.	De- parture from Average of 50 years.	Mean daily value.	Of the Dew Point.	Mean daily value.	Great. est.	Least.	Highest Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great. est.	Least. obs.	Miles.	lbs.	Miles.	lbs.				
APRIL.		in.																							in.
SUNDAY .	22	29.693	55.7	34.3	21.4	44.5	— 4.0	35.8	8.7	17.7	0.0	72	120.8	25.8	ENE.	ENE. SE. & ESE.	0.3	0.0	0.0	127	Miles.	— 163	0.00	1.0	
MONDAY .	23	29.452	58.9	38.0	20.9	48.5	+ 0.1	38.5	10.6	20.3	0.0	68	109.9	29.0	ESE.	ESE.	0.7	0.0	0.0	156	Miles.	— 131	0.01	7.2	
TUESDAY .	24	29.550	61.0	40.5	20.5	49.3	+ 0.9	45.4	3.9	17.3	0.0	86	120.0	33.9	SSW. SSE.	S. & SW.	6.2	0.0	0.4	315	Miles.	+ 32	0.32	9.0	
WEDNESDAY .	25	29.543	62.0	45.2	16.8	51.3	+ 2.9	45.8	5.5	15.2	0.0	82	120.5	43.1	SSE. & SW.	SSW. & SSE.	6.0	0.0	0.2	281	Miles.	+ 2	0.34	10.8	
THURSDAY .	26	29.590	61.7	44.5	17.2	51.5	+ 3.1	45.6	5.9	14.4	0.0	80	113.9	39.6	S. SSE. & SSW.	SSW. & S.	5.9	0.0	0.3	302	Miles.	+ 27	0.00	3.0	
FRIDAY .	27	29.511	62.0	43.5	18.5	52.1	+ 3.6	44.6	7.5	14.5	0.0	76	118.2	38.0	WSW. & SW.	SSW. & SSE.	3.7	0.0	0.1	292	Miles.	+ 20	0.16	0.0	
SATURDAY .	28	29.791	61.5	40.2	21.3	49.4	+ 0.8	44.6	4.8	16.2	0.0	84	127.5	33.5	SE. Calm & NE.	NE. & N.	2.4	0.0	0.0	194	Miles.	— 75	0.15	0.0	
MEANS .	..	29.580	60.4	40.9	19.5	49.5	+ 1.1	42.9	6.6	16.5	0.0	78	118.7	34.7	SE. S. & SW.	SE. S. & SW.	Sum 1667	Miles.	Sum — 288	Sum 0.98	4.4	
Number of Columns .	3	4	5	6	7	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h, A.M.; noon; 3h, P.M.; and 9h, P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photologic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's *Hygrometrical Tables*.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and "lower" than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The reading of the barometer decreased from 29.86 at the beginning of the week to 29.43 in. by 3h. P.M. on the 23rd; increased to 29.58 in. by 9h. P.M. on the 24th; decreased to 29.50 in. by 3h. A.M. on the 25th; increased to 29.60 in. by 9h. P.M. on the same day; decreased to 29.47 in. by 9h. A.M. on the 26th; and increased to 29.42 in. by the end of the week.

GENERAL REMARKS.

APRIL.	symbols, <i>see</i> Note.)	in hours.	in hours.	
SUNDAY . 22	v. P. in morning; w. P. to m. P. after- wards.	2·8	14·2	Fine; partially cloudy, cloudless at times.
MONDAY . 23	w. P. and w. N. -	0·1	14·3	Generally cloudy. Occasional light rain at night.
TUESDAY . 24	w. P. in morning; v. N. and v. P. after- wards.	3·9	14·4	Fine, with variable clouds in morning; overcast afterwards and rain fell frequently.
WEDNESDAY . 25	w. P. till 6h. A.M.; v. N. till 6h. P.M.; w. P. till 6h. P.M.; v. N. afterwards.	6·4	14·4	Overcast with rain in morning; fine and partially cloudy till evening; overcast and showery at night.
THURSDAY . 26	v. N. and v. P. -	4·7	14·5	Fine; partially cloudy.
FRIDAY . 27	v. N. and v. P. till 5h. P.M.; m. P. after- wards.	6·9	14·5	Rain between 1h. A.M. and 4h. A.M.; fine, and partially cloudy throughout day; cloudless at night.
SATURDAY . 28	v. P. till 1h. P.M.; s. N. and s. P. till 5h. P.M.; w. P. after- wards.	2·9	14·6	Dense fog prevailed in morning till 8h. A.M.; fine till 1h. P.M.; variable in afternoon with heavy showers of rain and hail; cloudless at night.
		Sum 5·7	Sum 100·9	

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 18, 1894. VOL. LV.]

WEEK ENDING SATURDAY, MAY 5.

[Price 1½d.

*General Register Office, Somerset House,
May 7th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·2 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Apr. 14.	Apr. 21.	Apr. 28.	May 5.		Apr. 14.	Apr. 21.	Apr. 28.	May 5.
Birkenhead	20·7	18·3	19·7	20·2	Liverpool -	24·7	22·7	25·6	21·3
Birmingham	21·8	20·2	22·5	19·9	London -	19·3	18·1	18·5	17·2
Blackburn -	23·6	21·6	12·0	15·8	Manchester -	22·8	19·2	20·9	18·8
Bolton -	19·8	17·6	16·7	11·0	Newcastle-on-Tyne	21·7	16·3	19·9	18·8
Bradford -	17·9	17·9	17·5	15·1	Norwich -	19·2	16·8	15·3	12·8
Brighton -	18·0	14·1	12·7	14·9	Nottingham -	18·4	16·3	18·2	18·9
Bristol -	18·4	17·7	14·3	19·0	Oldham -	16·5	17·3	25·9	14·7
Burnley -	18·9	20·0	21·6	18·4	Plymouth -	17·8	20·2	11·9	16·6
Cardiff -	18·9	19·3	15·1	16·5	Portsmouth -	15·6	11·9	11·6	11·3
Croydon -	12·6	13·0	10·2	11·2	Preston -	19·7	22·9	17·3	20·6
Derby -	15·8	15·8	12·7	11·1	Salford -	18·7	22·5	16·2	22·8
Gateshead -	16·2	21·8	19·5	13·4	Sheffield -	18·6	15·3	16·3	15·4
Halifax -	17·4	16·8	15·7	14·6	Sunderland -	18·0	19·5	18·4	17·2
Huddersfield	11·6	16·4	13·8	13·2	Swansea -	19·7	19·7	20·8	16·4
Hull -	19·4	15·9	18·4	14·5	West Ham -	16·9	17·3	14·0	15·1
Leeds -	16·2	16·6	16·2	16·2	Wolverhampton -	31·9	26·4	25·1	31·3
Leicester -	13·5	14·6	14·6	14·9					

The highest annual death-rates, as measured by last week's mortality, were :— from *measles*, 1·4 in Nottingham and in Preston, 1·5 in London, 1·8 in Wolverhampton, 2·0 in West Ham, 2·2 in Leicester, and 2·5 in Birmingham; from *scarlet fever*, 1·0 in Salford, 1·1 in Swansea, and 1·8 in Wolverhampton; from *whooping-cough*, 1·1 in Huddersfield, 1·2 in Bristol and in Liverpool, 1·3 in Salford, 1·4 in Croydon, 1·8 in Newcastle, 2·2 in Swansea, and 3·1 in Wolverhampton. The death-rate from "*fever*" and from *diarrhœa* did not reach 1·0 per 1000 in any of the thirty-three towns. The 80 deaths from *diphtheria* included 58 in London, 5 in Salford, 3 in Cardiff, and 2 each in Manchester, Huddersfield, and Leeds. Six deaths from *small-pox*, all of which were of persons belonging to the Borough of West Ham, were registered in the Metropolitan Asylum ships off Dartford, and one death each in Wolverhampton, Birmingham, and Nottingham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2637 BIRTHS and 1434 DEATHS were registered. Allowing for increase of population, the births were 135, and the deaths 226, below the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·3, 18·1, and 18·5 in the preceding three weeks, declined last week to 17·2. During the four weeks ending on Saturday last the death-rate averaged 18·3 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1434 deaths included 6 from small-pox, 125 from measles, 30 from scarlet fever, 58 from diphtheria, 59 from whooping-cough, 8 from enteric fever, 11 from diarrhoea and dysentery, and not one death from typhus, any ill-defined form of continued fever, or from cholera; thus, 297 deaths were referred to these diseases, being 71 above the corrected average weekly number.

Six deaths from *small-pox* (all of which belonged to the Borough of West Ham) were registered, the corrected average being 7. There were 166 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 25 in the Highgate Small-pox Hospital, making a total of 191, against 102, 148, and 151 on the preceding three Saturdays; 64 cases were admitted during the week, against 31, 59, and 47 in the preceding three weeks. The deaths from *measles*, which had been 112, 124, and 130 in the preceding three weeks, declined to 125 last week, but were 54 above the corrected average; 16 belonged to Fulham, 14 (of which 7 occurred in the Workhouse Infirmary) to Mile End Old Town, 10 to Battersea, and 9 to Islington sanitary areas. The deaths from *scarlet fever*, which had been 29, 30, and 25 in the preceding three weeks, rose again to 30 last week, and were 11 above the corrected average; 7 belonged to Hackney sanitary area. The Metropolitan Asylum and London Fever Hospitals* contained 2293 scarlet fever patients at the end of last week, against 2128, 2172, and 2258 on the preceding three Saturdays; 268 cases were admitted during the week, against 260 and 296 in the preceding two weeks. The deaths from *diphtheria*, which had been 50, 53, and 63 in the preceding three weeks, declined to 58 last week, but were 34 above the corrected average; 7 belonged to Islington sanitary area. The Metropolitan Asylum Hospitals* contained 324 diphtheria patients at the end of last week, against 315, 316, and 316 on the preceding three Saturdays; 76 cases were admitted during the week, against 60 and 68 in the preceding two weeks. The deaths from *whooping-cough*, which had been 53, 48, and 77 in the preceding three weeks, declined to 59 last week, and were 17 below the corrected average. The fatal cases of *enteric fever*, which had been 9, 8, and 9 in the preceding three weeks, were 8 last week, and were 2 below the corrected average. The Metropolitan Asylum Hospitals* contained 68 cases of enteric fever and not one of typhus on Saturday last; 14 cases of enteric fever were admitted during the week, against 3 and 6 in the preceding two weeks. The deaths from *diarrhoea*, which had been 14, 9, and 8 in the preceding three weeks, were 11 last week, and were 6 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 304 and 255 in the preceding two weeks, further declined to 237 last week, and were 121 below the corrected average.

The deaths attributed directly to *influenza* numbered 8, having been 9, 13, and 8 in the preceding three weeks.

Different forms of violence caused 45 deaths, concerning all but 2 of which inquests were held. Of these 45 deaths, 6 were cases of suicide, while the remaining 39 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 8 to burns, 5 to drowning, and 3 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3524 births and 1785 deaths were registered, corresponding to annual rates of 30·9 and 15·6 per 1000 of the estimated population. In the Outer Ring 11 deaths from measles, 14 from diphtheria, and 20 from whooping-cough were registered. Nine deaths from measles occurred in West Ham district. The deaths from diphtheria included 3 in Croydon, 3 in Barnet, and 3 in West Ham districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·86 inches, and that of the Thermometer 48°·8, the latter being 0°·6 below the week's average in the 50 years 1841-90. The direction of the wind was Westerly, the horizontal movement of the air being 14 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 14·0 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 2.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 5th May 1894.

CITIES AND BOROUGH.	POPULATION estimated at the middle of the Year 1864.*		Registered during the Week ending 5th May 1894.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.						RAINFALL.		CITIES AND BOROUGH.	
	1.	2.	3.	4.	5.	6.	7.	8.	Deaths from			Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths.		Mean.		Inches.			In Cent.
									Measles.	Scarlet Fever.	Diphtheria.						Whooping-cough.	Fever.	From All Causes.	From Diseases in Cols. 6-12.	Fahrenheit.	Fahrenheit.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.
33 TOWNS.	10,458,442	6209	3446	791	683	9	200	51	80	139	38	29	116	215	725	57	17-2	2-7	64-5	32-4	47-1	8-39	0-28	0-71
LONDON.	4,349,166	2937	1334	278	247	64	145	30	58	69	8	11	45	91	415	6	17-2	3-6	62-5	33-4	48-8	9-33	0-18	0-46
WEST HAM.	238,184	152	79	19	10	-	-	-	1	1	-	1	4	9	2	2	15-1	2-6	-	-	-	-	-	-
CROYDON.	111,921	54	24	5	7	-	-	-	1	1	-	-	1	2	2	2	11-2	1-9	64-1	33-5	47-2	8-44	0-25	0-63
BRIGHTON.	118,715	69	34	4	13	-	1	-	-	-	-	-	-	-	-	-	14-9	0-9	59-8	38-0	48-4	9-11	0-37	0-94
PORTSMOUTH.	170,973	92	37	4	14	-	-	-	-	3	-	1	1	2	4	1	11-3	1-2	59-5	41-0	49-3	9-61	0-40	1-02
PLYMOUTH.	87,931	56	28	10	8	-	-	-	-	-	-	-	1	2	5	18	19-0	1-8	60-0	37-0	47-8	8-78	0-21	0-53
BRISTOL.	226,578	119	78	23	16	-	2	-	-	5	-	1	2	5	18	1	16-5	2-5	-	-	-	-	-	-
CARDIFF.	148,890	91	47	18	6	-	-	1	3	2	-	1	-	1	7	1	16-4	3-3	-	-	-	-	-	-
SWANSEA.	95,359	60	20	7	6	-	-	2	4	4	-	-	-	1	1	1	16-4	3-3	-	-	-	-	-	-
WOLVERHAMPTON.	85,036	78	51	15	9	1	3	3	-	5	-	-	2	3	12	-	31-3	7-4	61-8	32-4	44-2	6-78	0-28	0-71
BIRMINGHAM.	492,301	315	188	44	23	1	14	-	1	4	4	-	5	5	41	7	19-9	3-6	-	-	-	-	-	-
NORWICH.	105,645	57	26	5	3	-	2	-	-	-	-	-	-	3	1	-	12-8	1-5	61-0	33-8	46-0	7-78	0-30	0-76
LEICESTER.	189,136	106	54	15	12	-	8	-	1	-	2	-	-	1	8	1	14-9	3-0	-	-	-	-	-	-
NOTTINGHAM.	223,584	132	81	22	16	1	6	1	1	4	1	1	3	5	7	1	18-9	3-5	64-5	33-3	46-6	8-11	0-16	0-41
DERBY.	187,800	68	21	2	8	-	-	-	-	-	-	-	2	2	10	-	11-1	-	-	-	-	-	-	-
BIRKENHEAD.	105,627	78	41	4	13	-	2	-	-	-	-	-	-	3	8	-	20-2	1-0	-	-	-	-	-	-
LIVERPOOL.	507,230	319	207	48	27	-	6	3	1	12	8	4	6	10	49	9	21-3	3-5	59-0	41-4	47-3	8-50	0-54	1-37
BOLTON.	118,303	73	25	9	3	-	-	-	-	-	1	-	1	2	2	-	11-0	0-4	-	-	-	-	-	-
MANCHESTER.	520,211	283	188	43	26	-	4	1	2	9	2	2	9	15	48	-	18-8	2-0	-	-	-	-	-	-
SALFORD.	205,883	129	90	16	19	-	3	4	5	5	1	1	5	5	15	3	22-8	4-8	-	-	-	-	-	-
OLDHAM.	123,775	78	39	11	8	-	-	-	-	1	-	-	1	1	3	4	18-4	0-5	-	-	-	-	-	-
BURNLEY.	96,478	44	34	8	11	-	-	1	-	1	-	-	1	1	3	1	15-8	1-7	-	-	-	-	-	-
BLACKBURN.	125,797	68	38	9	8	-	-	-	1	1	2	-	1	1	3	1	15-8	1-7	-	-	-	-	-	-
PRESTON.	111,425	68	44	17	4	-	3	-	-	2	-	1	3	3	3	2	20-6	2-8	-	-	-	-	-	-
HUDDERSFIELD.	98,511	41	25	11	4	-	-	-	2	2	-	-	-	-	1	-	13-2	2-1	-	-	-	-	-	-
HALIFAX.	92,861	51	26	6	7	-	-	-	-	-	-	-	-	3	7	-	15-1	0-7	-	-	-	-	-	-
BRADFORD.	223,185	101	65	14	15	-	1	-	-	2	-	-	2	5	11	14	16-2	1-1	-	-	-	-	-	-
LEEDS.	388,761	259	121	33	25	-	-	2	2	1	1	2	8	9	14	3	15-4	1-2	-	-	-	-	-	-
SHEFFIELD.	368,536	187	100	28	15	-	-	1	1	4	2	-	5	7	14	3	14-5	2-0	-	-	-	-	-	-
HULL.	212,079	141	59	17	15	-	-	1	1	3	3	1	7	7	7	4	14-5	1-2	-	-	-	-	-	-
SUNDERLAND.	136,101	70	45	13	12	-	-	-	-	-	-	-	1	1	2	2	17-2	-	-	-	-	-	-	-
GATESHEAD.	93,372	70	24	6	9	-	-	1	-	-	1	-	1	1	1	1	13-4	1-7	-	-	-	-	-	-
NEWCASTLE.	201,947	114	73	17	14	-	1	-	-	7	1	-	1	2	9	1	18-8	2-3	-	-	-	-	-	-

* See note * on first page of this Return.

† These 6 deaths were of persons admitted to the Metropolitan Asylum Hospital Ships from the Borough of West Ham.

TABLE 2. LONDON.—Births and Deaths Registered in the EIGHTEENTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2541	2429	2706	2597	2650	2712	2613	2658	2735	2625	2772.2	2637
Males . .	1331	1295	1374	1276	1328	1393	1373	1403	1394	1338	1419.6	1283
Females .	1210	1194	1332	1321	1322	1319	1240	1250	1341	1287	1352.6	1349
TOTAL Deaths	1697	1465	1491	1531	1429	1386	1533	2069	1549	1576	1659.7	1434
Males . .	876	778	803	824	719	729	811	1056	819	805	867.5	758
Females .	821	687	688	707	710	657	722	1013	730	771	792.2	676

* The numbers in this column are the average weekly numbers in the eighteenth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.
TOTAL Births	2709	2602	2587	2564	2636	2553	2496	2437	2682	2600	2457	2485	2637
TOTAL Deaths	1534	1552	1654	1748	1700	1610	1691	1737	1587	1609	1511	1546	1434
Ages at Death													
{ 0-20 years	702	705	771	793	740	737	802	822	792	800	728	778	706
{ 20-40 "	199	190	245	226	241	185	208	214	197	210	187	179	184
{ 40-60 "	276	307	272	323	298	276	305	287	265	265	296	303	247
{ 60-80 "	301	292	323	338	345	336	301	340	263	281	259	250	253
{ 80 years & upwards	56	58	53	68	76	76	75	74	70	53	41	36	44
Under 1 year	349	357	384	403	352	333	370	335	368	361	317	356	278
{ 1-5	264	253	275	267	293	293	313	357	320	327	299	321	331
{ 5-20	89	90	112	123	95	106	119	130	104	112	92	101	97
Deaths from Small-pox	-	-	2	1	-	3	1	-	2	-	4	6	6
" Measles	42	40	59	47	66	74	96	138	132	112	124	130	125
" Scarlet fever	23	24	20	20	17	19	13	23	20	29	30	25	30
" Diphtheria	56	58	42	59	53	52	56	57	63	50	53	63	58
" Whooping-cough	54	60	74	72	59	55	49	73	64	53	48	77	59
" Typhus	-	-	1	-	-	-	-	-	-	-	1	-	-
" Enteric fever	6	8	4	12	10	14	9	12	7	9	8	9	8
" Simple Cont'd fever	-	-	-	1	-	-	-	-	-	-	-	-	-
" Diarrhoea and Dysentery	17	16	16	14	13	10	12	7	7	14	9	8	11
" Cholera	-	-	-	-	-	-	-	-	-	1	-	-	-
" all the above-mentioned Diseases	198	206	218	226	218	227	236	310	295	268	277	318	297
" Dis. of Respiratory System	372	340	408	413	434	373	397	347	314	304	304	255	237
" Phthisis	148	145	185	175	151	154	132	173	128	144	153	153	150
" Dis. of Circulatory System	114	118	112	157	129	114	138	137	111	131	104	124	101
Violent Deaths	53	61	62	70	65	75	62	74	63	64	63	55	45
Inquest Cases	108	140	141	165	138	140	133	153	128	121	146	128	91
Deaths in Public Institutions	441	486	462	479	500	436	450	495	444	461	451	432	415
TEMPERATURE OF THE AIR													
Mean	46.0	41.0	34.8	44.0	44.2	42.6	43.1	43.2	50.6	55.2	43.7	49.5	48.8
Mean of Highest readings	51.3	45.9	41.0	51.4	51.7	51.3	52.4	61.4	63.1	68.5	56.0	60.4	57.9
Mean of Lowest readings	40.4	36.7	27.3	37.3	37.6	35.9	35.8	34.5	40.5	48.4	43.1	40.9	40.7
Humidity of the Air	86	83	78	84	81	79	86	71	76	67	81	73	73
Rain-fall in inches	0.27	0.60	0.21	0.45	0.19	0.41	0.00	0.00	0.01	0.06	0.26	0.98	0.18
Registered Sunshine (in hours)	6.9	8.1	38.0	15.6	14.4	25.4	20.6	60.5	35.9	37.7	18.6	27.7	14.0

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer, of Health, Sunderland.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the EIGHTEENTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 15th Week of the 10 years 1884-83.*	In the Week ending Saturday, 5th May 1894.								Corrected Averages for the 15th Week of the 10 years 1884-83.*	In the Week ending Saturday, 5th May 1894.								
		Deaths of Persons of the Ages									Deaths of Persons of the Ages								
		ALL AGES.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.		ALL AGES.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	
ALL CAUSES -	1659.7	1434	278	331	97	184	247	253	44	Diseases of Organs of Special Sense - }	2.3	3	-	1	1	1	-	-	-
Small-pox { Vaccinated† -	1.7	5	-	-	-	4	-	1	-	Diseases of Circulatory System - }	141.8	101	-	1	11	21	33	32	3
Unvaccinated -	2.2	1	-	-	1	-	-	-	-	Croup -	8.7	3	-	3	-	-	-	-	-
No Statement -	3.2	-	-	-	-	-	-	-	-	Bronchitis -	131.4	128	23	21	2	2	17	42	12
Measles -	71.3	125	32	89	4	-	-	-	-	Pneumonia -	132.0	92	12	37	4	9	20	10	-
Scarlet Fever -	18.9	30	-	21	9	-	-	-	-	Pleurisy -	8.3	2	-	-	1	-	1	-	-
Typhus -	0.5	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - }	27.4	12	-	3	2	-	1	5	1
Relapsing Fever -	-	-	-	-	-	-	-	-	-	Dentition -	14.1	13	10	3	-	-	-	-	-
Indianna -	19.9	8	-	-	-	1	3	4	-	Quinsy, Sore Throat -	1.8	-	-	-	-	-	-	-	-
Whooping-cough -	76.2	59	19	37	3	-	-	-	-	Enteritis -	7.5	11	6	3	-	1	1	-	-
Diphtheria -	21.0	53	2	38	18	-	-	-	-	Peritonitis -	6.9	6	-	1	2	1	2	-	-
Simple Continued and Ill-defined Fever - }	0.8	-	-	-	-	-	-	-	-	Diseases of Liver -	28.0	22	2	-	-	-	10	9	1
Euterie Fever -	9.6	8	-	-	-	4	2	1	-	Other Diseases of Digestive System - }	30.3	23	4	2	1	3	5	7	1
Cholera and Chol. Diarr.	0.3	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands - }	2.3	4	1	-	-	1	1	1	-
Diarrhoea, Dysentery -	16.9	11	6	2	-	1	-	2	-	Diseases of Urinary System - }	43.9	35	-	-	2	7	14	11	1
Remittent Fever -	0.3	-	-	-	-	-	-	-	-	Diseases of Generative System - }	6.3	5	-	1	-	1	1	2	-
Hydrophobia -	-	-	-	-	-	-	-	-	-	Accidents of Childbirth -	4.4	4	-	-	1	3	-	-	-
Glanders -	-	-	-	-	-	-	-	-	-	Diseases of Locomotive System - }	8.3	7	-	3	2	1	1	-	-
Cowpox and Effects of Vaccination - }	0.1	1	1	-	-	-	-	-	-	Diseases of Integumentary System - }	4.7	5	-	1	-	-	-	3	1
Veneral Affections -	9.7	4	2	-	-	-	2	-	-	VIOLENT DEATHS.†									
Erysipelas -	5.0	3	-	-	-	1	2	-	-	(ACCIDENT.)									
Pymia and Septicæmia -	8.2	1	1	-	-	-	-	-	-	By Railways -		2	-	-	-	1	1	-	-
Puerperal Fever -	5.4	5	-	-	-	5	-	-	-	By Vehicles or Horses -		6	-	2	-	-	1	2	1
Other Zymotic Diseases	1.8	3	1	2	-	-	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) - }		1	-	-	-	-	1	-	-
Thrush -	1.3	2	2	-	-	-	-	-	-	In Building Operations -		1	-	-	-	1	-	-	-
Worms and other Parasitical Diseases - }	0.5	-	-	-	-	-	-	-	-	In Conflagrations -		-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - }	1.5	2	2	-	-	-	-	-	-	By Burns, Scalds, Explosions - }	48.5	8	-	4	1	-	1	1	1
Alcoholism -	6.2	7	-	-	-	2	5	-	-	By Drowning -		5	-	-	1	-	3	1	-
Rheumatic Fever, Rheumatism of Heart, Rheumatism -	6.6	3	-	-	3	-	-	-	-	By Suffocation in Bed -		3	3	-	-	-	-	-	-
Gout -	3.8	5	-	-	-	-	1	4	-	By Poisons or Poisonous Vapours - }		3	-	1	-	1	1	-	-
Eickets -	4.4	7	2	5	-	-	-	-	-	Other or not stated Causes - }		10	1	2	1	2	1	3	-
Cancer -	59.3	61	-	-	2	7	30	21	1	(VIOLENCE OTHER THAN ACCIDENTAL.)									
Tubes Mesenterica -	21.6	11	7	3	-	-	1	-	-	Homicide -	0.7	-	-	-	-	-	-	-	-
Tubercular Meningitis -	29.1	19	3	10	5	1	-	-	-	Suicide -	8.5	6	-	-	-	5	1	-	-
Phthisis -	169.0	159	-	7	10	72	45	16	-	Execution -		-	-	-	-	-	-	-	-
Serofula, Tuberculous -	21.6	22	4	4	3	9	1	1	-	OTHER CAUSES -	43.3	35	31	3	-	-	-	1	-
Other Constitutional Diseases - }	12.1	12	1	1	2	1	4	3	-										
Premature Birth -	41.8	54	54	-	-	-	-	-	-										
Atelectasis -	2.8	2	2	-	-	-	-	-	-										
Congenital Malformations - }	8.4	9	8	1	-	-	-	-	-										
Old Age -	49.9	43	-	-	-	-	2	17	-										
Apoplexy -	43.9	43	-	-	1	2	15	22	3										
Epilepsy -	8.0	9	-	1	1	3	2	2	-										
Convulsions -	40.3	17	22	5	-	-	-	-	-										
Other Diseases of Brain and Nervous System }	89.9	68	8	9	4	9	18	19	1										

* The numbers in this column are the average weekly Deaths for the ten years 1884-83, raised by 5.541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.--POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, Whooping-cough, Typhus, Enteric (or Typhoid) Fever, Simple continued Fever, Diarrhoea, Violence, Inquest Cases, Deaths in Public Institutions during the Week end

REGISTRATION SUB-DISTRICTS.			The DEATHS registered in the Week include														
			Known- rated Popu- lation 1891.	Total Births.	Deaths of			Deaths from									
					Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued fever.	Diarrhoea.	Violence.	Inquest Cases.
LONDON			4,211,743	2637	1434	278	297	6	125	30	58	59	-	8	-	11	45
WEST DISTRICTS	-	-	740,735	898	234	54	53	-	30	-	6	10	-	3	-	1	6
NORTH DISTRICTS	-	-	933,884	588	303	61	72	-	19	7	24	9	-	1	-	2	6
CENTRAL DISTRICTS	-	-	247,538	168	74	12	9	-	4	-	1	6	-	-	-	5	9
EAST DISTRICTS	-	-	705,114	519	283	55	48	-	33	1	7	11	-	2	-	5	11
SOUTH DISTRICTS	-	-	1,594,472	964	461	95	91	-	33	10	20	23	-	2	-	3	17
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGIS- TRATION LONDON	-	-	-	-	44	-	12	6	1	12	-	-	-	-	-	-	-
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	-	-	84150	48	28	8	5	-	2	-	1	1	-	-	-	-	1
St. John Paddington H	-	-	33837	9	11	2	2	-	-	-	-	-	1	-	-	1	1
Kensington Town Ww	-	-	118751	65	40	7	11	-	1	-	1	-	-	-	-	1	3
Brompton H	-	-	47557	12	10	3	-	-	-	-	-	-	-	-	-	-	1
St. Peter Hammersmith	-	-	8533	6	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H	-	-	89933	44	24	2	10	-	2	-	1	-	-	-	-	-	1
Fulham Ww	-	-	91839	73	59	13	9	-	16	-	4	1	-	2	-	-	22
Chelsea Kensal Town	-	-	21787	11	8	3	-	-	2	-	-	1	-	-	-	-	-
Chelsea North WHHHH	-	-	41357	31	14	2	1	-	-	-	-	-	-	-	-	2	6
Chelsea South HH	-	-	32820	17	11	4	3	-	-	-	1	-	-	-	-	-	4
May Fair W	-	-	23733	7	11	1	2	-	-	-	-	-	-	-	-	-	6
Belgrave WHHH	-	-	54331	24	23	2	8	-	2	-	-	1	-	-	-	1	1
St. John Westminster HHH	-	-	34103	17	13	3	2	-	2	-	-	-	-	-	-	1	2
St. Margaret Westminster H	-	-	21868	6	5	1	1	-	-	-	-	-	-	-	-	-	3
St. James Westminster WHH N.R. & G.J.	-	-	24995	18	3	2	-	-	1	-	-	-	-	-	-	-	-
St. Anne Soho HHHHHH	-	-	12317	4	3	1	-	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone } - W.M.	HHHHHHHH	-	37713	16	7	1	-	-	1	-	-	-	-	-	-	-	1
Rectory Marylebone W - G.J. & W.M.		-	20924	11	7	2	2	-	12	-	-	-	-	-	-	-	2
St. Mary Maryleb. HHHH G.J. & W.M.		-	19339	23	9	2	4	-	-	1	-	-	-	-	-	2	2
Christchurch Marylebone H - W.M.		-	33927	16	7	2	1	-	-	-	-	-	-	-	-	-	-
St. John Marylebone H - W.M.		-	32101	11	10	2	1	-	2	-	1	-	-	-	-	-	-
Hampstead WwHHHHH N.R. & W.M.	-	-	68416	33	25	2	3	-	4	11	1	-	-	-	-	-	18
Regent's Park Paneras HH	-	-	36590	24	20	2	3	-	1	-	-	1	-	-	-	-	-
Tottenham-court WHHHH N.R. & W.M.	-	-	26331	14	12	1	2	-	-	-	-	-	-	-	-	-	8
Gray's Inn Lane HHH	-	-	27455	18	13	2	2	-	-	-	-	-	-	-	-	1	3
Somers Town HH	-	-	32329	20	4	2	-	-	-	-	-	-	-	-	-	-	1
Camden Town WH	-	-	15419	7	13	-	3	-	-	-	-	-	-	-	-	-	7
Kentish Town W	-	-	95765	49	20	7	4	-	1	-	-	-	-	-	-	-	2
Upper Holloway WwWHHH	-	-	90235	54	36	4	8	-	2	-	1	2	-	1	-	-	2
Islington South-west H	-	-	105557	58	32	10	8	-	2	-	3	1	-	-	-	1	4
Islington South-east	-	-	64153	42	17	4	4	-	3	-	1	-	-	-	-	-	-
Highbury HH	-	-	59193	45	14	7	4	-	1	-	2	-	-	-	-	-	-
Stoke Newington H	-	-	30936	18	5	1	2	-	-	-	1	-	-	-	-	-	-
Stamford Hill	-	-	17759	6	3	1	-	-	-	-	-	-	-	-	-	-	-
West Hackney H	-	-	42902	21	12	2	4	-	-	-	1	1	-	-	-	-	3
Hackney WwWH	-	-	96486	68	37	4	12	-	1	3	4	1	-	-	1	2	2
South Hackney W	-	-	41759	29	10	4	3	-	1	-	-	-	-	-	-	1	-
CENTRAL DISTRICTS.																	
St. George Bloombury	-	-	16095	5	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH	-	-	13454	11	1	1	-	-	-	-	-	-	-	-	-	-	-
St. Giles North H	-	-	9633	8	3	1	1	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields HH N.R. & C.	-	-	14616	4	6	1	-	-	-	-	1	-	-	-	-	-	1
St. Mary-le-Strand H	-	-	5706	2	3	-	-	-	1	-	-	-	-	-	-	-	-
St. Clement Danes WH	-	-	7194	3	5	-	-	-	1	-	-	-	-	-	-	-	1
Strand Union Workhouse, Edmonton W.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Geo.-the-Martyr HHHHHH N.R.	-	-	17921	7	4	-	-	-	-	-	-	-	-	-	-	-	4
St. Andrew Eastern W	-	-	15343	10	4	-	-	-	-	-	1	-	-	-	-	-	-
St. James Clerkenwell	-	-	16803	19	4	1	-	1	-	-	-	-	-	-	-	-	-
Arnwell Clerkenwell	-	-	16883	13	3	-	-	-	-	-	1	-	-	-	-	-	-
Yerconville	-	-	17155	11	2	2	-	-	-	-	-	-	-	-	-	-	-
Goswell-street	-	-	15375	16	9	3	4	-	-	-	-	-	-	-	-	-	1
City-road HHHH	-	-	29177	33	8	1	-	-	1	-	-	-	-	-	-	-	1
Whitcross-street	-	-	8278	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury	-	-	4985	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham W.	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2
S. Botolph H	-	-	8914	4	1	-	1	-	-	-	-	-	-	-	-	-	-
Cripplegate	-	-	4659	1	1	-	-	-	-	-	1	-	-	-	-	-	-
St. Sepulchre H	-	-	4434	2	9	-	-	-	-	-	-	-	-	-	-	-	-
St. Bride W	-	-	6394	3	2	-	-	-	-	-	1	-	-	-	-	-	9
A. hallows Barking	-	-	10122	1	4	1	-	-	-	-	1	-	-	-	-	-	1
Broad Street H	-	-	3577	-	-	-	-	-	-	-	-	-	-	-	-	-	2
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H—Hospital; L—Lunatic Asylum; L*—Private Lunatic Asylum in, which paupers are received; W.—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N. River; E. L. East London; and K. the Kent Company.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
 day, 5th May, 1894.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1891.	Total Deaths.	Deaths of		Deaths from													
			Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.	
EAST DISTRICTS.																		
Beddith South <i>HL*</i>	E.L. & N.R.	20098	7	6	2	1	-	1	-	-	-	-	-	-	-	-	1	2
on New Town <i>w</i>	- N.R.	29313	25	9	-	3	-	1	-	-	-	-	-	-	-	-	1	-
on Old Town <i>w</i>	- N.R.	28354	21	9	-	2	-	-	-	1	-	-	-	-	-	-	1	-
erston <i>WH</i>	- N.R. & E.L.	46244	31	30	6	11	-	1	1	-	-	-	-	-	-	-	17	-
nal Green North <i>H</i>	- E.L.	51820	38	12	3	4	-	-	-	1	-	-	-	-	-	-	2	-
nal Green South <i>w</i>	- E.L.	33489	15	10	4	-	-	2	-	1	1	-	-	-	-	-	1	-
nal Green East <i>WHL*</i>	- E.L.	44123	22	11	1	1	-	1	-	-	-	-	-	-	-	-	4	-
Fields <i>w</i>	E. N.R.	22456	19	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-
End New Town <i>W</i>	- E.L.	17908	25	8	-	2	-	1	-	-	-	-	-	-	-	-	-	4
echapel Church <i>H*</i>	E.L. & N.R.	20595	20	29	2	2	-	3	-	1	-	-	-	-	-	4	4	24
iman's Fields <i>w</i>	- E.L.	12800	6	6	3	-	-	1	-	1	1	-	-	-	-	-	-	-
George's, North <i>w</i>	- E.L.	37738	34	7	1	3	-	2	-	-	-	-	-	-	-	-	2	-
ohn, St. George East <i>W</i>	- E.L.	8057	9	4	2	1	-	-	-	-	2	-	-	-	-	-	-	3
well <i>H</i>	E.L. & N.R.	40246	8	8	4	1	-	-	-	-	-	-	-	-	1	-	-	7
ll <i>W</i>	- E.L.	14928	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
house <i>w</i>	- E.L.	32202	22	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-
End Old Town West <i>H</i>	- E.L.	38650	42	12	4	1	-	2	-	-	-	-	-	-	-	-	-	-
End Old Town East <i>WHL*</i>	- E.L.	68942	50	40	5	3	-	11	-	1	2	-	-	-	1	-	1	13
L* <i>w</i>	- E.L.	40865	23	17	5	1	-	3	-	2	1	-	-	-	-	-	-	1
nley <i>WHL*</i>	- E.L.	70000	45	37	4	10	-	2	-	-	1	-	-	-	3	5	5	19
ar. <i>WW</i>	- E.L.	56883	49	18	6	2	-	1	-	1	-	-	-	-	1	2	4	-
SOUTH DISTRICTS.																		
etchurch Southwark <i>WH</i>	L. & S.	18264	6	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Saviour Southwark <i>w</i>	- S.	18913	8	9	2	3	-	1	-	1	-	-	-	-	-	-	-	-
t-road <i>w</i>	S. & L.	21867	17	5	1	1	-	1	-	1	-	-	-	-	-	-	-	-
ugh-road <i>WH</i>	- S. & L.	16624	10	9	-	1	-	-	-	1	2	-	-	-	-	-	1	4
don-road <i>HL</i>	- L. & S.	31221	15	6	-	3	-	-	-	-	-	-	-	-	-	1	1	-
by Newington <i>w</i>	S. & L.	26594	50	11	2	2	-	-	-	-	-	-	-	-	-	1	2	-
Peter Walworth <i>W</i>	S. & L.	61342	57	24	7	3	-	6	-	1	-	-	-	-	-	-	1	3
Mary Newington <i>w</i>	L. & S.	47866	20	8	6	-	-	1	-	-	-	-	-	-	1	-	1	-
lave <i>WH</i>	- E.	12723	5	13	-	5	-	1	-	1	-	-	-	-	-	4	4	10
her Market <i>w</i>	- S. & L.	14952	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Mary Magdalen <i>W</i>	- S.	15660	43	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-
James Bermondsey <i>w</i>	- S.	54070	45	18	2	4	-	1	-	-	1	-	-	-	-	1	1	-
erithse <i>WH</i>	- S. & K.	39255	34	10	3	3	-	2	-	2	-	-	-	-	-	-	-	1
erloo-road 1st <i>H</i>	- L. & S.	14031	10	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-
erloo-road 2nd <i>H</i>	- L. & S.	14644	12	6	1	-	-	1	-	-	-	-	-	-	-	1	1	3
both Church 1st <i>H</i>	- L. & S.	18075	6	19	3	-	-	2	-	1	-	-	-	-	-	1	1	13
both Church 2nd <i>WW</i>	- L. & S.	30097	15	2	2	-	-	-	-	1	-	-	-	-	-	-	2	8
nington 1st <i>H</i>	- S. & L.	60586	49	16	3	5	-	-	-	-	1	-	-	-	-	-	2	-
nington 2nd <i>w</i>	- S. & L.	39708	28	10	3	4	-	-	-	-	-	-	-	-	-	1	1	-
ton <i>w</i>	- L. & S.	73405	40	24	6	4	-	-	2	4	2	-	-	-	-	1	1	6
wood <i>W</i>	- L.	25657	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Battersea <i>w</i>	- S.	67244	47	16	9	1	-	2	-	1	2	-	-	-	-	-	2	-
Battersea <i>WHL*</i>	- S.	83314	48	35	7	5	-	8	-	1	1	-	-	-	-	-	1	4
ham <i>H</i>	- S.	43698	22	8	-	1	-	1	-	-	1	-	-	-	-	-	1	-
adsworth <i>WHL</i>	- S.	46717	33	15	3	2	-	2	-	1	-	-	-	-	-	-	1	-
ney <i>w</i>	- S.	17771	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
atham <i>WHL*</i>	- L.	48756	22	11	2	4	-	-	2	-	1	-	-	-	-	-	4	-
rich <i>w</i>	- L. & S.	6809	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
berwell <i>WHL*</i>	- S. & L.	81686	43	34	6	11	-	-	1	1	-	-	-	-	-	1	1	17
atham <i>WW</i>	- S., L., & K.	38438	56	27	5	8	-	3	-	-	3	-	-	-	-	-	1	5
George Camberwell <i>w</i>	- L. & S.	63366	47	17	4	2	-	1	-	-	-	-	-	-	-	-	-	-
ford, North <i>w</i>	- K.	35314	26	10	4	4	-	-	-	-	-	-	-	-	-	-	-	-
ford, Central <i>w</i>	- K.	42007	32	17	4	1	-	1	5	5	2	-	1	-	-	-	-	8
ford, South <i>w</i>	- K.	36852	31	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
unwich West <i>H</i>	- K.	22007	9	6	1	2	-	-	1	-	-	-	-	-	-	-	-	-
unwich East <i>WH</i>	- K.	35233	17	12	-	4	-	-	-	-	-	-	-	-	-	1	1	6
am <i>H</i>	- K.	5682	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H <i>w</i>	- K.	23541	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
isham <i>WH</i>	- K.	30950	16	11	2	3	-	2	-	-	-	-	-	-	-	-	1	-
isham <i>H</i>	- L.	34162	16	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
ilton <i>HH</i>	- K.	14040	5	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-
lwich Dockyard <i>w</i>	- K.	19606	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lwich Arsenal <i>HH</i>	- K.	11242	12	5	-	-	-	-	-	-	-	-	-	-	-	2	2	-
instead, West <i>H</i>	- K.	15869	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
instead, East <i>W</i>	- K.	36567	30	9	2	1	-	-	1	1	-	-	-	-	-	-	2	-
instead Asylum	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
atham Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
the Hill Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
ital Ships and Camp, Dartford	-	-	-	6	-	1	6	-	-	-	-	-	-	-	-	-	-	6
nth Asylum	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
well Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ey Hatch Asylum	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
ospital	-	-	-	13	-	-	-	1	11	-	-	-	-	-	-	-	-	13
chmore Hill Hospital	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
eden Asylum	-	-	-	7	-	-	-	-	1	-	-	-	-	-	-	-	-	7
bury Asylum	-	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS). AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 5th May, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Cume- rated Popu- lation, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Cases.	
LONDON—OUTER RING		368,749	1,422,063	887	351	92	88	-	11	1	14	20	1	3	13	22	25	-	
30:1	Carshalton WHH	12228	26108	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* WHH	10423	12508	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
37:1	Godstone, part of* W	754	1594	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon WHH	20851	128699	64	33	8	10	-	-	-	1	5	-	-	1	2	-	-	
2	Mitcham W	11697	23088	12	3	-	1	-	-	-	2	-	-	-	-	-	-	-	
39:1	Wimbledon HHH	3220	25761	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston WHH	8071	44765	21	7	2	1	-	-	-	-	1	-	-	-	1	1	-	
3	Esher, part of*	6601	12059	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H	4595	18252	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
40:1	Richmond WH	2160	25339	10	7	-	2	-	-	-	1	-	-	-	-	-	4	-	
2	Mortlake H	2823	16159	7	3	-	1	-	-	1	-	-	-	-	-	-	1	-	
41:1	Bromley HHH	9127	23815	13	8	2	4	-	-	-	-	1	-	-	1	1	-	-	
2	Beckenham H	6542	21969	8	6	3	2	-	-	-	-	3	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	10	4	1	-	-	-	-	-	-	-	-	-	-	1	-	
42:1	Bexley H	12540	30590	12	9	3	3	-	-	-	-	-	-	-	1	1	-	1	
2	Dartford Work., pt. of*	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	
124:1	Susbury W	11054	13671	13	4	-	1	-	-	-	-	-	-	-	2	2	-	-	
2	Staines W	18277	13221	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
125:1	Hillingdon WHH	6035	12237	7	5	1	3	-	-	-	-	-	-	-	1	1	2	-	
2	Uxbridge	6172	5417	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH	14237	12618	6	1	-	-	-	-	-	-	1	-	-	-	-	1	-	
126:1	Isleworth WH	6967	23273	14	7	2	2	-	-	-	-	-	-	-	-	-	2	-	
2	Twickenham HH	2415	16027	9	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford HHHH	4318	37777	20	12	5	6	-	-	-	-	-	-	-	-	-	-	1	
4	Chiswick	1245	21963	13	8	3	2	-	-	-	-	-	-	-	-	-	-	-	
5	Acton WH	6132	30945	21	7	3	3	-	-	-	-	1	-	-	-	-	-	-	
127:1	Harrow HHH	13809	15715	15	7	1	1	-	-	-	-	-	-	-	-	-	-	1	
2	Edgware H	6994	3844	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-	
3	Willesden HHH	4383	61265	35	13	1	2	-	-	-	1	-	-	-	-	-	-	-	
4	Heaton W	8382	15843	7	4	1	1	-	-	-	-	-	-	-	-	-	1	-	
128:1	South Mimms	1559	8474	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	
2	Barnet WHH	5441	11773	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley HH	4688	2582	11	3	2	-	-	-	-	2	-	-	-	-	-	-	-	
129:1	Hornsey H	3039	61097	30	17	2	5	-	-	-	2	-	-	-	-	-	-	-	
2	Tottenham H	4642	97174	75	25	2	6	-	1	-	-	1	1	-	1	2	4	-	
3	Edmonton WH	7489	38851	22	8	2	3	-	-	-	-	1	-	-	-	-	1	2	
4	Enfield WHH	12689	31803	32	8	4	-	-	1	-	-	-	-	-	1	1	-	-	
5	Waltham Abbey	11017	6066	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Chesham H	8490	9620	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
130:1	Hatfield, part of*	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
131:1	Bushey	9331	7737	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
132:1	Stratford H	1100	12883	21	15	4	2	-	2	-	-	-	-	-	1	1	-	-	
2	Plaistow HHHH	1242	5030	51	17	6	3	-	1	-	1	1	-	1	1	2	-	-	
3	Canning Town H	1558	54750	47	18	4	-	-	4	-	-	-	-	-	2	4	-	-	
4	Forest Gate W	806	49140	30	13	5	5	-	2	-	-	-	-	-	-	-	1	1	
5	East Ham WH	3266	32713	44	12	6	2	-	-	-	1	-	-	-	-	-	-	2	
6	Leyton WHH	6334	70188	51	19	9	4	-	-	-	-	-	-	2	-	-	4	3	
7	Walthamstow HHL	6501	57330	41	11	4	1	-	-	-	1	1	-	-	-	-	-	1	
137:1	Chigwell, part of* H	11779	12941	2	4	1	1	-	-	-	-	3	-	-	-	-	-	-	
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139:1	Romford, part of* HH	6556	4324	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford	8493	10913	10	2	1	-	-	-	-	-	-	-	-	-	-	-	1	
3	Barking Town	3814	14301	8	1	-	-	-	-	-	1	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39:2, Epsom sub-district, except the parishes of Abstead and Headley (pop. 1766); 37:1, the parishes of Warlingham and Farley in Godstone sub-district; 39:3, Esher sub-district, except the parish of Esher (pop. 2282); 41:2, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3097); 135:1, the parish of Northaw in Hatfield sub-district; 137:1, Chigwell sub-district, except the parish of Theydon Bois (1078); 139:1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42:2, Dartford; 137:3, Watford; and 137:2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 5th May, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include										
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from								Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons Aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	5,948,300	15·6	3·0	1785	370	335	6	133	31	72	79	9	14	58	440
INNER LONDON	74,6·2	4,349,163	17·2	3·6	1434	273	207	6	125	37	53	59	8	11	45	415
OUTER RING	368,749	1,599,134	11·4	1·6	351	92	88	-	11	1	14	20	1	3	13	25

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,583	May 5	154	89	17·2	2	-	2	3	3	1	-	
GLASGOW	636,820	" 5	495	290	22·0	-	1	2	6	26	3	5	
DUBLIN	349,594	" 5	216	165	24·6	-	3	-	-	3	3	-	
BRUSSELS	466,460	February 24	-	-	-	-	-	-	-	-	-	-	
AMSTERDAM	821,764	April 17	266	595	37·6	32	35	?	?	?	150	49†	
PARIS	452,518	March 23	260	262	30·1	-	7	?	?	?	101	31	
BRISBANE	2,424,705	April 28	1133	1047	23·0	3	42	6	32*	8	20	43	
AMSTERDAM	483,188	" 28	239	163	17·4	-	-	-	1	3	-	11	
AMSTERDAM	437,892	" 28	274	171	20·0	-	1	1	3	2	1	-	
AMSTERDAM	222,233	" 28	162	105	24·5	13	-	-	1	3	-	-	
AMSTERDAM	169,828	" 28	102	65	19·9	-	-	-	+	-	-	-	
COPENHAGEN	341,900	" 28	176	128	19·6	-	5	10	5	-	-	2	
STOCKHOLM	249,246	" 21	136	74	15·2	-	-	2	2*	-	-	2	
CHRISTIANIA	161,151	" 28	50	91	29·4	-	6	1	4	4	-	2	
PETERSBURG	954,400	" 14	536	501	27·4	4	20	5	15	2	11	39	
MOSCOW	753,469	" 21	-	505	34·9	2	13	4	9	4	8	41	
BERLIN	1,714,938	" 14	846	587	18·1	1	4	5	32	10	1	25	
HAMBURG	594,209	" 28	-	231	20·2	-	10	1	14*	1	-	6	
RESIDEN	312,772	" 7	-	157	26·1	-	-	2	10*	1	3	22	
RESIDEN	360,660	" 28	-	166	24·2	-	1	-	7*	3	-	16	
MUNICH	390,000	" 28	-	195	26·0	-	-	1	1*	2	2	30	
VENICE	1,465,537	" 28	958	768	27·2	-	22	13	40*	1	2	47	
LAGUAY	339,172	" 28	221	190	29·2	-	16	1	3	1	4	2	
UDA-PESTH	552,769	" 21	423	377	35·5	-	5	1	18	-	-	17	
TRIESTE	159,739	" 21	103	81	27·3	1	2	3	8*	-	1	-	
ROME	450,991	March 24	224	197	22·8	-	3	1	1	1	4†	5	
PARIS (10 days)	335,137	April 10	-	-	-	-	-	-	-	-	-	-	
NICE	160,406	" 21	85	64	20·8	-	-	-	-	1	1	3	
LEO	374,338	" 5	429	426	59·1	-	3	-	-	4	9	104	
ALEXANDRIA	281,396	" 5	200	203	45·7	-	-	-	4*	1	3	54	
NEW YORK	1,925,569	" 14	-	833	22·4	7	16	20	41	10	5	21	
BROOKLYN	1,008,781	" 14	-	347	17·7	6	5	9	25	6	1	2	
PHILADELPHIA	1,139,457	" 14	-	408	18·7	-	10	2	25	6	5	2	
NEW ORLEANS	254,000	March 24	-	97	19·9	1	-	-	3	-	6	3	

* Including deaths from croup.

† Including 3 deaths from cholera.

‡ Including 3 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 5th May, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.		Phases of the Moon.	TEMPERATURE.					TEMPERATURE.					Degree of Sat- uration (Daily 100°).	TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a gauge whose receiving surface is 8 inches above the level of Ground.				
			Of the Air.					Difference between the Air Temperature and Dew Point Temperature.						Of Radiation.		Oster's.		Pressure on the Square Foot.	Robinson's.					
			High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average value.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.		A.M.	P.M.	General Direction.								
MONTH AND DAY.			BAR- O-METER.	in.	°	°	°	°	°	°	°	°	°	°	°	lbs.	lbs.	lbs.	Miles.	Miles.	in.			
APRIL.																								
SUNDAY	29	..	29.907	62.5	39.2	23.3	50.9	+ 2.1	45.4	5.5	14.9	0.2	82	88.0	30.2	N.S.W.&N.W.	S.E. & S.W.	0.0	0.0	0.0	126	- 140	0.0	
MONDAY	30	..	29.931	55.3	43.4	11.9	49.6	+ 0.6	48.6	1.6	4.0	0.0	96	64.7	37.0	WSW, Calm & N.W.	N. & N.N.E.	4.3	0.0	0.2	258	- 4	0.10	
TUESDAY	1	..	30.121	54.1	39.2	14.9	46.2	- 3.0	38.5	7.7	13.4	0.5	74	114.7	32.8	N. N.N.E. & N.W.	N. N.N.E. & N.W.	4.8	0.0	0.3	338	+ 79	0.00	
WEDNESDAY	2	In Equator.	29.980	56.6	36.4	20.2	46.7	- 2.7	41.6	5.1	10.8	0.7	82	103.8	30.3	WSW.	WSW.&S.W.	2.1	0.0	0.0	230	- 27	0.04	
THURSDAY	3	..	29.653	60.9	46.5	14.4	52.0	+ 2.3	47.0	5.0	11.0	1.3	83	102.9	40.9	SW.&W.N.W.	N.W.&WSW.	2.7	0.0	0.1	317	+ 62	0.04	
FRIDAY	4	..	29.089	54.9	41.6	13.3	47.3	- 2.7	35.1	12.2	19.2	2.6	62	111.3	33.0	WSW. & W.N.W.	N.W. & W.N.W.	8.3	0.0	0.7	493	+ 239	0.00	
SATURDAY	5	New.	29.726	61.1	38.7	22.4	49.2	- 1.1	38.0	11.2	20.3	4.8	65	115.4	30.2	W. & W.N.W.	W.N.W. & W.S.W.	1.4	0.0	0.0	293	+ 40	0.00	
MEANS	.	..	29.858	57.9	40.7	17.2	48.8	- 0.6	42.0	6.8	13.4	1.4	78	100.1	33.5	SW. & NW.		Sum 2955	Sum + 249	0.18	
Number of Column .		8	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the column 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are -P, positive; N, negative; v, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.92 at the beginning of the week to 29.95 in. by 10h. A.M. on the 29th of April; decreased to 29.86 in. by 8h. P.M. on the same day; increased to 29.13 in. by 9h. P.M. on the 1st of May; decreased to 29.45 in. by 9h. P.M. on the 3rd; increased to 29.77 in. by 9h. A.M. on the 5th; and was 29.68 in. at the end of the week.

OFFICIAL CORN

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 19. 1894. VOL. LV.]

WEEK ENDING SATURDAY, MAY 12.

[Price 1½d.]

*General Register Office, Somerset House,
May 15th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·2 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Apr. 21.	Apr. 28.	May 5.	May 12.		Apr. 21.	Apr. 28.	May 5.	May 12.
Birkenhead	18·3	19·7	20·2	25·2	Liverpool - -	22·7	25·6	21·3	23·8
Birmingham	20·2	22·5	19·9	20·8	London - -	18·1	18·5	17·2	18·4
Blackburn -	21·6	12·0	15·8	17·0	Manchester -	19·2	20·9	18·8	20·8
Bolton -	17·6	16·7	11·0	18·1	Newcastle-on-Tyne	16·3	19·9	18·8	17·3
Bradford -	17·9	17·5	15·1	15·4	Norwich -	16·8	15·3	12·8	16·3
Brighton -	14·1	12·7	14·9	10·5	Nottingham -	16·3	18·2	18·9	19·4
Bristol -	17·7	14·3	19·0	17·7	Oldham -	17·3	25·9	14·7	17·3
Burnley -	20·0	21·6	18·4	10·3	Plymouth -	20·2	11·9	16·6	17·8
Cardiff -	19·3	15·1	16·5	16·1	Portsmouth -	11·9	11·0	11·3	12·2
Croydon -	13·0	10·2	11·2	12·6	Preston -	22·9	17·3	20·6	15·0
Derby -	15·8	12·7	11·1	9·5	Salford -	22·5	16·2	22·8	23·3
Gateshead -	21·8	19·5	13·4	16·8	Sheffield -	15·3	16·3	15·4	17·9
Halifax -	16·8	15·7	14·6	14·6	Sunderland -	19·5	18·4	17·2	16·1
Huddersfield	16·4	13·8	13·2	15·4	Swansea -	19·7	20·8	16·4	12·6
Hull -	15·9	18·4	14·5	19·6	West Ham -	17·3	14·0	15·1	19·7
Leeds -	16·6	16·2	16·2	16·5	Wolverhampton -	26·4	25·1	31·3	22·1
Leicester -	14·6	14·6	14·9	14·6					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·3 in Liverpool and in Salford, 1·4 in Nottingham, 1·8 in London, 1·9 in Birmingham, and 3·9 in West Ham; from *scarlet fever*, 1·3 in Salford; from *whooping-cough*, 1·2 in Nottingham, 1·5 in Birmingham, 1·6 in Bristol, 1·9 in Croydon, and 2·5 in Cardiff; from "*fever*," 1·1 in Sunderland; and from *diarrhœa*, 1·2 in Blackburn. The 74 deaths from *diphtheria* included 55 in London, and 2 each in West Ham, Birkenhead, and Manchester. Four deaths from *small-pox* (including the death of a person who had been brought from West Ham) were registered in London, 6 in Birmingham, 2 in Bradford, and one death each in Manchester and Oldham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2589 BIRTHS and 1532 DEATHS were registered. Allowing for increase of population, the births were 123, and the deaths 85, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·1, 18·5, and 17·2 in the preceding three weeks, rose last week to 18·4. During the four weeks ending on Saturday last the death-rate averaged 18·1 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the ten years 1884–93.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including the Metropolitan Workhouses, Hospitals and Lunatic Asylums situated outside Registration London.

ERRATUM.—In consequence of an error in the return of a local registrar a death from small-pox was incorrectly stated, in last week's Return, to have taken place in Nottingham.

The 1532 deaths included 4 from small-pox, 152 from measles, 25 from scarlet fever, 55 from diphtheria, 53 from whooping-cough, 9 from enteric fever, 14 from diarrhœa and dysentery, and not one death from typhus, any ill-defined form of continued fever, or from cholera; thus, 312 deaths were referred to these diseases, being 103 above the corrected average weekly number.

Of the 4 deaths from *small-pox*, one belonged to Islington, and 2 to Bromley sanitary areas, and one to West Ham district in the Outer Ring. There were 187 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 23 in the Highgate Small-pox Hospital. The deaths from *whooping-cough* were below the corrected average, while those from *measles*, *scarlet fever*, *diphtheria*, *enteric fever*, and *diarrhœa* were all above the respective averages. The deaths from *diphtheria*, which had been 53, 63, and 58 in the preceding three weeks, numbered 55 last week; 5 belonged to Bethnal Green sanitary area. The Metropolitan Asylum Hospitals* contained 323 cases of diphtheria and 57 of enteric fever at the end of last week; and on the same date these hospitals, together with the London Fever Hospital, contained 2298 cases of scarlet fever.

The deaths referred to diseases of the respiratory organs, which had been 304, 255, and 237 in the preceding three weeks, increased to 272 last week, but were 66 below the corrected average.

The deaths attributed directly to *influenza* numbered 8, having also been 8 in each of the preceding two weeks.

Different forms of violence caused 52 deaths, concerning all of which inquests were held. Of these 52 deaths, 10 were cases of suicide, and 4 of homicide, while the remaining 38 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 6 to drowning, 3 to poison, and 8 (of infants under one year of age) to suffocation in bed. The death of a female, aged 27 years, was attributed, after inquest, to "asphyxia from œdema of larynx " accelerated by the effects of an anæsthetic administered for a necessary operation."

GREATER LONDON.

In Greater London 3454 births and 1913 deaths were registered, corresponding to annual rates of 30·3 and 16·8 per 1000 of the estimated population. In the Outer Ring one death from small-pox, 27 deaths from measles, 8 from diphtheria, and 19 from whooping-cough were recorded. The death from small-pox occurred in Romford district. Of the 27 deaths from measles, 19 occurred in West Ham district. Two deaths from diphtheria were registered in Bromley, 2 in Edmonton, and 2 in West Ham districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·70 inches, and that of the Thermometer 51°·0, the latter being 0°·2 below the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 37 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 23·8 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of April. The supply was in the ratio of 243 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	APRIL. 1893.	APRIL. 1894.	APRIL. 1893.	APRIL. 1894.
TOTAL SUPPLY	793,505	804,363	193,915,760	195,423,634
From Thames	383,150	388,486	98,051,897	99,850,387
From Lea and from other Sources	410,355	415,877	95,863,863	95,573,247
THAMES.				
Chelsea	36,587	36,821	10,918,316	11,701,246
West Middlesex	76,390	77,630	18,618,629	19,237,947
Southwark and Vauxhall	115,309	116,486	29,031,731	30,572,786
Grand Junction	58,603	58,922	18,060,461	18,011,937
Lambeth	96,261	98,627	21,422,760	20,326,471
LEA AND OTHER SOURCES.				
New River	156,417	157,694	36,268,000	35,190,000
East London	175,198	177,626	44,022,910	44,660,295
Kent	78,740	80,557	15,572,953	15,722,952

Note.—The Return for April 1894, as compared with that for the corresponding month of 1893, shows an increase of 10,858 services and of 1,507,874 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING APRIL, 1894.

*Water-analysis Laboratory, The Yews, Reigate,
8th May, 1894.*

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of April.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (a) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (b) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·7, Tottenham 1·1, New River 1·2, Southwark, 2·0, Colne Valley and East London (deep-well) 2·1, East London (river supply) 2·3, West Middlesex, 2·4, Lambeth 2·5, Grand Junction 2·7, and Chelsea 2·9. The unfiltered river water contained the following proportions:—Thames at Hampton 4·3, New River Cut 2·2, and the Lea at the East London Company's intake, 3·3.

The Thames at Hampton was, on April 13th, turbid and yellow. It was, however, both chemically and bacterially, of very much better quality than on the 13th March, when my previous sample was taken. As delivered by the five Companies drawing from this river, it was of excellent quality, ranking in the case of the Southwark, with the deep-well waters in respect of organic impurity. It was in every case efficiently filtered, and exhibited the following per-centage bacterial improvement: Chelsea 99·6, West Middlesex 99·6, Southwark (average of two filters) 97·86, Grand Junction (Hampton filters), 94·05, (Kew filters, average of two) 99·09, and Lambeth, 98·41.

The New River Cut was on the 16th April turbid and pale yellow in colour, but otherwise of very good chemical quality. After passing through the subsidence reservoirs it was also of excellent bacterial quality. It was efficiently filtered before delivery, and was improved bacterially to the extent of 98·92 per cent. in the main filter well, and 99·46 per cent. in No. 1 well; whilst the water delivered into No. 4 well was quite free from microbes. It was absolutely sterile. The raw river water of the Lea, at the East London intake at Angel Road, was, on the same day, turbid and pale yellow, but otherwise of good chemical quality; bacterially, however, it was much inferior to the Thames at Hampton. It was efficiently filtered before delivery, much improved in chemical quality, whilst 99·71 per cent. of the microbes were removed from the water supplying No. 1 Essex Well, 98·01 per cent. from that issuing from No. 11 bed, and 94·03 per cent. from No. 12 bed.

The deep-well waters of the Kent, Colne Valley, Tottenham, and East London Companies were of excellent quality for dietetic purposes; the East London Company's supply being, however, slightly turbid. The rest of these waters were clear and bright without filtration, and the Colne Valley Company's water was softened before delivery, and thus rendered suitable for washing. The Kent Company's water was again distinguished for its high degree of organic purity.

Seen through a stratum two feet deep, the Kent, Colne Valley, Tottenham waters were clear and colourless, East London (deep-well) slightly turbid and colourless, the New River clear and nearly colourless, and the rest of the waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters, and of those supplied by the various Companies, collected on the 13th, 14th, 16th, and 17th of April, gave the results contained in the following table:—

DESCRIPTION.	No. of Microbes per c.c.	Temp. C.
RAW AND STORED RIVER WATERS.		
Thames at Hampton	2,520	14°0
" after storage for 13 days (Chelsea Company).	1,170	12°5
Gravel water (Southwark Company)	230	9°6
New River Cut before entrance into reservoirs.	2,220	11°7
New River Cut after passing through reservoirs.	460	12°7
Lea at Angel Road	4,020	11°8
" after storage for 15 days	1,420	12°2
THAMES.		
Chelsea	10	12°9
West Middlesex	10	12°8
Southwark, No. 4 well, Hampton	22	11°7
" " 8	86	13°9
Grand Junction (Hampton general well)	150	12°8
" (Kew general well)	24	13°2
" (Kew South well)	22	14°2
Lambeth	40	13°2
LEA.		
New River, main filter well	24	12°7
" No. 1 well	12	12°6
" No. 4	0	12°8
East London, No. 1 Essex well	12	12°0
" No. 11 bed	80	12°0
" No. 12 "	240	11°8
DEEP WELL.		
Kent	7	11°4

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city "was clear and green."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained "a little suspended matter."

The Registrar General, &c. &c.

I am, &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	April 13th. Grand Junction Co.'s intake at Hampton.	14.0	28.80	.216	.035	.005	.104	.233	1.7	18.9
	Chelsea - - -	April 17th. Cab Rank, Horse Guards, Whitehall.	12.3	28.00	.151	.020	0	.213	.233	1.7	18.9
	West Middlesex -	April 17th. Cab Rank, Riding House- street.	10.2	26.48	.126	.015	0	.193	.208	1.7	18.3
	Southwark -	April 17th. Cab Rank, St. George's Church, Borough.	13.5	26.70	.104	.015	0	.175	.190	1.7	18.6
	Grand Junction -	April 17th. Cab Rank, Portman- street, Oxford-street.	13.2	27.60	.142	.018	0	.209	.227	1.7	19.1
	Lambeth - - -	April 17th. Cab Rank, St. George's- road, Southwark.	12.8	28.30	.127	.021	0	.210	.231	1.7	19.4
	LEA. (Unfiltered water) -	April 16th. New River Cut at Green-lanes.	11.7	29.40	.109	.023	.002	.263	.283	1.6	19.7
	New River - - -	April 17th. Cab Rank, Tottenham Court-road.	12.9	27.00	.058	.011	0	.211	.222	1.6	19.1
	(Unfiltered water) -	April 16th. East London Co.'s intake at Angel-road.	11.8	30.80	.165	.029	.004	.197	.229	1.9	20.9
	East London -	April 17th. Cambridge-road, E.	12.1	30.10	.118	.017	0	.199	.216	1.9	19.4
Outer Circle.	DEEP WELLS. Kent - - -	April 17th. Mill-lane, Deptford.	12.1	37.54	.034	.006	0	.485	.491	2.1	24.8
	Colne Valley - -	April 9th. Bushey.	—	16.60	.099	.022	.039	.424	.478	2.1	6.3
	Tottenham - - -	April 12th. Tottenham.	—	40.58	.053	.010	.010	.045	.063	2.8	23.3
	East London - -	April 17th. Watham Abbey well.	—	27.70	.114	.008	trace	.011	.019	2.0	18.0
	Corporation of Birm- ingham* - - -	April 10th. 22 Court, Sherlock-street.	10.6	32.2	.139	.026	0	.297	.323	2.8	19.6
Corporation of Glasgow† -		April 16th. Loch Katrine Water.	6.8	2.8	.118	.014	0	.004	.018	.7	.7
Column 1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.

† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 17th April, at the Horse Guards cab-rank, had a temperature of 12° 3 C.; 100,000 lbs. of it contained 28.00 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained .151 lb. of carbon and .020 lb. of nitrogen. The above quantity of water also contained no ammonia and .213 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was .233 lb. The above weight of water also contained 1.7 lb. of chlorine and 18.9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Table 2.—Births, Deaths, and Meteorology, in 33 Great Towns, during the Week ending 12th May 1894.

CITIES AND BOROUGHES.	Cols.	POPULATION to the middle of the Year 1864.*			Registered during the Week ending 12th May 1864.		The DEATHS registered in the Week include												TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGHES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		1.	2.	3.	Deaths of			Deaths from					Inquest Cases.				Deaths in Public Institutions.		Unassisted Deaths.		Annual Rate per 1000, corresponding to the Week's Deaths		Mean.				In Inches.	In Centi- metres.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
					Infants under 1 Year of Age.	Persons aged 1 to 60 Years.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unassisted Deaths.	From All Causes.	From Diseases in Cols. 6-12.	Highes.		Fahrenh.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																					Lowest.	Centigrade.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

See note, * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the NINETEENTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2811	2544	2424	2481	2574	2565	2803	2582	2877	2532	2712.2	2589
Males . .	1391	1318	1244	1263	1308	1264	1163	1292	1459	1290	1371.2	1322
Females .	1420	1226	1180	1218	1266	1301	1145	1290	1418	1242	1341.0	1267
TOTAL Deaths	1586	1496	1414	1395	1360	1295	1469	2245	1597	1460	1616.6	1532
Males . .	819	784	703	731	715	619	731	1198	821	779	832.7	785
Females .	767	712	711	664	645	676	688	1107	776	681	783.9	747

* The numbers in this column are the average weekly numbers in the nineteenth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.
TOTAL Births	2602	2587	2564	2636	2558	2496	2437	2682	2600	2457	2485	2637	2589
TOTAL Deaths	1552	1664	1748	1700	1610	1691	1737	1587	1609	1511	1546	1494	1532
Ages at													
{ 0-20 years	705	771	793	740	737	802	822	792	800	728	778	706	730
{ 20-40 "	190	245	226	241	185	208	214	197	210	187	179	184	216
{ 40-60 "	307	272	323	298	276	305	287	265	265	296	303	247	267
{ 60-80 "	292	323	338	345	336	301	340	263	281	259	250	253	267
{ 80 years & upwards	58	53	68	76	76	75	74	70	53	41	36	44	52
Death													
{ Under 1 year	357	384	403	352	333	370	335	368	361	337	356	278	286
{ 1-5 "	258	275	267	293	298	313	357	320	327	299	321	331	343
{ 5-20 "	90	112	123	95	106	119	130	104	112	92	101	97	101
Deaths from Small-pox	-	2	1	-	3	1	-	2	-	4	6	6	4
" " Measles	40	59	47	66	74	96	138	132	112	124	130	125	152
" " Scarlet fever	24	20	20	17	19	13	23	20	29	30	25	30	25
" " Diphtheria	58	42	59	53	52	56	57	63	50	53	63	58	55
" " Whooping-cough	60	74	72	59	55	49	73	64	53	43	77	59	53
" " Typhus	-	1	-	-	-	-	-	-	-	1	-	-	-
" " Enteric fever	8	4	12	10	14	9	12	7	9	8	9	8	9
" " Simple Contag. fever	-	-	1	-	-	-	-	-	-	-	-	-	-
" " Diarrhœa and Dysentery	16	16	14	13	10	12	7	7	14	9	8	11	14
" " Cholera	-	-	-	-	-	-	-	-	1	-	-	-	-
" " all the above- mentioned Diseases	206	218	226	218	227	236	310	295	268	277	318	297	312
" " Dis. of Respira- tory System	340	408	413	434	373	397	347	314	304	304	255	237	272
" " Phthisis	145	185	175	151	154	182	173	128	144	153	153	150	169
" " Dis. of Circula- tory System	118	112	157	129	114	138	187	111	131	104	124	101	86
Violent Deaths	61	62	70	65	75	62	74	63	64	63	55	45	52
Inquest Cases	140	141	165	138	140	133	153	128	121	146	128	91	126
Deaths in Public Institutions	486	462	479	500	436	450	495	444	461	451	432	416	437
TEMPERATURE OF THE AIR													
Mean	41.0	34.3	44.0	44.2	42.6	43.1	48.2	50.6	55.2	48.7	49.5	48.8	51.0
Mean of Highest readings	45.9	41.0	51.4	51.7	51.3	52.4	61.4	63.1	68.5	56.0	60.4	57.9	61.1
Mean of Lowest readings	36.7	27.3	37.3	37.6	35.9	35.8	34.5	40.5	43.4	43.1	40.9	40.7	42.6
Humidity of the Air	83	78	84	81	79	86	71	76	67	81	78	78	76
Rain-fall in inches	0.60	0.21	0.45	0.19	0.41	0.00	0.00	0.01	0.06	0.26	0.98	0.18	0.44
Registered Sunshine (in hours)	8.1	38.0	15.6	14.4	25.4	20.6	60.5	36.9	37.7	18.6	27.7	14.0	23.8

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A.W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandsthorpe, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer, of Health, Sunderland.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the NINETEENTH Week of the Year 1894.

CAUSES OF DEATH.		Corrected Averages for the 19th Week of the 10 years 1884-93.*	In the Week ending Saturday, 12th May 1894.										CAUSES OF DEATH.	Corrected Averages for the 19th Week of the 10 years 1884-93.*	In the Week ending Saturday, 12th May 1894.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			Deaths of Persons of the Ages												Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0-1.	1-5.	5-20.	0-1.	1-5.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
ALL CAUSES - -		1616.6	1532	286	343	101	216	267	267	52			Diseases of Organs of Special Sense - -	2.3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent. for increase of population. Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When a medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."† The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation. 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON	4,211,743	2589	1532	286	319	4	152	25	55	53	-	9	-	14	52	123	437		
WEST DISTRICTS	740,735	393	285	45	71	-	29	1	8	7	-	2	-	1	8	22	83		
NORTH DISTRICTS	993,884	571	313	55	63	-	26	4	13	12	-	2	-	2	7	13	76		
CENTRAL DISTRICTS	247,538	117	79	18	13	-	-	-	3	4	-	-	-	-	3	8	32		
EAST DISTRICTS	705,114	593	393	61	51	-	33	2	12	17	-	2	-	4	11	37	95		
SOUTH DISTRICTS	1,524,472	915	520	106	105	-	63	13	19	13	-	3	-	6	21	39	105		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	47	1	13	4	1	5	-	-	-	-	-	1	2	2	47		
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.	84150	44	21	5	4	-	1	-	-	1	-	-	-	-	-	2	3		
St. John Paddington H - G.J.	33687	10	4	-	1	-	-	-	1	-	-	-	-	-	-	-	2		
Kensington Town W - W.M.	118751	58	53	12	17	-	4	-	1	1	-	-	-	-	-	2	17		
Brompton H - W.M. & C.	47557	9	13	-	5	-	-	-	1	-	-	-	-	-	-	1	2		
S. Peter Hammersmith - W.M.	8535	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.	88833	61	35	7	8	-	4	-	1	2	-	2	-	-	3	6	8		
Fulham W - W.M. & C.	91639	79	35	7	7	-	8	1	4	2	-	-	-	-	1	2	10		
Chelsea Kensal Town - C.	21787	17	5	-	1	-	1	-	-	-	-	-	-	-	-	1	-		
Chelsea North WHHHH - C.	41637	20	21	1	8	-	-	-	-	1	-	-	-	1	-	15	1		
Chelsea South HH - C.	32829	19	17	3	6	-	2	-	-	1	-	-	-	-	1	3	1		
May Fair W - G.J.	23733	5	11	1	4	-	-	-	-	-	-	-	-	-	1	2	7		
Belgrave WHHH - C.	54631	22	23	3	5	-	2	-	-	-	-	-	-	-	1	2	10		
St. John Westminster HHH - C.	34106	20	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Margaret Westminster H - C.	21668	8	12	2	2	-	3	-	-	-	-	-	-	-	-	-	4		
St. James Westminster WHH N.R. & G.J.	24995	9	3	1	1	-	-	-	-	-	-	-	-	-	1	1	2		
St. Anne Soho HHHHHH - N.R.	12317	10	4	2	-	-	-	-	-	1	-	-	-	-	-	-	1		
NORTH DISTRICTS.																			
All Souls Marylebone } - W.M.	37713	16	10	2	1	-	-	-	1	-	-	1	-	-	2	2	3		
HHHHHHH } - G.J. & W.M.	20924	8	4	1	-	-	1	-	-	-	-	-	-	-	-	1	1		
Rectory Marylebone W - W.M.	19239	37	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-		
St. Mary Marylebone HHHH G.J. & W.M.	33327	13	6	2	-	-	-	-	-	-	1	-	-	1	-	1	-		
Christchurch Marylebone H - W.M.	32101	16	12	2	2	-	1	-	2	-	-	-	-	-	1	1	-		
St. John Marylebone H - W.M.	68416	27	25	5	5	-	3	1	4	1	-	-	-	-	-	-	8		
Hampstead WHHHHH N.R. & W.M.	36590	17	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Regent's Park Pancras HH - W.M.	26321	10	15	1	3	-	-	-	-	-	-	-	-	-	-	-	12		
Tottenham-court WHHHH N.R. & W.M.	27455	18	15	2	2	-	1	-	-	1	-	-	-	-	1	3	8		
Gray's Inn Lane HHH - N.R.	23229	20	8	2	1	-	-	-	-	-	-	-	-	-	1	2	1		
Homers Town HH - N.R.	15119	10	7	-	3	-	1	-	-	-	-	-	-	-	-	-	4		
Camden Town WH - N.R.	95765	73	45	9	7	-	-	-	1	2	-	-	-	-	2	4	11		
Kentish Town W - N.R.	90235	53	32	9	8	-	2	-	-	1	-	-	-	-	-	-	13		
Upper Holloway WWHHHH - N.R.	105557	64	30	4	8	-	6	-	-	1	-	-	-	-	-	-	-		
Islington South-west H - N.R.	64153	36	20	4	5	-	4	-	1	1	-	-	-	-	2	-	-		
Islington South-east - N.R.	60193	25	13	-	1	-	3	-	1	2	-	-	-	-	-	-	1		
Highbury HH - N.R.	80936	16	8	1	2	-	-	-	-	1	-	-	-	-	-	-	-		
Stoke Newington H - N.R.	17759	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - E.L.	42802	18	12	4	2	-	-	1	1	1	-	1	-	1	-	-	3		
West Hackney H - N.R.	96486	64	37	6	9	-	4	2	1	-	-	1	-	-	1	1	15		
Hackney WWHHH - E.L. & N.R.	41759	20	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
South Hackney W - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																			
St. George Bloomsbury - N.R.	16695	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - N.R.	12454	11	9	1	2	-	-	-	-	2	-	-	-	-	-	-	3		
St. Giles North H - N.R.	9633	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Martin-in-the-Fields HHN R. & C.	14616	5	7	1	-	-	-	-	-	-	-	-	-	-	1	1	2		
St. Mary-le-Strand H - N.R.	5706	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Clement Danes WH - N.R.	7194	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
Strand Union Workhouse, Edmo ton w.	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Geo.-the-Martyr HHHHHH N.R.	17921	5	10	3	-	-	-	-	1	1	-	-	-	-	-	-	8		
St. Andrew Eastern W - N.R.	15343	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. James Clerkenwell - N.R.	16803	13	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - N.R.	16883	15	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pentonville - N.R.	17155	12	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Goodwell-street - N.R.	15375	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
City-road HHHH - N.R.	29177	20	13	3	3	-	-	-	-	-	-	-	-	-	-	2	2		
Whitecross-street - N.R.	8278	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Finsbury - N.R.	4955	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, Mitcham w.	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1		
S. Botolph H - N.R. & E.L.	8944	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Cripplegate - N.R.	4539	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S. Sepulchre H - N.R.	4444	1	12	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Bride W - N.R.	6594	-	-	-	-	-	-	-	2	-	-	-	-	-	2	2	12		
A. Hallows Barking - N.R.	10422	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
B. and Street H - N.R.	3377	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italian letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts: —, signifies Great Junction Company; W. M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N. R., River; E. L., East London; and K., the Kent Company.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1891.	Total Births.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
			Total Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.			
EAST DISTRICTS.																	
British South HL*	E.L. & N.R.	20068	12	9	1	1	-	-	-	-	-	-	-	-	1	1	3
on New Town w	- N.R.	29313	16	14	-	7	-	-	-	1	1	1	-	-	-	-	-
on Old Town -	- N.R.	28564	16	10	4	3	-	-	-	1	1	1	-	-	1	2	8
erston WH -	N.R. & E.L.	46244	55	20	2	6	-	2	-	2	1	-	-	-	1	5	9
nal Green North H	- E.L.	51820	30	28	10	-	-	5	-	-	3	-	-	-	-	3	-
nal Green South -	- E.L.	33489	34	11	2	1	-	-	-	2	1	-	-	-	2	4	-
nal Green East WHL*	- E.L.	44123	42	23	-	5	-	2	-	1	-	-	-	-	-	-	12
Fields -	E. N.R.	22456	23	11	7	2	-	4	-	-	-	-	-	1	-	-	-
End New Town W	- E.L.	17908	38	10	1	2	-	-	-	-	-	-	-	-	-	-	-
echapel Church H	E.L. & N.R.	30298	18	27	8	-	-	4	-	-	1	-	-	3	5	7	22
man's Fields -	- E.L.	19800	10	8	1	1	-	-	-	-	-	-	-	-	-	-	-
George's North -	- E.L.	37738	38	3	1	-	-	-	1	-	-	-	-	-	-	-	-
ohn, St. George East W	- E.L.	8057	5	12	1	2	-	-	-	-	2	-	-	-	2	7	-
well H -	E.L. & N.R.	40246	10	9	3	-	-	2	-	1	-	-	-	-	-	1	5
lf W -	- E.L.	14928	11	4	2	-	-	-	-	-	1	-	-	-	-	1	-
house -	- E.L.	32202	21	10	-	1	-	2	-	-	-	-	-	1	3	-	-
End Old Town West H	- E.L.	38650	49	18	6	4	-	-	-	1	2	-	-	-	-	1	1
End Old Town East WwH	- E.L.	68942	47	33	4	6	-	5	1	2	2	-	-	-	-	3	9
L* -	- E.L.	40365	30	13	3	1	-	2	-	-	1	-	-	-	-	3	-
uley wwwwH -	- E.L.	70000	62	23	5	5	-	3	-	1	-	-	-	-	-	-	10
ar. WW -	- E.L.	56383	46	17	5	3	-	1	-	1	1	-	1	2	5	2	-
SOUTH DISTRICTS.																	
litchurch Southwark WH	L. & S.	18264	8	5	4	-	-	1	-	-	-	-	-	-	1	2	1
Saviour Southwark -	- S.	18913	6	3	1	1	-	1	-	-	-	-	-	-	-	-	-
Southwark -	S. & L.	21867	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-
South-road WH	- S. & L.	16624	16	8	1	1	-	2	-	-	-	-	-	-	1	4	-
South-road HL	- L. & S.	21221	11	7	1	4	-	1	-	-	-	-	-	-	-	-	-
City Newington -	S. & L.	26596	20	12	2	1	-	-	-	-	-	-	-	-	-	-	1
Peter Walworth W	S. & L.	61342	35	13	4	1	-	6	-	-	-	1	-	-	-	-	-
Mary Newington -	- L. & S.	27866	22	8	3	-	-	-	-	-	-	-	-	-	-	-	-
Olave WH -	- S.	12723	7	18	3	1	-	2	-	1	-	-	-	-	2	2	10
lber Market -	S. & L.	14952	10	4	3	1	-	-	-	-	-	-	-	-	-	1	-
Mary Magdalen W	- S.	15660	9	7	2	1	-	-	-	-	-	-	-	-	-	-	-
James Bermondsey -	- S.	54070	39	17	3	5	-	1	-	-	-	-	-	1	-	1	1
erthie WH -	S. & K.	38255	29	26	6	4	-	4	-	3	-	-	-	-	-	4	3
erloo-road 1st H -	- L. & S.	14031	6	7	2	-	-	3	-	-	1	-	-	-	-	-	-
erloo-road 2nd H -	- L. & S.	14644	18	5	-	-	-	2	-	-	1	-	-	-	1	1	-
erloo Church 1st H -	- L. & S.	18075	8	20	-	1	-	-	-	3	-	-	-	-	2	18	-
erloo Church 2nd WW -	- L. & S.	39097	30	17	8	2	-	2	-	-	-	-	-	-	2	5	1
ington 1st H -	- S. & L.	50586	27	11	6	3	-	1	-	-	3	-	-	-	2	-	-
ington 2nd. -	- S. & L.	39708	23	8	3	1	-	2	1	-	-	-	1	-	-	-	-
ton w -	- L. & S.	73405	26	10	4	3	-	2	1	2	-	-	-	3	3	2	-
wood W -	- L.	25657	12	6	1	2	-	1	-	-	-	-	-	-	-	-	-
Battersea -	- S.	67244	56	16	3	2	-	1	-	3	1	-	-	-	1	2	-
at Battersea WwH -	- S.	83314	42	42	6	12	-	11	-	1	-	-	-	1	3	8	-
ham H -	- S.	43698	22	11	5	5	-	1	-	1	-	-	-	-	1	-	-
adsworth WHL -	- S.	46717	17	13	4	-	-	7	-	-	-	-	-	-	1	1	-
ney -	- S.	17771	7	5	-	4	-	-	-	-	-	-	-	-	-	-	-
atham wwww -	- L.	48756	29	18	-	4	-	-	6	1	-	-	-	-	-	6	-
wich -	- L. & S.	6809	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
aberwell WwL*L* -	- S. & L.	81686	50	39	3	16	-	1	-	2	3	-	-	-	2	2	-
ham WW -	S. L. & K.	38483	54	24	7	2	-	2	-	1	-	-	-	1	1	-	1
George Camberwell -	- L. & S.	63366	41	13	2	2	-	3	-	-	1	-	-	-	2	3	-
otford, North -	- K.	55914	16	7	2	2	-	-	-	-	1	-	-	-	-	-	2
otford, Central w -	- K.	42007	48	20	4	3	-	3	4	-	1	-	-	-	1	1	5
otford, South -	- K.	30852	14	8	2	4	-	-	-	-	-	-	-	-	1	1	-
enwich West H -	- K.	22007	14	6	1	2	-	1	-	-	-	-	-	-	-	-	2
enwich East WH -	- K.	35233	17	15	-	3	-	-	-	1	-	-	-	3	4	7	-
ham H -	- K.	5682	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
ham WH -	- K.	35541	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-
enham H -	- K.	90950	20	6	1	1	-	-	-	-	-	-	-	1	-	-	-
-	- L.	34162	16	6	1	2	-	-	-	2	-	-	-	-	-	-	-
arlton HH -	- K.	14040	4	4	-	-	-	-	-	-	-	-	-	-	1	1	2
Olwich Dockyard -	- K.	19606	10	5	-	1	-	-	1	-	-	-	-	-	-	-	-
Olwich Arsenal HH -	- K.	41242	11	7	2	-	-	-	-	-	-	-	-	-	-	-	-
instead, West H -	- K.	18469	13	5	-	3	-	-	-	-	1	-	-	-	-	-	-
instead, East W -	- K.	66567	23	13	2	3	-	-	-	2	-	-	-	-	2	4	2
instead Asylum -	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	2
erham Asylum -	-	-	7	-	-	3	-	-	-	-	-	-	-	1	-	-	7
ie Hill Asylum -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
apital Ships and Camp, Dartford -	-	-	4	1	1	4	-	-	-	-	-	-	-	-	-	-	4
erth Asylum -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	2
well Asylum -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
ney Hatch Asylum -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1
l. Hospital -	-	-	6	-	-	-	-	1	4	-	-	-	-	-	-	-	6
echmore Hill Hospital -	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1
resden Asylum -	-	-	5	-	-	3	-	-	-	-	-	-	-	-	-	-	5
rbury Asylum -	-	-	13	-	3	6	-	-	-	-	-	-	-	1	1	13	-

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 12th May, 1894.

Regis- tration District and Sub- District Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Cen- sused Popu- lation, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Cases of Death.	
LONDON—OUTER RING		368,749	1,422,063	865	381	103	77	1	27	3	8	19	4	4	11	19	40	10	
30: 1	Carshalton WHH -	12228	28108	8	6	2	3	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* WHH -	10423	12508	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W -	754	1593	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon WHH -	20351	128699	76	29	8	5	-	-	-	-	5	-	-	1	1	8	-	
2	Mitcham w -	11697	23088	12	4	1	-	-	-	-	-	1	-	-	-	1	1	-	
89: 1	Wimbledon HHH -	3220	25761	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston WHH -	8071	44765	28	8	4	1	-	-	-	-	1	-	-	-	-	-	-	
3	Esher, part of* -	6601	12059	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H -	4555	18252	7	5	1	-	-	-	-	-	-	-	-	-	2	-	-	
40: 1	Richmond WH -	2160	25389	12	6	1	1	-	-	-	-	-	-	1	1	1	2	-	
2	Mortlake H -	2823	16159	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley HHH -	9127	23815	15	5	1	-	-	2	-	-	-	1	-	-	-	-	1	
2	Beckenham H -	6542	21969	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	16	8	2	2	-	-	-	2	-	-	-	-	-	-	-	
42: 1	Bexley H -	12540	30590	18	6	4	-	-	-	-	-	-	-	-	1	1	-	-	
2	Dartford Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124: 1	Stamford w -	11054	13871	9	5	1	2	-	-	-	-	1	-	-	1	1	-	-	
2	Staines W -	18277	13221	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hillingdon WHH -	6035	12237	7	5	-	-	-	1	-	-	1	-	-	-	-	-	-	
2	Uxbridge -	6172	5417	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH -	14537	12618	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	
126: 1	Isleworth WH -	6967	26273	13	4	-	2	-	-	-	-	-	-	-	-	-	1	-	
2	Twickenham HH -	2415	16027	8	4	1	1	-	-	-	-	-	-	-	-	-	-	1	
3	Brentford HHHH -	4818	37777	22	7	2	1	-	-	-	-	-	-	-	-	-	-	-	
4	Chiswick -	1245	21963	13	10	1	3	-	-	-	-	-	-	-	2	2	-	-	
5	Aston WH -	6132	30945	21	7	1	1	-	-	1	-	-	-	-	-	1	-	-	
127: 1	Harrow HHH -	13809	18715	5	9	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware H -	6994	3844	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH -	4383	61265	53	23	6	4	-	1	1	-	2	-	-	-	-	1	-	
4	Hendon W -	8382	15843	13	2	1	1	-	-	-	-	-	-	-	-	-	2	-	
128: 1	South Mimms -	1569	8474	2	4	-	3	-	-	-	1	-	-	-	-	-	-	-	
2	Barnet WHH -	5441	11778	6	1	-	1	-	-	-	-	1	-	-	-	-	1	-	
3	Finchley HH -	4688	25820	14	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
129: 1	Hornsey H -	3039	61097	82	10	1	4	-	-	-	-	1	-	-	-	-	-	-	
2	Tottenham H -	4642	97174	56	20	10	2	-	-	1	1	-	1	2	4	2	1	-	
3	Edmonton WW -	7489	36351	23	12	4	3	-	-	1	-	1	-	-	-	-	3	-	
4	Enfield WHH -	12639	31803	16	13	4	2	-	-	2	-	1	1	-	1	-	-	-	
5	Waltham Abbey -	11017	6066	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1	
6	Cheshunt H -	8480	9620	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
130: 1	Hatfield, part of* -	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
131: 1	Bushy -	9331	7787	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136: 1	Stratford H -	1100	42083	32	17	5	1	-	5	-	1	1	-	-	-	1	-	1	
2	Plaistow HHHH -	1242	58030	52	22	7	2	-	2	-	-	-	2	-	-	-	1	-	
3	Canning Town H -	1568	54750	36	27	7	-	-	10	-	-	-	-	-	-	-	2	1	
4	Forest Gate w -	806	49140	37	16	4	5	-	1	-	1	-	1	-	-	-	-	1	
5	East Ham ww -	3266	32713	21	5	1	2	-	-	-	-	-	-	-	-	-	-	-	
6	Leyton WW -	4354	70188	40	26	7	12	-	-	-	-	1	-	-	1	1	12	3	
7	Walthamstow HHL -	6561	57330	49	18	4	5	-	1	1	-	1	-	-	1	2	-	-	
137: 1	Chigwell, part of* H -	11779	12941	9	5	2	1	-	-	-	-	-	-	-	1	1	-	-	
2	Epping Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, part of* WH	6556	4324	1	2	-	1	-	1	-	-	-	-	-	-	-	1	-	
2	Ilford -	8493	10913	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town -	3814	14301	15	5	3	-	1	-	-	1	-	-	-	-	-	1	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, Epsom sub-district, except the parishes of Ashted and Headley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2382); 41: 2, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3997); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Tudeam Bois (1078); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford; 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 12th May, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.		
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
GREATER LONDON	443,421	5,948,300	16·8	3·3	1913	389	396	5	179	28	63	72	13	18	63	477				
INNER LONDON -	74,672	4,340,166	18·4	3·7	1532	236	319	4	152	25	55	53	9	14	52	437				
OUTER RING -	368,749	1,599,134	12·4	2·2	381	103	77	1	27	3	8	19	4	4	11	40				

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.	
DINBURGH	270,588	May 12	134	94	18·1	-	-	3	2	11	1	4	
GLASGOW	686,820	" 12	410	283	21·5	-	-	4	5	21	3	6	
DUBLIN	349,594	" 12	204	136	20·3	-	-	1	-	8	1	2	
CALCUTTA	466,460	February 24	-	280	31·3	2	3	-	2	-	110	56†	
BOMBAY	821,764	March 3	-	274	30·6	5	27	-	-	1	110	58†	
MADRAS	452,518	April 24	268	591	37·4	32	2	-	-	-	105	47†	
		March 30	335	268	30·8	1	5	-	-	-	114	32†	
		April 6	269	313	35·9	2	2	-	-	-	124	43	
PARIS	2,424,705	May 5	1129	1090	22·6	3	49	5	29*	3	18	42	
BRUSSELS	488,188	" 5	223	179	19·1	1	-	-	2*	3	-	16	
AMSTERDAM	437,892	" 5	259	173	20·2	1	3	-	5	-	-	-	
ROTTERDAM	228,597	" 5	128	117	26·6	13	-	-	-	1	-	-	
THE HAGUE	174,790	" 5	106	51	15·1	-	3	-	-	-	-	-	
COPENHAGEN	341,000	" 5	206	140	21·4	-	3	8	4	-	-	9	
STOCKHOLM	252,937	April 28	115	90	18·5	-	-	1	1*	1	-	5	
CHRISTIANIA	161,151	May 5	61	86	27·7	-	9	-	1	1	-	6	
S. PETERSBURG	954,400	April 21	610	529	28·9	-	30	6	18	8	41	40	
MOSCOW	753,469	" 28	-	551	38·1	2	15	5	6	4	5	37	
BERLIN	1,714,938	" 21	869	579	17·8	1	7	3	29	9	1	26	
AMSTERDAM	594,209	May 5	-	201	17·6	-	10	-	9*	1	1	6	
BRUSSELS	312,772	April 14	-	-	-	-	-	-	-	-	-	-	
WRESLAU	360,660	May 5	-	170	24·8	-	1	1	2*	-	-	24	
MUNICH	390,000	" 5	-	190	25·3	-	-	1	3*	1	-	27	
VIENNA	1,465,537	" 5	995	695	24·7	1	28	18	36*	-	2	38	
BRAGUE	339,172	" 5	250	212	32·0	-	15	1	3	2	6	4	
JUDA-PESTH	552,769	April 28	422	348	32·7	-	3	3	11	-	1	14	
BRISTOL	159,739	" 28	77	90	29·2	3	4	3	4*	-	-	-	
ROME	450,991	March 31	205	175	20·2	-	5	-	-	-	2†	3	
BRIN (10 days)	337,997	April 10	215	218	23·5	-	15	1	3	1	1	10	
BRINICE	160,406	" 28	62	57	18·5	-	-	-	1*	1	1	5	
ALIRO	374,838	" 12	384	351	43·7	-	1	-	1*	3	11	94	
ALEXANDRIA	281,396	" 12	206	195	43·9	2	1	-	-	3	5	49	
NEW YORK	1,925,569	" 21	-	847	22·7	3	28	19	62	12	7	9	
BROOKLYN	1,020,000	" 21	-	361	18·5	7	8	5	20	1	1	2	
PHILADELPHIA	1,139,457	" 21	-	423	19·4	-	5	4	18	1	7	1	
NEW ORLEANS	254,000	March 31	-	99	20·3	-	-	-	-	-	7	6	

* Including deaths from croup.

† Including 32 and 27 deaths, respectively, from cholera in Calcutta, 2 in Bombay, and one in Madras.

‡ Including one death from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 12TH MAY, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894. MAY.		Phases of the Moon.	TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a Gauge whose receiving surface is 16 inches square and the Gauge on each of the Ground.	Ozone.	
			Baro- meter.	Of the Air.					Difference between the Air Temperature and Dew Point Temperature.					TEMPERATURE.		General Direction.				Pressure on the Square Foot.		Robinson's.			
				Mean daily range (cor- rected and re- ferred to 32° Fahr- enheit).	High- est.	Low- est.	Daily Range.	Mean value.	De- parture from Average of 50 years.	Mean daily value.	Great- est. value.	Least. value.	Degree of the midity (Satu- ration 100).	Of Radiation.		P.M.		Great- est.	Mean of 24 hours of the dayly obs.	Horizontal Movement of the Air on each Day.	Depar- ture from Average of 10 Years.				
														Highest in Sun's Rays.	Lowest on the Grass.	A.M.									
SUNDAY	6	29.617	62.7	45.2	17.5	53.5	+ 2.9	43.4	10.1	18.9	1.0	69	126.2	40.1	SW.	SW.	1.7	0.0	0.1	326	in. 0.00	0.5			
MONDAY	7	29.713	64.7	41.2	23.5	51.7	+ 0.9	39.9	11.8	22.3	0.5	64	125.8	34.1	WSW.	WSW.	4.0	0.0	0.2	375	+123	3.8			
TUESDAY	8	29.851	63.3	43.5	19.8	53.4	+ 2.4	43.8	9.6	15.7	1.1	70	110.1	38.9	SW.	SSW.	3.2	0.0	0.1	349	+ 98	3.8			
WEDNESDAY	9	29.626	61.3	43.3	18.0	50.6	- 0.6	44.2	6.4	16.3	0.0	79	115.0	34.6	SSE. & S.	S. & SSW.	5.3	0.0	0.3	338	+107	0.0			
THURSDAY	10	29.630	58.9	40.4	18.5	49.1	- 2.4	45.1	4.0	11.4	0.0	86	123.1	34.6	S.	SSW. & S.	10.4	0.0	0.3	370	+119	0.0			
FRIDAY	11	29.648	61.0	39.6	21.4	49.8	- 1.9	46.1	3.7	14.8	0.0	87	111.0	32.8	SSW. & S.	S. SE. & SSW.	1.9	0.0	0.0	237	- 13	2.0			
SATURDAY	12 First Qr.	29.837	56.0	44.8	11.2	49.2	- 2.8	41.5	7.7	12.9	1.0	75	81.0	37.0	SW. & NNW.	NNW. & NW.	9.3	0.0	0.5	339	+149	0.0			
MEANS	.	29.703	61.1	42.6	18.6	51.0	- 0.2	43.4	7.6	16.0	0.5	76	113.2	36.0	SW.		Sum 2414	Sum +057	1.4			
Number of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	

GENERAL REMARKS.

DATE.	ELECTRICITY (For explanation of symbols, see Note.)	Registered Sun above Horizon in hours.	Remarks.
SUNDAY	6 w. P. throughout	2.3	15.1 Fine; partially cloudy.
MONDAY	7 w. P. in morning; v. P. and w. N. after- wards.	9.0	15.1 Fine; partially cloudy till evening; cloudless at night.
TUESDAY	8 w. P. generally	3.0	15.2 Cloudless in early morning; generally cloudy during day.
WEDNESDAY	9 w. P. till 9h. A.M.; v. P. and v. N. afterwards.	0.6	15.2 Cloudy till night with frequent showers in afternoon and evening; fine with little cloud at night.
THURSDAY	10 w. P. till 7h. A.M.; s. N. and s. P. till 8h. A.M.; m. P. after- wards.	5.3	15.3 Fine and partially cloudy in early morning; variable with heavy showers till evening; cloudless at night.
FRIDAY	11 m. P. till 9h. P.M.; m. N. and v. P. after- wards.	3.4	15.3 Cloudless and very fine till 8h. A.M.; cloudy afterwards; shower in afternoon and evening.
SATURDAY	12 v. P. throughout	0.2	15.4 Overcast till afternoon; fine and partially cloudy till evening; showers at night; heavy showers between 8h. A.M. and 9h. A.M. Windy at times.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - lower, than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: — P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.68 at the beginning of the week to 29.61 in. by noon on the 6th; increased to 29.87 in. by 9h. A.M. on the 8th; decreased to 29.59 in. by 3h. P.M. on the 9th; increased to 29.71 in. by 9h. A.M. on the 11th; decreased to 29.56 in. by 3h. P.M. on the same day; and increased to 29.82 in. by the evening of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY BYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 20. 1894. VOL. LV.]

WEEK ENDING SATURDAY, MAY 19.

[Price 1½d.

General Register Office, Somerset House,
May 21st, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·1 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Apr. 28.	May 5.	May 12.	May 19.		Apr. 28.	May 5.	May 12.	May 19.
Birkenhead	19·7	20·2	25·2	18·3	Liverpool -	25·6	21·3	23·8	21·8
Birmingham	22·5	19·9	20·8	18·6	London -	18·5	17·2	18·4	17·5
Blackburn -	12·0	15·8	17·0	16·2	Manchester -	20·9	18·8	20·8	17·4
Bolton -	16·7	11·0	18·1	15·4	Newcastle-on-Tyne	19·9	18·8	17·3	16·8
Bradford -	17·5	15·1	15·4	18·4	Norwich -	15·3	12·8	16·3	22·2
Brighton -	12·7	14·9	10·5	16·3	Nottingham -	18·2	18·9	19·4	20·1
Bristol -	14·3	19·0	17·7	14·5	Oldham -	25·9	14·7	17·3	14·3
Burnley -	21·6	18·4	10·3	16·2	Plymouth -	11·9	16·6	17·8	16·0
Cardiff -	15·1	16·5	16·1	17·5	Portsmouth -	11·0	11·3	12·2	9·5
Croydon -	10·2	11·2	12·6	7·9	Preston -	17·3	20·6	15·0	14·5
Derby -	12·7	11·1	9·5	12·7	Salford -	16·2	22·8	23·3	21·8
Gateshead -	19·5	13·4	16·8	15·1	Sheffield -	16·3	15·4	17·9	14·5
Halifax -	15·7	14·6	14·6	15·2	Sunderland -	18·4	17·2	16·1	13·4
Huddersfield	13·8	13·2	15·4	16·9	Swansea -	20·8	16·4	12·6	15·9
Hull -	18·4	14·5	19·6	15·9	West Ham -	14·0	15·1	19·7	15·3
Leeds -	16·2	16·2	16·5	16·2	Wolverhampton -	23·3	31·3	22·1	20·8
Leicester -	14·6	14·9	14·6	13·0					

The highest annual death-rates, as measured by last week's mortality, were:—from *measles*, 1·3 in Salford, 1·4 in Leicester, 2·1 in London, 2·2 in Halifax, 2·3 in Nottingham, 2·4 in West Ham, and 2·5 in Birmingham; from *whooping-cough*, 1·0 in Birmingham, in Liverpool, and in Birkenhead, 1·2 in Bristol and in Nottingham, 1·4 in Cardiff, and 1·8 in Plymouth; and from *diarrhoea*, 1·0 in Norwich. The death-rate from *scarlet fever* and from “fever” did not reach 1·0 per 1000 in any of the thirty-three towns. The 72 deaths from *diphtheria* included 56 in London, 3 in Leeds, 2 in Liverpool, and 2 in Hull. Three deaths from *small-pox* were registered in London, 3 in West Ham, 3 in Birmingham, 2 in Manchester, and one death each in Wolverhampton and Oldham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2241 BIRTHS and 1463† DEATHS were registered. Allowing for increase of population, the births were 400, and the deaths 173, below the average numbers in the corresponding weeks of the last ten years. The annual

* By “estimated” population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

death-rate per 1000 from all causes, which had been 18·5, 17·2, and 18·4 in the preceding three weeks, declined again last week to 17·5. During the four weeks ending on Saturday last the death-rate averaged 17·9 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1463 deaths included 3 from small-pox, 175 from measles, 20 from scarlet fever, 56 from diphtheria, 46 from whooping-cough, 8 from enteric fever, one from an ill-defined form of continued fever, 15 from diarrhoea and dysentery, and not one from typhus, or from cholera; thus, 324 deaths were referred to these diseases, being 116 above the corrected average weekly number.

Of the 3 deaths from *small-pox*, one belonged to Mile End Old Town, one to Poplar, and one to Camberwell sanitary areas; there were 200 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 19 in the Highgate Small-pox Hospital, making a total of 219, against 151, 191, and 210 on the preceding three Saturdays; 52 cases were admitted during the week, against 44, 64, and 71 in the preceding three weeks. The death of an infant, aged two months, which occurred in Corfield Street, Bethnal Green, was certified to have resulted from "*varicella*, 7 days." The deaths from *measles*, which had been 130, 125, and 152 in the preceding three weeks, further rose last week to 175, exceeding the corrected average by 104; 15 belonged to Newington, 15 to Battersea, 13 to Islington, 12 to Hackney, and 11 to Bethnal Green sanitary areas. The deaths from *scarlet fever*, which had numbered 25, 30, and 25 in the preceding three weeks, declined last week to 20, but were 5 above the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2307 scarlet fever patients at the end of last week, against 2258, 2293, and 2298 on the preceding three Saturdays; 252 cases were admitted during the week, against 268 and 262 in the preceding two weeks. The deaths from *diphtheria*, which had been 63, 58, and 55 in the preceding three weeks, numbered 56 last week, being 32 in excess of the corrected average; 8 belonged to Islington, 5 to Marylebone, and 5 to Hackney sanitary areas. The Metropolitan Asylum Hospitals* contained 306 diphtheria patients at the end of last week, against 316, 324, and 323 on the preceding three Saturdays; 63 cases were admitted during the week, against 76 and 60 in the preceding two weeks. The deaths from *whooping-cough*, which had been 77, 59, and 53 in the preceding three weeks, further declined last week to 46, and were 19 below the corrected average. The fatal cases of *enteric fever*, which had been 9, 8, and 9 in the preceding three weeks, amounted to 8 last week, being one below the corrected average. The Metropolitan Asylum Hospitals* contained 55 cases of enteric fever and one case of typhus on Saturday last; 13 cases of enteric fever were admitted during the week, against 14 and 4 in the preceding two weeks. The deaths from *diarrhoea*, which had been 8, 11, and 14 in the preceding three weeks, numbered 15 last week, being one above the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 255, 237, and 272 in the preceding three weeks, declined again to 234 last week, and were 102 below the corrected average.

The deaths attributed directly to *influenza* numbered 8, having also been 8 in each of the preceding three weeks.

Different forms of violence caused 57 deaths, concerning all but 2 of which inquests were held. Of these 57 deaths, 9 were cases of suicide, while the remaining 48 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 6 to burns and scalds, 8 to drowning, and 9 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3000 births and 1830 deaths were registered, corresponding to annual rates of 26·3 and 16·0 per 1000 of the estimated population. In the Outer Ring 4 deaths from small-pox, 23 from measles, 11 from diphtheria, 14 from whooping-cough, and 4 from "fever" were recorded. Twelve of the deaths from measles, 6 of those from diphtheria, and 8 of those from whooping-cough occurred in West Ham district. Of the 4 deaths from small-pox, 3 belonged to West Ham district and 1 to Dartford district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·87 inches, and that of the Thermometer 54°·5, the latter being 1°·4 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 14 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 36·5 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 19th May 1894.

CITIES AND BOROUGH.	Registered during the Week ending 19th May 1894.			The DEATHS registered in the Week include											TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGH.				
	1.	2.	3.	Deaths of		Deaths from							From All Week's Deaths (Causes, 6-12. Cols. 18-19.)	Mean.			In Inches.	In Cent.								
				Infants under 1 Year of Age.	Persons Aged 1 Year to 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.		Violence.	Inquest Cases.	Deaths in Public Institutions.			Unclassified Causes of Death.							
																				Highest.	Lowest.		Fahrenheit.	Fahrenheit.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.	
- 33 TOWNS	10458442	5307	3426	791	767	13	257	37	72	112	22	37	127	242	701	54	17.1	2.7	73.2	32.0	51.1	10.61	0.32	0.81	- 33 TOWNS.	
LONDON	4,349,168	2241	1463	339	344	3	175	20	56	46	9	15	57	126	398	11	17.5	3.9	70.0	38.2	54.5	12.50	0.09	0.23	LONDON.	
WEST HAM	238,184	126	70	14	10	3	11	-	1	3	-	-	-	1	8	-	15.3	3.9	72.5	38.0	54.1	12.50	-	0.18	WEST HAM.	
CROYDON	111,921	55	17	3	5	-	-	-	-	-	1	-	-	-	-	-	7.9	0.9	72.5	38.0	54.1	12.28	-	0.15	CROYDON.	
BRIGHTON	118,715	56	37	10	7	-	1	-	-	-	-	-	2	3	10	-	16.3	0.4	73.2	42.4	55.5	13.06	0.06	0.20	BRIGHTON.	
PORTSMOUTH	170,973	79	31	4	7	-	-	-	1	2	-	-	2	4	5	1	9.5	0.9	69.5	41.0	54.1	12.28	0.08	0.15	PORTSMOUTH.	
PLYMOUTH	87,931	35	27	9	9	-	-	-	-	3	-	2	1	1	3	-	16.0	1.8	-	-	-	-	-	1.88	PLYMOUTH.	
BRISTOL	226,578	104	63	10	15	-	2	-	-	5	-	2	2	7	11	1	14.5	2.1	66.0	39.0	50.4	10.22	0.74	1.88	BRISTOL.	
CARDIFF	148,890	81	50	16	4	-	-	-	1	4	-	1	1	3	6	3	17.5	2.1	-	-	-	-	-	-	CARDIFF.	
SWANSEA	55,569	48	29	7	10	-	1	1	1	1	-	-	2	2	1	-	15.9	2.2	-	-	-	-	-	-	SWANSEA.	
WOLVERHAMPTON	85,036	52	34	7	5	1	1	-	1	-	-	1	2	2	7	-	20.8	2.5	62.2	32.0	46.5	8.06	0.68	1.73	WOLVERHAMPTON.	
BIRMINGHAM	492,301	270	176	36	34	3	24	1	-	9	-	2	8	6	20	10	18.6	4.1	-	-	-	-	-	-	BIRMINGHAM.	
NORWICH	105,645	68	45	9	22	-	-	-	-	-	-	-	2	2	2	1	22.2	1.5	70.0	42.4	51.7	10.94	0.16	0.41	NORWICH.	
LEICESTER	189,136	113	47	15	9	-	5	3	-	-	1	1	1	1	2	7	13.0	2.8	-	-	-	-	-	-	LEICESTER.	
NOTTINGHAM	223,584	95	86	19	19	-	10	1	-	5	-	1	1	4	14	1	20.1	4.0	62.3	40.0	49.7	9.83	0.25	0.63	NOTTINGHAM.	
DERBY	58,796	48	24	3	6	-	-	-	-	-	1	-	1	1	3	-	12.7	0.5	-	-	-	-	-	-	DERBY.	
BIRMINGHAM	105,627	68	37	6	9	-	-	-	1	2	1	-	1	4	3	1	18.3	2.0	-	-	-	-	-	-	BIRMINGHAM.	
LIVERPOOL	607,230	304	212	45	39	-	8	3	2	10	2	2	14	18	54	4	21.8	2.8	61.3	37.0	49.4	9.67	0.90	2.29	LIVERPOOL.	
BOLTON	118,303	48	35	9	7	-	-	-	-	1	-	-	-	2	2	-	15.4	0.4	-	-	-	-	-	-	BOLTON.	
MANCHESTER	520,211	204	174	30	43	2	4	2	1	5	1	1	8	11	50	5	17.4	1.6	-	-	-	-	-	-	MANCHESTER.	
SAFORD	205,853	78	86	27	14	-	5	2	1	3	1	1	2	2	14	3	21.8	3.3	-	-	-	-	-	-	SAFORD.	
OLDHAM	128,755	46	18	8	7	1	1	1	-	-	-	-	-	-	4	-	14.3	1.1	-	-	-	-	-	-	OLDHAM.	
BURNLEY	16,478	48	50	9	9	-	-	-	-	-	1	-	1	2	5	-	16.2	0.5	-	-	-	-	-	-	BURNLEY.	
BLACKBURN	125,797	24	39	12	8	-	-	-	-	-	1	-	1	1	2	-	16.2	0.8	-	-	-	-	-	-	BLACKBURN.	
PRESTON	111,425	57	31	8	7	-	1	-	-	2	1	1	-	-	3	-	14.5	2.3	-	-	-	-	-	-	PRESTON.	
HUDDERSFIELD	98,511	32	32	7	9	-	-	-	1	1	-	1	-	-	-	-	16.9	1.6	-	-	-	-	-	-	HUDDERSFIELD.	
HALEFAX	92,861	36	27	7	6	-	4	-	-	-	-	-	-	-	1	3	15.2	2.2	-	-	-	-	-	-	HALEFAX.	
BRADFORD	223,185	118	79	21	17	-	1	3	-	-	-	-	2	7	7	-	18.4	0.9	59.0	41.2	49.6	9.78	0.37	0.94	BRADFORD.	
LEEDS	388,761	216	121	35	24	-	1	-	3	-	-	-	1	5	8	17	2	16.2	0.8	-	-	-	-	-	-	LEEDS.
SHEFFIELD	358,316	169	94	21	23	-	-	-	-	2	2	2	2	2	3	17	3	14.5	0.9	-	-	-	-	-	-	SHEFFIELD.
HULL	212,979	131	65	19	15	-	1	-	-	1	-	1	6	7	7	1	15.9	1.2	6.30	35.0	46.5	8.06	0.07	0.18	HULL.	
SUNDERLAND	136,161	88	35	9	7	-	-	-	-	2	-	-	2	5	4	-	13.4	0.8	-	-	-	-	-	-	-	SUNDERLAND.
GATEHEAD	13,372	43	27	6	5	-	-	-	-	-	-	-	-	1	2	3	-	15.1	-	-	-	-	-	-	-	GATEHEAD.
NEWCASTLE	201,947	116	65	11	12	-	-	-	-	2	1	1	1	5	13	-	16.8	1.0	-	-	-	-	-	-	-	NEWCASTLE.

* See note * on first page of this Return.

*Births, Deaths, Meteorology.***TABLE 2. LONDON.—Births and Deaths Registered in the TWENTIETH Week of each of the Eleven Years, 1884-94.**

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years, 1884-93.*	1894
TOTAL Births	2556	2391	2690	2483	2364	2648	2468	2374	2600	2445	2640.5	2241
Males . .	1279	1222	1340	1242	1256	1358	1283	1214	1328	1267	1349.7	1121
Females .	1277	1169	1350	1241	1108	1290	1185	1160	1272	1178	1290.8	1120
TOTAL Deaths	1536	1554	1379	1536	1469	1231	1466	2235	1587	1503	1635.5	1463
Males . .	801	811	706	819	754	631	762	1166	883	796	858.0	759
Females .	735	743	673	717	715	600	704	1069	704	707	777.5	704

* The numbers in this column are the average weekly numbers in the twentieth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.
TOTAL Births - -	2587	2564	2636	2553	2496	2437	2682	2600	2457	2485	2637	2589	2241
TOTAL Deaths - -	1664	1748	1700	1610	1631	1737	1587	1609	1511	1546	1434	1532	1463
Ages at Death													
{ 0-20 years - -	771	793	740	737	802	822	792	800	728	778	706	730	756
{ 20-40 " - -	245	226	241	185	208	214	197	210	187	179	184	216	154
{ 40-60 " - -	272	323	298	276	305	237	265	265	296	303	247	267	209
{ 60-80 " - -	323	338	345	336	301	340	263	281	259	250	253	267	284
{ 80 years & upwards	53	68	76	76	75	74	70	53	41	36	44	52	60
Under 1 year - -	384	403	352	333	370	335	368	361	337	356	278	286	339
{ 1-5 - -	275	267	293	298	313	357	320	327	299	321	331	343	316
{ 5-20 - -	112	123	95	106	119	130	104	112	92	101	97	101	101
Deaths from Small-pox - -	2	1	-	3	1	-	2	-	4	6	6	4	3
" " Measles - -	59	47	66	74	96	138	132	112	124	130	125	152	175
" " Scarlet fever - -	20	20	17	19	13	23	20	29	30	25	30	25	20
" " Diphtheria - -	42	59	53	52	56	57	63	50	53	63	58	55	56
" " Whooping-cough - -	74	72	59	55	49	73	64	53	48	77	59	53	46
" " Typhus - -	1	-	-	-	-	-	-	-	1	-	-	-	-
" " Enteric fever - -	4	12	10	14	9	12	7	9	8	9	8	9	8
" " Simple Cont'd fever - -	-	1	-	-	-	-	-	-	-	-	-	-	1
" " Diarrhœa and Dysentery - -	16	14	13	10	12	7	7	14	9	8	11	14	15
" " Cholera - -	-	-	-	-	-	-	-	1	-	-	-	-	-
" " all the above-mentioned Diseases } - -	218	226	218	227	236	310	295	268	277	318	297	312	324
" " Dis. of Respiratory System } - -	408	413	434	373	397	347	314	304	304	255	237	272	234
" " Phthisis - -	185	175	151	154	182	173	128	144	153	153	150	169	132
" " Dis. of Circulatory System } - -	112	157	129	114	138	137	111	131	104	124	101	86	106
Violent Deaths - -	62	70	65	75	62	74	63	64	63	55	45	52	57
Inquest Cases - -	141	165	138	140	133	153	128	121	146	128	91	126	126
Deaths in Public Institutions	462	479	500	436	450	495	444	461	451	432	416	437	393
TEMPERATURE OF THE AIR													
Mean - -	34.3	44.0	44.2	42.6	43.1	48.2	50.6	55.2	48.7	49.5	48.8	51.0	54.5
Mean of Highest readings - -	41.0	51.4	51.7	51.3	52.4	61.4	63.1	68.5	56.0	60.4	57.9	61.1	65.8
Mean of Lowest readings - -	27.3	37.3	37.6	35.9	35.8	34.5	40.5	43.4	43.1	40.9	40.7	42.6	45.5
Humidity of the Air - -	78	84	81	79	86	71	76	67	81	73	78	76	74
Rain-fall in inches - -	0.21	0.45	0.19	0.41	0.00	0.00	0.01	0.06	0.26	0.93	0.13	0.44	0.09
Registered Sunshine (in hours)	38.0	15.6	14.4	25.4	20.6	60.5	33.9	37.7	18.6	27.7	14.0	23.8	36.5

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer, of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTIETH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 20th Week of the 10 years 1884-93.*	In the Week ending Saturday, 19th May 1894.							CAUSES OF DEATH.	Corrected Averages for the 20th Week of the 10 years 1884-93.*	In the Week ending Saturday, 19th May 1894.										
		Deaths of Persons of the Ages									Deaths of Persons of the Ages										
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.				
			0-1.	1-6.	5-20.			0-1.				1-6.	5-20.	0-1.			1-6.	5-20.			
ALL CAUSES -	1635.5	1463	339	316	101	154	209	284	60	Diseases of Organs of Special Sense -	2.7	2	1	-	1	-	-	-	-		
Small-pox {	Vaccinated† -	2.0	-	-	-	-	-	-	-	Diseases of Circulatory System -	121.3	195	-	1	11	8	34	43	4		
	Unvaccinated -	3.0	3	-	2	1	-	-	-		-	-	-	-	-	-	-	-	-		
	No Statement -	3.1	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-		
Measles -	71.0	175	41	124	7	-	-	-	-	Croup -	9.4	3	-	1	2	-	-	-	-		
Scarlet Fever -	15.4	20	-	11	9	-	-	-	-	Bronchitis -	168.1	118	25	23	-	2	14	47	7		
Typhus -	0.3	-	-	-	-	-	-	-	-	Pneumonia -	125.1	91	20	23	2	11	14	14	2		
Relapsing Fever -	-	-	-	-	-	-	-	-	-	Pleurisy -	7.2	5	1	-	-	2	1	1	1		
Influenza -	37.6	8	-	-	-	2	2	3	1	Other Diseases of Respiratory System -	26.0	17	1	3	1	2	2	7	1		
Whooping-cough -	65.4	46	23	22	1	-	-	-	-	Dentition -	11.3	6	2	4	-	-	-	-	-		
Diphtheria -	24.3	56	5	31	19	-	1	-	-	Quinsy, Sore Throat -	2.5	4	-	2	-	2	-	-	-		
Simple Continued and Ill-defined Fever -	0.9	1	-	-	-	-	-	1	-	Enteritis -	7.3	10	5	2	-	1	1	1	-		
Enteric Fever -	9.2	8	1	-	2	4	1	-	-	Peritonitis -	8.2	5	-	-	1	-	3	1	-		
Cholera and Chol. Diarr.	0.1	-	-	-	-	-	-	-	-	Diseases of Liver -	20.2	17	-	-	-	4	7	4	2		
Diarrhoea, Dysentery -	11.4	15	9	2	1	-	-	3	-	Other Diseases of Digestive System -	31.7	30	3	3	4	2	7	8	3		
Remittent Fever -	0.5	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands -	2.5	2	-	-	-	2	-	-	-		
Hydrophobia -	0.2	-	-	-	-	-	-	-	-	Diseases of Urinary System -	42.7	23	1	-	-	5	11	11	1		
Glanders -	-	-	-	-	-	-	-	-	-	Diseases of Generative System -	6.0	5	-	-	1	2	1	1	-		
Cowpox and Effects of Vaccination -	0.3	-	-	-	-	-	-	-	-	Accidents of Childbirth -	4.7	5	-	-	-	4	1	-	-		
Venereal Affections -	7.8	10	9	-	-	1	-	-	-	Diseases of Locomotive System -	7.1	4	1	2	1	-	-	-	-		
Erysipelas -	6.0	4	2	-	-	-	1	-	1	Diseases of Integumentary System -	5.2	6	1	-	-	1	4	-	-		
Pyæmia and Septicæmia -	2.6	4	1	-	-	3	-	-	-	VIOLENT DEATHS.†	-	-	-	-	-	-	-	-	-		
Puerperal Fever -	5.0	4	-	-	-	4	-	-	-	(ACCIDENT.)	-	-	-	-	-	-	-	-	-		
Other Zymotic Diseases -	2.3	3	1	-	-	1	-	1	-	By Railways -	-	1	-	-	-	-	1	-	-		
Thrush -	0.6	-	-	-	-	-	-	-	-	By Vehicles or Horses -	-	5	-	1	1	1	2	-	-		
Worms and other Parasitical Diseases -	0.3	-	-	-	-	-	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) -	-	1	-	-	-	1	-	-	-		
Starvation, Want of Breast-milk -	0.7	-	-	-	-	-	-	-	-	In Building Operations -	-	1	-	-	-	-	1	-	-		
Alcoholism -	7.0	5	-	-	-	3	2	-	-	In Conflagrations -	-	-	-	-	-	-	-	-	-		
Rheumatic Fever, Rheumatism of Heart -	7.1	4	-	-	1	2	1	-	-	By Burns, Scalds, Explosions -	49.7	6	-	3	-	4	1	-	-		
Rheumatism -	2.5	-	-	-	-	-	-	-	-	By Drowning -	-	8	-	-	3	2	2	1	-		
Gout -	3.0	4	-	-	-	-	1	3	-	By Suffocation in Bed -	-	9	9	-	-	-	-	-	-		
Rickets -	4.5	4	1	3	-	-	-	-	-	By Poisons or Poisonous Vapours -	-	-	-	-	-	-	-	-	-		
Cancer -	60.8	61	-	1	-	4	16	33	2	Other or not stated Causes -	-	17	1	3	-	3	7	1	2		
Tubercular Meningitis -	31.2	17	7	7	2	-	1	-	-	(VIOLENCE OTHER THAN ACCIDENTAL.)	-	-	-	-	-	-	-	-	-		
Phthisis -	174.4	132	2	5	17	57	44	7	-	Homicide -	1.8	-	-	-	-	-	-	-	-		
Serofula, Tuberculous -	18.3	16	3	10	-	2	1	-	-	Suicide -	9.0	9	-	-	-	4	2	2	1		
Other Constitutional Diseases -	12.7	12	2	-	4	-	1	4	1	Execution -	-	-	-	-	-	-	-	-	-		
Premature Birth -	46.8	46	46	-	-	-	-	-	-	OTHER CAUSES -	47.8	55	53	1	-	-	-	1	-		
Atelactæsis -	2.4	3	3	-	-	-	-	-	-												
Congenital Malformations -	7.7	8	6	2	-	-	-	-	-												
Old Age -	49.9	39	-	-	-	-	-	17	22												
Apoplexy -	41.4	39	-	-	-	1	11	24	3												
Epilepsy -	7.4	7	-	-	2	2	1	1	1												
Convulsions -	46.4	37	31	6	-	-	-	-	-												
Other Diseases of Brain and Nervous System -	89.1	78	3	10	4	11	9	32	4												

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE S. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ended

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation. 1891.	Total Births.	Deaths of		Deaths from												
			Total Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2241	1463	339	344	3	175	20	56	43	-	8	1	15	57	123	393
WEST DISTRICTS	740,735	368	245	54	69	-	29	2	6	6	-	1	-	2	11	17	70
NORTH DISTRICTS	993,894	493	333	78	67	-	34	4	26	14	-	1	-	3	15	35	73
CENTRAL DISTRICTS	247,538	115	89	17	16	-	6	-	3	2	-	2	-	-	5	9	23
EAST DISTRICTS	705,114	424	272	71	66	-	33	1	8	6	-	1	1	3	14	36	82
SOUTH DISTRICTS	1,524,472	810	499	121	114	-	71	10	13	18	-	3	-	7	12	20	107
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	32	-	12	3	-	3	-	-	-	-	-	-	-	-	32
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	84159	37	16	3	6	-	1	-	-	1	-	-	-	-	1	-	1
St. John Paddington H - - G.J.	33687	11	16	2	4	-	1	1	-	1	-	-	-	-	2	2	8
Kensington Town W - - W.M.	118751	65	51	14	14	-	3	-	1	1	-	-	-	-	2	2	14
Brompton H - - W.M. & C.	47557	4	7	1	1	-	-	-	-	-	-	-	-	-	-	-	2
St. Peter Hammersmith - - W.M.	8538	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	4
St. Paul Hammersmith H W.M. & G.J.	88053	31	22	2	5	-	4	-	1	-	-	1	-	-	-	1	3
Fulham W - - W.M. & C.	91639	68	52	15	13	-	10	1	3	2	-	1	-	-	1	3	15
Chelsea Kensal Town - - C.	21787	12	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-
Chelsea North WHHHH - - C.	41637	30	21	4	7	-	1	-	-	-	-	-	-	1	-	2	6
Chelsea South HH - - C.	38829	19	10	4	1	-	3	-	-	-	-	-	-	-	1	1	5
May Fair W - - G.J.	23733	5	6	-	5	-	3	-	-	-	-	-	-	-	-	-	5
Belgrave WHHH - - C.	54381	34	23	2	8	-	-	-	-	-	-	-	-	-	2	3	9
St. John Westminster HH - - C.	31106	20	2	1	1	-	-	2	-	-	-	-	-	-	-	-	1
St. Margaret Westminster H - - C.	21668	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster WHH N.R. & G.J.	24995	8	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-
St. Anne Soho HHHHHH - - N.R.	12317	6	4	2	2	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone } - - W.M.	37713	15	9	2	2	-	-	-	1	-	-	-	-	-	2	2	5
HHHHHHHH - - G.J. & W.M.	29024	11	8	4	2	-	-	-	-	-	-	-	-	1	-	1	2
Rectory Marylebone W - - G.J. & W.M.	19339	26	5	1	2	-	-	-	1	1	-	-	-	-	-	-	-
St. Mary Marylebone HHHH G.J. & W.M.	33327	18	8	1	2	-	1	-	-	-	-	-	-	-	1	2	-
Christchurch Marylebone H - - W.M.	32101	20	15	5	4	-	4	-	1	-	-	-	-	-	-	-	-
St. John Marylebone H - - W.M.	68416	32	27	5	4	-	-	2	7	2	-	-	-	-	2	3	16
Hampstead WWHHHH N.R. & W.M.	36590	13	8	2	-	-	1	-	-	-	-	-	-	-	-	-	1
Regent's Park Pancras HH - - W.M.	26331	10	10	1	1	-	1	-	-	-	-	-	-	-	-	-	1
Tottenham-court WHHHH N.R. & W.M.	27455	17	10	2	2	-	-	-	1	-	-	-	-	-	-	1	3
Gray's Inn Lane HHH - - N.R.	32829	10	7	5	-	-	-	-	-	-	-	-	-	-	-	-	1
Somers Town HH - - N.R.	15419	8	12	3	5	-	1	-	-	1	-	-	-	-	1	1	8
Camden Town WH - - N.R.	95765	55	29	7	8	-	-	-	2	1	-	-	-	-	2	3	6
Kentish Town W - - N.R.	99235	51	36	7	10	-	1	-	1	2	-	-	-	-	1	4	12
Upper Holloway WWWHH - - N.R.	105557	44	36	13	4	-	7	-	2	3	-	-	-	-	2	6	-
Islington South-west H - - N.R.	64153	23	21	6	1	-	5	-	1	1	-	-	-	-	1	3	-
Islington South-east - - N.R.	59193	29	9	-	3	-	-	-	3	-	-	-	-	1	-	-	1
Highbury HH - - N.R.	30936	15	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Stoke Newington H - - N.R.	17759	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - E.L.	42902	21	7	-	3	-	-	-	1	1	-	1	-	-	-	1	1
West Hackney H - - N.R.	96486	42	50	7	11	-	9	2	4	1	-	1	-	1	-	2	17
Hackney WWHHH - - E.L. & N.R.	41759	29	20	4	3	-	6	-	2	-	-	-	-	-	1	3	-
South Hackney W - - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16695	4	4	-	1	-	-	-	-	-	-	1	-	-	-	1	-
St. Giles South WH - - N.R.	13454	3	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Giles North H - - N.R.	9633	2	4	1	1	-	-	-	-	1	-	1	-	-	-	-	2
St. Martin-in-the-Fields HHN R. & C.	14616	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1	2
St. Mary-le-Strand H - - N.R.	5706	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes WH - - N.R.	7191	2	8	2	2	-	-	-	-	-	-	-	-	-	1	-	5
Strand Union Workhouse, Edmonton W.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Geo. the Martyr HHHHHH N.R.	17921	11	11	2	1	-	1	-	1	-	-	-	-	-	-	-	7
St. Andrew Eastern W - - N.R.	13343	9	6	3	2	-	-	-	-	1	-	-	-	-	-	-	-
St. James Clerkenwell - - N.R.	16803	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.R.	16883	11	3	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Pentonville - - N.R.	17155	15	3	2	2	-	2	-	-	-	-	-	-	-	-	-	-
Goswell-street - - N.R.	15375	4	4	2	2	-	-	-	-	-	-	-	-	-	2	2	-
City-road HHHH - - N.R.	29177	23	9	4	3	-	-	-	-	-	-	-	-	-	-	1	2
Whitecross-street - - N.R.	8278	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finchbury - - N.R.	4985	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham W.	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Botolph H - - N.R. & E.L.	8944	1	5	-	-	-	2	-	-	-	-	-	-	-	-	1	-
Cripplegate - - N.R.	4539	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - N.R.	4441	1	9	-	-	-	-	-	2	-	-	-	-	-	-	-	8
St. Bride W - - N.R.	6594	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch-lane Barking - - N.R.	10422	1	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Broad Street H - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L^P—Private Lunatic Asylum in which paupers are received; W—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N. River; E. L. East London; and K. the Kent Company.

* See note, on first page of this Return.

The Deaths registered in the Week include																						
REGISTRATION SUB-DISTRICTS.			Enu-merated Popu-lation, 1891.	Total Births.	Total Deaths.	Deaths from														Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Eutera (or Typhoid) Fever.	Simple con-tinued Fever.	Diarrrhea.	Violence.					
EAST DISTRICTS:																						
Stitch South HL*	E.L. & N.R.	26098	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1			
on New Town w	- N.R.	28813	57	21	5	10	-	1	-	-	-	1	-	-	-	-	-	2	11			
on Old Town -	- N.R.	28854	14	5	1	4	-	-	-	-	-	-	-	-	-	-	-	3	9			
erston WH-	- N.R. & E.L.	46244	23	16	5	4	-	4	-	-	-	1	-	-	-	-	-	-	-			
al Green North H	- E.L.	51820	40	14	4	4	-	1	-	1	-	-	-	-	-	-	1	3	3			
al Green South	- E.L.	33489	16	10	4	4	-	-	-	1	-	2	-	-	-	-	1	3	5			
al Green East WHL*	- E.L.	41233	23	28	7	5	-	7	1	1	1	-	-	-	-	-	-	-	-			
Islands -	E. - N.R.	22456	12	6	1	1	-	2	-	-	-	-	-	-	-	-	-	1	-			
End New Town W	- E.L.	17908	25	9	2	2	-	-	-	-	1	-	-	-	-	-	-	5	5			
echapel Church H*	E.L. & N.R.	20593	20	20	5	1	-	-	-	-	2	-	-	-	-	-	3	1	15			
man's Fields -	- E.L.	13800	10	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-			
George's, North	- E.L.	37738	27	8	3	4	-	1	-	1	-	-	-	-	-	-	-	1	-			
ohn, St. George East W	- E.L.	8 57	3	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	3			
well H -	E.L. & N.R.	10246	8	11	4	1	-	-	-	-	-	-	-	-	-	-	-	1	5			
Hill W -	- E.L.	14923	5	6	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-			
house -	- E.L.	32202	22	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
End Old Town West H	- E.L.	38650	22	10	3	2	-	1	-	1	-	-	-	-	-	1	1	1	-			
End Old Town East WwvH-	E.L.	38942	21	26	5	11	-	3	-	-	-	-	-	1	-	2	1	2	9			
L*	- E.L.	40365	21	15	4	1	-	3	-	-	-	-	-	1	-	-	1	1	1			
nley wvwH-	- E.L.	70000	47	32	6	5	-	4	-	-	-	-	-	-	-	-	1	3	14			
ar. WW-	- E.L.	56383	31	19	7	5	-	-	-	-	-	1	-	-	-	-	4	6	1			
SOUTH DISTRICTS.																						
Stitchchurch Southwark WH	L. & S.	18264	7	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-			
Saviour Southwark -	- S.	18913	17	13	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-			
st-road -	S. & L.	21897	10	10	3	-	-	1	-	1	-	-	-	-	-	-	1	1	-			
tough-road WH	- S. & L.	16324	10	8	2	-	-	1	-	-	-	-	-	-	-	-	-	-	4			
dion-road HL	- S. & L.	21221	9	9	5	-	-	1	-	-	-	-	-	-	-	-	-	-	1			
ity Newington	- S. & L.	26596	15	9	5	-	-	3	-	-	-	1	-	-	-	-	1	1	-			
Peter Walworth W	- S. & L.	61342	38	27	8	6	-	9	-	-	-	-	-	-	-	1	1	3	4			
Mary Newington	- L. & S.	27866	15	7	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-			
Olive WH -	- S.	12723	3	16	2	1	-	1	-	-	-	-	-	-	-	-	1	-	8			
ther Market -	- S. & L.	14952	18	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
Mary Magdalen W	- S.	15660	12	5	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-			
James Bernondsey	- S.	54070	25	15	3	-	-	4	-	-	1	-	-	-	-	-	-	1	-			
herhithe WH	- S. & K.	38255	23	17	5	3	-	3	-	-	1	1	-	-	-	-	-	-	2			
terloo-road 1st H -	- L. & S.	14031	8	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	2			
terloo-road 2nd H -	- L. & S.	14644	22	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-			
abeth Church 1st H	- L. & S.	18075	14	15	1	2	-	2	-	2	-	1	-	-	-	-	1	12	1			
abeth Church 2nd W W	- L. & S.	39097	32	19	3	-	-	1	-	-	-	-	-	-	-	-	-	9	-			
nington 1st H	- S. & L.	50586	29	9	2	4	-	-	-	-	-	-	-	-	-	-	-	1	-			
nington 2nd	- S. & L.	39708	24	9	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-			
xton w -	- L. & S.	72405	33	22	6	5	-	1	1	-	3	-	-	-	-	1	-	-	2			
wood W	- L.	25657	12	14	4	4	-	1	-	-	2	-	-	-	-	-	-	-	1			
t Battersea -	- S.	67244	33	9	5	1	-	-	-	1	-	-	-	-	-	-	1	1	-			
t Battersea WwH-	- S.	38314	47	35	8	5	-	13	-	-	-	-	-	-	-	-	1	2	5			
pham H/H	- S.	43698	22	8	-	5	-	-	-	1	-	-	-	-	-	-	-	1	-			
ndsworth WHL	- S.	46717	30	15	5	3	-	2	-	-	1	-	-	-	-	1	-	-	-			
ney -	- S.	17771	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
atham wvw	- L.	48755	24	5	1	1	-	1	-	1	-	-	-	-	-	-	-	-	1			
lwich -	L. & S.	6869	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
ambwell - WwL*L*	- S. & L.	6166	37	49	10	18	-	5	-	-	-	1	-	-	-	-	-	1	2			
atham W W	S., L. & K.	38453	53	20	7	5	-	-	-	-	-	-	1	-	-	1	2	-	29			
George Camberwell -	- L. & S.	63366	29	19	5	6	-	4	-	-	-	1	-	-	-	1	2	-	-			
ptford, North -	- K.	53314	14	10	6	-	-	1	-	-	1	-	-	-	-	-	1	-	-			
ptford, Central w	- K.	42007	30	26	4	-	-	4	9	4	1	-	-	-	-	-	-	-	16			
ptford, South -	- K.	50552	10	6	1	3	-	1	-	-	-	-	-	-	-	-	-	1	-			
enwich West H	- K.	22007	6	5	1	3	-	-	-	-	-	-	-	-	-	-	1	1	8			
enwich East WH	- K.	35283	19	13	1	5	-	-	-	-	1	-	-	1	-	-	-	-	-			
atham H -	- K.	5682	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
e H -	- K.	23541	3	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-			
wisham WH	- K.	30950	20	12	4	5	-	1	-	-	-	-	-	-	-	-	-	1	-			
enham H	- L.	34162	16	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	1			
arlton HH	- K.	14040	9	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-			
olwich Dockyard	- K.	13606	8	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-			
olwich Arsenal HH	- K.	41243	15	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-			
umstead, West H -	- K.	15869	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
umstead, East W	- K.	36567	23	8	1	4	-	-	-	1	-	-	-	-	-	-	-	-	3			
instead Asylum	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3			
terham Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
ne Hill Asylum	-	-	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7			
ospital Ships and Camp, Dartford.	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	3			
arents Asylum	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2			
anwell Asylum	-	-	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5			
nney Hatch Asylum	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1			
E. Hospital -	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-	3			
inehmore Hill Hospital	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
aveden Asylum	-	-	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6			
aybury Asylum	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2			

TABLE 6.—LONDON.—OUTER RING (excluding METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).
AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 19th May, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Name rated Popu- lation, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include															
						Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.				
LONDON—OUTER RING						368,749	1,422,063	759	367	80	80	4	23	3	11	14	4	1	5	19	32
30:1	Marshalling WHH -	12228	26108	11	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* WHH -	10423	12508	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37:1	Godstone, part of* W -	754	1593	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon WHH -	20351	128699	65	23	5	8	-	-	-	-	1	1	-	-	-	-	-	1	-	-
2	Mitcham w -	11697	23088	8	9	-	1	-	-	-	-	2	1	-	-	-	-	1	2	1	-
39:1	Wimbledon HHH -	3220	25761	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
2	Kingston WHH -	8071	44765	23	11	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-
3	Esher, part of* -	6601	12059	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton H -	4595	18252	8	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40:1	Richmond WH -	2160	25389	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
2	Mortlake H -	2823	16159	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41:1	Bromley HHH -	9127	28815	16	12	-	4	-	1	2	-	-	-	-	-	-	-	-	-	-	3
2	Beckenham H -	6542	21969	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, pt. of* WHH	14307	20372	9	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3
42:1	Bexley H -	12540	30690	24	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
2	Dartford Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124:1	Stambury w -	11054	13671	9	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Staines W -	18277	18221	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125:1	Hillingdon WHH	6035	12237	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
2	Uxbridge -	6172	5417	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes wH -	14537	12618	4	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
126:1	Isleworth WH	6967	28273	14	10	2	3	-	-	-	-	-	-	-	-	-	-	1	2	2	-
2	Twickenham HH	2415	16027	8	7	3	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-
3	Brantford HHHH	4318	37777	9	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
4	Chiswick -	1245	21963	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Aston wH -	6132	30945	19	17	4	4	-	4	-	-	-	-	-	-	-	-	-	2	-	-
127:1	Harrow HHH -	18809	15715	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware H -	6994	3844	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden HHH	4583	61265	21	16	2	2	-	2	-	-	-	-	-	-	-	-	1	2	-	-
4	Hendon W -	8382	15843	13	5	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	2
128:1	South Mimms	1559	8474	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet WHH -	5441	11773	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley HH	4688	25820	12	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129:1	Hornsey H -	3039	61097	25	11	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Tottenham H -	4642	97174	53	21	4	4	-	-	1	2	2	2	1	-	-	-	1	2	-	-
3	Edmonton Ww -	7489	36851	20	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
4	Enfield WWHH	12639	31803	21	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Waltham Abbey -	11017	6066	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt H -	8490	9620	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130:1	Hatfield, part of* -	3806	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey -	9331	7737	3	3	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Watford Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136:1	Stratford H -	1100	42983	26	20	6	3	1	5	-	-	-	-	-	-	-	-	-	-	-	1
2	Plaistow HHHH	1242	58030	44	20	5	-	2	2	-	1	2	-	-	-	-	-	-	1	-	2
3	Canning Town H -	1558	54750	30	21	1	1	-	4	-	-	1	-	-	-	-	-	-	-	-	-
4	Forest Gate w -	806	49140	26	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	East Ham ww -	3266	32713	25	10	3	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-
6	Leyton Ww -	4334	70188	39	29	7	9	-	-	-	-	3	2	1	-	-	-	-	-	-	9
7	Walthamstow HHL	6501	57330	35	16	4	4	-	1	-	-	2	-	-	-	-	-	-	-	-	-
137:1	Chigwell, part of* H -	11779	12941	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139:1	Romford, part of* WH	6556	4324	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ufford -	8493	10913	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town -	3814	14301	14	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—39: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1768); 37: 1, the parishes of Warringtonham and Farley in Godstone sub-district; 38: 3, Esher sub-district, except the parish of Esher (pop. 2332); 41: 2, Chislehurst sub-district, except the parishes of Chislehurst Cudham, and Knechtolt (pop. 3997); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1878); 139: 1, the parish of Dagenham in Romford sub-district; also, deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford, 137: 3, Watford, and 137: 2, Epping sub-district.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 19th May, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include										
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from								Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	5,948,300	16.0	3.4	1830	419	424	7	198	23	67	60	13	16	62	430
INNER LONDON	74,672	4,349,166	17.5	3.9	1463	339	344	3	175	20	56	46	9	15	57	398
OUTER RING	368,749	1,599,134	12.0	2.0	367	80	80	4	23	3	11	14	4	1	5	32

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692,845 square miles, which is equivalent to the area of a circle having a radius of 14,851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.	
DINBURGH	270,588	May	19	144	94	18.1	2	-	3	1	4	2	2
GLASGOW	686,820	"	19	443	232	17.6	-	2	3	3	11	1	2
DUBLIN	349,594	"	19	145	173	25.8	-	-	1	2	5	5	3
CALCUTTA	466,460	March	10	-	307	34.3	3	2	-	-	1	119	68†
BOMBAY	821,764	May	1	246	574	36.4	29	36	?	?	?	126	47†
LADRAS	452,518	April	13	323	294	33.7	1	4	?	?	?	132	23
PARIS	2,424,705	May	12	1204	1032	22.7	4	45	1	27*	8	9	46
RUSSELS	488,188	"	12	248	175	18.7	1	-	1	2*	1	-	15
AMSTERDAM	446,295	"	12	298	162	18.8	-	3	-	-	4	1	-
ROTTERDAM	228,597	"	12	136	95	21.6	13	1	-	-	2	-	-
THE HAGUE	174,790	"	12	98	58	17.2	-	3	-	1	1	-	-
COPENHAGEN	341,000	"	12	171	130	19.9	-	8	7	5	1	-	7
STOCKHOLM	252,937	"	5	117	85	17.5	-	-	-	4*	2	-	4
CHRISTIANIA	161,151	"	12	52	61	19.7	-	5	-	1	1	-	1
S. PETERSBURG	954,400	April	28	296	518	28.3	-	32	10	15	4	6	49
MOSCOW	753,469	May	5	-	569	39.4	-	18	7	14	1	3	47
BERLIN	1,714,938	April	28	847	548	16.8	-	3	8	26	5	2	32
AMSTERDAM	594,209	May	12	-	184	16.1	-	8	-	8*	-	-	6
BERGSDEN	312,772	April	14	204	142	23.6	-	1	1	8*	-	-	12
WRESLAU	360,660	May	21	182	135	22.5	-	-	-	8*	1	1	7
MUNICH	390,000	"	12	-	171	24.9	-	2	-	1*	-	1	17
VIENNA	1,465,537	"	12	-	165	22.0	-	1	-	7*	3	-	23
PRAGUE	339,172	"	12	893	697	24.8	2	26	11	40*	2	-	48
BUDA-PESTH	552,769	"	12	212	245	37.7	-	25	-	6	1	2	5
TRIESTE	159,739	"	5	413	291	27.4	1	1	3	8	1	2	15
ROME	450,991	"	5	85	96	31.2	2	3	2	14*	-	-	-
BRUSSELS (10 days)	337,997	April	7	229	193	22.3	-	6	-	1	1	4†	5
VENICE	160,406	"	20	192	208	22.4	1	8	2	3	2	2	17
CAIRO	374,838	May	5	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA	231,396	April	19	370	378	52.4	-	-	-	-	4	12	95
NEW YORK	1,925,569	"	19	196	167	37.6	-	1	-	-	1	5	42
BROOKLYN	1,020,000	"	28	-	781	20.9	4	15	10	46	6	1	14
PHILADELPHIA	1,139,457	"	28	-	416	21.3	4	14	8	14	2	1	5
NEW ORLEANS	254,000	"	28	-	408	18.7	-	5	6	14	3	6	7
		"	7	-	113	23.2	-	-	-	2	-	4	4

* Including deaths from croup.

† Including 40 and 42 deaths, respectively, from cholera in Calcutta, and one in Bombay.

‡ Including 2 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 19TH MAY, 1894.

[Under the Superintendence of the Astronomer Royal.]

1894.		TEMPERATURE.										TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the ground.					
Month and Day.	Phases of the Moon.	Baro- meter.		Of the Air.				Of the Dew Point.		Difference between the Air Temperature and Dew Point Temperature.		Degree of Humidity (Saturation equals 100°).		Of Radiation.		General Direction.		Pressure on the Square Foot.		Robinson's.					
		High- est.	Low- est.	Daily Range.	Mean daily value.	Mean parture from Average value. 50 years.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Mean of 24 hourly obs.	Horizontal Movement of the Air on each Day.	Departure from Average of 10 Years.	Miles.	lbs.	Miles.	in.				
MAY.																									
SUNDAY . . 13	..	29.904	64.1	38.2	25.9	51.1	°	°	°	°	°	°	70	114.0	30.0	SW.&NNW.	W. SW. & SSW.	SE. & E.	0.8	0.0	0.0	188	° 62	0.00	2.0
MONDAY . . 14	..	29.798	68.4	48.0	20.4	55.4	°	°	°	°	°	°	67	131.9	40.0	SSE.	SSE.	SE. & E.	2.0	0.0	0.0	205	° 44	0.00	6.0
TUESDAY . . 15	In Equator.	29.702	68.6	45.4	23.2	57.6	°	°	°	°	°	°	71	128.6	36.8	ENE.	ENE.	E.	2.4	0.0	0.1	217	° 32	0.03	0.0
WEDNESDAY . 16	..	29.776	68.8	52.4	16.4	59.7	°	°	°	°	°	°	85	101.3	50.5	E.	Calm&NNW.	Calm&NNW.	0.1	0.0	0.0	144	° 105	0.06	0.0
THURSDAY . . 17	..	29.942	70.0	48.9	21.1	57.1	°	°	°	°	°	°	89	135.8	48.9	NNW.	NNW.	N. & NNE.	0.7	0.0	0.1	294	° 46	0.00	0.0
FRIDAY . . . 18	..	29.994	67.6	43.9	23.7	54.7	°	°	°	°	°	°	72	129.0	43.5	N. & NNE.	NNE.	NNE.	4.6	0.0	0.4	468	° 220	0.00	1.2
SATURDAY . . 19	Full.	29.980	53.0	41.7	11.3	46.0	°	°	°	°	°	°	67	97.2	40.0	NNE. & NE.	NE. & NNE.	NE. & NNE.	4.4	0.0	0.5	465	° 217	0.00	5.0
MEANS	29.871	65.8	45.5	20.3	54.5	°	°	°	°	°	°	74	119.7	41.4	Variable.	Variable.	Variable.	Sum 1981	Sum +240	0.09	2.0
Number of Column .		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	

GENERAL REMARKS.

DATE.	May.	Electricity. (For explanation of symbols, see Note.)	Registered Sun above Horizon, in hours.	Remarks.
SUNDAY	13	m. P. in morning; w. P. and w. N. afterwards.	8.7	15.4
MONDAY	14	w. P. and w. N. till evening; m. P. at night.	6.2	15.5
TUESDAY	15	m. P. in morning; v. P. and m. N. afterwards.	3.6	15.5
WEDNESDAY	16	v. P. generally; w. N. occasionally.	0.1	15.6
THURSDAY	17	v. P. throughout	6.1	15.6
FRIDAY	18	v. P. generally; m. N. at times in afternoon.	11.5	15.7
SATURDAY	19	v. P. throughout	0.3	15.7
		Sum	36.5	Sum 109.0

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometer records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: + P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.792 in. at the beginning of the week to 29.98 in. by 10h. A.M. on the 18th; decreased to 29.08 in. by 3h. P.M. on the 19th; increased to 30.03 in. by 9h. A.M. on the 19th; and was 29.99 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 21. 1894. VOL. LV.]

WEEK ENDING SATURDAY, MAY 26.

[Price 1½d.]

General Register Office, Somerset House,
May 28th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·7 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	May 5.	May 12.	May 19.	May 26.		May 5.	May 12.	May 19.	May 26.
Birkenhead	20·2	25·2	18·3	19·3	Liverpool	21·3	23·8	21·8	20·9
Birmingham	19·9	20·8	18·6	18·5	London	17·1	18·4	17·5	17·3
Blackburn	15·8	17·0	16·2	16·6	Manchester	18·8	20·8	17·4	22·1
Bolton	11·0	18·1	15·4	16·7	Newcastle-on-Tyne	18·8	17·3	16·8	18·8
Bradford	15·1	15·4	18·4	17·5	Norwich	12·8	16·3	22·2	12·3
Brighton	14·9	10·5	16·3	13·2	Nottingham	18·9	19·4	20·1	21·0
Bristol	19·0	17·7	14·5	16·1	Oldham	14·7	17·3	14·3	20·3
Burnley	18·4	10·3	16·2	17·8	Plymouth	16·6	17·8	16·0	10·1
Cardiff	16·5	16·1	17·5	15·1	Portsmouth	11·3	12·2	9·5	11·3
Croydon	11·2	12·6	7·9	11·2	Preston	20·6	15·0	14·5	19·2
Derby	11·1	9·5	12·7	14·8	Salford	22·8	23·3	21·8	28·4
Gateshead	13·4	16·8	15·1	16·8	Sheffield	15·4	17·9	14·5	17·4
Halifax	14·6	14·6	15·2	16·3	Sunderland	17·2	16·1	13·4	18·8
Huddersfield	13·2	15·4	16·9	21·7	Swansea	16·4	12·6	13·9	14·8
Hull	14·5	19·6	15·9	14·2	West Ham	16·4	19·9	15·3	13·4
Leeds	16·2	16·5	16·2	18·5	Wolverhampton	31·3	22·1	20·8	21·5
Leicester	14·9	14·6	13·0	15·2					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·3 in Salford, 1·4 in Preston, 1·5 in Birmingham, 2·0 in London, 3·1 in West Ham, and 3·3 in Nottingham; from *scarlet fever*, 1·0 in Salford and 1·3 in Bolton; from *whooping-cough*, 1·3 in Salford and in Newcastle, 1·4 in Sheffield, and 2·1 in Cardiff and in Huddersfield; and from *diarrhoea*, 1·1 in Burnley and in Gateshead. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 62 deaths from *diphtheria* included 41 in London, 3 each in Croydon, Manchester, and Bradford, and 2 each in Cardiff and Oldham. Seven deaths from *small-pox* were registered in London, 2 in West Ham, and 2 in Birmingham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2414 BIRTHS and 1440† DEATHS were registered. Allowing for increase of population, the births were 160, and the deaths 158, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·1, 18·4, and 17·5 in the preceding three weeks, further declined last week to 17·3. During the four weeks

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

ending on Saturday last the death-rate averaged 17·6 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1440 deaths included 7 from small-pox, 165 from measles, 20 from scarlet fever, 41 from diphtheria, 50 from whooping-cough, 14 from enteric fever, one death from an ill-defined form of continued fever, 11 deaths from diarrhoea and dysentery, and not one death from typhus, or from cholera; thus, 309 deaths were referred to these diseases, being 95 above the corrected average weekly number.

Of the 7 deaths from *small-pox*, 3 were of persons admitted to hospital from St. Pancras Workhouse, and one death each belonged to St. Giles, Mile End Old Town, Poplar, and Plumstead sanitary areas. There were 222 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 14 in the Highgate Small-pox Hospital, making a total of 236, against 191, 210, and 219 on the preceding three Saturdays; 69 cases were admitted during the week, against 64, 71, and 52 in the preceding three weeks. The deaths from *measles*, which had been 125, 152, and 175 in the preceding three weeks, declined last week to 165, but exceeded the corrected average by 94; 11 belonged to Mile End Old Town, 11 to Camberwell, 10 to Poplar, 10 to Battersea, 9 to Islington, 9 to Lambeth, and 8 each to Kensington, Hackney, Bethnal Green, Newington, and Greenwich sanitary areas. The deaths from *scarlet fever*, which had been 30, 25, and 20 in the preceding three weeks, were again 20 last week, exceeding the corrected average by 2. The Metropolitan Asylum and London Fever Hospitals* contained 2271 scarlet fever patients at the end of last week, against 2293, 2298, and 2307 on the preceding three Saturdays; 216 cases were admitted during the week, against 262 and 252 in the preceding two weeks. The deaths from *diphtheria*, which had numbered 58, 55, and 56 in the preceding three weeks, declined last week to 41, but were 16 above the corrected average; 4 belonged to Battersea, and 3 each to Paddington, Chelsea, Islington, and Camberwell sanitary areas. The Metropolitan Asylum Hospitals* contained 324 diphtheria patients at the end of last week, against 324, 323, and 306 on the preceding three Saturdays; 79 cases were admitted during the week, against 60 and 63 in the preceding two weeks. The deaths from *whooping-cough*, which had been 59, 53, and 46 in the preceding three weeks, increased again last week to 50, but were 14 below the corrected average. The fatal cases of *enteric fever*, which had numbered 8 or 9 weekly in several preceding weeks, increased last week to 14, exceeding the corrected average by 6. The Metropolitan Asylum Hospitals* contained 63 cases of enteric fever and one case of typhus on Saturday last; 15 cases of enteric fever were admitted during the week, against 4 and 13 in the preceding two weeks. The deaths from *diarrhoea*, which had been 11, 14, and 15 in the preceding three weeks, declined again last week to 11, being 5 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 237, 272, and 234 in the preceding three weeks, increased again to 248 last week, but were 65 below the corrected average.

The deaths attributed directly to *influenza* numbered 9, having been 8 in each of the preceding four weeks.

Different forms of violence caused 44 deaths, concerning 43 of which inquests were held. Of these 44 deaths, 4 were cases of suicide, while the remaining 40 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 4 to drowning, and 10 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3305 births and 1796 deaths were registered, corresponding to annual rates of 29·0 and 15·7 per 1000 of the estimated population. In the Outer Ring 3 deaths from small-pox (all belonging to West Ham district), 31 from measles, 4 from scarlet fever, 11 from diphtheria, and 11 from whooping-cough were recorded. Of the 31 deaths from measles, 16 occurred in West Ham, 5 in Brentford, and 5 in Edmonton districts. The 11 deaths from diphtheria included 4 in Croydon, 3 in Edmonton, and 2 in Brentford districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·85 inches, and that of the Thermometer 48°·2, the latter being 7°·0 below the week's average in the 50 years 1841-90. The direction of the wind was Northerly, the horizontal movement of the air being 48 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 39·9 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 26th May 1894.

CITIES AND BOROUGHES.	Cols.	POPULATION estimated to the middle of the year 1884.*		Registered during the week ending 5th May 1894.		The DEATHS registered in the Week include											TEMPERATURE OF THE AIR.						RAINFALL.		CITIES AND BOROUGHES.		
		1.	2.	3.	Deaths of		Deaths from							Inquest Cases.						Mean.			in Centi- meters.	in Inches.			
					1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Erysip.	Diarrhoea.	Violence.	Deaths in Public Institutions.			Unidentified Causes of Death.			From All Causes.	From (Dissected) Crops, &c.					
															19.	20.	21.	22.	23.	24.							
33 TOWNS.		10,458,442	6315	3543	832	720	11	248	41	62	128	31	38	125	248	729	53	17.7	2.8	70.4	26.3	45.4	7.44	0.19	0.48	33 TOWNS.	
LONDON.		4,349,166	2414	1440	316	297	7	165	20	41	50	15	11	44	106	380	9	17.3	3.7	70.4	32.3	48.2	9.00	0.42	1.07	LONDON.	
WEST HAM.		238,184	134	61	16	8	2	14	1	3	2	—	1	3	8	11	4	13.4	4.4	70.4	28.2	45.9	9.00	—	—	WEST HAM.	
CROYDON.		111,921	46	24	2	6	1	—	—	—	—	—	—	—	—	—	—	11.2	0.4	68.6	35.4	49.0	9.44	0.18	0.46	CROYDON.	
BRIGHTON.		118,715	69	30	5	10	1	—	—	—	—	—	—	—	—	—	—	13.2	0.4	68.6	35.4	49.0	9.44	0.18	0.46	BRIGHTON.	
PORTSMOUTH.		170,973	72	37	2	12	—	—	—	—	—	—	—	—	—	—	—	11.3	0.3	69.0	33.5	48.1	8.94	0.04	0.10	PORTSMOUTH.	
PLYMOUTH.		87,931	40	17	4	7	1	—	—	—	—	—	—	—	—	—	—	10.1	1.2	66.0	32.0	45.6	7.56	0.11	0.28	PLYMOUTH.	
BRISTOL.		226,578	121	70	17	21	3	1	1	5	—	—	—	3	8	15	—	16.1	2.1	66.0	32.0	45.6	7.56	0.11	0.28	BRISTOL.	
CARDIFF.		148,890	113	43	15	5	—	—	—	2	6	—	—	2	3	4	—	15.1	2.8	60.0	32.0	45.6	7.56	—	—	CARDIFF.	
SWANSEA.		95,239	52	27	10	6	2	—	—	2	—	—	—	1	1	—	—	14.8	2.2	60.0	32.0	45.6	7.56	—	—	SWANSEA.	
WOLVERHAMPTON.		85,036	70	35	11	5	—	2	—	—	—	—	—	2	3	8	—	21.5	1.8	63.2	29.3	41.0	5.00	0.04	0.10	WOLVERHAMPTON.	
BIRMINGHAM.		492,301	324	175	55	23	2	14	—	1	7	—	—	8	4	4	—	18.5	2.9	60.4	34.0	45.3	7.39	0.49	1.24	BIRMINGHAM.	
NORWICH.		105,645	69	25	8	7	1	1	1	2	—	—	1	1	2	3	6	2	12.3	2.5	60.4	34.0	45.3	7.39	0.49	1.24	NORWICH.
LEICESTER.		189,136	143	75	19	10	1	2	1	—	—	—	1	2	3	6	2	15.2	1.4	60.4	34.0	45.3	7.39	0.49	1.24	LEICESTER.	
NOTTINGHAM.		223,584	145	90	25	25	1	14	1	—	5	1	1	4	6	10	—	21.0	4.9	64.5	33.5	44.4	6.89	0.01	0.03	NOTTINGHAM.	
DERBY.		98,796	50	28	7	7	—	—	—	—	—	—	—	1	4	4	—	14.8	—	—	—	—	—	—	—	DERBY.	
BIRKENHEAD.		105,927	63	39	5	10	—	1	—	1	1	—	—	1	2	5	—	19.3	1.5	60.4	34.0	45.3	7.39	0.05	0.13	BIRKENHEAD.	
LIVERPOOL.		507,230	377	203	42	39	1	12	2	—	5	5	5	12	16	48	11	20.9	3.0	62.6	35.8	45.2	7.38	0.05	0.13	LIVERPOOL.	
BOLTON.		118,303	93	38	6	8	—	—	3	1	1	1	—	1	1	5	—	16.7	2.6	60.4	34.0	45.3	7.38	0.05	0.13	BOLTON.	
MANCHESTER.		520,211	360	220	49	39	1	3	2	3	4	—	6	13	19	55	3	22.1	1.8	60.4	34.0	45.3	7.38	0.05	0.13	MANCHESTER.	
SAFORD.		205,828	143	112	26	18	1	5	4	1	5	2	2	5	11	21	2	28.4	4.3	60.4	34.0	45.3	7.38	0.05	0.13	SAFORD.	
OLDHAM.		138,755	70	54	11	7	1	1	1	2	—	—	—	4	8	21	—	20.3	1.9	60.4	34.0	45.3	7.38	0.05	0.13	OLDHAM.	
BURNLEY.		96,478	65	33	6	8	—	—	—	—	—	—	2	—	—	—	—	17.8	1.1	60.4	34.0	45.3	7.38	0.05	0.13	BURNLEY.	
BLACKBURN.		125,797	70	40	13	6	—	—	—	—	—	—	1	—	—	7	2	16.6	0.4	60.4	34.0	45.3	7.38	0.05	0.13	BLACKBURN.	
PRESTON.		111,425	80	41	11	12	3	—	—	—	—	—	—	—	—	3	—	19.2	1.9	60.4	34.0	45.3	7.38	0.05	0.13	PRESTON.	
HUDDERSFIELD.		98,511	27	41	7	10	—	—	—	—	4	1	—	—	—	—	3	1	21.7	2.6	60.4	34.0	45.3	7.38	0.05	0.13	HUDDERSFIELD.
HALIFAX.		92,861	49	29	5	7	—	1	—	—	1	—	—	—	—	—	3	1	16.3	1.1	60.4	34.0	45.3	7.38	0.05	0.13	HALIFAX.
BRADFORD.		223,985	124	75	15	13	1	1	2	3	2	1	1	1	3	11	—	17.5	2.1	60.4	34.0	45.3	7.38	0.05	0.13	BRADFORD.	
LEEDS.		388,761	277	138	42	24	1	2	1	3	1	1	1	11	21	18	1	18.5	0.9	60.4	34.0	45.3	7.38	0.05	0.13	LEEDS.	
SHEFFIELD.		358,316	222	113	29	21	1	1	1	1	9	1	1	2	6	21	5	17.4	2.0	60.4	34.0	45.3	7.38	0.05	0.13	SHEFFIELD.	
HULL.		212,679	115	58	13	17	2	—	—	—	3	1	1	1	3	7	3	14.2	0.7	61.0	29.0	42.9	6.06	0.60	1.52	HULL.	
SUNDERLAND.		136,161	109	49	11	8	—	—	1	—	3	—	—	1	2	8	6	18.8	1.9	61.0	29.0	42.9	6.06	0.60	1.52	SUNDERLAND.	
GATESHEAD.		83,372	70	30	12	6	—	—	—	1	1	—	—	2	2	6	1	16.8	1.7	61.0	29.0	42.9	6.06	0.60	1.52	GATESHEAD.	
NEWCASTLE.		201,947	139	73	17	18	1	1	—	—	5	—	1	1	1	2	12	—	18.8	1.8	61.0	29.0	42.9	6.06	0.60	1.52	NEWCASTLE.

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-FIRST Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Year 1884-93.*	1894
TOTAL Births	2627	2209	2431	2571	2278	2402	2443	2681	2508	2242	2574.4	2414
Males . .	1310	1144	1231	1315	1151	1218	1265	1388	1262	1152	1312.5	1218
Females .	1317	1065	1200	1256	1127	1184	1178	1293	1246	1090	1261.9	1196
TOTAL Deaths	1427	1538	1229	1534	1361	1267	1451	2337	1534	1459	1597.6	1440
Males . .	769	805	631	793	708	664	742	1166	802	758	827.3	764
Females .	658	733	598	741	653	603	709	1171	732	701	770.3	676

* The numbers in this column are the average weekly numbers in the twenty-first weeks of the ten years 1884-93. raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.
TOTAL Births	2564	2636	2558	2496	2437	2682	2600	2457	2485	2637	2589	2241	2414
TOTAL Deaths	1748	1700	1608	1689	1736	1587	1609	1509	1543	1428	1531	1463	1440
Ages at Death													
{ 0-20 years	793	740	737	801	821	792	800	727	775	705	729	756	746
{ 20-40 "	226	241	184	207	214	197	210	187	179	180	216	154	163
{ 40-60 "	823	298	275	305	287	265	265	295	303	247	267	209	234
{ 60-80 "	338	345	336	301	340	263	281	259	250	252	267	284	249
{ 80 years & upwards	68	76	76	75	74	70	53	41	36	44	52	60	48
Deaths from													
{ Under 1 year	403	352	333	370	335	368	361	337	355	278	286	339	316
{ 1-5 "	267	293	298	312	356	320	327	298	321	331	343	316	322
{ 5-20 "	123	95	106	119	130	104	112	92	99	96	100	101	108
Deaths from													
{ Small-pox	1	-	1	-	-	2	-	3	4	-	3	3	7
{ Measles	47	66	74	96	137	132	112	124	130	125	152	175	165
{ Scarlet fever	20	17	19	13	23	20	29	29	25	30	25	20	20
{ Diphtheria	59	53	52	55	57	63	50	53	62	58	55	56	41
{ Whooping-cough	72	59	55	49	73	64	53	48	77	59	53	46	50
{ Typhus	-	-	-	-	-	-	-	1	-	-	-	-	-
{ Enteric fever	12	10	14	9	12	7	9	8	9	8	9	8	14
{ Simple Cont'd fever	1	-	-	-	-	-	-	-	-	-	-	1	1
{ Diarrhoea and Dysentery	14	13	10	12	7	7	14	9	8	11	14	15	11
{ Cholera	-	-	-	-	-	-	1	-	-	-	-	-	-
{ all the above-mentioned Diseases	226	218	225	234	309	295	268	275	315	291	311	324	309
Deaths from													
{ Dis. of Respiratory System	413	434	373	397	347	314	304	304	255	237	272	234	248
{ Phthisis	175	151	154	182	173	128	144	153	153	150	169	132	137
{ Dis. of Circulatory System	157	129	114	138	137	111	131	104	124	101	86	106	106
Violent Deaths	70	65	75	62	74	63	64	63	55	45	52	57	44
Inquest Cases	165	188	140	133	153	123	121	146	123	91	126	126	106
Deaths in Public Institutions	479	500	434	448	494	444	461	449	429	410	436	398	330
TEMPERATURE OF THE AIR													
Mean	44.0	44.2	42.6	43.1	48.2	50.6	55.2	48.7	49.5	48.8	51.0	54.5	48.2
Mean of Highest readings	51.4	51.7	51.3	52.4	61.4	63.1	68.5	56.0	60.4	57.9	61.1	65.8	58.5
Mean of Lowest readings	37.3	37.6	35.9	35.8	34.5	40.5	43.4	43.1	40.9	40.7	42.6	45.5	38.8
Humidity of the Air	84	81	79	86	71	76	67	81	78	78	76	74	72
Rain-fall in inches	0.45	0.19	0.41	0.00	0.00	0.01	0.06	0.26	0.98	0.18	0.44	0.09	0.42
Registered Sunshine (in hours)	15.6	14.4	25.4	20.6	30.5	35.9	37.7	18.6	27.7	14.0	23.8	36.5	39.9

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Prestor, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FIRST Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 21st Week of the 10 years 1884-93.*	In the Week ending Saturday, 26th May 1894.										CAUSES OF DEATH.	Corrected Averages for the 21st Week of the 10 years 1884-93.*	In the Week ending Saturday, 26th May 1894.													
		Deaths of Persons of the Ages												Deaths of Persons of the Ages													
		ALL AGES.	Under 20.			20 and under 40.		40 and under 60.		60 and under 80.				80 Years and upwards.		ALL AGES.	Under 20.			20 and under 40.		40 and under 60.		60 and under 80.		80 Years and upwards.	
			0-1.	1-5.	5-20.												0-1.	1-5.	5-20.								
ALL CAUSES - -	1597.6	1410	316	322	108	163	234	249	43																		
Small-pox { Vaccinated† -	2.4	-	-	-	-	-	-	-	-	-	-																
Unvaccinated -	2.2	3	1	1	-	1	-	-	-	-	-																
No Statement -	3.2	4	-	-	-	2	-	2	-	-	-																
Measles -	70.9	165	43	116	6	-	-	-	-	-	-																
Scarlet Fever -	18.4	20	2	12	6	-	-	-	-	-	-																
Typhus -	0.3	-	-	-	-	-	-	-	-	-	-																
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-																
Influenza -	35.8	9	1	-	-	-	5	3	-	-	-																
Whooping-cough -	64.4	50	18	34	-	-	-	-	-	-	-																
Diphtheria -	25.4	41	5	23	12	1	1	-	-	-	-																
Simple Continued and Ill-defined Fever -	1.4	1	-	1	-	-	-	-	-	-	-																
Enteric Fever -	7.0	14	-	1	5	7	1	-	-	-	-																
Cholera and Chol. Diarr.	0.7	-	-	-	-	-	-	-	-	-	-																
Diarrhoea, Dysentery -	16.4	11	6	3	-	1	-	1	-	-	-																
Remittent Fever -	0.1	-	-	-	-	-	-	-	-	-	-																
Hydrophobia -	0.2	-	-	-	-	-	-	-	-	-	-																
Glanders -	-	-	-	-	-	-	-	-	-	-	-																
Cowpox and Effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-																
Veneral Affections -	11.6	5	4	-	-	1	-	-	-	-	-																
Erysipelas -	3.2	7	2	-	1	1	1	1	1	-	-																
Pyæmia and Septicæmia -	3.0	1	-	1	-	-	-	-	-	-	-																
Puerperal Fever -	4.9	4	-	-	-	3	1	-	-	-	-																
Other Zymotic Diseases -	1.7	3	-	1	2	-	-	-	-	-	-																
Thrush - - - -	1.6	-	-	-	-	-	-	-	-	-	-																
Worms and other Parasitical Diseases -	0.1	-	-	-	-	-	-	-	-	-	-																
Starvation, Want of Breast-milk -	0.8	-	-	-	-	-	-	-	-	-	-																
Alcoholism - - -	7.5	6	-	-	-	2	3	1	-	-	-																
Rheumatic Fever, Rheumatism of Heart -	5.8	5	-	-	1	3	-	1	-	-	-																
Rheumatism -	2.3	3	-	-	-	-	-	2	1	-	-																
Gout -	3.5	3	-	-	-	-	1	2	-	-	-																
Rickets -	5.9	7	1	6	-	-	-	-	-	-	-																
Cancer -	61.5	64	-	-	-	6	22	34	2	-	-																
Tabes Mesenterica -	20.2	10	8	4	3	-	-	-	-	-	-																
Tubercular Meningitis -	20.7	13	5	10	3	-	-	-	-	-	-																
Phthisis -	155.2	137	1	7	15	63	42	9	-	-	-																
Scrophula, Tuberculosis -	20.3	20	5	8	6	1	-	-	-	-	-																
Other Constitutional Diseases -	10.4	7	-	-	1	2	2	2	-	-	-																
Premature Birth -	43.0	53	53	-	-	-	-	-	-	-	-																
Atelectasis -	3.5	5	5	-	-	-	-	-	-	-	-																
Congenital Malformations -	6.8	8	8	-	-	-	-	-	-	-	-																
Old Age - - - -	51.2	41	-	-	-	-	-	21	23	-	-																
Apoplexy - - -	44.2	34	1	-	-	2	10	21	-	-	-																
Epilepsy - - -	8.0	7	-	-	-	3	4	-	-	-	-																
Convulsions - -	44.9	29	27	1	1	-	-	-	-	-	-																
Other Diseases of Brain and Nervous System -	96.3	67	8	11	6	12	15	12	3	-	-																
Diseases of Organs of Special Sense -	2.3	-	-	-	-	-	-	-	-	-	-																
Diseases of Circulatory System -	122.9	105	-	1	16	12	32	40	5	-	-																
Croup - - - -	8.4	3	-	2	1	-	-	-	-	-	-																
Bronchitis - -	162.3	104	16	21	-	1	24	37	5	-	-																
Pneumonia - -	110.6	117	23	32	7	12	25	17	1	-	-																
Pleurisy - - -	6.3	3	-	1	-	1	1	-	-	-	-																
Other Diseases of Respiratory System -	25.1	21	3	6	2	2	3	2	3	-	-																
Dentition - - -	11.4	14	9	5	-	-	-	-	-	-	-																
Quinsy, Sore Throat -	2.0	4	-	2	1	-	1	-	-	-	-																
Enteritis - - -	9.2	7	2	-	-	1	1	3	-	-	-																
Peritonitis - -	5.8	7	2	1	2	1	1	-	-	-	-																
Diseases of Liver -	27.9	21	2	-	-	1	8	10	-	-	-																
Other Diseases of Digestive System -	26.6	29	6	1	-	4	8	10	-	-	-																
Diseases of Lymphatic System & of Ductless Glands -	1.7	2	-	-	1	-	-	-	1	-	-																
Diseases of Urinary System -	38.5	31	-	2	1	6	10	10	2	-	-																
Diseases of Generative System -	5.0	4	-	-	-	-	3	1	-	-	-																
Accidents of Childbirth -	3.9	3	-	-	-	3	-	-	-	-	-																
Diseases of Locomotive System -	8.9	5	-	2	1	-	1	-	1	-	1																
Diseases of Integumentary System -	4.9	5	2	-	-	-	1	2	-	-	-																
VIOLENT DEATHS. (ACCIDENT.)																											
By Railways - - -		1	-	-	1	-	-	-	-	-	-																
By Vehicles or Horses -		9	-	3	2	1	2	1	-	-	-																
In Ships, Boats, Docks (exclusive of Drowning) -		-	-	-	-	-	-	-	-	-	-																
In Building Operations -		-	-	-	-	-	-	-	-	-	-																
In Conflagrations -		-	-	-	-	-	-	-	-	-	-																
By Burns, Scalds, Explosions -	51.4	3	-	1	1	1	-	-	-	-	-																
By Drowning - - -		4	-	-	2	1	1	-	-	-	-																
By Suffocation in Bed -		10	10	-	-	-	-	-	-	-	-																
By Poisons or Poisonous Vapours -		-	-	-	-	-	-	-	-	-	-																
Other or not stated Causes -		13	3	-	1	4	3	2	-	-	-																
(VIOLENCE OTHER THAN ACCIDENTAL.)																											
Homicide - - - -	1.7	-	-	-	-	-	-	-	-	-	-																
Suicide - - - -	10.4	4	-	-	-	2	1	1	-	-	-																
Execution - - - -		-	-	-	-	-	-	-	-	-	-																
OTHER CAUSES - -	50.1	33	36	2	-	-	-	-	-	-	-																

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical man, the case is returned under the heading "no statement."
‡ The evidence as to inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DYPHTHERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (or TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHOEA, VIOLENCE, INQUEST CASES, and Deaths in Public Institutions during the Week ending

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation. 1891.	TOTAL BIRTHS.	TOTAL DEATHS.	Deaths of														
				Infants under 1 Year of Age.	Persons aged 10 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON	4,211,743	2414	1440	316	297	7	163	20	41	50	-	14	1	11	44	103	330	
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	84180	38	31	6	7	-	1	-	1	1	-	1	-	2	-	2	3	
St. John Paddington H - G.J.	33687	9	14	-	1	-	-	-	1	-	-	-	-	-	5	5	10	
Kensington Town WH - W.M.	118751	57	44	14	11	-	7	-	-	-	-	-	-	-	1	3	14	
Brompton H - W.M. & C.	47557	10	10	2	1	-	2	-	1	-	-	-	-	-	-	-	8	
St. Peter Hammersmith - W.M.	8384	2	2	-	-	-	1	-	1	1	-	-	-	-	-	1	2	
St. Paul Hammersmith H W.M. & G.J.	88653	37	25	10	3	-	3	3	3	5	-	-	-	1	1	1	20	
Fulham WH - W.M. & C.	91639	67	48	15	5	-	6	-	-	-	-	-	-	-	-	-	-	
Chelsea Kensal Town - C.	21787	9	6	2	-	-	1	-	1	1	-	-	-	-	-	-	5	
Chelsea North WHHHH - C.	41637	25	10	1	2	-	1	-	-	-	-	-	-	-	-	-	2	
Chelsea South HH - C.	32829	23	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
May Fair WH - G.J.	23733	6	10	1	4	-	-	-	-	-	-	-	-	-	1	1	6	
Belgrave WHH - C.	54931	11	18	5	2	-	2	-	1	1	-	-	-	-	1	1	4	
St. John Westminster HHH - C.	31108	10	8	1	1	-	2	-	-	-	-	-	-	-	-	-	4	
St. Mark's Westminster H - C.	21668	8	8	1	1	-	1	-	-	-	-	-	-	-	-	-	1	
St. James Westminster WHH N.R. & G.J.	24995	6	8	2	3	-	1	-	1	-	-	-	-	-	-	-	3	
St. Anne Soho HHHHH - N.R.	12317	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																		
All Souls Marylebone } - W.M.	37713	15	12	-	5	-	-	-	-	-	-	1	-	-	-	-	5	
HHHHHHHHH } - G.J. & W.M.	20924	17	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Regent's Marylebone W - G.J. & W.M.	19239	32	5	9	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Maryleb. HHHH G.J. & W.M.	33327	11	6	1	-	-	2	-	-	-	-	-	-	1	1	-	-	
Christchurch Marylebone H - W.M.	32101	19	9	2	3	-	-	-	1	-	-	-	-	-	1	-	-	
St. John Marylebone H - W.M.	68416	31	13	5	2	-	2	-	6	-	-	-	-	-	-	1	8	
Hampstead WHHHHHH N.R. & W.M.	36590	23	5	1	2	-	-	-	1	-	-	-	-	-	-	-	-	
Regent's Park Pancras HH - W.A.L.	23931	16	16	4	2	-	1	-	-	1	-	-	-	-	-	1	10	
Tottenham-court WHHHH N.R. & W.M.	27455	15	11	2	3	-	1	-	-	-	-	-	-	-	-	-	3	
Gray's Inn Lane HHH - N.R.	32829	21	7	2	1	-	-	-	-	-	-	-	-	-	-	-	1	
Homers Town HH - N.R.	15119	7	9	2	3	-	1	-	-	-	-	-	-	-	-	-	2	
Camden Town WH - N.R.	95765	51	23	6	3	-	-	-	3	-	-	-	-	-	1	3	3	
Kentish Town W - N.R.	90235	53	37	4	12	-	4	-	-	2	-	-	-	-	1	1	14	
Upper Holloway WHHHH - N.R.	105557	57	26	9	5	-	4	-	-	2	-	-	-	-	1	2	-	
Islington South-west H - N.R.	84158	33	18	3	6	-	1	1	-	1	-	-	-	-	1	1	-	
Islington South-east - N.R.	29193	25	12	2	1	-	-	-	1	3	-	-	-	1	-	-	-	
Highbury HH - N.R.	90936	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H - N.R.	17759	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Stamford Hill - E.L.	42962	28	12	2	2	-	1	-	1	3	-	3	-	-	-	1	3	
West Hackney H - N.R.	96486	58	41	6	10	-	6	1	-	3	-	3	-	-	4	6	12	
Hackney WWHHH - E.L. & N.R.	41759	26	8	2	-	-	2	-	-	1	-	-	-	-	-	-	-	
South Hackney W - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																		
St. George Bloomsbury - N.R.	16695	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - N.R.	13454	8	17	2	5	-	3	-	-	-	-	-	-	-	-	1	9	
St. Giles North H - N.R.	9633	6	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HHN R. & C.	14616	5	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
St. Mary-le-Strand H - N.R.	5706	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Clement Danes WH - N.R.	7194	5	7	1	2	-	-	-	-	-	-	1	-	-	-	-	2	
Strand Union Workhouse, Edmonton W.	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	5	
St. Geo.-the-Martyr HHHHHHHH N.R.	17921	9	10	2	2	-	-	-	-	1	-	-	-	-	1	1	6	
St. Andrew Eastern W - N.R.	15343	8	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - N.R.	16803	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - N.R.	16883	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pentonville - N.R.	17155	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Goodwell-street - N.R.	15375	15	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
City-road HHHH - N.R.	29177	21	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	
Whitecross-street - N.R.	8278	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Finchbury - N.R.	4985	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Holborn Union Workhouse, Mitcham W.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - N.R. & E.L.	8944	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - N.R.	4444	1	20	2	3	-	-	-	1	-	-	-	-	-	2	3	13	
St. Bride W - N.R.	6594	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	
A. Hallows Barking - N.R.	10422	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H.—Hospital; L.—Lunatic Asylum; L.—Private Lunatic Asylum in which paupers are received; W.—Workhouse Establishments receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the Districts:—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. River; E. L. East London; and K. the Kent Company.

* See note on first page of this Return.

MEASLES, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT
May, 26th May, 1894.

The DEATHS registered in the Week include																			
REGISTRATION			Enu- mer- ated Popu- lation, 1891.	Total Deaths.	Deaths from													Deaths in Public Institutions.	Uncertified Causes of Death.
SUB-DISTRICTS.					Total DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Dysentery.	Violence.		
EAST DISTRICTS.																			
Adith South	HL*	E.L. & N.R.	20098	10	6	2	-	-	-	-	-	-	-	-	-	-	1	2	
on New Town	-	- N.R.	29313	10	12	2	2	-	-	1	-	-	-	-	-	-	2	1	
on Old Town	-	- N.R.	28354	16	12	6	3	-	-	-	-	-	-	-	-	-	2	1	
erston	WH	- N.R. & E.L.	46244	23	17	4	6	-	-	-	-	-	-	-	-	-	10	-	
nal Green North	H	- E.L.	51290	37	18	6	2	-	4	-	1	1	-	-	-	-	1	1	
nal Green South	-	- E.L.	33489	26	5	2	3	-	-	-	-	-	-	-	-	-	2	2	
nal Green East	WHL*	- E.L.	44123	28	25	5	6	-	4	-	1	-	-	-	-	-	1	7	
Alfields	-	- E.	22456	17	12	1	-	-	-	-	-	-	-	-	-	-	-	-	
End New Town	W	- E.L.	17908	25	12	2	3	-	-	-	-	-	-	-	-	-	1	6	
etchapel Church	H	- E.L. & N.R.	20298	7	15	3	3	-	-	1	1	-	-	-	-	-	4	11	
lman's Fields	-	- E.L.	13860	13	7	3	2	-	-	-	-	-	-	-	-	-	-	-	
George's, North	-	- E.L.	37738	25	12	4	-	-	-	-	2	1	-	-	-	-	-	-	
ohn, St. George East	W	- E.L.	8 57	4	8	2	3	-	-	-	-	-	-	-	-	-	6	-	
well	H	- E.L. & N.R.	49246	4	10	3	-	-	-	1	1	-	-	-	-	-	1	6	
llm	W	- E.L.	14928	9	5	1	-	-	-	1	1	-	-	-	-	-	1	-	
house	-	- E.L.	32202	24	15	1	2	-	-	-	-	-	-	-	-	1	4	-	
End Old Town West	H	- E.L.	38650	40	16	5	1	-	1	-	-	-	-	-	-	-	-	1	
End Old Town East	WwH	- E.L.	68942	42	24	6	3	-	10	-	1	1	-	-	1	1	2	2	
L*	-	- E.L.	40365	28	17	7	2	-	3	-	1	2	-	-	-	-	2	-	
uley	WwH	- E.L.	70000	41	31	4	7	-	6	-	-	-	-	-	-	-	1	18	
ar	W	- E.L.	56883	31	13	5	3	-	-	-	-	-	-	-	1	2	1	-	
SOUTH DISTRICTS.																			
atchurch Southwark	WH	L. & S.	18264	5	4	2	-	-	1	-	-	-	-	-	-	-	-	-	
ard-road	-	- S.	13913	10	4	-	1	-	2	-	-	-	-	-	-	-	-	-	
ugh-road	WH	- S. & L.	21867	16	5	-	1	-	3	-	-	-	-	-	-	-	-	-	
on-road	HL	- S. & L.	16624	9	10	3	-	-	2	-	-	-	-	-	-	-	1	3	
ity Newington	-	- L. & S.	21221	11	5	1	1	-	1	-	-	-	-	-	-	-	1	1	
eter Walworth	W	- S. & L.	26596	18	10	3	4	-	-	-	1	-	-	-	-	-	-	-	
eter Walworth	W	- S. & L.	61342	45	16	4	3	-	4	-	-	-	-	-	-	-	-	-	
eter Newington	-	- L. & S.	27866	21	11	7	1	-	2	-	-	-	-	-	-	-	-	-	
ave	WH	- E.	12723	4	12	1	2	-	1	-	-	-	-	-	-	-	-	10	
her Market	-	- S. & L.	14952	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
ary Magdalen	W	- S.	15660	12	8	3	1	-	-	-	-	-	-	-	-	-	-	-	
ames Bermondsey	-	- S.	54070	32	19	3	5	-	1	1	-	-	-	-	2	-	-	2	
eriths	WH	- S. & K.	39255	25	16	1	1	-	-	-	-	1	-	-	2	-	4	-	
erloo-road 1st	H	- L. & S.	14091	7	5	2	1	-	-	-	-	-	-	-	-	-	2	1	
erloo-road 2nd	H	- L. & S.	14644	17	7	3	1	-	1	-	-	-	-	-	-	-	1	-	
eth Church 1st	H	- L. & S.	18076	15	17	2	6	-	-	-	-	-	-	-	1	-	3	10	
eth Church 2nd	W W	- L. & S.	39097	31	19	7	5	-	1	-	-	-	-	-	1	-	4	6	
ington 1st	H	- S. & L.	60586	27	17	6	6	-	-	1	-	-	-	-	-	-	-	-	
ington 2nd	-	- S. & L.	39708	29	7	3	2	-	3	-	-	-	-	-	-	-	-	1	
on	W	- L. & S.	73406	36	27	7	-	-	2	5	3	1	-	1	-	-	10	1	
ood	W	- L.	25667	13	11	2	1	-	-	-	-	-	-	-	-	-	1	1	
Battersea	-	- S.	67244	56	16	6	3	-	-	-	2	-	-	-	-	-	3	-	
Battersea	WwH	- S.	83314	45	34	9	4	-	9	-	2	1	-	-	1	-	2	3	
ham	H	- S.	43698	18	6	1	1	-	-	-	-	-	-	-	-	1	1	-	
dsworth	WHL	- S.	46717	31	18	2	2	-	4	-	-	3	-	-	-	1	-	-	
ay	-	- S.	17771	9	2	1	-	-	-	-	1	-	-	-	-	-	-	-	
atham	WwH	- L.	48756	23	8	1	-	-	1	2	-	-	1	-	-	1	3	-	
ish	-	- L. & S.	6809	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
erwell	WwL*	- S. & L.	81686	44	25	4	8	-	-	-	1	-	-	-	-	1	2	12	
ham	WV	- S. & K.	33433	50	15	5	2	-	2	-	-	1	-	-	-	-	2	1	
George Camberwell	-	- L. & S.	63366	44	18	4	3	-	8	-	-	-	-	-	1	4	-	-	
ford, North	-	- K.	25314	23	11	3	2	-	2	-	-	-	1	-	-	-	-	1	
ford, Central	W	- K.	42007	32	15	6	3	-	4	3	1	-	-	-	-	-	-	4	
ford, South	-	- K.	20852	9	10	6	1	-	-	-	1	1	-	-	-	-	-	-	
nwich West	H	- K.	22007	10	6	-	-	-	1	-	-	-	-	-	-	1	1	-	
nwich East	WH	- K.	35233	26	17	2	6	-	-	-	-	-	1	-	-	-	10	-	
am	H	- K.	5689	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
H	-	- K.	23541	6	5	2	1	-	-	-	-	-	-	-	-	-	1	-	
sham	WH	- K.	30950	18	8	2	3	-	-	-	-	-	-	-	-	1	1	-	
sham	H	- L.	34162	17	8	-	1	-	-	-	-	-	1	-	-	-	-	-	
lton	HH	- K.	14040	5	7	1	4	-	-	-	-	-	-	-	-	-	-	2	
nwich Dockyard	-	- K.	19906	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
nwich Arsenal	HH	- K.	42442	15	6	1	1	-	-	-	-	-	-	-	-	-	1	-	
instead, West	H	- K.	13869	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
instead, East	W	- K.	35667	33	10	4	1	1	-	-	1	-	-	-	-	2	2	-	
stead Asylum	-	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	6	
than Asylum	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	
Hill Asylum	-	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	7	
Mal Ship and Camp, Dartford	-	-	-	-	1	-	2	6	-	1	-	-	-	-	-	-	-	1	
uth Asylum	-	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	
well Asylum	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	
py Hatch Asylum	-	-	-	-	3	-	1	-	-	3	-	-	-	-	-	-	-	3	
Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Shore Hill Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
eden Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ury Asylum	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5	

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 26th May, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lation 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of		Deaths from														
						Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Cases or Deaths.				
LONDON—OUTER RING						368,749	1,422,063	891	356	74	93	3	31	4	11	11	2	6	16	26	50	13
80: 1	Carehampton WHH -	12228	26108	15	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* WWH -	10423	12508	9	9	-	7	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-
37: 1	Godstone, part of* W -	754	1593	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Croydon WWHH -	20351	128699	54	31	3	10	-	-	-	3	2	-	-	-	-	-	-	2	10	-	-
2	Mitcham W -	11697	23088	12	6	1	4	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-
89: 1	Wimbledon HHH -	3220	25761	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston WHH -	8071	44765	25	6	1	3	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-
3	Esher, part of* -	6601	12059	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
4	Hampton H -	4535	18252	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
40: 1	Richmond WH -	2160	25339	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Mortlake H -	2823	16169	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41: 1	Bromley HHH -	9127	23815	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H -	6542	21969	11	7	1	3	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
3	Chislehurst, pt. of* WHH	14307	20372	11	4	-	3	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
42: 1	Bexley H -	12540	30690	14	9	2	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1
2	Dartford Work., pt. of*	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
124: 1	Sunbury W -	11054	13671	10	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2	Staines W -	18277	13221	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125: 1	Hillingdon WHH	6035	12237	5	8	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge -	6172	5417	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes WH -	14537	12618	10	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-
126: 1	Isleworth WH	6967	29373	19	7	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
2	Twickenham HH	2415	18027	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
3	Brentford HHHH	4318	37777	15	10	2	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
4	Chislewick -	1245	21963	7	6	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton WH -	6132	30945	17	9	1	3	-	3	-	-	-	-	-	-	-	1	2	-	-	-	-
127: 1	Harrow HHH -	13899	15715	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware H -	6994	8344	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden HHH -	4333	61265	53	9	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
4	Hendon W -	8382	15843	12	5	5	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
128: 1	South Mimms -	1559	814	4	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet WHH -	5441	11778	7	3	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
3	Finchley HH -	4688	25820	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129: 1	Hornsey H -	3139	61097	23	15	1	7	-	2	-	2	-	-	-	1	-	-	1	1	1	1	1
2	Tottenham H -	4342	97174	64	19	5	6	-	-	1	1	-	-	-	-	-	1	1	4	1	-	-
3	Edmonton W -	7489	33851	20	10	5	2	-	2	-	-	2	-	-	-	-	1	2	2	-	-	-
4	Enfield WWHH -	12689	31803	22	11	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
5	Waltham Abbey -	11017	6066	9	7	1	-	-	-	-	-	1	-	-	-	-	4	4	-	-	-	-
6	Cheshunt H -	8480	9620	7	5	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
135: 1	Hatfield, part of*	3306	532	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushy -	9231	7737	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138: 1	Stratford H -	1100	42983	30	7	2	2	-	-	-	-	-	-	-	-	-	2	2	1	1	1	1
2	Plaistow HHHH	1242	55030	44	21	8	-	-	9	1	-	-	-	-	-	-	1	1	1	-	-	-
3	Canning Town H	1568	54750	39	19	3	-	1	5	-	-	2	-	-	-	-	-	-	-	1	1	1
4	Forest Gate W -	806	49140	24	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
5	East Ham W -	3266	32713	30	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
6	Leyton WWH -	4534	70183	64	35	5	13	-	1	-	-	-	1	2	2	2	10	1	-	-	-	-
7	Walthamstow HHL	6501	57330	54	18	7	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
137: 1	Chigwell, part of* H -	11779	12941	8	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139: 1	Romford, part of* WH	6556	4324	6	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
2	Ilford -	8493	10913	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town -	3514	14301	14	4	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Metro. Hosp. Ships		-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Goldstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2322); 41: 2, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3997); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1079); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 26th May, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											Deaths in Public Institutions.	
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16		
GREATER LONDON	443,421	5,948,300	15·7	3·3	1796	390	390	10	196	24	52	61	17	17	60	430		
INNER LONDON	74,672	4,340,166	17·3	3·7	1440	316	297	7	165	20	41	50	15	11	44	380		
OUTER RING	368,749	1,599,134	11·0	2·2	356	74	93	3	31	4	11	11	2	6	16	50		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692'845 square miles, which is equivalent to the area of a circle having a radius of 14'851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.								
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.		
EDINBURGH	270,588	May	26	139	87	16·8	-	-	-	1	3	2	1		
GLASGOW	686,820	"	26	418	268	20·3	-	1	4	3	12	1	4		
DUBLIN	349,594	"	26	213	149	22·2	-	-	-	-	8	4	3		
CALCUTTA	466,460	March	24	-	321	35·9	12	2	-	-	-	110	82†		
BOMBAY	821,764	"	31	-	308	34·4	9	6	-	-	-	124	76†		
MADRAS	452,518	May	8	284	571	36·1	21	37	?	?	?	161	47†		
		April	20	333	288	33·0	3	11	?	?	?	107	28		
PARIS	2,424,705	May	19	1196	1070	23·5	8	47	5	25*	8	7	72		
BRUSSELS	488,188	"	19	251	164	17·1	-	-	-	3*	-	1	8		
AMSTERDAM	446,295	"	19	279	162	18·8	-	1	-	2	1	-	-		
ROTTERDAM	228,597	"	19	152	97	22·0	18	-	1	-	1	1	-		
THE HAGUE	174,790	"	19	120	55	16·3	-	4	-	1	-	-	-		
COPENHAGEN	341,000	"	19	132	146	22·3	-	6	4	10	1	-	7		
STOCKHOLM	252,937	"	12	138	76	15·6	-	-	1	1*	1	-	9		
CHRISTIANIA	167,282	"	19	59	74	23·0	-	7	-	-	4	-	6		
ST. PETERSBURG	954,400	"	5	959	532	29·1	3	27	10	15	3	4	41		
MOSCOW	753,469	"	12	-	554	38·3	3	26	5	6	-	4	57		
BERLIN	1,714,938	"	5	882	556	17·1	-	7	9	32	6	-	29		
HAMBURG	594,209	"	19	-	254	22·2	-	12	-	10*	2	-	11		
DRESDEN	312,772	April	28	214	139	23·1	-	-	1	6*	-	4	7		
BRISLAU	360,660	May	19	-	189	27·5	-	-	1	5*	1	-	21		
MUNICH	390,000	"	19	-	185	24·7	-	1	1	9*	-	-	28		
VIENNA	1,465,537	"	19	960	682	24·2	1	29	6	29*	2	3	60		
PRAGUE	339,172	"	19	234	214	32·8	-	16	-	2	1	4	1		
BUDA-PESTH	552,769	"	12	383	277	26·1	2	3	3	11	-	1	12		
TRIESTE	159,739	"	12	130	77	25·1	1	-	3	8*	-	-	-		
ROME	450,991	April	14	206	131	15·1	-	4	1	-	1	2†	4		
TURIN (10 days)	337,997	"	30	198	199	21·4	-	4	6	4	1	4	10		
VENICE	160,406	May	5	79	64	20·8	-	-	-	-	-	-	2		
CAIRO	374,838	April	26	368	348	48·3	-	-	-	2*	6	11	100		
ALEXANDRIA	231,396	"	26	181	172	38·8	1	-	-	2*	1	6	44		
NEW YORK	1,925,569	May	5	-	851	22·8	4	16	19	50	11	1	15		
BROOKLYN	1,020,000	"	5	-	391	26·0	3	9	2	21	4	-	3		
PHILADELPHIA	1,139,457	"	5	-	385	17·6	-	6	2	19	4	6	5		
NEW ORLEANS	254,000	April	14	-	124	25·5	-	-	-	2	1	6	5		

* Including deaths from croup.

† Including one death from cholera in Bombay, and 52 deaths in each week in Calcutta.

‡ Including one death from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 26th MAY, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.		TEMPERATURE.										TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is receiving the rain from the ground.		
Phases of the Moon.	HABO-METER. Mean daily temperature corrected from the influence of the barometer to the mean of the day.	Of the Air.				Difference between the Air Temperature and Dew Point Temperature.		Degree of the Air (Barometer).		Of Radiation.		General Direction.		Pressure on the Square Foot.		Robinson's.		Miles.	in.			
		High-est.	Low.	Daily Range.	Mean daily value.	De-pure from the Air.	Mean daily value.	Mean Great-est.	Least.	Highest in the Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great-est.	Least.	Mean of the day.	Horizontal Movement of the Air on each Day.			Vertical Movement of the Air on each Day.		
MAY.	in.	50.9	36.3	14.6	42.7	-11.5	35.0	7.7	15.6	74	109.9	31.0	NNW. & N.	2.2	0.0	0.1	326	+ 78	3.8			
SUNDAY . . . 20	29.769	50.9	36.3	14.6	42.7	-11.5	35.0	7.7	15.6	0.0	0.0	0.0	N. & N.E.	2.2	0.0	0.1	326	+ 78	3.8			
MONDAY . . . 21	29.779	55.0	32.3	22.7	43.0	-11.6	35.5	7.5	19.2	0.0	0.0	0.0	NNW. N. & N.E. & N.N.E.	2.6	0.0	0.1	288	+ 35	3.0			
TUESDAY . . . 22	29.901	52.9	33.4	19.5	43.2	-11.8	37.7	5.5	16.8	0.0	0.0	0.0	N.	3.8	0.0	0.3	384	+ 136	3.0			
Greatest Dec. S.	29.901	52.9	33.4	19.5	43.2	-11.8	37.7	5.5	16.8	0.0	0.0	0.0	N.	3.8	0.0	0.3	384	+ 136	3.0			
WEDNESDAY . . . 23	30.025	55.1	42.2	12.9	47.6	-7.7	44.6	3.0	11.2	0.0	0.0	0.0	N. & N.N.E.	1.6	0.0	0.1	367	+ 119	1.0			
Apogee.	30.077	68.0	43.2	24.8	55.5	-0.1	43.0	13.5	25.2	2.4	61	132.0	N.N.E. & N.E. & N.N.E.	13.0	0.0	0.7	505	+ 258	3.0			
THURSDAY . . . 24	29.817	70.4	42.4	28.0	57.2	+ 1.5	41.1	16.1	35.6	1.5	55	137.1	N.	4.4	0.0	0.2	337	+ 90	0.0			
FRIDAY . . . 25	29.582	56.9	41.6	15.3	48.1	-7.8	37.6	10.5	17.9	2.3	67	123.7	NNW. & N.N.E.	6.4	0.0	0.3	367	+ 120	0.0			
SATURDAY . . . 26	29.582	56.9	41.6	15.3	48.1	-7.8	37.6	10.5	17.9	2.3	67	123.7	NNW.	6.4	0.0	0.3	367	+ 120	0.0			
MEANS	29.847	58.5	38.8	19.7	48.2	-7.0	39.1	9.1	18.8	0.9	72	112.8	N.N.E. & N.N.W.	Sum 2569	Sum + 836	2.0			
Number of Column . . . 3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

The results apply to the civil day, or from midnight to midnight.

The height of the cistern, of the barometer is 159 feet above the mean level of the sea; and the correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h, A.M.; noon; 3h, P.M.; and 9h, P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1850, and that of horizontal movement of the air, and a discussion of the anemometric records for the 10 years ending 1878, "read" as "mean wind," and the columns 9 and 25 it will be seen in mind that it indicates "*high*," and "*low*," that is, "*high*," and "*low*," respectively.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.92 in. at the beginning of the week to 29.76 in. by 8h, P.M. on the 20th; increased to 29.71 in. by 9h, P.M. on the 23rd; and decreased to 29.53 in. by the end of the week.

GENERAL REMARKS.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)		Registered Sun above Horizon, in hours.		GENERAL REMARKS.	
DAY.							
SUNDAY	20	m. P. in morning; w. N. and v. P. after wards.	0.5	15.8	Generally cloudy till evening; cloudless at night.		
MONDAY	21	m. P. in morning; v. P. and v. N. after- wards.	5.9	15.8	Cloudless in early morning with hoar frost; variable till evening; cloudless at night. Heavy shower of rain and hail between 2h. P.M. and 3h. P.M.		
TUESDAY	22	m. P. in morning; v. P. and v. N. after- wards.	4.6	15.9	Cloudless with hoar frost in early morning; overcast after 10h. A.M. Occasional rain in afternoon and evening.		
WEDNESDAY	23	w. N. and w. P. in morning; v. P. after- wards.	0.0	15.9	Overcast and showery till evening; fine at night with variable amounts of light cloud prevailing.		
THURSDAY	24	w. P. in morning; v. P. and v. N. after- wards.	13.0	16.0	Partially cloudy in morning; cloudless afterwards. A very fine day. Windy.		
FRIDAY	25	m. P. in morning; v. P. afterwards.	10.3	16.0	Very fine and generally cloudless till afternoon; cloudy afterwards.		
SATURDAY	26	m. P. in morning; v. P. and v. N. after- wards.	5.6	16.0	Variable and showery till evening; heavy rain after 10h. P.M.		
				Sum 39.9	Sum 111.4		

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 22. 1894. VOL. LV.]

WEEK ENDING SATURDAY, JUNE 2.

[Price 1½d.]

General Register Office, Somerset House,
June 4th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·0 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	May 12.	May 19.	May 26.	June 2.		May 12.	May 19.	May 26.	June 2.
Birkenhead	25·2	18·3	19·3	21·7	Liverpool -	23·8	21·8	20·9	20·0
Birmingham	20·8	18·6	18·5	17·2	London -	19·4	17·5	17·3	16·4
Blackburn -	17·0	16·2	16·6	17·0	Manchester -	20·8	17·4	22·1	19·6
Bolton -	18·1	15·4	16·7	16·7	Newcastle-on-Tyne	17·3	16·8	18·8	16·8
Bradford -	15·4	18·4	17·5	16·8	Norwich -	16·3	22·2	12·3	18·8
Brighton -	10·5	16·3	13·2	12·3	Nottingham -	19·4	20·1	21·0	19·4
Bristol -	17·7	14·5	16·1	13·6	Oldham -	17·3	14·3	20·3	15·0
Burnley -	10·3	16·2	17·8	18·4	Plymouth -	17·8	16·0	10·1	14·2
Cardiff -	16·1	17·5	15·1	18·9	Portsmouth -	12·2	9·5	11·3	14·6
Croydon -	12·6	7·9	11·2	12·6	Preston -	15·0	14·5	19·2	13·6
Derby -	9·5	12·7	14·8	13·7	Salford -	23·3	21·8	28·4	21·5
Gateshead -	16·8	15·1	16·8	17·3	Sheffield -	17·9	14·5	17·4	16·3
Halifax -	14·6	15·2	16·3	18·0	Sunderland -	16·1	13·4	18·8	20·3
Huddersfield	15·4	16·9	21·7	17·5	Swansea -	12·6	15·9	14·8	16·9
Hull -	19·6	15·9	14·2	14·0	West Ham -	19·9	15·3	13·4	16·9
Leeds -	16·5	16·2	18·5	17·4	Wolverhampton -	22·1	20·8	21·5	30·0
Leicester -	14·6	13·0	15·2	13·8					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·4 in Nottingham, 1·5 in Salford, 1·7 in Halifax, 1·8 in London and in Wolverhampton, 2·2 in Birmingham, 2·5 in Birkenhead, and 2·6 in West Ham; from *scarlet fever*, 1·8 in Salford; from *whooping-cough*, 1·3 in Newcastle, 1·4 in Nottingham, 1·5 in Norwich and in Birkenhead, and 1·9 in Sunderland; and from "*fever*," 1·1 in Burnley. The death-rate from *diarrhoea* did not reach 1·0 per 1000 in any of the thirty-three towns. The 53 deaths from *diphtheria* included 36 in London, 3 in Leeds, 3 in Sheffield, 2 in Wolverhampton, and 2 in Birmingham. Four deaths from *small-pox* were registered in London, 3 in West Ham, 3 in Birmingham, and one death each in Plymouth, Bristol, Liverpool, and Bradford, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2374 BIRTHS and 1366† DEATHS were registered. Allowing for increase of population, the births were 200, and the deaths 178, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·4, 17·5, and 17·3 in the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

preceding three weeks, further declined last week to 16·4. During the four weeks ending on Saturday last the death-rate averaged 17·4 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1366 deaths included 4 from small-pox, 148 from measles, 14 from scarlet fever, 36 from diphtheria, 43 from whooping-cough, 13 from enteric fever, 10 from diarrhoea and dysentery, and not one from typhus, any ill-defined form of continued fever, or from cholera; thus, 268 deaths were referred to these diseases, being 62 above the corrected average weekly number.

The 4 deaths from *small-pox* belonged respectively to Hackney, Limehouse, Mile End Old Town, and Poplar sanitary areas. There were 232 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 12 in the Highgate Small-pox Hospital, making a total of 244, against 210, 219, and 236 on the preceding three Saturdays; 58 cases were admitted during the week, against 71, 52, and 69 in the preceding three weeks. The deaths from *measles*, which had been 152, 175, and 165 in the preceding three weeks, further declined last week to 148, but exceeded the corrected average by 77; 15 belonged to Camberwell, 12 to Poplar, 11 to Bethnal Green, 9 to Chelsea, and 3 to Kensington sanitary areas. The deaths from *scarlet fever*, which had numbered 25, 20, and 20 in the preceding three weeks, declined last week to 14, and were 2 below the corrected average; 3 belonged to Islington sanitary area. The Metropolitan Asylum and London Fever Hospitals* contained 2277 scarlet fever patients at the end of last week, against 2298, 2307, and 2271 on the preceding three Saturdays; 218 cases were admitted during the week, against 252 and 216 in the preceding two weeks. The deaths from *diphtheria*, which had been 55, 56, and 41 in the preceding three weeks, further declined last week to 36, being, however, 10 above the corrected average; 4 belonged to Bermondsey, and 3 to Islington sanitary areas. The Metropolitan Asylum Hospitals* contained 350 diphtheria patients at the end of last week, against 323, 306, and 324 on the preceding three Saturdays; 56 cases were admitted during the week, against 63 and 79 in the preceding two weeks. The deaths from *whooping-cough*, which had been 53, 46, and 50 in the preceding three weeks, declined again last week to 43, and were 13 below the corrected average. The fatal cases of *enteric fever*, which had been 9, 8, and 14 in the preceding three weeks, numbered 13 last week, and exceeded the corrected average by 4. The Metropolitan Asylum Hospitals* contained 65 cases of enteric fever and not one case of typhus on Saturday last; 12 cases of enteric fever were admitted during the week, against 13 and 15 in the preceding two weeks. The deaths from *diarrhoea*, which had been 14, 15, and 11 in the preceding three weeks, numbered 10 last week, being 7 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 272, 234, and 248 in the preceding three weeks, declined again to 222 last week, and were 65 below the corrected average.

The deaths attributed directly to *influenza* numbered 5, having been 8, 8, and 9 in the preceding three weeks.

Different forms of violence caused 67 deaths, concerning 66 of which inquests were held. Of these 67 deaths, 14 were cases of suicide, and one death was a case of homicide, while the remaining 52 were attributed to accident or negligence. Eight of these were referred to vehicles in the streets, 6 to burns and scalds, 2 to poison, and 14 (including 13 of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3208 births and 1736 deaths were registered, corresponding to annual rates of 28·1 and 15·2 per 1000 of the estimated population. In the Outer Ring 3 deaths from small-pox, 26 from measles, 3 from scarlet fever, 8 from diphtheria, 21 from whooping-cough, and 3 from fever were recorded. Of the deaths from measles, 15 occurred in West Ham district; and of the 9 deaths from diphtheria 3 occurred in Edmonton district. The 3 deaths from small-pox were of persons belonging to West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·56 inches, and that of the Thermometer 50°·1, the latter being 6°·5 below the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 25 per cent. above the average. The duration of registered bright sunshine in the week was 30·5 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, IN 33 GREAT TOWNS, during the Week ending 2nd June 1894.

CITIES AND BOROUGH.	CITIES AND BOROUGH.	POPULATION estimated at the middle of the year 1884.		Registered during the Week ending 2nd June 1894.		The Deaths registered in the Week include										Annual Rate per 1000, corresponding to the Week of Deaths				TEMPERATURE OF THE AIR.				RAINFALL.				
		1.	2.	3.	4.	5.	6.	7.	8.	Deaths from				Violence.	Inquest Cases.	Deaths in Public Institutions.	Unsettled Cases of Death.	From All Causes.		From Diseases in Cols. 6-12.	Fahrenheit.		Lowest.	Mean.		Contr. Grade.	In Inches.	In Cent.
										Small-pox.	Miscellaneous.	Scarlet Fever.	Diphtheria.					Whooping-cough.	Fevers.		Diarrhoea.	High.		Low.	From All Causes.			
CITIES AND BOROUGH.	CITIES AND BOROUGH.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	In Inches.	In Cent.	
33 TOWNS	33 TOWNS.																											
LONDON	LONDON.	10,458,442	6055	3403	752	725	14	240	40	53	112	26	35	128	250	745	65	170	2.6	66.0	31.0	47.7	8.72	0.68	1.73	0.68	1.73	
WEST HAM	WEST HAM.	4,349,166	2374	1366	201	282	4	148	14	36	43	13	3	67	129	409	15	16.4	3.2	65.0	38.1	50.1	10.06	0.67	1.70	0.67	1.70	
CROYDON	CROYDON.	238,184	145	77	22	13	3	12	1	1	1	-	-	1	4	7	-	12.6	1.9	66.0	36.0	48.7	9.28	0.99	2.51	0.99	2.51	
BRIGHTON	BRIGHTON.	111,921	43	27	-	9	-	2	-	1	-	-	-	1	1	5	-	12.3	0.4	59.8	41.0	49.4	9.67	0.46	1.17	0.46	1.17	
PORTSMOUTH	PORTSMOUTH.	118,715	40	28	7	11	-	-	-	-	-	-	2	2	2	12	-	14.6	0.6	63.0	39.0	49.4	9.67	0.48	1.22	0.48	1.22	
PLYMOUTH	PLYMOUTH.	170,973	83	48	11	15	-	-	-	-	-	-	-	-	2	3	-	14.2	0.6	-	-	-	-	-	-	-	-	
BRISTOL	BRISTOL.	87,931	37	24	5	8	1	-	-	-	-	-	-	4	5	19	1	13.6	1.4	61.0	38.0	47.2	8.44	0.77	1.96	0.77	1.96	
CARDIFF	CARDIFF.	226,578	110	59	8	14	1	-	-	-	2	-	-	2	5	6	-	18.9	0.7	-	-	-	-	-	-	-	-	
SWANSEA	SWANSEA.	148,890	94	54	16	14	-	2	1	-	1	-	-	1	5	2	1	16.9	2.2	-	-	-	-	-	-	-	-	
WOLVERHAMPTON	WOLVERHAMPTON.	95,349	57	31	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BIRMINGHAM	BIRMINGHAM.	85,066	65	49	6	18	-	3	1	2	1	-	-	1	3	10	-	30.0	4.3	62.4	32.0	44.8	7.11	0.69	1.75	0.69	1.75	
NORWICH	NORWICH.	492,301	270	162	39	25	3	21	2	2	5	1	2	6	4	32	9	17.2	3.8	-	-	-	-	-	-	-	-	
LEICESTER	LEICESTER.	105,645	56	38	9	16	-	3	-	3	-	-	-	-	3	5	2	13.8	1.5	-	-	-	-	-	-	-	-	
NOTTINGHAM	NOTTINGHAM.	189,186	114	50	16	8	-	4	1	-	1	-	1	2	8	6	2	13.3	1.9	-	-	-	-	-	-	-	-	
DERBY	DERBY.	223,584	126	83	27	15	-	6	-	-	6	-	1	1	2	15	2	19.4	3.0	63.5	31.0	45.7	7.61	0.54	1.37	0.54	1.37	
BIRMINGHAM	BIRMINGHAM.	88,716	58	26	3	12	-	-	-	-	1	-	1	2	3	7	-	13.7	0.5	-	-	-	-	-	-	-	-	
LIVERPOOL	LIVERPOOL.	108,627	55	44	14	6	-	5	-	-	3	1	-	-	-	6	-	21.7	4.4	-	-	-	-	-	-	-	-	
BOLTON	BOLTON.	507,230	357	195	44	26	1	6	5	1	6	3	5	11	12	48	15	20.0	2.8	63.0	42.7	49.2	9.56	0.85	2.16	0.85	2.16	
MANCHESTER	MANCHESTER.	118,363	86	38	7	6	-	8	2	1	6	2	4	3	10	52	4	19.6	2.3	-	-	-	-	-	-	-	-	
SALFORD	SALFORD.	520,211	395	196	33	45	-	1	-	1	6	2	4	3	1	3	17	21.5	4.3	-	-	-	-	-	-	-	-	
OLDHAM	OLDHAM.	208,828	153	85	14	16	-	6	7	-	2	1	1	1	1	2	-	15.0	0.4	-	-	-	-	-	-	-	-	
BURNLEY	BURNLEY.	138,725	72	40	9	9	-	-	1	-	-	-	-	-	1	2	-	18.4	1.6	-	-	-	-	-	-	-	-	
BLACKBURN	BLACKBURN.	136,478	46	34	3	10	-	-	-	1	-	2	-	1	2	2	6	17.0	1.2	-	-	-	-	-	-	-	-	
PRESTON	PRESTON.	125,797	68	41	13	7	-	1	-	-	1	-	1	2	2	1	1	17.0	1.2	-	-	-	-	-	-	-	-	
HALIFAX	HALIFAX.	111,425	69	29	9	5	-	-	-	-	1	-	-	1	1	-	-	13.6	0.5	-	-	-	-	-	-	-	-	
BRADFORD	BRADFORD.	98,511	20	33	6	7	-	-	-	-	2	-	-	-	-	2	3	17.5	1.1	-	-	-	-	-	-	-	-	
LEEDS	LEEDS.	92,861	26	32	7	7	-	3	-	-	-	-	-	-	1	2	3	18.0	1.7	-	-	-	-	-	-	-	-	
SHEFFIELD	SHEFFIELD.	223,583	125	72	15	10	1	2	-	-	2	-	-	3	8	14	2	16.8	1.2	60.8	39.0	46.7	8.17	0.89	0.99	0.89	0.99	
HULL	HULL.	368,761	226	130	35	29	-	2	1	3	3	2	2	3	13	14	2	17.4	1.7	-	-	-	-	-	-	-	-	
SUNDERLAND	SUNDERLAND.	338,316	227	106	25	25	-	2	1	3	4	1	1	4	5	12	1	16.3	1.8	-	-	-	-	-	-	-	-	
GATESHEAD	GATESHEAD.	212,679	154	87	14	15	-	1	-	1	3	-	1	-	1	4	2	14.0	1.5	61.0	33.0	46.2	7.89	0.91	2.31	0.91	2.31	
NEWCASTLE	NEWCASTLE.	136,101	104	53	15	11	-	-	-	-	5	-	-	1	7	6	1	20.3	1.9	-	-	-	-	-	-	-	-	
		93,372	53	31	5	9	-	1	-	-	-	-	-	1	3	4	-	17.3	1.1	-	-	-	-	-	-	-	-	
		201,947	132	65	17	17	-	4	-	-	5	-	-	5	8	5	1	16.8	2.3	-	-	-	-	-	-	-	-	

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-SECOND Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2548	2409	2537	2148	2491	2405	2091	2553	2563	2613	2573·9	2374
Males . .	1290	1228	1311	1079	1275	1214	1054	1325	1291	1346	1310·0	1245
Females .	1258	1181	1226	1069	1216	1191	1037	1228	1272	1267	1263·9	1129
TOTAL Deaths	1476	1521	1235	1447	1323	1151	1411	2189	1419	1455	1543·8	1366
Males . .	795	765	634	798	697	607	770	1097	735	785	810·9	706
Females .	681	756	601	649	626	544	641	1092	684	670	732·9	660

* The numbers in this column are the average weekly numbers in the twenty-second weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.
TOTAL Births - -	2636	2558	2496	2437	2682	2600	2457	2485	2637	2589	2241	2414	2374
TOTAL Deaths - -	1700	1608	1689	1736	1587	1609	1509	1543	1428	1531	1463	1440	1366
Ages at Death {													
0-20 years -	740	737	801	821	792	800	727	775	705	729	756	746	652
20-40 " -	241	184	207	214	197	210	187	179	180	216	154	163	181
40-60 " -	298	275	305	287	265	265	295	303	247	267	209	234	251
60-80 " -	345	336	301	340	263	281	259	250	252	267	284	249	235
80 years & upwards	76	76	75	74	70	53	41	36	44	52	60	48	47
Under 1 year -	352	333	370	335	368	361	337	355	278	286	339	316	291
1-5 -	293	298	312	356	320	327	298	321	331	334	316	322	277
5-20 -	95	106	119	130	104	112	92	99	96	100	101	108	84
Deaths from Small-pox -	-	1	-	-	2	-	3	4	-	3	-	7	4
" " Measles -	66	74	96	137	132	112	124	130	125	152	175	165	148
" " Scarlet fever -	17	19	13	23	20	29	29	25	30	25	20	20	14
" " Diphtheria -	53	52	55	57	63	50	53	62	58	55	56	41	36
" " Whooping-cough -	59	55	49	73	64	53	48	77	59	53	46	50	43
" " Typhus -	-	-	-	-	-	-	1	-	-	-	-	-	-
" " Enteric fever -	10	14	9	12	7	9	8	9	8	9	8	14	13
" " Simple Cont'd fever -	-	-	-	-	-	-	-	-	-	-	1	1	-
" " Diarrhoea and Dysentery -	13	10	12	7	7	14	9	8	11	14	15	11	10
" " Cholera -	-	-	-	-	-	1	-	-	-	-	-	-	-
" " all the above-mentioned Diseases } -	218	225	234	309	295	268	275	315	291	311	324	309	268
" " Dis. of Respiratory System } -	434	373	397	347	314	304	304	255	237	272	234	248	222
" " Phthisis -	151	154	182	173	128	144	153	153	150	169	132	137	137
" " Dis. of Circulatory System } -	129	114	138	137	111	131	104	124	101	86	106	106	103
Violent Deaths - -	65	75	62	74	63	64	63	55	45	52	57	44	67
Inquest Cases - -	138	140	133	153	128	121	146	128	91	126	126	106	129
Deaths in Public Institutions -	500	434	448	494	444	461	449	429	410	436	398	379	409
TEMPERATURE OF THE AIR													
Mean -	44·2	42·6	43·1	43·2	50·6	55·2	43·7	49·5	48·8	51·0	54·5	48·2	50·1
Mean of Highest readings -	51·7	51·3	52·4	61·4	68·5	68·5	60·4	57·9	61·1	65·8	58·5	61·2	
Mean of Lowest readings -	37·6	35·9	35·8	34·5	40·5	43·4	43·1	40·9	40·7	42·6	45·5	38·8	42·0
Humidity of the Air - -	81	79	86	71	76	67	81	78	78	76	74	72	80
Rain-fall in inches - -	0·19	0·41	0·00	0·00	0·01	0·06	0·26	0·93	0·18	0·44	0·09	0·42	0·67
Registered Sunshine (in hours) -	14·4	25·4	20·6	60·5	36·9	37·7	18·6	27·7	14·0	23·8	36·5	39·9	30·5

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and F. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SECOND Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 22nd Week of the 10 years 1884-93.*	In the Week ending Saturday, 2nd June 1894.										CAUSES OF DEATH.	Corrected Averages for the 22nd Week of the 10 years 1884-93.*	In the Week ending Saturday, 2nd June 1894.											
		Deaths of Persons of the Ages												Deaths of Persons of the Ages											
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																
			0-1.	1-5.	5-20.																			0-1.	1-5.
ALL CAUSES - -	1543.8	1363	291	277	84	191	251	235	47			Diseases of Organs of Special Sense - - }	1.7	2	-	-	1	1	-	-	-	-			
Small-pox { Vaccinated† -	2.1	-	-	-	-	-	-	-	-			Diseases of Circulatory System - - }	123.1	103	1	1	11	22	34	23	5				
Unvaccinated -	4.6	4	1	2	-	1	-	-	-			Croup - - - - -	6.3	-	-	-	-	-	-	-	-				
No Statement -	2.0	-	-	-	-	-	-	-	-			Bronchitis - - - -	142.3	97	23	15	1	2	16	35	5				
Measles - - - - -	70.7	148	34	107	6	1	-	-	-			Pneumonia - - - -	105.2	104	13	34	7	13	15	14	3				
Scarlet Fever - - -	15.5	14	1	8	5	-	-	-	-			Pleurisy - - - - -	6.8	5	1	2	-	-	1	1	-				
Typhus - - - - -	0.3	-	-	-	-	-	-	-	-			Other Diseases of Respiratory System - - }	28.0	16	1	4	-	2	2	7	-				
Reaping Fever - - -	-	-	-	-	-	-	-	-	-			Dentition - - - - -	11.6	4	2	2	-	-	-	-	-				
Influenza - - - - -	35.0	5	1	-	-	-	-	2	2			Quinsy, Sore Throat - -	2.0	-	-	-	-	-	-	-	-				
Whooping-cough - -	56.4	43	17	24	2	-	-	-	-			Enteritis - - - - -	8.0	16	10	3	2	1	-	-	-				
Diphtheria - - - -	26.1	38	2	24	10	-	-	-	-			Peritonitis - - - -	5.4	9	-	-	1	3	3	2	-				
Simple Continued and Ill-defined Fever - }	0.0	-	-	-	-	-	-	-	-			Diseases of Liver - - -	27.2	16	2	-	-	5	7	2	-				
Euterie Fever - - -	9.2	13	-	-	4	7	1	1	-			Other Diseases of Digestive System - }	31.7	25	2	-	1	7	5	9	1				
Cholera and Chol. Diarr.	0.8	-	-	-	-	-	-	-	-			Diseases of Lymphatic System & of Ductless Glands - - - - -	2.4	3	1	-	-	1	1	-	-				
Diarrhoea, Dysentery -	17.3	10	8	1	-	-	-	1	-			Diseases of Urinary System - - - - }	42.3	38	-	1	2	8	8	17	2				
Remittent Fever - -	-	-	-	-	-	-	-	-	-			Diseases of Generative System - - - - }	6.8	2	-	-	-	1	1	-	-				
Hydrophobia - - - -	-	-	-	-	-	-	-	-	-			Accidents of Childbirth - -	4.3	4	-	-	1	3	-	-	-				
Glanders - - - - -	-	-	-	-	-	-	-	-	-			Diseases of Locomotive System - - - }	6.1	1	-	-	1	-	-	-	-				
Cowpox and Effects of Vaccination - }	0.1	-	-	-	-	-	-	-	-			Diseases of Integumentary System - }	3.4	6	1	-	-	1	1	2	1				
Venerel Affections -	9.7	11	10	1	-	-	-	-	-			VIOLENT DEATHS.†													
Erysipelas - - - -	4.2	5	-	-	-	1	-	4	-			(ACCIDENT.)													
Pyæmia and Septicæmia	2.1	-	-	-	-	-	-	-	-			By Railways - - - -		1	-	-	-	1	-	-	-				
Puerperal Fever - -	4.5	3	-	-	-	2	1	-	-			By Vehicles or Horses -		8	1	-	2	1	2	1	1				
Other Zymotic Diseases	1.2	-	-	-	-	-	-	-	-			In Ships, Boats, Docks (exclusive of Drowning) - - - - }		-	-	-	-	-	-	-	-				
Thrush - - - - -	0.6	-	-	-	-	-	-	-	-			In Building Operations - -		1	-	-	-	-	-	1	-				
Worms and other Parasitical Diseases - }	0.1	-	-	-	-	-	-	-	-			In Conflagrations - - -		-	-	-	-	-	-	-	-				
Starvation, Want of Breast-milk - }	0.8	2	1	-	-	-	1	-	-			By Burns, Scalds, Explosions - - - }	52.7	6	-	5	1	-	-	-	-				
Alcoholism - - - -	8.5	6	-	-	-	2	3	1	-			By Drowning - - - - -		-	-	-	-	-	-	-	-				
Rheumatic Fever, Rheumatism of Heart	7.0	10	-	-	3	2	4	1	-			By Suffocation in Bed - -		14	13	-	-	-	-	-	1				
Rheumatism - - - -	2.1	2	-	-	-	-	-	2	-			By Poisons or Poisonous Vapours - - - - }		2	-	-	-	1	1	-	-				
Gout - - - - -	3.6	3	-	-	-	-	-	2	1			Other or not stated Causes - - - - }		20	6	1	1	4	6	2	-				
Rickets - - - - -	5.4	-	-	-	-	-	-	-	-			(VIOLENCE OTHER THAN ACCIDENTAL.)													
Cancer - - - - -	59.8	61	-	-	1	7	26	26	1			Homicide - - - - -	1.9	1	-	-	-	1	-	-	-				
Tubercular Mesenteria	22.6	17	11	3	-	2	1	-	-			Suicide - - - - -	10.3	14	-	-	3	3	4	4	-				
Tubercular Meningitis	27.3	20	5	9	6	-	-	-	-			Execution - - - - -		-	-	-	-	-	-	-	-				
Phthisis - - - - -	159.6	137	1	6	5	9	53	8	-			OTHER CAUSES - - - -	43.4	43	33	3	-	1	1	3	-				
Scrofula, Tuberculosis	15.7	13	3	4	2	2	1	1	-																
Other Constitutional Diseases - - - }	12.3	9	-	-	-	2	3	4	-																
Premature Birth - -	41.0	45	44	1	-	-	-	-	-																
Aclecetasia - - - -	2.4	1	1	-	-	-	-	-	-																
Congenital Malformations - }	6.8	8	6	1	-	1	-	-	-																
Old Age - - - - -	49.5	39	-	-	-	-	-	16	23																
Apoplexy - - - - -	37.3	36	-	-	-	2	14	17	3																
Epilepsy - - - - -	8.7	8	-	-	1	-	6	1	-																
Convulsions - - - -	41.3	27	23	4	-	-	-	-	-																
Other Diseases of Brain and Nervous System	91.7	60	2	11	4	8	22	19	-																

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.--POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ended

The DEATHS registered in the Week include																				
REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation. 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions
					Infants under 1 Year of Age.	Persons aged 40 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON		4,211,743	2374	1363	291	282	4	143	11	36	43	-	13	-	10	67	129	400		
WEST DISTRICTS		740,735	375	244	49	54	-	28	1	7	7	-	2	-	5	12	21	83		
NORTH DISTRICTS		993,884	541	187	66	19	-	20	4	10	15	-	2	-	1	14	21	74		
CENTRAL DISTRICTS		247,538	128	81	17	11	-	4	-	1	-	-	-	-	6	6	11	52		
EAST DISTRICTS		705,114	453	263	71	51	-	37	3	4	7	-	1	-	2	19	48	81		
SOUTH DISTRICTS		1,524,472	817	456	87	94	-	59	4	14	14	-	7	-	2	16	24	107		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON		-	-	22	1	6	4	-	2	-	-	-	1	-	-	-	-	31		
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		84159	41	19	4	5	-	1	-	-	-	-	1	-	-	-	2	4		
St. John Paddington H - - - G.J.		33587	11	13	1	11	-	2	-	-	-	-	-	-	3	4	7	-		
Kensington Town Ww - - - W.M.		118751	67	40	11	11	-	6	-	-	-	-	-	-	2	4	12	-		
Brompton H - - - W.M. & C.		47557	12	11	2	4	-	1	-	-	-	-	-	-	1	1	2	-		
St. Peter Hammersmith - - - W.M.		8533	2	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-		
St. Paul Hammersmith H W.M. & G.J.		88653	49	24	4	6	-	2	-	-	2	-	-	-	1	1	2	2		
Fulham Ww - - - W.M. & C.		91899	63	34	14	3	-	4	1	2	4	-	-	-	2	2	2	13		
Chelsea Kensal Town - - - C.		21787	10	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North WHHHH - - - C.		41637	40	22	1	3	-	4	-	-	1	-	-	-	-	-	14	-		
Chelsea South HH - - - C.		32829	15	17	2	3	-	5	-	2	-	-	-	-	-	-	-	2		
May Fair W - - - G.J.		23733	2	10	-	6	-	1	-	-	-	-	-	-	-	-	-	8		
Belgrave WHHH - - - C.		54331	15	21	2	5	-	-	1	-	-	-	-	-	2	2	11	-		
St. John Westminster HHH - - C.		31106	22	8	3	1	-	1	-	-	-	-	-	-	1	2	-	-		
St. Margaret Westminster H - - C.		21668	6	11	1	2	-	-	1	-	-	-	-	-	-	-	5	-		
St. James Westminster WHH N.R. & G.J.		24995	7	7	2	2	-	1	-	-	-	1	-	-	1	-	1	2		
St. Anne Soho HHHHHH - - - N.R.		13317	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																				
All Souls Marylebone } - - W.M.		37713	9	16	6	1	-	1	-	1	-	-	-	-	-	-	-	5		
HHHHHHHH																				
Regent's Park Pancras W - - G.J. & W.M.		20024	10	6	-	3	-	-	-	-	-	-	-	-	-	1	3	-		
Regent's Park Pancras WHHHH G.J. & W.M.		19239	30	9	3	3	-	-	-	1	-	-	-	-	-	-	-	3		
St. Mary Marylebone H - - W.M.		33327	13	5	2	1	-	1	-	-	-	-	-	-	-	1	-	-		
Christchurch Marylebone H - - W.M.		32101	16	8	2	2	-	-	-	1	-	-	-	-	-	-	-	-		
St. John Marylebone H - - W.M.		68416	35	21	6	2	-	1	2	5	1	-	-	-	1	1	12	-		
Hampstead WHHHHH N.R. & W.M.		36590	25	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Regent's Park Pancras HH - - W.M.		26731	12	7	1	1	-	1	-	-	-	-	-	-	1	-	3	-		
Tottenham-court WHHHH N.R. & W.M.		27455	14	6	2	-	-	-	1	-	-	-	-	-	-	-	4	-		
Gray's Inn Lane HHH - - N.R.		32829	22	6	1	1	-	1	-	-	-	-	-	-	1	1	2	1		
Somers Town HH - - N.R.		15419	13	8	2	4	-	-	-	-	-	-	-	-	1	1	5	5		
Camden Town WH - - N.R.		95765	62	41	8	8	-	-	-	1	5	-	-	-	4	5	5	-		
Kentish Town W - - N.R.		99235	49	50	4	9	-	2	-	-	1	-	-	-	-	-	-	-		
Upper Holloway WHWHH - - N.R.		105557	54	25	6	3	-	3	-	-	5	-	-	-	1	2	11	-		
Islington South-west H - - N.R.		84153	36	12	4	3	-	-	-	1	-	-	-	-	-	-	-	-		
Islington South-east H - - N.R.		59193	30	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-		
Highbury HH - - N.R.		30933	16	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-		
Stoke Newington H - - N.R.		17739	8	7	1	2	-	-	-	-	-	-	-	-	1	1	-	-		
Stamford Hill - - - E.L.		42692	14	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-		
West Hackney H - - - N.E.		94486	52	39	10	5	-	6	2	1	-	-	2	-	3	4	18	-		
Hackney WWHWH - - - E.L. & N.R.		41759	21	7	1	1	-	3	-	-	-	-	-	-	-	2	-	-		
South Hackney W - - - E.L.																				
CENTRAL DISTRICTS.																				
St. George Bloomsbury - - - N.R.		16695	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - - - N.R.		13454	17	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles North H - - - N.E.		9633	6	4	2	-	-	-	-	-	-	-	-	-	1	1	3	-		
St. Martin-in-the-Fields HH N.R. & C.		14615	5	10	1	2	-	2	-	-	-	-	-	-	-	-	-	-		
St. Mary-le-Strand H - - - N.R.		5706	3	1	-	1	-	-	-	-	-	-	-	-	1	1	3	-		
St. Clement Danes WH - - - N.R.		7194	1	3	1	-	-	-	-	-	-	-	-	-	-	-	1	2		
Strand Union Workhouse, Edmonion w.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Geo.-the-Martyr HHHHHHH N.R.		17921	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Andrew Eastern W - - - N.R.		15343	8	4	2	-	-	-	-	-	-	-	-	-	-	-	4	-		
St. James Clerkenwell - - - N.R.		16893	13	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-		
Amwell Clerkenwell - - - N.R.		16883	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Pentonville - - - N.R.		17155	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
Goosewell-street - - - N.R.		15375	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
City-road HHHH - - - N.E.		29177	23	9	2	1	-	1	-	-	-	-	-	-	1	1	-	-		
Whitecross-street - - - N.R.		8278	5	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-		
Finsbury - - - N.E.		4985	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, Mitcham w.		-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - - - N.E. & E.L.		8944	5	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-		
Cripplegate - - - N.E.		4539	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - - - N.E.		4444	1	12	1	1	-	-	-	1	-	-	-	-	-	-	-	-		
St. Bride W - - - N.E.		6394	2	2	-	1	-	-	-	-	-	-	-	-	-	-	2	10		
Aldersgate Barking - - - N.E.		10422	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - - - N.E.		3577	3	2	1	1	-	-	-	-	-	-	-	-	-	1	1	1		
City of London Asylum, Stone		-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H.—Hospital; L.—Lunatic Asylum; P.—Private Lunatic Asylum in which paupers are received; W.—Workhouse Establishments; Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. E. & E. L., East London; and K., the Kent Company.

* See Note 1 on first page of this Return.

, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
ay, 2nd June, 1894.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of															
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
EAST DISTRICTS.																			
Editch South HL*	E.L. & N.R.	20098	6	6	1	2	-	-	1	-	-	1	-	-	-	1	2	1	3
on New Town w	- N.R.	29313	12	11	7	3	-	-	-	-	-	1	-	-	-	-	4	-	-
on Old Town	- N.R.	28354	24	4	1	2	-	-	-	-	-	-	-	-	-	1	1	9	-
terston WH	- N.R. & E.L.	46244	27	16	1	9	-	-	-	-	-	-	-	-	-	1	1	-	-
nal Green North H	- E.L.	51290	28	20	7	1	-	4	-	1	-	-	-	-	-	1	5	-	-
nal Green South	- E.L.	33489	28	7	2	1	-	2	-	-	-	-	-	-	-	1	3	-	-
nal Green East WHL*	- E.L.	41123	28	20	2	6	-	4	-	-	-	1	-	-	-	1	2	5	-
ldfields -	- E. . N.R.	22456	21	10	2	5	-	4	-	-	-	-	-	-	-	1	1	-	-
End New Town W	- E.L.	17908	21	14	3	5	-	-	-	-	-	1	-	-	-	1	2	11	-
te Chapel Church H	- E.L. & N.R.	20598	15	21	2	3	-	-	-	3	-	-	-	-	-	7	8	10	-
man's Fields	- E.L.	18800	6	2	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-
George's North	- E.L.	87738	23	9	4	-	-	-	1	-	-	-	-	-	-	1	1	-	-
ohn, St. George East W	- E.L.	8057	9	7	1	2	-	-	-	-	-	-	-	-	-	1	2	4	-
well H	- E.L. & N.R.	10246	6	7	2	1	-	1	-	-	-	-	-	-	1	-	-	4	-
llr W	- E.L.	14928	3	8	4	-	-	1	-	-	-	1	-	-	1	1	3	-	-
ehouse	- E.L.	32202	15	5	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-
End Old Town West H	- E.L.	38650	31	6	5	-	-	-	-	-	1	-	-	-	-	-	1	1	-
End Old Town East WHH	- E.L.	68942	35	24	8	2	-	5	-	-	-	-	-	-	-	1	4	5	-
L*	- E.L.	40855	25	20	5	1	-	6	-	-	2	-	-	-	-	-	2	-	-
ney WHH	- E.L.	70000	37	87	8	11	-	5	1	-	-	-	-	-	-	2	5	17	-
ar. WH	- E.L.	56888	35	12	4	2	-	1	-	-	-	-	-	-	-	1	2	2	-
SOUTH DISTRICTS.																			
etchurch Southwark WH	L. & S.	13264	4	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
Saviour Southwark	- S.	13913	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t-road	- S. & L.	21867	13	10	4	-	-	-	2	-	1	1	-	-	-	-	-	-	-
ough-road WH	- S. & L.	16624	10	11	3	1	-	-	1	-	-	-	1	-	-	-	1	5	-
don-road HL	- S. & L.	21221	9	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ity Newington	- S. & L.	26596	22	10	2	1	-	4	-	-	-	-	-	-	-	1	-	-	-
Peter Walworth W	- S. & L.	61842	32	27	6	9	-	3	-	-	-	-	-	-	-	1	3	10	1
Mary Newington	- L. & S.	27866	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Olave WH	- E.	12723	12	16	3	2	-	1	-	2	-	1	-	-	-	2	2	14	-
ther Market	- S. & L.	14952	14	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Mary Magdalen W	- S.	15660	12	5	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
James Bermondsey	- S.	54070	35	13	1	1	-	1	-	2	1	-	-	-	1	1	-	-	-
erhithe WH	- S. & K.	39255	24	10	2	1	-	1	-	-	-	-	-	-	-	-	-	4	-
erloo-road 1st H	- L. & S.	14031	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
erloo-road 2nd H	- L. & S.	14644	20	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
beth Church 1st H	- L. & S.	18075	16	13	1	2	-	1	-	-	-	-	-	-	-	3	4	10	-
beth Church 2nd WH	- L. & S.	39097	52	15	6	8	-	-	-	-	-	-	-	-	-	1	1	7	-
ington 1st H	- S. & L.	50586	26	15	-	4	-	-	1	-	-	-	-	-	-	1	1	-	-
ington 2nd	- S. & L.	39708	19	10	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-
ton w	- L. & S.	73405	39	24	-	4	-	1	1	4	2	4	-	-	-	-	-	8	-
wood W	- L.	22637	17	6	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Battersea	- S.	67244	34	13	7	1	-	-	-	-	1	-	-	-	-	1	2	-	-
t Battersea WHH	- S.	88314	35	19	1	3	-	5	-	-	-	-	-	-	-	-	1	6	-
ham H	- S.	43698	16	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
adsworth WHL	- S.	46717	37	15	4	2	-	4	-	-	1	-	-	-	-	-	-	1	-
ney	- S.	17771	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
atham WHH	- L.	48756	29	12	2	2	-	1	-	-	2	-	-	-	-	1	2	-	1
Wich	- L. & S.	6809	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
berwell WHH	- S. & L.	61656	42	16	2	10	-	4	-	-	1	-	-	-	-	-	-	19	3
ham WH	- S., L., & K.	33488	68	24	6	5	-	1	1	1	2	-	-	-	-	-	-	-	2
George Camberwell	- L. & S.	69566	36	23	7	3	-	10	-	-	-	-	-	-	-	-	-	-	-
ford, North	- K.	35314	22	8	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ford, Central w	- K.	42007	26	13	2	3	-	3	1	1	-	-	-	-	-	-	-	4	-
ford, South	- K.	20852	16	5	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-
enwich West H	- K.	22007	15	6	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
enwich East WH	- K.	35233	23	17	4	5	-	-	-	-	-	-	-	-	-	-	-	9	-
ham H	- K.	5682	1	3	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
H	- K.	23441	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
isham WH	- K.	30950	21	12	2	6	-	3	-	-	1	-	-	-	-	-	-	1	-
enham H	- L.	34162	15	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
ilton HH	- K.	14040	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ewish Dockyard	- K.	13606	8	6	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-
ewish Arsenal HH	- K.	41242	16	7	2	-	-	-	-	-	-	-	-	-	-	2	2	1	1
instead, West H	- K.	15869	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
instead, East W	- K.	36567	34	11	1	4	-	-	-	-	-	-	-	-	-	1	1	2	-
Head Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
ham Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hill Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
pital Ships and Camp, Dartford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
nth Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
well Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ey Hatch Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
chmore Hill Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eden Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
bury Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-

* See Note † on first page of this Return.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 2nd June, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Name rated Popu- lation. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unnatural Causes of Death.	
LONDON—OUTER RING		368,740	1,422,063	834	370	94	101	3	26	3	9	21	3	4	6	14	55		
37: 1	Carshalton WHH	12228	26108	16	7	5	-	-	-	-	-	1	-	-	-	-	-	-	
2	Epsom, part of* WHH	10423	12508	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W-	754	1899	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon WHH-	20351	128699	54	31	1	10	-	2	-	1	2	-	-	1	4	8	-	
2	Mitcham w	11697	23088	14	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon HHH	3220	25761	19	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston WHH	8071	44765	18	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Esher, part of*	6601	12059	4	5	-	3	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H	4595	18252	11	4	2	-	-	1	-	-	1	-	-	-	-	-	-	
40: 1	Richmond WH	2160	25389	11	13	1	8	-	-	-	-	1	-	-	-	-	3	-	
2	Mortlake H	2823	16159	6	7	-	4	-	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley HHH	9127	23815	18	7	1	3	-	-	-	-	-	-	-	-	-	1	-	
2	Beckenham H	6542	21969	15	4	-	1	-	-	-	-	1	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14907	20372	5	7	1	5	-	-	-	-	1	-	-	1	1	2	-	
42: 1	Bexley H	12540	30590	15	5	2	1	-	1	-	-	-	-	-	-	-	-	-	
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124: 1	Sunbury w	11054	18371	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W	18277	18221	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hillingdon WHH	6035	12237	5	2	1	1	-	-	-	-	-	-	-	-	-	1	-	
2	Uxbridge	6172	5417	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH	14537	12618	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
126: 1	Uxbridge WH	6967	23273	14	7	2	3	-	-	-	-	-	-	-	-	-	3	-	
2	Twickenham HH	2415	18027	6	4	-	1	-	-	1	-	1	-	-	-	-	-	-	
3	Brentford HHHH	4318	37777	21	3	-	2	-	-	-	1	-	-	-	-	-	-	-	
4	Chiswick	1245	21968	7	4	2	1	-	1	-	-	-	-	-	-	-	-	-	
5	Aston WH	6132	30945	19	9	3	1	-	2	-	-	1	-	-	-	-	1	-	
127: 1	Harrow HHH	13800	15715	6	4	2	-	-	-	-	-	1	-	-	-	1	-	-	
2	Edgware H	6994	3844	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH	4833	61335	42	23	7	2	-	2	1	1	-	-	-	1	1	2	-	
4	Hendon W	8382	15843	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
128: 1	South Mimms	1659	8474	5	2	-	-	-	-	-	1	-	-	-	-	-	-	-	
2	Barnet WHH	5441	11778	10	6	-	4	-	-	-	-	-	-	-	-	-	5	-	
3	Finchley HH	4688	25820	11	5	2	2	-	-	-	-	-	-	-	-	-	-	-	
129: 1	Hornsey H-	8939	61097	33	15	5	1	-	-	-	1	3	-	-	-	-	1	-	
2	Tottenham H	4942	97174	63	16	2	4	-	-	-	1	-	-	-	-	1	4	-	
3	Edmonton WH	7489	33851	27	11	3	3	-	-	-	-	-	-	-	-	2	4	-	
4	Enfield WWHH	12639	31803	22	7	3	1	-	2	-	1	-	-	-	1	1	-	-	
5	Waltham Abbey	11017	6066	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt H	8480	9620	5	4	2	-	-	-	-	-	2	-	-	-	-	-	-	
130: 1	Hatfield, part of *	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushy	9331	7787	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136: 1	Stratford H-	1100	42983	25	8	2	1	-	2	-	-	-	-	-	1	1	1	-	
2	Plaistow HHHH	1242	58030	55	26	5	4	1	5	-	-	1	-	-	-	-	1	-	
3	Canning Town H	1558	54750	44	23	13	1	-	5	1	-	-	-	1	-	-	-	-	
4	Forest Gate w	806	49140	20	9	1	5	-	-	-	1	-	-	-	-	-	-	-	
5	East Ham WH	3266	32713	23	7	3	-	-	1	-	-	-	1	1	-	-	1	-	
6	Leyton WWH	4534	70188	51	31	5	13	-	1	-	-	2	-	2	-	-	13	-	
7	Walthamstow HHL	6501	57380	31	18	9	3	-	1	-	-	1	1	-	1	2	1	-	
137: 1	Chigwell, part of * H-	11779	12941	1	3	2	1	-	-	-	-	1	1	-	-	-	-	-	
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, part of * WH	6556	4324	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford	8493	10913	11	4	2	1	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town	3814	14301	15	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	Metro. Asylum Hospitals	-	3	-	-	-	-	2	-	-	1	-	-	-	-	-	-	3	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—39: 2, Epsom sub-district, except the parishes of Ashted and Headley (pop. 1766); 37: 1, the parishes of Warlingham and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2332); 41: 2, Chislehurst sub-district, except the parishes of Chisleham, Cadnam, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1079); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford; 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 2nd June, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from												Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
EATER LONDON	443,421	5,948,300	15.2	3.0	1736	385	383	7	174	17	45	64	16	14	73	464				
INNER LONDON	74,672	4,349,166	16.4	3.2	1366	291	232	4	143	14	36	43	13	10	67	409				
OUTER RING	368,749	1,599,134	12.1	2.2	370	94	101	3	26	3	9	21	3	4	6	55				

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692,845 square miles, which is equivalent to the area of a circle having a radius of 14,851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,598	June 2	155	92	17.7	-	-	1	-	6	2	-	
GLASGOW	686,820	" 2	433	276	21.0	-	-	3	3	19	3	6	
DUBLIN	349,594	" 2	201	169	25.2	-	-	-	-	5	4	3	
CALCUTTA	466,460	April 7	-	355	39.7	12	1	-	2	-	120	116†	
BOMBAY	821,764	May 15	270	624	39.5	32	38	?	?	?	147	44†	
MADRAS	452,518	April 27	294	260	29.8	-	5	?	?	?	108	22†	
PARIS	2,424,705	May 26	1060	931	20.4	3	52	4	30*	7	5	47	
RUSSELS	483,188	" 26	256	163	17.0	1	-	-	1	2	3	12	
AMSTERDAM	446,295	" 26	244	147	17.1	-	2	-	1	1	1	1	
ROTTERDAM	228,597	" 26	144	91	20.7	8	-	-	-	-	-	-	
THE HAGUE	174,790	" 26	98	55	16.3	-	4	-	1	1	-	-	
COPENHAGEN	341,000	" 26	242	116	17.7	-	7	5	7	2	1	7	
STOCKHOLM	252,937	" 19	95	81	16.6	-	-	1	5*	-	1	10	
CHRISTIANIA	167,282	" 26	40	78	24.2	-	6	2	3	3	-	3	
S. PETERSBURG	954,400	" 12	623	563	30.8	6	34	9	17	4	13	57	
MOSCOW	753,469	" 19	-	521	36.1	2	17	10	10	2	6	63	
BERLIN	1,714,988	" 12	829	565	17.3	-	5	8	34	2	2	46	
HAMBURG	594,209	" 26	-	202	17.7	-	14	2	14*	-	-	5	
BRESDEN	312,772	" 5	214	123	20.5	-	-	-	11*	-	1	4	
BRESLAU	360,660	" 26	-	194	28.3	-	-	1	8*	4	-	28	
MUNICH	390,000	" 26	-	181	24.1	-	-	-	7*	1	-	30	
VIENNA	1,465,537	" 26	1031	622	22.1	-	29	5	21*	-	1	50	
TRIESTE	339,172	" 26	205	213	32.7	-	17	-	2	3	8	2	
UDA-PESTH	552,769	" 19	422	288	27.1	1	5	3	14	-	1	21	
BRISTE	159,739	" 19	103	71	23.1	2	-	7	1	-	1	-	
ROME	450,991	April 21	234	147	17.0	-	5	-	-	1	1†	8	
BRIN (10 days)	337,997	May 10	-	-	-	-	-	-	-	-	-	-	
SWITZ	160,406	" 12	79	53	17.2	-	-	1	-	-	-	8	
AIRO	374,838	" 3	378	337	53.7	-	1	-	-	-	14	115	
ALEXANDRIA	231,396	" 3	166	187	42.0	-	1	-	-	-	3	39	
NEW YORK	1,925,569	" 12	-	790	21.2	3	14	18	56	6	3	12	
BROOKLYN	1,020,000	" 12	-	366	18.3	1	10	4	19	5	5	4	
PHILADELPHIA	1,139,457	" 12	-	399	18.3	-	1	-	17	4	11	3	
NEW ORLEANS	254,000	April 21	-	99	20.3	-	-	-	2	1	1	6	

* Including deaths from croup.

† Including 83 deaths from cholera in Calcutta, 11 in Bombay, and 1 in Madras.

‡ Malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 2ND JUNE, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected from Gauge whose Ozone.				
Phases of the Moon.	HABO-METER. Mean daily recording corrected and reduced to Fahrenheit (held).	Of the Air.				Difference between the Air Temperature and Dew Point Temperature.		Degree of humidity (Saturation 100).	Of Radiation.		General Direction.		Oster's.		Pressure on the Square Foot.	Robinson's.	Horizontal Movement of the Air on each Day.	Depar-ture from Average of the Ozone 16 Years.	surfaces is 9 inches above the ground.			
		High-est.	Low-est.	Daily Range.	Mean daily value.	De-pature from daily Average value.	Mean of the Dew Point.		Mean daily value.	Least.	Highest in the 24 Hrs.	Lowest on the Grass.	A. M.	P. M.						Great-est.	Least.	Mean hourly obs.
MAY.	in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	in.			
27	Last Qr.	56.3	40.5	13.8	45.8	-10.2	40.5	5.3	15.8	1.0	82	118.6	34.5	NNW.	NNW. & W.	11.5	0.0	1.7	538	+291	0.07	
28	..	29.410	54.6	38.1	16.5	46.0	-10.0	39.6	6.4	11.8	78	94.8	32.0	SSW.	SSW. & S.	3.6	0.0	0.0	237	-9	0.02	
29	In Equator.	29.468	62.7	39.2	23.5	48.8	-7.4	43.0	5.8	18.5	80	124.2	34.1	SW.	SW. & SSW.	4.1	0.0	0.0	205	-41	0.07	
30	..	29.567	65.0	42.1	22.9	51.1	-5.4	44.6	6.5	20.0	79	131.0	36.1	SW.&SSW.	SSW. & SW.	3.6	0.0	0.0	264	+19	0.07	
31	..	29.640	61.2	40.4	20.8	48.8	-8.0	44.8	4.0	13.5	86	128.6	33.8	SSW. & SW.	SW. & SSW.	3.7	0.0	0.1	279	+34	0.26	
1	..	29.712	63.3	43.3	20.0	53.7	-3.5	46.5	7.2	13.0	77	119.7	35.8	SSW.	S. & SE.	1.0	0.0	0.0	179	-65	0.08	
2	..	29.591	65.0	50.7	14.3	56.8	-0.9	51.0	5.8	11.5	81	112.2	45.0	SSW.SSE.&SW.	SSW. & SW.	8.3	0.0	0.5	440	+196	0.10	
MEANS	..	29.556	61.2	42.0	19.1	50.1	-6.5	44.3	5.9	14.9	80	118.4	35.9	SW.		Sum 2192	Sum +425	Sum 0.67	
Number of Column	3	4	5	6	7	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced (column 9). The mean daily values of the dry and wet bulb thermometers by Glaisher's *Hygro-metrical Tables*. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875. In reading the columns 9 and 23 it will be borne in mind that + indicates "*higher*," and *lower*," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.53 in. at the beginning of the week to 29.39 in. by 9h. p.m. on the 28th of May; increased to 29.75 in. by 9h. a.m. on the 1st of June; decreased to 29.54 in. by 9h. a.m. on the 2nd; and was 29.68 in. at the end of the week.

GENERAL REMARKS.

DATE.		ELECTRICITY. (For explanation of symbols, see Notes.)	Registered Sun above Sunshine, Horizon, May, in hours.		GENERAL REMARKS.
	MAY.				
SUNDAY	27	v. N. and v. P.	3° 3'	16° 1'	Variable, windy and showery till evening; with hail about 8h. P.M.; cloudless at night. A cold day.
MONDAY	28	w. P. in morning; v. N. and v. P. after- wards.	3° 2'	16° 1'	Cloudless in early morning, partially cloudy during the day. Occasional showers. A cold day.
TUESDAY	29	w. P. in morning; v. P. and v. N. after- wards.	4° 1'	16° 1'	Fine, with light clouds in morning; generally over- cast afterwards. Occasional thunder showers in after- noon.
WEDNESDAY	30	w. P. in morning; v. N. and v. P. after- wards.	7° 0'	16° 2'	Fine and partially cloudy till afternoon; showery afterwards. Thunder about 4h. P.M. Hail with rain shortly before 6h. P.M.
THURSDAY	31	w. P. till 6h. A.M.; v. N. and v. P. till 5h. P.M.; w. P. after- wards.	6° 8'	16° 2'	Variable and showery in morning; brief thunder- storm with heavy rain and hail at, and about 11h. A.M.; generally clearer noon; cloudless at night.
JUNE.					
FRIDAY	1	w. N. and w. N. till evening; v. N. at night.	4° 0'	16° 2'	Fine in morning; cloudy afterwards. Occasional rain at night.
SATURDAY	2	w. P. and w. N.	2° 1'	16° 3'	Cloudy and showery in morning; fine and partially cloudy afterwards.
			Sum 30° 5'	Sum 113° 2'	

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 23. 1894. VOL. LV.]

WEEK ENDING SATURDAY, JUNE 9.

[Price 1½d.]

*General Register Office, Somerset House,
June 11th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·9 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	May 19.	May 26.	June 2.	June 9.		May 19.	May 26.	June 2.	June 9.
Birkenhead	18·3	19·3	21·7	16·8	Liverpool -	21·8	20·9	20·0	25·4
Birmingham	18·6	18·5	17·2	20·5	London -	17·5	17·3	16·4	16·8
Blackburn -	16·2	16·6	17·0	12·4	Manchester -	17·4	22·1	19·6	17·1
Bolton -	15·4	16·7	16·7	16·3	Newcastle-on-Tyne	16·8	18·8	16·8	18·8
Bradford -	18·4	17·5	16·8	13·7	Norwich -	22·2	12·3	18·8	13·8
Brighton -	16·3	13·2	12·3	13·6	Nottingham -	20·1	21·0	19·4	14·0
Bristol -	14·5	16·1	13·6	15·6	Oldham -	14·3	20·3	15·0	16·2
Burnley -	16·2	17·8	18·4	17·3	Plymouth -	16·0	10·1	14·2	13·6
Cardiff -	17·5	15·1	18·9	13·7	Portsmouth -	9·5	11·3	14·6	9·8
Croydon -	7·9	11·2	12·6	13·5	Preston -	14·5	19·2	13·6	20·1
Derby -	12·7	14·8	13·7	15·3	Salford -	21·8	28·4	21·5	20·8
Gateshead -	15·1	16·8	17·3	14·0	Sheffield -	14·5	17·4	16·3	17·3
Halifax -	15·2	16·3	18·0	19·1	Sunderland -	13·4	18·8	20·3	18·8
Huddersfield	16·9	21·7	17·5	15·4	Swansea -	15·9	14·8	16·9	13·1
Hull -	15·9	14·2	14·0	15·9	West Ham -	15·3	13·4	16·9	15·8
Leeds -	16·2	18·5	17·4	16·6	Wolverhampton -	20·8	21·5	30·0	14·1
Leicester -	13·0	15·2	13·8	13·5					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·0 in Salford, 1·1 each in Birmingham, Leicester, and Halifax, 1·5 in Oldham, 1·6 in Nottingham, 2·0 in London, and 2·4 in West Ham; from *whooping-cough*, 1·1 in Cardiff and in Halifax, 1·4 in Croydon, 2·0 in Sheffield, and 2·6 in Newcastle; and from *diarrhea*, 1·1 in Swansea. The death-rate from *scarlet fever* and from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 51 deaths from *diphtheria* included 34 in London, 4 in Liverpool, and 2 each in West Ham, Cardiff, Birmingham, and Oldham. Eight deaths from *small-pox* were registered in Birmingham, 3 in London, 3 in Manchester, and 2 in West Ham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2300 BIRTHS and 1398† DEATHS were registered. Allowing for increase of population, the births were {325, and the deaths 99, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·5, 17·3, and 16·4 in the preceding three weeks, rose last week to 16·8. During the four weeks ending on Saturday last the death-rate averaged 17·0 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

The 1398 deaths included 3 from small-pox, 169 from measles, 17 from scarlet fever, 34 from diphtheria, 36 from whooping-cough, 10 from enteric fever, one from an ill-defined form of continued fever, 9 from diarrhoea and dysentery, and not one from typhus, or from cholera; thus, 279 deaths were referred to these diseases, being 71 above the corrected average weekly number.

Of the 3 deaths from *small-pox*, one belonged to Pancras, one to Bethnal Green, and one to Newington sanitary areas. There were 216 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 11 in the Highgate Small-pox Hospital. The deaths from *scarlet fever*, *whooping-cough*, and *diarrhoea* were below the respective averages, while those from *measles*, *diphtheria*, and *enteric fever* showed excess, the deaths from *measles* being 96 above the average. Of the 34 deaths from *diphtheria*, 5 belonged to Islington and 3 to Bermondsey sanitary areas. The Metropolitan Asylum Hospitals* contained 337 cases of diphtheria and 64 of enteric fever at the end of last week; and on the same date these hospitals, together with the London Fever Hospital, contained 2232 cases of scarlet fever.

The deaths referred to diseases of the respiratory organs, which had been 234, 248, and 222 in the preceding three weeks, increased to 236 last week, but were 24 below the corrected average.

The deaths attributed directly to *influenza* numbered 4, having been 8, 9, and 5 in the preceding three weeks.

Different forms of violence caused 57 deaths, concerning 56 of which inquests were held. Of these 57 deaths, 9 were cases of suicide, and one death was a case of homicide, while the remaining 47 were attributed to accident or negligence. Two of these were referred to vehicles in the streets, 7 to drowning, 3 to poison, and 4 (of infants under one year of age) to suffocation in bed. The death of a male, aged 19 years, and that of a female, aged 31 years, were attributed, after inquest, to syncope while under the influence of chloroform.

GREATER LONDON.

In Greater London 3166 births and 1741 deaths were registered, corresponding to annual rates of 27·8 and 15·3 per 1000 of the estimated population. In the Outer Ring 2 deaths from small-pox (both belonging to West Ham district), 25 from measles, 13 from diphtheria, 20 from whooping-cough, and 3 from fever were recorded. Of the 25 deaths from measles, 11 occurred in West Ham and 3 in Kingston districts. The 13 deaths from diphtheria included 7 belonging to Edmonton and 6 to West Ham districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·68 inches, and that of the Thermometer 56°·1, the latter being 2°·1 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 12 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 8·9 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of May. The supply was in the ratio of 244 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	MAY. 1893.	MAY. 1894.	MAY. 1893.	MAY. 1894.
TOTAL SUPPLY . . .	794,555	805,200	207,617,049	196,123,630
From Thames	383,700	388,904	105,185,388	100,426,906
From Lea and from other Sources . . .	410,855	416,296	102,431,661	95,696,724
THAMES.				
Chelsea	36,602	36,792	11,768,256	11,721,025
West Middlesex	76,504	77,713	19,912,978	19,394,131
Southwark and Vauxhall	115,443	116,583	31,361,436	31,221,488
Grand Junction	58,044	58,968	19,478,589	18,359,505
Lambeth	96,507	98,858	22,064,129	19,727,667
LEA AND OTHER SOURCES.				
New River	156,485	157,695	40,530,000	35,790,000
East London	175,499	177,969	45,303,331	44,089,522
Kent	78,871	80,532	16,598,330	15,817,202

Note.—The Return for May 1894, as compared with that for the corresponding month of 1893, shows an increase of 10,645 services and a decrease of 11,493,419 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING MAY, 1894.

*Water-analysis Laboratory, The Yewes, Reigate,
5th June, 1894.*

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of May.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (a) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (b) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Kent 0·5, East London (deep-well) 0·8, New River 1·0, Tottenham 1·4, Chelsea and Colne Valley 1·8, East London (river supply) 2·4, West Middlesex, 2·7, Southwark and Lambeth 2·9, and Grand Junction 3·2. The unfiltered river waters contained the following proportions:—Thames at Hampton 4·9, New River Cut 2·2, and the Lea at the East London Company's intake, 4·1.

The Thames at Hampton was, on May 3rd, turbid and yellow in colour. It was, both chemically and bacterially, of fairly good quality. As delivered by the five Companies drawing from this river, it was of excellent quality, ranking in the case of the Chelsea with the deep-well waters in respect of organic purity. It was in every case efficiently filtered, and exhibited the following per-centage bacterial improvement: Chelsea 99·79, West Middlesex 99·1, Southwark (average of two filters) 99·2, Grand Junction (average of three filters) 97·67, and Lambeth, 99·51.

The New River Cut, on the 2nd of May, was turbid and pale yellow, but otherwise of very good chemical quality. After passing through the subsidence reservoirs, it was also, for unfiltered water, of excellent bacterial quality. It was efficiently filtered before delivery, and was improved bacterially, on the average, 98·42 per cent. In respect of organic purity it ranked with the deep-well waters. The raw river water of the Lea, at Angel Road, was, on May 1st, turbid and pale yellow in colour. It was, chemically, of slightly better quality, but, bacterially, much inferior to the Thames at Hampton. It was efficiently filtered before delivery, and much improved in chemical quality, whilst 99·18 per cent. on the average of the microbes were removed by storage and filtration.

The deep-well waters of the Kent, Colne Valley, and East London Companies, and of the Tottenham Local Board of Health were of excellent quality for dietetic purposes; the Tottenham and East London Company's supplies, however, were slightly turbid. The rest of the waters were clear and bright without filtration, and the Colne Valley Company's water was softened before delivery, and thus rendered suitable for washing. The Kent Company's water was again distinguished for its high degree of organic purity.

Seen through a stratum two feet deep, the Kent and Colne Valley waters were clear and colourless, the Tottenham and East London well waters slightly turbid and colourless, the New River clear and nearly colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters, and of those supplied by the various Companies, collected on the 1st, 2nd, 3rd, and 4th of May, gave the results contained in the following table:—

DESCRIPTION.	— Microbes per c.c.	Temp. C.
RAW AND STORED RIVER WATERS.		
Thames at Hampton	2,580	12°5
„ after storage for 13 days (Chelsea Company).	2,040	12°5
Gravel water (Southwark Company)	120	10°7
Water filtered through artificially laid gravel (Grand Junction Company).	180	12°5
New River Cut after passing through reservoirs.	380	12°2
Lea at Angel Road	4,280	12°0
„ after storage for 15 days	300	12°3
THAMES.		
Chelsea	6	12°4
West Middlesex	26	12°0
Southwark, No. 4 well, Hampton	16	11°5
„ „ 8 „ „	30	12°1
Grand Junction „ (Hampton general well)	40	12°5
„ „ (Kew general well)	74	12°3
„ „ (Kew South well)	20	12°4
Lambeth	14	12°4
LEA.		
New River, main well	8	12°3
„ No. 1 filter	4	11°8
East London, No. 1 Essex well	22	11°8
„ „ No. 2 „	4	12°1
„ „ Middlesex well	68	11°4
„ „ No. 11 bed	38	11°6
„ „ No. 12 „	42	11°7
DEEP WELL.		
Kent, new well	50	11°3

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city "was green and very slightly turbid."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine "was light brown in colour, and contained a little suspended matter."

The Registrar General, &c. &c.

I am, &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	COMPANIES OR LOCAL AUTHORITIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.										
	(Unfiltered water) -	May 3rd. Grand Junction Co.'s intake at Hampton.	2°5	28°60	·245	·045	·008	·183	·235	1°8	19·7
	Chelsea - - -	May 4th. Cab Rank, Horse Guards, Whitehall.	11°9	26°40	·090	·018	0	·186	·204	1°8	17·7
	West Middlesex -	May 4th. Cab Rank, Riding House- street.	10°1	26°10	·133	·024	0	·184	·208	1°8	18°0
	Southwark -	May 4th. Cab Rank, St. George's Church, Borough.	12°8	26°60	·151	·021	0	·183	·204	1°8	18°3
	Grand Junction -	May 4th. Cab Rank, Portman- street, Oxford-street.	12°9	27°66	·166	·022	0	·209	·231	1°8	18·9
	Lambeth - - -	May 4th. Cab Rank, St. George's- road, Southwark.	12°5	27°60	·149	·023	0	·202	·225	1°8	18·9
	LEA.										
	(Unfiltered water) -	May 2nd. New River Cut at Green-lanes.	12°2	29°08	·105	·025	·005	·234	·263	1°7	20·3
	New River - - -	May 4th. Cab Rank, Tottenham Court-road.	12°2	27°30	·046	·011	0	·225	·236	1°6	19°1
Outer Circle.	(Unfiltered water) -	May 1st. East London Co.'s intake at Angel-road.	12°0	32°68	·201	·038	·012	·204	·252	2°0	22°4
	East London -	May 4th. Cambridge-road, N.E.	11°9	29°12	·123	·020	0	·194	·214	2°0	19°7
	DEEP WELLS.										
	Kent - - - -	May 4th. Mill-lane, Deptford.	11°8	36°92	·023	·006	0	·518	·524	2°1	25°1
	Colne Valley - -	May 14th. Bushey.	—	15°90	·085	·022	·004	·406	·521	2°1	6°7
	Tottenham - -	May 16th. Tottenham.	—	40°56	·070	·013	·002	·062	·077	2°8	22°1
	East London - -	May 25th. Chingford well.	—	28°60	·038	·011	0	·018	·029	2°1	19°1
	Corporation of Birming- ham* - - - -	May 15th. 4 Court, Princip-street.	11°7	29°60	·149	·036	0	·187	·223	2°0	19°1
	Corporation of Glasgow† -	May 15th. Loch Katrine Water.	8°0	2°70	·117	·014	0	·002	·016	·7	·6
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.

† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 4th of May, at the Horse Guards cab-rank, had a temperature of 11°·9 C.; 100,000 lbs. of it contained 26°40 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·090 lb. of carbon and ·018 lb. of nitrogen. The above quantity of water also contained no ammonia and ·186 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·204 lb. The above weight of water also contained 1°8 lb. of chlorine and 17°7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 2.—Births, Deaths, and Meteorology, in 33 Great Towns, during the Week ending 9th June 1894.

CITIES AND BOROUGHS.	POPULATION estimated to the middle of the year 1884.	Registered during the Week ending 9th June 1894.			The DEATHS registered in the Week include														TEMPERATURE OF THE AIR.						RAINFALL.		CITIES AND BOROUGHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		1.	2.	3.	Deaths of Persons under 15 Years of Age.			Deaths from						19.	20.	Mean.		23.	Inches.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.			Deaths in Public Institutions.	Unidentified Causes of Death.		From All Causes.	From Diseases in Cohs. & 12.	Highest.	Lowest.	Centigrade.	Fahrenheit.	In Cents.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-THIRD Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years, 1884-93.*	1894
TOTAL Births	2098	2464	2476	2781	2430	2523	2399	2698	2422	2592	2625.1	2300
Males . .	1101	1259	1287	1422	1225	1299	1231	1370	1223	1324	1344.7	1147
Females .	997	1205	1189	1359	1205	1224	1168	1328	1199	1258	1280.4	1153
TOTAL Deaths	1458	1315	1277	1414	1219	1306	1393	1386	1428	1491	1497.3	1398
Males . .	750	662	666	752	637	675	733	948	772	806	781.1	760
Females .	708	653	611	662	582	631	660	933	656	685	716.2	638

* The numbers in this column are the average weekly numbers in the twenty-third weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.
TOTAL Births	2558	2496	2437	2682	2600	2457	2485	2637	2589	2241	2414	2374	2300
TOTAL Deaths	1608	1639	1736	1587	1609	1509	1543	1428	1531	1463	1440	1366	1398
Ages at Death													
{ 0-20 years	737	801	821	792	800	727	775	705	729	756	746	652	727
{ 20-40 "	184	207	214	197	210	187	179	180	216	154	163	181	182
{ 40-60 "	275	305	237	265	265	295	303	247	267	209	234	251	232
{ 60-80 "	336	301	340	263	281	259	280	252	267	284	249	235	212
{ 80 years & upwards	76	75	74	70	53	41	36	44	52	60	48	47	45
Deaths from													
{ Under 1 year	333	370	335	368	361	337	355	278	286	339	316	291	305
{ 1-5 "	298	312	356	320	327	298	321	331	343	316	322	277	323
{ 5-20 "	106	119	130	104	112	92	99	96	100	101	108	84	94
Deaths from													
{ Small-pox	1	-	-	2	-	3	4	-	3	3	7	4	3
{ Measles	74	96	137	132	112	124	130	125	152	175	165	143	169
{ Scarlet fever	19	13	23	20	29	29	25	30	25	20	20	14	17
{ Diphtheria	52	55	57	63	50	53	62	58	55	56	41	36	34
{ Whooping-cough	55	49	73	64	53	43	77	59	53	46	50	43	36
{ Typhus	-	-	-	-	-	1	-	-	-	-	-	-	-
{ Enteric fever	14	9	12	7	9	8	9	8	9	8	14	13	10
{ Simple Cont'd fever	-	-	-	-	-	-	-	-	-	1	1	-	1
{ Diarrhoea and { Dysentery	10	12	7	7	14	9	8	11	14	15	11	10	9
{ Cholera	-	-	-	-	1	-	-	-	-	-	-	-	-
{ all the above- { mentioned Diseases	225	234	309	295	268	275	315	291	311	324	309	268	279
{ Dis. of Respira- { tory System	373	397	347	314	304	304	255	237	272	234	248	222	236
{ Phthisis	154	182	173	128	144	153	153	150	169	182	137	137	132
{ Dis. of Circula- { tory System	114	138	137	111	131	104	124	101	86	106	103	103	94
Violent Deaths	75	62	74	63	64	63	55	45	52	57	44	67	57
Inquest Cases	140	133	153	128	121	146	128	91	126	126	106	129	112
Deaths in Public Institutions	434	443	494	444	461	449	429	410	436	398	379	409	385
TEMPERATURE OF THE AIR													
Mean	42.6	43.1	43.2	50.6	55.2	48.7	49.5	48.8	51.0	54.5	48.2	50.1	56.1
Mean of Highest readings	51.3	52.4	61.4	63.1	68.5	56.0	60.4	57.9	61.1	65.8	58.5	61.2	65.2
Mean of Lowest readings	35.9	35.8	34.5	40.5	43.4	43.1	40.9	40.7	42.6	45.5	38.8	42.0	49.8
Humidity of the Air	79	86	71	76	67	81	78	78	76	74	72	80	83
Rain-fall in inches	0.41	0.00	0.00	0.01	0.06	0.26	0.98	0.13	0.44	0.09	0.42	0.67	1.07
Registered Sunshine (in hours)	25.4	20.6	30.5	33.9	37.7	18.6	27.7	14.0	23.8	36.5	39.9	30.5	8.9

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Gleisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A.W. Prestor, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., L.L.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; F. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; F. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-THIRD Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 23rd Week of the 10 years 1884-93.*	In the Week ending Saturday, 9th June 1894.										CAUSES OF DEATH.	Corrected Averages for the 23rd Week of the 10 years 1884-93.*	In the Week ending Saturday, 9th June 1894.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		Deaths of Persons of the Ages												Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			0-1.	1-4.	5-20.						0-1.							1-4.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
ALL CAUSES - -	1497.3	1398	305	328	94	182	232	212	45																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation. 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include													
				Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 10 Years upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2309	1398	305	257	3	169	17	34	33	-	10	1	9	57	112	385
WEST DISTRICTS	740,731	344	222	40	52	-	30	1	2	4	-	-	-	2	7	18	60
NORTH DISTRICTS	993,894	494	322	66	54	-	33	6	13	6	-	2	-	1	10	22	73
CENTRAL DISTRICTS	247,838	118	100	25	13	-	7	-	1	3	-	1	-	-	3	5	34
EAST DISTRICTS	705,114	403	267	63	45	-	34	2	3	8	-	2	-	3	17	35	91
SOUTH DISTRICTS	1,524,472	833	461	111	85	-	61	5	12	15	-	5	1	3	19	31	99
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON	-	-	26	-	8	3	1	2	-	-	-	-	-	-	1	1	26
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	84159	43	23	11	2	-	6	-	-	1	-	-	-	-	1	2	3
St. John Paddington E - G.J.	33687	8	17	1	4	-	2	-	-	-	-	-	-	-	2	2	7
Kensington Town W - W.M.	118751	54	47	13	11	-	5	-	-	1	-	-	-	-	1	3	14
Brompton H - W.M. & C.	47557	6	8	-	1	-	-	-	-	-	-	-	-	-	-	-	3
St. Peter Hammersmith - W.M.	85833	4	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-
St. Paul Hammersmith H W.M. & G.J.	88633	38	19	6	6	-	3	1	2	1	-	-	-	1	3	4	5
Fulham W - W.M. & C.	91639	63	29	1	7	-	3	1	2	1	-	-	-	-	-	-	11
Chelsea Kensal Town - C.	21787	11	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North WH/HHH - C.	41637	30	14	-	5	-	2	-	-	-	-	-	-	-	-	1	5
Chelsea South HH - C.	32829	18	12	2	1	-	7	-	-	-	-	-	-	1	-	2	1
May Fair W - G.J.	23733	7	10	1	8	-	-	-	-	-	-	-	-	-	-	-	2
Belgrave WHH - C.	51631	23	18	2	5	-	-	-	-	-	-	-	-	-	-	-	4
St. John Westminster H - C.	31105	11	7	-	1	-	-	-	-	-	-	-	-	-	-	1	1
St. Mark's Westminster H - C.	21668	12	10	1	2	-	-	-	-	-	-	-	-	-	-	1	3
St. James Westminster WHH N.R. & G.J.	24995	8	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Anne Soho HHHHHH - N.R.	12317	5	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone - W.M.	37713	11	8	1	1	-	-	-	-	-	-	-	-	-	-	-	4
HHHHHHHH																	
Rectory Marylebone W - G.J. & W.M.	20024	13	6	6	-	-	1	-	-	1	-	-	-	-	-	-	2
St. Mary Marylebone HHHH G.J. & W.M.	19339	29	5	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Christchurch Marylebone H - W.M.	33327	14	10	2	2	-	-	-	-	1	-	-	-	-	-	-	-
St. John Marylebone H - W.M.	32101	14	9	3	2	-	2	-	-	-	-	1	-	-	-	1	-
Hampstead W/HHHH N.R. & W.M.	63416	21	21	3	5	-	1	2	5	-	-	-	-	-	-	1	11
Regent's Park Pancras HH - W.M.	36530	21	12	3	-	-	3	-	-	-	-	-	-	-	-	1	1
Tottenham-court HHHHH N.R. & W.M.	26321	13	14	2	1	-	-	-	-	1	-	-	-	-	-	1	9
Gray's Inn Lane - N.R.	27455	11	13	3	3	-	-	-	1	-	-	-	-	-	-	-	2
Gray's Inn Lane - N.R.	32829	14	6	1	2	-	-	-	-	-	-	-	-	-	-	1	2
Somerset Town WH - N.R.	15419	17	8	2	1	-	1	-	-	-	-	-	-	-	-	1	2
Camden Town HH - N.R.	15419	17	8	2	1	-	1	-	-	-	-	-	-	-	-	1	2
Canish Town W - N.R.	95765	53	28	9	3	-	3	-	-	-	-	-	-	-	-	2	4
Upper Holloway WWH - N.R.	90235	49	35	4	6	-	6	-	3	-	-	-	-	-	-	1	15
Islington South-west H - N.R.	105557	44	33	6	4	-	8	-	1	-	-	-	-	-	-	1	1
Islington South-east - N.R.	84153	32	14	-	5	-	-	-	1	-	-	1	-	-	-	1	2
Highbury HH - N.R.	59193	54	14	5	4	-	1	-	1	1	-	-	-	-	-	1	2
Stoke Newington H - N.R.	30938	15	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.	17759	8	4	1	1	-	2	-	-	-	-	-	-	-	-	1	-
West Hackney H - N.R.	42002	21	14	1	2	-	-	1	1	-	-	-	-	-	-	-	-
Hackney W/WHH - E.L. & N.R.	96436	42	48	9	6	-	5	3	6	1	-	-	-	-	3	4	23
South Hackney W - E.L.	31759	21	11	4	2	-	1	-	-	-	-	-	-	-	2	2	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16635	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - N.R.	13454	6	7	1	1	-	2	-	-	-	-	-	-	-	-	-	2
St. Giles North H - N.R.	9633	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields HH N.R. & C.	14616	8	6	1	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Mary-le-Strand H - N.R.	5706	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Clement Danes WH - N.R.	7194	3	7	1	1	-	1	-	-	-	-	-	-	-	1	1	5
Strand Union Workhouse, Edmonston W.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Geo.-the-Martyr HHHHHH N.R.	17921	7	16	-	1	-	-	-	1	-	-	-	-	-	-	-	14
St. Andrew Eastern W - N.R.	15343	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.	16803	10	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - N.R.	16883	10	9	3	2	-	2	-	-	-	-	-	-	-	-	-	-
Islington W - N.R.	17155	10	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Godwell-street - N.R.	15375	9	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHHH - N.R.	29177	24	10	5	-	-	1	-	2	2	-	-	-	-	1	1	-
Whitecross-street - N.R.	8278	4	2	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Finsbury - N.R.	4985	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham W.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - N.R. & E.L.	8944	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4539	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - N.R.	4444	1	10	-	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Bride W - N.R.	6394	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	8
Aldersgate Barking - N.R.	10422	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bow-street H - N.R.	3377	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N. River; E. L. East London; and K. the Kent Company.

* See note † on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
 9th June, 1894.

		The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1891.	Total BIRTHS.	Total DEATHS.	Deaths of			Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.					
EAST DISTRICTS.																					
Mitch South	HL*	E.L. & N.R.	20098	4	6	2	-	-	-	-	-	-	-	-	-	1	1	1			
New Town	"	"	29813	17	15	3	7	-	-	-	-	-	-	-	-	1	1	6			
Old Town	"	"	28864	12	4	2	-	-	-	1	-	-	-	-	-	1	1	-			
Old Town	WH	"	46244	35	23	1	5	-	-	2	-	-	-	-	-	1	2	12			
Green* North	H	"	51820	32	18	2	2	-	5	-	1	-	-	-	-	-	1	1			
Green South	"	"	33489	22	3	1	-	-	-	-	-	-	-	-	-	-	-	-			
Green East	WHL*	"	44123	26	33	7	10	-	4	-	-	2	-	-	-	1	3	16			
Fields	"	E. " N.R.	22456	15	5	1	1	-	1	-	-	-	-	-	-	-	1	5			
New Town	W	"	17908	22	5	3	1	-	2	-	-	-	-	-	-	-	11	21			
Chapel Church	H*	E.L. & N.R.	20298	19	29	9	2	-	-	-	-	1	-	1	-	8	1	-			
Man's Fields	"	"	18800	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-			
George's, North	"	"	37738	34	10	3	1	-	1	-	-	-	-	-	-	2	-	-			
John, St. George East	W	"	8057	5	6	2	1	-	-	-	1	-	1	-	-	2	2	-			
Well: H	"	E.L. & N.R.	10246	8	0	4	-	-	-	-	-	-	-	-	-	-	0	-			
W: W	"	"	14928	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
House	"	"	32202	15	8	1	1	-	2	-	-	-	-	-	-	-	-	-			
End Old Town West	H	"	38650	26	7	3	-	-	-	-	1	-	-	-	1	-	1	-			
End Old Town East	W & H	"	68942	37	31	7	6	-	6	1	1	3	-	-	-	1	7	-			
L*	"	"	40365	23	16	3	2	-	8	-	-	-	-	-	-	1	1	-			
Wiley: W & H	"	"	70000	51	18	4	6	-	2	-	1	-	-	-	1	1	11	-			
W: W	"	"	56383	46	14	3	-	-	1	-	-	-	-	-	-	5	5	-			
SOUTH DISTRICTS.																					
St. Andrew Southwark	WH	L. & S.	18264	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-			
Various Southwark	"	"	18913	8	3	-	1	-	1	-	-	-	-	-	-	-	-	1			
Various Southwark	"	"	21867	13	9	5	-	-	4	-	1	1	-	-	-	-	4	-			
Various Southwark	"	"	16624	6	14	5	-	-	-	-	-	-	-	-	-	-	-	-			
Various Southwark	"	"	21221	14	6	2	2	-	-	-	-	-	-	-	-	-	2	-			
Various Southwark	"	"	26506	15	3	2	-	-	-	-	-	-	-	-	-	-	-	-			
Peter Walworth	W	"	61842	33	14	6	2	-	1	-	1	-	-	-	-	1	1	1			
Mary Newington	"	"	47866	13	13	4	1	-	1	1	1	-	-	-	-	-	-	-			
Slave WH	"	"	12723	7	13	-	-	-	3	-	-	-	-	-	-	1	1	7			
Her Market	"	"	14952	4	2	-	1	-	1	-	-	-	-	-	-	-	-	-			
Mary Magdalen	W	"	15660	9	7	3	2	-	-	-	-	-	-	-	-	1	1	-			
James Bermondsey	"	"	54070	36	13	3	2	-	-	-	2	-	-	-	-	-	-	-			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7	4	-	3	-	-	1	-	-	1	1	5	1			
Archie WH	"	"	56265	29	19	7															

* See Note † on first page of this Return.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 9th June, 1894.

Registration District and Sub-district Numbers.		REGISTRATION SUB-DISTRICTS.	Area in Acres.	Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
							Deaths of		Deaths from											
							Infants under 1 Year of Age.	Persons aged 15 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertained Cases.	
LONDON—OUTER RING.			363,749	1,422,063	866	343	79	89	2	25	1	13	20	3	—	4	13	42		
31:1	Carshalton WH	10423	26108	10	5	—	3	—	—	—	—	—	—	—	—	—	—	1		
2	Epsom, part of * WH	10423	12508	3	4	2	—	—	—	—	—	—	—	—	—	—	—	—		
37:1	Goldstone, part of * W	754	1593	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
38:1	Croydon WHH	20451	128690	60	35	12	12	—	2	—	—	4	—	—	—	1	4	5		
2	Mitcham W	11637	23088	22	5	2	—	—	—	—	—	—	—	—	—	—	—	—		
39:1	Wimbledon HHH	3226	25761	14	2	1	1	—	—	—	—	—	—	—	—	—	1	1		
2	Kingston WHH	8071	44765	20	16	2	7	—	3	—	—	1	—	—	—	1	1	—		
3	Esher, part of *	6601	12059	12	4	1	1	—	—	—	—	—	—	—	—	—	—	—		
4	Hampton H	4535	18252	9	6	2	3	—	—	—	—	—	—	—	—	—	—	—		
40:1	Richmond WH	2160	25339	10	3	1	1	—	—	—	—	—	—	—	—	—	1	—		
2	Mortlake H	2823	16159	7	4	1	1	—	—	—	—	—	—	—	—	—	—	—		
41:1	Bromley HHH	9127	23815	17	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
2	Beckenham H	6542	21969	12	6	—	1	—	1	—	—	—	—	—	—	—	—	1		
3	Chislehurst, pt. of * WHH	14307	20372	12	7	1	3	—	—	—	—	—	—	—	—	—	—	3		
42:1	Bexley HHH	12540	30690	22	8	3	1	—	—	—	—	1	—	—	—	—	—	—		
2	Dartford Work., pt. of *	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
124:1	Saunders W	11054	13371	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	Staines W	18277	13221	7	5	—	1	—	1	—	—	—	—	—	—	—	—	—		
125:1	Hillingdon WHH	6035	12237	3	3	1	1	—	1	—	—	—	—	—	—	—	—	—		
2	Uxbridge	6172	5517	1	4	—	1	—	—	—	—	—	—	—	—	—	—	—		
3	Hayes WH	14537	12613	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
126:1	Isleworth WHH	6967	25273	14	12	3	5	—	—	—	—	—	—	—	—	—	—	4		
2	Twickenham HH	2415	16027	9	3	1	1	—	—	—	—	—	—	—	—	1	1	—		
3	Brentford HHHH	4318	37777	16	5	—	4	—	—	—	—	—	—	—	—	—	—	—		
4	Chiswick	1245	21963	13	7	—	2	—	1	—	—	—	—	—	—	—	1	—		
5	Aston WH	6132	30945	15	6	1	1	—	1	—	—	1	1	—	—	—	—	—		
127:1	Harrow HHH	18809	15715	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	Edgware EH	6994	3844	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
3	Willesden HHH	4383	61235	45	6	3	—	—	—	—	—	2	—	—	—	—	—	—		
4	Hendon W	8382	15843	16	9	1	3	—	1	—	—	—	—	—	—	—	—	2		
128:1	South Mimms	1569	8474	7	2	—	2	—	—	—	—	—	—	—	—	—	—	—		
2	Barnet WHH	5441	11773	5	2	—	1	—	—	—	—	—	—	—	—	—	—	1		
3	Finchley HHH	4688	25823	11	4	1	—	—	—	—	—	1	—	—	—	—	—	—		
129:1	Hornsey HH	3339	61067	26	10	2	4	—	—	—	—	4	—	1	—	—	—	—		
2	Tottenham H	4442	97174	68	20	7	2	—	1	—	—	1	1	—	—	2	3	3		
3	Edmonton W	7489	36351	20	12	3	—	—	1	1	—	1	—	—	—	—	—	2		
4	Enfield WHH	12639	31803	25	5	2	—	—	—	—	—	3	—	—	—	—	—	—		
5	Waltham Abbey	11017	6066	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6	Cheshunt H	8430	9620	8	2	—	1	—	—	—	—	1	—	—	—	—	—	—		
130:1	Hatfield, part of * W	8995	582	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
131:1	Bushey H	9331	7737	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	Watford Work., pt. of *	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
132:1	Stratford H	1100	42883	33	14	6	1	—	2	—	—	1	1	—	—	—	—	—		
2	Plaistow HHHH	1242	56030	48	15	4	2	—	1	—	—	1	—	—	—	—	—	—		
3	Canning Town H	1558	54750	52	19	6	3	—	4	—	—	—	—	—	—	—	—	—		
4	Forest Gate W	806	49140	30	12	4	3	—	4	—	—	—	—	—	—	1	—	—		
5	East Ham W	3266	32713	49	5	—	1	—	—	—	—	3	1	—	—	—	—	—		
6	Leyton WHH	4334	70188	39	22	1	9	—	—	—	—	1	—	—	—	—	—	13		
7	Walthamstow HHL	6591	57330	29	9	2	4	—	—	—	—	—	—	—	—	—	—	—		
137:1	Chigwell, part of * H	11779	12941	5	3	1	—	—	—	—	—	1	—	—	—	—	—	1		
2	Epping Work., pt. of *	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
139:1	Romford, part of * WH	6556	4324	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	Ilford	8493	10913	4	4	2	1	—	1	—	—	1	—	—	—	—	—	—		
3	Barking Town H	3814	14391	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Metro. Asylum Hospitals			—	—	—	3	—	—	—	—	—	1	—	—	—	—	—	—		
London Fever Hospital			—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Goldstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2352); 41: 3, Chislehurst sub-district, except the parishes of Chelsie, Cadnam, and Knockholt (pop. 3197); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish Thrydon Bois (1973); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: Dartford, 137: 2, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 9th June, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include—												
						Deaths of		Deaths from										
						From All Causes.	From Diseases in Cols. 8-14.	Infants under 1 Year of Age.	Persons under 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	15·3	3·0	1741	384	345	5	191	18	47	53	14	9	61	427		
INNER LONDON	74,672	4,349,166	16·8	3·3	1398	305	257	3	169	17	34	38	11	9	57	385		
OUTER RING	368,749	1,599,134	11·2	2·1	343	79	89	2	25	1	13	20	3	-	4	42		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 632,845 square miles, which is equivalent to the area of a circle having a radius of 14,851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.
EDINBURGH	270,588	June	9	167	104	20·0	4	-	-	1	1	-	2
GLASGOW	686,820	"	9	455	253	19·2	-	3	5	5	11	3	2
DUBLIN	349,594	"	9	223	144	21·5	-	-	-	-	1	1	4
CALCUTTA	466,460	April	14	-	368	41·1	26	4	-	-	-	156	73+
BOMBAY	821,764	"	21	-	295	32·9	26	1	-	-	-	110	71+
MADRAS	821,764	May	22	293	588	37·2	18	40	-	-	-	131	64+
BOMBAY	452,518	"	4	267	292	33·5	1	11	?	?	?	116	21+
PARIS	2,424,705	June	2	1095	949	20·8	-	52	3	19*	6	11	41
BRUSSELS	488,188	"	2	202	150	15·7	-	-	-	3*	4	2	12
AMSTERDAM	440,295	"	2	262	170	19·7	-	4	-	2	3	-	-
ROTTERDAM	228,597	"	2	150	80	18·2	9	-	-	-	3	1	-
THE HAGUE	174,790	"	2	116	66	19·6	-	3	-	3	-	-	-
COPENHAGEN	341,000	"	2	198	127	19·4	-	10	5	2	1	-	10
STOCKHOLM	252,937	May	26	117	92	18·9	-	-	1	4*	-	1	11
CHRISTIANIA	167,282	June	2	-	-	-	-	-	-	-	-	-	-
S. PETERSBURG	954,400	May	19	522	516	28·2	-	23	9	13	2	14	46
MOSCOW	753,469	"	26	-	-	-	-	-	-	-	-	-	-
BERLIN	1,714,938	"	19	861	645	19·8	-	7	8	33	8	2	56
AMSTERDAM	594,209	June	2	-	225	19·7	-	15	1	7*	-	-	8
RESIDEN	312,772	May	12	189	138	22·9	-	-	-	9*	1	1	5
RESIDEN	312,772	"	19	216	112	18·6	-	-	-	7*	2	-	11
RESIDEN	360,660	June	2	-	189	27·5	-	-	1	6*	5	-	27
MUNICH	390,900	"	2	-	166	22·1	-	-	-	5*	2	-	25
VIENNA	1,465,537	"	2	853	644	22·8	1	23	7	37*	1	3	63
PRAGUE	339,172	"	2	229	257	39·4	-	26	-	6	4	3	8
BUDA-PESTH	552,769	May	26	407	291	27·4	4	7	2	11	-	5	21
TRIESTE	159,739	"	26	86	97	31·6	-	1	3	6*	-	-	5
ROME	450,991	April	23	-	-	-	-	-	-	-	-	-	-
URIN (10 days)	337,997	May	10	218	170	18·3	3	4	1	4	-	2	13
VENICE	160,406	"	19	-	-	-	-	-	-	-	-	-	-
CAIRO	374,838	"	10	393	353	49·0	1	3	-	1	-	13	116
ALEXANDRIA	231,396	"	10	194	183	41·2	-	1	-	1	-	5	42
NEW YORK	1,925,569	"	19	-	759	20·3	5	7	12	71	4	3	19
BROOKLYN	1,029,000	"	19	-	359	18·0	2	6	8	16	7	2	3
PHILADELPHIA	1,139,457	"	19	-	347	15·9	-	4	2	14	3	6	8
NEW ORLEANS	254,000	April	28	-	112	23·0	-	-	-	-	1	6	13
		May	5	-	131	26·9	-	-	-	-	1	6	17

* Including deaths from croup.

† Including 52 and 47 deaths, respectively, from cholera in Calcutta, 12 in Bombay, and 1 in Madras.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 3TH JUNE, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.		TEMPERATURE.										TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge within 5 inches above surface of Ground, 16 Years.		Ozone.			
MONTH AND DAY.	PHASES OF THE MOON.	Of the Air.					Difference between the Air Temperature and Dew Point.					Degree of Humidity (Saturation equals 100).		Of Radiation.		General Direction.		Oiler's.		Pressure on the Square Foot.		Robinson's.		Miles.	in.
		High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from Average value, 50 years.	Mean daily value.	Great-est.	Least.	Mean daily value.	Of the Air.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great-est.	Least.	Mean of 24 hours.	Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 Years.	Miles.				
JUNE.																									
SUNDAY	3	29.828	68.1	49.2	18.9	57.9	— 0.1	53.7	4.2	12.1	0.6	86	105.0	43.6	SW.	SSW.	0.6	0.0	0.0	0.0	246	+ 1	0.00	1.0	
MONDAY	4	29.601	68.1	52.2	15.9	58.1	— 0.1	57.2	0.9	8.8	0.0	97	111.4	47.8	ENE. & ESE.	ESE. & SSW.	2.0	0.0	0.0	0.1	270	+ 24	0.48	4.0	
TUESDAY	5	29.617	67.7	51.2	16.5	59.3	— 1.0	47.8	11.5	16.7	2.8	68	126.9	46.6	SSW.	SSW.	3.6	0.0	0.2	0.2	403	+ 159	0.00	0.2	
WEDNESDAY	6	29.572	57.3	49.1	8.2	52.1	— 6.2	49.3	2.8	7.0	0.0	90	84.9	48.1	WSW. & N.	NE. & N.	2.3	0.0	0.1	0.1	312	+ 63	0.50	0.8	
THURSDAY	7	29.660	63.0	48.1	14.9	53.5	— 4.7	45.3	8.2	18.0	1.7	74	112.0	47.1	NNW.	NNW. & NN.	2.2	0.0	0.1	0.1	297	+ 45	0.01	0.0	
FRIDAY	8	29.802	64.5	46.3	18.2	54.2	— 4.0	49.4	4.8	13.1	0.0	84	97.3	40.9	WSW. & SW.	SW. & SSW.	0.6	0.0	0.0	0.0	203	— 47	0.00	1.7	
SATURDAY	9	29.702	67.9	52.6	15.3	57.9	— 0.3	53.7	4.2	14.0	0.0	86	127.8	50.9	SSW. & SW.	WSW. & SW.	2.0	0.0	0.1	0.1	217	— 33	0.08	5.3	
MEANS	..	29.683	65.2	49.8	15.4	56.1	— 2.1	50.9	5.2	12.8	0.6	83	109.3	46.4	Variable.	Sum 1933	Sum 4.210	Sum 1.07	Sum 1.9		
Number of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	
DATE.		ELECTRICITY.		Registered Sunshine, in hours.		GENERAL REMARKS.																			
JUNE.		(For explanation of symbols, see Note.)		Sun above Horizon, in hours.																					
SUNDAY	3	w. P. in morning; m. P. afterwards.	1.4	16.3	Fine; partially cloudy. Slight shower in forenoon. Lightning at night.																				
MONDAY	4	v. P. and v. N. till 1h. P.M.; w. P. after wards.	0.5	16.3	Overcast till 2h. P.M. and rain fell heavily between 6h. A.M. and noon, accompanied with thunder; fine and partially cloudy afterwards.																				
TUESDAY	5	w. P. throughout	3.2	16.4	Fine; generally cloudy.																				
WEDNESDAY	6	w. P. till 4h. P.M.; v. N. afterwards.	0.0	15.4	Overcast. Rain fell steadily from 3h. P.M. till midnight.																				
THURSDAY	7	v. P. generally; w. N. at night.	2.5	16.4	Overcast in morning, and gentle rain fell till 4h. A.M.; fine and partially cloudy after noon.																				
FRIDAY	8	v. P. throughout	0.6	16.4	Fine and partially cloudy in early morning; generally cloudy afterwards.																				
SATURDAY	9	w. P. and m. N. in morning; v. P. afterwards.	0.7	16.4	Overcast and showery in morning; fine, but generally cloudy throughout remainder of day.																				

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 150 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1885 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and — "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: — P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27 derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased from 29.68 in. at the beginning of the week to 29.84 in. by noon on the 3rd; decreased to 29.57 in. by 3h. P.M. on the 4th; increased to 29.65 in. by 9h. A.M. on the 5th; decreased to 29.51 in. by 3h. P.M. on the 6th; increased to 29.82 in. by 9h. A.M. on the 7th; decreased to 29.69 in. by noon on the 8th; and was 29.74 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 24, 1894. VOL. LV.] WEEK ENDING SATURDAY, JUNE 16. [Price 1½d.

*General Register Office, Somerset House,
June 18th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·9 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	May 26.	June 2.	June 9.	June 16.		May 26.	June 2.	June 9.	June 16.
Birkenhead	19·3	21·7	16·8	12·8	Liverpool - -	20·9	20·0	25·4	20·1
Birmingham	18·5	17·2	20·5	16·0	London - -	17·3	16·4	16·8	16·0
Blackburn -	16·6	17·0	12·4	14·5	Manchester -	22·1	19·6	17·1	16·5
Bolton -	16·7	16·7	16·3	17·2	Newcastle-on-Tyne	18·8	16·5	18·8	17·0
Bradford -	17·5	16·8	13·7	12·8	Norwich -	12·3	18·8	13·8	17·8
Brighton -	13·2	12·3	13·6	14·9	Nottingham -	21·0	19·4	14·0	20·5
Bristol -	16·1	13·6	15·6	15·0	Oldham - -	20·3	15·0	16·2	18·0
Burnley -	17·8	18·4	17·3	14·6	Plymouth -	10·1	14·2	13·6	13·6
Cardiff -	15·1	18·9	13·7	13·3	Portsmouth -	11·3	14·6	9·8	12·5
Croydon -	11·2	12·6	13·5	12·1	Preston -	19·2	13·6	20·1	15·9
Derby -	14·8	13·7	15·3	10·6	Salford - -	28·4	21·5	20·8	17·2
Gateshead -	16·8	17·3	14·0	20·1	Sheffield -	17·4	16·3	17·3	14·8
Halifax -	16·3	18·0	19·1	18·5	Sunderland -	18·8	20·3	18·8	15·7
Huddersfield	21·7	17·5	15·4	14·3	Swansea - -	14·8	16·9	13·1	12·6
Hull -	14·2	14·0	15·9	13·2	West Ham - -	13·4	16·9	15·8	14·7
Leeds -	18·5	17·4	16·6	15·6	Wolverhampton -	21·5	30·0	14·1	22·1
Leicester -	15·2	13·8	13·5	10·2					

The highest annual death-rates, as measured by last week's mortality, were:—from *measles*, 1·0 in Birmingham, 1·1 in Oldham, 1·3 in Salford, 1·4 in Preston, 1·5 in London, 2·0 in West Ham, and 2·8 in Nottingham; from *scarlet fever*, 1·8 in Wolverhampton; and from *whooping-cough*, 1·0 in Birmingham and in Salford, 1·1 in Sunderland, and 1·4 in Cardiff. The death-rate from "*fever*" and from *diarrhœa* did not reach 1·0 per 1000 in any of the thirty-three towns. The 60 deaths from *diphtheria* included 43 in London, 4 in Liverpool, 2 in West Ham, and 2 in Manchester. Six deaths from *small-pox* were registered in Manchester, and 5 in Birmingham, but not one death in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2436 BIRTHS and 1336† DEATHS were registered. Allowing for increase of population, the births were 204, and the deaths 136, below the average numbers in the corresponding weeks of the last ten years. The annual

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

death-rate per 1000 from all causes, which had been 17·3, 16·4, and 16·8 in the preceding three weeks, declined last week to 16·0. During the four weeks ending on Saturday last the death-rate averaged 16·6 per 1000, being 1·7 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1336 deaths included 122 from measles, 19 from scarlet fever, 43 from diphtheria, 34 from whooping-cough, 10 from enteric fever, 5 from diarrhœa and dysentery, 2 from cholera and choleraic diarrhœa, and not one death from small-pox, typhus, or any ill-defined form of continued fever; thus, 235 deaths were referred to these diseases, being 21 above the corrected average weekly number.

There were 193 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 11 in the Highgate Small-pox Hospital, making a total of 204, against 236, 244, and 227 on the preceding three Saturdays; 40 cases were admitted during the week, against 69, 58, and 42 in the preceding three weeks. The deaths from *measles*, which had been 165, 148, and 169 in the preceding three weeks, declined to 122 last week, but exceeded the corrected average by 55; 12 belonged to Camberwell, 9 to Poplar, 9 to Battersea, 7 to Wandsworth, and 7 to Chelsea sanitary areas. The deaths from *scarlet fever*, which had been 20, 14, and 17 in the preceding three weeks, further increased to 19 last week, and corresponded with the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2190 scarlet fever patients at the end of last week, against 2271, 2277, and 2232 on the preceding three Saturdays; 238 cases were admitted during the week, against 218 and 264 in the preceding two weeks. The deaths from *diphtheria*, which had been 41, 36, and 34 in the preceding three weeks, rose again to 43 last week, and were 15 above the corrected average; 5 belonged to Fulham, and 4 to Paddington sanitary areas. The Metropolitan Asylum Hospitals* contained 347 diphtheria patients at the end of last week, against 324, 330, and 337 on the preceding three Saturdays; 84 cases were admitted during the week, against 56 and 83 in the preceding two weeks. The deaths from *whooping-cough*, which had been 50, 43, and 36 in the preceding three weeks, further declined to 34 last week, and were 14 below the corrected average. The fatal cases of *enteric fever*, which had been 14, 13, and 10 in the preceding three weeks, were again 10 last week, and corresponded with the corrected average. The Metropolitan Asylum Hospitals* contained 70 cases of enteric fever and not one case of typhus on Saturday last; 14 cases of enteric fever were admitted during the week, against 12 and 14 in the preceding two weeks. The deaths from *diarrhœa*, which had declined from 15 to 9 in the preceding four weeks, further fell to 5 last week, and were 28 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 248, 222, and 236 in the preceding three weeks, declined to 184 last week, and were 63 below the corrected average.

The deaths attributed directly to *influenza* numbered 9, having been 9, 5, and 4 in the preceding three weeks.

Different forms of violence caused 70 deaths, concerning 66 of which inquests were held. Of these 70 deaths, 14 were cases of suicide, and one death was a case of homicide, while the remaining 55 deaths were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 12 to drowning, and 5 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3306 births and 1672 deaths were registered, corresponding to annual rates of 29·0 and 14·7 per 1000 of the estimated population. In the Outer Ring 26 deaths from measles, 9 from diphtheria, and 13 from whooping-cough were registered. Of the 26 fatal cases of measles, 10 occurred in West Ham and 4 in Edmonton districts. Of the 9 deaths from diphtheria, 4 belonged to West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·81 inches, and that of the Thermometer 56°·3, the latter being 2°·4 below the week's average in the 50 years 1841-90. The direction of the wind was Westerly, the horizontal movement of the air being 14 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 15·7 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-FOURTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2805	2375	2287	2513	2399	2396	2477	2485	2803	2474	2640.0	2436
Males . .	1463	1212	1155	1226	1260	1201	1293	1296	1475	1272	1357.0	1182
Females . .	1342	1163	1132	1287	1139	1195	1179	1189	1328	1202	1283.0	1254
TOTAL Deaths	1450	1284	1182	1390	1167	1247	1375	1865	1402	1581	1471.6	1386
Males . .	762	666	623	709	628	635	721	945	769	829	769.1	690
Females . .	688	618	559	681	539	612	654	920	633	752	702.5	646

* The numbers in this column are the average weekly numbers in the twenty-fourth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

			Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.
TOTAL Births - -			2496	2437	2682	2600	2457	2485	2637	2589	2241	2414	2374	2300	2436
TOTAL Deaths - -			1689	1736	1587	1609	1509	1543	1428	1531	1463	1440	1366	1398	1336
Ages at Death	{	0-20 years -	801	821	792	800	727	775	705	729	756	746	652	727	593
		20-40 " -	207	214	197	210	187	179	180	216	154	163	181	182	188
		40-60 " -	305	287	265	265	295	303	247	267	209	234	251	232	269
		60-80 " -	301	340	263	281	259	250	252	267	284	249	235	212	238
		80 years & upwards -	75	74	70	53	41	36	44	52	60	48	47	45	48
{	Under 1 year -	370	385	368	361	337	355	278	286	339	316	291	305	261	
	1-5 -	312	356	320	327	298	321	331	343	316	322	277	328	252	
	5-20 -	119	180	104	112	92	99	96	100	101	108	84	94	80	
Deaths from Small-pox -			-	-	2	-	3	4	-	3	3	7	4	3	-
"	"	Measles -	96	137	132	112	124	130	125	152	175	165	148	169	122
"	"	Scarlet fever -	13	23	20	29	29	25	30	25	20	20	14	17	19
"	"	Diphtheria -	55	57	63	50	53	62	58	55	56	41	36	34	43
"	"	Whooping-cough -	49	73	64	53	48	77	59	53	46	50	43	36	34
"	"	Typhus -	-	-	-	-	1	-	-	-	-	-	-	-	-
"	"	Enteric fever -	9	12	7	9	-	9	8	9	8	14	13	10	10
"	"	Simple Cont'd fever -	-	-	-	-	-	-	-	-	1	1	-	1	-
"	"	Diarrhoea and Dysentery -	12	7	7	14	9	8	11	14	15	11	10	9	5
"	"	Cholera -	-	-	-	1	-	-	-	-	-	-	-	-	2
"	"	all the above-mentioned Diseases -	234	309	295	268	275	315	291	311	324	309	268	279	235
"	"	Dis. of Respiratory System -	397	347	314	304	304	255	237	272	234	248	222	236	184
"	"	Phthisis -	182	173	128	144	153	153	150	169	132	137	137	132	154
"	"	Dis. of Circulatory System -	138	187	111	131	104	124	101	86	106	106	103	94	101
Violent Deaths - -			62	74	63	64	63	55	45	52	57	44	67	57	70
Inquest Cases - -			133	153	128	121	146	128	91	126	126	106	129	112	121
Deaths in Public Institutions			448	494	444	461	449	429	410	436	398	379	409	385	398
TEMPERATURE OF THE AIR															
Mean - - -			43.1	48.2	50.6	55.2	48.7	49.5	48.8	51.0	54.5	48.2	50.1	56.1	56.3
Mean of Highest readings -			52.4	61.4	63.1	68.5	56.0	60.4	57.9	61.1	65.8	58.5	61.2	65.2	66.4
Mean of Lowest readings -			35.8	34.5	40.5	48.4	43.1	40.9	40.7	42.6	45.5	38.8	42.0	49.8	48.8
Humidity of the Air - -			86	71	76	67	81	78	78	76	74	72	80	83	79
Rain-fall in inches - -			0.00	0.00	0.01	0.06	0.26	0.98	0.13	0.44	0.09	0.42	0.67	1.07	0.46
Registered Sunshine (in hours)			20.6	60.5	36.9	37.7	18.6	27.7	14.0	23.8	36.5	39.9	30.5	8.9	15.7

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Prestor, Esq., F.R.Met.Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FOURTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 24th Week of the 10 years 1884-93.*	In the Week ending Saturday, 16th June 1894.								Corrected Averages for the 24th Week of the 10 years 1884-93.*	CAUSES OF DEATH.	Corrected Averages for the 24th Week of the 10 years 1884-93.*	In the Week ending Saturday, 16th June 1894.									
		Deaths of Persons of the Ages											Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 60.							ALL AGES.	Under 20.			20 and under 60.					
			0-1.	1-6.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.					0-1.	1-6.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.		
ALL CAUSES - -	1471.6	1336	261	252	80	183	269	238	48	Diseases of Organs of Special Sense - -	2.2	3	-	2	1	-	-	-	-	-		
Small-pox { Vaccinated - -	1.5	-	-	-	-	-	-	-	-	Diseases of Circulatory System - -	107.9	101	2	-	3	19	33	39	5	-		
Unvaccinated - -	2.2	-	-	-	-	-	-	-	-	Croup - - - -	8.1	2	-	2	-	-	-	-	-	-		
No Statement - -	2.2	-	-	-	-	-	-	-	-	Bronchitis - - -	132.9	89	21	8	1	1	14	27	8	-		
Scasles - - - -	67.0	122	22	96	3	1	-	-	-	Pneumonia - - -	83.7	73	20	21	2	12	12	10	1	-		
Scarlet Fever - -	19.0	19	1	13	5	-	-	-	-	Pleurisy - - - -	4.5	5	1	-	-	1	3	-	-	-		
Diphtheria - - -	0.2	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - -	22.3	10	-	3	1	-	5	8	2	-		
Whooping-cough -	20.4	9	-	-	1	2	2	3	1	Dentition - - - -	11.7	9	6	3	-	-	-	-	-	-		
Measles - - - -	48.2	34	12	20	2	-	-	-	-	Quinsy, Sore Throat -	1.8	3	1	1	-	-	-	1	-	-		
Whooping-cough -	27.9	43	3	25	15	-	-	-	-	Enteritis - - - -	11.0	10	5	-	1	2	-	2	-	-		
Simple Continued and Ill-defined Fever -	1.5	-	-	-	-	-	-	-	-	Peritonitis - - - -	5.3	4	-	-	1	-	1	1	1	-		
Scarlet Fever - -	10.3	10	-	1	5	4	-	-	-	Diseases of Liver - -	28.2	20	2	-	-	3	7	8	-	-		
Enteric Fever - -	1.3	2	1	-	-	-	1	-	-	Other Diseases of Digestive System -	26.5	27	7	1	-	10	2	6	1	-		
Cholera and Chol. Diarr.	32.9	5	4	1	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands - -	1.1	2	-	-	-	2	-	-	-	-		
Diarrhoea, Dysentery	-	-	-	-	-	-	-	-	-	Diseases of Urinary System - - - -	38.4	39	-	1	-	9	14	14	1	-		
Septicemic Fever -	0.1	-	-	-	-	-	-	-	-	Diseases of Generative System - - - -	6.9	5	-	-	-	5	-	-	-	-		
Hydrophobia - -	0.1	-	-	-	-	-	-	-	-	Accidents of Childbirth -	4.9	3	-	-	-	2	1	-	-	-		
Erysipelas - - -	0.1	1	1	-	-	-	-	-	-	Diseases of Locomotive System - - - -	7.4	1)	1	-	3	4	2	-	-	-		
General Affections	9.3	8	6	-	-	-	-	2	-	Diseases of Integumentary System - -	5.1	8	1	1	-	-	2	4	-	-		
Septicæmia and Septicæmia	5.0	3	1	-	-	-	-	2	-	VIOLENT DEATHS.†												
Septicæmia - - -	1.7	-	-	-	-	-	-	-	-	(ACCIDENT.)												
Other Zymotic Diseases	2.5	2	-	1	-	-	-	1	-	By Railways - - -		2	-	-	-	2	-	-	-	-	-	
Scarlet Fever - -	1.3	1	1	-	-	-	-	-	-	By Vehicles or Horses -		4	-	1	2	-	-	-	1	-	-	
Other Parasitic Diseases -	0.3	-	-	-	-	-	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) -		-	-	-	-	-	-	-	-	-		
Starvation, Want of Breast-milk - -	1.2	1	1	-	-	-	-	-	-	In Building Operations -		-	-	-	-	-	-	-	-	-		
Alcoholism - - -	8.4	6	-	-	-	2	3	1	-	In Conflagrations - -		-	-	-	-	-	-	-	-	-		
Pneumonic Fever, Rheumatism of Heart	8.3	10	-	-	4	1	5	-	-	By Burns, Scalds, Explosions - - -	47.3	5	-	2	1	-	2	-	-	-		
Rheumatism - - -	2.2	1	-	-	-	1	-	-	-	By Drowning - - -		12	-	-	3	5	3	1	-	-		
Scout - - - - -	3.4	4	-	-	-	-	-	4	-	By Suffocation in Bed -		5	5	-	-	-	-	-	-	-		
Measles - - - -	6.1	3	-	3	-	-	-	-	-	By Poisons or Poisonous Vapours - - - -		5	-	1	-	1	3	-	-	-		
Scarlet Fever - -	57.8	86	-	-	-	7	41	37	1	Other or not stated Causes - - - -		22	2	2	1	4	10	2	1	-		
Whooping-cough -	23.4	24	14	6	2	1	-	1	-	(VIOLENCE OTHER THAN ACCIDENTAL.)												
Measles - - - -	27.4	16	2	12	2	-	-	-	-	Homicide - - - -	1.2	1	-	-	-	1	-	-	-	-		
Whooping-cough -	159.0	154	2	3	9	63	63	9	-	Suicide - - - -	7.7	14	-	-	2	5	5	2	-	-		
Scarlet Fever - -	18.7	16	3	8	3	1	1	-	-	Execution - - - -	0.1	-	-	-	-	-	-	-	-	-		
Other Constitutional Diseases - -	9.5	11	-	-	1	2	3	3	2	OTHER CAUSES - -	5.2	39	23	2	-	-	1	1	-	-		
Premature Birth - -	40.0	39	39	-	-	-	-	-	-													
Scout - - - - -	3.7	3	3	-	-	-	-	-	-													
Constitutional Malformations - -	6.5	4	4	-	-	-	-	-	-													
Old Age - - - -	47.1	28	-	-	-	-	-	10	18													
Apoplexy - - - -	40.3	30	1	-	1	1	10	17	-													
Paralysis - - - -	8.3	7	-	1	-	3	3	-	-													
Convulsions - - -	40.4	37	34	3	-	-	-	-	-													
Other Diseases of Brain and Nervous System	87.9	61	6	8	5	8	12	21	6													

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.04 per cent for increase of population. † These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When no medical attendant does not certify that the deceased was, or has not, been vaccinated, or when the cause of death is not certified by a registered medical man, the case is returned under the heading "no statement." The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHOEA, VIOLENCE, INQUEST CASES, and Deaths in Public Houses during the Week ending

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation. 1891.	The DEATHS registered in the Week include															
			Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.			
LONDON		4,211,743	2193	1336	261	286	-	122	19	43	34	-	10	-	5	70	121	30
WEST DISTRICTS		740,735	385	234	41	41	-	21	4	13	7	-	-	-	4	7	11	7
NORTH DISTRICTS		993,394	519	299	42	65	-	17	8	17	9	-	2	-	-	17	23	8
CENTRAL DISTRICTS		247,538	130	92	12	12	-	5	-	2	2	-	3	-	-	9	13	4
EAST DISTRICTS		705,114	495	218	61	52	-	39	-	4	3	-	3	-	-	14	32	7
SOUTH DISTRICTS		1,524,472	919	445	105	110	-	49	7	10	13	-	2	-	1	23	31	10
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON *		-	-	13	-	6	-	-	-	-	-	-	-	-	-	-	-	13
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.		84159	50	18	5	5	-	2	-	-	1	-	-	-	-	-	1	2
St. John Paddington H - G.J.		33897	5	11	2	1	-	1	-	1	1	-	-	-	-	-	-	3
Kensington Town WH - W.M.		118251	54	39	5	10	-	3	-	1	-	-	-	-	-	3	16	16
Brompton H - W.M. & C.		47557	15	11	4	1	-	1	-	1	-	-	-	-	-	1	2	4
St. Peter Hammersmith - W.M.		8733	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.		89633	23	24	5	5	-	2	-	1	1	-	-	-	-	-	-	4
Fulham WH - W.M. & C.		91639	77	46	10	8	-	4	4	5	1	-	-	-	2	3	16	16
Chelsea Kensal Town - C.		21787	11	4	-	-	-	1	-	-	2	-	-	-	1	-	-	-
Chelsea North WHHHH - C.		41637	30	18	2	4	-	3	-	-	-	-	-	-	1	1	11	-
Chelsea South HH - C.		32920	18	14	3	1	-	3	-	-	1	-	-	-	1	-	-	-
May Fair W - G.J.		23733	1	4	-	-	-	1	-	-	-	-	-	-	-	-	-	4
Belgrave WHHH - C.		54331	30	16	2	2	-	-	-	1	-	-	-	-	-	-	2	8
St. John Westminster HHH - C.		31106	16	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Margaret Westminster H - C.		21608	8	13	-	1	-	-	-	-	-	-	-	-	-	2	3	5
St. James Westminster WHH N.R. & G.J.		24995	10	3	1	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Anne Soho HHHHHH - N.R.		12317	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone } - W.M.		37713	15	16	3	4	-	-	-	-	-	-	-	-	-	1	-	6
HHHHHHHHH		20924	10	6	-	2	-	-	-	-	-	-	-	-	-	2	3	1
Rectory Marylebone W - G.J. & W.M.		17453	21	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone HHHH G.J. & W.M.		33327	16	10	5	1	-	3	-	-	-	-	-	-	-	1	1	-
Christchurch Marylebone H - W.M.		32101	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone H - W.M.		68416	26	27	2	5	-	-	1	8	1	-	-	-	-	-	-	12
Hampstead WHHHHH N.R. & W.M.		36590	21	11	2	4	-	1	-	-	1	-	-	-	-	-	-	2
Regent's Park Pancras HH - W.M.		26331	9	3	1	2	-	-	-	-	-	-	-	-	-	1	1	7
Tottenham-court WHHHH N.R. & W.M.		27455	16	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray's Inn Lane HHH - N.R.		32829	13	4	2	1	-	-	-	-	-	-	-	-	-	1	2	1
Somers Town HH - N.R.		15419	6	10	-	5	-	-	-	-	-	-	-	-	-	1	1	6
Camden Town WH - N.R.		95765	43	33	5	8	-	4	-	1	2	-	-	-	2	3	11	-
Kenilworth Town W - N.R.		99235	43	32	3	7	-	-	-	-	-	-	-	-	-	-	-	-
Upper Holloway WHHHH - N.R.		99235	43	32	3	7	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-west H - N.R.		105557	63	23	7	1	-	2	-	-	2	-	-	-	2	3	13	-
Islington South-east - N.R.		64158	28	13	1	3	-	-	-	-	-	-	-	-	1	5	-	-
Highbury HH - N.R.		59193	43	18	3	3	-	1	-	2	1	-	-	-	-	1	-	-
Stoke Newington H - N.R.		30936	18	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.		17759	6	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
West Hackney H - N.R.		42092	26	8	1	3	-	1	-	-	-	-	-	-	-	-	1	1
Hackney WHHHH - E.L. & N.R.		98486	48	42	6	6	-	7	-	6	2	-	1	-	2	2	24	24
South Hackney W - E.L.		31759	15	10	-	6	-	1	-	-	-	-	-	-	3	3	1	1
CENTRAL DISTRICTS.																		
St. George Bloomsbury - N.R.		10095	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - N.R.		13454	16	5	-	2	-	-	-	-	1	-	-	-	-	-	-	-
St. Giles North H - N.R.		9633	4	4	-	-	-	-	-	-	-	-	-	-	1	1	1	5
St. Martin-in-the-Fields HH N.R. & C.		14616	4	6	1	2	-	-	-	-	-	-	1	-	-	1	1	-
St. Mary-le-Strand H - N.R.		6706	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	3
St. Clement Danes WH - N.R.		7194	5	6	3	-	-	-	-	-	-	-	-	-	-	-	-	4
Strand Union Workhouse, Edmonston W.		-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
St. Geo.-the-Martyr HHHHHH N.R.		17921	10	11	-	1	-	1	-	-	-	-	-	-	-	-	-	-
St. Andrew Eastern W - N.R.		15343	9	1	-	-	-	-	-	-	1	-	1	-	-	-	-	5
St. James Clerkenwell - N.R.		16893	10	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Amwell Clerkenwell - N.R.		16833	8	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Fentonville - N.R.		17155	8	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Goodwell-street - N.R.		15375	5	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHHH - N.R.		29177	26	11	4	-	-	-	-	1	-	-	-	-	-	-	1	4
Whitecross-street - N.R.		8278	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.		4935	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham W.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - N.R. & E.L.		8944	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.		4539	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - N.R.		4444	1	16	1	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Bride W - N.R.		6594	2	1	-	1	-	-	-	-	-	-	1	-	-	2	3	14
St. Dunstons Barking - N.R.		10132	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - N.R.		3377	-	1	-	-	-	-	-	-	-	-	-	-	-	3	3	-
City of London Asylum, Stone		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Pauper Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; P—Private Lunatic Asylum in which paupers are received; W—Workhouse Establish-
ment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the dif-
ferent sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S., Southwark and Vauxhall; L., Lambeth; N. R.,
N. R., North River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
7, 16th June, 1894.

The DEATHS registered in the Week include																				
REGISTRATION		Enu- merated Popu- lation, 1891.	Total DEATHS.	Deaths from														Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SUB-DISTRICTS.				Total DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Menses.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoes.	Violence.				
EAST DISTRICTS.																				
Steb South	HL*	E.L. & N.R.	20098	7	4	1	2	1	-	-	-	-	-	-	-	-	2			
New Town	w	- N.R.	29313	20	12	3	6	3	-	-	-	-	-	-	-	-	6			
Old Town	-	- N.R.	28354	15	7	2	2	2	-	-	-	-	-	-	-	-	3			
Stanton WH	-	N.R. & E.L.	46244	36	26	3	6	3	-	-	-	-	-	-	-	-	9			
St. Green North	H	- E.L.	51520	38	13	6	2	-	-	-	-	-	-	-	1	1	-			
St. Green South	-	- E.L.	33489	25	13	3	3	-	-	-	-	-	-	-	1	1	-			
St. Green East	WHL*	- E.L.	44123	30	14	2	3	-	-	-	1	-	-	-	1	1	-			
St. Green North	H	- E.L.	22456	16	6	3	3	-	-	-	-	-	-	-	-	2	-			
St. Green South	W	- E.L.	17908	50	11	1	1	-	-	-	1	-	-	-	-	1	0			
St. Green East	WHL*	E.L. & N.R.	20298	16	14	1	2	-	-	-	-	-	-	-	2	3	12			
St. George North	H	- E.L.	18800	14	3	1	1	-	-	-	-	-	-	-	-	-	-			
St. George North	-	- E.L.	37738	30	10	3	3	-	-	-	1	-	-	-	-	1	-			
St. George East	W	- E.L.	8057	4	5	1	1	-	-	-	-	-	-	-	1	2	4			
St. George North	-	- E.L. & N.R.	10246	6	9	4	-	-	2	-	-	-	-	-	-	-	-			
St. George East	W	- E.L.	14928	11	8	3	3	-	-	-	-	-	-	-	1	1	-			
St. George North	-	- E.L.	32202	23	9	4	1	-	2	-	-	-	-	-	1	2	-			
St. George East	W	- E.L.	38650	34	12	3	4	-	-	-	-	-	-	-	-	1	1			
St. George North	-	- E.L.	68942	40	22	5	4	-	3	-	-	-	-	-	-	3	5			
St. George East	W	- E.L.	43955	34	9	2	1	-	2	-	-	-	-	-	1	2	-			
St. George North	-	- E.L.	70000	49	30	5	8	-	5	-	-	-	-	-	1	1	13			
St. George East	W	- E.L.	56888	27	11	5	-	-	2	-	-	-	-	-	2	4	1			
SOUTH DISTRICTS.																				
St. Andrew Southwark	WH	L. & S.	18264	6	2	1	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew Northwark	-	- S.	18913	8	4	1	-	-	-	-	-	-	-	-	1	1	-			
St. Andrew Southwark	-	- S. & L.	21867	18	1	1	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew Northwark	-	- S. & L.	16824	10	9	1	-	-	1	-	1	-	-	-	-	2	4			
St. Andrew Southwark	-	- S.	21221	10	6	1	-	-	1	-	-	-	-	-	1	1	1			
St. Andrew Northwark	-	- S. & L.	26596	12	12	4	2	-	1	-	-	-	-	-	1	2	-			
St. Andrew Southwark	W	- S. & L.	61342	34	14	3	-	-	2	1	-	-	-	-	-	3	-			
St. Andrew Northwark	-	- L. & S.	27866	24	1	-	-	-	2	-	-	-	-	-	-	-	-			
St. Andrew Southwark	-	- S.	12723	6	14	1	5	-	3	-	-	-	-	-	-	-	11			
St. Andrew Northwark	-	- S. & L.	14652	7	3	1	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew Southwark	W	- S.	15650	8	8	4	3	-	-	-	-	-	-	-	1	1	-			
St. Andrew Northwark	-	- S.	54070	40	12	4	-	-	3	-	1	-	-	-	1	1	-			
St. Andrew Southwark	W	- S. & K.	39255	20	17	2	5	-	2	-	-	-	-	-	1	2	9			
St. Andrew Northwark	-	- L. & S.	14031	10	7	2	1	-	-	-	1	-	-	-	2	2	3			
St. Andrew Southwark	-	- L. & S.	14644	17	3	1	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew Northwark	-	- L. & S.	18073	7	14	3	4	-	-	-	1	-	-	-	-	1	8			
St. Andrew Southwark	W	- L. & S.	39097	28	24	4	9	-	-	-	-	1	-	-	-	15	-			
St. Andrew Northwark	-	- S. & L.	50586	32	10	2	4	-	-	-	-	-	-	-	1	1	-			
St. Andrew Southwark	-	- S. & L.	39708	16	16	2	7	-	-	-	-	-	-	-	-	-	-			
St. Andrew Northwark	-	- L. & S.	73405	41	18	2	7	-	-	-	3	1	2	-	-	4	1			
St. Andrew Southwark	W	- L.	26667	10	3	-	1	-	-	-	-	-	-	-	-	-	-			
St. Andrew Northwark	-	- S.	67244	64	17	8	3	-	1	1	1	2	-	-	-	1	-			
St. Andrew Southwark	W	- S.	83314	41	32	6	8	-	9	-	1	-	-	-	-	9	-			
St. Andrew Northwark	-	- S.	43698	11	9	3	2	-	1	-	-	-	-	-	2	2	1			
St. Andrew Southwark	WHL	- S.	46717	38	12	5	2	-	5	-	-	-	-	-	-	1	-			
St. Andrew Northwark	-	- S.	17771	11	4	-	1	-	-	-	-	-	-	-	1	1	-			
St. Andrew Southwark	W	- L.	48756	28	6	2	4	-	-	-	-	-	-	-	-	-	-			
St. Andrew Northwark	-	- L. & S.	6809	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew Southwark	W	- S. & L.	61666	51	32	9	10	-	-	1	4	-	-	-	1	3	15			
St. Andrew Northwark	-	- S., L. & K.	38488	41	31	7	9	-	8	-	1	1	-	-	1	2	2			
St. Andrew Southwark	WHL	- L. & K.	63366	30	10	-	1	-	4	-	-	-	-	-	1	1	2			
St. Andrew Northwark	-	- K.	55314	29	8	4	-	-	1	-	-	-	-	-	-	-	4			
St. Andrew Southwark	W	- K.	42007	36	12	5	-	-	3	-	1	1	-	-	2	2	-			
St. Andrew Northwark	-	- K.	30852	19	4	1	2	-	-	-	1	-	-	-	-	-	-			
St. Andrew Southwark	H	- K.	22007	13	3	-	1	-	-	-	-	-	-	-	1	1	2			
St. Andrew Northwark	WHL	- K.	35233	21	19	6	2	-	-	-	-	-	-	-	1	7	1			
St. Andrew Southwark	-	- K.	5682	3	1	-	-	-	-	-	1	-	-	-	-	-	-			
St. Andrew Northwark	-	- K.	23541	11	3	1	-	-	-	-	1	-	-	-	-	-	-			
St. Andrew Southwark	WHL	- K.	30950	19	13	5	2	-	4	-	-	-	-	-	1	-	2			
St. Andrew Northwark	-	- L.	34162	16	8	2	-	-	-	-	-	-	-	-	-	1	-			
St. Andrew Southwark	WHL	- K.	14040	7	8	1	2	-	-	-	-	-	-	-	-	-	1			
St. Andrew Northwark	-	- K.	18906	6	5	-	1	-	-	-	-	-	-	-	-	2	-			
St. Andrew Southwark	WHL	- K.	41243	13	7	1	2	-	-	-	-	-	-	-	1	1	-			
St. Andrew Northwark	-	- K.	15869	13	4	-	3	-	-	-	-	-	-	-	-	-	-			
St. Andrew Southwark	WHL	- K.	36567	29	4	-	2	-	-	-	-	-	-	-	-	2	-			
St. Andrew Northwark	-	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	6			
St. Andrew Southwark	WHL	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	4			
St. Andrew Northwark	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2			
St. Andrew Southwark	WHL	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1			
St. Andrew Northwark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew Southwark	WHL	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	3			
St. Andrew Northwark	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2			

* See Note † on first page of this Return.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 16th June, 1894.

Regis- tration District and Sub- District Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Name rated Popu- lation, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON—OUTER RING		368,749	1,422,063	870	336	77	72	-	26	1	9	13	2	3	19	29	32		
37: 1	Carshalton WHH -	12228	26108	14	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of * WHH -	10423	12508	8	5	1	1	-	-	-	-	-	-	-	-	3	3	1	-
37: 1	Godstone, part of * W- -	754	1593	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Croydon WHH- -	20851	123699	58	28	5	9	-	-	-	1	2	-	-	-	-	1	3	-
2	Mitcham w - -	11697	23088	16	7	2	1	-	-	-	-	-	-	-	1	2	-	-	-
39: 1	Wimbledon HHH -	3220	25761	18	8	4	1	-	-	-	1	-	-	-	1	1	1	2	-
2	Kingston WHH- -	8071	44765	16	13	2	1	-	2	-	1	-	1	-	2	2	3	-	-
3	Esher, part of * - -	6601	12059	2	3	-	2	-	-	-	-	-	1	-	-	-	-	-	-
4	Hampton H - -	4555	18252	12	9	3	2	-	1	-	-	1	-	-	-	1	1	-	-
40: 1	Richmond WH - -	2160	25389	12	6	1	1	-	-	-	-	-	-	-	-	1	-	-	-
2	Mortlake H - -	2823	16169	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
41: 1	Bromley HHH - -	9127	23815	16	7	1	2	-	-	-	-	1	-	-	-	-	-	1	-
2	Beckenham H - -	6542	21989	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, pt. of * WHH -	14307	20372	11	5	2	1	-	-	-	-	-	-	-	-	-	-	2	-
42: 1	Bexley, HHH - -	12540	30590	19	9	-	3	-	1	-	-	-	-	-	2	2	-	-	-
2	Dartford Work., pt. of * -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
124: 1	Susbury w - -	11054	13671	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines w - -	18277	19221	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125: 1	Hillingdon WHH -	6035	12237	4	3	-	-	-	2	1	-	-	-	-	-	-	-	2	-
2	Uxbridge - -	6172	5417	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes WH - -	14537	12618	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126: 1	Isleworth WHH -	6967	26273	9	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-
2	Twickenham HH - -	2415	18027	11	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-
3	Brentford HHHH -	4313	37777	21	6	2	1	-	1	-	-	1	-	-	-	-	-	-	-
4	Chiswick - -	1245	21963	14	4	2	-	-	1	-	-	-	-	1	-	-	-	-	-
5	Aston WH - -	6132	30945	16	4	2	-	-	1	-	-	-	-	-	-	1	-	-	-
127: 1	Harrow HHH - -	18809	15715	6	5	-	2	-	-	-	-	-	-	-	-	1	1	-	-
2	Edgware EH - -	6994	3844	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden HHH- -	4383	61265	47	13	4	2	-	-	-	-	1	-	-	1	2	-	-	-
4	Hendon W - -	8382	15843	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
128: 1	South Mimms - -	1559	8474	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet WHH - -	5441	11773	4	5	-	3	-	-	-	-	-	-	-	-	-	-	2	-
3	Finchley HHH - -	4688	25820	11	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
129: 1	Hornsey HII - -	3039	61097	33	19	4	4	-	2	-	1	-	-	-	-	-	-	1	-
2	Tottenham H - -	4542	97174	57	19	3	10	-	-	-	-	-	-	-	1	2	1	-	-
3	Edmonton Ww - -	7489	36851	28	9	2	-	-	2	-	-	2	-	-	-	-	-	2	-
4	Enfield WWHH - -	12639	31803	24	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Waltham Abbey - -	11017	6066	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Chesham H - -	8480	9620	8	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
135: 1	Hatfield, part of * W -	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushy H - -	9331	7737	4	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-
2	Watford Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136: 1	Stratford H- - -	1100	42983	32	12	-	1	-	-	-	-	-	-	-	2	3	1	-	-
2	Plaistow HHHH - -	1242	56030	44	18	3	2	-	2	-	1	-	-	-	-	2	3	-	-
3	Canning Town H -	1553	54750	52	20	6	1	-	6	-	-	-	-	-	-	1	2	1	-
4	Forest Gate w - -	806	49140	26	12	4	3	-	1	-	-	1	-	-	1	1	-	-	-
5	East Ham w - -	3266	32713	22	7	2	-	-	-	-	1	-	-	-	-	-	-	-	-
6	Leyton Ww - -	4334	70188	43	18	2	7	-	-	1	1	1	-	-	-	-	-	5	-
7	Walthamstow HHL -	6501	57380	43	8	5	-	-	1	-	-	1	-	-	1	1	-	-	-
137: 1	Chigwell, part of * H- -	11779	19941	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139: 1	Romford, part of * WH -	6556	4324	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - -	3493	10913	10	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town H - -	3314	14391	16	3	2	1	-	-	-	-	1	-	-	1	-	-	-	-
Metro. Asylum Hospitals		-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
London Fever Hospital		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 39: 2, Epsom sub-district, except the parishes of Ashstead and Hoadley (pop. 1766); 37: 1, the parishes of Warringham and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2232); 41: 2, Chislehurst sub-district, except the parishes of Chelsie Cadman, and Knockholt (pop. 3997); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish Thedon Bois (1979); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 16th June, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
ATER LONDON	443,421	5,948,300	14.7	2.5	1672	338	358	-	148	20	52	47	12	8	89	430		
INNER LONDON -	74,672	4,349,163	16.0	2.8	1336	261	286	-	122	19	43	34	10	5	70	398		
UTER RING -	363,749	1,599,134	11.0	1.8	336	77	72	-	26	1	9	13	2	3	19	32		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692,845 square miles, which is equivalent to the area of a circle having a radius of 14,785 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	June	16	130	75	14.5	-	-	-	4	3	1	1
GLASGOW	686,820	"	16	448	256	19.4	-	7	2	2	13	1	6
DUBLIN	349,594	"	16	202	165	24.6	-	1	1	-	7	1	2
BOMBAY	466,460	April	28	-	280	31.3	15	-	-	2	-	113	61†
BOMBAY	821,764	May	29	251	515	32.6	16	25	?	?	?	132	57†
BOMBAY	452,513	"	11	293	259	29.7	1	7	?	?	?	118	25
BOMBAY	2,424,705	June	9	1170	982	21.6	2	50	6	10*	5	18	41
BOMBAY	488,188	"	9	249	155	16.2	3	-	-	2*	-	1	16
AMSTERDAM	446,295	"	9	288	143	16.9	-	3	-	1	3	1	-
AMSTERDAM	228,597	"	9	154	69	15.7	9	-	1	-	1	-	-
THE HAGUE	174,790	"	9	98	50	14.9	-	4	-	-	1	-	-
COPENHAGEN	341,000	"	9	181	116	17.6	-	5	4	5	-	-	6
COPENHAGEN	252,937	"	2	122	78	16.0	-	-	4	4*	1	-	5
COPENHAGEN	167,282	"	2	34	70	21.8	-	3	1	3	2	-	-
PETERSBURG	954,400	May	26	512	472	25.8	4	22	15	12	1	9	62
MOSCOW	753,469	"	26	-	433	30.0	2	17	2	10	3	2	66
BRUSSELS	1,714,938	"	26	867	579	17.8	-	5	8	20	5	2	50
BRUSSELS	594,209	June	9	-	205	17.9	-	22	4	5*	-	2	7
BRUSSELS	312,772	May	26	-	105	17.5	-	-	-	2*	1	-	12
BRUSSELS	360,660	June	9	-	175	25.5	-	1	1	5*	-	-	29
BRUSSELS	390,000	"	9	-	180	24.0	-	-	-	8*	-	-	25
BRUSSELS	1,465,537	"	9	865	642	22.8	-	26	10	26*	-	3	55
BRUSSELS	839,172	"	9	202	244	37.4	-	13	2	1	1	3	2
BRUSSELS	552,769	"	2	396	266	25.0	-	5	4	5	-	1	20
BRUSSELS	159,739	"	2	105	88	28.6	-	3	3	3	-	-	5
BRUSSELS	450,991	April	28	214	158	18.3	-	5	-	2	1	3†	9
BRUSSELS (10 days)	337,997	May	20	197	179	19.3	1	3	1	6*	-	2	15
BRUSSELS	160,406	"	26	90	69	22.4	-	-	-	1	-	-	4
BRUSSELS	374,838	"	17	348	402	55.8	-	4	-	1	1	13	119
BRUSSELS	231,896	"	17	191	178	40.0	2	3	-	1	-	6	43
NEW YORK	1,925,569	"	26	-	721	19.3	4	8	15	56	9	3	7
NEW YORK	1,020,000	"	26	-	344	17.2	-	10	3	19	3	1	5
PHILADELPHIA	1,139,457	"	26	-	363	16.6	-	3	2	16	-	7	4
NEW ORLEANS	254,000	"	12	-	166	32.1	-	-	-	3	-	8	14

* Including deaths from croup.

† Including 41 deaths from cholera in Calcutta, and 17 in Bombay.

‡ Including one death from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 16th JUNE, 1894.

[Under the Superintendence of the Astronomer Royal.]

1894.		Phases of the Moon.		BARO-METER.		TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge which receives surface rain in inches above the top of the Ground.	
Month and Day.		Mean daily reading of the Moon.		Mean daily reading of the Moon.		Mean daily reading of the Moon.		Mean daily reading of the Moon.		Mean daily reading of the Moon.		Mean daily reading of the Moon.		Mean daily reading of the Moon.		Mean daily reading of the Moon.		Mean daily reading of the Moon.	
JUNE.		First Qr.		In Equator.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.		WEDNESDAY.		THURSDAY.		FRIDAY.		SATURDAY.		MEANS.		Sum		Sum	
SUNDAY.		MONDAY.		TUESDAY.															

The results apply to the civil day, or from midnight to midnight.

The height of the eastern of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1875 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the thermometric records for the 16 years ending 1875, of the air from a discussion of the thermometric records for the 16 years ending 1875.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day, 7/4 in. at the beginning of the week to 29.4 in. by 8h. P.M. on the 10th; increased to 29.07 in. by 9h. P.M. on the 14th; decreased to 29.42 in. by 9h. P.M. on the 15th; increased to 29.46 in. by 9h. A.M. on the 16th; and was 29.43 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 25. 1894. VOL. LV.] WEEK ENDING SATURDAY, JUNE 23. [Price 1½d.

*General Register Office, Somerset House,
June 25th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·7 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	June 2.	June 9.	June 16.	June 23.		June 2.	June 9.	June 16.	June 23.
Birkenhead	21·7	16·8	12·8	10·4	Liverpool - -	20·0	25·4	20·1	21·7
Birmingham	17·2	20·5	16·0	19·4	London - - -	16·4	16·8	16·0	16·0
Blackburn -	17·0	12·4	14·5	15·3	Manchester -	19·6	17·1	16·5	18·0
Bolton - - -	16·7	16·3	17·2	14·5	Newcastle-on-Tyne	16·5	18·8	17·0	18·3
Bradford - -	16·8	13·7	12·8	15·1	Norwich - - -	18·8	13·8	17·8	15·3
Brighton - -	12·3	13·6	14·9	12·7	Nottingham -	19·4	14·0	20·5	17·7
Bristol - - -	13·6	15·6	15·0	13·8	Oldham - - -	15·0	16·2	18·0	12·0
Burnley - - -	18·4	17·3	14·6	18·4	Plymouth - -	14·2	13·6	13·6	12·5
Cardiff - - -	18·9	13·7	13·3	14·0	Portsmouth -	14·6	9·8	12·5	10·1
Croydon - - -	12·6	13·5	12·1	9·3	Preston - - -	13·6	20·1	15·9	13·6
Derby - - - -	13·7	15·3	10·6	9·5	Salford - - -	21·5	20·8	17·2	16·5
Gateshead - -	17·3	14·0	20·1	13·4	Sheffield - -	16·3	17·3	14·8	12·8
Halifax - - -	18·0	19·1	18·5	15·2	Sunderland -	20·3	18·8	15·7	20·7
Huddersfield	17·5	15·4	14·3	13·2	Swansea - - -	16·9	13·1	12·6	16·4
Hull - - - - -	14·0	15·9	13·2	16·7	West Ham - -	16·9	15·8	14·7	12·3
Leeds - - - -	17·4	16·6	15·6	14·5	Wolverhampton	30·0	14·1	22·1	17·2
Leicester - -	13·8	13·5	10·2	8·3					

The highest annual death-rates, as measured by last week's mortality, were:—from *measles*, 1·1 in Halifax and in Sunderland, 1·2 in London and in Birmingham, 1·3 in West Ham, and 2·3 in Nottingham; from *scarlet fever*, 2·5 in Wolverhampton; from *whooping-cough*, 1·0 in Salford, 1·1 in West Ham and in Huddersfield, 1·2 in Sheffield, 1·4 in Nottingham, and 1·5 in Sunderland; and from *diarrhoea*, 1·0 in Hull, and 1·1 in Burnley. The death-rate from “fever” did not reach 1·0 per 1000 in any of the thirty-three towns. The 69 deaths from *diphtheria* included 44 in London, 4 in Cardiff, 3 each in Birmingham, Leeds, and Hull, 2 in Liverpool, and 2 in Manchester. Five deaths from *small-pox* were registered in London, 3 in Birmingham, and one death each in West Ham, Wolverhampton, Manchester, and Salford, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2334 BIRTHS and 1330† DEATHS were registered. Allowing for increase of population, the births were 313, and the deaths 126, below the average numbers in the corresponding weeks of the last ten years. The annual

* By “estimated” population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

death-rate per 1000 from all causes, which had been 16·4, 16·8, and 16·0 in the preceding three weeks, was again 16·0 last week. During the four weeks ending on Saturday last the death-rate averaged 16·3 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1330 deaths included 5 from small-pox, 99 from measles, 18 from scarlet fever, 44 from diphtheria, 20 from whooping-cough, 10 from enteric fever, 2 from ill-defined forms of continued fever, 12 from diarrhoea and dysentery, one death from choleraic diarrhoea, and not one from typhus; thus, 211 deaths were referred to these diseases, being 21 below the corrected average weekly number.

Five deaths from *small-pox* were registered, the corrected average being 7; of these 5 deaths, 2 belonged to Bethnal Green, 2 to Poplar, and one death to Battersea sanitary areas. There were 159 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 11 in the Highgate Small-pox Hospital, making a total of 170, against 244, 227, and 204 on the preceding three Saturdays; 21 cases were admitted during the week, against 58, 42, and 40 in the preceding three weeks. The deaths from *measles*, which had been 148, 169, and 122 in the preceding three weeks, further declined to 99 last week, but were 33 above the corrected average; 8 belonged to Islington, 8 to Camberwell, and 7 to Poplar sanitary areas. The deaths from *scarlet fever*, which had been 14, 17, and 19 in the preceding three weeks, were 18 last week, and slightly exceeded the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2153 scarlet fever patients at the end of last week, against 2277, 2232, and 2190 on the preceding three Saturdays; 231 cases were admitted during the week, against 264 and 238 in the preceding two weeks. The deaths from *diphtheria*, which had been 36, 34, and 43 in the preceding three weeks, numbered 44 last week, and were 17 above the corrected average; 7 belonged to Islington, and 5 to Bethnal Green sanitary areas. The Metropolitan Asylum Hospitals* contained 349 diphtheria patients at the end of last week, against 330, 337, and 347 on the preceding three Saturdays; 71 cases were admitted during the week, against 83 and 84 in the preceding two weeks. The deaths from *whooping-cough*, which had declined from 50 to 34 in the preceding four weeks, further fell to 20 last week, and were 30 below the corrected average. The fatal cases of *enteric fever*, which had been 13, 10, and 10 in the preceding three weeks, were again 10 last week, and corresponded with the corrected average. The Metropolitan Asylum Hospitals* contained 74 cases of enteric fever and one of typhus on Saturday last; 12 cases of enteric fever were admitted during the week, against 14 in each of the preceding two weeks. The deaths from *diarrhoea*, which had been 10, 9, and 5 in the preceding three weeks, rose to 12 last week, but were less than a fourth of the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 222, 236, and 184 in the preceding three weeks, rose again to 201 last week, but were 19 below the corrected average.

The deaths attributed directly to *influenza* numbered 6, having been 5, 4, and 9 in the preceding three weeks.

Different forms of violence caused 67 deaths, concerning all but 2 of which inquests were held. Of these 67 deaths, 12 were cases of suicide, and one death was a case of homicide, while the remaining 54 deaths were attributed to accident or negligence. Eleven of these were referred to vehicles in the streets, 8 to drowning, and 6 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3113 births and 1646 deaths were registered, corresponding to annual rates of 27·3 and 14·4 per 1000 of the estimated population. In the Outer Ring 4 deaths from small-pox, 27 from measles, 5 from scarlet fever, 6 from diphtheria, 17 from whooping-cough, and 6 from "fever" were registered. Of the 27 deaths from measles, 8 occurred in West Ham, 5 in Brentford, and 4 in Kingston districts. Seven deaths from whooping-cough were registered in West Ham and 6 in Brentford districts. Of the 4 fatal cases of small-pox, 2 belonged to Romford, one to Edmonton, and one to West Ham districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·85 inches, and that of the Thermometer 58°·9, the latter being 1°·1 below the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 7 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 29·0 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 23rd June 1894.

CITIES AND BOROUGH.	Cols.	Registered during the Week ending 23rd June 1894.				The Deaths registered in the Week include														Average Rate per 1000, corresponding to the Week's Deaths				TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.																				
		BIRTHS.		DEATHS.		Deaths from														Deaths of Persons under 1 Year of Age.		Deaths of 60 Years and upwards.		Small-pox.		Measles.		Scarlet Fever.			Diphtheria.		Whooping-cough.		Typhoid.		Diarrhoea.		Violence.		Inquest Cases.		Deaths in Public Institutions.		Unidentified Causes of Death.		From All Causes.		From Diseases in 6-12.	
		1.		2.		3.		4.		5.		6.		7.		8.		9.		10.		11.		12.		13.		14.			15.		16.		17.		18.		19.		20.		21.		22.		23.		24.	
		1.		2.		3.		4.		5.		6.		7.		8.		9.		10.		11.		12.		13.		14.			15.		16.		17.		18.		19.		20.		21.		22.		23.		24.	
33 TOWNS	104,484,442	5860	3152	723	688	12	162	42	69	86	35	39	143	245	718	48	15.7	2.2	75.4	38.3	56.0	13.33	0.27	0.69	- 33 TOWNS.																									
LONDON	4,249,166	2834	1230	278	311	5	49	18	44	20	12	12	67	125	408	9	16.0	2.5	75.4	47.9	58.9	14.94	0.32	0.81	LONDON.																									
WEST HAM	228,184	134	56	18	10	1	6	-	-	5	1	-	1	1	6	2	32.3	2.8	-	-	-	-	-	-	WEST HAM.																									
CROYDON	111,921	69	20	3	2	-	1	2	-	2	-	-	3	4	3	1	9.3	2.3	74.0	47.2	57.0	13.80	0.30	0.99	CROYDON.																									
BRIGHTON	118,715	57	20	5	7	-	1	-	1	-	-	-	1	3	4	3	12.7	0.9	65.4	49.4	56.4	13.56	0.33	0.84	BRIGHTON.																									
PORTSMOUTH	170,973	85	33	8	11	-	1	1	1	-	-	-	1	2	6	-	10.1	0.9	66.0	46.5	55.9	13.28	0.32	0.81	PORTSMOUTH.																									
PLYMOUTH	87,931	53	21	7	7	-	1	-	-	-	-	-	-	2	3	-	12.5	-	-	-	-	-	-	-	PLYMOUTH.																									
BRISTOL	226,578	97	60	13	22	-	4	-	-	2	-	-	3	5	11	-	13.8	1.4	68.0	42.0	54.8	12.67	0.39	0.99	BRISTOL.																									
CARDIFF	148,890	77	40	11	9	-	-	1	4	1	-	2	2	2	5	1	14.0	2.5	-	-	-	-	-	-	CARDIFF.																									
SWANSEA	55,239	23	30	2	9	-	-	-	-	-	-	-	-	1	4	-	16.4	0.5	-	-	-	-	-	-	SWANSEA.																									
WOLVERHAMPTON	85,036	50	28	6	7	1	-	4	1	-	-	1	1	2	5	-	17.2	4.3	71.4	38.3	53.9	12.77	0.24	0.61	WOLVERHAMPTON.																									
BIRMINGHAM	492,302	311	183	52	26	3	11	1	3	5	3	5	9	7	38	7	19.4	3.3	-	-	-	-	-	-	BIRMINGHAM.																									
NORWICH	165,643	52	31	4	13	-	-	-	-	-	-	1	2	3	3	1	15.3	0.5	73.0	47.8	57.2	14.00	0.18	0.46	NORWICH.																									
LEICESTER	189,136	109	30	6	5	-	3	-	-	-	-	-	-	2	4	1	8.3	0.8	-	-	-	-	-	-	LEICESTER.																									
NOTTINGHAM	225,534	129	76	29	14	-	10	1	6	1	2	1	2	1	3	14	2	17.7	4.7	70.0	42.0	55.1	12.83	0.06	0.15	NOTTINGHAM.																								
DERBY	88,746	56	18	5	2	-	-	-	-	-	-	1	-	-	1	2	9.5	0.5	-	-	-	-	-	-	DERBY.																									
BIRMINGHAM	105,627	59	21	2	4	-	-	-	1	-	1	-	1	1	4	-	10.4	1.0	-	-	-	-	-	-	BIRMINGHAM.																									
LIVERPOOL	507,230	312	211	58	26	-	9	6	2	8	8	-	12	19	51	4	21.7	3.4	67.5	48.0	55.5	13.06	0.31	0.79	LIVERPOOL.																									
BOLTON	118,303	61	23	5	10	-	-	-	2	1	3	1	9	15	43	2	14.5	0.4	-	-	-	-	-	-	BOLTON.																									
MANCHESTER	520,211	349	180	38	33	1	4	-	5	3	3	1	9	15	43	2	18.0	1.6	-	-	-	-	-	-	MANCHESTER.																									
SAFORD	205,838	145	65	18	12	1	2	3	4	2	2	2	4	4	16	1	10.5	3.5	-	-	-	-	-	-	SAFORD.																									
OLDHAM	183,755	67	32	7	6	-	1	-	1	-	-	-	-	3	5	-	12.0	1.1	-	-	-	-	-	-	OLDHAM.																									
BURNLEY	164,478	49	34	6	6	-	-	1	-	-	-	2	2	4	7	-	18.4	1.6	-	-	-	-	-	-	BURNLEY.																									
BLACKBURN	122,747	63	37	7	8	-	1	-	1	-	1	-	-	1	5	1	15.3	1.2	-	-	-	-	-	-	BLACKBURN.																									
PRESTON	111,425	53	25	10	7	-	2	1	-	2	-	1	1	1	2	3	13.6	2.8	-	-	-	-	-	-	PRESTON.																									
HUDDERSFIELD	18,511	40	25	2	10	-	-	-	2	-	-	-	2	2	3	3	13.2	1.1	-	-	-	-	-	-	HUDDERSFIELD.																									
HALIFAX	12,861	53	27	5	7	-	2	-	-	-	-	-	-	1	4	1	15.2	1.1	-	-	-	-	-	-	HALIFAX.																									
BRADFORD	234,855	111	65	16	18	-	1	-	-	-	-	-	2	3	6	-	15.1	0.5	-	-	-	-	-	-	BRADFORD.																									
LEEDS	588,781	273	168	24	25	-	3	-	5	1	1	1	7	10	15	10	14.5	1.7	-	-	-	-	-	-	LEEDS.																									
SHEFFIELD	363,316	195	83	24	15	-	-	-	3	5	1	1	5	8	10	3	12.8	1.5	-	-	-	-	-	-	SHEFFIELD.																									
HULL	212,679	134	68	18	17	-	1	3	1	1	1	4	1	3	9	3	16.7	2.5	73.0	41.0	55.7	13.17	0.11	0.28	HULL.																									
SUNDERLAND	136,101	45	54	12	11	-	3	-	4	-	-	2	2	2	5	7	-	13.4	0.6	-	-	-	-	-	SUNDERLAND.																									
GATESHEAD	133,372	55	24	8	4	-	-	-	1	-	-	-	1	1	1	-	13.4	0.6	-	-	-	-	-	-	GATESHEAD.																									
NEWCASTLE	201,947	169	71	14	-	-	1	-	2	-	-	-	1	2	12	-	18.3	1.3	-	-	-	-	-	-	NEWCASTLE.																									

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-FIFTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2615	2419	2617	2182	2534	2636	2516	2389	2654	2520	2647.2	2334
Males . . .	1307	1255	1321	1078	1277	1353	1295	1228	1319	1291	1342.9	1167
Females . .	1308	1164	1296	1104	1257	1283	1221	1161	1335	1229	1304.3	1167
TOTAL Deaths	1371	1279	1222	1287	1190	1243	1387	1538	1415	1866	1456.3	1330
Males . . .	716	681	657	657	609	659	718	827	793	1015	767.5	684
Females . .	655	598	565	630	581	584	669	711	622	851	688.8	646

* The numbers in this column are the average weekly numbers in the twenty-fifth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.
TOTAL Births - -	2437	2682	2600	2457	2485	2637	2589	2241	2414	2374	2300	2436	2334
TOTAL Deaths - -	1736	1587	1609	1509	1543	1428	1531	1463	1440	1366	1398	1336	1330
Ages at Death													
{ 0-20 years -	821	792	800	727	775	705	729	756	746	652	727	593	588
{ 20-40 " -	214	197	210	187	179	180	216	154	163	181	182	188	176
{ 40-60 " -	287	265	265	295	303	247	267	209	234	251	232	269	255
{ 60-80 " -	340	263	281	259	250	252	267	284	249	235	212	238	261
{ 80 years & upwards -	74	70	53	41	36	44	52	60	48	47	45	48	50
Under 1 year -	335	368	361	337	355	278	286	339	316	291	305	261	278
1-5 -	356	320	327	298	321	331	343	316	322	277	328	252	216
5-20 -	180	104	112	92	99	96	100	101	103	84	94	80	94
Deaths from Small-pox -	-	2	-	3	4	-	3	3	7	4	3	-	5
" " Measles -	137	132	112	124	130	125	152	175	165	143	169	122	99
" " Scarlet fever -	23	20	29	29	25	30	25	20	20	14	17	19	18
" " Diphtheria -	57	63	50	53	62	58	55	56	41	36	31	43	41
" " Whooping-cough -	73	64	53	48	77	59	53	46	50	43	36	34	20
" " Typhus -	-	-	-	1	-	-	-	-	-	-	-	-	-
" " Enteric fever -	12	7	9	8	9	8	9	8	14	13	10	10	10
" " Simple Contag. fever -	-	-	-	-	-	-	-	1	1	-	1	-	2
" " Diarrhœa and Dysentery -	7	7	14	9	8	11	14	15	11	10	9	5	12
" " Cholera -	-	-	1	-	-	-	-	-	-	-	-	2	1
" " all the above-mentioned Diseases -	309	295	268	275	315	291	311	324	309	268	279	235	211
" " Dis. of Respiratory System -	347	314	304	304	255	237	272	234	248	222	236	184	201
" " Phthisis -	173	128	144	153	153	150	169	132	137	137	132	154	136
" " Dis. of Circulatory System -	137	111	131	104	124	101	86	106	106	103	94	101	124
Violent Deaths - -	74	63	64	63	55	45	52	57	44	67	57	70	67
Inquest Cases - -	153	123	121	146	128	91	126	126	106	129	112	121	125
Deaths in Public Institutions	494	444	461	449	459	410	436	398	379	409	385	393	408
TEMPERATURE OF THE AIR													
Mean -	43.2	50.6	55.2	48.7	49.5	48.8	51.0	54.5	48.2	50.1	56.1	56.3	53.9
Mean of Highest readings -	61.4	63.1	68.5	56.0	60.4	57.9	61.1	65.8	58.5	61.2	65.2	66.4	69.7
Mean of Lowest readings -	34.5	40.5	43.4	43.1	40.9	40.7	42.6	45.5	38.8	42.0	49.8	48.8	50.5
Humidity of the Air - -	71	76	67	81	78	78	76	74	72	80	85	79	79
Rain-fall in inches - -	0.00	0.01	0.06	0.26	0.98	0.18	0.44	0.09	0.42	0.67	1.07	0.46	0.32
Registered Sunshine (in hours)	20.5	36.9	37.7	18.6	27.7	14.0	23.8	38.5	39.9	30.5	8.9	15.7	29.0

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Presten, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and F. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Melandrough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FIFTH Week of the Year 1894.

USES OF DEATH.	Corrected Averages for the 25th Week of the 10 years 1884-93.	In the Week ending Saturday, 23rd June 1894.										CAUSES OF DEATH.	Corrected Averages for the 25th Week of the 10 years 1884-93.	In the Week ending Saturday, 23rd June 1894.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	0-1.	1-6.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	0-1.			1-6.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				
CAUSES -	1456.3	1390	278	216	94	176	255	261	50		Diseases of Organs of Special Sense -	2.3	1	1	-	-	-	-	-	-	-		
{ Vaccinated -	2.0	-	-	-	-	-	-	-	-		{ Diseases of Circulatory System -	113.2	124	1	2	10	24	40	42	5			
	Unvaccinated -	3.2	1	-	1	-	-	-	-														
{ No Statement -	1.8	4	-	-	1	-	3	-	-														
Measles -	65.0	99	23	72	4	-	-	-	-		Croup -	5.8	3	-	2	1	-	-	-	-	-		
Etiol Fever -	17.4	18	-	13	5	-	-	-	-		Bronchitis -	103.0	85	23	7	2	3	12	23	10			
Scarlet Fever -	0.3	-	-	-	-	-	-	-	-		Pneumonia -	32.4	91	29	13	4	8	20	14	3			
Whooping Cough -	-	-	-	-	-	-	-	-	-		Pleurisy -	5.7	6	-	3	-	-	2	1	-			
Diphtheria -	14.0	6	-	-	-	1	2	3	-		Other Diseases of Respiratory System -	19.8	15	3	2	1	1	4	4	-			
Scarlet Fever -	50.4	50	6	14	-	-	-	-	-		Dentition -	11.0	8	3	5	-	-	-	-	-			
Whooping Cough -	22.1	44	2	25	15	1	1	-	-		Quinsy, Sore Throat -	2.2	1	-	1	-	-	-	-	-			
Diphtheria -	0.5	2	-	-	-	1	-	1	-		Enteritis -	11.5	8	4	1	1	1	-	1	-			
Scarlet Fever -	10.3	10	-	2	1	4	2	1	-		Peritonitis -	7.3	10	1	-	4	3	1	1	-			
Scarlet Fever -	1.7	1	-	1	-	-	-	-	-		Diseases of Liver -	25.9	19	1	-	-	1	8	9	-			
Scarlet Fever -	50.9	12	9	2	-	-	-	1	-		Other Diseases of Digestive System -	28.1	22	6	-	1	3	8	4	-			
Scarlet Fever -	0.1	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands -	3.1	-	-	-	-	-	-	-	-			
Scarlet Fever -	0.1	-	-	-	-	-	-	-	-		Diseases of Urinary System -	38.7	33	-	1	1	6	19	11	-			
Scarlet Fever -	0.1	-	-	-	-	-	-	-	-		Diseases of Generative System -	6.3	9	-	-	-	3	4	2	-			
Scarlet Fever -	0.3	-	-	-	-	-	-	-	-		Accidents of Childbirth -	6.0	7	-	-	-	7	-	-	-			
Scarlet Fever -	9.4	10	8	1	-	-	-	1	-		Diseases of Locomotive System -	7.0	7	-	-	3	3	1	-	-			
Scarlet Fever -	4.6	4	1	-	-	1	1	1	-		Diseases of Integumentary System -	5.9	4	2	-	-	-	-	2	-			
Scarlet Fever -	2.2	2	-	1	-	1	-	-	-		VIOLENT DEATHS. (ACCIDENT.)												
Scarlet Fever -	5.0	3	-	-	-	3	-	-	-		By Railways -		2	-	-	-	-	2	-	-			
Scarlet Fever -	2.1	1	-	1	-	-	-	-	-		By Vehicles or Horses -		11	-	3	1	3	3	1	-			
Scarlet Fever -	2.0	-	-	-	-	-	-	-	-		In Ships, Boats, Docks (exclusive of Drowning) -		-	-	-	-	-	-	-				
Scarlet Fever -	0.1	-	-	-	-	-	-	-	-		In Building Operations -		-	-	-	-	-	-	-				
Scarlet Fever -	1.4	-	-	-	-	-	-	-	-		In Conflagrations -		-	-	-	-	-	-	-				
Scarlet Fever -	8.0	8	-	-	-	4	3	1	-		By Burns, Scalds, Explosions -	43.4	5	-	2	-	1	1	1	-			
Scarlet Fever -	5.9	7	-	-	2	4	1	-	-		By Drowning -		8	-	1	3	2	2	-	-			
Scarlet Fever -	1.7	1	-	-	-	-	1	-	-		By Suffocation in Bed -		6	6	-	-	-	-	-	-			
Scarlet Fever -	3.4	1	-	-	-	-	1	-	-		By Poisons or Poisonous Vapours -		2	-	-	-	-	2	-	-			
Scarlet Fever -	5.2	7	3	4	-	-	-	-	-		Other or not stated Causes -		20	3	-	1	3	5	6	2			
Scarlet Fever -	56.9	63	-	-	-	3	23	31	1		(VIOLENCE OTHER THAN ACCIDENTAL.)												
Scarlet Fever -	26.3	10	8	4	3	1	-	-	-		Homicide -	1.8	1	-	-	-	1	-	-	-			
Scarlet Fever -	23.0	27	8	15	4	-	-	-	-		Suicide -	9.0	12	-	-	2	7	1	2	-			
Scarlet Fever -	152.3	156	6	4	12	52	51	11	-		Execution -	-	-	-	-	-	-	-	-	-			
Scarlet Fever -	16.8	16	4	3	6	3	-	-	-		OTHER CAUSES -	47.3	37	34	1	-	-	1	-	1			
Scarlet Fever -	10.2	14	2	-	2	1	3	6	-														
Scarlet Fever -	42.7	34	31	-	-	-	-	-	-														
Scarlet Fever -	3.2	8	3	-	-	-	-	-	-														
Scarlet Fever -	6.5	7	6	-	-	-	1	-	-														
Scarlet Fever -	46.4	41	-	-	-	-	-	21	21														
Scarlet Fever -	40.2	31	-	-	-	2	12	17	1														
Scarlet Fever -	8.5	5	-	-	-	-	5	-	-														
Scarlet Fever -	43.9	30	30	-	-	-	-	-	-														
Scarlet Fever -	81.5	77	5	9	4	14	10	23	6														

The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.41 per cent for increase of population. Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendants do not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical man, the case is returned under the heading "no statement." The evidence at inquests is often insufficient to enable the Registrar to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.--POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, &c., during the Week ending

The DEATHS registered in the Week include																				
REGISTRATION		Enu- mer- ated Popu- lation, 1891.	Total Births.	Deaths of		Deaths from													Inquest Cases.	Deaths in Public Institutions.
SUB-DISTRICTS.				Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.					
LONDON		4,211,743	2334	1330	278	311	5	99	18	41	29	-	10	2	12	67	125	408		
WEST DISTRICTS		740,735	347	244	44	60	-	21	3	7	3	-	2	1	3	15	23	91		
NORTH DISTRICTS		993,384	503	275	57	66	-	20	5	13	4	-	3	-	-	15	32	77		
CENTRAL DISTRICTS		247,538	149	72	12	13	-	2	-	1	2	-	-	-	-	4	6	25		
EAST DISTRICTS		705,114	469	257	61	50	-	24	2	8	3	-	3	-	4	10	30	33		
SOUTH DISTRICTS		1,524,472	893	443	104	115	-	32	6	12	8	-	2	1	5	23	34	83		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON		-	-	39	-	7	5	-	2	-	-	-	-	-	-	-	-	39		
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		84150	47	21	3	7	-	3	-	-	-	-	-	-	1	2	3	4		
St. John Paddington H - G.J.		33987	7	11	1	2	-	-	-	1	1	-	-	-	-	2	2	5		
Kensington Town Ww - W.M.		118751	51	37	6	9	-	3	-	-	1	-	-	-	-	1	2	20		
Brompton H - W.M. & C.		47557	10	12	1	2	-	2	-	-	-	-	-	-	-	1	1	7		
St. Peter Hammersmith - W.M.		8533	4	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.		96931	50	39	4	1	-	4	-	-	1	-	-	-	-	1	1	3		
Fulham Ww - W.M. & C.		91639	66	37	13	4	-	5	2	5	-	-	-	-	1	1	2	16		
Chelsea Kensal Town - C.		21787	12	7	-	2	-	-	-	-	-	-	-	1	1	-	-	-		
Chelsea North WHHHH - C.		41937	24	17	6	4	-	1	-	-	-	-	-	-	-	2	3	5		
Chelsea South HH - C.		32829	18	10	5	3	-	-	-	-	-	-	-	-	-	-	-	3		
May Fair W - G.J.		23733	3	16	1	9	-	-	-	-	-	-	-	-	-	-	1	13		
Belgrave WHHH - C.		5493	17	19	2	8	-	1	-	-	-	-	-	-	-	4	5	5		
St. John Westminster HHH - C.		34103	29	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Margaret Westminster H - C.		21668	6	7	-	1	-	2	-	1	-	-	-	-	-	-	-	6		
St. James Westminster WHH N.R. & G.J.		24995	8	7	-	5	-	-	-	-	-	-	1	-	-	-	2	3		
St. Anne Soho HHHHHH - N.R.		12317	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																				
All Souls Marylebone HHHHHHHH - W.M.		37713	7	12	1	5	-	-	-	-	-	-	-	-	-	1	3	6		
Rectory Marylebone W - G.J. & W.M.		20024	5	5	3	-	-	-	-	-	-	-	-	-	-	-	2	-		
St. Mary Marylebone HHHH G.J. & W.M.		19329	22	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Christchurch Marylebone H - W.M.		33327	12	6	3	1	-	-	-	-	-	-	-	-	-	1	1	-		
St. John Marylebone H - W.M.		32101	14	9	1	4	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead WwHHHHH N.R. & W.M.		68418	23	24	2	3	-	3	3	6	-	-	-	-	2	1	14	-		
Regent's Park Pancras HH - W.M.		36590	22	10	4	2	-	-	-	-	-	-	-	-	-	-	-	8		
Tottenham-court WHHHH N.R. & W.M.		26321	18	13	1	3	-	-	-	-	-	-	1	-	-	-	-	-		
Gray's Inn Lane HHH - N.R.		27455	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Somers Town HH - N.R.		32329	16	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Camden Town WH - N.R.		15419	11	14	-	7	-	1	-	-	-	-	-	-	1	4	1	9		
Kentish Town W - N.R.		35765	45	22	0	4	-	3	-	-	-	-	1	-	1	2	9	2		
Upper Holloway WwWHH - N.R.		99235	50	35	9	4	-	4	-	-	-	-	-	-	-	3	13	-		
Islington South-west H - N.R.		105557	53	20	3	4	-	1	-	5	3	-	-	-	-	2	-	-		
Islington South-east - N.R.		64153	24	17	0	4	-	1	-	-	-	-	-	-	-	3	3	-		
Highbury HH - N.R.		69198	29	10	4	2	-	2	-	-	-	-	-	-	-	-	-	-		
Stoke Newington H - N.R.		30936	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - E.L.		17759	3	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-		
West Hackney H - N.R.		42902	23	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1		
Hackney WwWHH - K.L. & N.R.		96486	67	40	5	13	-	3	2	3	-	-	1	-	-	3	3	19		
South Hackney W - E.L.		31769	25	11	3	4	-	1	-	-	-	-	-	-	-	1	2	-		
CENTRAL DISTRICTS.																				
St. George Bloomsbury - N.R.		16695	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Giles South WH - N.R.		13454	21	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-		
St. Giles North H - N.R.		9933	8	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HHN R. & C.		14616	8	6	2	1	-	-	-	-	-	-	-	-	-	1	1	1		
St. Mary-le-Strand H - N.R.		5706	1	4	1	-	-	1	-	-	-	-	-	-	-	-	1	1		
St. Clement Danes WH - N.R.		7194	-	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-		
Strand Union Workhouse, Edmonton W.		-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	2	-		
St. Geo. the Martyr HHHHHHH N.R.		17921	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-	3		
St. Andrew Eastern W - N.R.		15343	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2		
St. James Clerkenwell - N.R.		16803	8	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
Amwell Clerkenwell - N.R.		16883	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pentonville - N.R.		17155	14	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Goswell-street - N.R.		15375	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
City-road HHHH - N.R.		29177	33	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whitecross-street - N.R.		8378	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Finsbury - N.R.		4285	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, Mitcam W.		-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - N.L. & E.L.		8944	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2		
Cripplegate - N.R.		4639	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - N.R.		4444	2	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
St. Bride W - N.R.		6591	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	10		
Aldersgate H - N.R.		10422	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - N.R.		3377	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
City of London Asylum, Stone		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H.—Hospital; L.—Lunatic Asylum; Z.—Private Lunatic Asylum in which paupers are received; W.—Workhouse Establishment; G. J.—Grand Junction Company; W. M.—West Middlesex; J. C.—Chelsea; S.—Southwark and Vauxhall; L.—Lambeth; N. E.—North Ealing; E. L.—East London; and K., the Kent Company.

See note † on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
23rd June, 1894.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Name- rated Popu- lation, 1891.	Total Deaths.	Deaths from														
			Deaths of Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																	
Abchurch South	HL* E.L. & N.R.	20098	8	14	-	-	-	-	-	-	-	-	-	-	1	1	-
New Town	w - - - N.R.	23013	32	6	5	5	-	-	-	-	1	-	-	-	3	5	-
Old Town	- - - N.R. & E.L.	28354	16	5	3	2	-	-	-	-	-	-	-	-	1	5	-
Abchurch East	WH - - - N.R. & E.L.	46244	26	12	4	7	1	-	-	-	-	-	-	-	1	1	-
Green North	H - - - E.L.	51520	28	10	2	1	-	-	-	1	1	-	-	-	1	-	-
Green South	- - - E.L.	33489	24	13	6	-	-	-	-	1	-	-	1	-	-	-	-
Green East	WHL* - - - E.L.	44128	19	24	3	8	7	4	-	2	-	-	-	-	1	13	-
Abchurch	- - - E. - - - N.R.	22456	30	1	1	-	-	-	-	-	-	-	-	-	-	-	-
New Town	W - - - E.L.	17908	15	9	1	2	-	2	-	-	-	-	-	-	1	3	7
Abchurch Church	H* - E.L. & N.R.	20598	21	19	3	-	-	-	-	1	-	-	-	-	1	3	15
Abchurch Fields	- - - E.L.	13800	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch, North	- - - E.L.	37758	30	11	3	1	-	3	-	2	-	-	-	-	3	-	-
St. George East	W - - - E.L.	5057	3	8	-	3	-	-	-	-	-	-	-	-	-	6	-
Abchurch	H - - - E.L. & N.R.	10246	6	8	3	-	-	-	-	-	-	-	-	-	-	-	7
Abchurch	IV - - - E.L.	14028	8	6	-	2	-	1	-	-	-	-	-	-	-	-	-
Abchurch	House - - - E.L.	32202	23	10	4	-	-	2	-	1	-	-	-	-	2	2	-
Abchurch Old Town West	H - - - E.L.	38650	35	10	7	-	-	-	-	1	-	-	-	-	1	-	-
Abchurch Old Town East	WHLH - E.L.	68942	87	19	3	6	-	3	-	-	1	-	-	-	2	9	1
Abchurch	- - - E.L.	40885	28	8	1	2	-	-	-	-	-	-	1	-	1	-	-
Abchurch	WHLH - - - E.L.	70000	39	36	5	8	-	7	-	-	-	-	-	-	2	4	14
Abchurch	WHLH - - - E.L.	56383	37	16	6	2	-	1	-	1	-	-	-	-	1	2	-
SOUTH DISTRICTS.																	
Abchurch Southwark	WH L. & S.	13264	2	4	2	1	-	-	-	-	-	-	-	-	1	1	-
Abchurch Southwark	- - - S.	18913	4	3	1	-	-	1	-	-	-	-	-	-	1	1	-
Abchurch Road	- - - S. & L.	21847	18	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch Road	- - - S. & L.	16924	14	6	-	1	-	2	-	-	-	-	-	-	-	-	-
Abchurch Road	HL - - - L. & S.	21221	11	9	2	2	-	-	-	1	-	-	-	-	2	1	-
Abchurch Newington	- - - S. & L.	26596	19	5	1	1	-	-	-	1	-	-	-	-	-	-	-
Abchurch Walworth	W - - - S. & L.	61342	36	13	3	1	-	3	-	-	-	-	-	-	-	1	-
Abchurch Newington	- - - L. & S.	17866	19	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Abchurch	WH - - - S.	12728	5	18	2	3	-	1	-	-	-	-	1	-	5	5	11
Abchurch Market	- - - S. & L.	14952	9	3	2	-	-	1	-	-	-	-	-	-	-	1	-
Abchurch Mary Magdalen	W - - - S.	18760	6	4	1	-	-	-	-	-	-	-	-	-	-	-	1
Abchurch St. Bernadette	- - - S.	54070	83	12	4	-	-	2	-	-	-	-	-	-	-	-	1
Abchurch St. John	WH - - - S. & K.	89255	26	8	1	2	-	-	-	-	-	-	-	-	1	1	3
Abchurch Road 1st	H - - - L. & S.	14031	11	5	4	1	-	-	-	-	-	-	-	-	1	-	-
Abchurch Road 2nd	H - - - L. & S.	14644	18	4	1	-	-	-	-	1	-	-	-	-	3	3	2
Abchurch St. John Church 1st	H - - - L. & S.	18075	7	12	3	1	-	-	-	1	-	-	-	-	1	2	8
Abchurch St. John Church 2nd	WH - - - L. & S.	38097	23	16	-	8	-	-	-	-	-	-	-	-	-	-	11
Abchurch St. John 1st	H - - - S. & L.	50586	38	15	1	8	-	3	-	-	-	-	-	-	-	1	-
Abchurch St. John 2nd,	- - - S. & L.	59708	25	6	1	-	-	1	1	-	-	-	-	-	-	-	-
Abchurch St. John w	- - - L. & S.	73405	41	28	9	9	-	1	2	2	1	-	-	-	1	1	4
Abchurch St. John W	- - - L.	26567	8	8	1	4	-	-	-	-	-	-	-	-	1	-	3
Abchurch Battersea	- - - S.	67244	29	18	6	3	-	-	-	-	-	-	-	-	1	1	4
Abchurch Battersea	WHLH - - - S.	83514	49	28	7	9	-	5	-	-	-	-	-	-	-	9	-
Abchurch St. John	H - - - S.	43698	21	8	1	4	-	-	-	1	-	-	-	-	-	3	1
Abchurch St. John	WHL - - - S.	49717	19	12	2	4	-	1	-	-	1	-	-	-	1	1	1
Abchurch St. John	- - - S.	17771	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Abchurch St. John	WHLH - - - L.	48765	27	15	3	8	-	-	-	-	-	-	-	-	2	2	-
Abchurch St. John	- - - L. & S.	6809	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch St. John	WHLH - - - S. & L.	81086	49	41	5	18	-	-	-	-	2	-	-	-	-	-	-
Abchurch St. John	WHLH - - - S. & K.	33483	42	29	9	4	-	-	-	1	3	-	-	-	-	3	1
Abchurch St. John	George Camberwell - - - L. & S.	68366	45	27	9	4	-	4	1	1	-	-	-	-	2	4	-
Abchurch St. John	- - - K.	35314	22	4	2	1	-	-	-	-	-	-	-	-	-	-	1
Abchurch St. John	- - - K.	42107	25	13	6	2	-	2	2	1	-	-	-	-	-	2	-
Abchurch St. John	- - - K.	80852	13	8	1	2	-	1	-	-	-	-	-	-	-	-	-
Abchurch St. John	West H - - - K.	22007	12	6	3	1	-	-	-	1	-	-	-	-	-	-	-
Abchurch St. John	East WH - - - K.	35233	20	10	2	2	-	-	-	-	-	-	-	-	-	7	-
Abchurch St. John	H - - - K.	5682	5	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Abchurch St. John	H - - - K.	23541	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Abchurch St. John	WHLH - - - K.	30650	14	5	-	3	-	-	-	-	1	-	-	-	-	-	-
Abchurch St. John	H - - - L.	84162	16	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Abchurch St. John	HH - - - K.	14040	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Abchurch St. John	Dockyard - - - K.	19806	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Abchurch St. John	Arsenal HH - - - K.	41242	16	5	3	1	-	-	-	1	-	-	-	-	1	1	-
Abchurch St. John	West H - - - K.	18869	9	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Abchurch St. John	East W - - - K.	86587	32	7	3	1	-	-	-	1	-	-	-	-	1	1	1
Abchurch St. John	Asylum - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Abchurch St. John	Asylum - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	4
Abchurch St. John	Hill Asylum - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4
Abchurch St. John	at Ships and Camp, Dartford - - -	-	-	5	-	-	-	5	-	-	-	-	-	-	-	-	5
Abchurch St. John	Asylum - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Abchurch St. John	Asylum - - -	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	6
Abchurch St. John	Asylum - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4
Abchurch St. John	Hatch Asylum - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
Abchurch St. John	Hospital - - -	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
Abchurch St. John	Amore Hill Hospital - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch St. John	Asylum - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch St. John	Asylum - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	4

* See Note † on first page of this Return.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 23rd June, 1894.

Regis- tration District and Sub- district num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Cen- sused Popu- lation, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON—OUTER RING						316	69	62	4	27	5	6	17	6	2	13	23	37	
39: 1	Carshalton WHH -	12228	26108	12	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-
2	Epston, part of * WHH -	19423	12593	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37: 1	Goldstone, part of * W -	754	1593	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Croydon WHH -	29351	126599	71	24	5	3	-	1	2	-	-	2	-	-	-	-	-	5
2	Mitcham W -	11697	23993	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon HHH -	3220	25761	17	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Kingston WHH -	8071	44765	27	16	3	1	-	4	-	-	-	-	-	-	-	1	1	-
3	Esher, part of * -	6691	12059	12	4	1	-	-	-	-	-	-	-	2	-	-	-	-	-
4	Hampton H -	4535	18252	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond WA -	2160	25389	5	5	1	1	-	-	-	1	-	-	-	-	-	1	2	-
2	Mortlake H -	2823	16159	9	3	-	-	-	1	-	-	-	-	-	-	-	1	1	-
41: 1	Bromley HHH -	9127	23815	11	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-
2	Beckenham H -	6542	21939	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Catshurst, et. of * WHH -	14397	20372	8	8	1	5	-	-	-	-	-	-	-	-	-	-	2	1
42: 1	Bexley HHH -	12540	39399	25	6	1	2	-	-	-	-	1	-	-	-	-	-	-	-
2	Dartford Work., pt. of * -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
134: 1	Sturbury W -	11054	13671	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W -	18277	13221	12	3	-	1	-	1	-	-	-	-	-	-	-	1	-	-
125: 1	Hillingdon WHH -	6935	12237	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	3
2	Uxbridge -	6172	5417	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes WH -	14537	12618	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126: 1	Isleworth WHH -	6967	23273	18	8	2	4	-	-	-	-	-	-	-	-	-	1	1	4
2	Twickenham HH -	2415	16927	8	3	1	1	-	-	-	-	1	-	-	-	-	1	1	-
3	Brentford HHHH -	4318	37777	13	4	2	-	-	2	-	-	-	-	-	-	-	-	-	-
4	Chiswick -	1245	21938	14	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-
5	Acton WH -	6132	39945	12	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-
127: 1	Harrow HHH -	13899	15715	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware HH -	6994	3844	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Willesden HHH -	4383	61335	29	15	5	1	-	1	-	1	-	-	-	-	-	1	2	1
4	Bendon W -	8382	15843	9	7	1	2	-	-	-	-	-	-	-	-	-	-	1	1
128: 1	South Mimms -	1559	8474	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet WHH -	6441	11773	3	5	1	1	-	-	-	1	-	-	-	-	-	-	-	1
3	Finchley HHH -	4688	25829	11	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-
129: 1	Hornsey HH -	8939	61027	25	10	1	1	-	1	-	-	-	1	-	-	-	1	1	-
2	Cottenham H -	4542	97174	58	16	6	2	-	-	1	-	-	3	-	-	-	1	2	2
3	Edmonton W -	7489	36351	17	13	1	5	-	-	-	-	-	3	-	-	-	-	-	4
4	Enfield WWHH -	12639	31893	20	6	1	-	-	1	-	-	-	-	-	-	-	1	1	1
5	Waltham Abbey -	11017	6066	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt H -	8430	9820	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
130: 1	Hatfield, part of * W -	8395	532	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131: 1	Bashey H -	9331	7737	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
2	Watford Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136: 1	Stratford H -	1100	42983	31	10	4	1	-	1	-	-	-	-	-	-	-	1	1	1
2	Plaistow HHHH -	1242	56030	37	11	2	3	-	1	-	-	-	1	-	-	-	-	-	-
3	Canning Town H -	1558	54750	38	15	5	1	-	1	-	-	-	4	-	-	-	-	-	-
4	Forest Gate W -	806	49149	25	15	6	3	1	3	-	-	-	-	1	-	-	-	-	-
5	East Ham W -	3266	33713	28	7	2	-	-	-	2	-	-	-	-	1	1	-	-	-
6	Leyton WHH -	4524	70183	43	16	1	7	-	1	-	-	1	-	-	-	-	1	1	7
7	Walthamstow HHL -	6591	57339	38	20	3	4	-	1	-	2	1	-	-	-	-	1	2	-
137: 1	Chigwell, part of * H -	11719	12941	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139: 1	Romford, part of * WHH -	6558	4321	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford -	5493	10913	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3	Barking Town H -	3814	14391	12	7	2	-	2	-	-	-	-	-	-	-	1	-	-	2
	Metro. Asylum Hospitals	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	Highgate Small-pox Hosp.	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 39: 2, Epston sub-district, except the parishes of Asistead and Headley (pop. 1769); 37: 1, the parishes of Warringham and Farley in Goldstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2242); 41: 2, Chislehurst sub-district, except the parishes of Chisleham Cadnam, and Kewchholt (pop. 3997); 131: 1, the parish of Northw in Hatfield sub-district; 131: 1, Chigwell sub-district, except the parishes of Thordon Bos (499); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42 Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 23rd June, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include													
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from											Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			
THE LONDON	443,421	5,948,300	14.4	2.4	1646	347	373	9	123	23	50	37	18	14	80	445			
THE LONDON -	74,672	4,349,163	16.0	2.5	1330	278	311	5	99	13	44	20	12	12	67	408			
THE RING -	363,749	1,599,134	10.3	2.2	316	69	62	27	5	6	17	6	2	13	37				

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692,845 square miles, which is equivalent to the area of a circle having a radius of 14,851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,583	June 23	150	89	17.2	2	-	2	2	1	3	4	
GLASGOW	636,890	" 23	461	226	17.2	-	3	4	4	11	-	5	
DUBLIN	349,594	" 23	202	155	23.1	-	-	1	-	3	4	1	
GLASGOW	466,460	May 12	-	249	27.8	20	4	-	-	-	96	46†	
DUBLIN	821,764	June 5	261	545	26.8	17	2	-	-	-	88	43†	
GLASGOW	452,518	May 18	334	294	34.5	22	36	?	?	?	114	65†	
GLASGOW	2,424,705	June 16	1065	867	33.7	-	3	?	?	?	120	44	
GLASGOW	488,188	" 16	256	144	19.0	4	36	4	26*	8	10	57	
GLASGOW	440,295	" 16	270	132	15.0	-	-	-	2*	2	1	9	
GLASGOW	228,597	" 16	129	81	15.3	-	3	-	4	3	1	-	
GLASGOW	174,790	" 16	95	74	18.4	6	1	-	-	-	1	1	
GLASGOW	341,000	" 16	168	116	22.0	-	5	-	-	-	-	1	
GLASGOW	252,937	" 9	134	92	17.6	-	4	5	5	-	-	6	
GLASGOW	167,282	" 16	48	59	18.9	-	-	1	2	3	-	3	
GLASGOW	954,400	June 2	-	-	18.3	-	-	-	2	1	-	2	
GLASGOW	753,469	" 2	-	-	-	-	-	-	-	-	-	-	
GLASGOW	1,714,938	" 2	841	580	41.2	4	16	8	14	3	5	126	
GLASGOW	594,209	" 16	-	221	17.8	-	11	6	28	3	1	52	
GLASGOW	312,772	" 2	-	-	19.4	-	9	1	13*	2	-	18	
GLASGOW	360,660	" 16	-	154	-	-	-	-	-	-	-	-	
GLASGOW	390,900	" 16	-	161	22.4	1	-	2	7	2	-	17	
GLASGOW	1,465,537	" 16	944	626	21.5	-	-	-	9*	3	-	23	
GLASGOW	839,172	" 16	190	196	22.2	-	29	12	29*	1	-	63	
GLASGOW	552,769	" 9	394	196	30.1	-	19	1	1	-	3	5	
GLASGOW	159,739	" 9	103	70	32.0	1	8	-	9	1	2	37	
GLASGOW	450,991	" 9	161	70	22.8	1	-	2	5*	-	-	5	
GLASGOW	837,997	May 5	200	161	18.6	-	6	-	2	2	2†	7	
GLASGOW	160,408	" 31	201	201	19.7	-	10	5	4	1	2	19	
GLASGOW	374,838	June 2	-	-	-	-	-	-	-	-	-	-	
GLASGOW	231,396	" 24	359	452	62.7	1	5	-	-	3	12	147	
GLASGOW	1,925,569	" 24	201	156	35.1	-	-	-	1	1	6	88	
GLASGOW	1,020,000	June 2	-	754	20.2	6	6	12	68	3	1	21	
GLASGOW	1,139,457	" 9	-	696	18.6	7	6	17	54	5	1	25	
GLASGOW	254,000	" 2	-	363	18.1	1	4	5	29	6	2	8	
GLASGOW		" 9	-	362	18.1	3	10	2	32	7	2	2	
GLASGOW		" 2	-	360	16.5	-	4	2	23	5	7	11	
GLASGOW		May 19	-	150	30.8	-	-	-	4	-	9	20	

* Including deaths from cholera.

† Including 23 and 17 deaths, respectively, from cholera in Calcutta, and 17 in Bombay.

‡ Including one death from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 23RD JUNE, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.		MOON AND DAY.		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is 3 inches above the Ground.				
				Baro- meter.		Of the Air.		Of the Dew Point.		Difference between the Air and Dew Point Temperature.		Degree of Inten- sity (Sahu- rations 100°).		Of Radiation.		General Direction.		Oiler's.				Pressure on the Square Foot.		Robinson's.
Phases of the Moon.		Mean daily reading (cor- rected to 32° Fahr- enheit).		High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average daily value.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.	Mean hourly obs.	Horizontal Movement of the Air on each Day.	Depart- ure from Average of 10 Years.				
JUNE.		in.		°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	Miles.	in.	°		
SUNDAY	17	..	29.771	69.7	49.6	20.1	59.0	- 0.1	53.3	5.7	15.3	0.0	81	46.1	Calm S. & SSW.	SSW. & SW.	2.6	0.0	0.1	272	+ 30	0.00		
MONDAY	18	Full.	29.615	64.6	49.4	15.2	54.8	- 4.4	48.1	5.7	16.6	0.0	81	43.0	SSW.	SSW. S.W. & NNW.	1.7	0.0	0.0	217	- 23	0.11		
TUESDAY	19	..	29.928	67.8	48.3	19.5	56.7	- 2.8	45.7	11.0	20.9	1.0	67	47.6	NNW. & NNW.	WSW. & S.W.	1.9	0.0	0.0	280	+ 22	0.00		
WEDNESDAY	20	Apogee.	29.846	62.3	52.5	9.8	57.0	- 2.9	53.7	1.3	4.7	0.0	96	84.1	SSW.	SW. & WSW.	2.1	0.0	0.1	303	+ 66	0.21		
THURSDAY	21	..	30.011	75.4	47.9	27.5	60.6	+ 0.3	49.0	10.7	21.8	0.0	68	41.7	NNW. N. & S. SSW.	SW. & SSW.	0.3	0.0	0.0	129	- 78	0.00		
FRIDAY	22	..	29.952	75.3	50.2	25.1	60.8	+ 0.1	53.9	4.9	17.2	0.0	84	46.1	S. SSW.	SW.	4.6	0.0	0.1	260	+ 22	0.00		
SATURDAY	23	..	29.795	72.7	55.7	17.0	63.3	+ 2.3	55.2	8.1	16.1	0.0	75	49.6	SSW. & S.W.	SSW.	2.4	0.0	0.1	310	+ 71	0.00		
MEANS	29.845	69.7	50.5	19.2	58.9	- 1.1	52.1	6.8	16.1	0.1	79	45.8	SW.		Sum 1781	Sum +110	2.0		
Number of Column		8	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 189 feet above the mean level of the sea; no correction has been applied to the readings to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27 derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.93 in. at the beginning of the week to 29.59 in. by 3h. P.M. on the 13th; increased to 29.94 in. by noon on the 19th; decreased to 29.59 in. by noon on the 20th; increased to 30.02 in. by 9h. P.M. on the 21st; and decreased to 29.59 in. by noon on the 23rd.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 26. 1894. VOL. LV.]

WEEK ENDING SATURDAY, JUNE 30.

[Price 1½d.

General Register Office, Somerset House,
July 2nd, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·5 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	June 9.	June 16.	June 23.	June 30.		June 9.	June 16.	June 23.	June 30.
Birkenhead	16·8	12·8	10·4	13·8	Liverpool	25·4	20·1	21·7	22·3
Birmingham	20·5	16·0	19·4	13·3	London	16·8	16·0	16·0	15·4
Blackburn	12·4	14·5	15·3	17·0	Manchester	17·1	16·5	18·0	20·0
Bolton	16·3	17·2	14·5	19·8	Newcastle-on-Tyne	18·8	17·0	18·3	17·6
Bradford	13·7	12·8	15·1	11·6	Norwich	13·8	17·8	15·3	12·8
Brighton	13·6	14·9	12·7	10·5	Nottingham	14·0	20·5	17·7	13·3
Bristol	15·6	15·0	13·8	15·9	Oldham	16·2	18·0	12·0	17·7
Burnley	17·3	14·6	18·4	15·1	Plymouth	13·6	13·6	12·5	14·2
Cardiff	13·7	13·3	14·0	13·3	Portsmouth	9·8	12·5	10·1	12·8
Croydon	13·5	12·1	9·3	7·0	Preston	20·1	15·9	13·6	16·4
Derby	15·3	10·6	9·5	11·1	Salford	20·8	17·2	16·5	24·1
Gateshead	14·0	20·1	13·4	14·5	Sheffield	17·3	14·8	12·8	17·1
Halifax	19·1	18·5	15·2	15·7	Sunderland	18·8	15·7	20·7	18·0
Huddersfield	15·4	14·3	13·2	13·2	Swansea	13·1	12·6	16·4	10·4
Hull	15·9	13·2	16·7	13·2	West Ham	15·8	14·7	12·3	13·1
Leeds	16·6	15·6	14·5	12·1	Wolverhampton	14·1	22·1	17·2	15·9
Leicester	13·5	10·2	8·3	10·2					

The highest annual death-rates, as measured by last week's mortality, were :— from *measles*, 1·1 in London and in Oldham, 1·2 in Nottingham, 1·4 in Bristol and in Liverpool, 1·5 in West Ham, 1·8 in Salford, and 1·9 in Sunderland; from *scarlet fever*, 1·8 in Wolverhampton; from *whooping-cough*, 1·0 in Newcastle, 1·2 in Bristol and in Nottingham, and 1·3 in Salford; and from *diarrhœa*, 1·1 in Cardiff. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 74 deaths from *diphtheria* included 56 in London, and 2 each in Manchester, Oldham, Leeds, Sheffield, and Gateshead. Three deaths from *small-pox* were registered in Birmingham, 2 in Manchester, and one death each in West Ham and Preston, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2458 BIRTHS and 1282† DEATHS were registered. Allowing for increase of population, the births were 168, and the deaths 180, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·8, 16·0, and 16·0 in the preceding three weeks, further declined last week to 15·4. During the four weeks

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

ending on Saturday last the death-rate averaged 16·1 per 1000, being 1·5 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1282 deaths included 92 from measles, 19 from scarlet fever, 56 from diphtheria, 25 from whooping-cough, 9 from enteric fever, one death from an ill-defined form of continued fever, 15 deaths from diarrhoea and dysentery, and not one death from small-pox, typhus, or from cholera; thus, 217 deaths were referred to these diseases, being 27 below the corrected average weekly number.

There were 123 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 9 in the Highgate Small-pox Hospital, making a total of 132, against 227, 204, and 170 on the preceding three Saturdays; 16 cases were admitted during the week, against 42, 40, and 21 in the preceding three weeks. The deaths of two children, aged 2 and 4 years respectively, were attributed to chicken-pox or varicella. The deaths from *measles*, which had been 169, 122, and 99 in the preceding three weeks, further declined last week to 92, but exceeded the corrected average by 31; 5 belonged to Hammersmith, 6 to Clerkenwell, 6 to Stepney, 7 to Poplar, 8 to Lambeth, 5 to Battersea, and 12 to Camberwell sanitary areas. The deaths from *scarlet fever*, which had been 17, 19, and 18 in the preceding three weeks, numbered 19 last week, being 2 above the corrected average; 3 belonged to Stepney and 3 to Poplar sanitary areas. The Metropolitan Asylum and London Fever Hospitals* contained 2087 scarlet fever patients at the end of last week, against 2232, 2190, and 2153 on the preceding three Saturdays; 233 cases were admitted during the week, against 238 and 231 in the preceding two weeks. The deaths from *diphtheria*, which had been 34, 43, and 44 in the preceding three weeks, further rose last week to 56, exceeding the corrected average by 30; 3 belonged to Fulham, 4 to Marylebone, 4 to Islington, 3 to Shoreditch, 3 to St. George in the East, 4 to Bermondsey, 3 to Rotherhithe, and 8 to Camberwell sanitary areas. The Metropolitan Asylum Hospitals* contained 351 diphtheria patients at the end of last week, against 337, 347, and 349 on the preceding three Saturdays; 78 cases were admitted during the week, against 84 and 71 in the preceding two weeks. The deaths from *whooping-cough*, which had been 36, 34, and 20 in the preceding three weeks, numbered 25 last week, being 26 below the corrected average. The fatal cases of *enteric fever*, which had been 10 in each of the preceding three weeks, numbered 9 last week, and were 2 below the corrected average; 3 belonged to Battersea sanitary area. The Metropolitan Asylum Hospitals* contained 72 cases of enteric fever and one case of typhus on Saturday last; 12 cases of enteric fever were admitted during the week, against 14 and 12 in the preceding two weeks. The deaths from *diarrhoea*, which had been 9, 5, and 12 in the preceding three weeks, further rose last week to 15, but were no fewer than 53 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 236, 184, and 201 in the preceding three weeks, declined last week to 152, and were 60 below the corrected average.

The deaths attributed directly to *influenza* numbered 5, having been 4, 9, and 6 in the preceding three weeks.

Different forms of violence caused 70 deaths, concerning 69 of which inquests were held. Of these 70 deaths, 12 were cases of suicide, and 2 of homicide, while the remaining 56 were attributed to accident or negligence. Eleven of these were referred to vehicles in the streets, 4 to railways, 9 to drowning, 3 to poison, and 8 (of infants under one year of age) to suffocation in bed.

The death of a butcher, aged 33 years, was referred, after inquest, to "syncope" when under ether duly administered for a proper purpose."

GREATER LONDON.

In Greater London 3260 births and 1615 deaths were registered, corresponding to annual rates of 28·6 and 14·2 per 1000 of the estimated population. In the Outer Ring one death from small-pox, 33 deaths from measles, 12 from diphtheria, and 10 from whooping-cough were recorded. The death from small-pox belonged to West Ham district. The 12 deaths from diphtheria included 5 in West Ham, 2 in Croydon, 2 in Brentford, and 2 in Hendon districts. Sixteen of the deaths from measles were registered in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·08 inches, and that of the Thermometer 63°·8, the latter being 2°·5 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 6 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 67·5 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 2.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 30th June 1894.

CITIES AND BOROUGH.	Registered during the Week ending 30th June 1894.		The Deaths registered in the Week include												TEMPERATURE OF THE AIR.				RAINFALL.		Cols.			
	1.	2.	3.	Deaths of		Deaths from						Annual Rate per 1000, corresponding to the Week ending	From All Causes.				Mean.		In Inches.	In Centi- metres.				
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Hæmorrhage.		Diarrhoea.	Violence.	Inquest Cases.	Death in Public Institutions.	Unidentified Causes or Deaths.	High.				Low.	Fahrenheit.	Centigrade.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.
33 TOWNS	10,458,442	6009	3101	688	665	7	163	44	74	75	26	44	151	273	718	38	15.5	2.2	82.8	45.0	60.2	15.67	0.04	0.10
LONDON	4,340,166	2458	1282	269	291	-	92	19	56	25	10	15	70	143	412	5	15.4	2.6	82.1	48.5	63.8	17.67	0.00	0.00
WEST HAM	238,184	126	60	16	9	1	7	-	1	-	1	-	3	4	7	2	13.1	2.2	-	-	-	-	-	-
CROYDON	111,921	42	15	3	5	8	1	-	-	-	-	-	2	3	3	-	7.0	0.9	80.7	47.0	62.0	16.67	0.00	0.00
BRIGHTON	118,715	62	24	5	8	-	-	-	-	-	-	-	1	4	4	-	10.5	0.9	82.8	50.4	62.5	16.94	0.00	0.00
PORTSMOUTH	170,973	73	42	10	13	-	1	1	1	-	1	-	3	4	8	-	12.8	1.2	81.5	48.5	61.9	16.61	0.00	0.00
PLYMOUTH	87,431	47	24	3	7	-	1	1	-	-	-	-	1	1	3	-	14.2	0.6	-	-	-	-	-	-
BRISTOL	226,578	113	69	18	16	-	6	1	1	5	-	1	2	6	17	-	15.9	3.0	80.0	48.0	59.4	15.22	0.13	0.33
CARDIFF	148,800	113	38	13	8	-	1	1	-	-	-	3	3	4	5	-	13.3	1.8	-	-	-	-	-	-
SWANSEA	95,839	53	19	3	7	-	1	-	-	1	-	-	1	1	1	-	10.4	1.1	-	-	-	-	-	-
WOLVERHAMPTON	85,036	46	26	5	5	-	-	-	1	-	1	-	-	2	5	-	15.9	3.1	75.9	48.3	58.2	14.56	0.00	0.00
BIRMINGHAM	492,301	248	126	28	26	3	7	-	1	7	1	3	5	4	30	5	13.3	2.3	-	-	-	-	-	-
NORWICH	105,645	60	26	9	5	-	-	-	-	1	-	-	1	2	3	-	12.8	0.5	73.4	46.6	57.8	14.33	0.01	0.03
LEICESTER	189,136	106	37	11	12	-	-	1	-	1	1	1	2	2	9	-	10.2	0.8	-	-	-	-	-	-
NOTTINGHAM	223,584	122	57	13	16	-	5	-	-	5	2	-	1	2	7	-	13.3	2.6	75.8	50.4	58.7	14.83	0.01	0.03
DERBY	18,736	62	21	4	2	-	-	-	-	-	-	-	-	1	5	-	11.1	-	-	-	-	-	-	-
BIRMINGHAM	105,627	61	28	7	6	-	1	-	-	-	-	-	-	-	3	1	13.8	0.5	-	-	-	-	-	-
LIVERPOOL	667,230	480	217	43	33	-	14	6	-	6	8	3	1	21	59	5	22.3	3.8	80.3	51.8	61.3	16.28	0.21	0.53
BOLTON	118,303	76	45	10	9	-	-	-	-	-	-	1	2	3	5	-	19.8	0.4	-	-	-	-	-	-
MANCHESTER	520,211	312	260	44	34	2	5	3	2	3	-	4	7	12	44	3	20.0	1.9	-	-	-	-	-	-
SALFORD	205,828	130	93	22	21	2	7	3	2	5	2	2	2	4	13	2	24.1	4.8	-	-	-	-	-	-
OLDHAM	138,715	80	47	9	13	-	3	-	2	1	-	-	4	7	5	-	17.7	2.3	-	-	-	-	-	-
BURNLEY	164,478	58	28	7	6	-	-	-	-	-	-	-	-	-	1	1	15.1	0.5	-	-	-	-	-	-
BLACKBURN	125,797	81	41	8	8	-	1	1	-	-	-	1	4	4	5	1	17.0	1.2	-	-	-	-	-	-
PRESTON	111,425	84	35	8	13	1	-	1	-	-	-	2	-	-	1	1	16.4	1.9	-	-	-	-	-	-
HUDDERSFIELD	18,511	38	23	5	2	-	1	-	-	1	-	-	-	-	1	1	13.2	1.1	-	-	-	-	-	-
HALIFAX	92,861	36	28	4	6	-	-	-	-	1	-	-	1	2	3	2	15.7	1.1	-	-	-	-	-	-
BRADFORD	223,185	115	50	12	11	-	1	-	-	-	-	-	-	3	6	-	11.6	0.2	-	-	-	-	-	-
LEEDS	388,761	223	150	23	17	-	2	2	2	3	-	-	2	8	5	3	12.1	0.9	-	-	-	-	-	-
SHEFFIELD	328,316	106	111	24	23	-	2	1	2	6	-	1	5	8	16	5	17.1	1.8	-	-	-	-	-	-
HULL	212,079	148	54	8	13	-	-	-	-	1	-	2	4	4	15	1	13.2	0.7	73.0	45.0	56.0	13.33	0.04	0.10
SUNDERLAND	126,101	80	47	10	6	-	5	-	-	-	-	-	2	2	4	5	18.0	1.9	-	-	-	-	-	-
GATEHEAD	13,372	49	26	3	4	-	-	-	2	-	-	-	2	2	2	-	14.5	1.1	-	-	-	-	-	-
NEWCASTLE	201,947	118	68	12	10	-	3	1	1	4	-	1	7	8	11	2	17.6	2.6	-	-	-	-	-	-

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-SIXTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2691	2483	2437	2735	2289	2467	2359	2458	2439	2469	2625.6	2453
Males . .	1347	1288	1246	1402	1128	1265	1196	1240	1272	1260	1334.5	1226
Females . .	1344	1195	1191	1333	1161	1202	1163	1218	1217	1209	1291.1	1232
TOTAL Deaths	1471	1366	1258	1338	1233	1265	1346	1363	1377	1331	1462.1	1282
Males . .	808	729	659	700	636	699	666	749	703	978	773.9	609
Females . .	663	637	599	638	602	566	680	614	669	853	688.2	673

* The numbers in this column are the average weekly numbers in the twenty-sixth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.
TOTAL Births	2682	2600	2457	2485	2637	2589	2241	2414	2374	2300	2436	2334	2458
TOTAL Deaths	1587	1609	1509	1543	1423	1531	1463	1440	1366	1398	1336	1330	1282
Ages at Death													
{ 0-20 years	792	800	727	775	705	729	756	746	652	727	593	588	601
{ 20-40 "	197	210	187	179	180	216	154	163	181	182	188	176	171
{ 40-60 "	265	265	295	303	247	267	209	234	251	232	269	255	219
{ 60-80 "	263	281	259	250	252	267	284	249	285	212	238	261	234
{ 80 years & upwards	70	53	41	36	44	52	60	48	47	45	43	50	57
{ Under 1 year	368	361	337	355	278	236	339	316	291	305	261	278	269
{ 1-5 "	320	327	298	331	331	343	316	322	277	328	252	216	228
{ 5-20 "	104	112	92	99	96	100	101	103	84	94	80	94	104
Deaths from Small-pox	2	-	3	4	-	3	3	7	4	3	-	5	-
" " Measles	132	112	124	130	125	152	175	165	148	169	122	99	92
" " Scarlet fever	20	29	29	25	30	25	20	20	14	17	19	18	19
" " Diphtheria	63	50	53	62	58	55	56	41	36	34	43	44	56
" " Whooping-cough	64	53	48	77	59	53	46	50	43	36	34	20	25
" " Typhus	-	-	1	-	-	-	-	-	-	-	-	-	-
" " Enteric fever	7	9	8	9	8	9	8	14	13	10	10	10	9
" " Simple Cont'd fever	-	-	-	-	-	-	1	1	-	1	-	2	1
" " Diarrhoea and Dysentery	7	14	9	8	11	14	15	11	10	9	5	12	15
" " Cholera	-	1	-	-	-	-	-	-	-	-	2	1	-
" " all the above-mentioned Diseases	295	268	275	315	291	311	324	309	268	279	235	211	217
" " Dis. of Respiratory System	314	304	304	255	237	272	234	248	222	236	184	201	152
" " Phthisis	128	144	153	153	150	169	132	137	137	132	154	136	123
" " Dis. of Circulatory System	111	131	104	124	101	86	106	106	103	94	101	124	116
Violent Deaths	63	64	63	55	45	52	57	44	67	57	70	67	70
Inquest Cases	128	121	146	128	91	126	126	106	129	112	121	125	143
Deaths in Public Institutions	444	461	449	429	410	436	398	379	409	385	397	408	412
TEMPERATURE OF THE AIR													
Mean	50.6	55.2	48.7	49.5	48.8	51.0	54.5	48.2	50.1	56.1	55.3	53.9	63.8
Mean of Highest readings	63.1	68.5	56.0	60.4	57.9	61.1	65.8	58.5	61.2	65.2	66.4	69.7	76.3
Mean of Lowest readings	40.5	45.4	43.1	40.9	40.7	42.6	45.5	38.8	42.0	49.8	43.8	50.5	51.0
Humidity of the Air	76	67	81	73	78	76	74	72	80	85	79	79	67
Rain-fall in inches	0.01	0.06	0.26	0.98	0.18	0.44	0.09	0.42	0.67	1.07	0.46	0.32	0.00
Registered Sunshine (in hours)	36.9	37.7	18.6	27.7	14.0	23.8	36.5	39.9	30.5	8.9	15.7	29.0	67.5

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Prestor, Esq., F.R.Met.Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Borbhyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.R.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SIXTH Week of the Year 1894.

USES OF DEATH.	Corrected Averages for the 26th Week of the 10 years 1884-93.*	In the Week ending Saturday, 30th June 1894.								CAUSES OF DEATH.	Corrected Averages for the 26th Week of the 10 years 1884-93.*	In the Week ending Saturday, 30th June 1894.							
		Deaths of Persons of the Ages										Deaths of Persons of the Ages							
		ALL AGES.	0-1.	1-6.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			ALL AGES.	0-1.	1-6.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
ALL CAUSES - -	1462.1	1292	269	228	104	171	219	234	57	Diseases of Organs of Special Sense - - }	3.2	5	1	2	1	1	-	-	-
Small-pox { Vaccinated† -	1.9	-	-	-	-	-	-	-	-	Diseases of Circulatory System - - }	103.0	116	1	2	13	19	35	39	7
{ Unvaccinated -	2.1	-	-	-	-	-	-	-	-	Croup - - - - -	6.5	-	-	-	-	-	-	-	-
{ No Statement -	2.5	-	-	-	-	-	-	-	-	Bronchitis - - -	99.8	60	19	12	-	1	6	20	2
Measles - - - - -	61.0	92	18	70	4	-	-	-	-	Pneumonia - - -	79.3	65	22	20	3	4	5	11	-
Scarlet Fever - -	16.7	19	1	11	7	-	-	-	-	Pleurisy - - - -	5.8	7	-	1	2	2	1	1	-
Dysentery - - - -	0.5	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - - }	20.6	20	1	4	1	4	2	6	2
Dysentery - - - -	7.5	5	-	-	-	3	1	1	-	Dentition - - - -	11.0	7	4	3	-	-	-	-	-
Influenza - - - -	50.8	25	15	10	-	-	-	-	-	Quinsy, Sore Throat - -	2.2	1	-	1	-	-	-	-	-
Whooping-cough -	25.9	26	2	34	19	1	-	-	-	Enteritis - - - -	15.7	16	8	2	2	1	2	1	-
Diphtheria - - -	1.4	1	-	-	-	1	-	-	-	Peritonitis - - -	8.1	6	-	-	-	2	3	1	-
Scarlet Continued and ill-defined Fever -	10.7	9	-	1	5	3	-	-	-	Diseases of Liver - -	27.4	18	1	-	1	4	6	5	1
Scarlet Fever - -	2.0	-	-	-	-	-	-	-	-	Other Diseases of Digestive System - - }	39.7	23	10	2	2	1	5	6	2
Cholera and Chol. Diarr.	68.0	15	10	3	1	-	-	1	-	Diseases of Lymphatic System & of Ductless Glands - - }	2.3	1	-	-	-	-	-	1	-
Cholera - - - - -	0.1	-	-	-	-	-	-	-	-	Diseases of Urinary System - - - - }	40.0	41	-	2	2	7	10	10	1
Dysentery - - - -	0.2	-	-	-	-	-	-	-	-	Diseases of Generative System - - - - }	5.8	3	-	-	-	1	2	-	-
Whooping-cough -	0.2	-	-	-	-	-	-	-	-	Accidents of Childbirth - -	4.2	4	-	-	-	4	-	-	-
Diphtheria - - -	0.1	-	-	-	-	-	-	-	-	Diseases of Locomotive System - - - - }	6.8	12	-	2	1	3	3	3	-
Whooping-cough -	0.2	-	-	-	-	-	-	-	-	Diseases of Integumentary System - - }	4.3	6	2	-	-	1	-	1	2
Diphtheria - - -	8.1	7	3	-	-	2	2	-	-	VIOLENT DEATHS.									
Whooping-cough -	4.0	4	1	-	-	2	-	1	-	(ACCIDENT.)									
Diphtheria - - -	3.4	5	-	-	1	2	1	1	-	By Railways - - -	4	-	-	-	-	2	2	-	-
Whooping-cough -	3.5	2	-	-	-	1	1	-	-	By Vehicles or Horses - -	11	-	2	5	2	2	-	-	-
Diphtheria - - -	1.5	2	-	2	-	-	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) - - }	-	-	-	-	-	-	-	-	-
Whooping-cough -	2.3	1	1	-	-	-	-	-	-	In Building Operations - -	2	-	-	-	1	1	-	-	-
Diphtheria - - -	0.2	1	-	-	-	-	1	-	-	In Conflagrations - -	-	-	-	-	-	-	-	-	-
Whooping-cough -	1.6	2	2	-	-	-	-	-	-	By Burns, Scalds, Explosions - - - }	47.6	5	-	3	1	-	-	1	-
Diphtheria - - -	6.2	12	-	-	-	2	9	1	-	By Drowning - - -	9	-	-	3	3	2	1	-	-
Whooping-cough -	0.4	6	-	1	1	1	3	-	-	By Suffocation in Bed - -	8	8	-	-	-	-	-	-	-
Diphtheria - - -	1.9	-	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours - - - - }	3	-	-	-	2	-	1	-	-
Whooping-cough -	3.4	3	-	-	-	-	2	1	-	Other or not stated Causes - - - - }	18	3	2	1	-	2	4	2	-
Diphtheria - - -	3.3	4	1	3	-	-	-	-	-	(VIOLENCE OTHER THAN ACCIDENTAL.)									
Whooping-cough -	58.2	54	-	-	-	3	20	30	1	Homicide - - - -	1.5	2	2	-	-	-	-	-	-
Diphtheria - - -	29.2	14	11	1	2	-	-	-	-	Suicide - - - - -	9.2	12	-	-	-	5	7	-	-
Whooping-cough -	25.2	20	5	11	3	1	-	-	-	Execution - - - -	-	-	-	-	-	-	-	-	-
Diphtheria - - -	152.2	123	-	3	9	62	43	6	-	OTHER CAUSES - -	57.1	30	23	2	-	-	3	2	-
Whooping-cough -	22.7	19	6	6	2	4	-	1	-										
Diphtheria - - -	11.2	9	-	-	-	3	4	2	-										
Whooping-cough -	37.6	46	46	-	-	-	-	-	-										
Diphtheria - - -	2.0	6	6	-	-	-	-	-	-										
Whooping-cough -	6.8	5	4	1	-	-	-	-	-										
Diphtheria - - -	46.8	45	-	-	-	-	-	20	25										
Whooping-cough -	39.5	36	-	-	-	1	11	17	1										
Diphtheria - - -	7.6	9	-	-	3	1	4	1	-										
Whooping-cough -	44.7	24	21	3	-	-	-	-	-										
Diphtheria - - -	86.0	85	11	6	9	10	15	28	6										

The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population. Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" when so certified by registered medical men. When neither attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical man, the case is returned under the heading "no statement." The evidence at inquest is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE S. LONDON.--POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, &c., during the Week ending

			The DEATHS registered in the Week include														
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation. 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.		
LONDON	4,211,743	2458	1282	269	291	-	92	19	53	25	-	9	1	15	70	143	41
WEST DISTRICTS	740,735	367	243	35	65	-	14	2	9	5	-	-	-	1	13	31	7
NORTH DISTRICTS	993,884	550	272	53	60	-	13	4	19	7	-	1	-	3	15	39	9
CENTRAL DISTRICTS	247,538	123	97	20	25	-	7	-	2	2	-	1	-	1	8	15	4
EAST DISTRICTS	705,114	487	227	62	48	-	22	4	4	4	-	3	1	3	6	23	8
SOUTH DISTRICTS	1,524,472	931	417	98	88	-	36	8	22	7	-	4	-	7	23	39	97
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGIS- TRATION LONDON	-	-	23	1	7	-	-	1	-	-	-	-	-	-	-	-	20
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	84159	49	23	7	6	-	3	-	1	-	-	-	-	-	5	4	4
St. John Paddington H - - - G.J.	33837	11	9	1	1	-	-	-	-	-	-	-	-	-	2	2	5
Kensington Town W - - - W.M.	118751	52	48	6	20	-	1	-	-	-	-	-	-	-	1	1	13
Brompton H - - - W.M. & C.	47557	10	10	1	1	-	1	-	-	-	-	-	-	-	-	-	5
St. Peter Hammersmith - - - W.M.	8334	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Paul Hammersmith H W.M. & G.J.	88063	57	25	2	3	-	4	-	2	1	-	-	-	3	5	5	14
Fulham W - - - W.M. & C.	91639	73	40	6	7	-	2	2	6	1	-	-	-	-	-	-	1
Chelsea Kensal Town - - - C.	21787	10	4	1	1	-	1	-	-	1	-	-	-	-	1	2	2
Chelsea North WHHHH - - - C.	41637	21	12	2	5	-	-	-	-	-	-	-	-	-	-	-	1
Chelsea South HH - - - C.	32829	16	9	3	3	-	-	-	-	-	-	-	-	-	-	-	1
May Fair W - - - G.J.	23733	9	10	-	5	-	-	-	-	-	-	-	-	-	-	-	6
Belgrave WHHH - - - C.	54531	23	22	2	6	-	1	-	-	-	-	-	-	-	-	-	12
St. John Westminster HHH - - - C.	34106	19	9	1	2	-	-	-	-	-	-	-	-	-	-	-	4
St. Margaret Westminster H - - - C.	21668	4	10	1	3	-	-	-	-	-	-	-	-	-	1	1	4
St. James Westminster WHH N.R. & G.J.	24995	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho HHHHH - - - N.R.	12317	4	4	2	1	-	-	-	-	-	-	-	-	-	1	2	-
NORTH DISTRICTS.																	
All Souls Marylebone } - - - W.M.	37713	13	21	-	2	-	1	-	3	-	-	-	-	-	-	-	11
HHHHHHHH } - - - W.M.	20024	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Rectory Marylebone W - - - G.J. & W.M.	19239	47	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Maryleb. HHHH G.J. & W.M.	38327	11	9	4	1	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone H - - - W.M.	32101	14	11	2	4	-	-	-	-	-	-	1	-	-	2	3	-
St. John Marylebone H - - - W.M.	68416	22	28	1	4	-	3	2	8	-	-	-	-	-	4	5	17
Hampstead WHHHH N.R. & W.M.	36500	19	4	2	1	-	-	-	-	1	-	-	-	-	-	-	13
Regent's Park Pancras HH - - - W.M.	26321	15	11	2	3	-	-	-	-	-	-	-	-	-	2	3	9
Tottenham-court WHHHH N.R. & W.M.	27455	8	6	3	1	-	-	-	-	1	-	-	-	-	1	1	5
Gray's Inn Lane HHH - - - N.R.	32629	22	6	2	-	-	1	-	-	-	-	-	-	-	1	1	2
doners Town HH - - - N.R.	15119	8	3	1	4	-	-	-	-	-	-	-	-	-	2	2	6
Camden Town WH - - - N.R.	95765	55	22	6	10	-	1	-	-	1	-	-	-	-	-	-	6
Kensal Town W - - - N.R.	90235	53	33	6	5	-	3	-	1	1	-	-	-	-	-	-	13
Upper Holloway WHHHH - - - N.R.	105557	67	25	8	2	-	1	1	1	1	-	-	-	2	1	1	1
Islington South-west H - - - N.R.	64153	40	8	2	3	-	-	-	-	-	-	-	-	1	1	3	1
Highbur HH - - - N.R.	59193	39	16	5	2	-	-	-	-	1	-	-	-	-	-	-	-
Stoke Newington H - - - N.R.	30936	10	6	1	3	-	-	-	-	-	-	-	-	-	1	-	-
Stamford Hill - - - E.L.	17759	5	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-
West Hackney H - - - N.R.	42602	24	12	2	5	-	-	-	-	-	-	-	-	-	2	1	-
Hackney WWHHH - - - E.L. & N.R.	96486	47	30	3	7	-	1	6	-	-	-	-	-	1	2	2	21
South Hackney W - - - E.L.	41769	20	8	-	-	-	2	-	-	-	-	-	-	-	1	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - - N.R.	16095	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - - - N.R.	13454	13	5	-	4	-	-	-	-	-	-	-	-	-	1	1	2
St. Giles North H - - - N.R.	9533	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields HHN R. & C.	14616	-	10	2	4	-	-	-	-	-	-	-	-	-	1	1	2
St. Mary-le-Strand H - - - N.R.	8706	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	6
St. Clement Danes WH - - - N.R.	7194	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	2
Strand Union Workhouse, Edmonston W.	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Geo.-the-Martyr HHHHHH N.R.	17921	9	14	3	2	-	-	-	-	-	-	-	-	-	-	1	9
St. Andrew Eastern W - - - N.R.	15343	2	6	2	1	-	-	-	1	-	1	-	-	-	1	4	1
St. James Clerkenwell - - - N.R.	16893	15	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - - N.R.	16883	11	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Pentonville - - - N.R.	17155	3	3	2	2	-	1	-	-	-	-	-	-	-	-	-	-
Goswell-street - - - N.R.	15375	15	6	2	2	-	-	-	-	1	-	-	-	-	-	-	-
City-road HHHL - - - N.R.	29177	22	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Whitecross-street - - - N.R.	8278	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - N.R.	4985	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham W.	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Botolph H - - - N.R. & E.L.	8944	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - N.R.	4539	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre - - - N.R.	4444	-	16	-	2	-	-	-	2	-	-	-	-	-	1	1	16
St. Bride W - - - N.R.	6394	-	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Dunstons Barking - - - N.R.	10422	3	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Broad Street H - - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H.—Hospital; L.—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; W.—Workhouse Establish-
 receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the dif-
 Sub-districts:—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R.
 River; E. L., East London; and K., the Kent Company.

See note, i on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
30th June, 1894.

		The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of			Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.					
EAST DISTRICTS.																					
South	HL*	E.L. & N.R.	20098	12	6	-	-	-	-	-	-	-	-	-	-	-	1	8			
New Town	W	-	20313	26	12	1	8	-	-	-	-	-	-	-	-	-	1	-			
Old Town	-	-	23534	16	7	-	-	-	-	-	-	-	-	-	-	-	1	7			
Old Town	WH	-	46244	33	17	5	6	-	-	-	-	-	-	-	-	-	1	-			
Green North	H	-	51520	29	6	2	1	-	-	1	-	-	-	-	-	-	-	1			
Green South	-	-	33489	16	7	2	1	-	1	-	-	-	-	-	-	1	2	-			
Green East	WHL*	-	44123	35	14	2	4	-	2	-	-	-	-	-	-	2	7	-			
Old Town	-	E. & N.R.	22456	24	4	3	-	-	-	-	-	-	-	-	-	-	-	-			
New Town	W	-	17908	22	9	3	4	-	-	-	-	-	-	-	-	-	-	3			
Apel Church	H	E.L. & N.R.	20793	19	20	3	2	-	3	-	1	-	-	-	-	1	3	15			
Old Town	-	-	13800	6	1	-	-	-	-	-	-	-	-	-	-	1	1	-			
Old Town	-	E.L.	37738	37	4	2	-	-	-	-	-	-	-	-	1	-	3	-			
Old Town	W	E.L.	8057	7	6	2	8	-	-	-	-	-	-	-	-	1	3	-			
Old Town	-	E.L. & N.R.	40246	3	10	4	-	-	1	-	1	-	-	-	-	-	-	9			
Old Town	W	-	14928	10	6	3	1	-	-	-	-	-	-	-	1	-	3	-			
Old Town	-	E.L.	32202	15	9	3	-	-	4	1	-	-	-	-	-	-	2	-			
Old Town	-	E.L.	38650	37	8	3	1	-	1	-	-	-	-	-	1	-	1	1			
Old Town	W & H	E.L.	68942	45	18	6	4	-	2	-	1	-	-	-	2	-	4	4			
Old Town	-	E.L.	40835	22	6	2	-	-	1	-	-	-	-	-	-	-	-	-			
Old Town	W	-	70000	38	46	8	12	-	5	2	-	-	-	-	-	1	3	21			
Old Town	W	E.L.	56383	35	11	7	-	-	2	-	-	-	-	-	-	-	-	1			
SOUTH DISTRICTS.																					
Church Southwark	WH	L. & S.	18264	2	7	-	3	-	-	-	-	-	-	-	-	1	2	2			
Church Southwark	-	S.	13915	6	4	1	-	-	1	-	-	-	-	-	-	-	2	-			
Church Southwark	-	S. & L.	21867	15	13	5	-	-	-	-	-	-	-	-	-	-	-	-			
Church Southwark	-	S. & L.	16624	12	16	4	2	-	-	-	2	-	-	-	-	-	7	-			
Church Southwark	HL	L. & S.	21221	8	8	2	-	-	2	-	-	-	-	-	-	-	1	1			
Church Southwark	-	S. & L.	26596	24	6	2	-	-	-	-	-	-	-	-	-	-	-	-			
Church Southwark	W	S. & L.	61342	49	15	4	3	-	1	-	-	-	-	-	1	3	5	3			
Church Southwark	-	L. & S.	27666	21	2	-	2	-	-	-	-	-	-	-	-	-	-	-			
Church Southwark	WH	-	12723	11	14	3	1	-	-	-	-	-	-	-	2	3	10	-			
Church Southwark	-	S. & L.	14952	14	2	-	-	-	-	-	3	-	-	-	-	-	-	-			
Church Southwark	W	-	15660	14	3	1	1	-	-	-	1	-	-	-	1	-	-	-			
Church Southwark	-	S.	54070	44	12	6	-	-	-	-	-	-	-	-	-	1	-	-			
Church Southwark	WH	-	39255	19	16	5	2	-	1	-	1	-	-	-	-	1	6	-			
Church Southwark	H	L. & S.	14031	8	4	1	1	-	-	-	-	-	-	-	-	-	1	-			
Church Southwark	2nd H	-	14644	21	4	2	-	-	-	-	-	-	-	-	-	-	-	1			
Church Southwark	1st H	L. & S.	18075	6	13	2	1	-	-	1	-	-	-	-	-	5	6	10			
Church Southwark	2nd W	L. & S.	39097	28	20	4	5	-	3	-	-	-	-	-	2	-	1	7			
Church Southwark	1st H	S. & L.	50586	35	16	4	5	-	4	-	-	-	-	-	1	1	-	-			
Church Southwark	2nd H	S. & L.	39708	17	9	2	3	-	1	-	-	-	-	-	1	-	-	-			
Church Southwark	W	L. & S.	73405	38	18	2	4	-	-	1	2	1	-	-	1	-	5	1			
Church Southwark	-	L.	25657	12	6	1	3	-	-	-	-	-	-	-	1	1	-	-			
Church Southwark	-	S.	67244	50	11	2	1	-	-	-	-	-	-	-	-	-	1	-			
Church Southwark	W & H	-	83314	41	21	7	3	-	5	-	-	2	-	1	3	6	4	-			
Church Southwark	HH	-	43698	26	7	-	2	-	-	-	-	-	-	-	-	-	-	-			
Church Southwark	WHL	-	46717	29	10	3	2	-	1	-	-	-	-	-	-	1	2	2			
Church Southwark	-	S.	17771	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Church Southwark	W & W	L.	48755	20	7	1	2	-	-	-	1	-	-	-	-	-	2	-			
Church Southwark	-	L. & S.	6809	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
Church Southwark	W & L	S. & L.	81686	46	37	8	11	-	4	-	3	3	-	-	-	1	1	16			
Church Southwark	W	S. & K.	53488	52	26	7	7	-	6	-	1	1	-	-	-	1	-	-			
Church Southwark	Camberwell	L. & S.	63966	36	18	7	-	-	2	1	1	-	-	-	-	-	-	-			
Church Southwark	North	-	55314	31	7	3	1	-	-	-	-	-	-	-	-	1	1	-			
Church Southwark	Central	-	42007	42	10	-	-	-	2	3	4	-	-	-	-	-	-	8			
Church Southwark	South	-	30852	10	6	1	2	-	1	-	-	-	-	-	-	-	-	-			
Church Southwark	West	-	22007	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-			
Church Southwark	East	WH	35223	26	15	2	4	-	-	1	-	-	-	-	-	-	-	6			
Church Southwark	H	-	5582	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Church Southwark	WH	-	23541	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
Church Southwark	H	-	30350	17	12	4	4	-	1	-	-	-	-	-	1	1	4	-			
Church Southwark	H	-	34162	12	2	-	-	-	-	-	1	-	-	-	-	-	-	-			
Church Southwark	HH	-	14040	7	3	-	1	-	-	-	-	-	-	-	-	1	1	1			
Church Southwark	Dockyard	-	19606	8	7	3	1	-	-	-	-	-	-	-	1	1	1	-			
Church Southwark	Arsenal	HH	41242	10	6	1	-	-	1	-	1	-	-	-	-	-	-	1			
Church Southwark	West	H	15869	12	2	-	1	-	-	-	-	-	-	-	-	-	-	1			
Church Southwark	East	W	36567	27	10	3	2	-	1	-	-	-	-	-	-	-	-	-			
Church Southwark	Asylum	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3			
Church Southwark	Asylum	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-			
Church Southwark	Asylum	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3			
Church Southwark	Ships and Camp, Dartford	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1			
Church Southwark	Asylum	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2			
Church Southwark	Asylum	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Church Southwark	Asylum	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	6			
Church Southwark	Asylum	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1			
Church Southwark	Asylum	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	6			
Church Southwark	Asylum	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2			

* See Note on first page of this Return.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 30th June, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- merated Popu- lation, 1891	BIRTHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
LONDON—OUTER RING					333	73	83	1	33	-	12	10	1	3	17	28	43		
31: 1	Carshalton WHH -	12228	26108	14	2	-	1	-	-	-	-	-	-	-	-	-	-		
2	Epsom, part of * WHH -	10423	12508	9	3	-	1	-	-	-	-	-	-	-	-	-	1		
37: 1	Godstone, part of * W -	754	1539	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
38: 1	Croydon WHH -	30351	128699	48	17	3	5	-	1	-	1	-	-	-	-	4	4		
2	Mitcham W -	11697	23088	13	4	-	1	-	-	-	1	-	-	-	-	-	-		
39: 1	Wimbledon HHH -	3220	25761	15	7	2	1	-	-	-	-	-	-	-	-	-	-		
2	Kingston WHH -	8071	44765	28	17	1	4	-	3	-	-	-	-	-	-	1	6		
3	Esher, part of, * -	6601	12059	5	3	1	-	-	2	-	-	-	-	-	-	-	-		
4	Hampton H -	4635	18352	11	1	1	-	-	-	-	-	-	-	-	-	-	-		
40: 1	Richmond WH -	2100	25339	14	10	-	4	-	1	-	-	-	-	-	-	2	4		
2	Mortlake H -	2823	16159	5	1	-	-	-	-	-	-	-	-	-	-	-	-		
41: 1	Bromley HHH -	9127	23615	10	1	-	1	-	-	-	-	-	-	-	-	-	-		
2	Beckenham H -	6542	21969	8	1	-	1	-	-	-	-	-	-	-	-	-	-		
3	Chislehurst, pt. of * WHH -	14307	20372	5	4	1	1	-	-	-	1	-	-	-	-	-	-		
42: 1	Bexley HHH -	12540	30590	15	3	1	1	-	-	-	-	-	-	-	-	-	-		
2	Dartford Work., pt. of * -	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	1		
124: 1	Susbury W -	11054	13371	8	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Staines W -	18277	13221	1	7	-	3	-	-	-	1	-	-	-	1	1	2		
125: 1	Hillingdon WHH -	6035	12237	4	2	1	-	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge -	6172	5417	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes WH -	14637	12313	15	5	1	2	-	-	-	2	-	-	-	-	-	2		
126: 1	Isleworth WHH -	6967	23273	10	5	1	1	-	-	-	-	-	-	-	-	-	3		
2	Twickenham HH -	2115	16027	8	4	1	-	-	-	-	-	-	-	-	-	-	-		
3	Brentford HHHH -	4318	37777	27	14	3	6	-	3	-	1	-	-	-	-	-	-		
4	Chislewick -	1245	21983	14	4	1	1	-	-	-	2	-	-	-	-	1	-		
5	Aston WH -	6132	30945	19	3	-	1	-	-	-	-	-	-	-	-	-	-		
127: 1	Harrow HHH -	13809	15715	9	4	1	1	-	-	-	-	-	-	-	-	-	1		
2	Edgware HH -	6994	3844	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
3	Willesden HHH -	4883	61235	55	19	7	5	-	2	-	2	2	-	1	-	-	-		
4	Hendon W -	6382	15843	12	8	1	2	-	-	-	-	-	-	-	1	1	4		
128: 1	South Mimms -	1569	8174	7	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet WHH -	5441	11778	11	3	1	1	-	-	-	-	-	-	-	-	-	2		
3	Finchley HHH -	4688	25820	12	4	-	1	-	-	-	-	-	-	-	-	-	-		
129: 1	Hornsey HH -	8039	61097	28	7	1	2	-	1	-	-	-	-	-	-	2	-		
2	Tottenham H -	4542	27174	58	28	12	4	-	3	-	-	1	-	1	1	3	1		
3	Edmonton WH -	7489	36551	16	8	2	5	-	-	-	-	-	-	-	-	-	4		
4	Enfield WWH -	12639	31803	17	7	1	3	-	-	-	-	-	-	-	2	3	-		
5	Waltham Abbey -	11017	8066	2	3	1	1	-	-	-	1	-	-	-	-	1	-		
6	Cheshunt H -	8480	9650	12	1	-	1	-	-	-	-	-	-	-	-	-	-		
135: 1	Hatfield, part of * W -	53 6	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137: 1	Bushy H -	9831	7787	8	2	-	-	-	1	-	-	-	-	-	-	-	-		
2	Watford Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
136: 1	Stratford H -	1100	42083	30	10	3	2	-	-	-	-	-	1	-	-	-	-		
2	Plaistow HHHH -	1242	86030	33	21	8	3	-	4	-	1	-	-	-	-	-	1		
3	Canning Town H -	1558	54750	31	10	5	1	-	2	-	-	-	-	-	3	3	1		
4	Forest Gate W -	806	42140	32	5	-	2	-	1	-	-	-	-	-	-	-	-		
5	East Ham W -	3266	32713	33	12	1	4	-	4	-	1	-	-	-	-	1	-		
6	Leyton WWH -	4824	70188	26	26	6	4	-	5	-	1	1	-	-	1	1	5		
7	Walthamstow HHL -	6501	57330	38	15	2	4	-	-	-	2	-	-	-	1	1	-		
137: 1	Chigwell, part of * H -	117 9	12941	7	4	2	2	-	-	-	-	-	-	-	-	-	-		
2	Epping Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
139: 1	Romford, part of * WH -	6556	4324	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ufford -	8495	10913	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town H -	3814	14301	9	2	-	-	-	-	-	-	-	-	-	-	1	1		
	Metro. Asylum Hospitals	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 89: 3, Esher sub-district, except the parishes of Ashstead and Headley (pop. 2232); 41: 2, Chislehurst sub-district, except the parishes of Chisleham, Cadman, and Knockholt (pop. 3,977); 135: 1, the parish of Northw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theodora (pop. 1079); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford, 137: 2, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 30th June, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	14.2	2.4	1615	342	374	1	125	19	63	35	11	13	87	455		
GREATER LONDON -	74,672	4,349,166	15.4	2.6	1282	269	291	-	92	19	56	25	10	15	70	412		
GREATER LONDON -	363,749	1,599,134	10.9	2.0	333	73	83	1	33	-	12	10	1	3	17	43		

—The area of Greater London is 443,421 acres. This area is equal to 692,845 square miles, which is equivalent to the circle having a radius of 14.851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.
EDINBURGH -	270,588	June	30	137	68	13.1	-	-	-	3	-	-	-
DUBLIN -	636,820	"	30	420	222	16.9	-	4	6	3	9	2	7
GLASGOW -	349,594	"	30	215	136	20.3	-	1	2	-	2	4	1
LYONS -	466,460	May	19	-	261	29.1	18	3	-	1	-	107	37†
PARIS -	821,764	June	12	270	530	33.5	20	30	?	?	?	135	51†
BRUSSELS -	452,518	May	25	263	269	30.9	-	3	?	?	?	114	22
BERLIN -	2,424,705	June	23	1085	883	19.4	3	30	3	19*	7	10	52
ST. PETERSBURG -	488,188	"	23	240	150	15.7	-	-	-	-	1	1	14
AMSTERDAM -	446,295	"	23	267	128	14.8	-	2	-	1	4	-	-
ANTWERP -	228,597	"	23	141	85	19.3	1	1	-	-	1	-	-
COLOGNE -	174,790	"	23	108	46	13.7	-	-	-	1	1	-	-
HAMBURG -	341,000	"	23	198	143	21.9	-	6	4	5	2	1	4
MUNICH -	252,937	"	16	140	105	21.6	-	-	1	2*	4	-	7
VIENNA -	167,282	"	23	68	51	15.8	-	2	4	2	1	-	8
ST. PETERSBURG -	954,400	"	2	505	532	29.1	2	26	9	9	7	11	50
WARSAW -	753,469	"	9	-	551	38.1	4	12	6	14	7	4	144
PRAGUE -	1,714,938	"	9	846	569	17.1	-	10	6	22	6	-	57
BRISTOL -	594,209	"	23	-	225	19.7	-	16	1	5*	1	1	11
MANCHESTER -	312,772	"	-9	-	-	-	-	-	-	-	-	-	-
LIVERPOOL -	360,660	"	23	-	166	24.2	-	-	1	5*	4	-	17
BIRMINGHAM -	390,000	"	23	-	-	-	-	-	-	-	-	-	-
GLASGOW -	1,465,537	"	23	908	611	21.7	-	20	7	23*	-	3	58
EDINBURGH -	339,172	"	23	-	-	-	-	-	-	-	-	-	-
GLASGOW -	552,769	"	16	380	224	21.1	1	9	-	6	-	1	24
GLASGOW -	159,739	"	16	-	-	-	-	-	-	-	-	-	-
GLASGOW -	450,991	May	12	203	153	17.5	1	2	-	3	2	4†	8
GLASGOW (10 days) -	337,997	June	10	-	-	-	-	-	-	-	-	-	-
GLASGOW -	160,406	"	9	-	-	-	-	-	-	-	-	-	-
GLASGOW -	374,888	May	31	381	420	58.3	-	4	-	-	-	20	153
GLASGOW -	231,396	"	31	192	153	35.1	1	-	-	1*	-	5	38
GLASGOW -	1,925,589	June	16	-	841	22.4	3	9	18	53	5	4	48
GLASGOW -	1,020,000	"	16	-	459	22.9	2	11	4	24	9	-	22
GLASGOW -	1,139,467	"	9	-	370	16.9	-	3	1	17	-	7	12
GLASGOW -	254,000	May	26	-	148	30.4	-	-	-	5	-	5	21

* Including deaths from croup.

† Including 13 deaths from cholera in Calcutta, and 10 in Bombay.

‡ Including 2 deaths from malarial fever.

at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 30th JUNE, 1894.

TABLE 9.—METEOROLOGICAL OBSERVATIONS
[Continued from Table 8.]

1894. MONTH AND DAY.		Phases of the Moon.	TEMPERATURE.						TEMPERATURE.						TEMPERATURE.						Wind as deduced from Anemometers.						Rain collected in a cistern whose surface is receiving Ozone.
			BARO-METER.		Of the Air.				Difference between the Air Temperature and Dew Point Temperature.				Of Radiation.		Oiler's.		Pressure on the Square Foot.		Robinson's.								
			Mean daily reading reduced to Fahren- heit.	in.	High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average 50 years.	Mean daily value.	Greatest est.	Least.	Degree of Hu- midity (Sat- uration 100°).	Highest Sun's Ray's.	Lowest on the Grass.	A.M.	P.M.	Greatest. est.	Mean of 24 hourly obs.	Horizontal Movement of the Air on each Day.	Departure from Average of 10 Years.						
																						General Direction.		Mean of 24 hourly obs.		Horizontal Movement of the Air on each Day.	
JUNE.			24	25	26	27	28	29	30	24	25	26	27	28	29	30	24	25	26	27	28	29	30	24	25		
SUNDAY	29.849	68.1	52.0	66.1	16.1	60.1	62	119.3	47.0	SW. & WSW.	W. & WNW.	3.0	0.0	365	+124	0.00	1.5								
MONDAY	30.034	79.6	48.5	63.9	31.1	63.9	68	137.3	43.3	SW.	WSW. & W. & NW.	1.9	0.0	283	+20	0.00	4.2								
TUESDAY	..	In Equinox.	30.113	72.8	55.2	63.3	17.6	63.3	76	124.0	49.0	NW. & NE.	NE. & ENE.	1.2	0.0	193	-53	0.00	0.0								
WEDNESDAY	30.095	73.6	50.2	61.1	23.4	61.1	63	134.8	43.2	N. & NE.	NE. & E.	2.2	0.0	231	-17	0.00	0.0								
THURSDAY	30.100	81.1	50.9	63.8	30.2	63.8	69	143.0	44.1	ENE.	ENE. & E.	2.0	0.0	254	+4	0.00	0.0								
FRIDAY	30.174	80.3	50.2	64.9	30.1	64.9	69	143.5	44.9	NE. & ENE.	E. & ENE.	2.0	0.0	261	+10	0.00	0.0								
SATURDAY	30.187	82.1	50.0	67.5	32.1	67.5	63	143.2	42.0	NE.	ENE.	2.5	0.0	273	+21	0.00	0.0								
MEANS	30.079	76.8	51.0	63.8	25.8	63.8	67	135.0	44.8	SW. & NE.		Sum 1840	+109	Sum 0.00	0.9								

GENERAL REMARKS.

DATE.	JUNE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	24	w. P. and w. N.	2.0	16.6	Fine; partially cloudy and hazy till evening; cloudless at night.
MONDAY	25	No register till 9h. A.M. w. N. and v. P. afterwards.	11.5	16.6	Very fine; generally cloudless till evening; cloudy at night.
TUESDAY	26	v. P. throughout	0.6	16.5	Generally cloudy till evening; variable at night.
WEDNESDAY	27	m. P. in morning; w. P. afterwards.	13.4	16.5	Very fine; cloudless throughout.
THURSDAY	28	w. P. generally till night; m. P. at night.	14.1	16.5	Very fine; generally cloudless throughout.
FRIDAY	29	v. P. morning; w. P. to m. P. afterwards.	11.7	16.5	Cloudy in early morning; cloudless and very fine after 7h. A.M.
SATURDAY	30	w. P. and w. N.	14.2	16.5	Cloudless and very fine throughout.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea, no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875. In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable. The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 29.73 in. at the beginning of the week to 30.13 in. by 9h. A.M. on the 27th; decreased to 30.07 in. by 3h. P.M. on the same day; increased to 30.22 in. by 9h. A.M. on the 30th; and was 30.15 in. by the close of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationary Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 27. 1894. VOL. LV.]

WEEK ENDING SATURDAY, JULY 7.

[Price 1½d.]

*General Register Office, Somerset House,
July 9th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·1 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	June 16.	June 23.	June 30.	July 7.		June 16.	June 23.	June 30.	July 7.
Birkenhead	12·8	10·4	13·8	19·7	Liverpool -	20·1	21·7	22·3	20·5
Birmingham	16·0	19·4	13·3	17·3	London -	16·0	16·0	15·4	15·8
Blackburn -	14·5	15·3	17·0	20·3	Manchester -	16·5	18·0	20·0	17·2
Bolton -	17·2	14·5	19·8	15·0	Newcastle-on-Tyne	17·0	18·3	17·6	15·0
Bradford -	12·8	15·1	11·6	14·7	Norwich -	17·8	15·3	12·8	12·3
Brighton -	14·9	12·7	10·5	15·8	Nottingham -	20·5	17·7	13·3	15·2
Bristol -	15·0	13·8	15·9	14·5	Oldham -	18·0	12·0	17·7	20·7
Burnley -	14·6	18·4	15·1	17·3	Plymouth -	13·6	12·5	14·2	17·2
Cardiff -	13·3	14·0	13·3	15·1	Portsmouth -	12·5	10·1	12·8	14·3
Croydon -	12·1	9·3	7·0	7·9	Preston -	15·9	13·6	16·4	18·7
Derby -	10·6	9·5	11·1	17·4	Salford -	17·2	16·5	24·1	23·6
Gateshead -	20·1	13·4	14·5	11·2	Sheffield -	14·8	12·8	17·1	16·2
Halifax -	18·5	15·2	15·7	14·6	Sunderland -	15·7	20·7	18·0	17·6
Huddersfield	14·3	13·2	13·2	13·8	Swansea -	12·6	16·4	10·4	18·6
Hull -	13·2	16·7	13·2	13·5	West Ham -	14·7	12·3	13·1	14·0
Leeds -	15·6	14·5	12·1	16·1	Wolverhampton -	22·1	17·2	15·9	13·5
Leicester -	10·2	8·3	10·2	9·6					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·1 each in London, Birmingham, Manchester, Oldham, and Gateshead, 1·2 in Bristol, 1·3 in West Ham and in Salford, 1·5 in Sunderland, and 1·6 in Nottingham; from *scarlet fever*, 1·1 in Swansea and 1·2 in Wolverhampton; from *whooping-cough*, 1·0 in Birkenhead, 1·1 in Derby and in Sheffield, 1·4 in Cardiff and in Nottingham, and 2·5 in Wolverhampton; and from *diarrhœa*, 1·0 in Birmingham, Birkenhead, and in Salford, 1·1 in Leicester, and 1·7 in Blackburn. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 65 deaths from *diphtheria* included 43 in London, 3 in Birmingham, 3 in Sheffield, and 2 each in West Ham, Birkenhead, and Manchester. One death from *small-pox* was registered in London, and one each in Liverpool, Manchester, Salford, and Halifax, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2254 BIRTHS and 1314† DEATHS were registered. Allowing for increase of population, the births were 329, and the deaths 239, below the average numbers in the corresponding weeks of the last ten years. The annual

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

death-rate per 1000 from all causes, which had been 16·0, 16·0, and 15·4 in the preceding three weeks, increased again last week to 15·8. During the four weeks ending on Saturday last the death-rate averaged 15·8 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1314 deaths included one death from small-pox, 88 deaths from measles, 17 from scarlet fever, 43 from diphtheria, 28 from whooping-cough, 3 from enteric fever, 35 from diarrhoea and dysentery, one death from English cholera, and not one from typhus or from any ill-defined form of continued fever; thus, 216 deaths were referred to these diseases, being 86 below the corrected average weekly number.

The death from *small-pox* belonged to Pancras sanitary area. There were 98 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 11 in the Highgate Small-pox Hospital, making a total of 109, against 204, 170, and 132 on the preceding three Saturdays; 28 cases were admitted during the week, against 40, 21, and 16 in the preceding three weeks. The deaths from *measles*, which had been 122, 99, and 92 in the preceding three weeks, further declined last week to 88, but were 26 above the corrected average; 5 belonged to Pancras, 6 to Islington, 7 to Bethnal Green, 5 to Mile End Old Town, and 12 to Camberwell sanitary areas. The deaths from *scarlet fever*, which had been 19, 18, and 19 in the preceding three weeks, numbered 17 last week, being 2 below the corrected average; 3 belonged to Greenwich sanitary area. The Metropolitan Asylum and London Fever Hospitals* contained 2099 scarlet fever patients at the end of last week, against 2190, 2153, and 2087 on the preceding three Saturdays; 266 cases were admitted during the week, against 231 and 233 in the preceding two weeks. The deaths from *diphtheria*, which had been 43, 44, and 56 in the preceding three weeks, declined again last week to 43, but were 17 above the corrected average; 6 belonged to Camberwell, 4 to Greenwich, and 3 each to Paddington, Hackney, and Newington sanitary areas. The Metropolitan Asylum Hospitals* contained 351 diphtheria patients at the end of last week, against 347, 349, and 351 on the preceding three Saturdays; 90 cases were admitted during the week, against 71 and 78 in the preceding two weeks. The deaths from *whooping-cough*, which had been 34, 20, and 25 in the preceding three weeks, further rose last week to 28, but were 21 below the corrected average. The fatal cases of *enteric fever*, which had been 10, 10, and 9 in the preceding three weeks, further fell last week to 3, and were 8 below the corrected average. The Metropolitan Asylum Hospitals* contained 71 cases of enteric fever and not one case of typhus on Saturday last; 7 cases of enteric fever were admitted during the week, against 12 in each of the preceding two weeks. The deaths from *diarrhoea*, which had been 5, 12, and 15 in the preceding three weeks, further increased last week to 35, but were 88 below the corrected average. The death of a child, aged 4 years, was attributed to English cholera.

The deaths referred to diseases of the respiratory organs, which had been 184, 201, and 152 in the preceding three weeks, numbered 162 last week, and were 43 below the corrected average.

The deaths attributed directly to *influenza* numbered 4, having been 9, 6, and 5 in the preceding three weeks.

The death of a dock clerk's widow, whose age was stated to be 102 years, was registered in Sydenham sub-district, the assigned cause of death being "decay of nature."

Different forms of violence caused 68 deaths, concerning all but 5 of which inquests were held. Of these 68 deaths, 13 were cases of suicide, and 2 of homicide, while the remaining 53 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 2 to conflagrations, 14 to drowning, and 6 (including 5 of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3095 births and 1656 deaths were registered, corresponding to annual rates of 27·1 and 14·5 per 1000 of the estimated population. In the Outer Ring 22 deaths from measles, 5 from scarlet fever, 11 from diphtheria, and 13 from whooping-cough were recorded. The 22 deaths from measles included 9 in West Ham and 4 in Hendon districts. Five deaths from diphtheria occurred in West Ham district and 2 in Croydon district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·95 inches, and that of the Thermometer 66°·0, the latter being 4°·2 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 9 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 53·6 hours.

*The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 7th July 1894.

CITIES AND BOROUGHES.	Cols.	Registered during the Week ending 7th July 1894.			The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGHES.						
		1.	2.	3.	Deaths of Persons under 1 Year of Age.		Deaths from										Inquest Cases.						Fahrenheit.		Mean.		In Inches.	In Centi- metres.
					Infants upwards.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Causes.	From Diseases in Cols. 6-12.	Highest.	Lowest.	Unfavourable.		Favourable.					
POPULATION estimated in the middle of the Year 1884.	BIRTHS.	DEATHS.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.					
10458442	5692	3523	859	586	5	161	48	65	85	21	91	175	281	647	52	161	24	860	450	629	1717	027	069					
4349108	2254	1314	313	256	1	88	17	43	28	3	35	68	129	362	10	158	26	860	502	680	1889	019	048					
288184	129	64	14	16	-	2	2	1	1	-	-	4	4	12	2	140	24	-	-	-	-	-	-					
111421	38	17	4	5	-	2	1	1	1	-	-	2	3	6	2	79	19	858	465	645	1806	017	043					
118715	51	36	7	10	-	-	-	-	2	1	-	2	3	9	-	158	-	816	506	686	1756	033	135					
170973	87	47	13	12	-	-	-	-	2	1	-	2	4	5	3	143	09	820	510	627	1703	008	008					
87431	49	19	4	8	-	-	-	-	1	1	-	1	9	10	11	145	23	830	480	604	1578	013	033					
226578	132	63	11	13	-	5	-	1	3	-	1	3	5	5	2	161	21	-	-	-	-	-	-					
181890	79	43	16	8	-	1	2	1	4	1	-	1	1	1	1	186	22	-	-	-	-	-	-					
95359	24	13	4	-	-	1	2	1	-	-	-	-	-	-	-	136	-	-	-	-	-	-	-					
85036	47	22	7	1	-	1	2	-	4	-	1	2	4	4	-	135	49	818	450	621	1672	001	003					
492301	272	163	46	19	-	10	2	3	5	-	9	6	5	27	4	173	31	-	-	-	-	-	-					
105645	40	25	10	7	-	-	1	1	-	1	2	3	4	3	1	123	10	846	500	629	1717	072	183					
189136	116	25	17	7	-	-	1	-	-	-	4	3	4	3	1	96	17	-	-	-	-	-	-					
223584	111	65	21	10	-	7	-	-	6	1	3	2	4	4	2	152	40	813	463	628	1711	012	030					
98756	57	23	5	9	-	-	-	-	2	1	-	1	2	2	3	174	16	-	-	-	-	-	-					
105027	67	40	8	12	-	1	-	2	2	1	2	1	1	5	-	197	39	-	-	-	-	-	-					
507280	111	129	24	20	1	8	4	1	1	5	7	18	25	37	9	205	29	810	507	613	1628	083	216					
118303	73	24	7	7	-	1	1	1	1	2	2	2	2	2	2	160	13	-	-	-	-	-	-					
520211	382	172	48	55	1	11	6	2	8	2	7	10	13	45	4	172	37	-	-	-	-	-	-					
205828	133	93	29	14	1	5	3	1	3	-	4	3	6	23	3	236	43	-	-	-	-	-	-					
138755	78	55	10	8	-	3	1	1	1	1	1	1	1	5	1	173	11	-	-	-	-	-	-					
46478	51	32	13	3	-	-	1	1	-	-	4	2	2	11	2	103	11	-	-	-	-	-	-					
125797	73	49	14	15	-	-	-	-	1	-	-	2	3	6	4	187	14	-	-	-	-	-	-					
111425	59	40	14	8	-	-	-	-	1	-	2	3	3	3	3	203	17	-	-	-	-	-	-					
98511	46	26	4	5	-	-	-	1	7	-	-	2	2	-	-	138	05	-	-	-	-	-	-					
42861	42	26	3	2	1	1	-	-	-	-	-	3	3	6	1	146	11	-	-	-	-	-	-					
223985	116	43	15	11	-	2	2	-	1	1	-	2	5	8	1	147	14	808	538	637	1761	005	013					
388761	229	130	84	22	-	3	1	-	1	-	6	5	12	9	1	161	13	-	-	-	-	-	-					
338316	185	105	32	15	-	-	3	3	7	2	2	3	4	10	3	162	26	-	-	-	-	-	-					
212679	116	55	14	9	-	-	2	1	1	1	1	4	5	7	2	135	10	-	-	-	-	-	-					
136101	85	46	6	11	-	4	-	1	2	1	-	1	2	8	-	176	27	-	-	-	-	-	-					
43372	77	20	1	5	-	2	-	-	1	-	-	3	4	1	-	112	11	-	-	-	-	-	-					
201947	157	58	13	9	-	-	-	-	1	-	-	4	8	7	1	150	03	-	-	-	-	-	-					

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-SEVENTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2458	2420	2458	2562	2348	2507	2480	2453	2564	2220	2582.6	2254
Males . .	1262	1199	1208	1265	1206	1285	1300	1209	1315	1096	1302.9	1158
Females .	1196	1221	1250	1297	1142	1222	1180	1244	1249	1124	1279.7	1096
TOTAL Deaths	1508	1412	1540	1610	1211	1350	1431	1352	1405	1847	1553.1	1314
Males . .	773	756	812	866	627	720	792	743	726	969	821.5	696
Females .	735	656	728	744	584	630	639	609	679	878	731.6	618

* The numbers in this column are the average weekly numbers in the twenty-seventh weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

		Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	
TOTAL Births	- -	2500	2457	2485	2637	2589	2241	2414	2374	2300	2436	2334	2458	2254	
TOTAL Deaths	- -	1609	1509	1543	1428	1531	1463	1440	1366	1398	1336	1330	1282	1314	
Ages at Death	{ 0—20 years	-	800	727	775	705	729	756	746	652	727	593	588	601	628
	{ 20—40 "	-	210	187	179	180	216	154	163	181	182	188	176	171	180
	{ 40—60 "	-	265	295	303	247	267	209	234	251	232	269	255	219	250
	{ 60—80 "	-	281	259	250	252	267	284	249	235	212	238	261	234	218
	{ 80 years & upwards	-	53	41	36	44	52	60	48	47	45	48	50	57	38
	{ Under 1 year	-	361	337	355	278	286	339	316	291	305	261	278	269	313
	{ 1—5	-	327	298	321	331	343	316	322	277	323	252	216	228	225
	{ 5—20	-	112	92	99	96	100	101	103	84	94	80	94	104	90
Deaths from															
" "	Small-pox	-	-	3	4	-	3	3	7	4	3	-	5	-	1
" "	Measles	-	112	124	130	125	152	175	165	143	169	122	99	92	88
" "	Scarlet fever	-	29	29	25	30	25	20	20	14	17	19	18	19	17
" "	Diphtheria	-	50	53	62	58	55	56	41	36	31	43	44	56	43
" "	Whooping-cough	-	53	48	77	59	53	46	50	43	36	34	20	25	28
" "	Typhus	-	-	1	-	-	-	-	-	-	-	-	-	-	-
" "	Enteric fever	-	9	8	9	8	9	8	14	13	10	10	10	9	3
" "	Simple Cont'd fever	-	-	-	-	-	-	1	1	-	1	-	2	1	-
" "	Diarrhoea and Dysentery	-	14	9	8	11	14	15	11	10	9	5	12	15	35
" "	Cholera	-	1	-	-	-	-	-	-	-	-	2	1	-	1
" "	all the above- mentioned Diseases	-	268	275	315	291	311	324	309	268	279	235	211	217	216
" "	Dis. of Respira- tory System	-	304	304	255	237	272	234	248	222	236	184	201	152	162
" "	Phthisis	-	144	153	153	150	169	132	137	137	132	154	136	123	117
" "	Dis. of Circula- tory System	-	131	104	124	101	86	106	106	103	94	101	124	116	119
Violent Deaths	- -	64	63	55	45	52	57	44	67	57	70	67	70	68	
Inquest Cases	- -	121	146	128	91	126	126	106	129	112	121	125	143	129	
Deaths in Public Institutions	- -	461	449	429	410	436	398	379	409	385	397	408	412	362	
TEMPERATURE OF THE AIR															
Mean	- -	55.2	48.7	49.5	48.8	51.0	54.5	48.2	50.1	56.1	56.3	58.9	68.8	66.0	
Mean of Highest readings	- -	68.5	56.0	60.4	57.9	61.1	65.8	58.5	61.2	65.2	66.4	69.7	76.8	79.5	
Mean of Lowest readings	- -	43.4	43.1	40.9	40.7	42.6	45.5	38.8	42.0	49.8	48.8	50.5	51.0	53.9	
Humidity of the Air	- -	67	81	78	78	76	74	72	80	85	79	79	67	66	
Rain-fall in inches	- -	0.06	0.26	0.98	0.18	0.44	0.09	0.42	0.67	1.07	0.46	0.32	0.00	0.19	
Registered Sunshine (in hours)	- -	37.7	18.6	27.7	14.0	23.8	36.5	39.9	30.5	8.9	15.7	29.0	67.5	53.6	

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Carr, Esq., Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bombyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SEVENTH Week of the Year 1894.

CAUSES OF DEATH.		Corrected Averages for the 27th Week of the 10 years 1884-93.*	In the Week ending Saturday, 7th July 1894.										CAUSES OF DEATH.		Corrected Averages for the 27th Week of the 10 years 1884-93.*	In the Week ending Saturday, 7th July 1894.																	
			Deaths of Persons of the Ages													Deaths of Persons of the Ages																	
			ALL AGES.	0-1.	1-6.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	0-1.				1-6.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.												
CAUSES -		1553·1	1314	313	225	90	180	250	218	33		Diseases of Organs of Special Sense -	2·2	2	-	-	2	-	-	-	-	-		Diseases of Circulatory System -	105·5	119	1	-	9	22	45	39	3
{ Vaccinated† -		1·5	-	-	-	-	-	-	-	-		Croup -	7·6	3	1	2	-	-	-	-	-	-		Bronchitis -	93·2	63	23	8	2	-	8	17	-
{ Unvaccinated -		2·1	1	-	-	-	-	-	1	-		Pneumonia -	7·6	74	21	23	1	8	9	9	0	3		Pleurisy -	4·5	6	1	-	1	2	-	2	-
{ No Statement -		1·9	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System -	21·1	16	2	6	1	1	3	2	1		Dentition -	14·1	15	10	5	-	-	-	-	-	
Easles -		61·5	88	21	5	-	-	-	-	-		Quinsy, Sore Throat -	2·0	-	-	-	-	-	-	-	-	-		Enteritis -	22·1	20	11	3	2	-	3	1	-
Scarlet Fever -		18·5	17	-	7	9	1	-	-	-		Peritonitis -	·8	5	-	1	2	-	2	-	-	-		Diseases of Liver -	31·3	23	2	-	1	2	14	3	-
Erysiphus -		0·2	-	-	-	-	-	-	-	-		Other Diseases of Digestive System -	33·1	47	17	2	3	5	15	4	1		Diseases of Lymphatic System & of Ductless Glands -	2·2	3	-	-	1	1	-	1	-	
Whooping-cough -		6·4	4	-	1	-	-	-	2	1		Diseases of Urinary System -	31·8	33	-	-	2	4	15	9	3		Diseases of Generative System -	5·7	4	-	-	-	2	1	1	-	
Diphtheria -		40·3	28	19	16	-	-	-	-	-		Accidents of Childbirth -	5·0	6	-	-	-	5	1	-	-		Diseases of Locomotive System -	6·3	5	-	2	2	1	-	-	-	
Measles -		26·2	43	3	29	10	1	-	-	-		Diseases of Integumentary System -	6·4	5	1	-	-	-	1	1	2		VIOLENT DEATHS.†										
{ Simple Continued and Ill-defined Fever -		0·8	-	-	-	-	-	-	-	-		(ACCIDENT.)											By Railways -	-	-	-	-	-	-	-	-	-	
{ Enteric Fever -		10·9	3	-	-	1	1	1	-	-		By Vehicles or Horses -	-	3	-	-	1	-	1	1	-		In Ships, Boats, Docks (exclusive of Drowning) -	-	-	-	-	-	-	-	-	-	
Cholera and Chol. Diarr.		5·6	1	-	1	-	-	-	-	-		In Building Operations -	-	-	-	-	-	-	-	-	-		In Conflagrations -	2	-	1	-	-	-	1	-	-	
Dysentery -		123·0	35	27	6	-	-	-	2	-		By Burns, Scalds, Explosions -	51·0	2	-	-	1	1	-	-	-		By Drowning -	14	1	1	4	7	1	-	-	-	
Epidemic Typhus -		0·4	-	-	-	-	-	-	-	-		By Suffocation in Bed -	-	6	5	1	-	-	-	-	-		By Suffocation in Bed -	6	5	1	-	-	-	-	-	-	
Typhoid Fever -		0·1	-	-	-	-	-	-	-	-		By Poisons or Poisonous Vapours -	-	2	-	-	-	2	-	-	-		By Poisons or Poisonous Vapours -	2	-	-	-	2	-	-	-	-	
{ Erysipelas -		9·3	8	-	-	1	1	-	-	-		Other or not stated Causes -	-	21	3	2	3	3	7	5	1		Other or not stated Causes -	-	-	-	-	-	-	-	-	-	
{ Erysipelas -		3·9	1	1	-	-	-	-	-	-		(VIOLENCE OTHER THAN ACCIDENTAL.)											Homicide -	0·9	2	1	-	-	1	-	-	-	
Septicæmia and Septicæmia		2·2	-	-	-	-	-	-	-	-		Suicide -	8·1	13	-	-	-	8	4	1	-		Suicide -	8·1	13	-	-	-	8	4	1	-	
Erysipelas -		5·1	2	-	-	2	-	-	-	-		Execution -	-	-	-	-	-	-	-	-	-		Execution -	-	-	-	-	-	-	-	-	-	
Erysipelas -		1·9	3	1	1	1	-	-	-	-		OTHER CAUSES -	65·0	40	35	3	-	1	-	1	-	-		OTHER CAUSES -	65·0	40	35	3	-	1	-	1	-
Erysipelas -		1·3	2	2	-	-	-	-	-	-																							
{ Erysipelas -		0·2	1	1	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							
{ Starvation, Want of Breast-milk -		2·4	2	2	-	-	-	-	-	-																							

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5·341 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated," which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHOEA, VIOLENCE, INQUEST CASES, during the Week ending

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Numera- rated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON	4,211,743	2254	1314	313	255	1	89	17	43	23	-	3	-	35	68	129	30		
WEST DISTRICTS	740,735	357	193	33	50	-	14	2	1	11	-	1	-	4	10	17	7		
NORTH DISTRICTS	993,391	515	374	72	50	-	19	3	12	9	-	-	-	5	13	29	7		
CENTRAL DISTRICTS	247,538	115	91	23	21	-	4	-	1	1	-	2	-	4	8	15	3		
EAST DISTRICTS	705,114	423	258	77	50	-	23	1	6	3	-	-	-	8	8	23	8		
SOUTH DISTRICTS	1,521,472	811	455	108	80	-	23	-	23	4	-	-	-	14	29	40	9		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON **	-	-	27	-	5	1	-	3	-	-	-	-	-	-	-	-	2		
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.	84159	40	24	3	7	-	2	-	-	2	-	-	-	-	1	1	7		
St. John Paddington H - - G.J.	33687	6	9	-	1	-	-	-	-	-	-	1	-	-	-	-	8		
Kensington Town W - - W.M.	118751	51	27	5	10	-	1	-	-	1	-	-	-	-	1	1	8		
Brompton H - - W.M. & C.	47557	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-	7		
S. Peter Hammersmith - - W.M.	8533	4	19	4	-	-	-	-	-	-	-	1	-	-	-	2	4		
St. Paul Hammersmith H W.M. & G.J.	83633	52	28	2	9	-	2	-	1	1	-	-	-	-	3	4	10		
Fulham W - - W.M. & C.	97639	82	38	2	9	-	-	-	-	-	-	-	-	-	-	-	10		
Chelsea Kensal Town - - C.	21787	17	2	-	1	-	-	-	-	-	-	1	-	-	-	-	3		
Chelsea North WHHHH - - C.	41637	24	15	3	3	-	3	-	-	-	-	-	-	3	-	2	8		
Chelsea South HH - - C.	32820	13	14	6	1	-	-	-	-	-	-	-	-	-	-	-	8		
May Fair W - - G.J.	23733	10	13	-	3	-	-	-	1	-	-	3	-	-	2	2	4		
Belgrave WHH - - C.	54831	19	17	4	2	-	2	-	-	-	-	1	-	-	1	1	4		
St. John Westminster HHH - - C.	31195	14	8	1	1	-	-	-	-	-	-	-	-	-	-	-	4		
St. Margaret Westminster H - - C.	21668	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	4		
St. James Westminster WHH N.R. & G.J.	24995	6	8	-	5	-	-	-	-	-	-	-	-	1	-	-	4		
St. Anne Soho HHHHHH - - N.R.	12317	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4		
NORTH DISTRICTS.																			
All Souls Marylebone } - - W.M.	57713	6	12	2	2	-	1	-	-	-	-	-	-	-	-	-	1		
HHHHHHHH } - - G.J. & W.M.	20024	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
Rectory Marylebone W - - G.J. & W.M.	19239	18	6	3	-	-	2	-	-	-	-	-	-	-	-	-	1		
St. Mary Marylebone HHHH G.J. & W.M.	33327	17	7	1	-	-	-	-	-	-	-	-	-	-	-	1	3		
Christchurch Marylebone H - - W.M.	32101	16	10	4	1	-	1	-	-	1	-	-	-	-	-	-	1		
St. John Marylebone H - - W.M.	68416	24	24	5	2	-	1	-	5	1	-	-	-	-	-	-	1		
Hampstead WHHHH N.R. & W.M.	36590	21	10	3	1	-	-	-	-	-	-	-	-	-	1	2	1		
Regent's Park Pancras HH - - W.M.	26721	12	13	3	7	-	-	-	-	-	-	-	-	-	1	2	1		
Tottenham-court WHHHH N.R. & W.M.	27455	15	6	1	1	-	-	-	-	-	-	-	-	1	1	1	1		
Gray's Inn Lane HHH - - N.R.	32329	13	9	2	-	-	2	-	-	-	-	-	-	-	-	-	1		
Connaught Town HH - - N.R.	15119	13	9	1	4	-	-	-	-	-	-	-	-	-	-	-	1		
Camden Town WH - - N.R.	35735	46	26	7	4	-	2	1	1	2	-	-	-	-	3	1	1		
Kenish Town W - - N.R.	92235	37	36	9	6	-	3	-	-	1	-	-	-	1	2	4	1		
Upper Holloway WWHHH - - N.R.	105557	49	26	8	4	-	2	-	-	1	1	-	-	1	2	6	1		
Islington South-west H - - N.R.	64153	44	21	9	2	-	-	-	-	1	1	-	-	1	1	1	1		
Islington South-east - - N.R.	59193	32	12	-	3	-	-	-	-	1	1	-	-	-	-	-	1		
Highbury HH - - N.R.	50936	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Stoke Newington H - - N.R.	17759	9	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - - E.L.	42902	22	13	2	6	-	1	-	-	-	-	-	-	-	2	2	-		
West Hackney H - - N.R.	96486	50	35	6	4	-	3	1	4	2	-	-	-	1	4	1	1		
Hackney WWHH - - E.L. & N.R.	31759	23	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
South Hackney W - - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - N.R.	16895	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - - N.R.	13454	12	5	1	2	-	-	-	-	-	-	-	-	-	1	-	2		
St. Giles North H - - N.R.	9633	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HHN R. & C.	14616	3	9	2	1	-	-	-	-	-	-	-	-	-	-	1	1		
St. Mary-le-Strand H - - N.R.	5706	4	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Clement Dance WH - - N.R.	7194	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Strand Union Workhouse, Edmon ton so.	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Geo.-the-Martyr HHHHHH N.R.	17921	4	8	2	1	-	-	-	-	1	-	-	-	-	-	-	-		
St. Andrew Eastern W - - N.R.	13343	3	3	2	2	-	-	-	-	-	-	-	-	-	-	-	1		
St. James Clerkenwell - - N.R.	16803	7	7	2	2	-	-	-	-	1	-	-	-	-	-	-	2		
Amwell Clerkenwell - - N.R.	16883	12	5	3	-	-	2	-	-	-	-	-	-	-	2	-	-		
Pentonville - - N.R.	17155	10	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-		
Goswell-street - - N.R.	18375	11	4	-	2	1	-	-	-	-	-	-	-	-	-	-	-		
City-road HHH - - N.R.	23177	22	10	4	2	-	-	-	-	-	-	1	-	1	1	1	-		
Whitecross-street - - N.R.	8378	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Finsbury - - N.R.	4885	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, Mitcham so.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S. St. Ololph H - - N.R. & E.L.	8944	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Cripplegate - - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S. Sepulchre H - - N.R.	9441	-	17	1	1	-	-	-	1	-	-	-	-	-	4	5	-		
S. Bride W - - N.R.	6591	3	5	1	3	-	-	-	-	-	-	-	-	-	1	1	-		
A. Ballows Barking - - N.R.	10422	1	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-		
B. Road Street H - - E.L.	5377	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—House; H—Hospital; L—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishments receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. L., East London; and K., the Kent Company.

See note † on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
 y, 7th July, 1894.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths from												
					Deaths of		Deaths from										
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhœa.	Violence.	Incess Cases.
																	Deaths in Public Institutions.
																	Uncertified Causes of Death.
EAST DISTRICTS.																	
High South HL*	E.L. & N.R.	20098	11	5	1	-	-	-	-	-	-	-	-	-	1	-	-
New Town w	- N.R.	20313	20	5	-	2	-	-	-	-	-	-	-	-	-	-	3
Old Town	- N.R.	28354	11	3	1	-	-	1	-	-	-	-	-	-	-	1	1
Easton WH	- N.R. & E.L.	46244	21	20	6	6	-	2	1	-	1	-	-	-	1	6	-
Al Green North H	- E.L.	51620	13	20	8	4	-	2	-	-	-	-	-	-	-	1	-
Al Green South	- E.L.	33489	18	12	2	2	-	1	-	-	-	-	-	-	1	4	-
Al Green East WHL*	- E.L.	44123	16	15	6	8	-	4	-	-	-	-	-	-	1	4	12
Fields	- E. N.R.	22456	17	5	2	-	-	-	-	-	-	-	-	-	1	-	-
End New Town W	- E.L.	37908	15	14	6	1	-	1	-	1	-	-	-	-	2	-	7
Chapel Church H	- E.L. & N.R.	20298	21	21	1	5	-	-	-	-	-	-	-	-	-	3	19
Man's Fields	- E.L.	18800	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Core's North	- E.L.	37738	17	11	5	-	-	2	-	-	-	-	-	-	1	-	-
hn, St. George East W	- E.L.	8057	6	6	1	2	-	-	-	-	-	-	-	-	-	1	3
rell H	- E.L. & N.R.	10246	9	6	6	-	-	-	-	-	1	-	-	-	2	-	3
d W	- E.L.	14928	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-
house	- E.L.	32202	26	11	2	1	-	3	-	-	-	-	-	-	-	-	-
End Old Town West H	- E.L.	38650	30	9	4	1	-	2	-	-	-	-	-	-	-	-	-
End Old Town East W	- E.L.	68942	19	26	10	3	-	3	-	1	1	-	-	-	-	1	5
L*	- E.L.	40365	22	8	1	2	-	1	-	1	-	-	-	-	-	-	2
ley w H	- E.L.	70900	50	32	9	11	-	1	-	1	-	-	-	-	-	1	5
r. W	- E.L.	56883	36	14	2	4	-	-	-	-	-	-	-	-	-	2	18
SOUTH DISTRICTS.																	
Church Southwark WH	L. & S.	13234	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Avionr Southwark	- S.	13813	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
road	- S. & L.	12867	11	6	4	1	-	-	-	1	-	-	-	-	2	3	-
ugh-road WH	- S. & L.	16624	11	4	2	-	-	-	-	-	-	-	-	-	1	1	2
on-road HL	- L. & S.	21221	13	5	2	-	-	-	-	1	-	-	-	-	-	-	-
y Newington	- S. & L.	26596	16	7	1	2	-	-	-	1	-	-	-	-	-	-	-
ster Walworth W	- S. & L.	61342	31	17	4	4	-	1	-	-	-	-	-	-	1	1	-
y Newington	- L. & S.	27866	17	5	2	1	-	-	-	1	-	-	-	-	1	1	-
ave WH	- S.	12723	1	14	-	1	-	-	-	-	-	-	-	-	-	3	-
ter Market	- S. & L.	14952	4	5	2	1	-	-	-	-	-	-	-	-	-	3	9
ary Magdalen W	- S.	16660	5	4	-	1	-	-	-	-	-	-	-	-	-	-	1
ames Bermondsey	- S.	54070	27	8	1	3	-	-	-	-	-	-	-	-	1	1	-
rhiths WH	- S. & K.	39255	27	16	2	4	-	2	1	-	-	-	-	-	1	1	6
loo-road 1st H	- L. & S.	14031	11	7	4	1	-	-	-	-	-	-	-	-	-	-	-
loo-road 2nd H	- L. & S.	14644	19	8	4	-	-	-	-	-	1	-	-	-	-	1	2
eth Church 1st H	- L. & S.	18075	7	14	2	2	-	-	-	-	-	-	-	-	-	3	11
eth Church 2nd W	- L. & S.	39097	26	15	2	5	-	-	-	1	-	-	-	-	-	3	1
ington 1st H	- S. & L.	50586	33	12	4	1	-	2	-	-	-	-	-	-	-	1	10
ington 2nd	- S. & L.	39708	19	9	2	-	-	-	-	-	-	-	-	-	-	-	1
on W	- L. & S.	78405	40	21	5	2	-	2	2	6	-	-	-	-	-	1	9
ood W	- L.	25667	8	7	1	3	-	-	-	-	-	-	-	-	-	-	-
Battersea	- S.	67244	44	10	3	1	-	1	-	-	-	-	-	-	-	-	-
Battersea W H	- S.	83314	51	19	8	4	-	2	-	-	1	-	-	-	2	1	4
am H	- S.	43698	24	9	1	2	-	-	-	-	1	-	-	-	-	3	1
sworth WHL	- S.	46717	25	10	2	2	-	-	-	1	-	-	-	-	-	-	-
Y	- S.	17771	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lam W	- L.	48756	21	7	2	-	-	3	-	-	1	-	-	-	-	-	-
ch	- L. & S.	6809	-	29	-	-	-	-	-	-	-	-	-	-	-	-	-
erwell W L & L*	- S. & L.	81686	43	21	6	6	-	2	-	-	-	-	-	-	-	1	10
am W	- S. & L. & K.	33483	49	16	13	4	-	7	-	-	-	-	-	-	2	1	2
orge Camberwell	- L. & S.	63366	35	14	2	2	-	3	-	1	-	-	-	-	2	1	5
ord, North	- K.	35314	13	9	4	2	-	-	-	-	-	-	-	-	-	1	1
ord, Central W	- K.	42007	33	20	3	2	-	1	-	5	-	-	-	-	-	1	9
ord, South	- K.	30852	7	9	2	4	-	-	-	1	-	-	-	-	-	1	-
wich West H	- K.	22007	11	7	2	1	-	1	-	1	-	-	-	-	-	1	2
wich East WH	- K.	35233	21	22	5	3	-	-	-	1	-	-	-	-	1	1	2
m H	- K.	5682	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H	- K.	23541	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-
ham WH	- K.	30950	29	6	1	1	-	-	-	-	-	-	-	-	-	1	-
ham H	- L.	34162	14	10	4	2	-	1	-	1	-	-	-	-	-	1	1
ton HH	- K.	14040	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
rich Dockyard	- K.	19606	10	7	2	3	-	-	-	-	-	-	-	-	-	-	-
rich Arsenal HH	- K.	41342	13	6	1	2	-	-	-	-	-	-	-	-	-	1	1
stead, West H	- K.	18869	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-
stead, East W	- K.	38567	23	9	-	4	-	-	-	-	-	-	-	-	-	1	2
ead Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ham Asylum	-	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	7
ital Ship and Camp, Dartford	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
th Asylum	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1
ell Asylum	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3
y Hatch Asylum	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4
Hospital	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
more Hill Hospital	-	-	-	4	-	-	-	8	-	-	-	-	-	-	-	-	3
eden Asylum	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	5
ury Asylum	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3

* See Note † on first page of this Return.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 7th July, 1894.

Regis- tration District and Sub- district Num- bers.		REGISTRATION SUB-DISTRICTS.	Area in Acres.	Name rated Popu- lation. 1891	BIRTHS.	The DEATHS registered in the Week include														
						DEATHS.	Deaths of		Deaths from											
							Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Un- classified.	
LONDON—OUTER RING						342	88	77	—	22	5	11	13	2	9	17	25	38		
39:1	Carshalton WH	12228	26108	10	6	2	—	—	—	—	—	—	—	1	1	1	—	—	—	
2	Epsom, part of WH	10428	12508	3	2	—	1	—	—	—	—	—	—	—	—	—	1	1	—	
17:1	Goldstone, part of W	754	1594	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
38:1	Croydon WHH	20351	128699	53	26	8	7	—	2	—	—	1	2	—	—	—	—	—	8	
2	Mitcham W	11697	23083	11	5	1	—	—	—	—	—	1	1	—	—	—	—	—	—	
39:1	Wimbledon HHH	3220	25761	12	5	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
2	Kingston WHH	8071	44765	28	11	3	3	—	2	—	—	—	—	—	—	—	1	1	—	
3	Esher, part of *	6601	12059	3	3	—	1	—	—	—	—	—	—	—	—	—	1	1	—	
4	Hampton H	4535	18252	12	7	2	1	—	—	—	—	1	—	—	—	—	2	2	—	
40:1	Richmond WH	2160	25389	11	10	1	2	—	—	—	—	—	—	—	—	—	1	1	4	
2	Mortlake H	2823	16189	9	5	—	1	—	1	—	—	—	1	—	1	—	—	—	—	
41:1	Bromley HHH	9127	23815	19	5	2	2	—	—	—	—	—	—	—	—	—	1	1	—	
2	Beckenham H	6542	21969	8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Chislehurst, pt. of WHH	14397	20372	12	2	—	1	—	—	—	—	—	—	—	—	—	—	—	2	
42:1	Bexley HHH	12540	30690	17	7	1	4	—	—	—	—	—	—	—	—	—	1	1	—	
2	Dartford Work., pt. of *	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
124:1	Susbury W	11054	18671	6	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Staines W	18277	13221	10	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
125:1	Hillingdon WHH	6035	12237	12	2	—	1	—	—	—	—	—	—	—	—	—	1	1	—	
2	Uxbridge	6172	5417	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Hayes WH	14537	12313	9	3	—	—	—	—	—	—	1	—	—	—	—	—	—	2	
126:1	Isleworth WHH	6967	26278	14	9	4	1	—	—	—	—	—	—	—	—	—	—	—	3	
2	Twickenham HH	2415	16027	6	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
3	Brentford HHHH	4318	37777	20	11	3	5	—	—	—	—	—	—	—	—	—	—	1	1	
4	Chiswick	1245	21938	17	5	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
5	Aston WH	6132	30945	15	6	3	1	—	2	—	—	—	—	—	—	1	—	—	—	
127:1	Harrow HHH	13809	15715	5	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
2	Edgware HH	6994	3844	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
3	Willesden HHH	4383	61235	40	15	4	1	—	4	1	1	—	1	1	1	—	1	1	—	
4	Hendon W	8332	15843	12	7	3	2	—	—	—	—	—	1	—	—	—	—	1	—	
128:1	South Mumps	1580	8474	8	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Barnet WHH	5411	11773	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Finchley HHH	4638	25820	14	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
129:1	Hornsey HH	3039	61097	31	7	1	3	—	—	—	—	—	1	—	—	—	—	—	—	
2	Tottenham H	4543	97174	68	25	11	8	—	1	—	—	—	2	—	1	3	4	2	—	
3	Edmonton WH	7489	33351	14	9	2	2	—	—	—	—	—	1	—	—	—	—	1	4	
4	Enfield WHH	12889	31993	24	10	3	3	—	—	—	—	—	—	—	—	—	—	—	2	
5	Waltham Abbey	11017	6065	4	2	1	1	—	—	—	—	—	—	—	—	1	—	—	—	
6	Chesham H	8430	9620	4	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
130:1	Hatfield, part of WH	806	532	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
131:1	Bushey H	9331	7737	3	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
2	Watford Work., pt. of *	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
132:1	Stratford H	1100	42983	24	9	2	1	—	1	1	1	—	—	—	—	—	1	1	—	
2	Plaistow HHHH	1242	56030	34	14	2	2	—	3	—	—	—	—	—	—	—	—	—	—	
3	Canning Town H	1553	54750	39	20	6	4	—	1	1	1	1	1	—	—	—	3	3	—	
4	Forest Gate W	806	49140	32	9	1	1	—	1	—	—	—	—	—	—	—	—	—	—	
5	East Ham W	3266	32713	31	9	3	1	—	—	—	—	—	2	1	—	—	—	—	—	
6	Leyton WHH	4324	70188	53	31	8	12	—	1	1	1	—	—	—	—	—	—	—	14	
7	Walthamstow HHL	5501	57330	41	14	4	2	—	2	—	—	—	1	—	—	—	1	2	—	
137:1	Chigwell, part of WH	1179	12941	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Epping Work., pt. of *	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
139:1	Romford, part of WH	6556	4324	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Ilford	8493	10913	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Barking Town H	3814	14301	15	3	1	1	—	—	—	—	—	1	—	—	—	—	—	—	
Metro. Asylum Hospitals						—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 39: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2234); 41: 3, Chislehurst sub-district, except the parishes of Chisleholme, Cadams, and Kneekholt (pop. 3397); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish Theodion Bois (3979); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 7th July, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from												Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.					
GREATER LONDON	443,421	5,948,300	14.5	2.4	1656	401	333	1	110	22	54	41	5	44	85	400					
METROPOLITAN LONDON	74,672	4,349,163	15.8	2.6	1314	313	250	1	88	17	43	28	3	35	68	302					
CITY OF LONDON	368,749	1,599,134	11.2	2.0	342	83	77	-	22	5	11	13	2	9	17	38					

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692,845 square miles, which is equivalent to the area of a circle having a radius of 14,351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH -	270,593	July	7	133	81	15.6	3	-	1	1	4	-	-	
GLASGOW -	696,820	"	7	418	218	16.6	-	2	6	5	6	4	4	
DUBLIN -	349,594	"	7	175	118	17.6	-	-	-	-	1	-	4	
BOMBAY -	466,460	May	23	-	223	25.5	9	1	-	-	-	93	37†	
CHENNAI -	821,764	June	19	-	-	-	-	-	-	-	-	-	-	
COCHIN -	452,518	"	1	326	284	32.6	-	2	?	?	?	117	31	
PARIS -	2,424,705	"	30	1137	844	18.5	3	30	2	15*	3	8	78	
BRUSSELS -	488,183	"	30	241	152	15.9	1	-	1	1*	3	2	13	
AMSTERDAM -	446,295	"	30	275	161	18.7	-	5	1	4	2	1	-	
ROTTERDAM -	228,597	"	30	138	79	17.9	5	-	1	-	1	-	-	
THE HAGUE -	174,790	"	30	78	56	16.6	-	1	-	-	-	1	-	
COPENHAGEN -	341,000	"	30	187	107	16.4	-	2	2	4	-	-	7	
STOCKHOLM -	252,937	"	23	141	81	16.6	-	-	-	1*	1	2	7	
CHRISTIANIA -	167,282	"	30	64	59	18.3	-	-	3	1	-	-	8	
PETERSBURG -	954,400	"	9	570	483	26.4	3	36	13	8	4	7	35	
VIENNA -	753,469	"	23	-	647	44.8	6	22	6	13	4	4	189	
BERLIN -	1,714,938	"	16	859	518	15.9	-	5	8	21	3	2	45	
ST. PETERSBURG -	594,209	"	30	-	183	16.0	-	8	2	8*	2	1	12	
PRAGUE -	312,772	"	9	-	-	-	-	-	-	-	-	-	-	
BRATISLAVA -	360,660	"	30	-	160	21.8	-	1	1	3*	3	-	25	
WARSAW -	390,900	"	23	-	192	25.6	-	-	1	5*	3	1	39	
VIENNA -	1,465,537	"	30	-	170	22.7	-	-	-	5*	4	-	34	
BUDAPEST -	339,172	"	23	950	576	20.1	-	25	5	25*	1	3	79	
VIENNA -	552,769	"	23	185	201	30.8	-	16	2	6	-	6	5	
VIENNA -	159,739	"	16	391	277	26.1	1	7	2	10	-	2	36	
VIENNA -	450,991	"	23	83	77	25.1	-	1	4	6*	-	-	-	
VIENNA -	537,997	"	23	102	70	22.8	1	-	2	7*	-	-	-	
VIENNA (10 days)	160,406	May	19	232	134	15.3	-	1	-	-	-	5†	11	
VIENNA -	374,838	June	10	187	175	18.8	-	4	1	1	1	4	26	
VIENNA -	281,396	"	2	70	72	23.4	-	-	-	-	1	-	10	
VIENNA -	374,838	"	9	87	42	13.7	-	-	-	-	-	1	2	
VIENNA -	281,396	"	7	344	420	58.3	1	2	-	1*	3	14	100	
VIENNA -	281,396	"	7	170	174	39.2	2	-	-	2*	1	3	44	
VIENNA -	1,925,500	"	23	-	835	22.3	1	9	18	50	3	3	85	
VIENNA -	1,020,000	"	23	-	441	22.0	2	9	5	27	5	1	42	
VIENNA -	1,139,457	"	23	-	517	23.7	-	2	5	20	6	5	75	
VIENNA -	254,000	"	2	-	145	29.8	-	-	-	3	2	9	16	

* Including deaths from croup.

† Including 15 deaths from cholera.

‡ Including 2 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 7th JULY, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.		TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a Gauge whose surface is 10 square inches above the level of the Ground.		
MOON AND DAY.	PHASES OF THE MOON.	TEMPERATURE.					TEMPERATURE.					Wind as deduced from Anemometers.					Rain collected in a Gauge whose surface is 10 square inches above the level of the Ground.							
		Of the Air.					Of the Air and Dew Point.					General Direction.					Pressure on the Square Foot.		Robinson's.					
		Low-est.	High-est.	Daily Range.	Mean daily Average value.	De-pure-cture from Average value.	Mean daily value.	Great-est.	Least.	Mean daily value.	Great-est.	Least.	Mean of 24 hours.	Horizontal distance of the Air on each Day.	Direction.	Force.	Sum of 1570.	Sum of 1570.						
JULY.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
SUNDAY	1	30.088	82.0	54.1	27.9	68.6	+ 7.3	50.9	8.7	21.0	0.0	0.0	74	141.0	50.8	ENE.	E. & ENE.	1.8	0.0	0.1	264	+ 12	0.00	0.0
MONDAY	2	29.950	83.0	57.5	25.5	68.8	+ 7.4	61.0	7.8	19.0	0.0	0.0	76	142.3	53.6	Variable.	SSW. & SW.	1.5	0.0	0.0	202	- 49	0.00	0.0
TUESDAY	3	29.956	73.0	56.5	16.5	63.1	+ 1.4	53.3	9.8	18.7	2.0	2.0	70	118.0	50.0	WSW. & NW.	NW. & NNW.	1.3	0.0	0.1	245	- 5	0.03	0.0
WEDNESDAY	4	30.003	76.2	50.2	26.0	62.3	+ 0.4	50.6	11.7	24.3	0.0	0.0	66	132.7	44.0	SW. & NNW.	NNW. ESE. & SSW.	0.2	0.0	0.0	145	- 103	0.00	0.0
THURSDAY	5	29.977	79.6	51.9	27.7	66.4	+ 4.3	50.7	15.7	23.7	1.0	1.0	57	142.7	43.8	SW. & SSE.	SE. & ESE.	1.1	0.0	0.0	156	- 89	0.00	0.0
FRIDAY	6	29.795	86.0	53.6	32.4	70.7	+ 8.5	55.2	15.5	28.6	0.0	0.0	58	142.2	48.0	E. & ESE.	SE. S.E. & SSW.	3.7	0.0	0.1	201	- 41	0.13	3.0
SATURDAY	7	29.846	76.5	53.2	23.3	62.2	+ 0.1	49.0	13.2	22.7	2.0	2.0	62	140.4	46.0	SSW. & SW.	SW.	4.8	0.0	0.2	337	+ 118	0.03	0.0
MEANS	.	29.945	79.5	53.9	25.6	66.0	+ 4.2	54.2	11.8	23.0	0.7	0.7	63	138.3	48.0	Variable.	Variable.	Sum 1570	Sum -157	0.19	0.4
Number of Column .		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: +, P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30.15 in. at the beginning of the week to 29.92 in. by 3h. P.M. on the 2nd; increased to 30.01 in. by 9h. A.M. on the 4th; decreased to 29.77 by 3h. P.M. on the 6th; and was 29.86 at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 28. 1894. VOL. LV.] WEEK ENDING SATURDAY, JULY 14. [Price 1½d.

*General Register Office, Somerset House,
July 16th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·9 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	June 23.	June 30.	July 7.	July 14.		June 23.	June 30.	July 7.	July 14.
Birkenhead	10·4	13·8	19·7	19·7	Liverpool -	21·7	22·3	20·5	22·4
Birmingham	19·4	13·3	17·3	16·9	London -	16·0	15·4	15·8	16·3
Blackburn -	15·3	17·0	20·3	12·4	Manchester -	17·9	20·0	17·2	17·1
Bolton -	14·5	19·8	15·0	12·8	Newcastle-on-Tyne	18·3	17·6	15·0	15·5
Bradford -	15·1	11·6	14·7	14·0	Norwich -	15·3	12·8	12·3	13·8
Brighton -	12·7	10·5	15·8	12·7	Nottingham -	17·7	13·3	15·2	15·2
Bristol -	13·8	15·9	14·5	17·7	Oldham -	12·0	17·7	20·7	18·0
Burnley -	18·4	15·1	17·3	13·5	Plymouth -	12·5	14·2	17·2	11·3
Cardiff -	14·0	13·3	15·1	10·2	Portsmouth -	11·3	12·8	14·3	12·5
Croydon -	9·3	7·0	7·9	12·6	Preston -	13·6	16·4	18·7	18·3
Derby -	9·5	11·1	17·4	9·5	Salford -	16·5	24·1	23·6	22·0
Gateshead -	13·4	14·5	11·2	12·3	Sheffield -	12·8	17·1	16·2	13·4
Halifax -	15·2	15·7	14·6	11·8	Sunderland -	20·7	18·0	17·6	21·1
Huddersfield	13·2	13·2	13·8	11·1	Swansea -	16·4	10·4	18·6	12·6
Hull -	16·7	13·2	13·5	15·0	West Ham -	12·3	13·1	14·0	13·8
Leeds -	14·5	12·1	16·1	13·7	Wolverhampton -	17·2	15·9	13·5	15·3
Leicester -	8·3	10·2	9·6	12·1					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·0 in Salford, 1·3 in West Ham, 1·9 in Croydon, and 3·8 in Sunderland; from *scarlet fever*, 1·2 in Wolverhampton and 1·3 in Salford; from *whooping-cough*, 1·1 in Huddersfield and in Sunderland, 1·4 in Preston, and 1·9 in Croydon; and from *diarrhoea*, 1·2 in Wolverhampton, 1·4 in Leicester, 1·5 in Norwich, 1·8 in Salford, and 1·9 in Preston. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 62 deaths from *diphtheria* included 45 in London, 2 in Liverpool, and 2 in Bristol. Two deaths from *small-pox* were registered in London, and one death each was registered in Birmingham, Manchester, and Oldham, but not one in any other of the thirty-three towns.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

LONDON.

In LONDON 2371 BIRTHS and 1356* DEATHS were registered. Allowing for increase of population, the births were 263, and the deaths 342, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·0, 15·4, and 15·8 in the preceding three weeks, rose last week to 16·3. During the four weeks ending on Saturday last the death-rate averaged 15·9 per 1000, being 2·6 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1356 deaths included 2 from small-pox, 57 from measles, 16 from scarlet fever, 45 from diphtheria, 29 from whooping-cough, one death from typhus, 6 deaths from enteric fever, 94 from diarrhoea and dysentery, 2 from infantile cholera, one death from choleraic diarrhoea, and not one from any ill-defined form of continued fever; thus, 253 deaths were referred to these diseases, being 159 below the corrected average weekly number.

The 2 deaths from *small-pox* belonged to Marylebone and Shoreditch sanitary areas respectively. There were 86 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 11 in the Highgate Small-pox Hospital, making a total of 97 against 170, 132, and 109 on the preceding three Saturdays; 17 cases were admitted during the week, against 21, 16, and 28 in the preceding three weeks. The deaths from *measles*, which had been 99, 92, and 88 in the preceding three weeks, further declined last week to 57, being one death below the corrected average; 7 belonged to Poplar, 7 to Camberwell, 4 to Pancras, and 4 to Battersea sanitary areas. The deaths from *scarlet fever*, which had been 18, 19, and 17 in the preceding three weeks, declined to 16 last week, and were 3 below the corrected average. The Metropolitan Asylum and London Fever Hospitals† contained 2143 scarlet fever patients at the end of last week, against 2153, 2087, and 2099 on the preceding three Saturdays; 277 cases were admitted during the week, against 233 and 266 in the preceding two weeks. The deaths from *diphtheria*, which had been 44, 56, and 43 in the preceding three weeks, numbered 45 last week, exceeding the corrected average by 18; 4 belonged to Islington, 4 to Battersea, and 3 each to Pancras, Mile End Old Town, and Camberwell sanitary areas. The Metropolitan Asylum Hospitals† contained 365 diphtheria patients at the end of last week, against 349, 351, and 351 on the preceding three Saturdays; 65 cases were admitted during the week, against 78 and 90 in the preceding two weeks. The deaths from *whooping-cough*, which had increased from 20 to 28 in the preceding three weeks, numbered 29 last week, but were 24 below the corrected average; 5 belonged to Camberwell and 4 to Pancras sanitary areas. The fatal cases of *enteric fever*, which had been 10, 9, and 3 in the preceding three weeks, increased again last week to 6, but were only half the corrected average; 2 belonged to Hackney sanitary area. The Metropolitan Asylum Hospitals† contained 68 cases of enteric fever and not one case of typhus on Saturday last; 7 cases of enteric fever were admitted during the week, against 12 and 7 in the preceding two weeks. The deaths from *diarrhoea*, which had been 12, 15, and 35 in the preceding three weeks, rose last week to 94, being, however, 132 below the corrected average; 88 were of children under 5 years of age. The deaths of two infants under one year of age were attributed to infantile cholera, and the death of a female, aged 63 years, was referred to choleraic diarrhoea.

The deaths referred to diseases of the respiratory organs, which had been 201, 152, and 162 in the preceding three weeks, amounted to 158 last week, and were 39 below the corrected average.

The deaths attributed directly to *influenza* numbered 4, having been 6, 5, and 4 in the preceding three weeks.

The death of a female, whose age was stated to be 101 years, occurred in the Jews' Hospital, Mile End.

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylum situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

† The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

Different forms of violence caused 74 deaths, concerning all but 4 of which inquests were held. Of these 74 deaths, 17 were cases of suicide, and one death was a case of homicide, while the remaining 56 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 13 to drowning, and 10 (of infants under one year of age) to suffocation in bed. The deaths of two children, aged respectively 5 months and $2\frac{1}{2}$ years, and the death of a male, aged 36 years, were certified to have been caused by sunstroke.

DEATHS BELONGING TO THE SEVERAL SANITARY AREAS OF REGISTRATION LONDON
registered in the 13 WEEKS ENDING ON 30TH JUNE, 1894.

SANITARY AREAS.	Total Deaths from all Causes.	Deaths from Principal Zymotic Diseases.									Deaths of Infants under 1 Year of Age.	Deaths under 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and Modified Fever.	Diarrhoea.		
REGISTRATION LONDON	18,417	34	1743	234	644	607	1	119	6	139	4017	126
WEST.												
Paddington	439	-	30	5	30	15	-	5	-	4	85	121
Kensington	631	-	57	2	16	15	-	2	-	2	160	166
Hammersmith	411	-	39	2	12	11	-	6	-	2	76	111
Fulham	531	1	109	7	25	22	-	-	-	6	142	155
Chelsea	417	-	53	6	16	16	-	-	1	8	82	118
St. George Hanover Square	246	-	19	4	4	5	-	-	-	1	44	111
Westminster	243	-	13	1	3	2	-	-	-	3	35	108
St. James Westminster	77	-	7	-	3	2	-	2	-	1	16	132
NORTH.												
Marylebone	652	-	39	15	30	13	-	5	-	4	125	114
Hampestead	174	1	10	4	6	8	-	-	-	-	37	102
Pancras	1005	4	42	9	24	35	1	3	-	2	210	123
Islington	1285	2	120	23	62	60	-	7	-	10	270	116
Stoke Newington	82	-	1	1	1	2	-	-	-	-	11	67
Hackney	824	1	77	24	27	20	-	6	-	6	165	114
CENTRAL.												
St. Giles	174	1	10	-	4	7	-	2	-	-	24	84
St. Martin-in-the-Fields	61	-	7	-	-	1	-	-	-	1	10	169
Strand	117	-	7	-	1	5	-	2	-	-	25	185
Holborn	157	-	5	-	5	10	-	4	-	1	27	130
Clerkenwell	302	-	19	-	8	10	-	-	-	1	70	132
St. Luke	215	1	1	1	2	1	-	-	-	1	50	117
London City	162	-	3	2	1	4	-	1	-	2	27	201
EAST.												
Shoreditch	615	1	34	12	21	22	-	3	-	3	136	132
Bethnal Green	644	3	78	6	33	18	-	9	-	4	161	140
Whitechapel	418	-	40	5	11	19	-	1	-	4	116	136
St. George-in-the-East	255	-	17	4	15	13	-	1	-	2	68	149
Limehouse	354	1	45	12	11	6	-	-	-	4	75	169
Mile End Old Town	564	3	77	11	29	27	-	-	2	12	133	131
Poplar	796	8	104	9	27	23	-	2	-	4	198	141
SOUTH.												
St. Saviour Southwark	161	-	32	3	6	2	-	-	-	1	30	185
St. George Southwark	381	-	51	5	16	7	-	2	-	4	69	141
Newington	563	2	74	8	11	11	-	3	-	5	126	134
St. Olave Southwark	69	-	13	2	-	2	-	-	-	1	11	124
Harmondsey	429	1	47	7	23	12	-	-	-	3	101	138
Rotherhithe	184	-	96	2	14	7	-	1	-	3	44	136
Lambeth	1186	-	104	23	25	37	-	11	-	13	259	116
Battersea	632	1	109	9	27	20	-	7	1	4	155	127
Wandsworth	530	-	80	6	17	23	-	6	2	4	105	96
Camberwell	974	2	107	12	29	54	-	1	-	8	244	131
Greenwich	636	-	44	20	19	23	-	8	-	1	158	120
Lee	119	-	13	5	8	2	-	1	-	2	13	63
Lewisham (excluding Penge)	249	-	18	5	9	8	-	3	-	1	42	108
Woolwich	168	-	1	7	2	2	-	1	-	-	35	113
Plumstead	161	1	-	7	8	5	-	5	-	-	37	74

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the sanitary areas in which the deceased had previously resided. The deaths of 524 London residents who died outside Registration London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, and the Metropolitan Hospitals and Asylums have been similarly distributed. In 405 cases the previous residence was outside Registration London, and these have been excluded from the Table.

GREATER LONDON.

In Greater London 3164 births and 1695 deaths were registered, corresponding to annual rates of 27.7 and 14.9 per 1000 of the estimated population. In the Outer Ring one death from small-pox (belonging to Harrow sub-district), 25 deaths from measles, 7 from diphtheria, 15 from whooping-cough, and 15 from diarrhoea were recorded. The 25 deaths from measles included 10 in West Ham, 4 in

Croydon, 4 in Kingston, and 3 in Hendon districts. Four deaths from diphtheria occurred in Hornsey sub-district. Of the 15 deaths from whooping-cough, 5 were registered in Edmonton, 4 in Croydon, and 3 in West Ham districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·48 inches, and that of the Thermometer 59°·2, the latter being 3°·2 below the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 30 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 39·9 hours.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of June. The supply was in the ratio of 253 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	JUNE. 1893.	JUNE. 1894.	JUNE. 1893.	JUNE. 1894.
TOTAL SUPPLY	795,436	806,327	214,697,790	203,786,540
From Thames	384,394	389,724	108,736,018	103,642,650
From Lea and from other Sources	411,042	416,603	105,961,772	100,143,890
THAMES.				
Chelsea	36,632	36,811	12,417,414	12,355,675
West Middlesex	76,727	78,003	20,340,331	19,831,139
Southwark and Vauxhall	115,548	116,729	32,459,033	32,318,740
Grand Junction	58,705	59,039	19,534,772	18,748,423
Lambeth	96,782	99,142	23,984,468	20,388,673
LEA AND OTHER SOURCES.				
New River	156,531	157,909	42,645,000	37,671,000
East London	175,499	177,969	46,203,260	46,251,772
Kent	79,012	80,725	17,113,512	16,221,118

Note.—The Return for June 1894, as compared with that for the corresponding month of 1893, shows an increase of 10,891 services and a decrease of 10,911,250 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JUNE, 1894.

*Water-analysis Laboratory, The Yews, Reigate,
9th July, 1894.*

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of June.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (a) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (b) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, and by the Tottenham Local Board of Health, was:—Kent 0·7, New River and Tottenham 1·3, East London (deep-well) 1·7, East London (river supply) 2·1, Chelsea and Colne Valley 2·6, Southwark 3·4, Grand Junction 3·6, West Middlesex, 3·8, and Lambeth 4·2. The unfiltered river waters contained the following proportions:—Thames at Hampton 7·5, New River Cut 2·6, and the Lea at the East London Company's intake, 5·5.

The Thames at Hampton was, on June 11th, turbid and very pale brown in colour. It was bacterially, of fairly good quality, but chemically of very inferior quality. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered, and very much improved in chemical quality. The bacterial improvement effected by these Companies is expressed by the following per-centage numbers: Chelsea 99·36, West Middlesex 99·46, Southwark (average of two filters) 97·5, Grand Junction (average of three filters) 93·54, and Lambeth, 98·7.

The New River Cut was, on the 12th of June, of exactly the same bacterial quality as the Thames at Hampton, but very much superior in chemical quality; it was turbid and pale yellow,

in colour, and was efficiently filtered before delivery. It was improved bacterially, on the average, 96·56 per cent. As delivered to consumers by the New River Company, it ranked with the deep-well waters. The raw river water of the Lea, at Angel Road, was, on June 14th, turbid and yellow in colour. It was, bacterially, much inferior, but chemically superior, to the Thames at Hampton. It was efficiently filtered before delivery, and much improved in chemical quality, whilst, on the average, 98·61 per cent. of the microbes were removed by storage and filtration.

The deep-well waters of the Kent, Colne Valley, and East London Companies, and of the Tottenham Local Board of Health were clear and bright without filtration. The Colne Valley Company's water contained a larger proportion of organic matter than usual, but the remaining waters possessed a high degree of organic purity, and were of excellent quality for dietetic purposes. The Colne Valley Company's water was softened before delivery, and thus rendered suitable for washing.*

Seen through a stratum two feet deep, the Kent, Colne Valley, Tottenham, and East London (deep-well) waters were clear and colourless, the New River was clear and nearly colourless, and the remaining waters, except the Lambeth, were clear and very pale yellow; the Lambeth water was clear and pale yellow.

The bacterioscopic examination of the raw river waters, and of those supplied by the various Companies, collected on the 11th, 12th, 14th, and 15th of June, gave the results contained in the following table:—

DESCRIPTION.	— Microbes per c.c.	Temp. C.
RAW AND STORED RIVER WATERS.		
Thames at Hampton	1,840	14°
" after storage for 13 days (Chelsea Company).	10,020	14°
Gravel water (Grand Junction Company)	550	13°
Water filtered through artificially laid gravel (Grand Junction Company).	1,490	13°
Lea at Hertford	*6,960	13°
New River Cut before passing through reservoirs.	1,840	14°
" after	200	14°
Lea at Angel Road	3,380	15°
" after storage for 15 days	520	15°
THAMES.		
Chelsea	12	14°
West Middlesex	10	14°
Southwark, No. 3 well	32	14°
" 8 "	60	14°
Grand Junction (Hampton general well)	52	14°
" (Kew general well)	278	14°
" (Kew South well)	26	14°
Lambeth	24	14°
LEA.		
New River, main well	14	14°
" No. 1 "	156	13°
" No. 2 "	20	13°
East London, No. 1 Essex well	112	15°
" No. 2 "	12	14°
" Middlesex well	60	14°
" No. 12 bed	4	15°
DEEP WELL.		
Kent, new well	14	11°

* Sample taken soon after a barge had passed through a lock a short distance higher up the stream.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city "was green and very slightly turbid."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine "was light brown in colour, and contained "a little suspended matter."

I am, &c.

The Registrar General, &c. &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.	June 11th. Grand Junction Co.'s intake at Hampton.	14·1	28·24	·384	·059	·005	·175	·238	1·8	17·1
	(Unfiltered water) -										
	Chelsea - - -	June 15th. Cab Rank, Horse Guards, Whitehall.	14·3	25·46	·138	·013	0	·158	·171	1·7	16·9
	West Middlesex -	June 15th. Cab Rank, Riding House- street.	12·7	25·88	·203	·021	0	·152	·173	1·8	16·6
	Southwark -	June 15th. Cab Rank, St. George's Church, Borough.	16·1	26·70	·183	·019	0	·191	·210	1·8	17·7
	Grand Junction -	June 15th. Cab Rank, Portman- street, Oxford-street.	14·3	27·86	·194	·021	0	·183	·204	1·8	18·3
	Lambeth - - -	June 15th. Cab Rank, St. George's- road, Southwark.	14·7	27·54	·220	·027	0	·174	·201	1·8	18·0
	LEA.	June 12th. New River Cut at Green-lanes.	14·2	29·24	·119	·035	·005	·202	·241	1·7	19·4
	(Unfiltered water) -										
	New River - - -	June 15th. Cab Rank, Tottenham Court-road.	13·5	28·10	·071	·008	0	·240	·243	1·7	18·9
Outer Circle.	(Unfiltered water) -	June 14th. East London Co.'s intake at Angel-road.	15·3	32·92	·275	·050	·008	·211	·271	2·0	22·4
	East London -	June 15th. Cambridge-road, N.E.	14·5	27·80	·112	·014	0	·184	·198	2·0	18·3
	DEEP WELLS.	June 15th. Mill-lane, Deptford.	12·7	38·70	·037	·007	0	·476	·483	2·3	25·4
	Kent - - -										
	Colne Valley - -	June 22nd. Bushey.	—	20·72	·127	·027	·110	·469	·587	2·4	6·4
	Tottenham - - -	June 28th. Tottenham.	—	41·16	·062	·013	·042	trace	·048	3·0	22·1
	East London - -	June 20th. Chingford well.	—	26·24	·085	·015	0	·034	·049	2·1	17·7
	Corporation of Birming- ham* - - -	June 6th. Rear of 12 and 13, Bellis- street.	13·3	33·30	·145	·041	0	·242	·283	2·0	21·5
	Corporation of Glasgow† -	June 15th. Loch Katrine Water.	10·7	4·00	·136	·005	0	·007	·012	·8	·8
Column 1.			3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.

† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 15th of June, at the Horse Guards cab-rank, had a temperature of 14°·3 C.; 100,000 lbs. of it contained 25·46 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·138 lb. of carbon and ·013 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·158 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of *combined* nitrogen in every form was ·171 lb. The above weight of water also contained 1·7 lb. of chlorine and 16·9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-EIGHTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2409	2411	2626	2577	2520	2306	2172	2488	2545	2607	2634.4	2371
Males . .	1232	1267	1384	1318	1280	1186	1281	1263	1263	1339	1352.3	1207
Females . .	1177	1144	1242	1259	1240	1120	1191	1225	1282	1268	1282.1	1164
TOTAL Deaths	1849	1616	1680	1774	1288	1605	1471	1373	1546	1887	1698.1	1356
Males . .	957	848	878	914	660	839	747	743	814	1006	887.8	715
Females . .	892	768	802	860	628	766	724	625	732	881	810.3	641

* The numbers in this column are the average weekly numbers in the twenty-eighth weeks of the ten years 1884-'93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.
TOTAL Births - -	2457	2485	2637	2589	2241	2414	2374	2300	2436	2334	2458	2254	2371
TOTAL Deaths - -	1509	1543	1428	1531	1463	1440	1366	1398	1336	1330	1282	1314	1356
Ages at Death													
{ 0-20 years -	727	775	705	729	756	746	652	727	593	588	601	628	693
{ 20-40 " -	187	179	180	216	154	163	181	182	188	176	171	180	179
{ 40-60 " -	295	303	247	267	209	234	251	232	269	255	219	250	215
{ 60-80 " -	259	250	252	267	284	249	235	212	238	261	234	218	230
{ 80 years & upwards	41	36	44	52	60	48	47	45	48	50	57	38	39
Under 1 year -	337	355	278	286	339	316	291	305	261	278	269	313	410
1-5 -	298	321	331	343	316	322	277	328	252	216	228	225	199
5-20 -	92	99	96	100	101	108	84	94	80	94	104	90	84
Deaths from Small-pox -	3	4	-	3	3	7	4	3	-	5	-	1	2
" " Measles -	124	150	125	152	175	165	148	169	122	99	92	88	57
" " Scarlet fever -	29	25	30	25	20	20	14	17	19	18	19	17	16
" " Diphtheria -	53	62	58	55	56	41	36	34	43	44	56	43	45
" " Whooping-cough -	48	77	59	53	46	50	43	36	34	20	25	28	29
" " Typhus -	1	-	-	-	-	-	-	-	-	-	-	-	1
" " Enteric fever -	8	9	8	9	8	14	13	10	10	10	9	3	6
" " Simple Cont ^d fever -	-	-	-	-	1	1	-	1	-	2	1	-	-
" " Diarrhoea and } Dysentery - }	9	8	11	14	15	11	10	9	5	12	15	35	94
" " Cholera -	-	-	-	-	-	-	-	-	2	1	-	1	3
" " all the above- } mentioned Diseases }	275	315	291	311	324	309	268	279	235	211	217	216	253
" " Dis. of Respira- } tory System }	304	255	237	272	234	248	222	236	184	201	152	162	158
" " Phthisis -	153	153	150	169	132	137	137	132	154	136	123	117	126
" " Dis. of Circula- } tory System }	104	124	101	86	106	106	103	94	101	124	116	119	104
Violent Deaths - -	63	55	45	52	57	44	67	57	70	67	70	68	74
Inquest Cases - -	146	128	91	126	126	106	123	112	121	125	143	129	137
Deaths in Public Institutions	449	429	410	436	398	379	409	385	397	407	412	362	385
TEMPERATURE OF THE AIR													
Mean -	48.7	49.5	48.8	51.0	54.5	48.2	50.1	56.1	56.3	53.9	63.8	66.0	59.2
Mean of Highest readings -	56.0	60.4	57.9	61.1	65.8	58.5	61.2	65.2	66.4	69.7	76.8	79.5	70.6
Mean of Lowest readings -	43.1	40.9	40.7	42.6	45.5	38.8	42.0	49.8	48.8	50.5	51.0	53.9	52.0
Humidity of the Air - -	81	78	78	76	74	72	80	85	79	79	67	66	80
Rain-fall in inches - -	0.26	0.98	0.18	0.44	0.09	0.42	0.67	1.07	0.46	0.32	0.00	0.19	2.27
Registered Sunshine (in hours)	18.6	27.7	14.0	23.8	36.5	39.9	30.5	8.9	15.7	29.0	67.5	53.6	39.9

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A.W. Prestor, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; F. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbier, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McIandborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-EIGHTH Week of the Year 1894.

		In the Week ending Saturday, 14th July 1894.									
		Deaths of Persons of the Ages									
		ALL AGES.									
		Under 20.									
		0-1.	1-5.	6-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			
CAUSES OF DEATH.											
ALL CAUSES -		1698'1	1356	410	199	84	179	215	230	39	
Small-pox	Vaccinated†	1'3	1	-	-	-	1	-	-	-	
	Unvaccinated	1'7	-	-	-	-	-	-	-	-	
	No Statement	1'1	1	-	-	-	1	-	-	-	
Measles	-	58'3	57	25	30	2	-	-	-	-	
Scarlet Fever	-	19'0	16	-	13	3	-	-	-	-	
Typhus	-	0'2	1	-	-	-	1	-	-	-	
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	
Influenza	-	5'0	4	-	-	-	3	-	1	-	
Whooping-cough	-	53'4	59	11	17	1	-	-	-	-	
Diphtheria	-	26'6	45	-	32	12	1	-	-	-	
Simple Continued and Ill-defined Fever	-	1'7	-	-	-	-	-	-	-	-	
Enteric Fever	-	12'2	6	-	-	1	3	2	-	-	
Cholera and Chol. Diarr.	-	10'2	3	2	-	-	-	1	-	-	
Diarrhoea, Dysentery	-	226'0	94	76	12	-	1	-	5	-	
Remittent Fever	-	0'1	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	
Glanders	-	-	-	-	-	-	-	-	-	-	
Cowpox and Effects of Vaccination	-	0'2	-	-	-	-	-	-	-	-	
Veneral Affections	-	11'7	13	11	-	-	2	-	-	-	
Erysipelas	-	4'6	2	2	-	-	-	-	-	-	
Pymia and Septicæmia	-	2'6	-	-	-	-	-	-	-	-	
Puerperal Fever	-	4'1	3	-	-	3	-	-	-	-	
Other Zymotic Diseases	-	2'5	-	-	-	-	-	-	-	-	
Thrush	-	2'2	1	1	-	-	-	-	-	-	
Worms and other Parasitical Diseases	-	0'1	-	-	-	-	-	-	-	-	
Starvation, Want of Breast-milk	-	3'0	-	-	-	-	-	-	-	-	
Alcoholism	-	7'5	5	-	-	-	2	3	-	-	
Rheumatic Fever, Rheumatism of Heart	-	7'4	4	-	-	1	2	-	1	-	
Rheumatism	-	2'3	3	-	-	-	-	-	3	-	
Sout	-	3'6	4	-	-	-	-	2	2	-	
Kickets	-	4'7	4	2	2	-	-	-	-	-	
Cancer	-	62'0	76	-	-	-	5	36	35	-	
Tuberc Mesenterica	-	43'7	20	16	2	2	-	-	-	-	
Tubercular Meningitis	-	26'6	24	10	8	4	1	-	1	-	
Phthisis	-	141'3	123	2	1	10	59	45	9	-	
Scrophula, Tuberculosis	-	24'7	23	9	6	5	3	-	-	-	
Other Constitutional Diseases	-	12'1	14	-	-	4	1	4	5	-	
Premature Birth	-	40'6	54	54	-	-	-	-	-	-	
Atelactæsia	-	3'1	2	2	-	-	-	-	-	-	
Congenital Malformations	-	8'1	4	4	-	-	-	-	-	-	
Old Age	-	43'7	34	-	-	-	-	-	19	15	
Apoplexy	-	40'7	29	-	-	-	4	8	14	3	
Epilepsy	-	7'7	5	-	1	1	1	1	1	-	
Convulsions	-	53'2	39	35	3	1	-	-	-	-	
Other Diseases of Brain and Nervous System	-	87'8	74	5	11	6	11	15	24	3	

		In the Week ending Saturday, 14th July 1894.									
		Deaths of Persons of the Ages									
		ALL AGES.									
		Under 20.									
		0-1.	1-5.	6-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			
CAUSES OF DEATH.											
ALL CAUSES -		1698'1	1356	410	199	84	179	215	230	39	
Small-pox	Vaccinated†	1'3	1	-	-	-	1	-	-	-	
	Unvaccinated	1'7	-	-	-	-	-	-	-	-	
	No Statement	1'1	1	-	-	-	1	-	-	-	
Measles	-	58'3	57	25	30	2	-	-	-	-	
Scarlet Fever	-	19'0	16	-	13	3	-	-	-	-	
Typhus	-	0'2	1	-	-	-	1	-	-	-	
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	
Influenza	-	5'0	4	-	-	-	3	-	1	-	
Whooping-cough	-	53'4	59	11	17	1	-	-	-	-	
Diphtheria	-	26'6	45	-	32	12	1	-	-	-	
Simple Continued and Ill-defined Fever	-	1'7	-	-	-	-	-	-	-	-	
Enteric Fever	-	12'2	6	-	-	1	3	2	-	-	
Cholera and Chol. Diarr.	-	10'2	3	2	-	-	-	1	-	-	
Diarrhoea, Dysentery	-	226'0	94	76	12	-	1	-	5	-	
Remittent Fever	-	0'1	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	
Glanders	-	-	-	-	-	-	-	-	-	-	
Cowpox and Effects of Vaccination	-	0'2	-	-	-	-	-	-	-	-	
Veneral Affections	-	11'7	13	11	-	-	2	-	-	-	
Erysipelas	-	4'6	2	2	-	-	-	-	-	-	
Pymia and Septicæmia	-	2'6	-	-	-	-	-	-	-	-	
Puerperal Fever	-	4'1	3	-	-	3	-	-	-	-	
Other Zymotic Diseases	-	2'5	-	-	-	-	-	-	-	-	
Thrush	-	2'2	1	1	-	-	-	-	-	-	
Worms and other Parasitical Diseases	-	0'1	-	-	-	-	-	-	-	-	
Starvation, Want of Breast-milk	-	3'0	-	-	-	-	-	-	-	-	
Alcoholism	-	7'5	5	-	-	-	2	3	-	-	
Rheumatic Fever, Rheumatism of Heart	-	7'4	4	-	-	1	2	-	1	-	
Rheumatism	-	2'3	3	-	-	-	-	-	3	-	
Sout	-	3'6	4	-	-	-	-	2	2	-	
Kickets	-	4'7	4	2	2	-	-	-	-	-	
Cancer	-	62'0	76	-	-	-	5	36	35	-	
Tuberc Mesenterica	-	43'7	20	16	2	2	-	-	-	-	
Tubercular Meningitis	-	26'6	24	10	8	4	1	-	1	-	
Phthisis	-	141'3	123	2	1	10	59	45	9	-	
Scrophula, Tuberculosis	-	24'7	23	9	6	5	3	-	-	-	
Other Constitutional Diseases	-	12'1	14	-	-	4	1	4	5	-	
Premature Birth	-	40'6	54	54	-	-	-	-	-	-	
Atelactæsia	-	3'1	2	2	-	-	-	-	-	-	
Congenital Malformations	-	8'1	4	4	-	-	-	-	-	-	
Old Age	-	43'7	34	-	-	-	-	-	19	15	
Apoplexy	-	40'7	29	-	-	-	4	8	14	3	
Epilepsy	-	7'7	5	-	1	1	1	1	1	-	
Convulsions	-	53'2	39	35	3	1	-	-	-	-	
Other Diseases of Brain and Nervous System	-	87'8	74	5	11	6	11	15	24	3	

		In the Week ending Saturday, 14th July 1894.									
		Deaths of Persons of the Ages									
		ALL AGES.									
		Under 20.									
		0-1.	1-5.	6-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			
CAUSES OF DEATH.											
ALL CAUSES -		1698'1	1356	410	199	84	179	215	230	39	
Small-pox	Vaccinated†	1'3	1	-	-	-	1	-	-	-	
	Unvaccinated	1'7	-	-	-	-	-	-	-	-	
	No Statement	1'1	1	-	-	-	1	-	-	-	
Measles	-	58'3	57	25	30	2	-	-	-	-	
Scarlet Fever	-	19'0	16	-	13	3	-	-	-	-	
Typhus	-	0'2	1	-	-	-	1	-	-	-	
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	
Influenza	-	5'0	4	-	-	-	3	-	1	-	
Whooping-cough	-	53'4	59	11	17	1	-	-	-	-	
Diphtheria	-	26'6	45	-	32	12	1	-	-	-	
Simple Continued and Ill-defined Fever	-	1'7	-	-	-	-	-	-	-	-	
Enteric Fever	-	12'2	6	-	-	1	3	2	-	-	
Cholera and Chol. Diarr.	-	10'2	3	2	-	-	-	1	-	-	
Diarrhoea, Dysentery	-	226'0	94	76	12	-	1	-	5	-	
Remittent Fever	-	0'1	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	
Glanders	-	-	-	-	-	-	-	-	-	-	
Cowpox and Effects of Vaccination	-	0'2	-	-	-	-	-	-	-	-	
Veneral Affections	-	11'7	13	11	-	-	2	-	-	-	
Erysipelas	-	4'6	2	2	-	-	-	-	-	-	
Pymia and Septicæmia	-	2'6	-	-	-	-	-	-	-	-	
Puerperal Fever	-	4'1	3	-	-	3	-	-	-	-	
Other Zymotic Diseases	-	2'5	-	-	-	-	-	-	-	-	
Thrush	-	2'2	1	1	-	-	-	-	-	-	
Worms and other Parasitical Diseases	-	0'1	-	-	-	-	-	-	-	-	
Starvation, Want of Breast-milk	-	3'0	-	-	-	-	-	-	-	-	
Alcoholism	-	7'5	5	-	-	-	2	3	-	-	
Rheumatic Fever, Rheumatism of Heart	-	7'4	4	-	-	1	2	-	1	-	
Rheumatism	-	2'3	3	-	-	-	-	-	3	-	
Sout	-	3'6	4	-	-	-	-	2	2	-	
Kickets	-	4'7	4	2	2	-	-	-	-	-	
Cancer	-	62'0	76	-	-	-	5	36	35	-	
Tuberc Mesenterica	-	43'7	20	16	2	2	-	-	-	-	
Tubercular Meningitis	-	26'6	24	10	8	4	1	-	1	-	
Phthisis	-	141'3	123	2	1	10	59	45	9	-	
Scrophula, Tuberculosis	-	24'7	23	9	6	5	3	-	-	-	
Other Constitutional Diseases	-	12'1	14	-	-	4	1	4	5	-	
Premature Birth	-	40'6	54	54	-	-	-	-	-	-	
Atelactæsia	-	3'1	2	2	-	-	-	-	-	-	
Congenital Malformations	-	8'1	4	4	-	-	-	-	-	-	
Old Age	-	43'7	34	-	-	-	-	-	19	15	
Apoplexy	-	40'7	29	-	-	-	4	8	14	3	
Epilepsy	-	7'7	5	-	1	1	1	1	1	-	
Convulsions	-	53'2	39	35	3	1	-	-	-	-	
Other Diseases of Brain and Nervous System	-	87'8	74	5	11	6	11	15	24	3	

		In the Week ending Saturday, 14th July 1894.									
		Deaths of Persons of the Ages									
		ALL AGES.									
		Under 20.									
		0-1.	1-5.	6-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			
CAUSES OF DEATH.											
ALL CAUSES -		1698'1	1356	410	199	84	179	215	230	39	
Small-pox	Vaccinated†	1'3	1	-	-	-	1	-	-	-	
	Unvaccinated	1'7	-	-	-	-	-	-	-	-	
	No Statement	1'1	1	-	-	-	1	-	-	-	
Measles	-	58'3	57	25	30	2	-	-	-	-	
Scarlet Fever	-	19'0	16	-	13	3	-	-	-	-	
Typhus	-	0'2	1	-	-	-	1	-	-	-	
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	
Influenza	-	5'0	4	-	-	-	3	-	1	-	
Whooping-cough	-	53'4	59	11	17	1	-	-	-	-	
Diphtheria	-	26'6	45	-	32	12	1	-	-	-	
Simple Continued and Ill-defined Fever	-	1'7	-	-	-	-	-	-	-	-	
Enteric Fever	-	12'2	6	-	-	1	3	2	-	-	
Cholera and Chol. Diarr.	-	10'2	3	2	-	-	-	1	-	-	
Diarrhoea, Dysentery	-	226'0	94	76	12	-	1	-	5	-	
Remittent Fever	-	0'1	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	
Glanders	-	-	-	-	-	-	-	-	-	-	
Cowpox and Effects of Vaccination	-	0'2	-	-	-	-	-	-	-	-	
Veneral Affections	-	11'7	13	11	-	-	2	-	-	-	
Erysipelas	-	4'6	2	2	-	-	-	-	-	-	
Pymia and Septicæmia	-	2'6	-	-	-	-	-	-	-	-	
Puerperal Fever	-	4'1	3	-	-	3	-	-	-	-	
Other Zymotic Diseases	-	2'5	-	-	-	-	-	-	-	-	
Thrush	-										

The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.341 per cent for increase of population. If those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When no medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

		The DEATHS registered in the Week include																	
REGISTRATION		Enu- mer- ated Popu- lation. 1891.	Total Births.	Total Deaths.	Deaths from												Inquest Cases.	Deaths in Public Institutions	Deaths in Private Institutions
SUB-DISTRICTS.					Infants under 1 Year of Age.	Persons aged 60 Years & upw.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.			
LONDON		4,211,743	2371	1356	410	260	2	57	16	45	29	1	6	-	94	74	137	385	
WEST DISTRICTS		740,735	378	291	52	38	-	3	3	6	3	-	-	-	11	10	15	81	
NORTH DISTRICTS		993,884	548	273	72	63	1	12	6	17	9	-	3	-	14	8	13	79	
CENTRAL DISTRICTS		247,538	116	87	28	12	-	3	-	5	1	-	1	-	5	8	19	36	
EAST DISTRICTS		705,114	449	232	104	55	-	14	3	4	3	1	-	-	28	16	47	85	
SOUTH DISTRICTS		1,524,472	880	463	154	90	-	25	4	11	11	-	2	-	36	32	45	74	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON &c.		-	-	30	-	11	1	-	-	-	-	-	-	-	-	-	-	30	
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.		84159	48	17	4	2	-	-	-	1	1	-	-	-	1	-	-	7	
St. John Paddington H - G.J.		33687	9	11	1	1	-	-	-	1	-	-	-	-	-	-	-	-	
Kensington Town W - W.M.		118751	61	42	13	12	-	2	-	-	-	-	-	-	6	1	1	16	
Brompton H - W.M. & C.		47557	15	13	2	1	-	-	-	-	-	-	-	-	-	1	1	5	
St. Peter Hammersmith - W.M.		85334	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.		94633	63	29	11	3	-	-	-	-	-	-	-	-	2	1	3	4	
Fulham W - W.M. & C.		91639	67	38	10	4	-	1	3	4	-	-	-	-	1	1	4	14	
Chelsea Kensal Town - C.		21787	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North WHHHH - C.		41637	20	20	3	4	-	-	-	-	1	-	-	-	-	-	11	6	
Chelsea South HH - C.		32829	16	16	2	3	-	-	-	-	-	-	-	-	1	3	2	6	
May Fair W - G.J.		23733	5	7	1	2	-	-	-	-	-	-	-	-	-	-	-	3	
Belgrave WHHH - C.		54931	29	18	1	3	-	-	-	-	1	-	-	-	-	1	2	7	
St. John Westminster HHH - C.		34106	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Margaret Westminster H - C.		21663	4	9	-	-	-	-	-	-	-	-	-	-	-	2	2	6	
St. James Westminster WHH N.R. & G.J.		24995	11	5	2	1	-	-	-	-	-	-	-	-	-	-	-	2	
St. Anne Soho HHHHHH - N.R.		12317	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																			
All Souls Marylebone } - W.M.		37713	9	11	2	1	-	-	-	1	-	-	1	-	-	-	1	7	
HHHHHHHHH - G.J. & W.M.		20024	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone W - G.J. & W.M.		19239	28	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Marylebone HHHH G.J. & W.M.		33327	13	7	2	2	-	-	-	-	1	-	-	-	-	-	1	-	
Christchurch Marylebone H - W.M.		32101	18	13	2	5	1	-	-	-	-	-	-	-	-	-	1	1	
St. John Marylebone H - W.M.		68416	29	33	2	4	-	2	3	8	-	1	-	-	-	-	-	17	
Hampstead WcHHHHH N.R. & W.M.		86590	14	9	5	1	-	1	-	-	-	-	-	-	1	1	-	2	
Regent's Park Pancras HH - W.M.		26321	7	15	2	2	-	-	-	3	-	-	-	-	-	-	-	3	
Tottenham-court WHHHH N.R. & W.M.		27455	19	9	5	-	-	-	-	-	-	-	-	-	3	1	1	1	
Gray's Inn Lane HHH - N.R.		32929	23	10	3	1	-	-	-	-	-	-	-	-	1	1	1	1	
Somers Town HH - N.R.		15419	11	5	3	2	-	2	-	-	-	-	-	-	1	1	-	3	
Camden Town WH - N.R.		95765	49	20	8	4	-	-	-	-	4	-	-	-	1	2	4	2	
Kensal Town W - N.R.		90235	49	32	6	12	-	1	-	-	-	-	-	-	2	-	2	16	
Upper Holloway WcHHHH - N.R.		105557	74	13	8	3	-	1	-	-	1	-	-	-	1	-	1	-	
Islington South-west H - N.R.		64153	30	10	5	2	-	-	-	-	1	-	-	-	-	-	-	-	
Islington South-east - N.R.		59193	27	11	4	5	-	1	-	-	-	-	-	-	2	-	-	-	
Highbury HH - N.R.		39636	12	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H - N.R.		17759	10	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	
Stamford Hill - E.L.		42902	24	6	3	2	-	-	-	-	2	-	-	-	1	1	1	-	
West Hackney H - N.R.		96486	57	39	6	9	-	1	3	4	-	1	-	-	1	1	2	3	
Hackney WcWHH - E.L. & N.R.		41759	34	8	-	3	-	-	-	-	1	-	-	-	-	-	20	1	
South Hackney w - E.L.																			
CENTRAL DISTRICTS.																			
St. George Bloomsbury - N.R.		16695	5	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	
St. Giles South WH - N.R.		12454	6	9	3	3	-	-	-	-	-	-	-	-	-	-	-	2	
St. Giles North H - N.R.		9633	5	3	-	1	-	-	-	1	-	-	-	-	-	-	-	1	
St. Martin-in-the-Fields HH N.R. & C.		14616	4	7	1	1	-	-	-	-	-	-	-	-	-	-	2	4	
St. Mary-le-Strand H - N.R.		5706	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	
St. Clement Danes WH - N.R.		7194	-	6	3	-	-	-	-	-	-	-	-	-	1	2	1	6	
Strand Union Workhouse, Edmonston w.		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	
St. Geo. the Martyr HHHHHH N.R.		17921	7	14	6	-	-	1	-	3	-	-	-	-	1	1	1	8	
St. Andrew Eastern W - N.R.		15343	10	7	4	-	-	1	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - N.R.		16803	6	4	2	-	-	-	-	-	-	-	1	-	-	1	1	-	
Amwell Clerkenwell - N.R.		16833	5	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-	
Pentonville - N.R.		17155	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Goosewell-street - N.R.		13575	8	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
City-road HHHL - N.R.		29177	31	9	2	-	-	-	-	-	-	-	-	-	1	-	-	4	
Whitecross-street - N.R.		8278	6	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
Finsbury - N.R.		4985	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn Union Workhouse, Mitcham w.		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - N.R. & E.L.		8944	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Cripplegate - N.R.		4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - N.R.		4444	3	8	1	2	-	-	-	-	-	-	-	-	-	2	3	7	
St. Bride W - N.R.		6594	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Aldersbrook Barking - N.R.		10422	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
Broad Street H - N.R.		3377	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
City of London Asylum, Stone		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	

NOTE. The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

See note † on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
 ay, 14th July, 1894.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1891.	Total Births.	The DEATHS registered in the Week include													
				Total DEATHS.	Deaths of		Deaths from										
					Infants under Year of Age	Persons aged Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.
EAST DISTRICTS.																	
Stitch South HL*	E.L. & N.R.	20098	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
on New Town w -	- N.R.	28313	21	15	7	3	-	-	-	-	-	1	-	-	-	1	2
on Old Town -	- N.R.	28854	30	10	6	7	-	-	-	-	-	1	-	-	-	3	7
erton WH -	- N.R. & E.L.	46244	25	21	7	5	-	-	-	-	-	-	-	-	-	-	-
nal Green North H	- E.L.	51820	26	17	8	-	-	1	-	1	-	-	-	1	1	2	-
nal Green South -	- E.L.	33489	14	8	2	2	-	-	-	-	-	-	-	-	2	-	-
nal Green East WHL*	- E.L.	44123	30	14	2	3	-	-	-	-	-	-	-	1	-	6	-
Fields -	- E. - N.R.	22456	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
End New Town W	- E.L.	17908	25	7	1	2	-	-	-	-	-	-	-	-	-	5	-
echapel Church H	- E.L. & N.R.	32098	18	31	10	8	-	1	-	1	-	-	-	3	4	9	24
man's Fields -	- E.L.	13800	13	6	2	2	-	-	-	-	-	-	-	-	1	-	-
George's North -	- E.L.	37738	24	14	8	-	-	-	-	-	-	-	-	-	4	-	-
ohn, St. George East W	- E.L.	8057	6	12	2	4	-	-	-	-	-	-	-	3	-	10	-
well H -	- E.L. & N.R.	10948	6	13	8	-	-	-	-	-	-	-	-	3	1	2	8
iff W -	- E.L.	14023	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-
house -	- E.L.	32202	15	6	4	2	-	1	-	-	-	-	-	1	-	-	-
End Old Town West H	- E.L.	38650	42	20	11	1	-	3	2	-	-	-	-	6	-	2	-
End Old Town East WHW H	- E.L.	68942	45	20	6	5	-	-	-	1	-	-	-	-	1	1	5
L* -	- E.L.	40365	21	7	2	2	-	1	-	-	-	-	-	-	2	3	-
enley WHW H -	- E.L.	70000	47	41	11	11	-	4	1	-	-	-	-	-	2	7	17
ar WH -	- E.L.	56838	51	19	7	5	-	2	-	-	1	-	-	1	2	8	1
SOUTH DISTRICTS.																	
atchchurch Southwark WH	L. & S.	12964	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
arious Southwark -	- S.	13913	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
st-road -	- S. & L.	21867	12	8	5	4	-	2	-	-	-	-	-	2	-	-	-
ough-road WH -	- S. & L.	16824	12	9	4	1	-	-	-	-	-	-	-	-	-	5	2
oad-road HL -	- L. & S.	21221	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-
ity Newington -	- S. & L.	26596	17	7	2	1	-	1	-	-	-	-	-	-	-	-	1
Peter Walworth W	- S. & L.	61342	44	15	5	5	-	1	-	-	-	-	-	1	1	2	-
Mary Newington -	- L. & S.	37866	14	9	5	3	-	-	-	1	-	-	-	1	-	-	-
Olave WH -	- S.	12723	8	19	2	4	-	-	-	-	-	-	-	-	4	5	9
ther Market -	- S. & L.	14952	7	4	2	-	-	1	-	-	-	-	-	-	1	-	-
Mary Magdalen W	- S.	15660	10	6	1	1	-	1	-	1	-	-	-	-	-	1	1
James Bermondsey -	- S.	54070	22	7	3	2	-	-	-	-	-	-	-	-	1	1	-
erthithe WH -	- S. & K.	39255	30	16	6	2	-	-	-	1	-	-	-	1	2	2	-
terloo-road 1st H	- L. & S.	14031	8	5	1	-	-	-	-	-	-	-	-	-	-	1	-
terloo-road 2nd H	- L. & S.	14644	15	2	2	-	-	-	-	-	-	-	-	-	-	-	-
abeth Church 1st H	- L. & S.	18075	14	21	8	3	-	-	-	1	-	-	-	1	6	7	12
abeth Church 2nd WHW	- L. & S.	39097	38	25	10	9	-	1	-	-	-	-	-	6	-	1	7
nington 1st H	- S. & L.	50586	40	16	8	5	-	-	-	-	-	-	-	2	-	1	-
nington 2nd, -	- S. & L.	39708	18	8	1	2	-	1	-	-	1	-	-	2	1	1	-
nton w -	- L. & S.	73405	30	17	3	1	-	4	2	-	-	1	-	1	1	1	5
wood W -	- L.	25657	12	6	2	2	-	-	-	-	-	-	-	1	-	-	-
at Battersea -	- S.	67244	26	14	6	1	-	-	-	-	2	-	-	4	-	2	-
at Battersea WHW H	- S.	83314	54	26	5	2	-	4	-	-	-	-	-	1	3	3	-
apham H -	- S.	43698	20	6	-	3	-	-	-	1	-	-	-	-	1	2	-
ndsworth WHL	- S.	46717	23	8	2	-	-	-	-	-	-	-	-	-	2	1	-
ney -	- S.	17771	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
atham WHW -	- L.	48756	22	11	5	2	-	1	-	-	-	-	-	1	-	1	1
lwich -	- L. & S.	6809	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
berwell WHW L* L	- S. & L.	81686	42	44	10	13	-	3	-	1	3	-	-	1	1	2	19
atham WH -	- S., L., & K.	33483	52	29	15	5	-	3	-	1	1	-	-	5	-	-	-
George Camberwell -	- L. & S.	63366	23	17	10	1	-	2	-	1	1	-	-	-	1	3	-
ptford, North -	- K.	35314	24	11	4	3	-	1	-	-	-	-	-	-	-	-	-
ptford, Central w -	- K.	42007	34	23	8	1	-	-	-	5	1	-	-	3	-	-	4
ptford, South -	- K.	30852	10	5	2	1	-	-	-	-	-	-	-	-	-	-	-
enwich West H	- K.	22007	5	5	-	2	-	-	-	-	-	-	-	-	2	2	-
enwich East WH -	- K.	35223	17	8	5	1	-	-	-	-	-	-	-	-	-	1	-
ham H -	- K.	5682	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-
e H -	- K.	23541	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-
isham WH -	- K.	30950	19	8	1	4	-	-	-	-	-	-	-	-	1	1	-
ennam H -	- L.	34162	16	8	2	-	-	-	-	1	-	-	-	1	-	-	-
arlton HH -	- K.	14040	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-
olwich Dockyard -	- K.	19606	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
olwich Arsenal HH -	- K.	41242	15	9	2	2	-	2	-	-	-	-	-	-	2	4	-
instead, West H -	- K.	15869	11	1	-	-	-	-	-	-	-	-	-	-	1	1	2
instead, East W -	- K.	36567	27	9	3	3	-	-	-	-	-	-	-	-	-	-	1
instead Asylum -	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3
erham Asylum -	-	-	-	5	-	5	-	-	-	-	-	-	-	-	-	-	5
ze Hill Asylum -	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	1
ospital Ships and Camp, Dartford -	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	6
renth Asylum -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3
well Asylum -	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	1
ney Hatch Asylum -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E. Hospital -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
inchmore Hill Hospital -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
aveden Asylum -	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3
aybury Asylum -	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	6

*See Note † on first page of this Return.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 14th July, 1894.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Unenumerated Population 1891.	BIRTHS.	The DEATHS registered in the Week include													
					DEATHS.	Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 5 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Dysentery.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON—OUTER RING		368.749	1,422,063	793	339	88	87	1	25	2	7	15	1	15	13	21	35	
30:1	Carshalton WHI	12228	26108	4	6	1	-	-	-	-	-	1	-	-	-	-	-	
2	Epsom, part of* WHH	10423	12508	5	2	1	1	-	-	-	-	-	-	-	-	-	-	
37:1	Godstone, part of* WHH	754	1594	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon WHH	20581	128699	56	32	9	8	-	4	-	-	4	-	-	-	2	3	
2	Mitcham W	11637	23083	11	3	-	1	-	-	-	-	-	-	-	-	-	-	
39:1	Wimbledon WHH	3220	25761	14	4	-	2	-	-	-	-	-	-	-	-	-	-	
2	Kingston WHH	8071	44765	31	11	6	3	-	3	-	-	-	-	-	1	1	1	
3	Esher, part of*	6601	12059	3	3	-	-	-	1	-	-	-	-	-	1	1	-	
4	Hampton H	4535	18252	10	5	1	2	-	-	-	-	-	-	-	1	1	-	
40:1	Richmond WH	2100	25389	19	6	-	3	-	-	-	-	-	-	-	-	1	2	
2	Mortlake H	2823	16159	10	2	2	-	-	-	-	-	-	-	-	1	-	-	
41:1	Bromley HHH	9127	23815	10	9	1	4	-	-	-	-	-	1	-	-	1	1	
2	Beckenham H	6542	21969	10	5	-	3	-	-	-	-	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	13	1	1	-	-	-	-	-	-	-	-	-	-	-	
42:1	Bexley HHH	12540	30590	26	7	2	1	-	-	-	-	-	-	2	-	-	-	
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124:1	Stambury W	11054	13871	7	2	-	1	-	-	-	-	-	-	-	1	1	-	
2	Staines W	18277	13221	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
125:1	Hillingdon WHH	6035	12237	7	3	-	2	-	-	-	-	-	-	-	1	1	1	
2	Uxbridge	6172	5417	2	2	-	-	-	-	-	1	-	-	-	-	-	-	
3	Hayes WH	14537	12613	6	4	3	-	-	1	-	-	1	-	-	-	-	1	
126:1	Isleworth WHH	6967	26273	15	9	1	5	-	-	-	-	-	-	-	-	-	3	
2	Twickenham HH	2415	16027	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford HHHH	4318	37777	23	8	4	-	-	1	-	1	-	1	1	1	1	2	
4	Chiswick	1245	21963	20	5	1	3	-	-	-	-	-	-	1	-	2	-	
5	Acton WH	6132	30945	20	4	2	-	-	1	-	-	-	-	2	-	-	-	
127:1	Harrow HHH	13809	15715	10	3	1	1	-	-	-	-	-	-	-	-	-	-	
2	Edgware HH	6994	3844	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH	4383	61235	27	11	2	3	-	3	-	-	-	-	2	-	-	-	
4	Hendon W	8332	15343	5	9	2	1	-	-	-	-	-	-	-	1	2	2	
128:1	South Mimms	1559	8474	4	4	-	2	-	-	-	-	-	-	-	-	-	-	
2	Barnet WHH	5441	11773	3	1	-	1	-	-	-	-	-	-	-	-	-	-	
3	Finchley HHH	4638	25822	17	4	-	3	-	-	-	-	-	-	-	-	-	-	
129:1	Hornsey HH	3439	61097	23	11	1	1	-	-	4	1	1	1	1	1	1	1	
2	Tottenham H	4442	97174	64	28	6	3	-	1	-	1	-	1	2	2	2	2	
3	Edmonton WW	7489	33851	26	7	2	1	-	1	-	-	1	-	-	-	1	1	
4	Enfield WWHH	12639	31803	12	7	-	4	-	-	-	-	-	-	-	-	-	-	
5	Waltham Abbey	11017	6066	4	1	1	-	-	-	-	1	-	-	-	-	-	-	
6	Chesham H	8430	9620	5	5	2	1	-	-	-	1	-	-	-	-	-	-	
130:1	Hatfield, part of* W	836	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
131:1	Bushy H	9331	7737	7	2	1	-	-	1	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
132:1	Stratford H	1100	42883	29	6	2	-	2	-	-	1	-	-	-	-	-	-	
2	Plaistow HHHH	1242	58030	32	11	4	2	-	1	-	1	-	-	1	-	-	-	
3	Canning Town H	1553	54750	46	22	13	1	-	-	-	-	1	-	1	1	1	-	
4	Forest Gate W	806	49140	22	13	3	2	-	3	-	-	-	-	1	-	-	-	
5	East Ham W	3266	32713	20	12	4	3	-	1	-	1	-	-	1	-	-	-	
6	Leyton WHH	4254	70183	37	27	5	13	-	3	-	-	-	-	1	-	-	14	
7	Walthamstow HHL	8501	57330	33	14	3	2	-	-	-	-	1	-	-	-	-	-	
137:1	Chigwell, part of* H	11719	12941	4	2	-	2	-	-	-	-	-	-	-	-	1	-	
2	Epping Work., pt. of*	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
138:1	Romford, part of* WH	6556	4324	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Uford	8493	10913	6	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town H	3814	14301	17	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Highgate Sm.-pox Hosp.	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warlingham and Farley in Godstone sub-district; 38: 3, Esher sub-district, except the parish of Esher (pop. 2282); 41: 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knesholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1049); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 14th July, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 3-14.		Deaths of		Deaths from										Deaths in Public Institutions.		
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
GREATER LONDON	443,421	5,948,300	14.9	2.8	1695	493	356	3	82	18	52	44	8	109	87	420				
INNER LONDON	74,672	4,349,166	16.3	3.0	1356	410	269	2	57	16	45	29	7	94	74	385				
OUTER RING	368,749	1,599,134	11.1	2.2	339	83	87	1	25	2	7	15	1	15	13	35				

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	July	14	147	76	14.6	1	-	1	2	1	1	5	
GLASGOW	686,820	"	14	415	205	15.6	-	8	4	2	2	-	8	
DUBLIN	349,594	"	14	167	121	18.0	-	-	-	-	3	2	1	
BRISTOL	466,460	June	2	-	-	-	-	-	-	-	-	-	-	
LEEDS	821,764	"	19	231	511	32.5	13	18	?	?	?	115	49+	
LIVERPOOL	452,518	"	8	-	-	-	-	-	-	-	-	-	-	
MANCHESTER	2,424,705	July	7	1341	994	21.8	2	37	7	13*	12	11	96	
GLoucester	498,400	"	7	243	166	17.3	1	1	-	1*	1	3	35	
AMSTERDAM	446,295	"	7	253	156	18.1	1	4	-	-	3	1	2	
ROTTERDAM	228,597	"	7	168	87	19.7	2	-	-	-	2	-	-	
THE HAGUE	174,790	"	7	95	55	16.3	-	1	-	1	-	-	-	
COPENHAGEN	341,000	"	7	172	161	24.6	-	5	2	7	2	1	19	
STOCKHOLM	252,937	June	30	130	102	21.0	-	-	2	3*	1	1	3	
HELSINKI	167,588	July	7	57	65	20.2	-	1	-	2	3	1	15	
PETERSBURG	954,400	June	16	567	496	27.1	7	23	13	14	5	20	65	
MOSCOW	753,469	"	23	710	494	27.0	3	27	15	8	6	7	61	
PARIS	2,214,938	"	30	842	524	42.8	2	20	5	12	2	4	202	
BRUSSELS	598,372	"	23	842	524	16.1	-	9	7	23	5	-	64	
BERLIN	598,372	July	7	-	244	21.2	-	7	4	9*	1	-	22	
VIENNA	312,772	June	2	213	130	21.6	-	1	2	5*	2	1	5	
BOLOGNA	360,660	July	9	191	119	19.8	-	-	-	4*	-	-	8	
MILAN	360,660	"	7	-	232	33.8	-	-	3	3*	3	-	37	
BARCELONA	300,900	"	7	-	163	21.7	-	-	-	2*	1	-	33	
LYON	1,465,537	"	7	921	652	23.1	-	21	8	17*	-	1	97	
VIENNA	339,172	June	30	200	190	29.1	-	7	2	3	1	5	7	
PRAGUE	552,769	"	30	399	263	24.7	1	6	1	14	-	2	31	
BRATISLAVA	139,739	"	30	106	86	28.0	-	1	5	6*	-	-	-	
WARSAW	455,678	May	26	173	141	16.1	-	1	-	2	-	1	11	
CECHIA	87,907	June	2	184	144	16.5	-	1	-	2	1	2†	16	
BOHEMIA	87,907	"	20	193	170	18.3	1	2	5	1	1	2	24	
RUSSIA	160,406	"	16	79	58	18.9	-	-	-	-	-	-	6	
ROMANIA	374,838	"	14	348	429	59.5	1	5	-	-	1	14	153	
YUGOSLAVIA	281,336	"	14	172	175	39.4	1	1	-	2*	-	2	39	
NEW YORK	925,569	"	30	-	-	-	-	-	-	-	-	-	-	
CHICAGO	1,043,000	"	30	-	663	33.1	-	17	1	41	6	3	142	
PHILADELPHIA	1,139,457	"	30	-	617	28.2	-	2	5	25	8	8	140	
NEW ORLEANS	254,000	"	9	-	147	30.2	-	-	-	2	-	12	16	

* Including deaths from croup.

† Including 15 deaths from cholera.

‡ Including one death from malarial fever

[Under the Superintendence of the Astronomer Royal.]

DATE. JULY.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sun- shine, in hours.		GENERAL REMARKS.
		Sunshine, in hours.	Horizontal, in hours.	
SUNDAY	8 w. P. generally; w. N. at night.	8-0	16-3	Very fine throughout morning; cloudy afterwards. Frequent showers of rain at night.
MONDAY	9 v. P. generally; s. P. and s. N. between noon and 1h. P.M.	5-8	16-3	Variable; showery.
TUESDAY	10 w. P. till 6h. P.M.; v. N. afterwards.	0-3	16-3	Overcast generally. Heavy rain at night.
WEDNESDAY	11 v. P. and v. N.	7-5	16-2	Frequent rain in early morning; fine with variable amounts of cloud during day; cloudless at night.
THURSDAY	12 v. N. and v. P. till evening; w. P. at night.	5-6	16-2	Heavy rain in early morning; variable with occa- sional showers throughout day.
FRIDAY	13 w. P. in morning; v. P. and v. N. after- wards.	4-5	16-2	Fine generally. Partially cloudy. Occasional showers.
SATURDAY	14 w. P. till 10h. A.M. v. N. and v. P. after wards.	8-2	16-1	Fine, partially cloudy. Occasional showers. Distant thunder at 4h. P.M.
		Sum	Sum	

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

*Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY RYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.*

No. 29. 1894. VOL. LV.] WEEK ENDING SATURDAY, JULY 21. [Price 1½d.

*General Register Office, Somerset House,
July 23rd, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·6 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	June 30.	July 7.	July 14.	July 21.		June 30.	July 7.	July 14.	July 21.
Birkenhead	13·8	19·7	19·7	16·8	Liverpool -	22·3	20·5	22·4	23·5
Birmingham	13·3	17·3	16·9	16·1	London -	15·4	15·8	16·3	16·8
Blackburn -	17·0	20·3	12·4	13·7	Manchester -	20·0	17·2	17·1	18·6
Bolton -	19·8	15·0	12·8	11·9	Newcastle-on-Tyne	17·6	15·0	15·5	14·7
Bradford -	11·6	14·7	14·0	12·3	Norwich -	12·8	12·3	13·8	16·3
Brighton -	10·5	15·8	12·7	14·5	Nottingham -	13·3	15·2	15·2	15·9
Bristol -	15·9	14·5	17·7	12·0	Oldham -	17·7	20·7	18·0	14·7
Burnley -	15·1	17·3	13·5	12·4	Plymouth -	14·2	17·2	11·3	16·0
Cardiff -	13·3	15·1	10·2	9·8	Portsmouth -	12·8	14·3	12·5	13·4
Croydon -	7·0	7·9	12·6	12·6	Preston -	16·4	18·7	18·3	22·0
Derby -	11·1	17·4	9·5	18·5	Salford -	24·1	23·6	22·0	22·0
Gateshead -	14·5	11·2	12·3	11·7	Sheffield -	17·1	16·2	13·4	18·6
Halifax -	15·7	14·6	11·8	19·1	Sunderland -	18·0	17·6	21·1	21·5
Huddersfield	13·2	13·8	11·1	12·7	Swansea -	10·4	18·6	12·6	13·1
Hull -	13·2	13·5	15·0	11·0	West Ham -	13·1	14·0	13·8	17·1
Leeds -	12·1	16·1	13·7	17·4	Wolverhampton -	15·9	13·5	15·3	18·4
Leicester -	10·2	9·6	12·1	13·5					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·9 in Nottingham, 2·0 in West Ham, and 3·4 in Sunderland; from *scarlet fever*, 1·1 in Derby; from *whooping-cough*, 1·1 in Gateshead and 1·4 in Nottingham; and from *diarrhæa*, 1·7 in London, 1·9 in Liverpool, 2·2 in Leicester, and 3·5 in Norwich. The death-rate from "*fever*" did not reach 1·0 per 1000 in any of the thirty-three towns. The 57 deaths from *diphtheria* included 36 in London and 2 each in West Ham, Croydon, Portsmouth, Liverpool, and Birmingham. One death from *small-pox* was registered in London, one in Oldham, and one in Bradford, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2423 BIRTHS and 1405† DEATHS were registered. Allowing for increase of population, the births were 246, and the deaths 345, below the average numbers in the corresponding weeks of the last ten years. During the four

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

weeks ending on Saturday last the death-rate averaged 16·1 per 1000, being 3·3 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1405 deaths included one death from small-pox, 57 deaths from measles, 24 from scarlet fever, 36 from diphtheria, 43 from whooping-cough, 8 from enteric fever, 140 from diarrhoea and dysentery, one death from infantile cholera, and not one from typhus or from any ill-defined form of continued fever; thus, 310 deaths were referred to these diseases, being 159 below the corrected average.

The death from *small-pox* belonged to Bethnal Green sanitary area. There were 69 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 10 in the Highgate Small-pox Hospital, making a total of 79, against 132, 109, and 97 on the preceding three Saturdays; 10 cases were admitted during the week, against 16, 28, and 17 in the preceding three weeks. The deaths of 3 children were attributed to *varicella*. The deaths from *measles*, which had been 92, 88, and 57 in the preceding three weeks, were again 57 last week, exceeding the corrected average by only one death; 5 belonged to Poplar, 4 each to Clerkenwell, Stepney, and Lambeth, and 7 to Camberwell sanitary areas. The deaths from *scarlet fever*, which had been 19, 17, and 16 in the preceding three weeks, rose last week to 24, exceeding the corrected average by 4; 5 belonged to Poplar, 3 to Camberwell, and 3 to Woolwich sanitary areas. The Metropolitan Asylum and London Fever Hospitals* contained 2198 scarlet fever patients at the end of last week, against 2087, 2099, and 2143 on the preceding three Saturdays; 264 cases were admitted during the week, against 266 and 277 in the preceding two weeks. The deaths from *diphtheria*, which had numbered 56, 43, and 45 in the preceding three weeks, declined to 36 last week, but were 9 above the corrected average; 4 deaths each belonged to Islington, Bethnal Green, Poplar, and Camberwell sanitary areas. The Metropolitan Asylum Hospitals* contained 402 diphtheria patients at the end of last week, against 351, 351, and 365 on the preceding three Saturdays; 94 cases were admitted during the week, against 90 and 65 in the preceding two weeks. The deaths from *whooping-cough*, which had been 25, 28, and 29 in the preceding three weeks, further increased last week to 43, but were 8 below the corrected average. The fatal cases of *enteric fever*, which had been 9, 3, and 6 in the preceding three weeks, further rose last week to 8, and were only one death below the corrected average. The Metropolitan Asylum Hospitals* contained 67 cases of enteric fever and not one case of typhus on Saturday last; 12 cases of enteric fever were admitted during the week, against 7 in each of the preceding two weeks. The deaths from *diarrhoea*, which had been 15, 35, and 94 in the preceding three weeks, further increased last week to 140, being, however, less than half the corrected average; 20 belonged to Islington sanitary area. The cause of death of an infant, aged 10 months, was certified to be "*cholera infantum*."

The deaths referred to diseases of the respiratory organs, which had been 152, 162, and 158 in the preceding three weeks, declined to 124 last week, and were 61 below the corrected average.

Different forms of violence caused 61 deaths, concerning 60 of which inquests were held. Of these 61 deaths, 11 were cases of suicide, and 2 of homicide, while the remaining 48 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 9 to drowning, 4 to poison, and 7 (of infants under one year of age) to suffocation in bed. The death of an infant, aged 3 months, was attributed, after inquest, to syncope after the administration of chloroform and operation. The death of a female white-lead worker, aged 20 years, was attributed, after inquest, to "tuberculosis of lungs following chronic lead-poisoning."

GREATER LONDON.

In Greater London 3219 births and 1754 deaths were registered, corresponding to annual rates of 28·2 and 15·4 per 1000 of the estimated population. In the Outer Ring one death from small-pox (in Willesden sub-district), 22 deaths from measles, 12 from diphtheria, 7 from whooping-cough, and 16 from diarrhoea were recorded. Of the 22 deaths from measles 11 occurred in West Ham district. The 12 deaths from diphtheria included 4 in West Ham district and 3 each in Croydon and Tottenham districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·66 inches, and that of the Thermometer 59°·1, the latter being 3°·9 below the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 44 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 16·6 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-NINTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2669	2423	2572	2724	2385	2627	2346	2504	2541	2493	2669·0	2423
Males . .	1370	1297	1338	1401	1242	1341	1230	1293	1337	1280	1385·6	1262
Females .	1299	1126	1234	1323	1143	1286	1116	1211	1204	1213	1283·4	1161
TOTAL Deaths	2007	1636	1716	1977	1297	1556	1522	1462	1554	1855	1750·1	1405
Males . .	1025	849	895	1050	681	816	805	782	783	1000	917·3	744
Females .	982	787	821	927	616	740	717	680	766	855	832·8	661

* The numbers in this column are the average weekly number in the twenty-ninth weeks of the ten years 1884-93 raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.
TOTAL Births	2485	2637	2589	2241	2414	2374	2300	2436	2334	2453	2254	2371	2423
TOTAL Deaths	1543	1428	1531	1463	1440	1366	1398	1336	1330	1282	1314	1356	1405
Ages at Death													
{ 0—20 years	775	705	729	756	746	652	727	593	588	601	628	693	768
{ 20—40 "	179	180	216	154	163	181	182	188	176	171	180	179	158
{ 40—60 "	303	247	267	209	234	251	232	269	255	219	250	215	242
{ 60—80 "	250	252	267	284	249	235	212	238	261	234	218	130	197
{ 80 years & upwards	36	44	52	60	48	47	45	43	50	57	38	39	40
Under 1 year	355	278	286	339	316	291	305	261	278	269	313	410	464
{ 1—5	321	331	343	316	322	277	328	252	216	228	225	199	220
{ 5—20	99	96	100	101	108	84	94	80	94	104	90	84	84
Deaths from Small-pox	4	—	3	3	7	4	3	—	5	—	1	2	1
" " Measles	180	125	152	175	165	143	169	122	99	92	88	57	57
" " Scarlet fever	25	30	25	20	20	14	17	19	18	19	17	16	24
" " Diphtheria	62	58	55	56	41	36	34	43	44	56	43	45	36
" " Whooping-cough	77	59	53	46	50	43	36	34	20	25	28	29	43
" " Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—
" " Enteric fever	9	8	9	8	14	13	10	10	10	9	3	6	8
" " Simple Cont'd fever	—	—	—	1	1	—	1	—	2	1	—	—	—
" " Diarrhoea and Dysentery	8	11	14	15	11	10	9	5	12	15	35	94	140
" " Cholera	—	—	—	—	—	—	—	2	1	—	1	3	1
" " all the above-mentioned Diseases	315	291	311	324	309	268	279	235	211	217	216	253	310
" " Dis. of Respiratory System	255	237	272	234	248	222	236	184	201	152	162	158	124
" " Phthisis	153	150	169	132	137	137	132	154	136	123	117	126	131
" " Dis. of Circulatory System	124	101	86	106	106	103	94	101	124	116	119	104	96
Violent Deaths	55	45	52	57	44	67	57	70	67	70	68	74	61
Inquest Cases	128	91	126	126	106	129	112	121	125	143	129	137	132
Deaths in Public Institutions	429	410	436	398	379	409	385	397	407	412	362	335	379
TEMPERATURE OF THE AIR													
Mean	49·5	48·8	51·0	54·5	48·2	50·1	56·1	56·3	53·9	63·8	66·0	59·2	59·1
Mean of Highest readings	60·4	57·9	61·1	65·8	58·5	61·2	65·2	66·4	69·7	76·8	79·5	70·6	67·6
Mean of Lowest readings	40·9	40·7	42·6	45·5	38·8	42·0	49·8	48·8	50·5	51·0	53·9	52·0	53·0
Humidity of the Air	78	78	76	74	72	80	85	79	79	67	66	80	82
Rain-fall in inches	0·98	0·18	0·44	0·09	0·42	0·67	1·07	0·46	0·32	0·00	0·19	2·27	0·30
Registered Sunshine (in hours)	27·7	14·0	23·8	36·5	39·9	30·5	8·9	15·7	29·0	67·5	53·3	39·9	16·6

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A.W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., L.L.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-NINTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 29th Week of the 10 years 1884-93.*	In the Week ending Saturday, 21st July 1894.									CAUSES OF DEATH.	Corrected Averages for the 29th Week of the 10 years 1884-93.*	In the Week ending Saturday, 21st July 1894.										
		Deaths of Persons of the Ages											Deaths of Persons of the Ages										
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			
			0-1.	1-5.	5-20.									0-1.	1-5.	5-20.							
ALL CAUSES - -	1750.1	1405	464	220	84	158	242	197	40		Diseases of Organs of Special Sense - -	3.2	4	1	-	3	-	-	-	-			
Small-pox { Vaccinated† - 1.4											Diseases of Circulatory System - -	105.1	96	-	-	7	15	37	33	4			
{ Unvaccinated - 2.0											Croup - - - - -	7.4	2	1	1	-	-	-	-	-			
{ No Statement 1.3											Bronchitis - - - -	87.5	55	19	7	1	1	5	13	4			
Measles - - - - -	55.7	57	9	44	4	-	-	-	-		Pneumonia - - - -	67.4	51	15	11	3	7	9	5	1			
Scarlet Fever - -	20.3	24	3	16	3	2	-	-	-		Pleurisy - - - - -	4.4	4	1	1	-	2	-	-	-			
Typhus - - - - -	0.5	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System - -	18.0	12	4	2	1	1	2	1	1			
Relapsing Fever -	0.1	-	-	-	-	-	-	-	-		Dentition - - - -	14.1	10	6	4	-	-	-	-	-			
Infuenza - - - -	2.8	2	-	-	-	-	-	-	-		Quinsy, Sore Throat -	1.6	1	-	1	-	-	-	-	-			
Whooping-cough -	50.6	43	20	21	2	-	-	-	-		Enteritis - - - - -	27.7	34	23	6	1	1	-	-	-			
Diphtheria - - -	27.3	36	2	24	10	-	-	-	-		Peritonitis - - - -	7.9	5	-	-	1	3	-	1	-			
Simple Continued and Ill-defined Fever -	0.6	-	-	-	-	-	-	-	-		Diseases of Liver - -	31.2	21	2	-	-	5	10	4	-			
Enteric Fever - -	8.8	8	-	-	1	5	2	-	-		Other Diseases of Digestive System -	34.6	31	13	4	1	-	5	6	2			
Cholera and Chol. Diarr.	10.8	1	1	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands -	2.0	2	-	-	2	-	-	-	-			
Diarrhoea, Dysentery -	280.4	140	114	13	1	-	2	6	4		Diseases of Urinary System - - - -	40.3	45	-	-	3	19	17	14	1			
Remittent Fever -	-	-	-	-	-	-	-	-	-		Diseases of Generative System - - - -	6.5	2	-	-	-	1	1	-	-			
Hydrophobia - -	0.2	-	-	-	-	-	-	-	-		Accidents of Childbirth -	2.8	1	-	-	-	-	1	-	-			
Glanders - - - -	0.1	-	-	-	-	-	-	-	-		Diseases of Locomotive System - - - -	7.6	6	2	-	1	2	-	1	-			
Cowpox and Effects of Vaccination -	0.3	-	-	-	-	-	-	-	-		Diseases of Integumentary System - -	5.5	3	1	-	-	-	2	-	-			
Venereal Affections -	15.3	9	9	-	-	-	-	-	-		VIOLENT DEATHS;†												
Erysipelas - - -	3.8	5	1	-	-	1	2	1	-		(ACCIDENT.)												
Pyæmia and Septicæmia -	2.5	1	-	-	-	-	-	1	-		By Railways - - - -	2	-	-	-	-	2	-	-	-			
Puerperal Fever - -	4.1	5	-	-	5	-	-	-	-		By Vehicles or Horses -	7	-	2	3	1	1	-	-	-			
Other Zymotic Diseases	1.7	3	2	-	1	-	-	-	-		In Ships, Boats, Docks (exclusive of Drowning) -	1	-	-	-	-	1	-	-	-			
Thrush - - - - -	3.3	1	1	-	-	-	-	-	-		In Building Operations -	1	-	-	-	-	-	1	-	-			
Worms and other Parasitical Diseases -	0.7	-	-	-	-	-	-	-	-		In Conflagrations - -	-	-	-	-	-	-	-	-	-			
Starvation, Want of Breast-milk - - -	2.4	1	1	-	-	-	-	-	-		By Burns, Scalds, Explosions -	45.7	3	-	-	1	1	-	1	-			
Alcoholism - - -	6.9	11	-	-	-	1	10	-	-		By Drowning - - - -	9	-	1	4	2	1	1	-	-			
Rheumatic Fever, Rheumatism of Heart -	6.1	8	-	-	2	2	4	-	-		By Suffocation in Bed -	7	7	-	-	-	-	-	-	-			
Rheumatism - - -	1.6	1	-	-	-	1	-	-	-		By Poisons or Poisonous Vapours - - - - -	4	2	-	-	1	1	-	-	-			
Gout - - - - -	2.6	4	-	-	-	-	1	3	-		Other or not stated Causes - - - - -	14	3	2	-	5	2	1	1	-			
Rickets - - - - -	5.8	5	2	3	-	-	-	-	-		(VIOLENCE OTHER THAN ACCIDENTAL.)												
Cancer - - - - -	59.2	73	1	-	1	4	42	23	2		Homicide - - - - -	1.5	2	1	-	1	-	-	-	-			
Tubes Mesenterica -	47.6	19	17	7	2	2	1	-	-		Suicide - - - - -	7.7	11	-	-	-	5	2	4	-			
Tubercular Meningitis -	29.0	19	6	17	4	2	-	-	-		Execution - - - - -	0.1	-	-	-	-	-	-	-	-			
Phthisis - - - -	146.0	131	2	5	10	55	43	11	-		OTHER CAUSES - - -	80.3	76	69	4	-	-	1	2	-			
Serofula, Tuberculosis -	25.4	21	4	7	4	5	1	-	-														
Other Constitutional Diseases - - -	8.7	12	1	-	2	3	-	4	2														
Premature Birth - -	47.5	38	33	-	-	-	-	-	-														
Atelectasis - - -	3.5	6	6	-	-	-	-	-	-														
Congenital Malformations - -	7.6	10	9	1	-	-	-	-	-														
Old Age - - - - -	36.8	33	-	-	-	-	1	17	15														
Apoplexy - - - -	34.2	30	-	-	-	2	11	16	1														
Epilepsy - - - - -	7.5	7	-	2	1	-	2	2	-														
Convulsions - - -	17.8	34	30	4	-	-	-	-	-														
Other Diseases of Brain and Nervous System	91.7	64	11	10	3	7	11	20	2														

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.34 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated," when are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
- The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																					
REGISTRATION		Enu- merated Popu- lation, 1891.	TOTAL BIRTHS.	TOTAL DEATHS.	Deaths of		Deaths from													Deaths in Public Institutions	Unidentified Causes
SUB-DISTRICTS.					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.				
LONDON		4,211,743	2423	1405	464	237	1	57	24	33	43	-	8	-	149	61	132	379			
WEST DISTRICTS		740,735	384	219	59	42	-	8	3	4	13	-	1	-	15	8	16	61			
NORTH DISTRICTS		993,884	535	301	107	37	-	4	7	17	10	-	3	-	36	13	27	73			
CENTRAL DISTRICTS		247,538	115	84	23	7	-	5	-	-	2	-	-	-	6	2	5	33			
EAST DISTRICTS		705,114	439	311	117	52	-	17	5	4	3	-	1	-	37	15	43	96			
SOUTH DISTRICTS		1,524,472	950	472	157	93	-	23	8	11	15	-	3	-	46	23	36	90			
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON *		-	-	18	1	6	1	-	1	-	-	-	-	-	-	-	-	18			
WEST DISTRICTS.																					
St. Mary Paddington WHH G.J. & W.M.		84159	45	24	9	6	-	3	-	-	2	-	-	-	-	-	1	3			
St. John Paddington H - - G.J.		33987	7	10	-	4	-	-	-	-	1	-	-	-	3	-	3	9			
Kensington Town W - - W.M.		118751	55	33	11	4	-	-	-	-	-	-	-	-	-	-	1	4			
Brompton H - - W.M. & C.		47557	10	13	2	3	-	2	-	-	-	-	-	-	-	-	1	-			
St. Peter Hammersmith - - W.M.		8583	5	4	1	2	-	-	-	1	1	-	-	-	4	1	1	2			
St. Paul Hammersmith H W.M. & G.J.		88653	55	28	5	7	-	-	-	3	3	-	1	-	3	1	2	12			
Fulham W - - W.M. & C.		91639	77	32	11	5	-	-	-	-	-	-	-	-	1	-	-	-			
Chelsea Kensal Town - - C.		21787	16	9	5	2	-	-	-	-	-	-	-	-	2	-	-	5			
Chelsea North WHHHH - - C.		41837	21	15	4	2	-	-	-	-	2	-	-	-	1	1	2	6			
Chelsea South HH - - C.		32829	19	15	5	2	-	-	-	-	2	-	-	-	-	-	-	2			
May Fair W - - G.J.		23733	10	6	2	-	-	-	-	-	-	-	-	-	-	1	3	8			
Belgrave WHHH - - C.		54631	20	16	2	3	-	1	-	-	-	-	-	-	-	3	4	-			
St. John Westminster HHH - - C.		34108	17	2	1	1	-	-	-	-	-	-	-	-	1	-	-	4			
St. Margaret Westminster H - - C.		21668	6	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1			
St. James Westminster WHH N.R. & G.J.		24995	15	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Anne Soho HHHHHH - - N.R.		12317	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
NORTH DISTRICTS.																					
All Souls Marylebone - - W.M.		37713	14	17	3	2	-	-	-	-	-	-	-	-	-	1	1	8			
HHHHHHHHH - - G.J. & W.M.		20024	12	11	3	2	-	-	-	-	-	-	-	-	1	-	2	1			
Rectory Marylebone W - - W.M.		19239	20	4	3	-	-	-	-	-	-	-	-	-	-	1	1	1			
St. Mary Marylebone HHHH G.J. & W.M.		38327	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Christchurch Marylebone H - - W.M.		32101	18	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. John Marylebone H - - W.M.		68416	32	18	5	1	-	1	1	5	1	-	2	-	-	-	-	-			
Hampstead WHHHHH N.R. & W.M.		36590	28	9	4	-	-	-	-	-	-	-	-	-	1	-	-	1			
Regent's Park Pancras HH - - W.M.		26321	11	12	3	1	-	-	-	-	-	-	-	-	1	1	1	7			
Tottenham-court WHHHH N.R. & W.M.		27455	18	9	2	1	-	1	-	-	-	-	-	-	2	2	2	2			
Gray's Inn Lane HHH - - N.R.		32899	14	8	2	2	-	-	-	-	-	-	-	-	-	-	-	1			
Honoria Town HH - - N.R.		15419	13	8	4	4	-	-	-	-	-	-	-	-	1	1	1	4			
Camden Town WH - - N.R.		95765	51	27	14	2	-	2	-	1	1	-	-	-	6	-	2	1			
Kentish Town W - - N.R.		90235	33	34	9	6	-	-	-	-	1	-	1	-	3	3	5	17			
Upper Holloway WWWHH - - N.R.		105557	67	33	19	3	-	-	-	-	1	5	-	-	5	-	3	-			
Islington South-west H - - N.R.		64153	25	23	12	1	-	-	-	-	1	2	-	-	10	1	1	-			
Islington South-east - - N.R.		69193	28	14	8	1	-	-	-	-	1	-	-	-	2	-	1	-			
Highbury HH - - N.R.		30636	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Stoke Newington H - - N.R.		17759	10	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1			
Stamford Hill - - E.L.		42902	13	16	2	4	-	-	-	-	-	-	-	-	3	1	3	4			
West Hackney H - - N.R.		96486	60	40	9	6	-	-	6	-	8	-	-	-	2	2	3	21			
Hackney WWHH - - E.L. & N.R.		31759	26	7	3	1	-	-	-	-	-	-	-	-	-	-	-	1			
South Hackney W - - E.L.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
CENTRAL DISTRICTS.																					
St. George Bloomsbury - - N.R.		16095	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Giles South WH - - N.R.		13454	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	1			
St. Giles North H - - N.R.		9693	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin-in-the-Fields HHN R. & C.		14616	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4			
St. Mary-le-Strand H - - N.R.		5706	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
St. Clement Dances WH - - N.R.		7194	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4			
Strand Union Workhouse, Edmonston W.		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1			
St. Geo.-the-Martyr HHHHHH N.R.		17921	7	15	5	1	-	-	-	-	1	-	-	-	-	1	1	10			
St. Andrew Eastern W - - N.R.		15343	8	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-			
St. James Clerkenwell - - N.R.		16932	9	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-			
Amwell Clerkenwell - - N.R.		16883	15	5	3	-	-	3	-	-	-	-	-	-	1	-	-	-			
Fentonville - - N.R.		17155	14	3	2	-	-	-	-	-	-	-	-	-	2	-	-	-			
Goosewell-street - - N.R.		15375	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-			
City-road HHHH - - N.R.		29177	33	9	5	-	-	1	-	1	-	-	-	-	1	-	1	8			
Whitecross-street - - N.R.		8278	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-			
Finsbury - - N.R.		4985	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-			
Holborn Union Workhouse, Mitcham W.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Botolph H - - N.R. & E.L.		8944	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Cripplegate - - N.R.		4339	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Sepulchre H - - N.R.		4444	2	12	-	2	-	-	-	-	-	-	-	-	-	1	2	11			
St. Bride W - - N.R.		6594	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Aldersgate Barking - - N.R.		10422	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Broad Street H - - N.R.		3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
City of London Asylum, Stone		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H.—Hospital; L.—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; w.—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts.—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. River; E. L., East London; and K., the Kent Company.

See note 1 on first page of this Return.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
 day, 21st July, 1894.

		The Deaths registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
REGISTRATION SUB-DISTRICTS.		Name rated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
					Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							</

*See Note † on first page of this Return.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 21st July, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Cen- sus rated Popu- lation, 1891	BIRTHS.	DEATHS.	The Deaths registered in the Week ending													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Females aged 15 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	
LONDON—OUTER RING.		369,749	1,422,063	796	349	97	77	1	22	2	12	7	1	16	9	13	37	3	
19:1	Carshalton WHI -	12278	26108	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* WHI -	10433	12808	5	2	-	2	-	-	-	-	-	-	-	-	-	1	-	
37:1	Goldstone, part of* WHI -	754	1593	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon WHH -	20351	128699	63	30	7	2	-	3	-	3	-	-	1	1	1	3	-	
2	Mitcham W -	11697	23083	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
39:1	Wimbledon HTH -	3220	25761	17	4	1	1	-	-	-	-	-	-	-	-	-	2	-	
2	Kingsdon WHH -	8071	44765	21	10	5	1	-	1	-	-	-	-	-	1	1	-	-	
3	Esher, part of* -	6801	12059	8	6	1	2	-	-	-	-	-	-	-	1	1	-	-	
4	Hampton H -	4535	18252	13	5	1	2	-	-	-	-	-	-	-	-	-	-	-	
40:1	Richmond WH -	2160	25389	12	6	2	3	-	-	-	1	-	-	-	-	-	2	-	
2	Mortlake H -	2323	16159	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley HHH -	9127	23315	12	6	1	1	-	-	-	-	-	-	-	1	1	-	-	
2	Beckenham H -	6542	21939	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH -	14307	20372	12	5	-	2	-	-	-	-	-	-	-	-	-	1	-	
42:1	Bexley HHH -	12540	30590	12	8	-	-	-	-	-	-	1	-	1	1	1	-	-	
2	Dartford Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124:1	Stambury W -	11054	13871	4	5	1	-	-	-	-	-	1	-	-	-	-	-	-	
2	Staines W -	18277	13221	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	
125:1	Hillingdon WHH -	6035	12237	7	4	2	2	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge -	6172	8417	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH -	14537	12619	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136:1	Isleworth WH -	6967	23273	11	3	2	-	-	1	-	-	-	-	-	-	-	-	-	
2	Twickenham HH -	2415	16027	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford HHHH -	4318	37777	12	7	-	2	-	2	1	-	-	-	-	-	-	1	-	
4	Chiswick -	1245	21963	14	4	1	-	-	1	-	-	-	-	1	-	-	-	-	
5	Acton WH -	6132	30945	11	6	3	1	-	-	-	-	-	-	1	-	2	-	-	
127:1	Harrow HHH -	13809	15715	3	5	1	1	-	-	-	-	-	-	1	1	1	2	-	
2	Edgware HH -	6994	3844	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH -	4383	61265	41	18	6	3	1	1	-	1	2	-	1	-	-	1	-	
4	Hendon W -	8332	15843	6	7	1	2	-	-	-	-	-	-	-	1	2	3	-	
138:1	South Mimms -	1559	8474	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet WHH -	6441	11773	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-	
3	Finchley HHI -	4688	2582	11	3	2	1	-	-	-	-	-	-	-	-	-	-	-	
129:1	Hornsey HII -	3139	61097	40	11	2	6	-	-	-	-	-	-	-	-	-	-	-	
2	Tottenham H -	4442	97174	67	25	8	6	-	1	-	3	1	-	1	-	-	3	-	
3	Edmonton WH -	7489	38351	20	13	6	1	-	-	-	-	-	-	-	2	-	3	-	
4	Enfield WWHH -	12339	31893	26	4	-	2	-	-	-	-	-	-	-	-	-	1	-	
5	Waltham Abbey -	11017	6066	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt H -	8490	9620	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
136:1	Hatfield, part of* WH -	826	532	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey H -	9831	7737	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford H -	1100	42983	23	17	4	3	-	3	-	-	-	-	1	-	-	-	-	
2	Plaistow HHHH -	1242	56030	44	19	5	4	-	3	-	-	-	-	1	-	-	-	-	
3	Canning Town H -	1558	54759	50	29	15	8	-	3	1	-	1	-	2	-	-	-	-	
4	Forest Gate W -	806	4914	27	4	1	-	-	-	-	2	-	-	-	-	-	-	-	
5	East Ham W -	3266	32713	32	15	7	2	-	2	-	1	1	-	2	-	-	-	-	
6	Leyton WH -	4254	70183	38	22	2	8	-	-	-	1	-	-	-	1	1	10	-	
7	Walthamstow HHL -	6591	57330	44	14	4	4	-	-	-	-	-	-	-	-	-	-	-	
137:1	Chigwell, part of* H -	11779	12941	3	6	1	2	-	-	-	-	-	-	-	1	2	2	-	
2	Epping Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139:1	Romford, part of* WH -	6556	4324	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-	
2	Uford -	8493	10913	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town H -	3814	14391	10	4	3	-	-	-	-	-	-	-	2	-	-	-	-	
	Highgate Sm. pox Hosp.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—39: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Goldstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2282); 41: 3, Chislehurst sub-district, except the parishes of Chesham, Cadnam, and Knockholt (pop. 3997); 135: 1, the parish of Northw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1769); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses: belonging to the Outer Ring in 41: 2, Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 21st July, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
						Deaths of		Deaths from									
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Deaths in Public Institutions.	
			From All Causes.	From Diseases in Cols. 3-14.													
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	443,421	5,948,300	15.4	3.2	1754	561	314	2	79	23	48	50	9	156	70	416	
INNER LONDON	746.2	4,349,166	16.8	3.7	1405	404	237	1	57	24	36	43	8	149	61	379	
OUTER RING	368,749	1,599,134	11.4	2.0	349	97	77	1	22	2	12	7	1	16	9	37	

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692,845 square miles, which is equivalent to the area of a circle having a radius of 16,351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN.	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	July 21	138	76	14.6	3	-	-	1	1	-	3	
GLASGOW	636,820	" 21	420	228	17.3	-	4	2	2	2	2	10	
DUBLIN	349,594	" 21	195	117	17.4	1	1	1	-	1	4	6	
CALCUTTA	466,460	June 2	-	243	27.1	22	-	-	-	1	78	39†	
BOMBAY	821,764	" 26	318	486	30.7	16	21	?	?	?	79	54†	
MADRAS	452,518	" 8	299	282	26.6	-	3	?	?	?	78	22	
PARIS	2,424,705	July 14	1078	924	20.3	-	20	7	19*	3	8	123	
BRUSSELS	498,400	" 14	240	179	18.7	-	-	-	2*	9	-	25	
AMSTERDAM	446,295	" 14	253	124	14.4	-	2	-	2	2	3	-	
ROTTERDAM	228,597	" 14	146	63	14.3	2	1	-	-	1	-	2	
THE HAGUE	174,790	" 14	105	48	14.3	-	1	-	-	1	-	-	
COPENHAGEN	341,000	" 14	221	94	14.4	-	-	2	7	-	1	17	
STOCKHOLM	252,937	" 7	124	102	21.0	-	-	-	1*	1	-	10	
CHRISTIANIA	167,588	" 14	38	75	23.3	-	7	2	1	3	-	13	
ST. PETERSBURG	954,400	June 30	513	463	25.3	-	23	6	9	8	13	83	
MOSCOW	753,469	July 7	-	643	44.5	3	22	15	14	6	1	213	
BERLIN	1,714,938	June 30	844	580	17.8	-	7	10	14	8	-	85	
HAMBURG	598,372	July 14	-	243	21.1	-	13	1	3*	-	1	31	
DRESDEN	312,772	June 16	209	127	21.1	-	-	1	7*	1	1	12	
BRESLAU	360,660	July 14	-	187	27.2	-	1	1	5*	2	1	39	
MUNICH	390,900	" 14	-	149	19.9	-	-	1	1*	5	1	36	
VIENNA	1,465,537	" 14	876	628	22.3	-	21	9	19*	-	-	103	
PRAGUE	339,172	" 7	183	187	28.7	-	5	1	1	1	3	5	
BUDA-PESTH	552,769	" 14	198	159	24.4	-	5	1	5	1	4	14	
TRIESTE	179,739	" 7	358	244	23.0	-	8	2	3	2	-	33	
ROME	455,678	" 9	80	99	31.6	-	3	11	16*	-	-	3	
TURIN (10 days)	37,997	June 16	200	172	19.7	-	3	-	-	1	4†	15	
VENICE	160,406	" 30	182	136	15.6	-	1	-	-	3	3†	11	
CAIRO	374,838	" 23	207	187	20.1	-	3	5	2	-	2	25	
ALEXANDRIA	231,396	" 21	80	69	22.4	-	-	-	-	-	1	10	
NEW YORK	1,925,569	" 21	420	471	65.3	2	-	-	-	3	11	175	
BROOKLYN	1,043,000	" 21	195	182	41.0	1	-	-	1*	1	7	48	
PHILADELPHIA	1,139,457	" 30	-	971	25.9	4	10	10	61	3	6	186	
NEW ORLEANS	254,000	July 7	-	979	26.1	4	8	11	47	1	2	240	
		" 7	-	607	30.0	-	6	1	30	9	2	193	
		" 7	-	605	27.7	-	1	3	20	3	10	174	
		" 16	-	139	28.5	-	1	-	-	2	8	18	

* Including deaths from croup.

† Including 15 deaths from cholera in Calcutta, and 14 in Bombay.

‡ Including 2 deaths and one death, respectively, from malarial fever

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 21st JULY, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.		TEMPERATURE.										TEMPERATURE.				WIND as deduced from Anemometers.				Rain collected in a Gauge whose surface is receiving Ozone.			
Phases of the Moon.	Baro- meter.	Of the Air.				Of the Dew Point.		Difference between the Air Temperature and Dew Point Temperature.		Degree of Hu- midity (Sat- uration equals 100).	Of Radiation.		General Direction.		Oster's.		Pressure on the Square Foot.		Robinson's.	Horizontal Movement of the Air on each Day.	Average of the Air on each Day.	16 Years.	
		High- est.	Low- est.	Daily Range.	Mean daily value.	De- tected from Average of 50 years.	Mean daily value.	Mean daily value.	Highest Sun's Rays.		Lowest on the grass.	A.M.	P.M.	Great- est.	Least.	Mean of 34 hourly obs.	Miles.	Miles.					
JULY.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Greatest Dec. S.	15	29.723	63.1	52.1	11.0	56.8	— 6.4	53.9	2.9	9.0	0.0	90	89.0	44.6	SW. & WSW.	W.	0.7	0.0	..	23.4	— 4	0.63	1.8
..	16	29.702	61.7	51.5	10.2	57.1	— 6.1	55.4	1.7	4.4	0.0	94	82.2	45.1	WSW. & SW.	SSW.	3.8	0.0	..	37.5	+145	0.10	1.2
Apogee Full.	17	29.650	63.7	56.2	13.5	61.3	— 1.8	51.8	9.	15.3	2.0	1	123.3	52.9	SW.	WSW.	6.3	0.0	..	45.7	+226	0.01	0.0
..	18	29.505	68.4	53.2	15.2	58.3	— 4.7	50.5	7.8	18.4	1.0	75	140.7	51.2	SW. & WSW.	WSW.	7.3	0.0	..	45.8	+227	0.01	0.0
..	19	29.636	69.3	53.2	16.1	59.6	— 3.4	51.5	8.1	18.4	0.0	7	116.4	46.0	WSW. & W.	WSW.	2.7	0.0	0.1	33.8	+106	0.03	0.0
..	20	29.709	69.3	50.4	18.9	59.2	— 3.8	51.6	7.6	16.2	0.0	76	136.5	43.2	SW.	SSW.	1.9	0.0	0.1	27.5	+ 43	0.01	1.0
..	21	29.653	72.0	54.5	17.5	61.6	— 1.4	50.4	2.2	12.6	0.0	93	143.0	52.5	SE. ENE. & SW.	WSW. & SSW.	0.4	0.0	0.0	191	— 41	0.12	3.0
MEANS	..	29.660	67.6	53.0	14.6	59.1	— 3.9	53.4	5.7	13.5	0.4	82	118.7	47.9	SW.	Sum 2328	+710	0.26	1.0
Number of Column	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

GENERAL REMARKS.

DATE.	ELECTRICITY.	Registered Sun above Horizon, in hours.	GENERAL REMARKS.
JULY.	(For explanation of symbols, see Note.)		
SUNDAY	15	0.0	16.1
MONDAY	16	0.0	16.1
TUESDAY	17	4.2	16.0
WEDNESDAY	18	4.1	16.0
THURSDAY	19	2.0	16.0
FRIDAY	20	4.5	15.9
SATURDAY	21	1.5	15.9
Sum	Sum	16.6	112.0

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glashier's Hygro-metric Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 10 years ending 1875.
The readings in columns 9 and 25 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: +, P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27 derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The residue of the barometer increased from 29.75 in. at the beginning of the week to 29.71 in. by 9h. A.M. on the 16th; decreased to 29.69 in. by noon on the 18th; increased to 29.78 in. by 9h. A.M. on the 20th; decreased to 29.66 in. by noon on the 21st; and was 29.68 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 30. 1894. VOL. LV.]

WEEK ENDING SATURDAY, JULY 28.

[Price 1½d.]

*General Register Office, Somerset House,
July 30th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·0 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	July 7.	July 14.	July 21.	July 28.		July 7.	July 14.	July 21.	July 28.
Birkenhead	19·7	19·7	16·8	16·8	Liverpool -	20·5	22·4	23·5	24·4
Birmingham	17·3	16·9	16·1	14·5	London -	15·8	16·3	16·8	17·2
Blackburn -	20·3	12·4	13·7	19·9	Manchester -	17·2	17·1	18·6	18·8
Bolton -	15·0	12·8	11·9	18·5	Newcastle-on-Tyne	15·0	15·5	14·7	16·3
Bradford -	14·7	14·0	12·3	16·8	Norwich -	12·3	13·8	16·3	17·8
Brighton -	15·8	12·7	14·5	12·3	Nottingham -	15·2	15·2	15·9	17·0
Bristol -	14·5	17·7	12·0	15·9	Oldham -	20·7	18·0	14·7	16·9
Burnley -	17·3	13·5	12·4	14·6	Plymouth -	17·2	11·3	16·0	11·3
Cardiff -	15·1	10·2	9·8	15·1	Portsmouth -	14·3	12·5	13·4	11·9
Croydon -	7·9	12·6	12·6	13·5	Preston -	18·7	18·3	22·0	16·8
Derby -	17·4	9·5	18·5	13·7	Salford -	23·6	22·0	22·0	20·3
Gateshead -	11·2	12·3	11·7	9·5	Sheffield -	16·2	13·4	18·6	18·8
Halifax -	14·6	11·8	19·1	13·5	Sunderland -	17·6	21·1	21·5	21·5
Huddersfield	13·8	11·1	12·7	15·9	Swansea -	18·6	12·6	13·1	15·3
Hull -	13·5	15·0	11·0	14·2	West Ham -	14·0	13·8	17·1	14·4
Leeds -	16·1	13·7	17·4	15·6	Wolverhampton -	13·5	15·3	18·4	22·1
Leicester -	9·6	12·1	13·5	13·2					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·6 in Swansea, 1·9 in Sunderland, and 2·0 in West Ham; from *scarlet fever*, 1·1 in Burnley; from *whooping-cough*, 1·0 in Norwich, 1·1 in Swansea, and 1·5 in Sunderland; from "*fever*," 1·0 in Birkenhead; and from *diarrhœa*, 2·1 in Nottingham, 2·2 in Bolton, 2·5 in Birkenhead, 2·8 in Salford, 3·6 in Liverpool, and 4·1 in Leicester. The 73 deaths from *diphtheria* included 52 in London, 3 in Liverpool, 3 in Huddersfield, and 2 each in West Ham, Croydon, Birmingham, Salford, and Sheffield. Four deaths from *small-pox* were registered in Birmingham, and one death each in London, Plymouth, and Manchester, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2419 BIRTHS and 1437† DEATHS were registered. Allowing for increase of population, the births were 236, and the deaths 315, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·8, 16·3, and 16·8 in the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

preceding three weeks, further rose last week to 17·2. During the four weeks ending on Saturday last the death-rate averaged 16·5 per 1000, being 3·8 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1437 deaths included one death from small-pox, 53 deaths from measles, 29 from scarlet fever, 52 from diphtheria, 35 from whooping-cough, one death from typhus, 5 deaths from enteric fever, 122 from diarrhoea and dysentery, and not one death from any ill-defined form of continued fever or from cholera; thus, 298 deaths were referred to these diseases, being 175 below the corrected average.

The death from *small-pox* belonged to Poplar sanitary area. There were 187 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 20 in the Highgate Small-pox Hospital, making a total of 207, against 109, 97, and 79 on the preceding three Saturdays; 152 cases were admitted during the week, against 28, 17, and 10 in the preceding three weeks. The deaths of two children were attributed to *varicella*. The deaths from *measles*, which had been 88, 57, and 57 in the preceding three weeks, further declined last week to 53, almost corresponding with the corrected average; 6 belonged to Stepney, 6 to Camberwell, 5 to Kensington, and 4 to Bethnal Green sanitary areas. The deaths from *scarlet fever*, which had been 17, 16, and 24 in the preceding three weeks, further rose last week to 29, exceeding the corrected average by 9; 4 belonged to Hackney, 3 to St. George-in-the-East, and 3 to Greenwich sanitary areas. The Metropolitan Asylum and London Fever Hospitals* contained 2198 scarlet fever patients at the end of last week, against 2099, 2143, and 2198 on the preceding three Saturdays; 241 cases were admitted during the week, against 277 and 264 in the preceding two weeks. The deaths from *diphtheria*, which had been 43, 45, and 36 in the preceding three weeks, increased again last week to 52, and exceeded the corrected average by 21; 4 belonged to Islington, 4 to Bethnal Green, 4 to Greenwich, and 5 to Pancras sanitary areas. The Metropolitan Asylum Hospitals* contained 435 diphtheria patients at the end of last week, against 351, 365, and 402 on the preceding three Saturdays; 102 cases were admitted during the week, against 65 and 94 in the preceding two weeks. The deaths from *whooping-cough*, which had been 28, 29, and 43 in the preceding three weeks, declined again last week to 35, and were 13 below the corrected average. The fatal cases of *enteric fever*, which had been 3, 6, and 8 in the preceding three weeks, numbered 5 last week, and were 7 below the corrected average. The Metropolitan Asylum Hospitals* contained 67 cases of enteric fever and not one case of typhus on Saturday last; 16 cases of enteric fever were admitted during the week, against 7 and 12 in the preceding two weeks. The deaths from *diarrhoea*, which had been 35, 94, and 140 in the preceding three weeks, numbered 122 last week, being 175 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 162, 158, and 124 in the preceding three weeks, increased again to 160 last week, but were 17 below the corrected average.

Different forms of violence caused 57 deaths, concerning 56 of which inquests were held. Of these 57 deaths, 11 were cases of suicide, and 3 of homicide, while the remaining 43 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 9 to drowning, 3 to poison, and 8 (of infants under one year of age) to suffocation in bed. The death of a chemist's assistant, aged 35 years, was attributed, after inquest, to "syncope from over-inhalation of "chloroform, misadventure." Post mortem.

GREATER LONDON.

In Greater London 3284 births and 1831 deaths were registered, corresponding to annual rates of 28·8 and 16·1 per 1000 of the estimated population. In the Outer Ring 25 deaths from measles, 14 from diphtheria, 14 from whooping-cough, and 21 from diarrhoea were recorded. Of the 25 deaths from measles, 14 occurred in West Ham district and 4 in Willesden district. Four deaths from diphtheria were registered in West Ham, 3 in Edmonton, and 2 each in Croydon, Bromley, and Brentford districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·78 inches, and that of the Thermometer 62·8, the latter being 0·3 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 25 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 33·9 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 28th July 1894.

CITIES AND BOROUGH.	Col.	Registered during the week ending 28th July 1894.			The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.										RAINFALL.		CITIES AND BOROUGH.					
		1.	2.	3.	Deaths of 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Deaths from				Violence.	Inquest Cases.	Deaths in Public Institutions.	Unreported Causes of Death.	From All Causes.		From Deaths in the Week.		Mean.		In Inches.	In Galls.								
									Infants under 1 Year of Age.	Persons Aged 1 Year to 60 Years.	Fever.	Whooping-cough.					Diphtheria.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.			Unreported Causes of Death.	From All Causes.		From Deaths in the Week.	Fahrenheit.	Fahrenheit.		
																															Highest.	Lowest.
33 TOWNS		10,458,442	5,978	3,409	1,061	626	7	115	53	73	80	27	267	134	243	710	54	17.0	3.1	79.4	47.0	59.6	15.23	0.87	2.21	24.	23.	22.	21.	Cols.	- 33 TOWNS.	
LONDON		4,349,166	2,419	1,437	457	268	1	23	29	52	35	6	122	57	113	420	13	17.2	3.6	79.4	51.8	62.8	17.11	0.39	0.99						LONDON.	
WEST HAM		238,184	159	66	18	11		1	2	2	2		4		1	9	3	14.4	4.2												WEST HAM.	
CROYDON		111,921	41	29	5	7		2			2			3	4	6		13.5	2.3	77.0	50.0	61.3	16.22	0.17	0.43						CROYDON.	
BRIGHTON		118,715	46	28	6	4		1		1	1	1	1	1	1	4		12.3	2.2	74.2	52.4	62.3	16.83	0.20	0.51						BRIGHTON.	
PORTSMOUTH		170,973	115	39	12	6		1		1	1					2		11.9	1.2	70.5	53.0	59.5	15.28	0.24	0.61						PORTSMOUTH.	
PLYMOUTH		87,931	51	19	4	4		1			3					5		15.9	2.8	72.0	50.0	57.6	14.22	2.51	6.38						PLYMOUTH.	
BRISTOL		226,578	120	69	17	19		5			1			5	9	6		15.1	0.4												BRISTOL.	
CARDIFF		148,890	104	43	10	9			3		2	1			2	1		15.3	3.3												CARDIFF.	
SWANSEA		95,339	62	28	11	2																										SWANSEA.
WOLVERHAMPTON		85,036	62	26	8	12				1	1	2	1	2	1	3	6	1	22.1	3.1	73.9	47.0	56.8	13.78	1.61	4.00						WOLVERHAMPTON.
BIRMINGHAM		492,301	275	137	36	23	4	6	1	2	3	1	6	8	5	29	9	14.5	2.4													BIRMINGHAM.
NORWICH		105,645	51	26	12	12					2	1	3	4	6		1	17.8	3.0	73.0	51.6	60.4	15.78	0.91	2.31							NORWICH.
LEICESTER		189,136	122	48	19	5			1				15		3	6		13.2	4.7													LEICESTER.
NOTTINGHAM		223,584	115	73	22	14		2			3		9	2	4	10		17.0	3.3	74.8	51.1	59.3	15.17	1.08	2.74							NOTTINGHAM.
DERBY		98,796	49	26	7	7		1						2	2	2		13.7	0.5													DERBY.
BIRKENHEAD		105,627	65	34	19	4					1	2	5		2	2		16.8	3.9													BIRKENHEAD.
LIVERPOOL		507,230	331	237	88	27		6	5	3	3	5	35	10	16	43	9	24.4	5.9	74.5	52.9	60.5	15.83	0.88	2.24							LIVERPOOL.
BOLTON		118,363	83	42	11	5					1		5	1	2	2		18.5	2.6													BOLTON.
MANCHESTER		520,211	204	168	73	27	1	7	4	1	1	2	13	7	3	48	3	18.8	2.8													MANCHESTER.
SALFORD		206,828	132	80	31	12		1		2	2	1	11	1	3	10	4	20.3	5.3													SALFORD.
OLDHAM		128,765	86	45	7	9		1			2		3	4	10			16.9	1.5													OLDHAM.
BURNLEY		66,478	70	27	12	4			2					3	3	1		14.6	1.1													BURNLEY.
BLACKBURN		125,767	64	48	15	14			1				1	3	1	3	2	19.9	2.1													BLACKBURN.
PRESTON		111,225	66	36	12	4		1					2	1	1	4		16.8	1.4													PRESTON.
HUDERSFIELD		98,511	24	30	9	6		1		3	1	1	1			2	1	15.9	3.7													HUDERSFIELD.
HALIFAX		62,861	43	24	4	6								1	1	2	2	13.5														HALIFAX.
BRADFORD		228,635	108	72	20	12			4				3	1	2	9		16.8	2.1	71.8	53.4	59.8	15.44	1.57	3.99							BRADFORD.
LEEDS		388,761	224	116	45	23		2	1		2		5	4	8	11	2	15.6	1.3													LEEDS.
SHEFFIELD		358,516	149	122	46	26			1	2	4	1	11	6	10	14	3	18.8	2.9													SHEFFIELD.
HULL		212,679	120	58	12	13		3	1			1	1	1	1	12	2	14.2	1.5	74.0	51.0	59.3	15.17	0.54	1.37							HULL.
SUNDERLAND		186,101	94	56	19	8		5			4	1	4	1	3	6		21.5	5.4	63.0	51.0	56.0	13.38	0.29	0.74							SUNDERLAND.
GATEHEAD		43,372	60	17	5	4							2	2	2	4		9.2														GATEHEAD.
NEWCASTLE		201,947	164	63	9	19		1	1	1	2		1	6	10	10		16.3	1.5													NEWCASTLE.

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTIETH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2590	2459	2701	2579	2353	2376	2512	2424	2720	2497	2654.5	2419
Males . .	1300	1260	1366	1347	1171	1174	1283	1211	1389	1275	1348.4	1249
Females .	1290	1199	1335	1232	1182	1202	1229	1213	1331	1222	1306.1	1170
TOTAL Deaths	1995	1750	1746	2007	1303	1553	1418	1662	1431	1729	1751.9	1437
Males . .	1064	924	925	1043	681	836	754	898	751	894	925.6	726
Females .	931	826	821	964	627	717	664	764	680	835	826.3	711

* The numbers in this column are the average weekly numbers in the thirtieth weeks of the ten years 1884-93 raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.
TOTAL Births	2637	2589	2241	2414	2374	2300	2436	2334	2458	2254	2371	2419	2419
TOTAL Deaths	1428	1531	1463	1440	1366	1398	1336	1330	1282	1314	1356	1405	1437
Ages at Death													
{ 0-20 years	705	729	756	746	652	727	593	588	601	628	693	768	783
{ 20-40 "	180	216	154	163	181	182	188	176	171	180	179	158	149
{ 40-60 "	247	267	209	234	251	232	269	255	219	250	215	242	237
{ 60-80 "	252	267	284	249	285	212	238	261	234	218	230	197	230
{ 80 years & upwards	44	52	60	48	47	45	48	50	57	38	39	40	38
Periods of Life													
{ Under 1 year	278	286	339	316	291	305	261	278	269	313	410	464	457
{ 1-5 "	331	343	316	322	277	328	252	216	228	225	199	220	228
{ 5-20 "	96	100	101	103	84	94	80	94	104	90	84	84	98
Deaths from Small-pox	-	3	3	7	4	3	-	5	-	1	2	1	1
" " Measles	125	152	175	165	148	169	122	99	92	88	57	57	53
" " Scarlet fever	30	25	20	20	14	17	19	18	19	17	16	24	29
" " Diphtheria	58	55	56	41	36	34	43	44	56	43	45	36	52
" " Whooping-cough	59	53	46	50	43	36	34	20	25	28	29	43	35
" " Typhus	-	-	-	-	-	-	-	-	-	-	1	-	1
" " Enteric fever	8	9	8	14	13	10	10	10	9	3	6	8	5
" " Simple Cont'd fever	-	-	1	1	-	1	-	2	1	-	-	-	-
" " Diarrhoea and Dysentery	11	14	15	11	10	9	5	12	15	35	94	140	122
" " Cholera	-	-	-	-	-	-	2	1	-	1	3	1	-
" " all the above-mentioned Diseases	291	311	324	309	268	279	235	211	217	216	253	310	298
" " Dis. of Respiratory System	237	272	234	248	222	236	184	201	152	162	158	124	160
" " Phthisis	150	169	132	137	137	132	154	136	129	117	126	131	132
" " Dis. of Circulatory System	101	86	106	106	103	94	101	124	116	119	104	96	106
Violent Deaths	45	52	57	44	67	57	70	67	70	68	74	61	57
Inquest Cases	91	126	126	106	129	112	121	125	143	129	137	132	113
Deaths in Public Institutions	410	436	398	379	409	385	397	407	412	363	386	379	420
TEMPERATURE OF THE AIR													
Mean	48.8	51.0	54.5	48.2	50.1	56.1	56.3	58.9	63.8	66.0	59.2	59.1	62.8
Mean of Highest readings	57.9	61.1	65.8	58.5	61.2	65.2	66.4	69.7	76.8	79.5	70.6	67.6	73.8
Mean of Lowest readings	40.7	42.6	45.5	38.8	42.0	49.8	48.8	50.5	51.0	53.9	52.0	53.0	51.4
Humidity of the Air	78	76	74	72	80	85	79	79	67	66	80	82	80
Rain-fall in inches	0.18	0.44	0.09	0.42	0.67	1.07	0.46	0.32	0.00	0.19	2.27	0.30	0.39
Registered Sunshine (in hours)	14.0	23.8	36.5	39.9	30.5	8.9	15.7	29.0	67.5	53.6	39.9	16.6	33.9

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A.W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H.O. Pilkington, Esq., M.R.C.S., Preston; J. McLandborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of Ages from different CAUSES in the THIRTIETH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 30th Week of the 10 years 1884-93.*	In the Week ending Saturday, 23rd July 1894.										CAUSES OF DEATH.	Corrected Averages for the 30th Week of the 10 years 1884-93.*	In the Week ending Saturday, 23rd July 1894.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.						
			0-1.	1-6.	6-20.						0-1.							1-6.	6-20.				
ALL CAUSES - -	1751.9	1437	457	228	98	149	237	233	33	Diseases of Organs of Special Sense - -	2.3	6	1	3	1	1	-	-	-				
Small-pox { Vaccinated† - -	1.4	1	-	-	-	1	-	-	-	Diseases of Circulatory System - -	93.3	103	-	3	7	15	36	39	6				
Unvaccinated - -	1.6	-	-	-	-	-	-	-	-	Croup - - - -	6.8	3	1	2	-	-	-	-	-				
No Statement - -	0.8	-	-	-	-	-	-	-	-	Bronchitis - - -	85.7	74	20	13	2	1	10	24	4				
Measles - - - -	51.8	53	13	37	3	-	-	-	-	Pneumonia - - -	68.9	53	13	13	4	6	11	7	-				
Scarlet Fever - -	19.7	29	1	16	12	-	-	-	-	Pleurisy - - - -	4.7	6	-	-	-	-	4	2	-				
Typhus - - - -	-	1	-	-	-	1	-	-	-	Other Diseases of Respiratory System - -	16.0	18	6	5	2	1	-	4	-				
Relapsing Fever -	-	-	-	-	-	-	-	1	2	Dentition - - - -	14.4	7	7	-	-	-	-	-	-				
Influenza - - - -	2.4	3	-	-	-	-	-	-	-	Quinsy, Sore Throat -	2.6	3	1	2	-	-	-	-	-				
Whooping-cough -	48.3	35	14	19	2	-	-	-	-	Enteritis - - - -	27.3	41	32	6	1	1	1	-	-				
Diphtheria - - -	30.6	62	3	33	1	1	-	-	-	Peritonitis - - -	8.3	4	-	1	-	-	2	1	-				
Simple Continued and Ill-defined Fever - }	0.1	-	-	-	-	-	-	-	-	Diseases of Liver - -	30.3	23	1	-	-	2	12	9	1				
Enteric Fever - -	11.8	5	-	-	1	2	2	-	-	Other Diseases of Digestive System - }	33.1	31	11	-	2	4	7	6	1				
Cholera and Chol. Diarr.	9.5	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands - }	2.5	3	1	-	1	1	-	-	-				
Diarrhoea, Dysentery -	293.9	122	100	15	-	-	7	-	-	Diseases of Urinary System - - - -	33.0	34	-	2	2	4	11	15	-				
Remittent Fever - -	0.3	-	-	-	-	-	-	-	-	Diseases of Generative System - - - -	5.1	8	-	-	-	5	3	-	-				
Hydrophobia - -	0.2	-	-	-	-	-	-	-	-	Accidents of Childbirth -	3.5	6	-	-	-	5	1	-	-				
Glanders - - - -	0.1	-	-	-	-	-	-	-	-	Diseases of Locomotive System - - - -	6.6	7	1	3	1	1	1	-	-				
Cowpox and Effects of Vaccination - - }	0.6	-	-	-	-	-	-	-	-	Diseases of Integumentary System - - }	5.2	3	1	-	-	1	-	1	-				
Venereal Affections -	13.0	11	9	1	-	1	-	-	-	VIOLENT DEATHS.†													
Erysipelas - - -	4.2	6	4	-	-	-	1	-	-	(ACCIDENT.)													
Pyæmia and Septicæmia	2.2	-	-	-	-	-	-	-	-	By Railways - - -		1	-	-	1	-	-	-	-				
Puerperal Fever - -	4.2	4	-	-	4	-	-	-	-	By Vehicles or Horses -		3	-	1	-	-	2	-	-				
Other Zymotic Diseases	2.1	2	1	1	-	-	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) -		-	-	-	-	-	-	-	-				
Thrush - - - -	3.3	-	-	-	-	-	-	-	-	In Building Operations -		1	-	-	-	1	-	-	-				
Worms and other Parasitical Diseases - - }	0.4	2	1	-	1	-	-	-	-	In Conflagrations - -		-	-	-	-	-	-	-	-				
Starvation, Want of Breast-milk - - }	3.2	2	2	-	-	-	-	-	-	By Burns, Scalds, Explosions - -	43.0	5	-	3	-	1	-	1	-				
Alcoholism - - -	6.0	8	-	-	-	2	5	1	-	By Drowning - - -		9	-	-	6	1	2	-	-				
Rheumatic Fever, Rheumatism of Heart	5.8	7	-	1	2	4	-	-	-	By Suffocation in Bed -		8	8	-	-	-	-	-	-				
Rheumatism - - -	1.7	1	-	-	-	-	1	-	-	By Poisons or Poisonous Vapours - - -		3	-	-	2	1	-	-	-				
Gout - - - -	4	1	-	-	-	-	-	1	-	Other or not stated Causes - - - - }		13	2	2	3	1	4	1	-				
Rickets - - - -	5.4	4	2	2	-	-	-	-	-	(VIOLENCE OTHER THAN ACCIDENTAL.)													
Cancer - - - -	65.6	65	1	-	1	31	31	1	-	Homicide - - - -	1.6	3	3	-	-	-	-	-	-				
Tabes Mesenterica -	50.9	28	23	5	-	-	-	-	-	Suicide - - - -	9.4	11	-	-	-	5	6	-	-				
Tubercular Meningitis	31.0	23	9	15	4	-	-	-	-	Execution - - - -		-	-	-	-	-	-	-	-				
Phthisis - - - -	148.6	132	1	4	15	52	46	13	1	OTHER CAUSES - -	87.0	63	51	5	-	-	1	2	1				
Serofula, Tuberculos	21.1	18	10	1	4	2	1	-	-														
Other Constitutional Diseases - - }	9.9	11	-	-	2	1	5	3	-														
Premature Birth - -	45.2	49	49	-	-	-	-	-	-														
Atelectasis - - -	2.6	3	3	-	-	-	-	-	-														
Congenital Malformations - - }	6.3	7	6	1	-	-	-	-	-														
Old Age - - - -	40.4	37	-	-	-	-	-	10	13														
Apoplexy - - - -	35.9	32	-	-	1	11	17	3	-														
Epilepsy - - - -	7.6	6	-	2	3	1	-	-	-														
Convulsions - - -	61.5	31	29	2	-	-	-	-	-														
Other Diseases of Brain and Nervous System }	83.7	73	13	6	3	14	13	22	2														

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated," which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

* The evidence at inquest is often instrumental to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.--POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, &c., during the Week ending

The DEATHS registered in the Week include																					
REGISTRATION SUB-DISTRICTS.		Enu-merated Popu-lation, 1891.	Total BIRTHS.	Total DEATHS.	Deaths of										Deaths from					Inquest Cases.	Deaths in Public Institutions
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple continued Fever.	Diarrhoea.	Violence.					
LONDON		4,211,743	2419	1437	457	263	1	53	20	52	35	1	5	-	122	57	113	420			
WEST DISTRICTS.																					
St. Mary Paddington WHH G.J. & W.M.		84159	57	28	8	7	-	2	-	1	1	-	-	-	5	1	2	2			
St. John Paddington H - - - G.J.		33887	9	15	-	3	-	-	-	-	-	-	-	-	-	-	-	11			
Kensington Town Ww - - - W.M.		118751	56	43	16	14	-	4	-	1	1	-	-	-	6	1	1	13			
Brompton H - - - W.M. & C.		47557	12	9	2	2	-	1	-	-	-	-	-	-	-	1	1	3			
St. Peter Hammersmith - - - W.M.		8533	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Paul Hammersmith H W.M. & G.J.		88933	37	30	13	4	-	1	1	2	1	-	-	-	4	1	2	5			
Fulham Ww - - - W.M. & C.		91639	61	41	16	6	-	1	3	3	3	-	-	-	3	2	2	12			
Chelsea Kensal Town - - - C.		21787	19	6	4	-	-	-	-	-	-	-	-	-	2	-	1	-			
Chelsea North WHHHH - - - C.		41637	25	10	3	5	-	3	-	-	-	1	-	-	2	-	-	9			
Chelsea South HH - - - C.		32829	17	15	9	-	-	-	-	-	1	-	-	-	2	-	-	6			
May Fair W - - - G.J.		23733	4	4	1	2	-	-	-	-	-	-	-	-	1	-	-	3			
Belgrave WHHH - - - C.		54631	23	15	4	3	-	-	-	-	-	-	1	-	2	2	4	6			
St. John Westminster HHH - - - C.		31108	16	7	2	2	-	-	-	-	-	-	-	-	1	2	2	7			
St. Margaret Westminster H - - - C.		21868	4	9	2	1	-	-	-	-	-	-	-	-	1	1	2	7			
St. James Westminster WHH N.R. & G.J.		24904	8	6	-	2	-	-	-	-	-	-	-	-	-	-	-	1			
St. Anne Soho HHHHHH - - - N.R.		12317	6	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-			
NORTH DISTRICTS.																					
All Souls Marylebone } - - W.M.		37713	10	10	1	3	-	-	-	1	-	-	-	-	-	-	-	6			
HHHHHHHH		20024	9	5	2	2	-	-	-	-	-	-	-	-	-	1	1	1			
Rectory Marylebone W - - G.J. & W.M.		10330	27	7	-	-	-	-	-	-	1	-	-	-	-	1	-	2			
St. Mary Marylebone HHHH G.J. & W.M.		33327	14	10	5	1	-	-	-	-	-	-	-	-	-	1	3	-			
Christchurch Marylebone H - - W.M.		32101	15	10	5	2	-	-	-	-	-	1	-	-	-	-	-	-			
St. John Marylebone H - - - W.M.		68416	32	22	3	8	-	1	3	5	1	-	-	-	-	1	1	11			
Hampstead WHHHHH N.R. & W.M.		36590	14	12	5	3	-	-	1	-	-	-	-	-	1	-	-	2			
Regent's Park Pancras HH - - - W.M.		29331	11	10	4	3	-	-	-	-	-	-	-	-	1	1	1	7			
Tottenham-court WHHHH N.R. & W.M.		7455	50	7	2	-	-	-	-	-	-	-	-	-	-	-	-	4			
Gray's Inn Lane HHH - - - N.R.		32829	15	11	3	1	-	-	-	-	-	-	-	-	3	-	-	1			
Somers Town HH - - - N.R.		15419	10	11	4	2	-	-	-	-	-	-	-	-	1	-	1	3			
Camden Town WH - - - N.R.		95765	55	20	6	4	-	-	2	1	-	-	-	-	1	-	1	7			
Kentish Town W - - - N.R.		90235	52	43	13	10	-	1	2	2	-	-	-	-	4	1	6	20			
Upper Holloway WHHHH - - - N.R.		105557	65	32	15	5	-	1	-	2	-	-	-	-	4	1	2	-			
Islington South-west H - - - N.R.		64158	36	16	6	2	-	1	-	2	1	-	-	-	4	1	2	-			
Islington South-east H - - - N.R.		69193	35	14	5	3	-	-	-	-	-	-	-	-	2	2	1	-			
Highbury HH - - - N.R.		30936	16	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Stoke Newington H - - - N.R.		17759	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Stamford Hill - - - E.L.		42902	31	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-			
West Hackney H - - - E.L. & N.R.		98486	60	43	19	7	-	8	3	-	-	-	-	-	10	-	-	1			
Hackney WWHHH - - - E.L.		41739	39	7	3	2	-	1	-	-	-	-	-	-	1	-	-	-			
South Hackney W - - - E.L.																					
CENTRAL DISTRICTS.																					
St. George Bloomsbury - - - N.R.		16693	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Giles South WH - - - N.R.		13454	13	5	-	4	-	-	-	-	-	-	-	-	-	1	1	3			
St. Giles North H - - - N.R.		9633	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin-in-the-Fields HH N.R. & C.		14616	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-	3			
St. Mary-le-Strand H - - - N.R.		5706	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Clement Danes WH - - - N.R.		7194	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Strand Union Workhouse, Edmonston W.		-	-	3	1	1	-	-	-	-	1	-	-	-	-	-	-	3			
St. Geo.-the-Martyr HHHHHHH N.R.		17921	8	9	2	2	-	1	-	-	-	-	-	-	-	-	-	5			
St. Andrew Eastern W - - - N.R.		15343	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	6			
St. James Clerkenwell - - - N.R.		16503	13	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Amwell Clerkenwell - - - N.R.		10883	12	6	3	1	-	1	-	-	-	-	-	-	1	1	1	-			
Pentonville - - - N.R.		17155	11	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1			
Goswell-street - - - N.R.		15375	8	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-			
City-road HHHH - - - N.R.		29177	25	11	6	2	-	-	-	-	1	-	-	-	3	-	-	1			
Whitecross-street - - - N.R.		8278	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Finsbury - - - N.R.		4935	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Holborn Union Workhouse, Mitcham W.		-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2			
St. Botolph H - - - N.R. & E.L.		8944	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Cripplegate - - - N.R.		4539	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Sepulchre H - - - N.R.		4444	2	10	1	3	-	-	-	-	-	-	-	-	-	-	-	-			
St. Bride W - - - N.R.		6594	2	2	1	-	-	-	-	-	-	-	-	-	-	3	5	7			
A. Shallos Barking - - - N.R.		10422	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1			
Broad Street H - - - N.R.		3377	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
City of London Asylum, Stone		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H.—Hospital; L.—Lunatic Asylum; L.—Private Lunatic Asylum in which paupers are received; W.—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N. River; E. L. East London; and K. the Kent Company.

* See note on first page of this Return.

, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT,*
ay, 28th July, 1894.

The DEATHS registered in the Week include																				
REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of															
					Deaths from													Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
EAST DISTRICTS.																				
Edinburgh South HL*	E.L. & N.R.	20098	9	6	4	-	-	-	-	-	-	-	-	-	-	-	-			
on New Town w -	- N.R.	29313	20	8	5	1	-	-	-	-	-	-	-	-	-	-	-			
on Old Town -	- N.R.	28554	21	9	6	-	-	-	-	-	-	-	-	-	-	-	-			
erston WH -	- N.R. & E.L.	46244	34	20	10	5	-	1	-	-	-	-	-	-	-	-	-			
nal Green North H	- E.L.	51520	34	14	6	2	-	1	-	-	-	-	-	-	-	-	-			
nal Green South -	- E.L.	33489	14	8	1	-	-	2	-	-	-	-	-	-	-	-	-			
nal Green East WHL*	- E.L.	44123	28	13	8	1	-	-	-	-	-	-	-	-	-	-	-			
Fields -	- E. - N.R.	22456	8	5	2	3	-	-	-	-	-	-	-	-	-	-	-			
End New Town W	- E.L.	17908	23	10	1	4	-	-	-	-	-	-	-	-	-	-	-			
echapel Church H*	- E.L. & N.R.	20298	20	32	4	1	-	1	-	-	2	-	-	-	3	3	4			
man's Fields -	- E.L.	13800	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-			
George's, North -	- E.L.	37738	27	13	5	1	-	-	-	-	-	-	-	-	2	-	-			
ohn, St. George East W	- E.L.	8637	7	11	2	6	-	-	1	-	-	-	-	-	1	1	2			
well H -	- E.L. & N.R.	10246	2	8	4	-	-	-	-	-	-	-	-	-	3	-	8			
ld W -	- E.L.	14928	5	3	2	-	-	-	-	-	-	-	-	-	1	-	-			
house -	- E.L.	32202	20	11	4	2	-	4	-	-	-	-	-	-	-	-	-			
End Old Town West H	- E.L.	38650	31	14	6	1	-	1	-	-	-	-	-	-	2	-	-			
End Old Town East WHW H	- E.L.	68942	65	22	9	5	-	2	-	-	-	1	-	-	1	-	3			
L*	- E.L.	40865	24	8	2	3	-	-	-	-	-	-	-	-	-	1	6			
ley WHW H -	- E.L.	70000	45	39	12	8	-	4	-	1	-	-	-	-	-	2	4			
ar. WW -	- E.L.	56538	41	18	7	3	-	1	1	-	-	-	-	-	-	1	2			
SOUTH DISTRICTS.																				
etchurch Southwark WH	- L. & S.	13264	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-			
aviour Southwark -	- S.	13913	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
-road -	- S. & L.	21867	15	8	4	2	-	-	-	-	-	-	-	-	-	3	-			
ugh-road WH -	- S. & L.	16524	10	9	3	-	-	-	-	-	-	-	-	-	2	-	-			
on-road HL -	- L. & S.	21221	10	5	2	1	-	-	-	1	1	-	-	-	1	1	5			
ty Newington -	- S. & L.	26595	19	7	1	-	-	-	-	-	-	-	-	-	1	-	-			
eter Walworth W	- S. & L.	61342	28	24	7	4	-	-	-	-	-	-	-	-	4	2	1			
ary Newington -	- L. & S.	37866	16	10	5	1	-	-	-	-	-	-	-	-	3	-	1			
ave WH -	- S.	12723	13	11	2	1	-	-	-	-	-	-	-	-	-	3	4			
er Market -	- S. & L.	14952	5	3	1	-	-	-	-	-	-	-	-	-	-	-	11			
ary Magdalen W	- S.	15660	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-			
ames Bermondsey -	- S.	54070	32	13	2	2	-	-	-	-	1	-	-	-	-	-	-			
eriths WH -	- S. & K.	36255	19	14	5	5	-	-	-	-	-	-	-	-	2	-	7			
rioc-road 1st H -	- L. & S.	14031	8	8	6	-	-	-	-	-	-	-	-	-	-	-	-			
rioc-road 2nd H -	- L. & S.	14644	21	9	3	-	-	-	2	-	-	-	-	-	1	-	1			
eth Church 1st H -	- L. & S.	18075	15	16	4	-	-	-	-	-	-	-	-	-	1	4	5			
eth Church 2nd WH	- L. & S.	33097	29	24	6	-	-	-	-	2	-	-	-	-	4	1	1			
ington 1st H -	- S. & L.	50536	33	6	4	1	-	-	-	-	-	-	-	-	2	-	-			
ington 2nd -	- S. & L.	39708	21	9	2	1	-	1	-	1	2	-	-	-	-	-	-			
on w -	- L. & S.	73405	32	17	4	5	-	-	1	2	-	-	-	-	-	-	3			
ood WH -	- L.	25667	11	5	2	3	-	-	-	2	1	-	-	-	1	-	1			
Battersea -	- S.	67244	43	50	9	2	-	1	-	-	1	-	-	-	-	1	2			
Battersea WHH -	- S.	83314	50	21	5	5	-	1	-	-	-	-	-	-	4	1	2			
am -	- S.	43698	9	6	2	2	-	-	1	-	-	-	-	-	-	-	5			
asworth WHL -	- S.	46717	26	12	4	2	-	-	-	-	2	-	-	-	1	-	3			
ay -	- S.	17771	7	5	-	1	-	1	-	-	-	-	-	-	-	1	1			
ham WHW -	- L.	48756	23	8	1	3	-	1	-	-	-	-	-	-	-	-	1			
ch -	- L. & S.	8909	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
erwell WwL* -	- S. & L.	81686	51	36	6	12	-	2	-	-	2	-	-	-	-	1	1			
am WW -	- S., L., & K.	33438	40	23	7	4	-	4	1	-	-	-	-	-	3	1	19			
orge Camberwell -	- L. & S.	53366	37	21	7	2	-	-	1	1	2	1	-	-	3	1	2			
ord, North -	- K.	35314	24	10	5	-	-	-	-	-	-	-	-	-	-	2	3			
ord, Central w -	- K.	45007	25	24	4	1	-	-	-	1	10	-	-	-	1	1	13			
ord, South -	- K.	30852	15	7	1	3	-	-	-	4	1	-	-	-	-	-	-			
wich West H -	- K.	29007	8	4	1	1	-	-	-	-	-	-	-	-	1	-	5			
wich East WH -	- K.	35233	21	10	5	-	-	-	-	-	-	-	-	-	-	-	-			
m w L -	- K.	5682	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
H -	- K.	25541	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-			
ham WH -	- K.	30950	23	11	4	2	-	-	1	-	-	-	-	-	2	-	1			
ham H -	- L.	34162	21	5	1	1	-	-	-	-	-	-	-	-	-	-	1			
on HH -	- K.	14040	2	3	2	1	-	-	-	-	-	-	-	-	-	1	-			
rich Dockyard -	- K.	19606	8	5	3	-	-	-	-	-	-	-	-	-	-	1	-			
rich Arsenal HH -	- K.	41242	28	10	3	1	-	2	-	-	-	-	-	-	-	-	-			
lead, West H -	- K.	15869	8	6	2	-	-	-	-	-	-	-	-	-	-	-	1			
lead, East W -	- K.	36567	30	12	-	3	-	-	-	-	-	-	-	-	-	-	4			
lead Asylum -	-	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	4			
ham Asylum -	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	6			
Hill Asylum -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2			
al Ships and Camp, Dartford -	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1			
th Asylum -	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4			
ell Asylum -	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2			
Hatch Asylum -	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4			
ospital -	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4			
more Hill Hospital -	-	-	-	2	-	-	-	-	3	-	-	-	-	-	-	-	2			
den Asylum -	-	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	5			
ry Asylum, -	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4			

* See Note † on first page of this Return.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 28th July, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Num- bered Popu- lation. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of			Deaths from										
						Infants under 1 Year of Age.	Persons aged 1 Year and under	Persons aged 15 Years and over	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Cases.
LONDON—OUTER RING		368 749	1,422,063	865	394	111	93	-	25	2	14	14	5	21	11	19	49		
80: 1	Carshalton WH	12228	26108	7	1	-	1	-	-	-	-	-	-	-	-	-	-		
2	Epsom, part of* WH	10423	12503	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
87: 1	Godstone, part of* W-	754	1593	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
88: 1	Croydon WHH-	20451	138699	53	34	6	8	-	1	-	2	2	1	-	3	4	6		
2	Mitcham W	11697	23933	15	10	4	2	-	-	-	-	-	-	1	-	2	-		
89: 1	Wimbledon HHH	3290	25761	15	8	-	5	-	-	-	-	-	-	-	-	2	-		
2	Kingston WHH-	8071	44765	20	10	2	3	-	2	-	-	-	-	-	-	-	3		
3	Esher, part of,*	6601	12359	6	5	2	-	-	-	-	-	-	-	1	-	-	-		
4	Hampton H	4535	18252	11	2	-	2	-	-	-	-	-	-	-	-	-	-		
40: 1	Richmond WH	2160	25399	17	8	3	2	-	-	-	-	-	-	-	-	1	2		
2	Mortlake H	2823	16159	12	3	-	1	-	-	-	-	-	1	-	-	-	-		
41: 1	Bromley HHH	9127	23315	10	8	2	3	-	1	-	1	1	-	-	-	-	1		
2	Beckenham H	6542	21993	10	2	1	-	-	-	-	-	-	-	-	-	-	-		
3	Chislehurst, pt. of* WHH	14307	20372	14	7	3	1	-	-	-	1	-	-	1	-	-	1		
42: 1	Boxley HHH	12340	30599	23	4	4	-	-	-	-	-	1	-	1	-	-	-		
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124: 1	Susbury W	11054	13471	8	4	3	-	-	-	-	-	1	-	-	-	-	-		
2	Staines W	18277	13221	10	9	2	4	-	1	-	-	-	-	-	1	1	3		
125: 1	Hillingdon WHH	6035	12237	9	3	-	1	-	-	-	-	-	-	-	1	1	2		
2	Uxbridge	6172	5117	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes WH	14537	13313	4	2	1	1	-	-	-	-	1	-	-	-	-	-		
126: 1	Isleworth WHH	6967	23273	14	14	5	4	-	-	-	-	-	-	1	-	-	6		
2	Twickenham HH	2115	16027	7	3	1	2	-	-	-	-	-	-	-	-	-	-		
3	Brentford HHHH	4318	37777	17	7	2	2	-	1	-	-	-	-	-	-	1	-		
4	Chiswick	1245	21933	14	7	3	1	-	-	-	-	-	-	-	-	-	-		
5	Aston WH	6132	37945	26	11	5	3	-	-	-	2	-	-	3	-	-	-		
127: 1	Harrow HHH	13899	15715	7	4	-	1	-	-	-	1	-	-	-	-	-	-		
2	Edgware BH	6994	3341	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden HHH	4383	61365	41	16	4	3	-	4	-	-	-	-	2	-	-	-		
4	Hendon W	8382	15843	6	9	3	-	-	-	-	-	1	-	-	1	1	-		
128: 1	South Mimms	1550	8474	1	2	1	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet WHH	6441	11773	8	4	-	-	-	-	-	-	-	-	-	-	-	-		
3	Finchley HHH	4638	25823	12	5	-	1	-	-	-	-	-	-	-	1	1	-		
129: 1	Hornsey HH	8439	61097	33	10	2	5	-	-	-	-	-	-	1	1	1	-		
2	Tottenham H	4742	97174	50	31	8	7	-	-	-	2	3	1	1	1	1	6		
3	Edmonton WH	7489	33351	22	18	3	10	-	1	-	1	-	1	1	-	-	3		
4	Enfield WHH	12639	31893	25	4	1	1	-	-	-	-	-	-	-	-	-	-		
5	Waltham Abbey	11017	6066	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
6	Chesham H	8430	9829	9	2	-	1	-	-	-	-	-	-	-	-	-	-		
130: 1	Hatfield, part of* W	8306	594	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
131: 1	Bushey H	9331	7737	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
136: 1	Stratford H-	1100	42983	42	13	4	1	-	3	1	2	-	-	-	-	-	-		
2	Plaistow HHHH	1242	5030	43	15	6	1	-	1	-	-	1	-	2	-	1	-		
3	Canning Town H	1553	54759	35	15	5	1	-	2	-	-	1	-	1	-	-	-		
4	Forest Gate W	808	49149	33	14	2	5	-	3	1	-	-	-	-	-	-	-		
5	East Ham W	3266	32713	25	14	6	-	-	5	-	1	1	-	1	-	-	-		
6	Leyton WH	4354	70183	53	22	4	9	-	-	-	-	-	-	1	1	1	11		
7	Walthamstow HHL	6501	57339	51	19	7	5	-	-	-	1	1	-	1	1	1	1		
137: 1	Chigwell, part of* H-	11779	13241	3	3	1	1	-	-	-	-	-	-	-	1	-	-		
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
139: 1	Romford, part of* HH	6553	4324	4	2	-	1	-	-	-	-	-	-	-	-	-	2		
2	Upton	8493	10913	5	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town H	3514	14391	10	5	4	-	-	-	-	-	-	-	-	1	-	-		

* The parts of sub-districts included within the parish of the Metropolitan Police District which form the Outer Ring are as follows—39: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2352); 41: 3, Chislehurst sub-district, except the parishes of Chislehurst, Cadnam, and Kneesholt (pop. 3197); 135: 1, the parish of Northw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (pop. 139); 139: 1, the parish of Daguenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 1, Dartford Work., pt. of*.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 28th July, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Deaths in Public Institutions.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.					
GREATER LONDON	443,421	5,948,300	16.1	3.3	1831	568	367	1	78	31	66	49	11	143	68	469					
INNER LONDON .	74,672	4,349,168	17.2	3.6	1437	457	263	1	53	23	52	35	6	122	57	420					
OUTER RING .	368,749	1,599,134	12.8	2.6	394	111	99	-	25	2	14	14	5	21	11	49					

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	July 28	139	72	13.0	1	-	1	1	1	1	2	
GLASGOW	686,820	" 28	453	195	14.8	-	4	1	1	2	-	13	
DUBLIN	349,594	" 28	199	149	22.2	-	-	2	-	3	2	3	
CALCUTTA	406,460	June 9	-	235	26.2	17	1	-	-	-	92	28+	
BOMBAY	821,764	July 3	344	519	32.8	7	16	?	?	?	125	57+	
MADRAS	452,518	June 15	311	255	29.3	-	3	?	?	?	103	26	
PARIS	2,424,705	July 21	1168	868	19.0	3	19	3	19*	3	7	129	
BRUSSELS	498,400	" 21	249	164	17.1	-	1	2	1*	4	2	27	
AMSTERDAM	446,295	" 21	265	124	14.4	-	3	-	2	1	-	-	
ROTTERDAM	228,597	" 21	146	70	15.9	3	-	1	-	-	1	3	
THE HAGUE	174,790	" 21	87	52	15.4	-	2	1	1	-	-	-	
COPENHAGEN	341,000	" 21	183	104	15.7	1	3	4	3	-	-	11	
STOCKHOLM	252,937	" 14	131	68	14.0	-	-	1	4*	-	-	7	
CHRISTIANIA	167,588	" 21	41	62	19.2	-	-	1	2	3	-	18	
ST. PETERSBURG	954,400	" 7	480	574	31.4	-	18	8	11	6	6	181+	
MOSCOW	753,469	" 14	-	608	42.1	3	21	8	7	4	3	179	
BERLIN	1,714,938	" 7	951	686	21.0	-	12	9	7	8	3	130	
HAMBURG	598,372	" 21	-	188	16.8	-	7	-	6*	2	-	17	
DRESDEN	312,772	June 23	191	106	17.6	-	-	-	3*	2	1	13	
BRESLAU	360,660	July 21	-	189	27.3	-	1	2	3*	-	1	38	
MUNICH	390,900	" 21	-	174	23.2	-	-	-	4*	2	1	56	
VENNA	1,465,537	" 21	885	572	20.3	-	12	9	30*	2	2	82	
PRAGUE	339,172	" 21	174	159	24.4	-	6	1	-	1	-	10	
BUDA-PESTH	552,769	" 14	395	260	24.5	-	6	2	6	-	1	40	
BRISTOL	159,739	" 14	97	100	32.5	-	1	4	11*	2	-	5	
ROME	455,678	June 23	196	183	20.9	-	5	-	-	1	4+	22	
BUENOS AIRES (10 days)	537,997	July 10	207	166	18.0	-	1	-	3	-	4	24	
VENICE	160,406	June 30	-	-	-	-	-	-	-	-	-	-	
CAIRO	374,838	" 28	330	376	52.2	1	4	-	-	4	8	137	
ALEXANDRIA	231,396	" 28	175	144	32.4	1	-	-	1*	-	3	81	
NEW YORK	1,925,569	July 14	-	969	25.8	4	4	9	49	2	6	268	
BROOKLYN	1,043,000	" 14	-	676	33.4	-	6	5	30	7	3	215	
PHILADELPHIA	1,139,457	" 14	-	506	23.2	-	2	1	22	12	1	126	
NEW ORLEANS	254,000	June 23	-	116	23.8	-	-	-	1	1	5	16	

* Including deaths from croup.

+ Including 15 deaths from cholera in Calcutta, 11 in Bombay, and 47 in St. Petersburg.

† Including 2 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 28th JULY, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.			BAROMETER.		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface receives the fall of the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Phases of the Moon.	MORN AND DAY.	JULY.	Mean daily reading of the aneroid.	Mean daily reading of the aneroid.	Of the Air.				Of the Dew Point.				Difference between the Air Temperature and Dew Point Temperature.				Of Radiation.				General Direction.		Oiler's.		Pressure on the Square Foot.		Robinson's.		Horizontal Movement of the Air on each of the 10 years.	Vertical Movement of the Air on each of the 10 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
					High. est.	Low. est.	Daily Range.	Mean value.	De- parture from Average of 50 years.	Mean daily value.	Least. est.	Mean daily value.	Grat. est.	Least. est.	Degree of the midday radiation (Saturation 100°).	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Grat. est.	Least. hourly obs.	Mean of 24 hours.	Miles.	lbs.	Miles.	lbs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

GENERAL REMARKS.

DATE.	ELECTRICITY.	Registered Sun above horizon, in hours.	Remarks.
JULY.			
SUNDAY	22 m. P. in morning; v. P. afterwards.	1.1	15.8 Fine; generally cloudy.
MONDAY	23 Loss of register till 9h. A.M.; v. P. afterwards.	0.0	15.8 Overcast; occasional heavy showers.
TUESDAY	24 w. P. till 9h. P.M.; v. N. and v. P. afterwards.	0.0	15.7 Overcast. Rain fell in early morning, and again at night.
WEDNESDAY	25 w. P. till evening; m. P. at night.	9.0	15.7 Fine generally; occasional showers.
THURSDAY	26 w. P. generally	5.8	15.7 Fine; partially cloudy.
FRIDAY	27 v. P. in morning; w. P. till evening; at night.	7.4	15.6 Foggy in morning; fine and partially cloudy till evening; cloudless at night.
SATURDAY	28 v. P. in morning; m. P. afterwards.	10.6	15.6 Fine; partially cloudy.
		Sum 33.9	100.9

The results apply to the civil day or from midnight to midnight.

The height of the cistern of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glashier's Hygro-metrical tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: +, P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.68 in. at the beginning of the week to 29.73 in. by 10h. A.M. on the 22nd; decreased to 29.61 in. by 9h. A.M. on the 23rd; increased to 29.82 in. by 9h. A.M. on the 25th; decreased to 29.73 in. by 3h. P.M. on the 25th; increased to 29.18 in. by 9h. A.M. on the 25th; and was 29.91 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS,

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 31. 1894. VOL. LV.] WEEK ENDING SATURDAY, AUGUST 4. [Price 1½d.

*General Register Office, Somerset House,
August 7th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·2 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	July 14.	July 21.	July 28.	Aug. 4.		July 14.	July 21.	July 28.	Aug. 4.
Birkenhead	19·7	16·8	16·8	18·8	Liverpool	22·4	23·5	21·4	27·8
Birmingham	16·9	16·1	14·5	14·5	London	16·3	16·8	17·2	17·6
Blackburn	12·4	13·7	19·9	19·9	Manchester	17·1	18·6	18·8	21·8
Bolton	12·8	11·9	18·5	14·5	Newcastle-on-Tyne	15·5	14·7	16·3	15·5
Bradford	14·0	12·3	16·8	13·3	Norwich	13·8	16·3	17·8	14·3
Brighton	12·7	14·5	12·3	12·3	Nottingham	15·2	15·9	17·0	17·0
Bristol	17·7	12·0	15·9	12·4	Oldham	18·0	14·7	16·9	14·3
Burnley	13·5	12·4	14·6	14·6	Plymouth	11·3	16·0	11·3	20·2
Cardiff	10·2	9·8	15·1	13·0	Portsmouth	12·5	13·4	11·9	9·8
Croydon	12·6	12·6	13·5	13·5	Preston	18·3	22·0	16·8	29·0
Derby	9·5	18·5	13·7	8·4	Salford	22·0	22·0	20·3	18·7
Gateshead	12·3	11·7	9·5	20·1	Sheffield	13·4	18·6	18·8	18·0
Halifax	11·8	19·1	13·5	16·3	Sunderland	21·1	21·5	21·5	17·2
Huddersfield	11·1	12·7	15·9	13·8	Swansea	12·6	13·1	15·3	10·4
Hull	15·0	11·0	14·2	13·0	West Ham	13·8	17·1	14·4	14·0
Leeds	13·7	17·4	15·6	16·2	Wolverhampton	15·3	18·4	22·1	15·3
Leicester	12·1	18·5	13·2	17·4					

The highest annual death-rates, as measured by last week's mortality, were:—from *measles*, 1·3 in West Ham, 1·5 in Sunderland, 1·6 in Bristol, and 1·7 in Halifax; from *whooping-cough*, 1·0 in Birkenhead and 1·1 in Halifax; from "*fever*," 1·1 in Gateshead; and from *diarrhœa*, 2·2 in Brighton, 2·3 in Nottingham, 3·7 in Sheffield, 5·0 in Liverpool, 5·5 in Leicester, and 5·6 in Preston. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 80 deaths from *diphtheria* included 57 in London, 3 in Manchester, and 3 in Leeds. Five deaths from *small-pox* were registered in London, 2 in Birmingham, and one death in Manchester, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2695 BIRTHS and 1464† DEATHS were registered. Allowing for increase of population, the births were 137 above, and the deaths 242 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·3, 16·8, and 17·2 in the preceding three weeks, further rose last week to 17·6. During the four weeks

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

ending on Saturday last the death-rate averaged 17·0 per 1000, being 3·3 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1464 deaths included 5 from small-pox, 50 from measles, 18 from scarlet fever, 57 from diphtheria, 26 from whooping-cough, 6 from enteric fever, 126 from diarrhoea and dysentery, 6 from infantile cholera and choleraic diarrhoea, and not one death from typhus or from any ill-defined form of continued fever; thus, 294 deaths were referred to these diseases, being 131 below the corrected average weekly number.

Of the 5 deaths from *small-pox*, 3 belonged to Marylebone, and one death each to Paddington and Pancras sanitary areas. There were 197 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 18 in the Highgate Small-pox Hospital, making a total of 215, against 97, 79, and 207 on the preceding three Saturdays; 40 cases were admitted during the week, against 17, 10, and 152 in the preceding three weeks. The deaths of two infants under one year of age were referred to *varicella*. The deaths from *measles*, which had been 57, 57, and 53 in the preceding three weeks, numbered 50 last week and were 3 above the corrected average; 6 belonged to Paddington and 5 to Camberwell sanitary areas. The deaths from *scarlet fever*, which had been 16, 24, and 29 in the preceding three weeks, declined last week to 18, and were 5 below the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2221 scarlet fever patients at the end of last week, against 2143, 2198, and 2197 on the preceding three Saturdays; 259 cases were admitted during the week, against 264 and 241 in the preceding two weeks. The deaths from *diphtheria*, which had been 45, 36, and 52 in the preceding three weeks, further rose to 57 last week, and exceeded the corrected average by 27; 7 belonged to Camberwell, 6 to Islington, 4 to Pancras, and 4 to Lambeth sanitary areas. The Metropolitan Asylum Hospitals* contained 470 diphtheria patients at the end of last week, against 365, 402, and 435 on the preceding three Saturdays; 99 cases were admitted during the week, against 94 and 102 in the preceding two weeks. The deaths from *whooping-cough*, which had been 29, 43, and 35 in the preceding three weeks, further declined last week to 26, and were 17 below the corrected average. The fatal cases of *enteric fever*, which had been 6, 8, and 5 in the preceding three weeks, numbered 6 last week, and were but half the corrected average. The Metropolitan Asylum Hospitals* contained 69 cases of enteric fever and not one case of typhus on Saturday last; 13 cases of enteric fever were admitted during the week, against 12 and 16 in the preceding two weeks. The deaths from *diarrhoea*, which had been 94, 140, and 122 in the preceding three weeks, numbered 126 last week, being 133 below the corrected average. Of the 6 deaths from infantile cholera and choleraic diarrhoea, 5 were of children under 5 years of age.

The deaths referred to diseases of the respiratory organs, which had been 158, 124, and 160 in the preceding three weeks, declined again to 144 last week, and were 45 below the corrected average.

Different forms of violence caused 71 deaths, concerning 70 of which inquests were held. Of these 71 deaths, 16 were cases of suicide, while the remaining 55 were attributed to accident or negligence. Thirteen of these were referred to vehicles in the streets, 2 to conflagrations, 13 to drowning, and 7 (of infants under one year of age) to suffocation in bed. The death of a male, aged 20 years, and that of a female, aged 31 years, were attributed, after inquests, to failure of heart while under chloroform administered in hospitals.

GREATER LONDON.

In Greater London 3581 births and 1860 deaths were registered, corresponding to annual rates of 31·4 and 16·3 per 1000 of the estimated population. In the Outer Ring one death from small-pox, 22 deaths from measles, 10 from diphtheria, 13 from whooping-cough, and 38 from diarrhoea were recorded. The death from small-pox occurred in Willesden sub-district. Of the 22 deaths from measles, 9 occurred in West Ham, 5 in Edmonton, and 4 in Hendon districts. The 10 deaths from diphtheria included 4 in West Ham and 2 in Edmonton districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·67 inches, and that of the Thermometer 62°·1, the latter being 0°·1 below the week's average in the 50 years 1841-90. The direction of the wind was South-Westerly, the horizontal movement of the air being 18 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 18·6 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—Births, Deaths, and Meteorology, in 33 GREAT TOWNS, during the Week ending 4th August 1894.

CITIES AND BOROUGHES.	POPULATION estimated to the middle of the Year 1884.*	Registered during the Week ending 4th Aug. 1894.		Deaths during the Week										TEMPERATURE OF THE AIR.										RAINFALL.		CITIES AND BOROUGHES.	
		1.	2.	3.	Deaths of			Deaths from							Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Causes.	From Diseases in Cottages.	Mean.		In Inches.	In Centi- metres.				
					Infants under 1 Year of Age.	Persons aged 1 to 60 Years.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.						Violence.							
Cols.					4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.	
33 TOWNS	10,458,442	5529	2415	1088	642	8	59	35	30	66	23	328	141	247	665	63	17-2	3-2	78-0	43-8	59-6	15-33	0-82	2-08	-	33 TOWNS.	
LONDON	4,349,166	2695	1404	480	272	5	50	18	57	26	6	126	71	131	410	10	17-6	3-5	78-0	52-1	62-1	16-72	0-19	0-48	-	LONDON.	
WEST HAM	238,184	149	64	19	7	-	6	1	2	1	-	1	6	1	3	2	14-0	3-9	-	-	-	-	-	-	-	WEST HAM.	
CRYDON	111,921	64	29	7	10	-	1	-	1	-	-	-	-	-	4	-	13-5	1-4	-	-	-	-	-	-	-	CRYDON.	
BRIGHTON	118,715	58	28	8	8	-	1	-	-	-	-	-	-	-	6	-	12-3	2-6	-	-	-	-	-	-	-	BRIGHTON.	
PORTSMOUTH	170,373	39	32	6	11	-	1	-	1	-	-	-	-	-	6	-	9-8	1-2	-	-	-	-	-	-	-	PORTSMOUTH.	
PLYMOUTH	87,931	53	34	9	8	-	-	-	-	-	-	-	-	-	2	4	1	20-2	1-8	-	-	-	-	-	-	PLYMOUTH.	
BRISTOL	226,578	125	54	13	17	-	7	-	1	-	-	-	-	-	11	3	12-4	2-1	70-0	49-0	58-4	14-67	1-40	3-56	-	BRISTOL.	
CARDIFF	148,890	111	37	11	5	-	-	-	1	-	-	-	-	-	2	2	1	13-0	1-1	-	-	-	-	-	-	CARDIFF.	
SWANSEA	45,359	81	19	7	4	-	-	-	-	-	-	-	-	-	1	2	1	10-4	0-5	-	-	-	-	-	-	SWANSEA.	
WOLVERHAMPTON	85,036	52	25	4	5	-	-	-	1	-	-	-	-	-	1	2	4	15-3	1-2	-	-	-	-	-	-	WOLVERHAMPTON.	
BIRMINGHAM	492,301	274	137	33	59	-	1	2	1	3	1	10	2	1	44	3	14-5	2-1	-	-	-	-	-	-	-	BIRMINGHAM.	
NORWICH	105,645	55	29	10	6	-	-	-	-	-	-	-	-	-	1	3	1	14-3	1-5	-	-	-	-	-	-	NORWICH.	
LEICESTER	189,136	109	63	31	16	-	-	-	-	-	-	-	-	-	1	4	2	17-4	5-5	-	-	-	-	-	-	LEICESTER.	
NOTTINGHAM	233,584	112	73	21	17	-	1	-	1	1	10	3	3	3	9	1	17-0	3-0	70-4	45-2	60-3	15-72	0-80	2-03	-	NOTTINGHAM.	
DERBY	58,796	60	16	3	6	-	-	-	-	-	-	-	-	-	3	5	4	8-4	-	-	-	-	-	-	-	DERBY.	
BIRKENHEAD	105,627	64	38	10	9	-	-	-	-	1	2	1	2	-	3	3	-	18-8	3-0	-	-	-	-	-	-	BIRKENHEAD.	
LIVERPOOL	507,280	315	270	96	30	-	7	4	-	1	1	5	49	14	21	50	11	27-8	6-8	75-5	32-4	59-9	15-50	1-53	3-80	LIVERPOOL.	
BOLTON	118,503	60	33	3	7	-	-	-	-	1	-	1	1	1	2	1	-	14-5	1-3	-	-	-	-	-	-	BOLTON.	
MANCHESTER	520,211	283	217	74	39	-	4	2	3	6	1	20	6	11	48	5	21-8	3-7	-	-	-	-	-	-	-	MANCHESTER.	
SALFORD	206,828	114	74	31	6	-	2	-	2	2	2	8	3	5	8	3	18-7	4-1	-	-	-	-	-	-	-	SALFORD.	
OLDHAM	188,715	76	38	6	5	-	-	-	-	-	-	-	-	-	1	4	1	14-3	1-1	-	-	-	-	-	-	OLDHAM.	
BURNLEY	164,478	61	27	3	7	-	-	-	-	1	-	-	-	-	1	-	-	14-6	1-6	-	-	-	-	-	-	BURNLEY.	
BLACKBURN	125,797	52	48	11	11	-	1	-	-	-	-	-	-	-	3	3	4	19-9	2-5	-	-	-	-	-	-	BLACKBURN.	
PRESTON	111,425	79	62	31	8	-	1	-	-	-	-	-	-	-	1	2	5	29-0	6-1	-	-	-	-	-	-	PRESTON.	
HUDDERSFIELD	48,511	30	26	-	3	-	1	-	-	1	-	-	-	-	2	2	-	13-8	2-6	-	-	-	-	-	-	HUDDERSFIELD.	
HALIFAX	92,861	35	29	3	10	-	3	-	-	2	-	-	-	-	2	2	-	16-3	2-8	-	-	-	-	-	-	HALIFAX.	
BRADFORD	233,885	124	57	18	12	-	2	-	1	-	-	-	-	-	5	8	-	13-3	1-9	-	-	-	-	-	-	BRADFORD.	
LEEDS	388,761	238	121	35	21	-	2	-	1	-	-	-	-	-	11	10	1	16-2	2-3	-	-	-	-	-	-	LEEDS.	
SHEFFIELD	338,316	231	117	51	16	-	2	-	1	-	-	-	-	-	5	8	3	18-0	4-8	-	-	-	-	-	-	SHEFFIELD.	
HULL	212,679	122	53	16	12	-	1	-	-	2	-	-	-	-	1	5	6	13-0	1-0	-	-	-	-	-	-	HULL.	
SUNDERLAND	136,101	64	45	13	5	-	4	-	-	2	-	-	-	-	3	1	1	17-2	3-4	-	-	-	-	-	-	SUNDERLAND.	
GATESHEAD	58,572	57	36	9	6	-	-	-	-	2	-	-	-	-	1	2	5	20-1	2-2	-	-	-	-	-	-	GATESHEAD.	
NEWCASTLE	201,347	127	60	16	14	-	3	-	-	2	-	-	-	-	4	3	1	15-5	2-6	-	-	-	-	-	-	NEWCASTLE.	

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-FIRST Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2589	2164	2336	2317	2530	2481	2557	2317	2376	2570	2558.0	2695
Males . .	1300	1109	1181	1173	1306	1216	1338	1199	1253	1359	1312.8	1379
Females .	1289	1055	1155	1144	1224	1265	1219	1118	1118	1211	1245.2	1316
TOTAL Deaths	1767	1720	1620	1759	1309	1532	1633	1646	1409	1715	1705.6	1464
Males . .	938	935	836	938	663	825	881	883	734	913	902.0	775
Females .	829	785	784	821	646	707	802	763	675	802	803.6	689

* The numbers in this column are the average weekly numbers in the thirty-first weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.
TOTAL Births	2589	2241	2414	2374	2300	2436	2334	2458	2254	2371	2119	2419	2695
TOTAL Deaths	1531	1463	1440	1366	1398	1336	1330	1282	1314	1356	1405	1437	1464
Ages at Death													
{ 0-20 years	729	756	746	652	727	593	588	601	628	693	768	783	801
{ 20-40 "	216	154	163	181	182	188	176	171	180	179	158	149	177
{ 40-60 "	267	209	234	251	232	269	255	219	250	215	242	237	214
{ 60-80 "	267	284	249	235	212	238	261	234	218	230	197	230	228
{ 80 years & upwards	52	60	48	47	45	43	50	57	38	39	40	38	44
Deaths from													
{ Under 1 year	286	339	316	291	305	261	278	269	313	410	461	457	480
{ 1-5 "	343	316	322	277	328	252	216	228	225	199	220	228	216
{ 5-20 "	100	101	103	84	94	80	94	104	90	84	84	98	105
Deaths from Small-pox	3	3	7	4	3	-	5	-	1	2	1	1	5
" " Measles	152	175	165	148	169	122	99	92	88	57	57	55	50
" " Scarlet fever	25	20	20	14	17	19	18	19	17	16	24	29	18
" " Diphtheria	55	56	41	36	34	43	44	56	43	45	36	52	57
" " Whooping-cough	53	46	50	43	36	34	20	25	28	29	43	35	26
" " Typhus	-	-	-	-	-	-	-	-	-	1	-	1	-
" " Enteric fever	9	8	14	13	10	10	9	3	6	8	5	6	6
" " Simple Cont'd fever	-	1	1	-	1	-	2	1	-	-	-	-	-
" " Diarrhoea and Dysentery	14	15	11	10	9	5	12	15	35	94	140	122	126
" " Cholera	-	-	-	-	-	2	1	-	1	3	1	-	6
" " all the above- mentioned Diseases	311	324	309	268	279	235	211	217	216	253	310	293	294
" " Dis. of Respira- tory System	272	234	248	222	237	185	201	152	162	158	124	160	144
" " Phthisis	169	132	137	137	131	153	136	123	117	126	131	132	133
" " Dis. of Circula- tory System	86	106	106	103	94	101	124	116	119	104	96	106	95
Violent Deaths	52	57	44	67	57	70	67	70	68	74	61	57	71
Inquest Cases	126	126	106	128	112	121	125	143	129	137	132	113	131
Deaths in Public Institutions	436	398	379	409	385	397	407	412	363	386	379	420	410
TEMPERATURE OF THE AIR													
Mean	51.0	54.5	48.2	50.1	56.1	56.3	58.9	63.8	66.0	59.2	59.1	62.8	62.1
Mean of Highest readings	61.6	65.8	58.5	61.2	65.2	66.4	69.7	76.8	79.5	70.6	67.6	73.8	71.9
Mean of Lowest readings	42.4	45.5	38.8	42.0	49.8	48.8	50.5	51.0	53.9	52.0	53.0	51.4	55.7
Humidity of the Air	76	74	72	80	85	79	79	67	66	80	82	80	80
Rain-fall in inches	0.44	0.09	0.42	0.67	1.07	0.46	0.32	0.00	0.19	2.27	0.30	0.39	0.19
Registered Sunshine (in hours)	23.8	36.5	39.9	30.5	8.9	15.7	29.0	67.5	53.6	39.9	16.6	33.9	18.6

METEOROLOGICAL OBSERVATIONS. (See TABLE 2.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., J.L.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Worcester; Wolverhampton; Arthur Brown, Esq., and F. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandrough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FIRST Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 31st Week of the 10 years 1884-93.*	In the Week ending Saturday, 4th August 1894.										CAUSES OF DEATH.	Corrected Averages for the 31st Week of the 10 years 1884-93.*	In the Week ending Saturday, 4th August 1894.											
		Deaths of Persons of the Ages												Deaths of Persons of the Ages											
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																
			0-1.	1-5.	5-20.																				0-1.
ALL CAUSES - -	1705.6	146.4	48.0	21.6	10.5	17.7	21.4	22.3	4.4			Diseases of Organs of Special Sense - -	3.3	3	-	1	-	2	-	-	-	-			
Small-pox { Vaccinated† -	0.5	2	-	-	-	2	-	-	-			Diseases of Circulatory System - -	102.0	95	-	-	8	15	31	35	6				
Small-pox { Unvaccinated -	0.6	2	-	1	1	-	-	-	-			Croup - - - - -	7.3	3	-	2	1	-	-	-	-				
Small-pox { No Statement -	0.8	1	-	-	-	1	-	-	-			Bronchitis - - -	95.6	75	24	8	-	2	10	8	3				
Measles - - - - -	48.6	50	14	35	1	-	-	-	-			Pneumonia - - -	61.6	50	16	16	3	5	5	5	-				
Scarlet Fever - -	23.2	18	-	7	11	-	-	-	-			Pleurisy - - - -	5.1	3	-	-	-	2	-	1	-				
Typhus - - - - -	0.3	-	-	-	-	-	-	-	-			Other Diseases of Respiratory System - -	19.5	13	4	-	1	1	2	3	2				
Relapsing Fever -	-	-	-	-	-	-	-	-	-			Dentition - - - -	12.1	7	5	2	-	-	-	-	-				
Influenza - - - -	1.7	4	-	1	-	-	1	2	-			Quinsy, Sore Throat - -	2.1	-	-	-	-	-	-	-	-				
Whooping-cough -	42.8	26	13	13	-	-	-	-	-			Enteritis - - - -	23.8	59	37	7	2	-	2	2	-				
Diphtheria - - -	59.8	67	3	35	18	-	1	-	-			Peritonitis - - -	6.8	6	1	-	4	1	-	-	-				
Simple Continued and Ill-defined Fever - -	1.2	-	-	-	-	-	-	-	-			Diseases of Liver - -	24.2	18	1	1	-	1	9	6	-				
Enteric Fever - -	11.9	6	-	1	3	2	-	-	-			Other Diseases of Digestive System - -	33.3	37	8	3	2	4	7	13	-				
Cholera and Chol. Diarr.	8.7	6	3	2	-	1	-	-	-			Diseases of Lymphatic System & of Ductless Glands - -	2.8	1	-	-	-	1	-	-	-				
Diarrhoea, Dysentery -	258.9	126	10	17	1	1	1	6	-			Diseases of Urinary System - - - -	33.8	43	-	1	2	7	13	21	2				
Remittent Fever - -	0.5	-	-	-	-	-	-	-	-			Diseases of Generative System - - -	5.1	8	-	-	-	2	4	2	-				
Hydrophobia - - -	0.1	-	-	-	-	-	-	-	-			Accidents of Childbirth -	4.5	8	-	-	-	6	2	-	-				
Glanders - - - -	0.1	-	-	-	-	-	-	-	-			Diseases of Locomotive System - - -	7.6	7	-	-	2	2	1	2	-				
Cowpox and Effects of Vaccination - -	0.2	-	-	-	-	-	-	-	-			Diseases of Integumentary System - - -	6.0	3	2	-	-	-	-	1	-				
Veneral Affections -	11.7	7	6	-	-	1	-	-	-			VIOLENT DEATHS.†													
Erysipelas - - -	4.7	2	3	-	-	-	-	-	-			(ACCIDENT.)													
Pyæmia and Septicæmia	1.4	3	1	-	1	-	-	1	-			By Railways - - -	3	-	-	-	-	2	1	-	-				
Puerperal Fever - -	4.5	2	-	-	-	1	1	-	-			By Vehicles or Horses -	13	-	2	5	1	2	3	-	-				
Other Zymotic Diseases	1.2	2	2	-	-	-	-	-	-			In Ships, Boats, Docks (exclusive of Drowning) -	-	-	-	-	-	-	-	-	-				
Thrush - - - - -	4.3	-	-	-	-	-	-	-	-			In Building Operations -	-	-	-	-	-	-	-	-	-				
Worms and other Parasitical Diseases - -	0.1	-	-	-	-	-	-	-	-			In Conflagrations - -	-	2	1	1	-	-	-	-	-				
Starvation, Want of Breast-milk - - -	4.1	2	2	-	-	-	-	-	-			By Burns, Scalds, Explosions - - -	51.0	2	-	1	1	-	-	-	-				
Alcoholism - - -	6.5	11	-	-	4	6	1	-	-			By Drowning - - -	13	-	1	5	3	3	1	-	-				
Rheumatic Fever, Rheumatism of Heart	5.3	4	-	-	1	2	1	-	-			By Suffocation in Bed -	7	7	-	-	-	-	-	-	-				
Rheumatism - - -	2.2	1	-	-	1	-	-	-	-			By Poisons or Poisonous Vapours - - -	3	-	-	-	3	-	-	-	-				
Gout - - - - -	2.4	2	-	-	-	-	-	2	-			Other or not stated Causes - - - -	12	1	2	2	2	1	2	2	-				
Rickets - - - -	5.7	8	4	4	-	-	-	-	-			(VIOLENCE OTHER THAN ACCIDENTAL.)													
Cancer - - - - -	69.4	63	1	-	1	5	24	31	1			Homicide - - - -	0.9	-	-	-	-	-	-	-	-				
Tabs Mesenterica -	48.7	31	22	7	1	1	-	-	-			Suicide - - - - -	9.2	16	-	-	1	4	8	3	-				
Tubercular Meningitis	30.4	27	7	13	4	3	-	-	-			Execution - - - -	0.2	-	-	-	-	-	-	-	-				
Phthisis - - - -	148.3	133	4	1	17	11	37	3	-			OTHER CAUSES - - -	91.3	59	49	6	-	1	2	1	-				
Scrofula, Tubercles	23.5	18	13	7	3	4	-	1	-																
Other Constitutional Diseases - -	8.4	13	-	1	-	3	4	5	-																
Premature Birth - -	43.5	59	59	-	-	-	-	-	-																
Atelectasis - - -	3.0	9	9	-	-	-	-	-	-																
Congenital Malformations - -	6.9	10	10	-	-	-	-	-	-																
Old Age - - - -	30.2	33	-	-	-	-	-	13	20																
Apoplexy - - - -	41.0	35	1	1	-	4	14	13	2																
Epilepsy - - - -	7.5	7	-	-	1	5	1	-	-																
Convulsions - - -	54.0	45	33	7	-	-	-	-	-																
Other Diseases of Brain and Nervous System	84.5	63	11	9	2	5	11	27	5																

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population. † These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical practitioner, the case is returned under the heading "no statement." ‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation. 1891.	Total Births.	Deaths of														
			Total Deaths.	Infants under Year of Age.	Persons aged 60 Years upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple non- venereal Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2695	1464	480	272	5	50	13	57	23	-	6	-	126	71	131	410
WEST DISTRICTS	740,735	450	297	79	42	-	11	3	7	5	-	1	-	22	9	16	71
NORTH DISTRICTS	993,884	613	335	107	66	-	10	3	13	7	-	2	-	20	18	32	79
CENTRAL DISTRICTS	247,538	139	99	80	17	-	3	-	3	-	-	1	-	11	8	13	43
EAST DISTRICTS	705,114	523	279	109	46	-	7	2	6	5	-	2	-	23	15	34	84
SOUTH DISTRICTS	1,524,472	965	484	155	92	-	19	5	31	9	-	2	-	47	21	86	104
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	30	-	9	5	-	5	-	-	-	-	-	-	-	-	30
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	84159	46	33	15	3	-	6	-	1	2	-	-	-	7	1	2	2
St. John Paddington H - - G.J.	33387	11	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town W - - W.M.	118751	81	45	22	7	-	3	-	-	-	-	-	-	5	-	-	12
Brompton H - - W.M. & C.	47557	24	16	4	3	-	-	-	-	-	-	-	-	1	-	-	7
St. Peter Hammersmith - - W.M.	85333	7	2	1	-	-	-	-	-	-	-	-	-	1	2	2	4
St. Paul Hammersmith H W.M. & G.J.	91839	60	24	10	5	-	1	-	1	5	8	-	-	3	1	1	14
Fulham W - - W.M. & C.	91839	83	37	10	7	-	3	5	8	-	-	-	-	1	-	-	-
Chelsea Kensal Town - - C.	21787	12	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Chelsea North WH/HHH - - C.	41637	23	8	1	1	-	1	-	-	-	-	-	-	-	-	1	3
Chelsea South HH - - C.	32820	23	16	3	5	-	-	-	-	-	-	-	-	-	-	3	6
May Fair W - - G.J.	23733	7	3	1	2	-	-	-	-	-	-	-	-	1	1	1	3
Belgrave WHHH - - C.	54331	31	14	5	3	-	-	-	-	-	-	1	-	1	1	1	5
St. John Westminster HHH - - C.	31108	22	7	2	2	-	-	-	-	-	-	-	-	1	1	1	-
St. Margaret Westminster H - - C.	21668	6	12	2	3	-	-	-	-	-	-	-	-	-	2	3	9
St. James Westminster WHH N.R. & G.J.	24995	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho HHHHHH - - N.R.	12317	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone } - - W.M.	37713	19	14	3	4	-	-	-	-	-	-	-	-	-	1	1	7
HHHHHHHHH } - - G.J. & W.M.	20624	12	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1
Rectory Marylebone W - - G.J. & W.M.	19239	34	6	2	2	-	-	-	-	-	-	-	-	-	1	1	2
St. Mary Marylebone HHHH G.J. & W.M.	33327	18	9	5	3	-	1	-	-	-	-	-	-	3	2	4	-
Christchurch Marylebone H - - W.M.	32101	9	14	8	3	-	1	-	-	-	-	-	-	2	1	2	-
St. John Marylebone H - - W.M.	68416	27	35	4	6	-	2	-	4	1	-	2	-	-	1	2	12
Hamstead W HHHHH N.R. & W.M.	36590	18	9	3	4	-	-	-	-	-	-	-	-	2	1	1	13
Regent's Park Panacea HH - - W.M.	28331	11	18	3	0	-	-	-	1	-	-	-	-	-	-	-	4
Tottenham-court WHHHH N.R. & W.M.	27455	16	15	5	1	-	-	-	-	-	-	-	-	-	4	5	2
Gray's Inn Lane HHH - - N.R.	32899	21	7	4	-	-	-	-	-	-	-	-	-	2	1	1	2
Somers Town HH - - N.R.	15419	17	10	3	5	-	-	-	2	1	-	-	-	-	1	1	6
Camden Town WH - - N.R.	95765	68	21	11	4	-	-	-	-	-	-	-	-	1	-	1	1
Kentish Town W - - N.R.	90235	62	28	9	5	-	1	-	1	-	-	-	-	-	1	3	9
Upper Holloway WHHHH - - N.R.	105557	65	32	15	5	-	-	-	1	4	-	-	-	4	1	2	-
Islington South-west H - - N.R.	64158	39	20	6	5	-	-	-	-	-	-	-	-	1	1	2	-
Islington South-east - - N.R.	59193	43	13	4	1	-	-	-	-	-	-	-	-	-	1	-	-
Highbury HH - - N.R.	30936	10	7	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Stoke Newington H - - N.R.	17759	10	6	2	2	-	2	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - E.L.	42602	21	9	2	2	-	1	-	1	-	-	-	-	-	-	-	1
West Hackney H - - N.R.	96486	65	45	9	6	-	2	2	8	-	-	-	-	3	2	4	21
Hackney WWHHH - - E.L. & N.R.	41759	29	13	7	-	-	-	1	-	-	-	-	-	2	2	2	-
South Hackney W - - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16995	3	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Giles South WH - - N.R.	13454	14	3	-	3	-	-	-	-	-	-	-	-	-	-	1	2
St. Giles North H - - N.R.	9633	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin-in-the-Fields HHH N.R. & C.	14616	4	5	1	-	-	-	-	1	-	-	-	-	-	-	1	3
St. Mary-le-Strand H - - N.R.	5706	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes WH - - N.R.	7194	4	7	2	-	-	-	-	-	-	-	-	-	-	2	3	5
Strand Union Workhouse, Edmonton W.	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Geo-the-Martyr HHHHHH N.R.	17921	10	7	1	-	-	-	-	-	-	-	-	-	-	-	-	6
St. Andrew Eastern W - - N.R.	13343	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - - N.R.	16803	13	5	3	-	-	1	-	-	-	-	-	-	2	1	1	-
Amwell Clerkenwell - - N.R.	16883	9	4	2	-	-	-	-	-	-	-	-	-	1	1	1	-
Pentonville - - N.R.	17155	8	6	5	-	-	-	-	-	-	-	-	-	3	-	-	-
Goswell-street - - N.R.	15375	7	9	3	2	-	1	-	1	-	-	-	-	-	-	-	-
City-road HHHH - - N.R.	29177	32	9	2	2	-	1	-	-	-	-	-	-	1	1	2	1
Whitecross-street - - N.R.	2278	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - N.R.	4365	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham W.	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4
St. Botolph H - - N.R. & E.L.	8944	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.	4530	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Sepulchre H - - N.R.	4444	2	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Bride W - - N.R.	6594	3	1	-	-	-	-	-	-	-	-	1	-	1	5	4	20
A Shalvoss Barking - - N.R.	10422	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.	3377	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; A.—Asylum; L.—Lunatic Asylum; L.—Private Lunatic Asylum in which paupers are received; W.—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N. R., North River; E. L., East London; and K., the Kent Company.

* See note on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT: *
y, 4th August, 1894.

REGISTRATION		Number rated Popu- lation, 1891.	The DEATHS registered in the Week include															
SUB-DISTRICTS.			Total Deaths.	Total Deaths.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		Infants under Year of Age.			Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Ereptic (or Typhoid) Fever.	Simple un-qualified Fever.	Diarrhoea.				Violence.
EAST DISTRICTS.																		
Mitch South HL*	E.L. & N.R.	20098	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Town w	N.R.	29813	13	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Town	N.R.	28364	17	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-
urston WH	N.R. & E.L.	46244	28	16	6	6	1	-	-	-	-	-	3	-	-	-	-	-
al Green North H	E.L.	51520	38	14	6	2	-	-	1	-	-	-	3	2	3	-	-	-
al Green South	E.L.	33489	26	11	7	-	-	1	-	-	-	-	1	-	-	-	-	-
al Green East WHL*	E.L.	44123	28	17	5	2	-	-	-	-	-	-	1	-	-	8	-	-
Fields - Town	E. N.R.	29446	17	11	8	-	-	-	-	-	-	-	3	-	2	-	-	-
End New Church H	E.L. & N.R.	17908	28	10	3	1	-	-	-	-	-	-	-	-	1	5	-	-
man's Fields	E.L.	20593	17	24	6	2	-	2	1	-	-	-	-	1	3	21	-	-
George's, North	E.L.	13800	19	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ohn, St. George East W	E.L.	37738	38	17	11	-	-	1	-	-	-	-	3	1	-	-	-	-
rell H	E.L. & N.R.	8537	18	13	-	7	-	-	-	-	-	-	1	2	3	11	-	-
ll W	E.L.	09248	4	6	5	-	-	-	-	-	-	-	-	1	1	4	-	-
house	E.L.	14928	6	2	1	-	-	-	-	-	-	-	-	2	4	-	-	-
End Old Town West H	E.L.	32202	84	14	6	-	-	1	-	-	-	-	-	-	-	-	-	-
End Old Town East WWH	E.L.	38650	44	16	7	1	-	-	1	-	-	-	4	1	2	1	-	-
W	E.L.	68942	38	22	10	5	-	-	-	-	-	-	4	-	2	2	1	-
W	E.L.	40865	75	9	2	3	-	-	1	1	-	-	-	2	3	-	-	-
W	E.L.	70000	46	41	11	9	-	2	1	-	-	-	3	3	5	17	-	-
W	E.L.	56383	36	14	2	2	-	2	1	1	-	-	-	1	2	2	-	-
SOUTH DISTRICTS.																		
church Southwark WH	L. & S.	13264	7	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
aviour Southwark	S.	13913	7	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-
oad	S. & L.	21867	18	8	5	1	2	1	-	-	-	-	2	-	-	1	-	-
igh-road WH	S. & L.	16524	15	6	3	-	-	1	-	-	-	-	-	-	1	2	1	-
on-road HL	L. & S.	21231	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ey Newington	S. & L.	26593	16	12	3	1	-	-	-	-	-	-	2	-	-	-	-	-
eter Walworth W	S. & L.	61343	31	12	4	-	-	1	-	-	-	-	1	-	3	-	-	-
ary Newington	L. & S.	27866	17	11	4	-	-	1	-	2	-	-	-	-	1	-	-	-
ave WH	S.	12723	11	10	1	3	-	-	-	-	-	-	-	4	5	14	-	-
er Market	S. & L.	14953	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
ary Magdalen W	S.	15660	13	9	4	3	-	-	-	-	-	-	-	1	1	-	-	-
ames Bermondsey	S.	54070	39	13	6	1	-	-	1	-	-	-	1	-	-	-	1	-
rithe WH	S. & K.	39255	30	18	0	3	-	-	1	1	-	-	3	2	2	2	-	-
loo-road 1st H	L. & S.	14031	10	7	3	-	-	1	-	1	-	-	1	1	1	-	1	-
loo-road 2nd H	L. & S.	14644	21	5	2	2	-	1	-	-	-	-	1	-	-	-	-	-
eth Church 1st H	L. & S.	18075	9	21	3	2	-	1	-	1	-	-	2	-	2	13	1	-
eth Church 2nd WH	L. & S.	39097	25	17	7	6	-	1	-	1	-	-	1	-	9	-	-	-
ington 1st H	S. & L.	50386	55	17	5	6	-	-	1	1	-	-	1	4	-	-	-	-
ington 2nd H	S. & L.	39708	11	3	1	1	-	-	-	-	-	-	1	1	5	-	-	-
on w	L. & S.	73405	36	22	3	5	-	1	1	4	-	-	1	-	-	-	-	-
ood WH	L.	25637	20	5	4	1	-	1	-	-	-	-	1	-	-	-	-	-
Battersea	S.	67344	48	20	11	1	-	-	-	2	-	-	5	-	2	-	1	-
Battersea WH	S.	83314	47	29	7	7	-	1	-	-	1	-	3	-	-	4	-	-
am	S.	43698	21	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-
aworth WHL	S.	46717	35	7	2	3	-	1	-	1	-	-	1	-	-	-	-	-
ay	S.	17771	9	6	2	3	-	-	-	-	-	-	-	2	2	-	-	-
ham w	L.	48736	16	17	2	7	-	2	1	1	-	-	-	1	1	4	-	-
ch	L. & S.	6809	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
erwell WH L*L*	S. & L.	81686	47	23	5	6	-	1	-	2	1	-	4	-	-	14	-	-
am WW	S., L., & K.	39438	50	37	18	7	-	3	-	1	-	-	9	1	2	1	-	-
orge Camberwell	L. & S.	63366	50	10	7	1	-	1	-	-	-	-	2	-	-	-	-	-
ord, North	K.	25314	26	12	3	1	-	1	-	-	1	-	2	-	-	-	-	-
ord, Central w	K.	42007	31	21	5	1	-	2	9	-	-	1	-	1	12	-	-	-
ord, South	K.	30852	21	14	5	4	-	2	-	-	-	-	2	-	-	-	1	-
rich West H	K.	22007	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
rich East WH	K.	35233	10	17	3	3	-	-	-	-	-	-	-	-	-	10	-	-
m w I	K.	5582	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H	K.	23541	12	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
ham WH	K.	30950	20	6	2	2	-	-	-	-	-	-	-	1	2	1	1	-
ham H	L.	34162	25	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
ton HH	K.	14040	7	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-
rich Dockyard	K.	19606	10	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
rich Arsenal HH	K.	41242	17	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-
stead, West H	K.	15869	14	3	1	1	-	-	-	-	-	-	-	1	1	-	-	-
stead, East W	K.	36567	23	10	2	2	-	-	-	-	-	-	-	-	1	5	-	-
ead Asylum	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
ham Asylum	-	-	-	7	-	4	-	-	-	-	-	-	-	-	-	-	7	-
hill Asylum	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
tal Ships and Camp, Dartford	-	-	-	5	-	-	-	5	-	-	-	-	-	-	-	-	5	-
th Asylum	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ell Asylum	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
y Hatch Asylum	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
ospital	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
unore Hill Hospital	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	1	-
eden Asylum	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ury Asylum	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 4th August, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acre-	Popu- lation 1891	BIRTHS.	DEATHS.	The Deaths registered in the Week include													
						Deaths of			Deaths from										
						Infants under 1 Year of Age.	Persons aged 1 Year & upwards.	Persons aged 65 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Cases.
LONDON—OUTER RING.		363,749	1,422,063	886	396	121	73	1	22	2	10	13	1	33	13	22	36		
80: 1	Carshalton WH	12228	26103	13	8	-	3	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* WH	10423	12508	9	5	-	2	-	-	-	-	-	-	-	-	1	1	2	
37: 1	Godstone, part of* W	754	1594	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon WHH	20161	128699	75	31	7	11	-	-	1	-	1	-	-	-	1	6	-	
2	Mitcham w	11697	23033	11	3	3	-	-	-	-	-	-	-	-	2	-	-	-	
39: 1	Wimbledon HHH	3290	25761	15	5	3	1	-	-	-	-	-	-	-	1	-	-	-	
2	Kingston WHH	8071	44765	16	12	3	1	-	-	-	-	-	-	-	-	2	2	-	
3	Esher, part of*	6601	12059	6	6	3	2	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H	4545	18252	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond WH	2160	25339	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Mortlake H	2823	16159	3	4	-	2	-	1	-	-	-	-	-	-	-	-	-	
41: 1	Bromley HHH	9127	23815	11	6	2	1	-	1	-	1	-	-	-	1	1	1	-	
2	Beckenham H	6542	21960	18	5	-	1	-	-	-	-	1	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	10	4	2	1	-	-	-	-	-	-	-	2	-	-	-	
42: 1	Bexley HHH	12540	39590	17	11	3	3	-	-	-	-	-	-	-	2	-	-	-	
2	Dartford Work., pt. of*	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
144: 1	Saunders w	11054	13371	8	2	-	1	-	-	-	-	-	-	-	-	1	1	-	
2	Staines W	18277	13221	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hillingdon WHH	6035	12237	10	4	2	-	-	-	-	-	-	-	-	-	1	1	-	
2	Uxbridge	6172	5417	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes wH	14537	12613	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
130: 1	Isleworth WHH	6967	23273	20	10	3	3	-	-	-	-	-	-	-	1	-	-	-	
2	Twickenham HH	2415	18027	7	5	3	-	-	-	-	-	1	-	-	-	-	-	-	
3	Brentford HHHH	4318	37777	26	13	5	1	-	-	-	1	-	-	-	1	1	1	1	
4	Chiswick	1245	21963	11	6	2	1	-	-	1	-	-	-	-	2	-	-	-	
5	Aston wH	6132	30945	15	8	2	2	-	-	-	-	-	-	-	1	1	1	-	
127: 1	Harrow HHH	13809	15716	10	3	2	-	-	-	-	-	-	-	-	1	-	-	-	
2	Edgware HU	6994	3344	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH	4333	61235	38	16	8	-	1	4	-	1	3	-	-	2	-	-	1	
4	Hendon W	8332	15813	18	7	2	1	-	-	-	-	-	-	-	-	1	3	-	
128: 1	South Mimms	1559	8474	6	3	-	3	-	-	-	-	-	-	-	-	-	-	1	
2	Barnet WHH	5441	11773	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley HHH	4688	25820	20	4	-	1	-	-	-	-	1	-	-	-	-	-	-	
129: 1	Hornsey H/H	3439	16937	33	10	4	2	-	3	-	1	-	-	-	-	1	-	-	
2	Tottenham H	4742	97174	65	33	12	3	-	1	-	1	1	-	-	7	2	4	3	
3	Edmonton Ww	7439	33351	21	15	4	5	-	-	-	-	-	-	-	8	-	1	5	
4	Enfield WWHH	12639	31893	20	5	2	1	-	1	-	-	-	-	-	-	-	-	1	
5	Waltham Abbey	11017	6065	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Chesham H	8430	9320	6	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of* W	3916	532	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey H	9331	7737	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136: 1	Stratford H.	1100	42983	29	13	2	1	-	1	1	-	-	1	1	-	-	-	-	
2	Plaistow HHHH	1242	58030	42	13	9	2	-	2	-	1	1	-	-	1	-	-	2	
3	Canning Town H	1553	54750	44	16	5	-	-	3	-	-	1	-	-	4	1	1	-	
4	Forest Gate w	806	49149	34	9	2	1	-	-	-	-	1	-	-	-	-	1	-	
5	East Ham w	3266	32713	33	11	2	-	-	2	-	1	2	-	-	1	1	2	1	
6	Leyton Ww	4524	70183	47	31	7	8	-	1	-	1	1	-	-	3	-	-	11	
7	Walthamstow HHL	6591	67339	36	18	8	3	-	-	-	-	-	-	-	1	1	1	-	
137: 1	Chigwell, part of* H	11719	12941	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Ramford, part of* WH	6558	4324	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
2	Uxbridge	8493	10913	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town H	3814	14301	11	9	6	3	-	-	-	-	-	-	-	1	-	-	2	
	Metro. Asy. Hosp.	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2332); 41: 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3197); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Thordon Bass (pop. 1064); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 41: 2, Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 4th August, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,943,300	16.3	3.3	1860	601	345	6	72	20	67	39	7	164	84	446		
INNER LONDON -	746.2	4,349,163	17.6	3.5	1464	430	272	5	50	13	57	26	6	126	71	410		
OUTER RING -	363,749	1,599,134	12.9	2.8	396	121	73	1	22	2	10	13	1	38	13	36		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,583	August	4	121	77	14.8	-	-	1	2	2	1	-
GLASGOW	686,820	"	4	381	232	17.6	-	3	-	5	5	3	11
DUBLIN	349,594	"	4	182	134	20.0	1	-	2	-	-	3	7
CALCUTTA	466,460	June	16	-	201	22.4	9	-	-	-	-	82	26†
BOMBAY	821,764	July	10	350	496	31.4	7	11	?	?	?	115	68†
MADRAS	452,518	June	22	350	241	27.6	-	3	?	?	?	90	23
PARIS	2,424,705	July	28	1303	900	19.8	-	13	6	21*	7	11	132
BRUSSELS	498,400	"	28	263	184	19.2	1	1	1	5*	2	3	24
AMSTERDAM	446,295	"	28	279	107	12.4	-	3	-	1	1	1	-
ROTTERDAM	228,597	"	28	149	78	17.7	-	-	-	1	-	-	1
THE HAGUE	174,790	"	28	91	53	15.7	-	-	-	1	-	-	-
COPENHAGEN	341,000	"	28	196	101	15.4	-	1	6	2	1	-	13
STOCKHOLM	252,937	"	21	135	74	15.2	-	-	-	1*	1	-	8
CHRISTIANIA	167,588	"	28	49	52	16.1	-	-	1	1	3	-	16
ST. PETERSBURG	954,400	"	14	659	874	47.7	-	27	11	10	7	7	429†
MOSCOW	753,469	"	21	536	1152	62.9	1	25	9	17	3	11	750†
		"	21	-	634	43.9	-	20	8	11	4	3	230
BERLIN	1,714,938	"	14	843	630	19.3	-	11	4	7	6	1	185
HAMBURG	598,372	"	28	-	229	19.9	-	4	3	10*	-	-	35
DRESDEN	312,772	June	30	-	114	19.0	-	-	-	9*	2	-	13
BRESLAU	360,600	July	28	-	229	33.1	-	2	-	2*	3	1	58
MUNICH	390,900	"	28	-	202	26.9	-	-	-	4*	6	1	65
VIENNA	1,465,537	"	28	912	672	23.8	-	12	12	23*	-	-	145
PRAGUE	839,172	"	28	198	159	24.4	-	7	1	1	3	4	6
BUDA-PESTH	552,769	"	21	357	272	25.6	1	5	6	15	-	1	63
TRIESTE	159,739	"	21	81	95	30.9	-	1	3	1*	2	1	5
ROME	455,078	June	30	227	180	20.6	-	8	-	2	3	6†	16
TURIN (10 days)	237,997	July	7	208	143	16.4	-	9	-	-	1	4†	15
VENICE	160,406	June	30	-	-	-	-	-	-	-	-	-	-
CAIRO	374,838	July	5	416	367	50.9	-	1	-	-	1	11	145
ALEXANDRIA	231,396	"	5	182	157	35.4	1	-	-	2*	3	5	49
NEW YORK	1,925,569	"	21	-	1106	29.4	2	5	9	41	9	4	289
BROOKLYN	1,043,000	"	21	-	612	30.2	1	7	2	26	8	4	198
PHILADELPHIA	1,139,457	"	21	-	-	-	-	-	-	-	-	-	-
NEW ORLEANS	254,000	June	30	-	157	32.2	-	-	-	2	2	14	14

* Including deaths from croup.

† Including 14 deaths from cholera in Calcutta, 14 in Bombay, and 294 and 564, respectively, in St. Petersburg. Including 3 and 2 deaths, respectively, from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 4TH AUGUST, 1894.

[Under the Superintendence of the Astronomer Royal.]

1894.		Phases of the Moon.	TEMPERATURE.					TEMPERATURE.					TEMPERATURE.			Wind as deduced from Anemometers.					Rain collected in a Glass, whose surface receives the fall of the Rain.			
			Place.	MEXED.	Of the Air.			De. from Average of 50 years.	Difference between the Air Temperature and Dew Point Temperature.		Degree of Humidity (Saturation 100°).	Of Radiation.		Oiler's.			Robinson's.	Horizontal Movement of the Air on each Day.	Ozone.					
					Mean daily reading (cor- rected to 32° Fahr- enheit).	High- est.	Low- est.		Daily Range.	Mean daily value.		Mean of the Day.	Point.	Least.	Mean daily value.	Highest in the Day.				Lowest on the Grass.		A.M.	P.M.	Great- est.
JULY.																								
SUNDAY	•	29	Greatest Dec. N.	77.0	78.0	57.4	20.6	66.6	+ 4.3	59.2	7.4	17.0	0.0	77	131.2	51.8	ESE.	ENE. W.S.W. & N.N.E.	1.7	0.0	0.0	210	0.0	0.0
MONDAY	•	30	•	29.818	67.8	57.8	10.0	60.1	- 2.2	54.8	5.3	13.0	0.0	83	93.9	51.9	N.	NNW. & N.	2.4	0.0	0.1	292	0.0	2.0
TUESDAY	•	31	Perigee.	29.824	76.9	55.4	21.5	64.8	+ 2.5	57.0	7.8	15.1	1.0	76	118.0	51.3	NNW. SW. & S.W.	SW.	0.3	0.0	0.0	146	0.0	1.2
WEDNESDAY	•	1	New.	29.698	67.8	57.5	10.3	61.1	- 1.1	57.0	4.1	9.5	0.5	86	108.0	53.2	SW.	SW.	2.0	0.0	0.1	278	0.0	7.8
THURSDAY	•	2	•	29.469	69.9	55.2	14.7	59.7	- 2.4	55.9	3.8	10.8	0.0	87	131.1	51.8	SW.	WSW. & SW.	6.0	0.0	0.1	323	0.0	1.2
FRIDAY	•	3	•	29.468	70.8	52.1	18.7	61.1	- 1.0	50.4	10.7	19.4	0.0	68	140.6	44.8	WSW.	WSW. & SW.	5.0	0.0	0.3	386	0.0	3.8
SATURDAY	•	4	In Equator.	29.615	71.9	54.4	17.5	61.5	- 0.7	55.4	6.1	17.8	1.4	80	127.3	46.8	SW.	SSW.	2.8	0.0	0.2	330	0.0	0.0
MEANS	•	•	•	29.667	71.9	55.7	16.2	62.1	- 0.1	55.7	6.5	14.7	0.4	80	121.4	50.2	SW.	SW.	•	•	•	Sum 2025	2.7	0.0
Number of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

GENERAL REMARKS.

DATE.	Electricity.	Registered Sun above Horizon.	Remarks.
29	w. P. in morning; v. N. and v. P. afterwards.	0.7	Generally cloudy. Distant thunder in afternoon. Slight rain in evening.
30	w. P. and w. N. in morning; v. P. afterwards.	1.5	Cloudy; showery in morning with thunder.
31	w. P. and w. N.	2.6	Fine; generally cloudy. Partially clear at night.
1	w. P. throughout	0.8	Overcast with slight exceptions. A little rain in afternoon.
2	w. P. in morning; v. P. and v. N. afterwards.	2.2	Fine; generally cloudy. Showery in evening.
3	m. P. in morning; v. P. and w. N. afterwards.	7.8	Very fine; partially cloudy till evening; cloudless at night.
4	m. P. in morning; w. P. afterwards.	8.0	Fine and partially cloudy in morning; generally overcast afterwards. Occasional thin rain at night.
Sum	Sum	18.6	Sum

The results apply to the civil day, or from midnight to midnight. The height of the column of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 10 years ending 1875, in reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.91 in. at the beginning of the week to 29.71 in. by 8h. P.M. on the 26th of July; increased to 29.83 in. by 9h. P.M. on the 30th; decreased to 29.43 in. by 9h. A.M. on the 3rd of August; increased to 29.63 in. by 3h. P.M. on the 4th; and was 29.66 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 32. 1894. VOL. LV.] WEEK ENDING SATURDAY, AUGUST 11. [Price 1½d

General Register Office, Somerset House,
August 14th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·6 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	July 21.	July 28.	Aug. 4.	Aug. 11.		July 21.	July 28.	Aug. 4.	Aug. 11.
Birkenhead	16·8	16·8	18·8	22·2	Liverpool -	23·5	24·4	27·8	29·2
Birmingham	16·1	14·5	14·5	14·9	London -	16·8	17·2	17·6	17·4
Blackburn -	13·7	19·9	19·9	15·8	Manchester -	18·6	18·8	21·8	21·8
Bolton -	11·9	18·5	14·5	18·1	Newcastle-on-Tyne	14·7	16·3	15·5	17·6
Bradford -	12·3	16·8	13·3	13·7	Norwich -	16·3	17·8	14·3	15·8
Brighton -	14·5	12·3	12·3	18·4	Nottingham -	15·9	17·0	17·0	16·6
Bristol -	12·0	15·9	12·4	12·0	Oldham -	14·7	16·9	14·3	12·0
Burnley -	12·4	14·6	14·6	13·5	Plymouth -	16·0	11·3	20·2	11·9
Cardiff -	9·8	15·1	13·0	10·9	Portsmouth -	13·4	11·9	9·8	16·5
Croydon -	12·6	13·5	13·5	9·8	Preston -	22·0	16·8	29·0	25·3
Derby -	18·5	13·7	8·4	10·0	Salford -	22·0	20·3	18·7	20·0
Gateshead -	11·7	9·5	20·1	15·6	Sheffield -	18·6	18·8	18·0	20·3
Halifax -	19·1	13·5	16·3	13·5	Sunderland -	21·5	21·5	17·2	22·2
Huddersfield	12·7	15·9	13·8	15·4	Swansea -	13·1	15·3	10·4	10·9
Hull -	11·0	14·2	13·0	14·0	West Ham -	17·1	14·4	14·0	17·7
Leeds -	17·4	15·6	16·2	17·4	Wolverhampton -	18·4	22·1	15·3	21·5
Leicester -	13·5	13·2	17·4	16·0					

The highest annual death-rates, as measured by last week's mortality, were :— from *measles*, 1·2 in Bradford, 1·4 in Bristol, and 1·5 in Sunderland; from *scarlet fever*, 1·1 in Burnley and 1·8 in Wolverhampton; from *whooping-cough*, 2·3 in Sunderland; from "*fever*," 1·1 in Gateshead; and from *diarrhœa*, 3·2 in Burnley, 3·3 in West Ham, 3·5 in Salford, 6·3 in Leicester, 6·8 in Liverpool, and 9·4 in Preston. The 81 deaths from *diphtheria* included 62 in London, 4 in West Ham, and 2 each in Manchester, Leeds, and Sheffield. Ten deaths from *small-pox* were registered in London and the Metropolitan Hospital Ships and Camp, and one each in Plymouth, Birmingham, and Manchester, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2200 BIRTHS and 1450† DEATHS were registered. Allowing for increase of population, the births were 414, and the deaths 195, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·8, 17·2, and 17·6 in the preceding three weeks, fell again last week to 17·4. During the four weeks ending on Saturday

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

last the death-rate averaged 17·3 per 1000, being 3·3 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1450 deaths included 10 from small-pox, 33 from measles, 19 from scarlet fever, 62 from diphtheria, 35 from whooping-cough, 11 from enteric fever, 164 from diarrhoea and dysentery, 3 from cholera and choleraic diarrhoea, and not one from typhus or from any ill-defined form of continued fever; thus, 337 deaths were referred to these diseases, being 33 below the corrected average number.

The deaths from *measles*, *diarrhoea*, and *cholera* were considerably below, and those from *scarlet fever*, *whooping-cough*, and *enteric fever* very nearly equal to, their respective averages, while the deaths from *small-pox* and *diphtheria* showed excess. Of the 10 deaths from *small-pox*, 7 belonged to Marylebone, 2 to Hampstead, and one to St. James Westminster sanitary areas. There were 191 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 18 in the Highgate Small-pox Hospital. Of the 62 deaths from *diphtheria*, 5 belonged to Bermondsey, 5 to Camberwell, 4 to Paneras, 4 to Islington, 4 to Hackney, 4 to Wandsworth, and 4 to Greenwich sanitary areas. The Metropolitan Asylum Hospitals* contained 482 cases of diphtheria and 71 of enteric fever at the end of last week; and on the same date these hospitals, together with the London Fever Hospital, contained 2193 cases of scarlet fever.

The deaths referred to diseases of the respiratory organs, which had been 124, 160, and 144 in the preceding three weeks, rose to 151 last week, but were 35 below the corrected average.

Different forms of violence caused 61 deaths, concerning all but 2 of which inquests were held. Of these 61 deaths, 8 were cases of suicide, while the remaining 53 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 13 to drowning, 3 to poison, and 6 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 2905 births and 1886 deaths were registered, corresponding to annual rates of 25·5 and 16·5 per 1000 of the estimated population. In the Outer Ring one death was attributed to small-pox, 25 to measles, 13 to diphtheria, 12 to whooping-cough, 4 to "fever," 58 to diarrhoea, and 7 to cholera and choleraic diarrhoea. Of the 25 deaths from measles, 7 occurred in Willesden sub-district, and 4 in East Ham sub-district.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of July. The supply was in the ratio of 268 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	JULY. 1893.	JULY. 1894.	JULY. 1893.	JULY. 1894.
TOTAL SUPPLY	796,127	807,250	206,897,592	216,653,007
From Thames	384,791	390,066	105,873,601	110,982,911
From Lea and from other Sources	411,336	417,184	101,023,991	105,670,096
THAMES.				
Chelsea	36,665	36,824	12,055,746	13,405,757
West Middlesex	76,727	78,008	19,886,032	21,402,653
Southwark and Vauxhall	115,663	116,834	31,782,586	33,947,345
Grand Junction	58,770	59,092	19,690,569	19,555,924
Lambeth	96,966	99,308	22,458,668	22,671,232
LEA AND OTHER SOURCES.				
New River	156,793	158,011	40,089,000	39,800,000
East London	175,287	178,339	44,826,410	49,147,661
Kent	79,256	80,834	16,108,581	16,722,435

Note.—The Return for July 1894, as compared with that for the corresponding month of 1893, shows an increase of 11,133 services and of 9,755,415 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JULY, 1894.

SIR,

Water-analysis Laboratory, The Yews, Reigate,
4th August, 1894.

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of July.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (a) the chemical and bacterioscopic condition of the raw river water at the

intakes of the various Companies, and (b) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, was:—Kent 0·7, New River 1·3, East London (deep-well) 1·7, Colne Valley 1·9, East London (river supply) 2·4, Chelsea 2·9, West Middlesex, 3·1, Grand Junction 3·2, Southwark 3·4, and Lambeth 3·6. The unfiltered river waters contained the following proportions:—Thames at Hampton 6·5, New River Cut 3·1, and the Lea at the East London Company's intake, 4·7.

The Thames at Hampton was, on July 16th, turbid and yellow in colour. It was, bacterially, inferior in quality, but, chemically, somewhat superior, to its condition on the 11th of June. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered, and improved in chemical quality to the extent of about 50 per cent. The bacterial improvement effected by the operations of the Companies was expressed by the following per-centage numbers: Chelsea 98·74, West Middlesex 99·79, Southwark (No. 3 filter) 92·59, (No. 8 filter) 97·62, Grand Junction (Hampton general filter) 96·36, (Kew filter) 98·11, (Kew South filter) 98·81, and Lambeth 99·16.

The New River Cut was, on the 17th of July, turbid and very pale yellow in colour. It was, bacterially, of slightly better quality than on the 12th of June, but, chemically, scarcely so good. It was efficiently filtered before delivery, and was improved, bacterially, 96·15 per cent. In respect of organic purity, it again ranked with the deep-well waters. The raw river water of the Lea at Hertford was of very bad bacterial quality,* being much inferior in this respect to the water of the same river at Angel Road, even at the latter point, however, it was much inferior, bacterially, to the Thames at Hampton, although considerably better in chemical quality. By storage and filtration the water abstracted from the Lea at Angel Road by the East London Company was improved before delivery to consumers, chemically 50 per cent., and, bacterially, in the case of No. 1 Essex well 87·87 per cent., and in the case of No. 2 Essex well and West Middlesex well to the extent of 98·47 per cent.

The deep-well waters of the Kent and Colne Valley Companies were clear and bright without filtration, but the East London Company's water from their deep well at Chingford was very slightly turbid. These waters were all of a high degree of organic purity, and were of excellent quality for dietetic purposes. The Colne Valley Company's water was softened before delivery, and thus rendered suitable for washing.

Seen through a stratum two feet deep, the New River and Kent and Colne Valley Company's waters were clear and colourless, the East London (deep-well) water very slightly turbid and colourless, the East London (river supply) clear and nearly colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters, before and after storage, and of those supplied by the various Companies, collected on the 16th, 17th, and 18th of July, gave the results contained in the following table:—

DESCRIPTION.	— Microbes per c.c.	Temp. C.
RAW AND STORED RIVER WATERS.		
Thames at Hampton	2,860	16°7
„ after storage for 14·7 days (Chelsea Company).	520	18°2
Lambeth Company's water, after storage for 6·4 days.	680	—
Lea at Hertford	6,660	14°7
New River Cut at Green Lanes	1,560	16°7
„ after passing through 1st reservoir.	780	16°4
„ after passing through 2nd reservoir.	260	16°6
Lea at Angel Road	4,320	16°7
„ after storage for 15·1 days	1,120	17°2
FILTERED RIVER WATERS AS SUPPLIED.		
THAMES.		
Chelsea	36	18°4
West Middlesex	6	17°2
Southwark, No. 3 filter	212	17°3
„ „ 8 „	68	17°0
Grand Junction (Hampton general well)	104	17°7
„ (Kew general well)	54	17°5
„ (Kew South well)	34	17°8
Lambeth	24	17°8
LEA.		
New River, general filter well	60	16°7
East London, No. 1 Essex well	524	16°5
„ No. 2 „	66	16°4
„ Middlesex well	66	16°5

* On this occasion no barge had passed down the river for two days previous to the taking of the sample, and am unable to offer any explanation as to the cause of this excessive bacterial pollution.

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city "was clear and green in a two foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine "was light brown in colour, and contained "a little suspended matter."

The Registrar General, &c. &c.

I am, &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.	July 16th. Grand Junction Co.'s intake at Hampton.	16·7	26·24	·330	·052	·016	·130	·195	1·9	16·6
	(Unfiltered water) -	July 19th. Cab Rank, Horse Guards, Whitehall.	17·8	25·36	·154	·020	0	·137	·157	1·8	16·9
	Chelsea - - -	July 19th. Cab Rank, Riding House- street.	15·7	24·40	·169	·015	0	·122	·137	1·8	16·0
	West Middlesex -	July 19th. Cab Rank, St. George's Church, Borough.	18·0	25·96	·177	·022	0	·116	·138	1·8	17·1
	Southwark -	July 19th. Cab Rank, Portman- street, Oxford-street.	18·5	26·06	·169	·019	0	·138	·157	1·8	17·1
	Grand Junction -	July 19th. Cab Rank, St. George's- road, Southwark.	17·8	26·06	·196	·017	0	·155	·172	1·8	17·7
	Lambeth - - -	July 17th. New River Cut at Green-lanes.	16·7	28·52	·154	·031	·003	·160	·203	1·7	18·6
	LEA.	July 19th. Cab Rank, Tottenham Court-road.	15·7	28·44	0·70	·008	0	·151	·159	1·7	19·1
	New River - -	July 18th. East London Co.'s intake at Angel-road.	16·7	30·20	·234	·046	·014	·136	·194	2·0	20·0
	(Unfiltered water) -	July 19th. Cambridge-road, N.E.	16·7	25·90	·125	·015	0	·085	·100	2·0	16·3
Outer Circle.	East London -	July 19th. Mill-lane, Deptford.	15·7	38·34	·038	·006	0	·501	·507	2·3	26·0
	DEEP WELLS.	July 15th. Bushey.	—	17·92	·095	·019	·028	·527	·567	2·3	6·4
	Kent - - -	July —, Tottenham.	—	—	—	—	—	—	—	—	—
	Colne Valley - -	July 23rd. Chingford.	—	28·72	·081	·019	0	·013	·032	2·0	16·3
	Tottenham - -	July 4th. 97, and 99, Victoria- street.	16·7	31·20	·198	·041	0	·220	·261	2·8	19·1
Corporation of Birming- ham*		July 16th. Loch Katrine Water.	14·7	3·30	·126	·007	0	·006	·012	·8	·8
Corporation of Glasgow†		Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.

† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 19th of July, at the Horse Guards cab-rank, had a temperature of 17°·8 C.; 100,000 lbs. of it contained 25·36 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·154 lb. of carbon and ·020 lb. of nitrogen. The above quantity of water also contained ·137 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·157 lb. The above weight of water also contained 1·8 lb. of chlorine and 16·9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 2.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 11th August 1894.

CITIES AND BOROUGH.	POPULATION estimated at middle of the Year 1884.*	Registered during the Week ending 11th Aug. 1894.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.						
		1.	2.	3.	Deaths of			Deaths from				12.	13.	14.	15.	16.	17.	18.	TEMPERATURE OF THE AIR.		23.	24.				
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Malaria.	Scarlet Fever.	Diphtheria.	Whooping-cough.								Fever.				Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
Cols.					4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 TOWNS	10,458,442	5459	3527	1207	640	13	81	39	81	67	30	441	124	230	696	62	17.6	3.7	74.1	42.3	58.4	14.67	0.44	1.12	- 33 TOWNS.	
LONDON	4,540,166	2200	1450	497	203	10	33	19	62	35	11	164	61	115	412	16	17.4	4.0	74.1	51.9	60.4	15.78	0.52	1.32	LONDON.	
WEST HAM.	238,184	110	81	30	13	-	3	-	4	1	1	15	3	4	9	6	17.7	5.3	-	-	-	-	-	-	WEST HAM.	
CROYDON.	111,921	45	21	11	5	-	2	-	1	1	-	-	-	-	2	1	18.4	1.9	71.0	48.8	60.0	15.56	0.61	1.55	CROYDON.	
BRIGHTON	118,715	49	42	11	10	-	1	-	-	-	-	4	-	2	11	1	18.4	2.6	69.2	53.0	61.0	16.11	0.51	1.30	BRIGHTON.	
PORTSMOUTH.	170,073	81	54	6	19	-	3	-	-	-	-	3	3	6	4	-	16.5	2.1	70.0	52.0	60.2	15.67	0.18	0.46	PORTSMOUTH.	
PLYMOUTH.	57,881	43	20	4	8	1	1	-	-	-	-	-	-	-	2	-	11.9	0.6	-	-	-	-	-	-	PLYMOUTH.	
BRISTOL.	226,478	102	52	11	9	-	6	1	-	1	-	1	2	3	11	-	12.0	1.8	67.0	47.0	56.4	13.56	0.75	1.90	BRISTOL.	
CARDIFF.	148,800	71	31	7	4	-	-	-	-	1	-	1	2	4	5	2	10.9	1.4	-	-	-	-	-	-	CARDIFF.	
SWANSEA.	55,439	64	20	8	4	-	-	-	-	1	-	1	-	-	3	-	10.9	1.1	-	-	-	-	-	-	SWANSEA.	
WOLVERHAMPTON.	55,636	54	35	12	13	-	-	3	1	-	-	4	2	3	8	-	21.5	4.9	68.0	42.3	55.5	13.06	0.23	0.58	WOLVERHAMPTON.	
BIRMINGHAM.	492,301	25.6	141	45	25	1	3	-	-	1	-	13	5	2	18	13	14.9	1.9	-	-	-	-	-	-	BIRMINGHAM.	
NORWICH.	165,645	53	32	16	6	-	-	-	-	-	-	4	-	-	2	3	15.8	2.0	72.0	48.0	59.7	15.39	0.47	1.19	NORWICH.	
LEICESTER.	159,136	86	58	33	12	-	-	-	-	-	1	23	1	3	7	1	16.0	6.6	-	-	-	-	-	-	LEICESTER.	
NOTTINGHAM.	223,584	110	71	28	7	-	2	2	1	1	2	11	3	7	10	1	16.6	4.1	68.5	44.8	57.1	13.94	0.59	0.99	NOTTINGHAM.	
DERBY.	48,756	57	19	8	3	-	1	-	-	-	-	1	1	1	3	-	10.0	1.1	-	-	-	-	-	-	DERBY.	
BIRKENHEAD.	165,637	60	45	20	10	-	-	-	1	1	3	66	10	16	56	5	22.2	3.9	-	-	-	-	-	-	BIRKENHEAD.	
LIVERPOOL.	647,220	311	284	115	29	-	8	2	-	1	3	66	10	16	56	5	29.2	8.2	67.2	53.9	57.8	14.33	0.16	0.41	LIVERPOOL.	
BOLTON.	118,303	71	41	17	6	-	-	-	-	2	-	1	1	2	2	1	18.1	1.3	-	-	-	-	-	-	BOLTON.	
MANCHESTER.	430,211	333	217	65	37	1	5	4	2	5	-	23	7	14	38	3	21.8	4.0	-	-	-	-	-	-	MANCHESTER.	
SALFORD.	205,528	101	79	24	11	-	-	-	2	5	-	14	3	4	14	-	20.0	4.3	-	-	-	-	-	-	SALFORD.	
OLDHAM.	138,715	82	32	6	4	-	-	-	1	-	1	-	-	1	3	4	12.0	0.8	-	-	-	-	-	-	OLDHAM.	
BURNLEY.	46,478	57	25	11	4	-	-	-	2	-	1	6	-	-	2	-	13.5	4.9	-	-	-	-	-	-	BURNLEY.	
BLACKBURN.	125,797	74	38	8	11	-	-	-	-	1	4	2	3	4	1	-	15.8	2.5	-	-	-	-	-	-	BLACKBURN.	
PRESTON.	111,425	58	54	25	10	-	1	-	1	1	-	20	1	1	-	-	25.3	10.3	-	-	-	-	-	-	PRESTON.	
HUDDESFIELD.	98,571	47	29	8	8	-	-	1	1	-	-	-	-	-	-	5	15.4	1.6	-	-	-	-	-	-	HUDDESFIELD.	
HALEFAX.	125,601	48	24	4	5	-	1	1	-	1	-	-	-	-	-	5	13.5	1.1	-	-	-	-	-	-	HALEFAX.	
BRADFORD.	253,485	124	59	15	12	-	5	-	-	1	-	-	-	-	-	3	13.7	2.6	66.6	58.0	14.44	0.19	0.48	0.48	BRADFORD.	
LEEDS.	388,761	166	150	13	17	-	-	-	2	3	-	19	4	12	14	3	17.4	3.4	-	-	-	-	-	-	LEEDS.	
SHEFFIELD.	338,336	179	132	56	23	-	-	-	1	3	2	1	19	2	3	15	3	20.3	4.0	-	-	-	-	-	-	SHEFFIELD.
HULL.	212,079	107	57	15	15	-	-	-	-	-	2	2	3	4	10	1	14.0	1.2	70.0	47.0	57.8	14.33	0.22	0.56	HULL.	
SUNDERLAND.	126,101	77	58	16	11	-	-	-	-	-	6	2	7	1	1	5	-	22.2	7.3	70.0	52.0	56.5	13.61	1.09	2.77	SUNDERLAND.
GATESHEAD.	133,72	39	28	5	6	-	-	-	-	1	1	2	1	1	2	-	15.6	2.8	-	-	-	-	-	-	GATESHEAD.	
NEWCASTLE.	204,947	114	68	17	14	-	-	-	-	-	2	3	3	3	7	9	17.6	1.0	-	-	-	-	-	-	NEWCASTLE.	

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-SECOND Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2212	2885	2655	2634	2228	2130	2175	2721	2755	2320	2613.7	2200
Males . .	1125	1505	1367	1351	1165	1129	1093	1410	1413	1184	1345.3	1078
Females . .	1087	1380	1288	1283	1063	1051	1077	1311	1342	1135	1268.4	1122
TOTAL Deaths	1624	1472	1505	1385	1476	1366	1594	1627	1421	1617	1645.1	1450
Males . .	862	766	793	980	773	710	833	849	790	822	856.8	747
Females . .	762	706	712	905	703	656	761	778	691	795	788.3	703

* The numbers in this column are the average weekly numbers in the thirty-second weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.
TOTAL Births	2241	2414	2374	2900	2436	2334	2458	2254	2371	2119	2419	2695	2200
TOTAL Deaths	1463	1440	1366	1398	1336	1330	1282	1314	1356	1405	1437	1464	1450
Ages at Death													
0-20 years	756	746	652	727	593	588	601	628	693	768	783	801	820
20-40 "	154	163	181	182	188	176	171	180	179	158	149	177	140
40-60 "	209	234	251	232	269	255	219	250	215	242	237	214	221
60-80 "	284	249	235	212	238	261	234	218	230	197	230	228	227
80 years & upwards	60	48	47	45	48	50	57	38	39	40	38	44	42
Deaths from													
Small-pox	3	7	4	3	-	5	-	1	2	1	1	5	10
" Measles	175	165	148	169	122	99	92	88	57	57	58	50	33
" Scarlet fever	50	20	14	17	19	18	19	17	16	24	29	18	19
" Diphtheria	56	41	36	34	43	44	56	43	45	36	52	57	62
" Whooping-cough	46	50	43	36	34	20	25	28	29	43	35	26	35
" Typhus	-	-	-	-	-	-	-	-	1	-	1	-	-
" Enteric fever	8	14	13	10	10	10	9	3	6	8	5	6	11
" Simple Cont'd fever	1	1	-	1	-	2	1	-	-	-	-	-	-
" Diarrhoea and Dysentery	15	11	10	9	5	12	15	35	94	140	122	126	164
" Cholera	-	-	-	-	2	1	-	1	3	1	-	6	9
" all the above- mentioned Diseases	324	309	268	279	235	211	217	216	253	310	293	294	337
" Dis. of Respira- tory System	234	248	222	237	185	201	152	162	158	124	160	144	151
" Phthisis	132	137	137	131	153	136	129	117	126	131	132	133	124
" Dis. of Circula- tory System	106	106	103	94	101	124	116	119	104	96	106	95	91
Violent Deaths	57	44	67	57	70	67	70	68	74	61	57	71	61
Inquest Cases	126	106	129	112	121	125	143	129	137	132	113	131	115
Deaths in Public Institutions	398	379	409	385	397	407	412	363	366	379	420	412	412
TEMPERATURE OF THE AIR													
Mean	54.5	48.2	50.1	56.1	56.8	58.9	63.8	66.0	59.2	59.1	62.3	62.1	60.4
Mean of Highest readings	65.8	58.5	61.2	65.2	66.4	69.7	76.8	79.5	70.6	67.6	73.8	71.9	70.2
Mean of Lowest readings	45.5	38.8	42.0	49.8	48.8	50.5	51.0	53.9	52.0	53.0	54.4	55.7	55.3
Humidity of the Air	74	72	80	85	79	79	67	66	80	82	80	80	79
Rain-fall in inches	0.09	0.42	0.67	1.07	0.46	0.32	0.00	0.19	2.27	0.30	0.39	0.19	0.52
Registered Sunshine (in hours)	36.5	39.9	30.5	8.9	15.7	29.0	57.5	53.6	39.9	16.6	33.9	18.6	19.9

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Prestor, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Carr Lippincott, Esq., Bristol; F. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. B. Byer, Esq., M.D., Nottingham; F. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandshoroukh, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SECOND Week of the Year 1894.

CAUSES OF DEATH.		Corrected Averages for the 32nd Week of the 10 years 1884-93.*	In the Week ending Saturday, 11th August 1894.								CAUSES OF DEATH.	Corrected Averages for the 32nd Week of the 10 years 1884-93.*	In the Week ending Saturday, 11th August 1894.											
			Deaths of Persons of the Ages										Deaths of Persons of the Ages											
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				
				0-1.	1-5.	5-20.								0-1.	1-5.	5-20.								
ALL CAUSES -			1645·1	1450	497	219	104	140	221	227	42	Diseases of Organs of Special Sense -			2·4	2	1	-	1	-	-	-	-	
Small-pox { Vaccinated† -			0·7	2	-	-	-	1	-	1	-	Diseases of Circulatory System -			139·4	91	-	-	8	12	37	34	7	
{ Unvaccinated -			0·9	6	-	4	1	1	-	-	-	Croup -			7·0	4	-	3	1	-	-	-	-	
{ No Statement -			1·5	2	1	1	-	-	-	-	-	Bronchitis -			89·3	77	24	11	-	2	7	24	6	
Measles -			45·3	53	9	21	3	-	-	-	-	Pneumonia -			67·4	47	12	20	2	4	7	2	-	
Scarlet Fever -			19·3	19	2	12	5	-	-	-	-	Pleurisy -			4·1	4	1	2	-	1	-	-	-	
Typhus -			0·7	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System -			19·3	19	6	3	1	3	2	4	-	
Relapsing Fever -			-	-	-	-	-	-	-	-	-	Dentition -			11·6	8	4	4	-	-	-	-	-	
Influenza -			2·2	8	-	-	-	-	3	5	-	Quinsy, Sore Throat -			1·7	1	-	1	-	-	-	-	-	
Whooping-cough -			33·1	35	18	16	1	-	-	-	-	Enteritis -			21·0	37	51	3	1	-	-	1	1	
Diphtheria -			27·7	62	8	41	11	2	-	-	-	Peritonitis -			8·2	4	2	-	1	-	-	1	-	
Simple Continued and Ill-defined Fever -			0·9	-	-	-	-	-	-	-	-	Diseases of Liver -			31·3	31	3	-	-	6	11	10	-	
Enteric Fever -			12·3	11	-	-	4	3	4	-	-	Other Diseases of Digestive System -			31·7	32	8	3	3	2	5	11	-	
Cholera and Chol. Diarr.			6·6	3	1	-	-	-	1	1	-	Diseases of Lymphatic System & of Ductless Glands -			1·5	5	-	-	2	1	1	1	-	
Diarrhoea, Dysentery -			218·7	161	137	18	1	-	2	5	1	Diseases of Urinary System -			37·4	44	-	-	3	4	17	16	4	
Remittent Fever -			0·4	-	-	-	-	-	-	-	-	Diseases of Generative System -			4·7	2	1	-	-	1	-	-	-	
Hydrophobia -			0·2	-	-	-	-	-	-	-	-	Accidents of Childbirth -			5·1	5	-	-	-	5	-	-	-	
Glanders -			-	-	-	-	-	-	-	-	-	Diseases of Locomotive System -			6·0	7	2	-	3	-	2	-	-	
Cowpox and Effects of Vaccination -			0·5	1	1	-	-	-	-	-	-	Diseases of Integumentary System -			4·6	3	1	1	-	-	-	1	-	
Venerical Affections -			11·9	9	7	-	-	2	-	-	-	VIOLENT DEATHS:†												
Erysipelas -			3·7	2	1	-	-	1	-	-	-	(ACCIDENT.)												
Pyæmia and Septicæmia -			2·2	3	2	-	-	1	-	-	-	By Railways -				3	-	1	1	1	-	-	-	-
Puerperal Fever -			4·6	1	-	-	1	-	-	-	-	By Vehicles or Horses -				4	-	-	3	1	-	-	-	-
Other Zymotic Diseases -			1·4	1	-	-	1	-	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) -				-	-	-	-	-	-	-	-	
Thrush -			2·4	-	-	-	-	-	-	-	-	In Building Operations -				-	-	-	-	-	-	-	-	
Worms and other Parasitical Diseases -			0·3	-	-	-	-	-	-	-	-	In Conflagrations -				-	-	-	-	-	-	-	-	
Starvation, Want of Breast-milk -			2·0	4	4	-	-	-	-	-	-	By Burns, Scalds, Explosions -			51·9	5	-	2	-	-	2	1	-	
Alcoholism -			7·9	9	-	-	3	5	1	-	-	By Drowning -				13	-	1	8	3	-	1	-	
Rheumatic Fever, Rheumatism of Heart -			7·1	5	-	-	3	-	2	-	-	By Suffocation in Bed -				6	6	-	-	-	-	-	-	
Rheumatism -			2·3	2	-	-	1	-	1	-	-	By Poisons or Poisonous Vapours -				3	1	-	-	1	1	-	-	
Gout -			2·8	3	-	-	-	1	2	-	-	Other or not stated Causes -				19	3	-	2	3	8	3	-	
Rickets -			4·6	4	2	2	-	-	-	-	-	(VIOLENCE OTHER THAN ACCIDENTAL.)												
Cancer -			61·2	61	-	-	1	3	32	24	1	Homicide -			1·6	-	-	-	-	-	-	-	-	
Tabes Mesenterica -			47·3	35	26	6	2	-	1	-	-	Suicide -			8·3	8	-	-	1	2	4	1	-	
Tubercular Meningitis -			29·6	21	6	12	1	1	1	-	-	Execution -			-	-	-	-	-	-	-	-	-	
Phthisis -			118·8	124	-	2	18	58	31	10	-	OTHER CAUSES -			81·7	61	55	6	-	1	1	1	-	
Scrophula, Tuberculos -			22·4	27	10	12	3	1	1	-	-													
Other Constitutional Diseases -			10·6	10	2	-	-	2	4	1	1													
Premature Birth -			41·3	40	40	-	-	-	-	-	-													
Atelectasis -			2·7	3	3	-	-	-	-	-	-													
Congenital Malformations -			7·4	7	6	-	-	1	-	-	-													
Old Age -			41·8	35	-	-	-	-	-	21	14													
Apoplexy -			38·7	32	1	-	-	1	9	17	4													
Epilepsy -			6·9	4	-	-	1	-	2	1	-													
Convulsions -			52·2	41	37	5	1	-	-	-	-													
Other Diseases of Brain and Nervous System -			90·3	72	8	7	7	7	17	23	3													

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5·41 per cent for increase of population.

† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" when are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or that the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1891.	The DEATHS registered in the Week include															
		Total Births.	Total Deaths.	Deaths of		Deaths from											
				Infants under Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2200	1450	407	260	10	33	19	63	35	-	11	-	164	61	115	412
WEST DISTRICTS	740,735	332	238	89	58	-	6	1	9	5	-	-	-	30	11	22	80
NORTH DISTRICTS	993,884	513	312	90	63	1	2	5	20	10	-	6	-	27	11	19	75
CENTRAL DISTRICTS	247,538	99	78	26	13	-	1	-	2	-	-	1	-	10	8	11	32
EAST DISTRICTS	705,114	400	276	90	53	-	7	3	8	7	-	1	-	23	15	31	92
SOUTH DISTRICTS	1,524,472	856	491	190	75	-	17	8	23	13	-	3	-	67	16	32	63
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON.*	-	-	35	3	7	9	-	2	-	-	-	-	-	1	-	-	35
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	84150	39	30	14	9	-	2	-	-	-	-	-	-	5	1	2	2
St. John Paddington H - - G.J.	33887	7	12	1	2	-	-	-	-	-	-	-	-	3	3	3	6
Kensington Town Ww - - W.M.	118751	53	45	15	14	-	1	-	1	-	-	-	-	4	-	4	12
Brompton H - - W.M. & C.	47557	14	9	-	3	-	-	-	-	-	-	-	-	1	-	-	6
St. Peter Hammersmith - - W.M.	8388	4	28	11	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	33033	47	49	22	5	-	1	1	7	1	-	-	-	5	1	1	7
Fulham Ww - - W.M. & C.	91639	76	49	22	5	-	1	1	7	1	-	-	-	5	1	1	7
Chelsea Kensal Town - - C.	21287	6	4	1	-	-	1	-	-	1	-	-	-	-	-	-	-
Chelsea North WHHHH - - C.	41637	17	19	6	7	-	-	-	-	-	-	-	-	1	-	2	5
Chelsea South HH - - C.	32823	16	16	9	3	-	1	-	-	-	-	-	-	2	1	-	3
May Fair W - - G.J.	23733	2	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave WHHH - - C.	54281	24	21	2	3	-	-	-	-	-	-	-	-	2	1	3	9
St. John Westminster HHH - - C.	34106	11	4	2	3	-	-	-	-	-	-	-	-	2	2	3	5
St. Margaret Westminster H - - C.	21668	2	11	2	4	-	-	-	-	1	-	-	-	-	-	-	-
St. James Westminster WHH N.R. & G.J.	24995	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho HHHHH - - N.R.	12317	4	3	1	1	-	-	-	-	1	-	-	-	1	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone } - - W.M.	37713	14	7	2	4	-	-	-	-	1	-	-	-	-	-	-	3
HHHHHHHH																	
Rectory Marylebone W - G.J. & W.M.	26024	7	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone WHHH G.J. & W.M.	19239	31	31	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Christchurch Marylebone H - W.M.	33337	17	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone H - W.M.	32101	23	16	6	5	-	-	-	-	-	-	-	-	1	-	1	-
Hampstead WwHHHHH N.R. & W.M.	68416	28	31	6	7	1	-	-	5	-	1	-	-	4	4	14	-
Regent's Park Panoras HH - W.M.	36530	20	11	3	4	-	-	-	1	2	-	-	-	-	-	-	2
Tottenham-court WHHHH N.R. & W.M.	24391	15	17	3	3	-	-	-	2	-	-	-	-	1	-	-	10
Gray's Inn Lane HHH - - N.R.	27455	19	8	4	1	-	-	-	-	-	-	-	-	2	-	1	1
Somers Town HH - - N.R.	32822	19	11	5	4	-	-	-	-	-	-	-	-	2	-	1	1
Camden Town WH - - N.R.	15419	15	10	2	4	-	-	-	1	2	-	-	-	2	1	1	3
Kentish Town W - - N.R.	95765	45	23	4	5	-	-	-	-	1	-	-	-	2	1	4	4
Upper Holloway WwHHH - - N.R.	99235	41	39	9	4	-	-	-	-	-	-	-	-	-	-	-	9
Islington South-west H - - N.R.	105557	57	18	6	2	-	-	-	1	-	-	-	-	4	1	4	9
Islington South-east - - N.R.	64153	31	13	4	5	-	-	-	1	1	-	-	-	1	-	1	-
Highbury HH - - N.R.	59193	22	12	4	1	-	-	-	-	1	-	-	-	1	-	1	2
Stoke Newington H - - N.R.	39936	12	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - - E.L. & L.	17759	9	6	2	2	-	-	-	-	-	-	1	-	1	-	-	-
West Hackney H - - N.R.	42902	18	10	3	2	-	-	-	-	-	-	-	-	1	-	1	1
Hackney WwHHH - - E.L. & N.R.	99486	62	49	14	5	-	1	5	6	1	-	1	-	3	1	3	19
South Hackney W - - E.L.	41759	18	14	8	2	-	-	-	2	-	-	-	-	4	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - - N.R.	16935	9	3	-	1	-	-	-	1	-	-	-	-	-	1	-	-
St. Giles South WH - - N.R.	13454	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2
St. Giles North H - - N.R.	9633	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.	14616	2	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary-le-Strand H - - N.R.	5706	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4
St. Clement Dances WH - - N.R.	7194	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand Union Workhouse, Edmonston w.	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1
St. Geo.-the-Martyr HHHHHH N.R.	17921	3	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Eastern W - - N.R.	15343	5	2	-	-	-	-	-	1	-	-	-	-	-	1	1	8
St. James Clerkenwell - - N.R.	16803	3	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Amwell Clerkenwell - - N.R.	16883	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Fentonville - - N.R.	17155	9	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - N.R.	15375	4	7	5	-	-	-	-	-	-	-	-	-	2	-	-	-
City-road HHHL - - N.R.	29177	24	6	4	1	-	-	-	-	-	-	-	-	2	1	3	-
Whitecross-street - - N.R.	8278	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Finsbury - - N.R.	4955	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham w.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - N.R. & E.L.	8944	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - N.R.	4539	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - N.R.	4444	1	16	3	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Bride W - - N.R.	6394	1	1	-	-	-	-	-	-	-	-	1	-	2	3	3	14
Aldersgate Barking - - N.R.	10422	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.	3377	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
City of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L. East London; and K., the Kent Company.

* See note on first page of this Return.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
 urday, 11th August, 1894.

REGISTRATION SUB-DISTRICTS.			Enu- merated Popu- lation, 1891.	Total Burials.	Total Deaths.	The DEATHS registered in the Week include												
						Deaths of	Deaths from											
						Infants under Year of Age	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or typical) Fever.	Simple con- tinued Fever.	Diarrhœa.	Violence.	Inquest Cases.
																		Deaths in Public Institutions.
																		Uncertified Causes of Death.
EAST DISTRICTS.																		
Shoreditch South HL*	E.L. & N.R.		20098	12	4	3	-	-	-	-	-	-	-	-	-	-	-	-
Islington New Town W	-	N.R.	29313	17	8	4	1	-	-	-	-	-	-	-	-	-	-	-
Islington Old Town	-	N.R.	28354	11	7	6	-	-	-	-	-	-	-	-	-	-	-	-
Islington WH	-	N.R. & E.L.	46244	21	28	9	6	-	-	-	1	-	-	-	-	2	3	3
Sethnal Green North H	-	E.L.	51320	24	4	2	-	-	-	-	-	2	-	-	-	1	-	-
Sethnal Green South	-	E.L.	33489	23	5	4	-	-	-	-	1	-	-	-	-	1	-	-
Sethnal Green East WHL*	-	E.L.	44123	26	25	6	7	-	-	-	1	1	-	-	-	1	-	12
Spitalfields	-	E. & N.R.	22456	10	3	2	-	-	-	-	-	1	-	-	-	1	-	-
Mill End New Town W	-	E.L.	17908	23	15	7	2	-	-	-	1	-	-	-	-	4	-	5
Whitechapel Church H	-	E.L. & N.R.	20293	17	16	10	-	-	-	-	1	-	-	1	-	5	7	21
Woodman's Fields	-	-	13800	11	2	1	-	-	-	-	-	-	-	-	-	2	2	-
St. George's, North	-	E.L.	37728	22	12	6	2	-	-	-	-	1	-	-	-	2	-	-
St. George East W	-	E.L.	8057	1	10	1	5	-	-	-	-	-	-	-	-	1	-	10
Shadwell H	-	E.L. & N.R.	40216	4	8	3	-	-	-	-	1	-	-	-	-	1	1	6
St. Paul's W	-	E.L.	14028	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Shimshouse	-	E.L.	32202	24	4	1	-	-	1	-	-	-	-	-	-	1	-	-
Mill End Old Town West H	-	E.L.	38650	29	11	2	3	-	1	1	1	-	-	-	-	1	-	-
Mill End Old Town East WHW	-	E.L.	68942	35	28	11	6	-	-	1	1	1	-	-	-	3	2	8
St. John's W	-	E.L.	40865	52	9	4	2	-	-	-	-	-	-	-	-	-	1	-
St. James W	-	E.L.	70000	33	41	9	12	-	2	1	1	-	-	-	-	2	1	4
St. John's W	-	E.L.	56882	81	23	9	2	-	3	-	-	1	-	-	-	3	2	3
SOUTH DISTRICTS.																		
Christchurch Southwark WH	L. & S.		18264	6	4	1	-	-	-	-	1	-	-	-	-	-	-	-
St. Saviour Southwark	-	S.	18913	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kenning-road	-	S. & L.	21807	9	3	2	-	-	-	-	-	-	-	-	-	2	-	-
Borough-road WH	-	S. & L.	16624	15	11	7	-	-	1	-	-	-	-	-	-	2	-	-
London-road HL	-	L. & S.	21221	14	5	3	1	-	-	-	-	-	-	-	-	-	1	6
Trinity Newington	-	S. & L.	26596	15	8	4	-	-	-	-	-	-	-	-	-	1	-	1
St. Peter Walworth W	-	S. & L.	61342	34	11	3	2	-	-	1	-	-	-	-	-	1	-	1
St. Mary Newington	-	L. & S.	27866	18	14	5	2	-	-	-	-	1	-	-	-	1	1	1
St. Olave WH	-	S.	12723	6	13	2	1	-	1	-	-	-	-	-	-	-	2	3
Leather Market	-	S. & L.	14952	8	2	1	-	-	1	-	-	-	-	-	-	-	-	8
St. Mary Magdalen W	-	S.	15660	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-
St. James Bermondsey	-	S.	54070	26	13	3	1	-	1	-	1	-	-	-	-	1	1	1
Rotherhithe WH	-	S. & K.	36255	15	16	8	3	-	-	-	-	-	-	-	-	2	-	5
Waterloo-road 1st H	-	L. & S.	14031	7	7	5	1	-	-	-	-	-	-	-	-	4	-	-
Waterloo-road 2nd H	-	L. & S.	1444	24	6	4	-	-	1	-	-	-	-	-	-	3	-	3
Lambeth Church 1st H	-	L. & S.	18075	9	15	4	1	-	-	-	-	-	-	-	-	1	-	-
Lambeth Church 2nd WH	-	L. & S.	39097	25	23	11	5	-	-	-	-	1	-	-	-	5	-	12
Kennington 1st H	-	S. & L.	60586	28	11	4	1	-	-	-	-	-	-	-	-	2	-	9
Kennington 2nd	-	S. & L.	38708	13	8	5	2	-	-	-	-	-	-	-	-	-	-	1
Kennington W	-	L. & S.	73405	40	27	14	-	-	-	-	-	-	-	-	-	5	-	6
Norwood WH	-	L.	25457	11	8	2	2	-	-	1	7	1	-	-	-	1	-	-
East Battersea	-	S.	67214	41	18	13	2	-	-	-	1	2	-	-	-	5	-	2
West Battersea WH	-	S.	83314	56	31	9	2	-	1	-	1	-	-	-	-	3	-	2
Clapham	-	S.	42698	19	10	4	2	-	-	-	-	-	-	-	-	4	1	3
Wandsworth WHL	-	S.	46717	31	24	10	1	-	-	-	-	-	-	-	-	6	1	2
Tulse	-	S.	17771	18	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Wimbledon WH	-	L.	46756	23	11	3	2	-	1	1	1	-	-	-	-	1	1	2
Dulwich	-	L. & S.	6809	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell WH L*	-	S. & L.	81686	49	49	9	18	-	2	-	2	-	-	-	-	1	-	-
Peckham WH	-	S. & K.	38488	42	25	7	4	-	3	-	1	4	-	-	-	1	4	4
St. George Camberwell	-	L. & S.	63366	51	18	9	2	-	1	2	-	1	-	-	-	2	-	-
Deptford, North	-	K.	35314	25	13	7	1	-	-	-	-	-	-	-	-	-	-	-
Deptford, Central W	-	K.	42007	17	17	7	-	-	-	2	5	-	-	-	-	-	-	-
Deptford, South	-	K.	30852	14	7	1	1	-	-	1	1	-	-	-	-	-	-	-
Greenwich West H	-	K.	22007	7	5	-	4	-	-	-	-	-	-	-	-	-	-	-
Greenwich East WH	-	K.	35233	20	10	5	3	-	1	-	-	-	-	-	-	1	2	9
Eltham WH	-	K.	5682	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Eltham H	-	K.	2541	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham WH	-	K.	30050	15	16	4	5	-	-	-	-	-	-	-	-	-	-	-
Woolwich H	-	L.	34162	11	4	1	1	-	-	-	1	1	-	-	-	-	-	-
Charlton H	-	K.	14040	8	6	2	2	-	-	-	-	-	-	-	-	-	-	-
Woolwich Dockyard	-	K.	19606	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal HH	-	K.	1244	15	7	4	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich West H	-	K.	13883	11	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Woolwich East WH	-	K.	36567	25	6	1	1	-	1	-	-	-	-	-	-	-	-	-
Barnstead Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnstead Asylum	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnstead Asylum	-	-	-	-	9	-	3	-	-	-	-	-	-	-	-	-	-	-
Hospital Ship and Camp, Dartford	-	-	-	-	9	-	1	9	-	-	-	-	-	-	-	-	-	-
Darenth Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Danwell Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
N.E. Hospital	-	-	-	-	4	3	-	-	-	2	-	-	-	-	-	1	-	-
Winchmore Hill Hospital	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden Asylum	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury Asylum	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-

* See Note 1 on first page of this Return.

TABLE 5.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 11th August, 1894.

Regis- tration district and sub- district num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lation 1891.	BIRTHS.	DEATHS.	The Deaths registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unnatural Causes of Death.
LONDON—OUTER RING		368.74	1,422,063	705	436	181	73	1	25	-	13	12	4	53	15	23	31	9
80: 1	Marshallton WH†	12228	26105	9	5	-	1	-	1	-	-	-	-	-	-	-	-	-
2	Essex, part of* WH	19423	12503	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
37: 1	Goldstone, part of* W-	754	1594	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Broydon WHH-	10451	123699	57	30	13	8	-	2	-	1	1	-	-	-	1	5	-
2	Eltham w	11637	23033	12	8	2	4	-	-	-	-	-	-	2	-	2	-	-
89: 1	Wimbledon HHH	3230	25761	15	5	3	1	-	-	-	-	-	-	1	-	-	-	-
2	Kingston WHH-	3071	44765	23	11	3	3	-	2	-	-	-	-	1	-	-	4	-
3	Esher, part of*	6691	12059	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton H	4535	18252	9	6	4	1	-	-	-	-	-	-	1	-	1	-	-
40: 1	Richmond WH	2160	25339	6	5	4	1	-	-	-	-	1	-	-	-	-	-	-
2	Wortlake H	2321	16153	8	2	-	-	-	-	-	-	-	-	-	-	2	-	-
41: 1	Bromley HHH	9127	23315	7	11	4	3	-	-	-	1	-	-	2	-	-	-	-
2	Beckenham H	6142	21933	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, pt. of* WHH	14397	20372	11	7	1	2	-	-	-	-	-	-	-	2	2	4	-
42: 1	Bexley HHH	12549	30509	10	9	3	4	-	-	-	-	-	-	1	-	1	-	-
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124: 1	Swanbury w	11054	13171	3	6	1	3	-	-	-	-	-	-	-	1	-	-	-
2	Staines w	18277	13221	6	5	1	2	-	-	-	1	-	-	-	-	-	-	-
125: 1	Hillingdon WHH	6135	12337	6	3	2	1	-	-	-	-	-	-	1	-	-	1	-
2	Uxbridge	6172	5417	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes WH	14537	12313	4	3	2	-	-	-	-	-	1	-	-	-	-	-	-
126: 1	Isleworth WHH	6337	23373	10	13	4	3	-	-	-	-	-	-	-	1	1	2	-
2	Twickenham HH	2415	16027	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford HHHH	4318	37777	15	13	4	2	-	2	-	-	-	-	4	-	-	-	-
4	Chislewick	1215	21933	5	12	7	1	-	2	-	-	-	-	-	2	1	2	-
5	Acton WH	6131	33945	17	11	8	2	-	-	-	-	-	-	1	-	-	-	-
127: 1	Harrow HHH	13819	15715	5	1	-	1	-	-	-	-	-	-	-	1	1	-	-
2	Edgware HH	8994	3344	3	3	2	1	-	-	-	1	-	-	-	-	-	-	-
3	Willesden HHH	4333	61235	35	28	13	3	-	7	-	-	2	-	4	-	-	-	-
4	Hendon W	8332	15343	7	6	3	1	-	-	-	-	2	-	-	1	2	-	-
128: 1	South Mimms	1453	8474	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet WHH	5441	11773	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley HHH	4638	25321	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-
129: 1	Hornsey HH	5139	61097	13	8	2	2	-	-	-	-	1	-	-	1	1	-	-
2	Tottenham H	4442	97174	57	27	14	-	-	1	-	1	-	-	5	3	4	2	-
3	Edmonton WH	7459	33351	17	13	6	4	-	-	1	-	-	-	3	-	-	2	-
4	Enfield WHH	12639	31893	20	5	-	1	-	-	-	-	-	1	-	-	1	1	-
5	Waltham Abbey	11017	6063	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1
6	Chesham H	8430	9320	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
130: 1	Hatfield, part of* W	3306	531	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131: 1	Bushy H	9331	7737	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132: 1	Stratford H	1100	42983	26	15	6	-	-	1	-	2	-	-	-	1	1	-	1
2	Plaistow HHHH	1242	39030	40	23	11	3	-	-	-	-	-	-	9	1	2	-	2
3	Canning Town H	1558	54759	27	13	7	1	-	1	-	1	1	1	3	1	1	-	1
4	Forest Gate w	803	49140	17	13	5	2	-	1	-	1	-	-	3	-	-	-	2
5	East Ham w	3266	32713	25	16	11	-	-	4	-	-	-	-	3	1	1	-	1
6	Leyton WHH	4354	70183	33	35	12	11	-	1	-	2	-	-	3	-	-	13	-
7	Walthamstow HHL	4591	57333	42	27	9	4	-	-	-	2	-	1	7	-	-	-	1
133: 1	Chigwell, part of* H	11799	12341	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134: 1	Romford, part of* WH	6553	4324	3	2	1	-	-	-	-	-	-	-	1	1	1	-	-
2	Ufford	3433	10913	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town H	3314	11191	15	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Highgate Small pox Hosp.	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
	Metro. Asy. Hosps.	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—80: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1768); 37: 1, the parishes of Warlingham and Farley in Goldstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2332); 41: 3, Chislehurst sub-district, except the parishes of Chislefield, Cadnam, and Knockholt (pop. 3397); 135: 1, the parish of Northw in Huxley sub-district; 137: 1 Chigwell sub-district, except the parish of Thetford Bury (1879); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 11th August, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include—											Deaths in Public Institutions.	
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,949,300	13.5	3.9	1383	678	343	11	53	19	75	47	15	222	77	448		
INNER LONDON	74 6.2	4,349,168	17.4	4.0	1151	497	230	10	33	19	62	35	11	164	61	412		
OUTER RING	368,749	1,599,131	14.2	3.7	446	181	70	1	25	-	13	12	4	58	16	36		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	August 11	127	93	17.9	-	-	3	-	1	2	3	
GLASGOW	686,820	" 11	427	193	14.7	-	3	-	1	5	1	28	
DUBLIN	349,594	" 11	163	124	18.5	1	-	-	-	1	3	8	
CALCUTTA	466,460	June 23	-	212	23.7	8	2	-	2	-	75	32†	
BOMBAY	821,764	July 17	250	572	36.2	3	12	?	?	?	131	84†	
MADRAS	452,518	June 29	346	230	26.4	-	1	?	?	?	90	22	
PARIS	2,424,705	August 4	1159	890	19.5	-	14	5	12*	6	5	140	
BRUSSELS	498,400	" 4	252	152	15.9	1	-	-	-	1	1	40	
AMSTERDAM	446,295	" 4	262	139	16.1	-	1	-	1	2	-	1	
ROTTERDAM	228,597	" 4	154	73	16.6	-	-	-	-	2	-	5†	
THE HAGUE	174,790	" 4	103	51	15.1	-	-	-	-	-	-	-	
COPENHAGEN	341,000	" 4	196	148	22.6	-	5	4	12	1	-	19	
STOCKHOLM	252,937	July 28	146	90	18.5	-	-	1	4*	2	2	15	
CHRISTIANIA	167,588	August 4	51	74	22.9	-	-	2	1	1	-	32	
ST. PETERSBURG	954,400	July 28	-	-	-	-	-	-	-	-	-	-	
MOSCOW	753,469	" 28	-	536	37.1	-	5	9	7	1	6	155	
BERLIN	1,714,938	" 21	874	639	21.1	-	10	6	16	7	1	219	
HAMBURG	598,372	August 4	-	246	22.8	-	8	-	14*	-	-	53	
DRESDEN	312,772	July 7	-	-	-	-	-	-	-	-	-	-	
BRESLAU	360,660	August 4	-	214	31.0	-	1	2	4*	2	1	75	
MUNICH	390,000	" 4	-	192	25.6	-	-	-	7*	7	-	53	
VIENNA	1,465,537	" 4	-	-	-	-	-	-	-	-	-	-	
PRAGUE	339,172	" 4	-	-	-	-	-	-	-	-	-	-	
BUDA-PESTH	552,769	July 28	386	301	28.3	-	1	6	5	-	3	69	
TRIESTE	159,739	" 28	84	99	32.2	-	1	8	5*	-	-	5	
ROME	455,678	" 14	204	193	22.1	-	9	1	-	3	7†	28	
TURIN (10 days)	337,997	" 20	196	156	16.9	-	1	2	2	1	-	23	
VENICE	160,406	June 30	-	-	-	-	-	-	-	-	-	-	
CAIRO	374,838	July 12	386	364	50.5	-	-	-	1*	3	8	159	
ALEXANDRIA	231,396	" 12	180	160	36.1	-	-	-	1*	-	4	47	
NEW YORK	1,925,569	" 28	-	962	26.1	-	5	4	38	7	12	255	
BROOKLYN	1,043,000	" 28	-	536	26.5	-	1	2	21	5	-	131	
PHILADELPHIA	1,139,457	" 21	-	532	26.6	-	1	2	17	8	9	156	
NEW ORLEANS	254,000	" 28	-	504	31.1	-	1	2	13	4	9	102	
		" 7	-	165	31.8	-	-	-	-	1	9	13	

* Including deaths from croup.

† Including 18 deaths from cholera in Calcutta, 26 in Bombay, and one in Rotterdam

‡ Including 3 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 11th August, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.	Phases of the Moon.	TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a Gauge receiving surface 6 inches above the level of Ground.
		Baro. meter.		Of the Air.						Of the Dew Point.		Difference between the Air Temperature and Dew Point Temperature.		Degree of the Air Temperature and Dew Point Temperature.		TEMPERATURE.		General Direction.		Oiler's.		Pressure on the Square Foot.		Robinson's.								
		Mean daily reading (cor- rected to Fahren- heit).	in.	High- est.	Low- est.	Daily Range.	Mean value, of 50 years.	De- parture from Average value, of 50 years.	Mean daily value.	Mean daily value.	Great- est.	Least.	Highest in the day.	Lowest on the grass.	A.M.	P.M.	Great- est.	Least.	Mean of 24 hours.	Horizontal Movement of the Air on each day.	Depar- ture Average of 16 Years.	Miles. 314	lbs. 2.5	lbs. 0.2	Miles. 314	lbs. 0.1	in. 0.02					
AUGUST.		..	29 757	71° 0	56° 7	14° 3	62° 0	- 0° 3	49° 5	12° 5	19° 5	0° 9	64	140° 17	52° 6	SW. & WSW.	SSW.	2° 5	0° 0	0° 1	314	+ 58	0° 02	0° 5								
SUNDAY	5	..	29 623	68° 2	56° 9	11° 3	59° 2	- 3° 2	57° 3	1° 9	12° 1	0° 0	43	107° 2	53° 0	S Calm & NNW.	Variable	0° 2	0° 0	0° 0	109	- 149	0° 15	1° 5								
MONDAY	6	..	29 731	74° 1	55° 9	18° 2	63° 2	+ 0° 7	53° 8	9° 4	20° 6	0° 0	72	138° 5	48° 3	SW.	SW. & SSW.	2° 2	0° 0	0° 1	259	- 0	0° 00	3° 2								
TUESDAY	7	..	29 576	69° 0	57° 4	11° 6	61° 5	- 1° 0	57° 6	3° 9	8° 5	1° 5	87	120° 0	55° 7	SSW.	SSW. & SW.	5° 3	0° 0	0° 3	387	+ 138	0° 02	5° 0								
WEDNESDAY	8	First Qr.	29 647	71° 9	54° 0	17° 9	60° 5	- 2° 0	52° 8	7° 7	18° 7	0° 4	76	137° 2	47° 2	SW. & WSW.	WSW. & SW.	4° 6	0° 0	0° 2	386	+ 138	0° 05	3° 8								
THURSDAY	9	..	29 783	70° 2	54° 0	16° 2	58° 7	- 3° 8	53° 4	5° 3	18° 4	0° 5	83	124° 2	50° 0	SW WSW. & WNW.	NNW.	3° 5	0° 0	0° 1	241	- 15	0° 28	0° 0								
FRIDAY	10	..	29 931	66° 9	51° 9	15° 0	58° 0	- 4° 5	51° 5	6° 5	14° 0	0° 2	79	125° 2	46° 0	SW & WNW.	NW & WSW.	1° 6	0° 0	0° 1	261	+ 8	0° 00	0° 0								
SATURDAY	11	..	29 724	70° 2	55° 3	14° 9	60° 4	- 2° 0	53° 7	6° 7	16° 0	0° 5	79	127° 5	50° 4	SW.	SW.	Sum 1967	+ 108	0° 52	2° 0								
MEANS																			Sum	1967	+ 108	0° 52	2° 0							
Number of Column .		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25								

GENERAL REMARKS.

SUNDAY	5	w. P. generally	7° 0	15° 1	Fine during morning; generally overcast after 3h. P.M. Gentle rain at night.
MONDAY	6	w. P. in morning; m. N. afterwards; soon after noon.	0° 7	15° 1	Heavy showers in early morning; generally cloudy throughout day. Fine and bright for a time between 4h. P.M. and 3h. P.M.
TUESDAY	7	v. P. throughout	4° 1	15° 0	Fine with large amounts of cloud generally.
WEDNESDAY	8	w. P. in morning; v. P. afterwards.	1° 8	15° 0	Variable; occasional showers.
THURSDAY	9	w. N. till 2h. A.M.; v. P. afterwards.	3° 1	14° 9	Rain in early morning; fine, but generally cloudy throughout day.
FRIDAY	10	w. P. till 8h. A.M.; v. N. and v. P. inter- wale.	1° 0	14° 9	Overcast during the greater part of the day. A thunderstorm with moderate rain in afternoon; heavy thunder showers in evening.
SATURDAY	11	m. P. in morning; v. P. and v. N. after- wards.	2° 2	14° 8	Fine; partially cloudy. One or two slight showers in evening.
Sum			19° 9	104° 8	

The results apply to the civil day, or from midnight to midnight.
The height of the column of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.
The temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.
In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: +, P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the exact state of duration of bright sunshine on each day.
The reading of the barometer increased from 29° 61 in. at the beginning of the week to 29° 77 in. by noon on the 5th; decreased to 29° 61 in. by 10h. A.M. on the 6th; increased to 29° 75 in. by 9h. P.M. on the 7th; decreased to 29° 53 in. by 9h. P.M. on the 8th; and increased to 29° 98 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 2, EAST HARDING ST., FETTER LANE, E.C.

No. 33. 1894. VOL. LV.] WEEK ENDING SATURDAY, AUGUST 18. [Price 1½d.

*General Register Office, Somerset House,
August 20th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·6 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	July 28.	Aug. 4.	Aug. 11.	Aug. 18.		July 28.	Aug. 4.	Aug. 11.	Aug. 18.
Birkenhead	16·8	18·8	22·2	14·8	Liverpool	21·4	27·8	29·2	30·9
Birmingham	14·5	14·5	14·9	12·8	London	17·2	17·6	17·4	17·1
Blackburn	19·9	19·9	15·8	15·8	Manchester	18·8	21·8	21·8	20·2
Bolton	18·5	14·5	18·1	17·2	Newcastle-on-Tyne	16·3	15·5	17·6	12·7
Bradford	16·8	13·3	13·7	16·8	Norwich	17·8	14·3	15·8	17·8
Brighton	12·3	12·3	18·4	15·8	Nottingham	17·0	17·0	16·6	15·2
Bristol	15·9	12·4	12·0	12·9	Oldham	16·9	14·3	12·0	15·0
Burnley	14·6	14·6	13·5	18·4	Plymouth	11·3	20·2	11·9	10·7
Cardiff	15·1	13·0	10·9	11·6	Portsmouth	11·9	9·8	16·5	13·7
Croydon	13·5	13·5	9·8	14·9	Preston	16·8	29·0	25·3	30·4
Derby	13·7	8·4	10·0	12·1	Salford	20·3	18·7	20·0	23·3
Gateshead	9·5	20·1	15·6	16·2	Sheffield	18·8	18·0	20·3	18·6
Halifax	13·5	16·3	13·5	11·8	Sunderland	21·5	17·2	22·2	30·6
Huddersfield	15·9	13·8	15·4	13·8	Swansea	15·3	10·4	10·9	12·0
Hull	14·2	13·0	14·0	14·5	West Ham	14·4	14·0	17·7	19·3
Leeds	15·6	16·2	17·4	17·2	Wolverhampton	22·1	15·3	21·5	20·8
Leicester	13·2	17·4	16·0	17·4					

The highest annual death-rates, as measured by last week's mortality, were :— from *measles*, 1·1 in Halifax, 1·2 in Bristol, and 1·5 in Sunderland; from *whooping-cough*, 1·4 in Preston, 1·5 in Norwich, and 1·6 in Swansea and in Huddersfield; from "*fever*," 1·0 in Liverpool and in Salford; and from *diarrhoea*, 3·0 in Manchester, 3·1 in Brighton, 3·5 in Salford, 3·7 in Wolverhampton, 3·8 in Burnley, 4·3 in Sheffield, 7·3 in Sunderland, 7·5 in Liverpool, 7·7 in Leicester, and 9·4 in Preston. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 70 deaths from *diphtheria* included 57 in London, and 2 in West Ham. Four deaths from *small-pox* were registered in London, and one in Plymouth, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2665 BIRTHS and 1428† DEATHS were registered. Allowing for increase of population, the births were 8, and the deaths 198, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

per 1000 from all causes, which had been 17·2, 17·6, and 17·4 in the preceding three weeks, further fell last week to 17·1. During the four weeks ending on Saturday last the death-rate averaged 17·3 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1428 deaths included 4 from small-pox, 34 from measles, 14 from scarlet fever, 57 from diphtheria, 30 from whooping-cough, 6 from enteric fever, 124 from diarrhoea and dysentery, 5 from cholera and choleraic diarrhoea, and not one from typhus or any ill-defined form of continued fever; thus, 274 deaths were referred to these diseases, being 89 below the corrected average weekly number.

Four deaths from *small-pox* were registered, the corrected average being 2; of these 4 fatal cases, 2 belonged to Marylebone, and one each to Pancras and Lambeth sanitary areas. There were 160 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 19 in the Highgate Small-pox Hospital, making a total of 179, against 207, 215, and 209 on the preceding three Saturdays; 37 cases were admitted during the week, against 152, 40, and 28 in the preceding three weeks. The deaths from *measles*, which had declined from 57 to 33 in the preceding four weeks, were 34 last week, the corrected average being 40. The deaths from *scarlet fever*, which had been 29, 18, and 19 in the preceding three weeks, further fell last week to 14, being 9 below the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2132 scarlet fever patients at the end of last week, against 2197, 2221, and 2193 on the preceding three Saturdays; 182 cases were admitted during the week, against 259 and 208 in the preceding two weeks. The deaths from *diphtheria*, which had increased from 36 to 62 in the preceding four weeks, fell again last week to 57, but were 30 in excess of the corrected average; 6 belonged to Paddington, and 4 each to Lambeth, Camberwell, and Greenwich sanitary areas. The Metropolitan Asylum Hospitals* contained 458 diphtheria patients at the end of last week, against 435, 470, and 482 on the preceding three Saturdays; 69 cases were admitted during the week, against 99 and 88 in the preceding two weeks. The deaths from *whooping-cough*, which had been 35, 26, and 35 in the preceding three weeks, declined last week to 30, and were 4 below the corrected average. The fatal cases of *enteric fever*, which had been 5, 6, and 11 in the preceding three weeks, fell again last week to 6, and were 9 below the corrected average. The Metropolitan Asylum Hospitals* contained 73 cases of enteric fever and not one case of typhus on Saturday last; 13 cases of enteric fever were admitted during the week, against 13 and 12 in the preceding two weeks. The deaths from *diarrhoea*, which had been 122, 126, and 164 in the preceding three weeks, declined last week to 124, and were 89 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 160, 144, and 151 in the preceding three weeks, fell to 145 last week, and were 33 below the corrected average.

The deaths attributed directly to *influenza* numbered 7, having been 3, 4, and 8 in the preceding three weeks.

Different forms of violence caused 62 deaths, concerning all but 4 of which inquests were held. Of these 62 deaths, 11 were cases of suicide, and one of execution, while the remaining 50 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 3 to burns and scalds, 8 to drowning, 2 (of infants under one year of age) to suffocation in bed, and one to the effects of chloroform administered in a hospital.

GREATER LONDON.

In Greater London 3593 births and 1819 deaths were registered, corresponding to annual rates of 31·5 and 15·9 per 1000 of the estimated population. In the Outer Ring 17 deaths from measles, 10 from diphtheria, and 59 from diarrhoeal diseases were registered. Six deaths from measles, 5 from diphtheria, and 23 from diarrhoea occurred in West Ham district; and 6 deaths from measles and 13 from diarrhoeal diseases in Edmonton district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·73 inches, and that of the Thermometer 59°·2, the latter being 2°·9 below the week's average in the 50 years 1841-90. The direction of the wind was Westerly, the horizontal movement of the air being 57 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 30·7 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 18th August 1894.

CITIES AND BOROUGHES.	COLS.	POPULATION estimated to the middle of the Year 1894.*			Registered during the Week ending 18th Aug. 1894.		Deaths of		Deaths from										TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGHES.																		
		1.	2.	3.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Causes.	Deaths in Public Institutions.	Unrecorded Causes of Death.	From All Causes.		to the Week ending 18th Aug.		Mean.		In Inches.	In Cent. metres.																
																				4.	5.	6.	7.	8.				9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.
33 TOWNS.	10,458,442	6508	3526	1308	604	5	71	28	70	69	36	442	118	229	683	60	17.6	3.6	80.5	44.0	57.0	13.89	0.48	1.22	COLS.	33 TOWNS.																	
LONDON.	4,340,166	2665	1428	475	231	4	34	14	57	30	6	124	62	124	403	10	17.1	3.2	80.5	45.2	59.2	15.11	0.94	2.39	LONDON.																		
WEST HAM.	238,184	183	88	38	20	-	-	-	2	1	-	10	4	4	12	3	14.9	2.3	76.5	48.0	58.5	14.72	0.36	0.91	WEST HAM.																		
CRYDON.	111,921	58	32	16	5	-	-	-	1	1	-	7	1	1	4	1	15.8	3.1	69.2	47.5	59.5	15.28	0.31	0.79	CRYDON.																		
BRIGHTON.	118,715	68	36	10	11	-	-	-	-	-	-	1	3	1	5	-	13.7	1.8	68.5	48.0	59.2	15.11	0.38	0.97	BRIGHTON.																		
PORTSMOUTH.	170,973	96	45	15	11	-	-	-	-	-	-	1	1	1	6	1	10.7	1.2	-	-	-	-	-	-	PORTSMOUTH.																		
PLYMOUTH.	87,931	39	18	5	7	1	-	-	-	-	-	-	1	1	1	12.9	1.6	66.0	47.0	56.2	13.44	0.24	0.61	PLYMOUTH.																			
BRISTOL.	226,578	144	56	10	15	-	5	1	-	1	-	-	3	1	2	3	11.6	2.1	-	-	-	-	-	-	BRISTOL.																		
CARDIFF.	148,890	108	33	14	2	-	1	-	-	2	-	3	1	1	4	-	12.0	1.6	-	-	-	-	-	-	CARDIFF.																		
SWANSEA.	95,399	62	22	11	4	-	-	-	-	-	-	-	1	1	4	-	12.0	1.6	-	-	-	-	-	-	SWANSEA.																		
WOLVERHAMPTON.	85,036	72	34	17	3	-	-	-	1	-	-	6	-	-	3	-	20.8	4.3	63.4	45.1	54.7	12.61	0.27	0.69	WOLVERHAMPTON.																		
BIRMINGHAM.	492,901	318	121	40	30	-	-	-	1	2	1	12	4	3	17	5	12.8	1.7	-	-	-	-	-	-	BIRMINGHAM.																		
NORWICH.	105,645	74	36	19	6	-	-	-	1	3	-	1	2	3	2	3	17.8	2.5	-	-	-	-	-	-	NORWICH.																		
LEICESTER.	189,136	127	63	26	8	-	-	-	1	1	-	28	2	6	7	2	17.4	8.5	-	-	-	-	-	-	LEICESTER.																		
NOTTINGHAM.	222,584	115	65	26	15	-	-	-	3	-	-	8	1	1	8	1	15.2	3.3	68.8	45.0	55.7	13.17	0.22	0.56	NOTTINGHAM.																		
DERBY.	98,796	47	23	5	5	-	-	-	-	-	-	3	-	2	2	-	12.1	2.1	-	-	-	-	-	-	DERBY.																		
BIRMINGHAM.	105,627	67	30	13	5	-	-	-	1	1	-	3	-	-	4	-	14.8	2.5	-	-	-	-	-	-	BIRMINGHAM.																		
LIVERPOOL.	567,230	353	301	135	32	-	6	2	-	1	10	73	8	16	66	5	30.9	9.5	64.3	52.9	56.0	13.33	0.52	1.32	LIVERPOOL.																		
BOLTON.	118,203	66	39	12	10	-	-	-	-	-	-	6	-	3	4	-	17.2	2.6	-	-	-	-	-	-	BOLTON.																		
MANCHESTER.	520,211	362	262	82	32	-	3	-	1	1	2	30	8	17	34	5	20.2	4.3	-	-	-	-	-	-	MANCHESTER.																		
SALFORD.	206,828	143	92	33	11	-	2	2	-	-	4	14	2	3	16	3	23.3	5.6	-	-	-	-	-	-	SALFORD.																		
OLDHAM.	138,725	74	40	8	12	-	2	-	-	-	-	-	2	3	2	1	15.0	1.1	-	-	-	-	-	-	OLDHAM.																		
BURNLEY.	96,478	60	34	14	3	-	-	-	1	1	-	7	2	2	2	-	18.4	5.4	-	-	-	-	-	-	BURNLEY.																		
BLACKBURN.	125,797	59	38	11	3	-	2	-	1	-	2	4	1	2	3	2	15.8	3.3	-	-	-	-	-	-	BLACKBURN.																		
PRESTON.	111,425	72	65	37	6	-	1	-	1	1	3	1	1	1	1	3	30.4	12.2	-	-	-	-	-	-	PRESTON.																		
HUDDESFIELD.	98,511	35	26	7	4	-	-	-	1	3	-	-	1	2	1	1	13.8	2.1	-	-	-	-	-	-	HUDDESFIELD.																		
HALIFAX.	92,861	36	21	2	7	-	-	-	-	-	-	1	-	5	3	-	11.8	1.7	-	-	-	-	-	-	HALIFAX.																		
BRADFORD.	223,485	115	72	21	19	-	3	1	-	-	-	5	3	7	6	-	16.8	2.1	64.6	47.6	55.9	13.28	0.72	1.83	BRADFORD.																		
LEEDS.	388,761	257	128	59	29	-	-	-	1	1	1	13	1	3	10	1	17.2	2.0	-	-	-	-	-	-	LEEDS.																		
SHEFFIELD.	338,516	247	121	54	17	-	-	-	-	-	-	28	4	4	11	10	18.6	4.6	-	-	-	-	-	-	SHEFFIELD.																		
HULL.	212,079	126	59	16	12	-	1	-	-	-	-	4	4	4	4	2	14.5	1.7	-	-	-	-	-	-	HULL.																		
SUNDERLAND.	126,161	96	80	35	14	-	4	1	-	2	2	9	19	1	2	12	30.6	10.7	66.0	44.0	54.6	12.56	0.80	2.03	SUNDERLAND.																		
GATESHEAD.	93,372	51	29	10	7	-	-	-	1	1	1	-	1	3	2	1	16.2	1.1	-	-	-	-	-	-	GATESHEAD.																		
NEWCASTLE.	201,947	133	49	22	8	-	-	-	2	1	1	7	1	2	6	-	12.7	2.6	-	-	-	-	-	-	NEWCASTLE.																		

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-THIRD Week of each of the Eleven Years, 1884–94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884–93.*	1894
TOTAL Births	2579	2535	2523	2465	2604	2715	2527	2330	2486	2560	2673·3	2665
Males . .	1335	1285	1272	1263	1333	1392	1239	1163	1291	1329	1362·3	1356
Females .	1244	1250	1256	1197	1271	1323	1288	1167	1195	1231	1311·0	1309
TOTAL Deaths	1634	1473	1420	1713	1330	1382	1751	1445	1407	1855	1626·4	1428
Males . .	810	725	712	920	721	711	954	769	697	935	839·5	741
Females .	824	748	708	793	609	671	797	676	710	920	786·9	687

* The numbers in this column are the average weekly numbers in the thirty-third weeks of the ten years 1884–93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.
TOTAL Births - -	2414	2374	2300	2436	2334	2458	2254	2371	2419	2419	2695	2200	2665
TOTAL Deaths - -	1440	1366	1398	1336	1330	1282	1314	1356	1405	1437	1464	1450	1428
Ages at Death													
{ 0–20 years -	746	652	727	593	588	601	638	693	768	783	801	820	787
{ 20–40 „ -	163	181	182	188	176	171	180	179	153	149	177	140	169
{ 40–60 „ -	234	251	232	269	255	219	250	215	242	237	214	221	241
{ 60–80 „ -	249	235	212	238	261	234	218	230	197	230	228	227	193
{ 80 years & upwards	48	47	45	48	50	57	38	39	40	38	44	42	38
Under 1 year -	316	291	305	261	278	269	313	410	464	457	480	497	475
{ 1–5 -	322	277	328	252	216	228	225	199	220	223	216	219	229
{ 5–20 -	108	84	94	80	94	104	90	84	84	98	105	104	83
Deaths from Small-pox -	7	4	3	-	5	-	1	2	1	1	5	10	4
„ „ Measles -	165	143	169	122	99	92	88	57	57	53	50	33	34
„ „ Scarlet fever -	20	14	17	19	18	19	17	16	24	29	18	19	14
„ „ Diphtheria -	41	36	34	43	44	56	43	45	36	52	57	62	57
„ „ Whooping-cough -	50	43	36	34	20	25	28	29	43	35	26	35	30
„ „ Typhus -	-	-	-	-	-	-	-	1	-	1	-	-	-
„ „ Enteric fever -	14	13	10	10	10	9	3	6	8	5	6	11	6
„ „ Simple Cont ^d fever -	1	-	1	-	2	1	-	-	-	-	-	-	-
„ „ Diarrhoea and Dysentery -	11	10	9	5	12	15	35	94	140	122	126	164	124
„ „ Cholera -	-	-	-	2	1	-	1	3	1	-	6	3	5
„ „ all the above-mentioned Diseases } -	309	268	279	235	211	217	216	253	310	298	294	337	274
„ „ Dis. of Respiratory System } -	248	222	237	185	201	152	162	158	124	160	144	151	144
„ „ Phthisis -	137	137	131	153	136	123	117	126	131	132	133	124	137
„ „ Dis. of Circulatory System } -	106	103	94	101	124	116	119	104	96	106	95	91	113
Violent Deaths - -	44	67	57	70	67	70	68	74	61	57	71	61	62
Inquest Cases - -	106	129	112	121	125	143	129	137	132	113	131	115	124
Deaths in Public Institutions	379	409	385	397	407	412	363	386	379	420	412	412	403
TEMPERATURE OF THE AIR													
Mean -	48·2	50·1	56·1	56·3	58·9	63·8	66·0	59·2	59·1	62·8	62·1	60·4	59·2
Mean of Highest readings -	58·5	61·2	65·2	66·4	69·7	76·8	79·5	70·6	67·6	73·8	71·9	70·2	68·8
Mean of Lowest readings -	38·8	42·0	49·8	48·8	50·5	51·0	53·9	52·0	53·0	51·4	55·7	55·3	53·0
Humidity of the Air - -	72	80	85	79	79	67	66	80	82	80	80	79	79
Rain-fall in inches - -	0·42	0·67	1·07	0·46	0·32	0·00	0·19	2·27	0·30	0·39	0·19	0·52	0·94
Registered Sunshine (in hours)	39·9	30·5	8·9	15·7	29·0	67·5	53·6	39·9	16·6	33·9	13·6	19·9	30·7

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-THIRD Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 33rd Week of the 10 years 1884-93.*	In the Week ending Saturday, 18th August 1894.								CAUSES OF DEATH.	Corrected Averages for the 33rd Week of the 10 years 1884-93.*	In the Week ending Saturday, 18th August 1894.							
		Deaths of Persons of the Ages										Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
			0-1.	1-5.	5-20.								0-1.	1-5.	5-20.				
ALL CAUSES - -	1626.4	1423	475	229	83	169	241	193	33	Diseases of Organs of Special Sense - - -	1.8	-	-	-	-	-	-	-	-
Small-pox { Vaccinated - - - - -	0.5	-	-	-	-	-	-	-	-	Diseases of Circulatory System - - - - -	105.3	113	1	2	8	29	45	32	5
{ Unvaccinated - - - - -	0.2	-	-	-	-	-	-	-	-	Croup - - - - -	6.5	2	-	2	-	-	-	-	-
{ No Statement - - - - -	0.9	4	-	1	-	3	-	-	-	Bronchitis - - - - -	81.6	82	38	7	-	1	9	26	3
Measles - - - - -	40.0	34	6	23	-	-	-	-	-	Pneumonia - - - - -	65.2	51	12	17	3	6	6	6	1
Scarlet Fever - - - - -	22.6	14	-	10	3	1	-	-	-	Pleurisy - - - - -	4.6	3	-	1	-	-	2	-	-
Typhus - - - - -	0.3	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - - - - -	17.6	6	2	1	-	-	1	1	1
Relapsing Fever - - - - -	-	-	-	-	-	-	-	-	-	Dentition - - - - -	12.9	12	11	1	-	-	-	-	-
Influenza - - - - -	1.8	7	-	1	-	1	2	3	-	Quinsy, Sore Throat - - - - -	1.6	2	-	1	1	-	-	-	-
Whooping-cough - - - - -	34.1	23	13	17	-	-	-	-	-	Enteritis - - - - -	25.0	4	24	10	-	1	3	2	-
Diphtheria - - - - -	27.3	57	3	59	15	-	-	-	-	Peritonitis - - - - -	7.3	2	-	-	-	2	-	-	-
Simple Continued and Ill-defined Fever - - - - -	0.6	-	-	-	-	-	-	-	-	Diseases of Liver - - - - -	32.8	29	2	1	1	4	8	11	2
Enteric Fever - - - - -	14.8	6	-	-	4	1	1	-	-	Other Diseases of Digestive System - - - - -	33.7	25	9	-	2	1	6	6	1
Cholera and Chol. Diarr.	8.5	5	1	2	-	-	1	1	-	Diseases of Lymphatic System & of Ductless Glands - - - - -	2.0	2	1	-	-	1	-	-	-
Diarrhoea, Dysentery - - - - -	213.3	124	93	22	-	-	-	3	-	Diseases of Urinary System - - - - -	37.6	49	-	2	2	9	15	11	1
Remittent Fever - - - - -	0.3	-	-	-	-	-	-	-	-	Diseases of Generative System - - - - -	6.6	4	-	-	-	1	2	1	-
Hydrophobia - - - - -	0.2	-	-	-	-	-	-	-	-	Accidents of Childbirth - - - - -	3.8	7	-	-	-	7	-	-	-
Glanders - - - - -	0.1	-	-	-	-	-	-	-	-	Diseases of Locomotive System - - - - -	7.6	3	1	-	1	-	-	-	1
Cowpox and Effects of Vaccination - - - - -	0.1	-	-	-	-	-	-	-	-	Diseases of Integumentary System - - - - -	5.5	6	2	1	-	2	1	-	-
Veneral Affections - - - - -	12.9	14	10	1	-	-	3	-	-	VIOLENT DEATHS, (ACCIDENT.)									
Erysipelas - - - - -	5.3	4	3	-	1	-	-	-	-	By Railways - - - - -	2	2	-	-	-	1	1	-	-
Pyæmia and Septicæmia - - - - -	3.0	1	1	-	-	-	-	-	-	By Vehicles or Horses - - - - -	5	5	-	1	1	1	2	-	-
Puerperal Fever - - - - -	6.8	4	-	-	-	4	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) - - - - -	1	1	-	-	-	1	-	-	
Other Zymotic Diseases - - - - -	1.4	-	-	-	-	-	-	-	-	In Building Operations - - - - -	1	1	-	-	-	1	-	-	
Thrush - - - - -	3.5	1	1	-	-	-	-	-	-	In Conflagrations - - - - -	-	-	-	-	-	-	-	-	
Worms and other Parasitical Diseases - - - - -	0.4	1	-	-	-	1	-	-	-	By Burns, Scalds, Explosions - - - - -	51.8	3	-	1	-	1	1	-	-
Starvation, Want of Breast-milk - - - - -	2.5	3	3	-	-	-	-	-	-	By Drowning - - - - -	8	8	1	-	3	1	2	1	-
Alcoholism - - - - -	7.8	5	-	-	-	-	5	-	-	By Suffocation in Bed - - - - -	2	2	2	-	-	-	-	-	-
Rheumatic Fever, Rheumatism of Heart - - - - -	7.9	8	-	1	2	4	1	-	-	By Poisons or Poisonous Vapours - - - - -	4	4	-	1	-	3	-	-	-
Rheumatism - - - - -	2.8	-	-	-	-	-	-	-	-	Other or not stated Causes - - - - -	24	24	5	4	4	3	1	4	3
Gout - - - - -	2.4	3	-	-	-	-	1	2	-	(VIOLENCE OTHER THAN ACCIDENTAL.)									
Rickets - - - - -	4.6	2	1	1	-	-	-	-	-	Homicide - - - - -	1.5	-	-	-	-	-	-	-	-
Cancer - - - - -	61.8	53	-	-	1	4	26	19	2	Suicide - - - - -	8.2	11	-	-	-	3	6	2	-
Tabes Mesenterica - - - - -	45.0	28	22	5	1	-	-	-	-	Execution - - - - -	0.3	1	-	-	-	1	-	-	-
Tubercular Meningitis - - - - -	26.7	33	18	12	4	1	3	-	-	OTHER CAUSES - - - - -	80.7	63	53	7	-	-	-	3	-
Phthisis - - - - -	146.2	137	-	6	19	57	43	10	-										
Serofula, Tuberculos - - - - -	20.6	23	9	7	2	4	1	-	-										
Other Constitutional Diseases - - - - -	8.4	14	-	-	1	3	8	2	-										
Premature Birth - - - - -	44.7	51	51	-	-	-	-	-	-										
Atelectasis - - - - -	3.6	3	3	-	-	-	-	-	-										
Congenital Malformations - - - - -	7.0	9	8	-	1	-	-	-	-										
Old Age - - - - -	45.0	21	-	-	-	-	-	10	11										
Apoplexy - - - - -	37.5	40	-	1	-	2	17	15	5										
Epilepsy - - - - -	7.3	8	-	-	-	5	1	2	-										
Convulsions - - - - -	53.2	59	44	6	-	-	-	-	-										
Other Diseases of Brain and Nervous System - - - - -	35.4	63	12	9	3	7	13	20	2										

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population. Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement." This evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

		The DEATHS registered in the Week include																
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												
				Infants under Year of Age.	Persons aged 40 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes.
LONDON	4,211,743	2665	1428	475	231	4	34	14	57	30	-	6	-	121	62	121	403	10
WEST DISTRICTS	740,735	379	218	61	37	-	4	-	11	3	-	2	-	17	17	21	64	1
NORTH DISTRICTS	993,884	605	311	107	43	-	4	5	15	7	-	1	-	22	10	30	89	1
CENTRAL DISTRICTS	247,538	142	78	26	11	-	4	-	3	-	-	-	-	8	6	11	31	-
EAST DISTRICTS	705,114	550	279	93	47	-	9	2	5	3	-	1	-	27	10	31	78	2
SOUTH DISTRICTS	1,524,472	989	515	180	80	-	13	6	23	17	-	1	-	50	26	23	114	6
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGIS- TRATION LONDON	-	-	27	-	8	4	-	1	-	-	-	-	-	-	-	-	27	-
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	84159	52	24	8	4	-	3	-	3	-	-	-	-	1	-	-	1	-
St. John Paddington H - - G.J.	33687	3	7	-	1	-	-	-	-	-	-	-	-	-	3	3	2	-
Kensington Town WH - - W.M.	118751	71	43	13	8	-	-	-	-	-	-	-	-	2	2	6	19	-
Brompton H - - W.M. & C.	47557	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Peter Hammersmith - - W.M.	8533	1	2	1	1	-	-	-	-	-	-	-	-	1	2	3	4	-
St. Paul Hammersmith H W.M. & G.J.	89653	47	32	10	6	-	-	-	1	-	-	-	-	2	1	3	4	-
Fulham WH - - W.M. & C.	91639	32	33	12	2	-	-	-	5	2	-	-	-	6	1	3	6	-
Chelsea Kensal Town - - C.	21787	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North WHHHH - - C.	41637	23	17	3	3	-	-	-	1	-	-	-	-	1	-	-	4	-
Chelsea South HH - - C.	32829	11	10	4	2	-	-	-	-	-	-	-	-	-	-	1	4	-
May Fair WH - - G.J.	23733	4	7	-	6	-	-	-	-	-	-	-	-	-	-	-	4	1
Belgrave WHHH - - C.	54831	17	22	6	2	-	-	-	1	1	-	2	-	1	-	2	8	-
St. John Westminster HHH - - C.	31103	19	9	3	1	-	1	-	-	-	-	-	-	1	-	2	-	-
St. Margaret Westminster H - - C.	21688	7	5	1	-	-	-	-	-	-	-	-	-	1	1	1	5	-
N. James Westminster WHH N.R. & G.J.	24995	12	2	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-
St. Anne Soho HHHHHH - - N.R.	12317	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone } - - W.M.	37713	15	13	1	4	-	-	-	-	-	-	-	-	-	2	3	8	-
HHHHHHHH																		
Rectory Marylebone W - - G.J. & W.M.	20024	17	5	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-
St. Mary Marylebone HHHH G.J. & W.M.	19239	26	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone H - - W.M.	33327	22	4	2	1	-	-	-	-	-	-	-	-	1	1	1	-	-
St. John Marylebone H - - W.M.	83101	22	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead WHHHHH N.R. & W.M.	68416	31	25	1	3	-	1	3	7	-	-	-	-	1	-	1	12	-
Regent's Park Pancras HH - - W.M.	36590	23	12	9	-	-	-	-	-	-	-	-	-	1	2	2	1	-
Tottenham-court WHHHH N.R. & W.M.	26721	10	16	1	1	-	-	-	-	2	-	-	-	1	-	2	9	-
Gray's Inn Lane HHH - - N.R.	27435	14	8	2	2	-	-	-	-	-	-	-	-	-	-	-	1	6
Comers Town HH - - N.R.	32829	17	10	3	1	-	-	-	-	-	-	-	-	-	-	-	3	5
Camden Town WH - - N.R.	15419	10	9	4	2	-	-	-	-	-	-	-	-	-	-	-	3	5
Scottish Town W - - N.R.	95765	58	25	8	1	-	-	-	1	-	-	-	-	1	1	2	6	-
Upper Holloway WHHHH - - N.R.	90235	53	29	5	5	-	-	-	-	-	-	-	-	-	-	-	4	12
Islington South-west H - - N.R.	105557	74	33	15	5	-	-	-	1	1	-	-	-	3	1	3	-	-
Islington South-east - - N.R.	64153	37	16	9	3	-	-	-	1	1	-	-	-	-	1	2	-	-
Highbury HH - - N.R.	59193	24	9	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Stoke Newington H - - N.R.	30936	11	5	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Stamford Hill - - E.L.	17759	9	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney H - - N.R.	42802	30	13	5	2	-	-	-	1	1	-	-	-	1	-	1	3	-
Hackney WHHHH - - E.L. & N.R.	96486	70	50	20	9	-	2	2	5	1	-	1	-	9	2	3	22	-
South Hackney W - - E.L.	41759	29	11	7	2	-	1	-	-	-	-	-	-	2	-	1	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16925	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - - N.R.	13454	15	4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
St. Giles North H - - N.R.	9933	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.	14618	11	6	1	2	-	-	-	1	-	-	-	-	1	-	2	3	-
St. Mary-le-Strand H - - N.R.	8708	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes WH - - N.R.	7194	2	5	1	2	-	-	-	1	-	-	-	-	1	-	-	3	-
Strand Union Workhouse, Edmonton W.	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Geo. the Martyr HHHHHH N.R.	17921	8	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Eastern W - - N.R.	15343	8	4	2	-	-	3	-	-	-	-	-	-	-	-	-	6	-
St. James Clerkenwell - - N.R.	16803	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.R.	16883	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - - N.R.	17155	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - N.R.	15375	10	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
City-road HHHH - - N.R.	29177	29	11	6	2	-	-	-	-	-	-	-	-	3	1	1	2	-
Whitecross-street - - N.R.	8278	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - N.R.	4985	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham W.	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph H - - N.R. & E.L.	8944	2	4	1	-	-	-	-	1	-	-	-	-	-	1	2	-	-
Cripplegate - - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - - N.R.	4444	3	15	3	2	-	-	-	-	-	-	1	-	1	4	5	12	-
St. Bride W - - N.R.	6591	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch-lane Barking - - N.R.	10422	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - - N.R.	8377	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote the Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L—Private Lunatic Asylum in which paupers are received; W—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts:—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

* See note on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
y, 18th August, 1894.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1891.	Total Deaths.	Total Deaths.	Deaths from														
				Deaths of 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple epi- demical fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
High South HL*	E.L. & N.R.	20098	15	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
New Town W	- N.R.	29313	21	2	2	2	-	-	-	-	-	-	-	-	2	2	1	-
Old Town W	- N.R.	23854	15	9	3	1	-	-	-	-	-	-	-	-	1	2	1	-
Easton WH	- N.R. & E.L.	46244	33	22	8	4	-	2	1	1	-	-	-	-	1	1	10	-
Green North H	- E.L.	51520	38	18	9	4	-	-	-	1	-	-	-	-	4	-	1	-
Green South W	- E.L.	33489	22	17	5	3	-	-	-	-	-	1	-	-	2	-	-	-
Green East WHL*	- E.L.	44123	40	18	4	4	-	2	-	1	1	-	-	-	1	1	3	-
Fields -	E. & N.R.	22456	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
New Town W	- E.L.	17908	19	14	2	-	-	-	-	-	-	-	-	-	-	-	11	-
Chapel Church H	E.L. & N.R.	20293	15	26	7	5	-	-	-	1	-	-	-	-	2	4	19	-
Man's Fields -	- E.L.	13800	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
George's North -	- E.L.	37738	37	9	4	1	-	-	-	-	-	-	-	-	2	-	-	-
St. George East W	- E.L.	8087	5	17	3	9	-	-	-	-	-	-	-	-	1	3	14	-
ell H -	E.L. & N.R.	10246	2	11	4	-	-	-	-	-	-	-	-	-	-	2	7	-
W -	- E.L.	14028	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ouse -	- E.L.	32202	27	14	5	1	-	-	2	-	-	-	-	-	-	1	-	-
nd Old Town West H	- E.L.	38650	43	14	9	-	1	-	-	-	-	-	-	-	-	1	1	1
nd Old Town East W & H -	E.L.	68942	53	11	7	1	-	-	-	-	-	-	-	-	3	1	2	1
W -	- E.L.	40365	38	11	4	3	-	-	2	1	-	-	-	-	-	-	1	-
ey W & H -	- E.L.	70000	53	33	11	8	-	1	-	-	-	-	-	-	4	2	7	11
W -	- E.L.	56388	43	16	7	1	-	3	-	-	-	-	-	-	1	2	4	-
SOUTH DISTRICTS.																		
church Southwark WH	L. & S.	13264	7	7	-	2	-	-	-	1	-	-	-	-	-	-	-	-
viour Southwark -	- S.	13613	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
gh-road WH	- S. & L.	21367	16	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
g-road HL	- S. & L.	16524	10	7	4	-	1	-	-	-	-	-	-	-	-	1	-	-
n-road HL	- L. & S.	21321	17	7	4	2	-	-	-	-	-	-	-	-	1	1	1	-
Newington -	S. & L.	26596	24	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-
ter Walworth W	- S. & L.	61342	40	19	5	1	-	2	-	-	-	-	-	-	3	2	3	-
ry Newington -	- L. & S.	27866	22	5	3	-	-	-	-	-	-	-	-	-	2	-	-	-
ve WH	- S.	12723	12	15	2	2	-	-	-	-	-	-	-	-	-	4	4	12
er Market -	- S. & L.	14952	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ry Magdalen W	- S.	15660	16	3	2	1	-	-	-	-	-	-	-	-	1	-	-	-
na Bernmosey -	- S.	64070	39	11	1	2	-	-	-	2	-	-	-	-	1	1	1	-
thiths WH	- S. & K.	39255	26	20	5	3	-	-	-	-	-	-	-	-	2	-	-	9
oo-road 1st H	- L. & S.	14031	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2
oo-road 2nd H	- L. & S.	14644	16	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
th Church 1st H	- L. & S.	18075	12	10	1	-	-	-	2	-	-	-	-	-	6	7	15	-
th Church 2nd W & W	- L. & S.	39037	28	26	8	7	-	-	2	2	-	-	-	-	3	1	1	15
ngton 1st H	- S. & L.	50536	35	18	10	2	-	-	1	-	-	-	-	-	1	-	-	1
ngton 2nd -	- S. & L.	39708	26	7	5	1	-	-	-	-	-	-	-	-	3	-	-	-
n W	- L. & S.	73405	36	34	8	7	-	1	9	-	1	-	-	-	2	-	10	1
od WH	- L.	25637	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
attorsea -	- S.	67244	37	29	18	-	-	-	1	-	4	-	-	-	4	1	1	-
Battersea W & H -	- S.	33314	33	29	14	3	-	-	1	-	-	-	-	-	2	1	6	-
m -	- S.	43698	25	11	4	3	-	-	-	1	-	-	-	-	1	-	-	-
worth WHL	- S.	46717	27	21	12	-	-	2	-	-	3	-	-	-	5	-	1	-
y -	- S.	17771	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
am W & W -	- L.	48756	23	16	3	4	-	1	2	-	-	-	-	-	-	4	3	2
h -	L. & S.	6809	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rwell W & L* L* -	- S. & L.	51636	44	39	10	14	-	1	-	1	2	-	-	-	3	2	1	19
am W & W	- S., L., & K.	33438	55	21	7	1	-	2	-	-	-	-	-	-	3	1	2	1
orge Camberwell -	- L. & S.	63366	49	19	11	3	-	1	-	-	2	-	-	-	-	1	1	-
rd, North -	- K.	25314	32	16	5	2	-	2	-	1	-	-	-	-	2	1	1	-
rd, Central W	- K.	42007	27	20	8	-	1	-	2	4	-	-	-	-	3	-	6	1
rd, South -	- K.	30552	10	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
rich West H	- K.	22007	20	3	-	1	-	1	-	-	-	-	-	-	-	-	-	1
rich East WH	- K.	35233	28	14	4	7	-	1	-	-	-	-	-	-	-	-	8	-
W & H -	- K.	5682	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
W -	- K.	23541	8	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-
am WH	- K.	30950	20	15	4	2	-	-	-	1	-	-	-	-	1	-	2	-
am H	- L.	34162	20	5	2	1	-	-	1	-	-	-	-	-	-	-	1	1
on H -	- K.	14040	9	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-
ich Dockyard -	- K.	19606	8	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-
ich Arsenal HH	- K.	41242	15	5	3	1	-	-	-	-	-	-	-	-	1	-	-	-
ead, West H	- K.	13869	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1
ead, East W	- K.	36567	41	8	3	2	-	-	-	-	-	-	-	-	1	-	5	-
ad Asylum -	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
am Asylum -	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
ill Asylum -	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
al Ships and Camp, Dartford -	-	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	4	-
h Asylum -	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
ll Asylum -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hatch Asylum -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ospital -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
more Hill Hospital -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
len Asylum -	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
ry Asylum, -	-	-	-	9	-	3	-	-	-	-	-	-	-	-	-	-	-	9

* See Note † on first page of this Return.

Area, Population, Births, Deaths, &c. in Outer Ring.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 18th August, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1891	BIRTHS.	DEATHS.	The Deaths registered in the Week include												
						Deaths of Infants under 1 Year of Age.	Persons Aged 60 Years & upwards.	Deaths from								Inquest Cases.	Deaths in Public Institutions.	Un- certain.
								Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.			
LONDON—OUTER RING		368,749	1,422,063	928	391	168	60	-	17	1	10	6	5	57	12	18	37	
30:1	Carehampton WHH	12228	26108	9	5	2	-	-	-	1	-	-	-	-	-	-	1	
2	Epsom, part of* WHH	10423	12508	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
37:1	Godstone, part of* WHH	754	1593	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38:1	Croydon WHH	20351	138699	65	41	17	5	-	1	-	2	1	-	2	1	3	8	
2	Mitcham w	11697	23093	2	3	1	2	-	-	-	-	-	-	-	-	1	-	
39:1	Wimbledon HHH	3220	25761	12	3	1	-	-	-	-	-	-	-	-	-	1	-	
2	Kingston WHH	8071	44785	19	3	2	-	-	1	-	-	-	-	-	-	-	-	
3	Esher, part of* WHH	6601	12059	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H	4555	18252	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
40:1	Richmond WH	2160	25389	18	5	-	4	-	-	-	-	-	-	-	-	-	-	
2	Mortlake H	2823	16159	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley HHH	9127	23815	9	15	4	1	-	-	2	1	1	-	-	-	-	2	
2	Beckenham H	6542	21990	5	5	2	1	-	-	-	1	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	15	6	3	-	-	-	-	-	-	-	1	-	1	1	
42:1	Bexley HHH	12540	30590	23	7	4	1	-	-	-	1	1	2	-	-	-	-	
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124:1	Stamford WH	11054	13671	8	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W	18277	13221	10	3	3	-	-	-	-	-	-	-	-	-	-	-	
125:1	Hillingdon WHH	6035	12237	9	4	1	2	-	-	-	-	-	-	-	-	-	2	
2	Uxbridge	6172	5417	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH	14537	12613	7	2	1	-	-	-	-	-	-	-	-	1	1	-	
126:1	Isleworth WHH	6967	26273	15	13	4	1	-	-	-	-	-	-	2	-	-	3	
2	Twickenham HH	2415	16027	17	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford HHHH	4318	37777	20	11	4	3	-	-	-	-	-	-	4	-	-	-	
4	Chiswick	1245	21963	15	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Aston WH	6132	30945	21	5	2	-	-	-	-	-	-	-	1	-	-	-	
127:1	Harrow HHH	13809	15715	5	2	1	-	-	-	-	1	-	-	-	1	-	-	
2	Edgware HH	6994	3844	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH	4383	61255	61	16	10	1	-	2	-	-	-	-	3	-	-	-	
4	Hendon W	6332	15843	8	9	1	1	-	1	-	-	-	-	1	-	-	2	
128:1	South Mitham	1559	8474	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet WHH	6441	11773	4	2	-	1	-	-	-	-	-	-	-	1	1	-	
3	Finchley HHH	4658	25820	14	2	-	1	-	-	-	-	-	-	-	1	1	-	
129:1	Hornsey HH	8039	61097	30	12	5	2	-	-	-	-	-	-	3	-	1	-	
2	Tottenham H	4542	97174	65	37	20	2	-	4	-	1	-	-	8	1	3	-	
3	Edmonton WH	7489	33851	27	10	4	2	-	2	-	-	1	-	2	-	-	1	
4	Enfield WWHH	12639	31803	13	8	1	2	-	-	-	-	-	1	-	1	1	2	
5	Waltham Abbey	11017	6066	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
6	Chesham H	8480	9620	8	1	-	-	-	-	-	-	-	-	-	-	-	-	
130:1	Hatfield, part of* WH	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
131:1	Bushy H	9331	7737	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
132:1	Stratford H	1100	42083	35	12	4	3	-	-	-	-	1	3	1	1	1	-	
2	Plaistow HHHH	1242	56030	48	24	14	3	-	1	-	2	-	-	4	-	-	1	
3	Canning Town H	1553	54750	53	23	14	2	-	-	-	-	-	-	3	2	2	3	
4	Forest Gate w	806	49149	44	13	6	5	-	-	-	-	-	1	-	1	1	-	
5	East Ham w	3266	33713	30	14	7	1	-	2	-	1	-	-	4	-	-	1	
6	Leyton WWH	4334	70183	59	30	8	9	-	-	-	2	-	-	5	-	-	11	
7	Walthamstow HHL	6501	57330	43	16	11	3	-	-	-	-	-	-	4	-	-	1	
133:1	Chigwell, part of* H	11779	12941	9	1	-	1	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
134:1	Romford, part of* WH	6558	4324	3	2	2	-	-	-	-	-	-	-	-	-	-	-	
2	Uford	8493	10913	7	3	2	-	-	-	-	-	-	-	2	-	-	-	
3	Barking Town H	3314	14301	21	7	5	-	-	-	-	-	-	-	3	-	-	-	
	Highgate Small-pox Hosp.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Metro. Asy. Hosps.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District water forms; the Outer Ring are as follows—30: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warlingham and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2232); 41: 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1079); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford, 137: 3, Watford, and 187: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 18th August, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.		
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
GREATER LONDON	443,421	5,948,300	15·9	3·2	1819	643	291	4	51	15	67	36	11	181	74	440				
INNER LONDON -	746·2	4,349,166	17·1	3·2	1428	475	231	4	34	14	57	30	6	124	62	403				
OUTER RING -	388,749	1,599,134	12·8	3·1	391	168	60	-	17	1	10	6	5	57	12	37				

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH -	270,583	August 18	106	63	12·1	-	1	1	1	2	1	2	
GLASGOW -	686,820	" 18	422	195	14·8	-	-	2	4	4	2	14	
DUBLIN -	349,594	" 18	164	132	19·7	3	1	1	-	2	1	6	
CALCUTTA -	466,460	June 30	-	-	-	-	-	-	-	-	-	-	
BOMBAY -	821,764	July 24	255	624	39·5	7	15	?	?	?	124	113†	
MADRAS -	452,518	" 6	367	277	31·8	-	6	?	?	?	117	28	
		" 13	300	268	30·8	-	4	?	?	?	92	30	
PARIS -	2,424,705	August 11	1189	888	19·5	1	14	4	18*	7	13	164	
BRUSSELS -	498,400	" 11	272	194	20·2	2	-	1	1*	1	1	41	
AMSTERDAM -	446,295	" 11	250	131	15·2	1	1	-	-	3	1	5†	
ROTTERDAM -	228,697	" 11	153	76	17·2	1	-	-	-	-	1	-	
THE HAGUE -	174,790	" 11	107	55	16·3	-	-	-	-	1	-	-	
COPENHAGEN -	341,000	" 11	245	119	18·2	-	1	5	3	1	-	21	
STOCKHOLM -	252,937	" 4	109	79	16·2	-	1	1	-	3	-	14	
CHRISTIANIA -	167,588	August 11	49	92	28·5	-	1	-	3	1	-	47	
ST. PETERSBURG -	954,400	July 28	529	1044	57·0	-	20	7	12	4	15	650†	
MOSCOW -	753,469	August 4	-	527	36·5	-	7	4	18	3	2	150	
BERLIN -	1,714,938	July 28	892	843	25·8	-	14	9	32	7	1	284	
HAMBURG -	598,372	August 11	-	277	24·1	-	3	-	6*	4	2	75	
DRESDEN -	312,772	July 7	203	121	19·9	-	-	1	4*	2	1	10	
WRESLAU -	360,660	" 14	184	131	21·5	-	-	-	8*	2	-	22	
		August 11	-	195	28·2	-	3	1	1*	3	1	59	
MUNICH -	390,900	" 11	-	145	19·3	-	-	-	6*	3	-	33	
VIENNA -	1,465,537	" 4	924	594	21·1	-	6	10	17*	1	2	121	
PRAGUE -	339,172	" 11	869	595	21·1	-	5	7	25*	1	5	126	
BUDA-PESTH -	552,769	" 4	182	163	25·0	-	2	1	6	-	7	7	
TRIESTE -	159,739	" 4	348	263	24·7	-	1	-	6	-	2	48	
		" 4	-	-	-	-	-	-	-	-	-	-	
ROME -	455,678	July 21	190	165	18·9	-	4	-	-	1	9†	20	
TURIN (11 days) -	337,997	" 31	221	189	18·6	-	1	-	2	-	1	43	
VENICE -	160,406	" 7	85	77	25·0	-	-	-	1*	-	1	7	
		" 14	70	68	22·1	-	-	-	-	-	1	9	
CAIRO -	374,858	July 19	437	439	60·9	-	1	-	-	5	13	174	
ALEXANDRIA -	251,396	" 19	178	187	42·1	1	-	-	1*	1	4	53	
NEW YORK -	1,925,569	August 4	-	988	26·3	1	5	5	37	10	7	244	
BROOKLYN -	1,043,000	" 4	-	561	27·7	1	6	1	23	8	4	145	
PHILADELPHIA -	1,139,457	" 4	-	577	26·4	-	-	-	13	12	11	131	
NEW ORLEANS -	254,000	July 14	-	117	24·0	-	-	-	4	1	4	8	

* Including deaths from croup.

† Including 37 deaths from cholera in Bombay, 5 in Amsterdam, and 493 in St. Petersburg, including 4 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 18th August, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894. MONTH AND DAY.	HARO- METER. Mean reading of the Moon. and re- duced to Fahr- enheit).	TEMPERATURE. Of the Air.					Difference between the Air Temperature and Dew Point Temperature.			TEMPERATURE. Of Radiation.			Wind as deduced from Anemometers.				Rain collected in a gauge surfaces above the Ground.								
		High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average value. 50 years.	Mean daily value.	Great- est.	Least.	Degree of Hu- midity (Satu- ration 100°).	Of the Earth Surface.		General Direction.		Pressure on the Square Foot.			Robinson's.							
											Highest Sun's Ray's.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.		Mean of 24 hours obs.	Horizontal Movement of the Air on each Day.	Depart- ure from Average of 10 Years.					
AUGUST.																									
SUNDAY. 12	Greatest Dec. S.	69.3	54.3	15.0	58.6	- 3.9	55.0	3.6	14.0	0.0	88	131.1	46.2	62.18	SW.	SW.	lbs. 5.1 0.0	lbs. 0.0 0.5	Miles. 388 +139					in. 0.12	1.2
MONDAY. 13	Apogee.	69.7	57.2	12.5	61.2	- 1.2	48.1	13.1	21.1	4.9	62	137.0	54.8	61.97	SW. & NW.	NW. & WNW.	5.0	0.0	405 +160					0.00	4.3
TUESDAY 14	..	69.5	56.4	24.1	66.5	+ 4.2	59.3	7.2	21.1	0.0	78	143.2	54.0	62.10	SW.	SW.	5.8	0.0	480 +239					0.01	1.5
WEDNES. 15	..	69.6	54.5	16.1	60.5	- 1.6	51.3	9.2	20.2	1.3	72	140.3	48.0	62.17	SW.	SW.	7.8	0.0	545 +307					0.07	5.0
THURS. 16	Full.	69.6	51.8	10.2	55.6	- 6.4	53.7	1.9	5.5	0.0	93	100.0	45.7	62.30	SW. WSW. & W.	NNW. & WNW.	1.9	0.0	232 - 2					0.70	0.0
FRIDAY. 17	..	69.1	45.2	17.3	54.1	- 7.7	47.4	6.7	14.8	0.0	78	110.0	35.6	62.02	WSW. & WNW.	WSW. & WNW.	2.1	0.0	289 + 58					0.00	0.0
SATURDAY 18	..	69.0	51.6	15.4	57.6	- 4.0	52.6	5.0	14.0	0.0	84	124.9	44.6	61.59	WSW. & NW.	WSW. & WSW.	2.7	0.0	269 + 41					0.04	0.5
MEANS .	..	68.8	53.0	15.8	59.2	- 2.9	52.5	6.7	15.8	0.9	79	126.6	47.0	62.05	SW. & NW.	SW. & NW.	Sum 2608 +942					Sum 0.94	1.8
No. of Column	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	

GENERAL REMARKS.

DATE.	Electricity. (For symbol, see Note).	Registered Sun above Sunshine, Horizon, in hours.	Remarks.
SUNDAY . 12	m. P. till 6h. P.M.; v. P. and w. N. after- wards.	1.1	Generally cloudy till 2h. P.M.; overcast afterwards with occasional rain.
MONDAY . 13	v. P. throughout	6.6	Fine and partially cloudy till evening; overcast at night.
TUESDAY . 14	v. P. and w. N.	7.9	Overcast in early morning, with a shower about 2h. A.M.; very fine during afternoon, with little cloud prevailing. Cloudy at night.
WEDNESDAY 15	w. P. in morning; v. P. and w. N. till 6h. P.M.; m. P. after- wards.	8.3	Fine; partially cloudy. Brisk wind. Heavy shower about 4h. P.M., with thunder. Cloudless at night.
THURSDAY . 16	v. P. till 9h. A.M.; s. P. and s. N. till 6h. P.M.; v. P. after- wards.	0.6	Fine in early morning; generally overcast after- wards. Rain fell heavily between 1h. A.M. and 3h. P.M., occasionally accompanied by thunder.
FRIDAY . 17	v. P. generally; s. N. for a short time at 10h. P.M.	3.2	Fine with variable clouds in morning; generally cloudy afterwards.
SATURDAY . 18	v. P. generally; s. N. and s. P. for a brief time about 2h. P.M.	8.0	Fine generally; partially cloudy. Showery in afternoon.
Sum		30.7	
Sum		101.9	

The results apply to the civil day, or from midnight to midnight.
The height of the column of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the corrected into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the dry bulb thermometer for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometer records for the 15 years ending 1875.
In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27 derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day in inches. At the beginning of the week to the reading of the barometer decreased from 29.98 in. by 9h. P.M. on the same day; decreased to 29.38 in. by 3h. P.M. on the 15th, increased to 29.91 in. by noon on the 17th; and was 29.91 in. at the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 34. 1894. VOL. LV.]

WEEK ENDING SATURDAY, AUGUST 25.

[Price 1½d.]

*General Register Office, Somerset House,
August 27th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·8 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.		Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.
Birkenhead	18·8	22·2	14·8	13·3	Liverpool -	27·8	29·2	30·9	27·2
Birmingham	14·5	14·9	12·8	15·9	London -	17·6	17·4	17·1	15·4
Blackburn -	19·9	15·8	15·8	16·2	Manchester -	21·8	21·8	20·2	17·4
Bolton -	14·5	18·1	17·2	20·3	Newcastle-on-Tyne	15·5	17·6	12·7	18·8
Bradford -	13·3	13·7	16·8	16·1	Norwich -	14·3	15·8	17·8	16·3
Brighton -	12·3	18·4	15·8	20·6	Nottingham -	17·0	16·6	15·2	16·3
Bristol -	12·4	12·0	12·9	13·6	Oldham -	13·5	12·0	15·0	15·8
Burnley -	14·6	13·5	18·4	17·3	Plymouth -	19·6	11·9	10·1	10·7
Cardiff -	13·0	10·9	11·6	12·3	Portsmouth -	9·8	16·5	13·7	18·3
Croydon -	13·5	9·8	14·9	14·0	Preston -	29·0	25·3	30·4	27·6
Derby -	8·4	10·0	12·1	19·5	Salford -	18·7	20·0	23·3	21·3
Gateshead -	20·1	15·6	16·2	19·0	Sheffield -	18·0	20·3	18·6	17·3
Halifax -	16·3	13·5	11·8	14·0	Sunderland -	17·2	22·2	30·6	26·1
Huddersfield	13·8	15·4	13·8	12·2	Swansea -	10·4	10·9	12·0	13·7
Hull -	13·0	14·0	14·5	13·2	West Ham -	14·0	17·7	19·3	15·3
Leeds -	16·2	17·4	17·2	20·1	Wolverhampton -	15·3	21·5	20·8	15·9
Leicester -	17·4	16·0	17·4	13·5					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·0 in Salford; from *whooping-cough*, 1·0 in Newcastle-upon-Tyne, 1·3 in Salford, and 1·5 in Oldham; from "*fever*," 1·2 in Wolverhampton; and from *diarrhoea*, 3·0 in Nottingham, 3·4 in Gateshead, 4·4 in Leicester, 4·9 in Burnley, 5·2 in Liverpool, 7·0 in Preston, and 8·8 in Sunderland. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 58 deaths from *diphtheria* included 43 in London, and 2 each in Brighton, Portsmouth, Liverpool, and Manchester. Two deaths from *small-pox* were registered in London, one in Plymouth, and one in Birmingham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2378 BIRTHS and 1284† DEATHS were registered. Allowing for increase of population, the births were 242, and the deaths 271, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

per 1000 from all causes, which had been 17·6, 17·4, and 17·1 in the preceding three weeks, further fell last week to 15·4. During the four weeks ending on Saturday last the death-rate averaged 16·9 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1284 deaths included 2 from small-pox, 27 from measles, 17 from scarlet fever, 43 from diphtheria, 22 from whooping-cough, 11 from enteric fever, 114 from diarrhœa and dysentery, 2 from cholera and choleraic diarrhœa, and not one from typhus or any ill-defined form of continued fever; thus, 238 deaths were referred to these diseases, being 95 below the corrected average weekly number.

Two deaths from *small-pox* were registered, the corrected average being 3; of these 2 fatal cases, one belonged to Marylebone and one to Bethnal Green sanitary areas. There were 145 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 13 in the Highgate Small-pox Hospital, making a total of 158, against 215, 209, and 179 on the preceding three Saturdays; 34 cases were admitted during the week, against 40, 28, and 37 in the preceding three weeks. The deaths from *measles*, which had been 50, 33, and 34 in the preceding three weeks, declined to 27 last week, and were 11 below the corrected average. The deaths from *scarlet fever*, which had been 18, 19, and 14 in the preceding three weeks, rose again to 17 last week, but were 6 below the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2117 scarlet fever patients at the end of last week, against 2221, 2193, and 2132 on the preceding three Saturdays; 208 cases were admitted during the week, against 208 and 182 in the preceding two weeks. The deaths from *diphtheria*, which had been 57, 62, and 57 in the preceding three weeks, further fell last week to 43, but were 15 in excess of the corrected average. The Metropolitan Asylum Hospitals* contained 448 diphtheria patients at the end of last week, against 470, 482, and 458 on the preceding three Saturdays; 71 cases were admitted during the week, against 88 and 69 in the preceding two weeks. The deaths from *whooping-cough*, which had been 26, 35, and 30 in the preceding three weeks, further fell last week to 22, and were 13 below the corrected average. The fatal cases of *enteric fever*, which had been 6, 11, and 6 in the preceding three weeks, rose again to 11 last week, the corrected average being 13. The Metropolitan Asylum Hospitals* contained 78 cases of enteric fever and not one of typhus on Saturday last; 14 cases of enteric fever were admitted during the week, against 12 and 13 in the preceding two weeks. The deaths from *diarrhœa*, which had been 126, 164, and 124 in the preceding three weeks, further fell last week to 114, and were 70 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 144, 151, and 144 in the preceding three weeks, rose to 148 last week, but were 24 below the corrected average.

The deaths attributed directly to *influenza* numbered 6, having been 4, 8, and 7 in the preceding three weeks.

Different forms of violence caused 39 deaths, concerning all but 3 of which inquests were held. Of these 39 deaths, 6 were cases of suicide, and one of homicide, while the remaining 32 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, one to a conflagration, 4 to drowning, 9 (of infants under one year of age) to suffocation in bed, and 2 to the effects of chloroform.

GREATER LONDON.

In Greater London 3215 births and 1671 deaths were registered, corresponding to annual rates of 28·2 and 14·7 per 1000 of the estimated population. In the Outer Ring 12 deaths from measles, 9 from diphtheria, 7 from whooping-cough, and 42 from diarrhœa were registered. Five deaths from measles, 3 from scarlet fever, 4 from diphtheria, and 15 from diarrhœa occurred in West Ham district. Three deaths from measles and 3 from diphtheria were registered in Edmonton district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·76 inches, and that of the Thermometer 57°·4, the latter being 3°·6 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 8 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 14·0 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 25th August 1894.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1844.	Registered during the Week ending 25th Aug. 1894.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGH.				
		BIRTHS.	DEATHS.	Deaths of Persons under 1 Year of Age.					Deaths from					Inquest Causes.			From All Causes.		From Diseases in the Week.			Mean.		Rainfall.	
				Infants under 1 Year.	Persons Aged 1 Year or upwards.	Small-pox.	Measles.	Scarlat. Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.	Unsettled Causes of Death.	From All Causes.	From Diseases in the Week.	Coldest.	Wettest.	Kabretholt.		Centigrade.	In Inches.	In Centigrade.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	
33 TOWNS.	10,458,442	6013	3369	1167	583	4	63	40	58	59	31	395	105	203	695	44	16.8	3.2	73.2	40.0	55.3	12.94	0.88	2.24	
LONDON.	4,849,166	2878	1284	416	223	2	27	17	43	22	11	114	89	84	390	10	15.4	2.8	73.2	44.2	57.4	14.11	1.50	3.81	
WEST HAM.	238,184	157	70	31	6	-	3	2	1	1	-	7	3	3	7	2	15.3	3.1	-	-	-	-	-	-	
CREYDON.	111,921	157	30	12	12	-	1	-	2	2	-	3	-	3	-	13	1	20.6	42.0	56.4	13.56	1.69	4.29		
BRIGHTON.	118,715	75	47	18	14	-	1	-	2	-	-	3	-	2	13	1	20.6	2.6	69.0	46.4	58.6	14.78	0.83	2.11	
PORTSMOUTH.	176,973	89	60	21	16	-	1	-	2	-	-	9	1	3	8	-	18.3	3.7	68.0	47.0	58.0	14.44	0.94	2.39	
PLYMOUTH.	87,931	40	18	4	6	1	-	-	-	-	-	1	-	-	4	-	10.7	1.2	-	-	-	-	-	-	
BRISTOL.	226,478	132	59	17	9	-	3	1	1	2	1	3	2	5	15	-	13.6	2.5	65.0	46.0	54.6	12.56	0.68	1.73	
CARDIFF.	148,899	87	35	7	7	-	-	-	-	-	-	4	-	1	6	-	12.3	1.4	-	-	-	-	-	-	
SWANSEA.	95,599	57	25	7	8	-	-	-	-	-	-	-	-	1	3	1	13.7	-	-	-	-	-	-	-	
WOLVERHAMPTON.	85,036	56	26	8	3	-	-	-	-	1	2	3	-	1	5	1	15.9	4.3	67.0	40.0	52.5	11.39	0.78	1.98	
BIRMINGHAM.	492,301	509	150	50	21	1	-	1	-	3	3	20	5	5	43	4	15.9	3.0	-	-	-	-	-	-	
NORWICH.	105,645	55	33	14	5	-	-	-	-	1	-	5	-	2	6	2	16.3	3.5	-	-	-	-	-	-	
LEICESTER.	189,186	130	49	27	7	-	-	-	-	-	1	16	-	2	6	2	13.5	5.0	-	-	-	-	-	-	
NOTTINGHAM.	223,584	136	70	28	15	-	3	-	-	2	-	13	3	5	8	-	16.3	4.2	68.1	42.8	54.4	12.44	0.38	0.97	
DERBY.	98,796	44	37	9	11	-	1	-	-	-	-	4	2	4	11	-	19.5	2.6	-	-	-	-	-	-	
BIRENHEAD.	105,627	58	27	14	5	-	-	-	-	-	-	5	1	1	2	-	13.3	2.5	-	-	-	-	-	-	
LIVERPOOL.	567,230	371	265	98	20	-	3	7	2	-	4	51	11	17	47	6	27.2	6.9	55.1	49.8	54.7	12.61	1.18	3.00	
BOLTON.	118,303	74	46	17	9	-	-	-	-	-	1	4	4	5	5	-	20.3	2.2	-	-	-	-	-	-	
MANCHESTER.	520,211	319	174	65	19	-	3	-	2	4	-	18	1	5	29	1	17.4	2.8	-	-	-	-	-	-	
SALFORD.	205,828	166	84	30	13	-	4	1	1	5	1	6	4	7	14	2	21.3	4.6	-	-	-	-	-	-	
OLDHAM.	138,765	65	42	9	7	-	2	1	-	4	-	1	1	3	7	-	15.8	3.0	-	-	-	-	-	-	
BURNLEY.	96,478	59	32	13	5	-	1	-	-	-	-	9	1	3	5	-	17.3	5.4	-	-	-	-	-	-	
BLACKBURN.	125,797	73	39	8	10	-	1	-	-	-	-	1	1	4	5	7	16.2	1.7	-	-	-	-	-	-	
PRESTON.	111,425	64	29	35	8	-	-	-	-	-	-	15	-	1	2	2	27.6	7.5	-	-	-	-	-	-	
HUDDERSFIELD.	98,511	41	23	5	6	-	-	-	-	1	-	-	-	1	2	1	12.2	1.1	-	-	-	-	-	-	
HALIFAX.	92,861	35	25	1	4	-	1	-	-	-	-	-	-	2	2	4	14.0	0.6	-	-	-	-	-	-	
BRADFORD.	223,185	132	69	13	21	-	2	1	-	-	-	3	4	7	9	1	16.1	1.4	65.1	45.2	54.3	12.39	0.37	0.94	
LEEDS.	388,761	255	150	70	25	-	3	1	1	1	1	15	3	6	6	3	20.1	3.0	-	-	-	-	-	-	
SHEFFIELD.	358,316	168	112	36	26	-	-	-	-	1	3	1	18	5	5	17	2	17.3	3.5	-	-	-	-	-	
HULL.	212,679	118	54	15	18	-	-	-	-	2	1	4	-	8	-	-	13.2	2.5	-	-	-	-	-	-	
SUNDERLAND.	136,101	68	24	12	12	-	2	-	-	-	1	23	1	2	1	1	26.1	10.0	62.0	44.0	52.4	11.33	0.41	1.04	
GATESHEAD.	53,372	70	34	14	3	-	-	-	-	-	-	6	1	4	-	-	19.0	3.9	-	-	-	-	-	-	
NEWCASTLE.	201,947	124	73	31	9	-	1	2	-	4	-	11	3	6	8	-	18.8	4.6	-	-	-	-	-	-	

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-FOURTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2660	2418	2421	2521	2401	2358	2487	2501	2495	2571	2620·4	2378
Males . .	1381	1226	1249	1231	1189	1218	1266	1234	1237	1306	1323·1	1201
Females . .	1279	1187	1172	1290	1212	1140	1221	1267	1258	1265	1297·3	1177
TOTAL Deaths	1579	1371	1458	1490	1438	1240	1629	1403	1406	1718	1554·8	1284
Males . .	825	692	745	781	763	674	794	735	736	901	806·9	633
Females . .	754	679	713	709	675	566	835	668	670	817	747·9	651

* The numbers in this column are the average weekly numbers in the thirty-fourth weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.
TOTAL Births	2374	2300	2436	2334	2458	2254	2371	2419	2419	2695	2200	2665	2378
TOTAL Deaths	1366	1398	1336	1330	1282	1314	1356	1405	1437	1464	1450	1423	1284
Ages at Death													
{ 0-20 years	652	727	593	588	601	628	693	768	783	801	820	787	685
{ 20-40 "	181	182	188	176	171	180	179	158	149	177	140	169	144
{ 40-60 "	251	232	269	255	219	250	215	242	237	214	221	241	232
{ 60-80 "	285	212	238	261	234	218	230	197	230	228	227	193	184
{ 80 years & upwards	47	45	48	50	57	38	39	40	38	44	42	38	39
Deaths from Small-pox	4	3	-	5	1	1	2	1	1	5	10	4	2
" " Measles	143	169	122	99	92	88	57	57	53	50	33	34	27
" " Scarlet fever	14	17	19	18	19	17	16	24	29	18	19	14	17
" " Diphtheria	36	34	43	44	56	43	45	36	52	57	62	57	43
" " Whooping-cough	43	36	34	20	25	28	29	43	35	26	35	30	22
" " Typhus	-	-	-	-	-	-	1	-	1	-	-	-	-
" " Enteric fever	13	10	10	10	9	3	6	8	5	6	11	6	11
" " Simple Cont'd fever	-	1	-	2	1	-	-	-	-	-	-	-	-
" " Diarrhoea and Dysentery	10	9	5	12	15	35	94	140	122	126	164	124	114
" " Cholera	-	-	2	1	-	1	3	1	-	6	3	5	2
" " all the above- mentioned Diseases	268	279	235	211	217	216	253	310	298	294	337	274	238
" " Dis. of Respira- tory System	222	237	185	201	152	162	158	124	160	144	151	144	148
" " Phthisis	137	131	153	136	123	117	126	131	132	133	124	137	122
" " Dis. of Circula- tory System	103	94	101	124	116	119	104	96	106	95	91	113	102
Violent Deaths	67	57	70	67	70	68	74	61	57	71	61	62	89
Inquest Cases	129	112	121	125	143	129	137	132	113	131	115	124	84
Deaths in Public Institutions	409	385	397	407	412	363	386	379	420	412	404	390	
TEMPERATURE OF THE AIR													
Mean	50·1	56·1	56·3	58·9	68·8	66·0	59·2	59·1	62·8	62·1	60·4	59·2	57·4
Mean of Highest readings	61·2	65·2	66·4	69·7	76·8	79·5	70·6	67·6	73·8	71·9	70·2	68·8	64·4
Mean of Lowest readings	42·0	49·8	48·8	50·5	51·0	53·9	52·0	53·0	54·4	55·7	55·8	53·0	52·0
Humidity of the Air	80	88	79	79	67	66	80	82	80	80	79	79	87
Rain-fall in inches	0·67	1·07	0·46	0·32	0·00	0·19	2·27	0·30	0·39	0·19	0·52	0·94	1·50
Registered Sunshine (in hours)	30·5	8·9	15·7	29·0	67·5	53·6	39·9	16·6	33·9	18·6	19·9	30·7	14·0

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Carr Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbier, Esq., M.D., Nottingham; E. Plummer, Esq., F.B.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FOURTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 34th Week of the 10 years 1884-93.	In the Week ending Saturday, 25th August 1894.											Corrected Averages for the 34th Week of the 10 years 1884-93.*	CAUSES OF DEATH.	Corrected Averages for the 34th Week of the 10 years 1884-93.*	In the Week ending Saturday, 25th August 1894.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Deaths of Persons of the Ages														Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.							ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			0-1.	1-5.	5-20.												0-1.	1-5.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
ALL CAUSES - -	1554.8	1234	416	184	85	144	232	184	39					Diseases of Organs of Special Sense - - -	2.7	7	2	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.

† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated," which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquest is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	The DEATHS registered in the Week include													
				Deaths of				Deaths from									
				Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2378	1284	416	223	2	27	17	43	22	-	11	-	114	39	84	390
WEST DISTRICTS	740,735	350	222	81	44	-	5	3	3	3	-	4	-	19	6	17	83
NORTH DISTRICTS	993,884	512	278	80	49	-	5	7	14	3	-	2	-	16	7	13	78
CENTRAL DISTRICTS	247,538	132	87	26	9	-	3	-	1	2	-	-	-	7	7	9	32
EAST DISTRICTS	705,114	474	236	79	42	-	5	2	6	3	-	2	-	21	11	27	88
SOUTH DISTRICTS	1,524,472	910	439	150	72	-	9	4	18	11	-	3	-	51	8	18	92
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGIS- TRATION LONDON	-	-	22	-	7	2	-	1	1	-	-	-	-	-	-	-	22
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	84159	42	33	20	2	-	-	1	1	-	-	1	-	8	-	2	3
St. John Paddington H - G.J.	33937	4	11	2	2	-	1	-	-	-	-	-	-	-	1	1	6
Kensington Town W - W.M.	118751	45	42	15	10	-	2	-	-	-	-	-	-	4	-	-	23
Brompton H - W.M. & C.	47657	10	7	-	1	-	-	-	-	-	-	-	-	-	-	-	3
St. Peter Hammersmith - W.M.	8338	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	89053	53	21	11	5	-	1	-	2	1	-	1	-	3	1	2	4
Fulham W - W.M. & C.	91639	69	24	9	-	-	1	2	2	-	-	1	-	3	-	2	10
Chelsea Kensal Town - C.	21787	12	3	-	1	-	1	-	-	1	-	-	-	-	-	-	-
Chelsea North WHHHH - C.	41637	19	9	5	1	-	-	-	-	-	-	-	-	-	-	2	4
Chelsea South HH - C.	38859	23	9	2	1	-	-	-	-	-	-	-	-	-	-	1	4
May Fair W - G.J.	23733	4	7	2	4	-	-	-	-	-	-	-	-	-	1	2	4
Belgrave WHH - C.	54631	26	24	5	7	-	-	-	-	1	-	1	-	1	-	1	15
St. John Westminster HHH - C.	34106	20	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster H - C.	21668	4	5	1	1	-	-	-	-	-	-	-	-	-	1	1	4
St. James Westminster WHH N.R. & G.J.	24995	11	10	6	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Anne Soho HHHHH - N.R.	12317	6	6	1	1	-	-	-	-	-	-	-	-	-	1	2	1
NORTH DISTRICTS.																	
All Souls Marylebone } - W.M.	37713	4	17	-	3	-	-	-	1	-	-	-	-	-	-	-	10
HHHHHHHHH } - G.J. & W.M.	20024	11	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Restory Marylebone W - G.J. & W.M.	19289	30	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Maryleb. HHHH G.J. & W.M.	38337	23	12	6	1	-	-	-	-	-	-	-	-	1	-	-	-
Christchurch Marylebone H - W.M.	82101	21	10	4	4	-	-	-	-	-	-	1	-	-	-	-	-
St. John Marylebone H - W.M.	68416	31	28	6	2	-	-	4	7	-	-	-	-	-	1	2	16
Hampstead W HHHHH N.R. & W.M.	86590	14	11	4	3	-	1	-	-	1	-	-	-	-	-	1	1
Regent's Park Pancras HH - W.M.	26321	14	8	1	2	-	-	-	-	-	-	-	-	-	-	-	5
Tottenham-court WHHHH N.R. & W.M.	27455	16	14	1	1	-	-	-	1	-	-	1	-	2	1	2	6
Gray's Inn Lane HHH - N.R.	32859	16	13	9	4	-	2	-	-	-	-	-	-	2	1	1	1
Homers Town HH - N.R.	15419	14	6	2	1	-	-	-	-	-	-	-	-	1	1	1	3
Camden Town WH - N.R.	95765	51	18	7	2	-	-	1	-	1	-	-	-	2	-	1	4
Kentish Town W - N.R.	90235	39	31	5	6	-	-	-	-	-	-	-	-	-	1	2	13
Upper Holloway WWHH - N.R.	105557	59	19	7	1	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-west H - N.R.	64153	36	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east - N.R.	69193	19	13	4	2	-	-	-	1	-	-	-	-	1	3	1	1
Highbury HH - N.R.	30936	19	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Isle of Dogs H - N.R.	17759	10	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.	42902	21	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney H - N.R.	96486	43	29	3	6	-	1	2	3	-	-	-	-	1	1	1	5
Hackney WWHH - E.L. & N.R.	41759	21	9	5	1	-	-	-	-	-	-	-	-	1	-	1	14
South Hackney W - E.L.														2	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16695	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - N.R.	13454	13	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles North H - N.R.	9693	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.	14616	1	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Mary-le-Strand H - N.R.	5706	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3
St. Clement Danes WH - N.R.	7194	1	7	2	-	-	-	-	1	-	-	-	-	1	1	1	4
Strand Union Workhouse, Edmonton w.	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
St. Geo.-the-Martyr HHHHHH N.R.	17921	2	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Eastern W - N.R.	15343	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	6
St. James Clerkenwell - N.R.	16803	7	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Amwell Clerkenwell - N.R.	16883	14	3	1	1	-	-	-	-	-	-	-	-	1	1	1	-
Penkington - N.R.	17155	14	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - N.R.	15375	12	2	1	1	-	2	-	-	-	-	-	-	2	1	2	-
City-road HHHH - N.R.	29377	33	5	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Whitecross-street - N.R.	8278	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.	4965	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham w.	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - N.R. & E.L.	8944	4	5	1	1	-	-	-	-	-	-	-	-	-	-	-	3
Cripplegate - N.R.	4530	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - N.R.	4444	1	10	2	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Bride W - N.R.	6594	1	1	1	-	-	-	-	-	-	-	-	-	-	1	1	10
Alhambra Barking - N.R.	10432	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Broad Street H - N.R.	3377	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
City of London Asylum, Stone	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishment; Sub-districts:—G. J. signifies Grand Junction Company; W. M., West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R., New River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

ay, 25th August, 1894.

* See Note † on first page of this Return.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 25th August, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Wanne- rated Popu- lation, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Cases of Death.
LONDON—OUTER RING		368,749	1,422,083	837	387	152	85	-	12	3	9	7	3	42	15	19	20	8
30: 1	Carshalton WHH -	12228	26108	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* WHH	10423	12508	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
37: 1	Goldstone, part of* W-	754	1593	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Croydon WHH- -	30351	128699	64	41	14	16	-	1	-	-	2	-	4	3	5	2	-
2	Mitcham w - -	11697	23038	16	5	2	1	-	-	-	-	-	-	1	-	-	-	-
89: 1	Wimbledon HHH -	3220	25761	10	5	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Kingston WHH -	8071	44765	23	5	-	1	-	-	-	-	-	-	-	1	1	-	-
3	Esher, part of,* -	6601	12059	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Hampton H - -	4585	18252	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond WH -	2160	25389	5	6	2	2	-	-	-	-	1	-	2	-	-	1	-
2	Mortlake H - -	2823	16169	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-
41: 1	Bromley HHH -	9127	23815	16	6	3	2	-	-	-	-	-	-	2	1	1	-	1
2	Beckenham H - -	6542	21969	14	5	3	2	-	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, pt. of* WHH	14307	20372	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
42: 1	Bexley HHH -	12540	30890	21	4	-	1	-	-	-	-	-	-	-	-	-	-	1
2	Dartford Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124: 1	Saunbury w - -	11054	13671	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W - -	18277	13221	5	1	1	-	-	-	-	-	-	-	1	-	-	-	-
125: 1	Hillingdon WHH -	6035	12237	5	4	1	1	-	-	-	-	-	-	1	-	-	2	-
2	Uxbridge - - -	6172	5417	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes WH - - -	14537	12618	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
126: 1	Isleworth WHH -	6967	23273	16	7	1	3	-	-	-	1	-	-	-	-	2	-	-
2	Twickenham HH -	2415	16027	14	4	2	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford HHHH -	4318	37777	17	8	5	2	-	-	-	-	-	-	2	1	-	-	-
4	Chislewick - - -	1245	21963	11	6	3	-	-	-	-	-	-	1	1	-	-	-	-
5	Aston WH - - -	6132	30945	10	5	3	-	-	-	-	-	-	-	1	-	-	-	-
127: 1	Harrow HHH - -	13809	18715	6	5	-	2	-	-	-	-	-	-	-	2	2	-	-
2	Edgware HH - -	6994	3344	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden HHH -	4383	31265	41	25	12	5	-	-	2	-	-	-	4	-	-	-	1
4	Hendon W - - -	8382	15843	9	1	-	-	-	1	-	-	-	-	-	-	-	-	-
128: 1	South Mimms - -	1559	8474	6	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Barnet WHH - -	5441	11778	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley HHH - -	4688	25820	18	3	1	1	-	-	-	-	-	-	-	-	-	-	-
129: 1	Hornsey HH - - -	8039	61097	35	9	1	5	-	-	-	-	-	-	-	1	1	-	-
2	Tottenham H - -	4542	97174	61	30	14	5	-	3	-	2	1	-	3	-	-	1	-
3	Edmonton WH - -	7489	33351	25	21	11	2	-	-	-	-	1	2	4	1	1	4	1
4	Enfield WWHH - -	12639	31803	12	10	4	6	-	-	-	-	1	-	1	-	-	1	-
5	Waltham Abbey -	11017	6066	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
6	Cheshunt H - - -	8480	9820	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-
130: 1	Hatfield, part of* W -	3306	582	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey H - - -	9331	7737	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136: 1	Stratford H- - -	1100	42983	31	10	6	1	-	1	-	1	-	-	1	-	-	-	-
2	Plaistow HHHH - -	1242	58030	40	18	8	2	-	-	-	-	-	-	4	-	-	-	1
3	Canning Town H -	1553	54750	49	21	9	1	-	1	1	-	-	-	2	3	3	1	1
4	Forest Gate w - -	806	49140	37	16	8	1	-	1	1	-	1	-	-	-	-	1	-
5	East Ham w - - -	3266	32713	27	18	7	3	-	1	1	-	-	-	-	1	1	-	-
6	Leyton WHW - - -	4334	70183	44	32	14	6	-	1	-	1	-	1	7	-	-	5	2
7	Walthamstow HHL -	6501	57330	30	17	6	3	-	-	-	2	-	-	1	-	1	-	-
137: 1	Chigwell, part of* H- -	11779	12941	9	3	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Epping Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139: 1	Romford, part of* WH	6558	4324	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - - -	8493	10913	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town H -	3814	14301	8	3	2	-	-	-	-	1	-	-	1	-	-	-	-
	Highgate Small-pox Hosp.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Metro. Asy. Hosp.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which form the Outer Ring are as follows:—39: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Goldstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2332); 41: 3, Chislehurst sub-district, except the parishes of Chelsfield, Cadnam, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Deynton Bois (1079); 139: 1, the parish of Dagenham in Barking sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 25th August, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include											
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from								Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	
GREATER LONDON	443,421	5,948,300	14·7	2·7	1671	538	308	2	39	20	52	29	14	156	54	410	
INNER LONDON	74,672	4,349,168	15·4	2·8	1284	410	223	2	27	17	43	22	11	114	39	390	
OUTER RING	368,749	1,599,134	12·6	2·5	387	152	85	-	12	3	9	7	3	42	15	20	

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692,845 square miles, which is equivalent to the area of a circle having a radius of 14,851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	August 25	124	74	14·3	-	-	-	4	1	-	4	
GLASGOW	686,820	" 25	404	215	16·3	-	2	4	5	5	4	18	
DUBLIN	349,594	" 25	180	188	28·0	6	-	4	-	4	4	9	
CALCUTTA	466,460	June 30	-	240	26·8	10	-	-	1	-	88	42+	
BOMBAY	821,764	July 7	-	213	23·8	6	-	-	2	-	93	20+	
MADRAS	452,518	" 31	294	716	45·3	8	10	?	?	?	169	128+	
PARIS	2,424,705	August 18	1107	788	17·3	-	12	1	11*	8	10	120	
BRUSSELS	498,400	" 18	231	167	17·4	-	-	-	1*	4	1	32	
AMSTERDAM	446,295	" 18	286	141	16·4	-	1	2	-	2	-	5+	
ROTTERDAM	228,597	" 18	140	75	17·0	2	-	-	-	1	-	-	
THE HAGUE	174,790	" 18	92	54	16·0	-	-	-	-	-	-	-	
COPENHAGEN	341,000	" 18	178	116	17·7	-	1	5	3	-	2	18	
STOCKHOLM	252,937	" 11	124	79	16·2	-	-	-	2*	3	1	16	
CHRISTIANIA	167,588	" 18	40	76	23·6	-	1	-	4	1	-	27	
ST. PETERSBURG	954,400	" 4	542	704	38·5	3	9	5	11	11	7	372+	
MOSCOW	753,469	" 11	-	479	33·1	-	8	6	7	3	6	139	
BERLIN	1,714,938	" 4	918	848	26·0	-	9	5	11	7	-	365	
HAMBURG	598,372	" 18	-	242	21·1	-	4	3	9*	1	1	57	
DRESDEN	312,772	July 21	190	100	16·4	-	-	-	2*	1	-	21	
BRISLAU	360,660	" 28	201	167	27·4	-	-	-	3*	1	-	47	
MUNICH	390,000	August 18	-	222	33·9	-	1	3	4*	3	1	81	
VIENNA	1,465,537	" 18	-	208	27·7	-	1	-	8*	11	-	70	
PRAGUE	339,172	" 11	157	163	25·0	-	1	2	3	-	-	9	
BUDA-PESTH	552,769	" 11	352	254	23·9	1	2	3	8	-	1	58	
TRIESTE	159,739	" 4	98	110	35·8	1	-	6	6*	1	1	20	
ROME	455,678	July 28	207	197	22·5	-	4	-	2	3	5+	36	
TURIN (11 days)	237,997	August 10	195	121	13·3	-	1	-	-	-	2	23	
VENICE	160,406	July 21	109	74	24·1	-	-	-	-	-	-	19	
CAIRO	374,838	" 26	413	475	65·9	1	-	-	-	5	14	170	
ALEXANDRIA	231,396	" 26	243	174	39·2	-	-	-	-	1	5	51	
NEW YORK	1,925,569	August 11	-	769	20·4	1	-	6	34	10	6	140	
BROOKLYN	1,043,000	" 11	-	424	21·0	-	2	1	23	7	5	79	
PHILADELPHIA	1,139,457	" 11	-	424	19·4	1	-	1	19	7	11	56	
NEW ORLEANS	254,000	July 21	-	-	-	-	-	-	-	-	-	-	

* Including deaths from croup.

† Including 22 and 4 deaths, respectively, from cholera in Calcutta, 38 in Bombay, 5 in Amsterdam, and 216 in St. Petersburg.

‡ Including 3 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 25TH AUGUST, 1894.
[Under the Superintendence of the Astronomer Royal.]

TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a Gauge whose surface is 5 inches above the level of Ground.																																																																																																																																																																																																																													
Of the Air.					Of the Dew Point.					Difference between the Air Temperature and the Dew Point.					Of Radiation.					Of the Earth 3 feet below the Surface.					Oiler's.						Pressure on the Square Foot.					Robinson's.																																																																																																																																																																																																																							
Phases of the Moon.	Mean daily ther- mo- m- eter.	Mean daily re- c- ord- ed.	High- est.	Low- est.	Daily Range.	Mean Daily Value.	De- parture from Average 50 years.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily Value.	Mean Daily

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29.91 in. at the beginning of the week to 29.57 in. by 9h. P.M. on the 21st; increased to 29.78 in. by 9h. P.M. on the 22nd; decreased to 29.61 in. by noon on the 23rd; increased to 29.96 in. by 9h. P.M. on the 24th; and decreased to 29.80 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 35. 1894. VOL. LV.] WEEK ENDING SATURDAY, SEPTEMBER 1. [Price 1½d.

General Register Office, Somerset House,
September 3rd, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·2 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.		Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.
Birkenhead	22·2	14·8	13·3	18·8	Liverpool -	29·2	30·9	27·2	20·7
Birmingham	14·9	12·8	15·9	15·6	London -	17·4	17·1	15·4	14·4
Blackburn -	15·8	15·8	16·2	14·9	Manchester -	21·8	20·2	17·4	16·8
Bolton -	18·1	17·2	20·3	16·3	Newcastle-on-Tyne	17·6	12·7	18·8	13·9
Bradford -	13·7	16·8	16·1	13·5	Norwich -	15·8	17·8	16·3	13·8
Brighton -	18·4	15·8	20·6	19·3	Nottingham -	16·6	15·2	16·3	15·9
Bristol -	12·0	12·9	13·6	10·6	Oldham -	12·0	15·0	15·8	14·3
Burnley -	13·5	18·4	17·3	11·3	Plymouth -	11·9	10·1	10·7	11·9
Cardiff -	10·9	11·6	12·3	11·9	Portsmouth -	16·5	13·7	18·3	13·7
Croydon -	9·8	14·9	14·0	10·7	Preston -	25·3	30·4	27·6	22·5
Derby -	10·0	12·1	19·5	9·0	Salford -	20·0	23·3	21·3	17·0
Gateshead -	15·6	16·2	19·0	14·0	Sheffield -	20·3	18·6	17·3	18·2
Halifax -	13·5	11·8	14·0	14·0	Sunderland -	22·2	30·6	26·1	21·8
Huddersfield	15·4	13·8	12·2	14·3	Swansea -	10·9	12·0	13·7	14·2
Hull -	14·0	14·5	13·2	14·7	West Ham -	17·7	19·3	15·3	15·3
Leeds -	17·4	17·2	20·1	14·9	Wolverhampton -	21·5	20·8	15·9	17·8
Leicester -	16·0	17·4	13·5	18·5					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·4 in Croydon and in Preston; from *whooping-cough*, 1·0 in Norwich, and 1·1 in Cardiff, in Swansea, in Burnley, in Sunderland, and in Gateshead; from "*fever*," 1·9 in Sunderland; and from *diarrhoea*, 2·0 in Birkenhead, 2·2 in Liverpool and in Bolton, 2·3 in Sunderland and in Newcastle-upon-Tyne, 2·5 in Wolverhampton, in Norwich, and in Blackburn, 2·6 in Sheffield, 2·8 in Gateshead, 3·1 in Brighton, 3·9 in Leicester, and 6·1 in Preston. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 48 deaths from *diphtheria* included 33 in London, 3 in West Ham, 3 in Sheffield, and 2 in Leeds. Seven deaths from *small-pox* were registered in London, 4 in Birmingham, one death in Wolverhampton, and one (stated to be that of a tramp) in Leeds, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2704 BIRTHS and 1198† DEATHS were registered. Allowing for increase of population, the births were 86 above, and the deaths 272 below, the

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·4, 17·1, and 15·4 in the preceding three weeks, further fell last week to 14·4. During the four weeks ending on Saturday last the death-rate averaged 16·1 per 1000, being 2·8 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1198 deaths included 7 from small-pox, 18 from measles, 13 from scarlet fever, 33 from diphtheria, 26 from whooping-cough, 8 from enteric fever, 71 from diarrhoea and dysentery, 2 from cholera and choleraic diarrhoea, and not one death from typhus or any ill-defined form of continued fever; thus, 178 deaths were referred to these diseases, being 108 below the corrected average weekly number.

Seven deaths from *small-pox* were registered, the corrected average being 2. There were 151 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 12 in the Highgate Small-pox Hospital, making a total of 163, against 209, 179, and 158 on the preceding three Saturdays; 40 cases were admitted during the week, against 28, 37, and 34 in the preceding three weeks. The deaths from *measles*, which had been 33, 34, and 27 in the preceding three weeks, further fell last week to 18, and were 13 below the corrected average. The deaths from *scarlet fever*, which had been 19, 14, and 17 in the preceding three weeks, fell again last week to 13, and were 10 below the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2112 scarlet fever patients at the end of last week, against 2193, 2133, and 2117 on the preceding three Saturdays; 232 cases were admitted during the week, against 182 and 208 in the preceding two weeks. The deaths from *diphtheria*, which had been 62, 57, and 43 in the preceding three weeks, further fell last week to 33, but exceeded the corrected average by 6. The Metropolitan Asylum Hospitals* contained 450 diphtheria patients at the end of last week, against 482, 459, and 448 on the preceding three Saturdays; 75 cases were admitted during the week, against 69 and 71 in the preceding two weeks. The deaths from *whooping-cough*, which had been 35, 30, and 22 in the preceding three weeks, rose again last week to 26, but were 4 below the corrected average. The fatal cases of *enteric fever*, which had been 11, 6, and 11 in the preceding three weeks, fell again last week to 8, the corrected average being 13. The Metropolitan Asylum Hospitals* contained 70 cases of enteric fever and not one case of typhus on Saturday last; 11 cases of enteric fever were admitted during the week, against 13 and 14 in the preceding two weeks. The deaths from *diarrhoea*, which had been 164, 124, and 114 in the preceding three weeks, further fell last week to 71, and were less than half the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 151, 144, and 148 in the preceding three weeks, fell to 123 last week, and were 36 below the corrected average.

The deaths attributed directly to *influenza* numbered 3, having been 8, 7, and 6 in the preceding three weeks.

Different forms of violence caused 52 deaths, concerning all but 2 of which inquests were held. Of these 52 deaths, 5 were cases of suicide, while the remaining 47 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 3 to burns and scalds, 10 to drowning, and 8 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3648 births and 1562 deaths were registered, corresponding to annual rates of 32·0 and 13·7 per 1000 of the estimated population. In the Outer Ring 12 deaths from measles, 6 from diphtheria, 9 from whooping-cough, 6 from "fever," and 33 from diarrhoea were registered. Three deaths from measles occurred in Croydon sub-district; 4 deaths from diphtheria, and 10 from diarrhoea occurred in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·96 inches, and that of the Thermometer 60°·8, the latter being 0°·5 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 52 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 28·6 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 1st September 1894.

CITIES AND BOROUGH.	Cols.	POPULATION estimated to the middle of the Year 1844.*		Registered during the Week ending 1st Sept. 1844.		Deaths of Persons Aged 1 Year or more under 60 Years		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	Deaths from				From All Causes.	From 6-12. (Diseases in Cannon.)	18.	19.	Lowest.		Mean.	In Inches.	In Centi- meters.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
															Small-pox.	Measles.	Scarlet Fever.	Diphtheria.					Whooping- cough.					Fever.	Diarrhoea.	Violence.	Inquest Cases.	Leads in Public Institutions.	Unofficial.	From All Causes.	From 6-12. (Diseases in Cannon.)	High.	Fahrenheit.	Centigrade.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		BIRTHS.	DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
33 TOWNS		10458442	6354	3051	979	607	13	47	25	48	68	40	288	105	190	617	49	152	25	790	435	578	1433	020	051	24.	23.	22.	21.	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
LONDON		4,349,166	2704	1198	361	249	7	18	13	33	26	8	71	52	92	370	13	144	21	790	475	608	1600	000	000	33 TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

* See note * on first page of this Return. † The Registrar states that the death from small-pox was that of a tramp.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-FIFTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2460	2538	2332	2297	2508	2425	2614	2555	2462	2616	2618·2	2704
Males . . .	1211	1307	1212	1177	1255	1240	1274	1261	1270	1325	1322·7	1428
Females . .	1249	1231	1120	1120	1253	1185	1340	1294	1192	1291	1295·5	1276
TOTAL Deaths	1542	1238	1328	1339	1342	1263	1659	1299	1356	1565	1470·4	1198
Males . . .	815	663	684	710	683	660	883	679	639	821	769·1	622
Females . .	727	575	644	629	659	603	776	620	667	745	701·3	576

* The numbers in this column are the average weekly numbers in the thirty-fifth weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.
TOTAL Births	2900	2436	2334	2458	2254	2371	2419	2419	2695	2200	2665	2361	2704
TOTAL Deaths	1398	1336	1330	1282	1314	1356	1405	1437	1464	1450	1428	1284	1198
Ages at Birth													
{ 0-20 years	727	593	588	601	628	693	768	783	801	820	787	685	591
{ 20-40 "	182	188	176	171	180	179	158	149	177	140	169	144	150
{ 40-60 "	232	269	255	219	250	215	242	237	214	221	241	232	208
{ 60-80 "	212	238	261	234	218	230	197	230	228	227	193	184	214
{ 80 years & upwards	45	48	50	57	38	39	40	38	44	42	38	39	35
Death													
{ Under 1 year	305	261	278	269	313	410	464	457	480	497	475	416	361
{ 1-5 "	328	252	216	228	225	199	220	228	216	219	229	184	146
{ 5-20 "	94	80	94	104	90	84	84	98	105	104	83	85	84
Deaths from Small-pox	3	-	5	-	1	2	1	1	5	10	4	2	7
" " Measles	169	122	99	92	88	57	57	58	50	33	34	27	18
" " Scarlet fever	17	19	18	19	17	16	24	29	18	19	14	17	13
" " Diphtheria	34	43	44	56	43	45	36	52	57	62	57	43	33
" " Whooping-cough	36	34	20	25	28	29	43	35	26	35	30	22	26
" " Typhus	-	-	-	-	-	1	-	1	-	-	-	-	-
" " Enteric fever	10	10	10	9	3	6	8	5	6	11	6	11	8
" " Simple Contag. fever	1	-	2	1	-	-	-	-	-	-	-	-	-
" " Diarrhœa and Dysentery	9	5	12	15	35	94	140	122	126	164	124	114	71
" " Cholera	-	2	1	-	1	3	1	-	6	3	5	2	2
" " all the above-mentioned Diseases	279	235	211	217	216	253	310	298	294	337	274	238	178
" " Dis. of Respiratory System	237	185	201	152	162	158	124	160	144	151	144	148	123
" " Phthisis	131	153	136	123	117	126	131	132	133	124	137	122	116
" " Dis. of Circulatory System	94	101	124	116	119	104	96	106	95	91	113	102	93
Violent Deaths	57	70	67	70	68	74	61	57	71	61	62	39	52
Inquest Cases	112	121	125	143	129	137	132	113	131	115	124	82	92
Deaths in Public Institutions	385	397	407	412	363	386	379	420	412	412	404	390	370
TEMPERATURE OF THE AIR													
Mean	56·1	56·3	58·9	63·8	66·0	59·2	59·1	62·8	62·1	60·4	59·2	57·4	60·8
Mean of Highest readings	65·2	66·4	69·7	76·8	79·5	70·6	67·6	73·8	71·9	70·2	68·8	64·4	72·1
Mean of Lowest readings	49·8	48·8	50·5	51·0	53·9	52·0	53·0	54·4	55·7	55·3	53·0	52·0	52·2
Humidity of the Air	85	79	79	67	66	80	82	80	80	79	79	87	86
Rain-fall in inches	1·07	0·46	0·32	0·00	0·19	2·27	0·30	0·39	0·19	0·52	0·94	1·50	0·00
Registered Sunshine (in hours)	8·9	15·7	29·0	67·5	53·6	39·9	16·6	33·9	18·6	19·9	30·7	14·0	28·6

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FIFTH Week of the Year 1894.

CAUSES OF DEATH.		Corrected Averages for the 35th Week of the 10 years 1884-93.*	In the Week ending Saturday, 1st September 1894.										CAUSES OF DEATH.		Corrected Averages for the 35th Week of the 10 years 1884-93.*	In the Week ending Saturday, 1st September 1894.																			
			Deaths of Persons of the Ages													Deaths of Persons of the Ages																			
			ALL AGES.													ALL AGES.																			
			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	0-1.	1-5.	5-20.				20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																
ALL CAUSES - -		1470.4	1193	361	146	84	150	208	214	35																									
Small-pox	Vaccinated† - - -	0.2	3	-	-	1	-	2	-	-																									
	Unvaccinated - - -	0.7	3	-	1	1	1	-	-	-																									
	No Statement - - -	0.8	1	-	-	-	1	-	-	-																									
Measles - - - - -		30.7	18	4	14	-	-	-	-	-																									
Scarlet Fever - - -		23.1	13	1	8	4	-	-	-	-																									
Typhus - - - - -		0.3	-	-	-	-	-	-	-	-																									
Relapsing Fever - -		-	-	-	-	-	-	-	-	-																									
Influenza - - - - -		2.3	3	-	-	1	-	1	1	-																									
Whooping-cough - -		30.3	26	11	15	-	-	-	-	-																									
Diphtheria - - - -		27.2	83	1	23	10	-	-	-	-																									
Simple Continued and Ill-defined Fever - -		0.7	-	-	-	-	-	-	-	-																									
Enteric Fever - - -		13.4	8	-	-	1	4	3	-	-																									
Cholera and Chol. Diarr.		7.5	2	-	-	-	-	-	2	-																									
Diarrhoea, Dysentery -		150.8	71	58	8	-	-	1	2	2																									
Remittent Fever - -		0.3	-	-	-	-	-	-	-	-																									
Hydrophobia - - -		0.2	-	-	-	-	-	-	-	-																									
Glanders - - - - -		0.1	-	-	-	-	-	-	-	-																									
Cowpox and Effects of Vaccination - - -		0.2	-	-	-	-	-	-	-	-																									
Venereal Affections -		11.6	6	5	-	-	-	-	1	-																									
Erysipelas - - - -		5.7	-	-	-	-	-	-	-	-																									
Pyæmia and Septicæmia		2.2	3	1	-	1	1	-	-	-																									
Puerperal Fever - -		5.1	2	-	-	2	-	-	-	-																									
Other Zymotic Diseases		1.3	-	-	-	-	-	-	-	-																									
Thrush - - - - -		2.7	-	-	-	-	-	-	-	-																									
Worms and other Parasitical Diseases - - -		0.2	-	-	-	-	-	-	-	-																									
Starvation, Want of Breast-milk - - -		2.7	1	1	-	-	-	-	-	-																									
Alcoholism - - - -		7.6	9	-	-	4	5	-	-	-																									
Rheumatic Fever, Rheumatism of Heart		7.3	5	-	-	2	2	1	-	-																									
Rheumatism - - - -		1.5	3	-	-	1	1	1	-	-																									
Gout - - - - -		8.3	3	-	-	-	2	1	-	-																									
Rickets - - - - -		3.4	5	2	3	-	-	-	-	-																									
Cancer - - - - -		61.8	56	-	-	2	4	23	26	1																									
Tabes Mesenterica -		42.1	21	14	4	2	1	-	-	-																									
Tubercular Meningitis		24.7	21	5	8	8	-	-	-	-																									
Phthisis - - - - -		150.5	116	1	1	10	55	40	9	-																									
Serofula, Tuberculous		22.3	12	3	3	2	3	1	-	-																									
Other Constitutional Diseases - - -		9.4	13	1	-	3	1	6	2	-																									
Premature Birth - -		40.6	46	46	-	-	-	-	-	-																									
Atelectasis - - - -		3.1	6	6	-	-	-	-	-	-																									
Congenital Malformations - - -		6.5	6	6	-	-	-	-	-	-																									
Old Age - - - - -		41.6	30	-	-	-	-	-	18	12																									
Apoplexy - - - - -		36.0	37	1	1	-	1	10	20	4																									
Epilepsy - - - - -		5.7	5	1	-	1	1	2	-	-																									
Convulsions - - - -		45.1	33	33	-	-	-	-	-	-																									
Other Diseases of Brain and Nervous System		75.9	67	7	10	9	5	13	17	1																									
												CAUSES OF DEATH.																							
												Diseases of Organs of Special Sense - - -																							
												1.7																							
												4																							
												2																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							
												-																							

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Deaths in Public Institutions	Unnatural Causes
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.			
LONDON	4,211,743	2704	1198	361	249	7	18	13	33	26	-	8	-	71	52	92	370		
WEST DISTRICTS	740,735	411	180	50	40	-	-	1	5	7	-	2	-	13	9	15	65		
NORTH DISTRICTS	993,894	570	277	84	57	-	6	8	9	8	-	-	-	20	13	20	77		
CENTRAL DISTRICTS	247,538	123	72	20	11	-	3	-	3	-	-	2	-	2	6	6	30		
EAST DISTRICTS	705,114	517	254	83	51	-	4	1	1	4	-	2	-	13	13	30	93		
SOUTH DISTRICTS	1,524,472	1083	389	120	85	1	5	2	14	7	-	2	-	23	12	21	80		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	26	1	5	6	-	1	1	-	-	-	-	1	-	-	26		
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.	84189	62	15	6	5	-	-	-	1	-	-	-	-	1	1	2	3		
St. John Paddington H - G.J.	33987	3	10	2	2	-	-	-	-	-	-	-	-	-	3	3	5		
Kensington Town W - W.M.	118751	60	37	10	14	-	-	-	-	3	-	-	-	3	1	1	11		
Brompton H - W.M. & C.	47557	10	10	-	2	-	-	-	-	-	-	-	-	-	-	-	5		
St. Peter Hammersmith - W.M.	8533	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.	88653	57	19	8	4	-	-	-	1	-	-	2	-	4	-	1	2		
Fulham W - W.M. & C.	91639	73	32	9	4	-	-	1	3	1	-	2	-	2	2	4	11		
Chelsea Kensal Town - C.	21787	15	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North WHHHH - C.	41637	28	10	2	3	-	-	-	-	-	-	-	-	-	-	-	7		
Chelsea South HH - C.	32829	13	5	3	-	-	-	-	-	-	-	-	-	-	-	-	2		
May Fair W - G.J.	23733	5	6	1	2	-	-	-	-	-	-	-	-	1	1	2	3		
Belgrave WHHH - C.	54331	29	20	5	2	-	-	-	-	-	-	-	-	1	1	1	9		
St. John Westminster HHH - C.	31106	19	4	1	1	-	-	-	-	2	-	-	-	-	-	-	6		
St. Margaret Westminster H - C.	21688	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. James Westminster WHH N.R. & G.J.	24995	11	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1		
St. Anne Soho HHHHHH - N.R.	12317	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone } - W.M.	87713	22	14	2	5	-	-	-	-	-	-	-	-	-	-	-	6		
HHHHHHH - G.J. & W.M.	29094	8	4	2	1	-	-	-	-	-	-	-	-	-	-	1	1		
Rectory Marylebone W - G.J. & W.M.	19239	28	4	2	-	-	1	-	-	-	-	-	-	-	-	1	1		
St. Mary Marylebone HHHH G.J. & W.M.	33327	13	9	4	2	-	-	-	-	1	-	-	-	1	2	2	4		
Christchurch Marylebone H - W.M.	32101	13	14	4	4	-	-	-	-	-	-	-	-	-	-	-	1		
St. John Marylebone H - W.M.	68416	20	25	3	3	-	1	6	3	-	-	-	-	2	1	1	17		
Hampstead W HHHHHH N.R. & W.M.	36590	28	9	2	1	-	1	-	-	1	-	-	-	-	-	-	1		
Regent's Park Panora H - W.M.	26331	14	12	5	1	-	-	-	-	-	-	-	-	1	-	-	8		
Tottenham-court WHHHH N.R. & W.M.	27455	13	6	2	2	-	-	-	-	-	-	-	-	1	1	1	4		
Gray's Inn Lane HHH - N.R.	32829	15	9	6	-	-	-	-	-	-	-	-	-	3	-	1	1		
Somers Town HH - N.R.	15419	10	7	-	5	-	-	-	-	-	-	-	-	-	-	-	6		
Camden Town WH - N.R.	95765	53	26	8	6	-	-	-	-	1	-	-	-	4	-	1	5		
Kentish Town W - N.R.	90235	46	28	8	4	-	-	-	-	1	-	-	-	3	1	1	12		
Upper Holloway WWHHH - N.R.	105557	78	24	10	3	-	-	-	2	1	-	-	-	-	1	1	-		
Islington South-west H - N.R.	84153	31	17	9	2	-	1	-	-	2	-	-	-	-	1	2	-		
Islington South-east - N.R.	59193	29	9	-	4	-	-	-	1	-	-	-	-	-	-	-	-		
Highbury HH - N.R.	30936	20	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Stoke Newington H - N.R.	17739	12	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - E.L.	42302	18	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
West Hackney H - N.R.	98485	65	36	12	7	-	1	2	1	1	-	-	-	5	5	5	14		
Hackney WWHH - E.L. & N.R.	41769	34	10	3	2	-	1	-	-	-	-	-	-	-	-	-	-		
South Hackney W - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																			
St. George Bloomsbury - N.R.	16395	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - N.R.	13454	3	6	1	3	-	-	-	-	-	-	-	-	-	-	-	4		
St. Giles North H - N.R.	9633	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.	14616	4	4	1	-	-	-	-	-	-	-	-	-	-	1	1	2		
St. Mary-le-Strand H - N.R.	5706	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Clement Danes WH - N.R.	7194	2	3	1	1	-	-	-	-	-	-	-	-	1	1	1	2		
Strand Union Workhouse, Edmonston w.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Geo.-the-Martyr HHHHHH N.R.	17921	9	13	4	1	-	-	-	1	-	-	-	-	1	-	-	11		
St. Andrew Eastern W - N.R.	15343	11	5	-	-	-	2	-	-	-	-	-	-	-	-	-	-		
St. James Clerkwell - N.R.	18993	17	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkwell - N.R.	18983	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pentonville - N.R.	17155	7	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-		
Goswell-street - N.R.	15375	13	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
City-road HHHL - N.R.	29177	24	4	3	-	-	-	-	-	-	-	-	-	-	1	2	-		
Whitecross-street - N.R.	8278	5	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-		
Finchbury - N.R.	4985	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, Mitcham w.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - N.R. & E.L.	8944	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
Cripplegate - N.R.	4539	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - N.R.	9444	-	11	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Bride W - N.R.	6591	1	-	-	-	-	-	-	1	-	-	2	-	-	1	1	9		
Aldersgate Barking - N.R.	10422	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishments receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N. River; E. L., East London; and K., the Kent Company.

* See Note † on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
 day, 1st September, 1894.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple epi- demic Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	
EAST DISTRICTS.																			
Leather Market South <i>HL*</i>	E.L. & N.R.	20098	16	5	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-
Leather Market New Town <i>w</i>	- N.R.	29313	22	14	3	5	-	-	-	-	-	-	-	-	-	1	1	3	4
Leather Market Old Town <i>w</i>	- N.E.L.	28354	18	5	1	-	-	-	-	-	-	-	-	-	-	1	1	3	1
Leather Market <i>WH</i>	- N.R. & E.L.	46244	86	15	2	7	-	-	-	-	-	-	-	-	-	1	1	1	9
Leather Market Green North <i>H</i>	- E.L.	51520	33	7	4	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Leather Market Green South <i>w</i>	- E.L.	38489	30	10	6	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Leather Market Green East <i>WHL*</i>	- E.L.	44123	44	26	5	4	-	-	-	-	-	-	-	-	-	1	-	1	17
Leather Market Fields <i>-</i>	E. & N.R.	22456	12	5	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Leather Market End New Town <i>W</i>	- E.L.	17908	23	5	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Leather Market Chapel Church <i>H*</i>	E.L. & N.R.	20298	17	25	4	1	1	-	1	-	-	-	1	-	-	1	1	2	23
Leather Market Man's Fields <i>-</i>	- E.L.	13800	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market George's, North <i>-</i>	- E.L.	37738	33	14	9	3	-	-	-	-	-	-	1	-	1	-	3	-	-
Leather Market John, St. George East <i>W</i>	- E.L.	8037	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Leather Market Well <i>H</i>	- E.L. & N.R.	10248	3	9	7	-	-	-	1	-	-	-	-	-	-	1	1	2	7
Leather Market Mill <i>W</i>	- E.L.	14928	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market House <i>-</i>	- E.L.	32202	24	10	4	2	2	-	-	-	-	-	-	-	-	2	1	2	-
Leather Market End Old Town West <i>H</i>	- E.L.	38650	35	11	5	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Leather Market End Old Town East <i>W & WH</i>	- E.L.	68042	49	14	5	5	-	-	-	-	-	-	-	-	-	1	2	2	-
Leather Market <i>L*</i>	- E.L.	40365	31	12	8	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Leather Market Limes <i>w & WH</i>	- E.L.	70000	44	41	9	14	-	-	-	-	-	-	-	-	-	2	4	6	24
Leather Market <i>W & WH</i>	- E.L.	56838	24	19	0	5	-	-	-	-	-	-	-	-	-	2	2	4	2
SOUTH DISTRICTS.																			
Leather Market Church Southwark <i>WH</i>	L. & S.	18264	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	2
Leather Market Saviour Southwark <i>-</i>	- S.	13913	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Leather Market St-road <i>-</i>	- S. & L.	21867	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market London-road <i>WH</i>	- S. & L.	16324	15	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	3
Leather Market London-road <i>HL</i>	- L. & S.	21221	19	5	4	-	-	-	-	-	-	-	-	-	-	1	1	3	1
Leather Market City Newington <i>-</i>	- S. & L.	26596	18	6	1	2	-	-	-	-	-	-	1	-	1	1	2	-	-
Leather Market Peter Walworth <i>W</i>	- S. & L.	61342	53	12	5	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Leather Market Mary Newington <i>-</i>	- L. & S.	27866	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market Olive <i>WH</i>	- S.	12723	9	7	2	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Leather Market Leather Market <i>-</i>	- S. & L.	14952	20	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market Mary Magdalen <i>W</i>	- S.	15660	14	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Leather Market James Bermondsey <i>-</i>	- S.	54070	33	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market Herbithe <i>WH</i>	- S. & K.	39255	26	13	4	4	1	-	-	-	-	-	-	-	-	2	2	4	-
Leather Market Waterloo-road 1st <i>H</i>	- L. & S.	14031	10	3	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Leather Market Waterloo-road 2nd <i>H</i>	- L. & S.	14644	18	4	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Leather Market Abchurch Church 1st <i>H</i>	- L. & S.	18075	9	16	5	-	-	-	-	-	-	-	-	-	-	1	2	2	8
Leather Market Abchurch Church 2nd <i>W & WH</i>	- L. & S.	39037	29	18	4	5	-	-	-	-	-	-	-	-	-	1	-	-	9
Leather Market Abchurch 1st <i>H</i>	- S. & L.	50586	28	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market Abchurch 2nd <i>-</i>	- S. & L.	39708	22	9	3	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Leather Market Abchurch <i>w</i>	- L. & S.	73405	47	9	3	1	-	-	-	1	1	-	-	-	-	-	-	1	1
Leather Market Wood <i>WH</i>	- L.	25657	15	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market St. Battarsea <i>-</i>	- S.	67244	46	10	5	-	-	-	-	-	1	-	-	-	-	1	2	-	-
Leather Market St. Battarsea <i>W & WH</i>	- S.	88314	57	27	7	12	1	-	1	-	2	-	-	-	-	-	-	8	-
Leather Market St. Philip <i>H</i>	- S.	43698	20	9	4	4	-	-	-	-	-	-	-	-	-	-	-	-	1
Leather Market St. Andrew <i>WHL</i>	- S.	46717	43	17	3	3	-	-	-	-	-	-	-	-	-	-	2	3	3
Leather Market St. Mary <i>-</i>	- S.	17771	16	3	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Leather Market St.atham <i>w & WH</i>	- L.	48756	35	8	1	4	-	1	-	2	-	-	-	-	-	-	-	2	-
Leather Market St. Andrew <i>-</i>	L. & S.	6809	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market St. Andrew <i>W & L*</i>	- S. & L.	81686	44	35	7	13	-	-	-	-	4	-	-	-	-	1	-	1	10
Leather Market St. Andrew <i>W & WH</i>	- S., L., & K.	38483	49	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market St. George Camberwell <i>-</i>	- L. & S.	63866	61	13	6	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Leather Market St. Andrew, North <i>-</i>	- K.	35814	32	11	4	1	-	-	1	-	-	-	-	-	-	3	-	-	1
Leather Market St. Andrew, Central <i>w</i>	- K.	42007	39	16	6	2	-	-	2	-	-	-	1	-	-	2	-	1	3
Leather Market St. Andrew, South <i>-</i>	- K.	80852	17	8	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Leather Market St. Andrew, West <i>H</i>	- K.	22007	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Leather Market St. Andrew, East <i>WH</i>	- K.	35233	52	11	1	4	-	-	-	-	-	-	-	-	-	1	1	1	8
Leather Market St. Andrew <i>W & WH</i>	- K.	5682	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market St. Andrew <i>H</i>	- K.	23541	13	6	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Leather Market St. Andrew <i>WH</i>	- K.	30850	20	14	3	2	-	-	-	-	-	-	-	-	-	2	-	1	4
Leather Market St. Andrew <i>H</i>	- L.	34162	22	6	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Leather Market St. Andrew <i>HH</i>	- K.	14040	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market St. Andrew Dockyard <i>-</i>	- K.	19606	15	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market St. Andrew Arsenal <i>HH</i>	- K.	41943	18	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Leather Market St. Andrew, West <i>H</i>	- K.	15869	16	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Leather Market St. Andrew, East <i>W</i>	- K.	36567	23	16	4	8	-	-	-	-	-	-	-	-	-	-	-	8	1
Leather Market St. Andrew Asylum <i>-</i>	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Leather Market St. Andrew Asylum <i>-</i>	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market St. Andrew Asylum <i>-</i>	-	-	-	7	1	-	6	-	-	-	-	-	-	-	-	-	-	1	7
Leather Market St. Andrew Asylum <i>-</i>	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Leather Market St. Andrew Asylum <i>-</i>	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Leather Market St. Andrew Asylum <i>-</i>	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Leather Market St. Andrew Asylum <i>-</i>	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Leather Market St. Andrew Asylum <i>-</i>	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leather Market St. Andrew Asylum <i>-</i>	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2

The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Market.

TABLE 5.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 1st September, 1894.

Regis- tration District and Sub- District Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Cen- sus- rated Popu- lation, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 15 Years & upwards.	Small-pox.	Measles.	Scarlet fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Cases of Death.	
LONDON—OUTER RING		363,749	1,422,063	944	354	113	82	-	12	-	6	9	6	33	11	21	30	8	
30:1	Carshalton WHH -	12223	26103	17	5	1	2	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of * WHH -	10423	12308	6	9	-	4	-	-	-	-	-	-	-	-	1	6	-	
37:1	Godstone, part of * W -	754	1593	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
33:1	Croydon WHH -	20351	128699	72	28	8	6	-	3	-	-	-	-	2	-	-	1	-	
2	Mitcham W -	11697	23083	20	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
39:1	Wimbledon HHH -	3220	25761	18	8	1	2	-	1	-	-	-	-	-	-	1	2	-	
2	Kingston WHH -	8071	44765	34	17	5	4	-	1	-	-	1	1	-	-	3	2	-	
3	Esher, part of * -	6601	12059	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H -	4595	18252	13	5	2	1	-	-	-	-	1	-	-	-	-	-	-	
40:1	Richmond WH -	2160	25389	9	6	1	2	-	-	-	-	-	-	-	-	1	2	-	
2	Mortlake H -	2823	16159	6	5	-	3	-	-	-	-	-	-	-	1	1	-	-	
41:1	Bromley HHH -	9127	23815	13	4	1	1	-	-	-	-	-	-	-	-	-	-	1	
2	Beckenham H -	6542	21969	7	2	-	-	-	-	-	-	-	-	1	-	-	-	-	
3	Chislehurst, pt. of * WHH	14307	20372	10	5	-	-	-	-	-	-	-	1	-	-	-	-	1	
42:1	Bexley HHH -	12540	30590	18	9	1	3	-	-	-	1	-	-	-	-	-	1	-	
2	Dartford Work., pt. of * -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124:1	Sanbury W -	11054	13371	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W -	13277	13221	7	7	2	2	-	-	-	-	-	-	1	-	1	2	-	
125:1	Hillingdon WHH	6035	12237	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge -	6172	5417	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH -	14537	12613	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
126:1	Isleworth WHH	6967	23273	9	12	3	4	-	-	-	-	-	-	-	-	-	3	-	
2	Twickenham HH -	2415	16027	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford HHHH	4318	37777	24	5	1	1	-	-	-	-	-	-	1	-	1	-	-	
4	Chiswick -	1245	21933	12	7	3	-	-	-	-	-	1	-	1	-	1	-	-	
5	Aston WH -	6132	30945	25	7	2	1	-	-	-	1	1	-	1	-	-	-	-	
127:1	Harrow HHH -	13809	15715	6	3	-	2	-	-	-	-	-	-	-	1	-	-	-	
2	Edgware EH -	6994	3344	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Willenden HHH -	4833	61235	44	13	7	3	-	1	-	-	-	1	4	-	-	-	-	
4	Hendon W -	8382	15343	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
128:1	South Mims -	1559	8474	2	2	-	1	-	-	-	-	-	-	1	-	-	-	-	
2	Barnet WHH -	5441	11778	6	4	1	1	-	-	-	-	-	-	-	1	1	-	-	
3	Finchley HHH -	4683	25820	17	5	1	2	-	1	-	-	-	-	-	1	1	-	-	
129:1	Hornsey HH -	3339	61097	23	10	2	4	-	-	-	-	-	-	1	-	-	-	-	
2	Tottenham H -	4942	37174	63	24	9	6	-	1	-	-	1	1	1	-	-	2	-	
3	Edmonton WH -	7489	33351	23	9	3	1	-	1	-	-	-	-	2	-	-	4	-	
4	Enfield WHH -	12639	31803	22	11	4	3	-	1	-	-	-	-	-	1	2	-	-	
5	Waltham Abbey -	11017	6066	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt H -	8430	9620	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
130:1	Hatfield, part of * W	83:6	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bushey H -	9331	7737	7	3	3	-	-	-	-	-	1	-	-	-	-	-	-	
2	Watford Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford H -	1100	42983	31	16	7	2	-	-	-	-	-	1	2	-	-	-	-	
2	Plaistow HHHH	1242	58030	58	21	13	2	-	-	2	-	-	-	1	1	1	-	2	
3	Canning Town H	1553	54750	42	18	5	2	-	1	-	1	-	-	-	2	3	1	2	
4	Forest Gate W -	806	49140	42	13	3	3	-	1	-	-	-	-	1	-	-	-	2	
5	East Ham W -	3268	32713	27	6	3	-	-	-	-	1	1	-	1	-	-	-	-	
6	Leyton WHH -	4324	70183	55	14	3	6	-	-	-	-	2	-	-	1	2	4	-	
7	Walthamstow HHL	5591	57330	41	15	6	2	-	-	-	-	-	1	4	1	1	-	-	
137:1	Chigwell, part of * H -	11719	12941	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139:1	Romford, part of * WH	6556	4324	3	5	4	-	-	-	-	-	-	-	1	-	-	-	-	
2	Ilford -	8493	10913	2	4	2	2	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town H	3314	14301	15	5	3	-	-	-	-	-	-	-	-	-	-	-	-	
	Highgate Small pox Hosp.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Metro. Asy. Hosps.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which for the Outer Ring are as follows:—30:2, Epsom sub-district, except the parishes of Ashstead and Hadley (pop. 1766); 37:1, the parishes of Warrington and Farley in Godstone sub-district; 39:3, Esher sub-district, except the parish of Esher (pop. 2332); 41:3, Chislehurst sub-district, except the parishes of Chelsfield, Cadurion, and Knockholt (pop. 3997); 135:1, the parish of Northaw in Hatfield sub-district; 137:1, Chigwell sub-district, except the parish of Theydon Bois (1979); 139:1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42:2, Dartford, 137:3, Watford, and 137:2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 1st September, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	13·7	2·1	1562	474	331	7	30	13	39	35	14	104	63	400		
INNER LONDON	74,672	4,349,166	14·4	2·1	1198	361	249	7	18	13	33	26	8	71	52	370		
OUTER RING	368,749	1,599,134	11·9	2·3	364	113	82	-	12	-	6	9	6	33	11	30		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH -	270,588	September 1	130	72	13·9	-	-	-	4	-	1	2	
GLASGOW -	686,820	" 1	404	218	16·6	-	2	1	5	6	5	8	
DUBLIN -	349,594	" 1	188	131	19·5	-	-	1	-	2	4	10	
CALCUTTA -	466,460	July 14	-	177	19·7	4	-	-	-	-	70	28†	
BOMBAY -	821,764	August 7	336	640	40·5	6	9	?	?	?	119	142†	
MADRAS -	452,518	July 27	-	-	-	-	-	-	-	-	-	-	
PARIS -	2,424,705	August 25	1148	765	16·8	1	10	2	16*	2	5	82	
BRUSSELS -	498,400	" 25	236	180	18·8	-	-	1	2*	6	1	20	
AMSTERDAM -	446,295	" 25	275	117	13·6	-	-	1	-	3	-	5†	
ROTTERDAM -	228,597	" 25	158	71	16·1	2	-	-	1	1	-	3†	
THE HAGUE -	174,790	" 25	112	59	17·5	-	-	-	1	2	-	-	
COPENHAGEN -	341,000	" 25	195	99	15·1	-	1	1	3	-	-	15	
STOCKHOLM -	252,937	" 18	133	86	17·7	-	-	2	1	2	-	6	
CHRISTIANIA -	167,588	" 25	40	60	18·6	-	-	-	2	3	-	19	
ST. PETERSBURG -	954,400	" 11	562	450	24·6	-	7	6	11	6	7	164	
MOSCOW -	753,469	" 18	-	518	35·8	-	6	13	11	-	7	159	
BERLIN -	1,714,938	" 11	848	906	27·8	-	13	9	11	6	-	410	
HAMBURG -	598,372	" 25	-	-	-	-	-	-	-	-	-	-	
DRESDEN -	312,772	" 4	-	116	19·0	-	-	1	-	-	-	40	
BRISLAU -	360,660	" 25	-	204	29·5	-	2	2	2*	2	1	65	
MUNICH -	390,000	" 25	-	190	25·3	-	-	1	6*	6	-	53	
VIENNA -	1,465,537	" 25	746	524	18·6	-	8	13	24*	-	3	90	
PRAGUE -	339,172	" 18	165	141	21·6	-	-	-	3	-	-	8	
JUDA-PESTH -	552,769	" 18	377	231	21·7	3	1	2	6	-	1	59	
TRIESTE -	159,739	" 11	100	80	26·0	-	-	5	7*	-	-	16	
ROME -	455,678	" 4	213	151	17·8	-	1	-	-	2	5†	23	
MURIN (10 days) -	337,997	" 20	-	-	-	-	-	-	-	-	-	-	
VENICE -	160,406	July 28	95	69	22·4	-	-	-	1	-	-	7	
CAIRO -	374,838	August 2	442	507	70·3	-	-	-	-	6	5	193	
ALEXANDRIA -	231,396	" 2	209	175	30·4	-	-	-	-	-	10	63	
NEW YORK -	1,925,569	" 18	-	737	19·6	-	1	6	27	12	10	125	
BROOKLYN -	1,043,000	" 18	-	445	22·0	-	-	1	19	6	4	69	
PHILADELPHIA -	1,139,457	" 18	-	376	17·2	-	-	3	17	3	12	44	
NEW ORLEANS -	254,000 {	July 21	-	108	22·2	-	-	-	-	-	3	7	
		" 28	-	106	21·8	-	-	-	1	-	6	5	

* Including deaths from croup.

† Including 7 deaths from cholera in Calcutta, 71 in Bombay, 5 in Amsterdam, 2 in Rotterdam, and 84 in St. Petersburg.

‡ Including 4 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 1st SEPTEMBER, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894. MONTH AND DAY.	Phases of the Moon.	TEMPERATURE.							TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a gauge receiving surface 5 inches above level of Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Baro- meter.	Of the Air.						Difference between the Air Temperature and Dew Point Temperature.		Of the Dew Point.		Of Radiation.		Of the Earth, 3 feet below Surface.		General Direction.		Oster's.			Pressure on the Square Foot.		Robinson's.	Horizontal Movement of the Air Average on each Day.	Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			Mean reading (cor- rected to 32° Fahren- heit).	High. est.	Low. est.	Daily Range.	Mean daily value.	De- pression from Average value, 50 years.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.	Mean of 24 hours Obs.	Miles.	lbs.		lbs.	Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

GENERAL REMARKS.

DATE.	August.	Electricity. (For explanation of symbols, see Note.)	Registered Sun above Horizon in hours.	Remarks.
SUNDAY . 26	Insulation defective in morning; w. P. afterwards.	8.0	13.9	Overcast in early morning; fine and partially cloudy afterwards. Lightning at night.
MONDAY . 27	w. P. in morning; v. P. afterwards.	0.0	13.8	Fog in morning; generally cloudy till evening; cloudless at night.
TUESDAY . 28	v. P. generally	0.9	13.8	Overcast and foggy in morning; partially cloudy and hazy during the day.
WEDNESDAY 29	m. P. throughout	6.2	13.7	Fine. Light clouds and haze prevailed till evening; cloudless at night.
THURSDAY . 30	m. P. generally	6.2	13.7	Cloudless throughout. Dense fog prevailed in morning; fine during day.
FRIDAY . 31	w. P. in morning; m. P. and w. N. after- wards.	4.2	13.6	Cloudless throughout. Variable fog in morning; very fine in afternoon and evening; slight fog at night.
1 SATURDAY	v. P. throughout	3.1	13.5	Partially cloudy in morning; fine and generally cloudless afterwards.
Sum	Sum	28.6	96.0	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: +, P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.80 in. at the beginning of the week to 29.76 in. by 4h. A.M. on the 26th of August; increased to 30.10 in. by 9h. A.M. on the 30th; decreased to 29.88 in. by 5h. P.M. on the 31st; and increased to 29.95 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 36. 1894. VOL. LV.] WEEK ENDING SATURDAY, SEPTEMBER 8. [Price 1½d

General Register Office, Somerset House,
September 10th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·3 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.		Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.
Birkenhead	14·8	13·3	18·8	15·8	Liverpool -	30·9	27·2	20·7	24·0
Birmingham	12·8	15·9	15·6	13·0	London -	17·1	15·4	14·4	14·1
Blackburn -	15·8	16·2	14·9	14·9	Manchester -	20·2	17·4	16·8	18·3
Bolton -	17·2	20·3	16·3	23·4	Newcastle-on-Tyne	12·7	18·8	13·9	17·3
Bradford -	16·8	16·1	13·5	18·4	Norwich -	17·8	16·3	13·8	16·8
Brighton -	15·8	20·6	19·3	11·4	Nottingham -	15·2	16·3	15·9	12·8
Bristol -	12·9	13·6	10·6	12·0	Oldham -	15·0	15·8	14·3	14·7
Burnley -	18·4	17·3	11·3	14·1	Plymouth -	10·1	10·7	11·9	14·8
Cardiff -	11·6	12·3	11·9	19·6	Portsmouth -	13·7	18·3	13·7	14·0
Croydon -	14·9	14·0	10·7	13·0	Preston -	30·4	27·6	22·5	19·7
Derby -	12·1	19·5	9·0	11·1	Salford -	23·3	21·3	17·0	16·2
Gateshead -	16·2	19·0	14·0	14·0	Sheffield -	18·6	17·3	18·2	16·2
Halifax -	11·8	14·0	14·0	11·8	Sunderland -	30·6	26·1	21·8	19·9
Huddersfield	13·8	12·2	14·3	10·1	Swansea -	12·0	13·7	14·2	15·3
Hull -	14·5	13·2	14·7	14·7	West Ham -	19·3	15·3	15·3	10·5
Leeds -	17·2	20·1	14·9	16·1	Wolverhampton -	20·8	15·9	17·8	22·1
Leicester -	17·4	13·5	18·5	14·1					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·0 in Newcastle; from *scarlet fever*, 1·8 in Wolverhampton; from *whooping-cough*, 1·1 in Huddersfield and 1·8 in Plymouth; from "*fever*," 1·1 in Halifax and in Sunderland, and 1·5 in Birkenhead; and from *diarrhoea*, 2·7 in Portsmouth, 3·4 in Gateshead, 3·7 in Preston, and 5·5 in Wolverhampton. The 65 deaths from *diphtheria* included 39 in London, 4 in West Ham, and 3 each in Portsmouth, Liverpool, Oldham, and Sheffield. Six deaths from *small-pox* were registered in London, but not one death in any other of the thirty-three towns.

LONDON.

In LONDON 2369 BIRTHS and 1175† DEATHS were registered. Allowing for increase of population, the births were 275, and the deaths 255, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·1, 15·4, and 14·4 in the preceding three weeks, further fell last week to 14·1. During the four weeks ending on Saturday last, the death-rate averaged 15·3 per 1000, being 2·9 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

The 1175 deaths included 6 from small-pox, 13 from measles, 13 from scarlet fever, 39 from diphtheria, 15 from whooping-cough, 13 from enteric fever, one death from an ill-defined form of continued fever, 81 deaths from diarrhoeal diseases, and not one death from typhus; thus, 181 deaths were referred to these diseases, being 85 below the corrected average weekly number.

The deaths from *measles, scarlet fever, whooping-cough, enteric fever, diarrhoea, and cholera* were below their respective averages, while those from *small-pox and diphtheria* showed excess. Of the 6 deaths from *small-pox*, 4 belonged to Marylebone, one death to Fulham, and one to Pancras sanitary areas. There were 119 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 10 in the Highgate Small-pox Hospital. Of the 39 deaths from *diphtheria*, 4 belonged to Camberwell and 3 to Islington sanitary areas. The Metropolitan Asylums Hospitals* contained 464 cases of diphtheria and 75 of enteric fever at the end of last week; and on the same date these hospitals, together with the London Fever Hospitals, contained 2026 cases of scarlet fever.

The deaths referred to diseases of the respiratory organs, which had been 144, 148, and 123 in the preceding three weeks, numbered 134 last week, and were 25 below the corrected average.

Different forms of violence caused 56 deaths, concerning all but 2 of which inquests were held. Of these 56 deaths, 5 were cases of suicide, and one death was a case of homicide, while the remaining 50 were attributed to accident or negligence. Eleven of these were referred to vehicles in the streets, 4 to drowning, 6 to poison (including 2 from plumbism), and 10 (of infants under one year of age) to suffocation in bed. Two deaths in hospitals were referred, after inquests, to the effects of anæsthetics.

GREATER LONDON.

In Greater London 3224 births and 1511 deaths were registered, corresponding to annual rates of 28·3 and 13·2 per 1000 of the estimated population. In the Outer Ring 10 deaths from measles, 12 from diphtheria, 6 from whooping-cough, and 26 from diarrhoea were recorded. Fifteen deaths from diarrhoea, 6 from diphtheria, and 4 from measles were registered in West Ham district. Three deaths from diphtheria occurred in Edmonton district.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of August. The supply was in the ratio of 250 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	AUGUST. 1893.	AUGUST. 1894.	AUGUST. 1893.	AUGUST. 1894.
TOTAL SUPPLY	797,028	808,234	209,804,877	201,932,606
From Thames	385,154	390,459	106,294,804	103,455,750
From Lea and from other Sources	411,874	417,775	103,510,073	98,476,856
THAMES.				
Chelsea	36,680	36,828	11,496,367	12,190,138
West Middlesex	76,734	78,008	19,609,621	19,293,854
Southwark and Vauxhall	115,734	116,942	33,510,795	33,091,125
Grand Junction	58,848	59,181	19,544,572	18,430,723
Lambeth	97,158	99,500	22,133,539	20,449,910
LEA AND OTHER SOURCES.				
New River	156,901	158,081	42,094,000	37,975,000
East London	175,599	178,748	44,672,542	44,500,027
Kent	79,374	80,946	16,743,531	16,001,829

Note.—The Return for August 1894, as compared with that for the corresponding month of 1893, shows an increase of 11,206 services and a decrease of 7,872,271 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING AUGUST, 1894.

Water-analysis Laboratory, The Yews, Reigate,
3rd September, 1894.

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of August.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (a) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (b) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·7, New River 1·2, Tottenham 1·4, East London (both river and deep-well supplies) 1·8, Colne Valley 2·4, West Middlesex and Grand Junction 3·0, Chelsea 3·1, Lambeth 3·3, and Southwark 3·4. The unfiltered river waters contained the following proportions:—Thames at Hampton 5·5, New River Cut 1·8, and the Lea at Angel Road 4·1.

The Thames at Hampton was, on August the 11th, turbid and pale yellow. It was, however, of somewhat better chemical and bacterial quality than on the 16th of July. As delivered by the five Companies drawing from this river, it was, with one exception, efficiently filtered, and much improved in chemical quality. The bacterial improvement effected by the various Companies is expressed in the following per-centage numbers: Chelsea 99·14, West Middlesex 99·04, Southwark (No. 4 filter) 99·52, (No. 8 filter) 95·58, Grand Junction (Kew general well) 97·12, (Kew South well) 93·08, and Lambeth 99·42.

The New River Cut was, on the 13th of August, turbid and very pale yellow. It was of remarkably good chemical quality, and was fairly free from bacteria. It was efficiently filtered before delivery, and was considerably improved in chemical quality. The bacterial improvement effected by filtration amounted to 99·45 per cent. In respect of organic purity, this supply again ranked with the deep-well waters. The raw river water of the Lea above Hertford was again of bad bacterial quality, and much inferior in this respect to the water of the same river at Angel Road, whilst even at the latter point it was much inferior to the Thames at Hampton, although considerably better in chemical quality. The water taken from the Lea at Angel Road by the East London Company was efficiently filtered before delivery, and was made to rank with the deep-well waters in respect of organic purity, whilst its bacterial improvement amounted to 99·33 per cent. in each of the Essex wells Nos. 1 and 2, in the Middlesex well 98·32, and in the water from No. 11 filter bed to 99·10.

The deep-well waters of the Kent and Colne Valley Companies were clear and bright without filtration, but the Tottenham and East London (deep well) waters were slightly turbid. The Colne Valley Company's water, which was softened before delivery and thus rendered suitable for washing, contained a larger proportion of organic matter than usual; the other deep-well waters were all of a high degree of organic purity and were of excellent quality for dietetic purposes.

Seen through a stratum two feet deep, the Kent, Colne Valley, and New River waters were clear and colourless, the Tottenham and East London (deep-well) slightly turbid and colourless, the East London (river supply) clear and nearly colourless, the Southwark slightly turbid and very pale yellow, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters, before and after storage, of the unfiltered gravel water utilised by the Southwark Company, and of the supplies of the various Companies, collected on the 11th, 13th, 14th, and 15th of August, gave the results contained in the following table:—

DESCRIPTION.	— Microbes per c.c.	Temp. C.
RAW AND GRAVEL AND STORED RIVER WATERS.		
Thames at Hampton	2,080	18°7
" after storage for 14·7 days (Chelsea Company).	440	18·2
Gravel water (Southwark Company's works).	324	16·7
Lea at Hertford, just outside intake	7,380	16·9
" just inside intake	5,200	16·9
New River Cut at Green Lanes before reservoirs.	1,260	17·7
" " " after " passing through 2 reservoirs.	360	17·7
Lea at Angel Road	3,560	19·2
" after storage for 15·1 days	1,080	19·2
FILTERED RIVER WATER AS SUPPLIED.		
THAMES.		
Chelsea	18	18·5
West Middlesex	20	17·5
Southwark, No. 4 filter	10	17·6
" 8 "	92	17·8
Grand Junction (Kew general well)	60	17·9
" (Kew South well)	144	18·2
Lambeth	12	17·8
LEA.		
New River, general well	20	17·2
East London, No. 1 Essex well	24	17·2
" No. 2 "	24	17·2
" Middlesex well	60	17·4
" No. 11 bed	32	17·3
DEEP WELL.		
Kent	0	11·3

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city "was very slightly turbid and yellowish green in the two foot tube. The organic elements were high."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained a little suspended matter."

I am, &c.

The Registrar General, &c. &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	{ August 11th. Grand Junction Co.'s intake at Hampton. }	18.7	27.44	.277	.050	.008	.174	.231	1.8	16.9
	Chelsea - - -	{ August 15th. Cab Rank, Horse Guards, Whitehall. }	18.2	24.32	.163	.019	0	.127	.146	1.8	16.0
	West Middlesex -	{ August 15th. Cab Rank, Riding House- street. }	16.7	23.30	.153	.022	0	.117	.139	1.8	15.4
	Southwark -	{ August 15th. Cab Rank, St. George's Church, Borough. }	19.7	25.60	.179	.019	0	.111	.130	1.8	17.7
	Grand Junction -	{ August 15th. Cab Rank, Portman- street, Oxford-street. }	19.1	25.64	.160	.017	0	.130	.147	1.8	17.4
	Lambeth - - -	{ August 15th. Cab Rank, St. George's- road, Southwark. }	18.3	25.74	.181	.015	0	.136	.151	1.8	17.4
	LEA. (Unfiltered water) -	{ August 15th. New River Cut at Green-lanes. }	17.7	27.84	.092	.017	.006	.119	.141	1.7	17.4
	New River - - -	{ August 15th. Cab Rank, Tottenham Court-road. }	18.1	27.08	.061	.012	0	.156	.168	1.7	18.3
	(Unfiltered water) -	{ August 14th. East London Co.'s intake at Angel-road. }	19.2	27.28	.203	.040	.007	.086	.132	2.0	18.0
	East London -	{ August 15th. Cab Rank, Sidney- street, E. }	18.0	27.12	.095	.014	0	.073	.087	2.2	16.3
Outer Circle.	DREIF WELLS. Kent - - -	{ August 15th. Mill-lane, Deptford. }	13.8	38.32	.035	.005	0	.450	.464	2.3	26.0
	{ Colne Valley - -	{ August 9th. Bushey. }	—	17.94	.123	.019	.056	.484	.549	2.2	6.0
	{ Tottenham - - -	{ August 4th. Tottenham. }	—	41.34	.069	.011	.070	.006	.075	2.9	23.6
	{ East London - -	{ August 9th. Chingford. }	—	28.60	.087	.018	.001	.013	.032	2.0	17.7
	Corporation of Birming- ham* - - -	{ August 9th. 1, Court Heath, Mill-lane. }	15.6	25.50	.283	.068	0	.066	.134	1.7	15.6
	Corporation of Glasgow† -	{ August 15th. Loch Katrine }	14.7	2.8	.128	.019	0	.005	.024	.7	.8
Column 1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.

† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 15th of August, at the Horse Guards cab-rank, had a temperature of 18.2° C.; 100,000 lbs. of it contained 24.32 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained .163 lb. of carbon and .019 lb. of nitrogen. The above quantity of water also contained no ammonia and .127 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was .146 lb. The above weight of water also contained 1.8 lb. of chlorine and 16.0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 8th September 1894.

CITIES AND BOROUGH.	CITIES AND BOROUGH.	Registered during the Week ending 8th Sept. 1894.		POPULATION estimated at the middle of the Year 1894.		The DEATHS registered in the Week include																TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGH.
		1.	2.	3.	Deaths under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Diarrhoea.	Violence.	Deaths from					Lowest.	Mean.	Wettest.	Wettest.	In Inches.	In Cent.				
															Inquest Cases.	Unidentified Causes of Death.	From All Causes.	From 12 to 18.	19.							20.	21.	22.	
Cols.	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.			
33 TOWNS.	10,458,442	5824	3060	903	611	6	36	33	65	45	47	254	117	260	661	46	15.3	2.4	69.2	36.5	51.3	10.72	0.68	1.73	33 TOWNS.				
LONDON.	4,340,166	2369	1175	352	245	6	13	13	39	15	14	79	56	114	369	9	14.1	2.1	68.9	40.4	52.7	11.50	0.54	1.37	LONDON.				
WEST HAM.	238,184	136	48	17	7	-	1	1	4	-	1	8	1	3	5	2	10.5	3.3	-	-	-	-	-	-	WEST HAM.				
CROYDON.	111,921	45	28	9	7	-	-	-	-	-	-	2	1	2	7	-	13.0	1.4	69.2	36.5	50.1	10.06	1.05	2.67	CROYDON.				
BRIGHTON.	118,715	62	26	6	6	-	-	-	-	-	-	2	1	2	7	-	11.4	1.3	68.6	46.4	52.2	11.22	1.52	3.86	BRIGHTON.				
PORTSMOUTH.	170,973	88	46	20	9	-	-	-	3	2	1	9	1	1	10	-	14.0	4.3	67.0	44.0	53.4	11.89	1.07	2.72	PORTSMOUTH.				
PLYMOUTH.	87,931	51	25	10	5	-	-	-	-	-	-	4	-	-	2	-	14.8	4.2	-	-	-	-	-	-	PLYMOUTH.				
BRISTOL.	226,578	120	52	8	13	-	1	1	-	1	2	6	9	1	8	1	12.0	0.7	69.0	40.0	50.9	10.50	0.98	2.49	BRISTOL.				
CARDIFF.	148,890	104	56	22	2	-	-	-	1	-	-	5	4	7	3	1	19.6	2.1	-	-	-	-	-	-	CARDIFF.				
SWANSEA.	55,999	67	28	7	5	-	-	-	-	-	-	2	-	1	1	-	15.3	1.6	-	-	-	-	-	-	SWANSEA.				
WOLVERHAMPTON.	55,036	47	26	12	5	-	-	-	3	2	1	9	1	4	7	-	22.1	9.2	65.0	40.1	50.6	10.33	0.13	0.33	WOLVERHAMPTON.				
BIRMINGHAM.	492,301	265	123	37	22	-	-	-	-	1	1	3	8	4	4	19	6	13.0	1.4	-	-	-	-	-	-	BIRMINGHAM.			
NORWICH.	165,645	48	34	7	13	-	-	-	1	-	-	4	-	-	3	-	16.8	3.0	64.6	42.0	50.4	10.22	0.41	1.04	NORWICH.				
LEICESTER.	159,136	100	51	22	9	-	-	-	-	1	1	8	-	3	9	3	14.1	3.0	-	-	-	-	-	-	LEICESTER.				
NOTTINGHAM.	223,584	130	55	13	7	-	-	-	-	-	2	1	3	2	3	14	2	12.8	1.6	65.5	41.9	51.7	10.94	0.10	0.25	NOTTINGHAM.			
DERBY.	187,565	65	21	8	6	-	-	-	-	-	-	4	-	4	2	-	11.1	2.6	-	-	-	-	-	-	DERBY.				
BIRKENHEAD.	105,627	61	32	5	10	-	-	-	-	1	1	3	1	1	4	2	-	15.8	3.0	-	-	-	-	-	-	BIRKENHEAD.			
LIVERPOOL.	507,280	349	223	70	37	-	-	4	3	-	3	22	9	16	53	6	24.0	3.5	62.0	45.9	52.0	11.11	0.65	1.65	LIVERPOOL.				
BOLTON.	118,303	82	43	19	10	-	-	-	-	1	1	5	-	3	7	-	23.4	3.1	-	-	-	-	-	-	BOLTON.				
MANCHESTER.	520,211	276	183	48	31	-	-	4	1	1	2	14	8	20	38	4	18.3	2.5	-	-	-	-	-	-	MANCHESTER.				
SAFORD.	205,838	129	64	24	16	-	-	1	1	1	1	3	3	3	7	2	16.2	1.8	-	-	-	-	-	-	SAFORD.				
OLDHAM.	138,755	79	39	11	9	-	-	2	1	3	2	-	2	3	-	-	14.1	1.6	-	-	-	-	-	-	OLDHAM.				
BURNLEY.	164,478	88	26	11	4	-	-	-	-	-	-	2	2	3	-	-	14.1	1.6	-	-	-	-	-	-	BURNLEY.				
BLACKBURN.	125,797	50	26	11	13	-	-	-	-	-	-	2	1	1	4	3	14.9	1.2	-	-	-	-	-	-	BLACKBURN.				
PRESTON.	111,425	68	42	15	10	-	-	-	-	-	-	8	-	1	2	2	19.7	5.1	-	-	-	-	-	-	PRESTON.				
Huddersfield.	185,111	37	19	3	5	-	-	-	-	-	-	1	1	1	2	1	10.1	1.6	-	-	-	-	-	-	Huddersfield.				
HALEFAX.	12,861	32	21	4	6	-	-	-	-	1	2	-	-	-	-	-	11.8	2.2	-	-	-	-	-	-	HALEFAX.				
BRADFORD.	223,485	106	79	18	16	-	-	-	-	-	-	3	7	14	12	-	18.4	0.9	65.0	45.0	51.0	10.56	0.44	1.12	BRADFORD.				
LEEDS.	388,761	260	120	36	20	-	-	1	1	2	1	11	7	17	20	1	16.1	2.4	-	-	-	-	-	-	LEEDS.				
SHEFFIELD.	328,876	139	105	21	21	-	-	1	3	2	4	7	1	9	16	1	16.2	2.8	-	-	-	-	-	-	SHEFFIELD.				
HULL.	212,679	124	60	16	10	-	-	-	-	-	-	5	1	4	6	1	14.7	2.0	62.0	39.0	49.6	9.78	0.58	1.47	HULL.				
SUNDERLAND.	136,101	70	52	14	10	-	-	-	-	-	-	6	2	4	8	-	19.9	4.2	-	-	-	-	-	-	SUNDERLAND.				
GATEHEAD.	13,372	45	25	15	3	-	-	-	-	-	-	6	-	3	1	-	14.0	4.5	-	-	-	-	-	-	GATEHEAD.				
NEWCASTLE.	201,947	102	67	19	19	-	-	-	-	-	1	8	1	3	15	1	17.3	3.6	-	-	-	-	-	-	NEWCASTLE.				

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-SIXTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2574	2330	2557	2619	2475	2373	2469	2496	2604	2556	2644.1	2369
Males . .	1394	1164	1318	1324	1234	1215	1268	1298	1316	1327	1350.7	1203
Females . .	1240	1166	1239	1295	1241	1158	1201	1198	1288	1229	1293.4	1166
TOTAL Deaths	1529	1221	1312	1349	1316	1170	1514	1217	1361	1560	1430.0	1175
Males . .	767	614	684	659	670	605	772	644	705	796	729.9	629
Females . .	762	607	628	690	646	565	742	573	656	764	700.1	546

* The numbers in this column are the average weekly numbers in the thirty-sixth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

		June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.		
TOTAL Births		-	-	2436	2334	2458	2254	2371	2419	2419	2695	2200	2665	2361	2704	2369
TOTAL Deaths		-	-	1336	1330	1282	1314	1356	1405	1437	1464	1450	1428	1284	1198	1175
Ages at Death	{ 0—20 years	-	-	593	588	601	628	693	768	783	801	820	787	685	591	578
	{ 20—40 "	-	-	188	176	171	180	179	158	149	177	140	169	144	150	155
	{ 40—60 "	-	-	269	255	219	250	215	242	237	214	221	241	232	208	197
	{ 60—80 "	-	-	238	261	234	218	230	197	230	228	227	193	184	214	214
	{ 80 years & upwards	-	-	48	50	57	38	39	40	38	44	42	38	39	35	31
"	{ Under 1 year	-	-	261	278	269	313	410	461	457	480	497	475	416	361	352
	{ 1—5	-	-	252	216	228	225	199	220	228	216	219	229	184	146	146
	{ 5—20	-	-	80	94	104	90	84	84	98	105	104	83	85	84	80
Deaths from Small-pox		-	-	5	-	1	2	1	1	5	10	4	2	7	6	
"	" Measles	-	-	122	99	92	88	57	57	53	50	33	34	27	13	13
"	" Scarlet fever	-	-	19	18	19	17	16	24	29	18	19	14	17	13	13
"	" Diphtheria	-	-	43	44	56	43	45	36	52	57	62	57	43	33	39
"	" Whooping-cough	-	-	34	20	25	28	29	43	35	26	35	30	22	26	15
"	" Typhus	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
"	" Enteric fever	-	-	10	10	9	3	6	8	5	6	11	6	11	8	13
"	" Simple Cont ^d fever	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
"	" Diarrhœa and Dysentery }	-	-	5	12	15	35	94	140	122	126	164	124	114	71	79
"	" Cholera	-	-	2	1	-	1	3	1	-	6	3	5	2	2	2
"	" all the above- mentioned Diseases }	-	-	235	211	217	216	253	310	298	294	337	274	238	178	181
"	" Dis. of Respira- tory System }	-	-	185	201	152	162	158	124	160	144	151	144	148	123	134
"	" Phthisis	-	-	153	136	123	117	126	131	132	133	124	137	122	116	113
"	" Dis. of Circula- tory System }	-	-	101	124	116	119	104	96	106	95	91	113	102	93	90
Violent Deaths		-	-	70	67	70	68	74	61	57	71	61	62	39	52	56
Inquest Cases		-	-	121	125	143	129	137	132	113	131	115	124	82	92	114
Deaths in Public Institutions		-	-	397	407	412	363	386	379	420	412	412	404	390	371	369
TEMPERATURE OF THE AIR																
Mean		-	-	56.3	58.9	63.8	66.0	59.2	59.1	62.8	62.1	60.4	59.2	57.4	60.8	52.7
Mean of Highest readings		-	-	66.4	69.7	76.8	79.5	70.6	67.6	73.8	71.9	70.2	68.8	64.4	72.1	61.7
Mean of Lowest readings		-	-	48.8	50.5	51.0	53.9	52.0	53.0	54.4	55.7	55.3	53.0	52.0	52.2	44.8
Humidity of the Air		-	-	79	79	67	66	80	82	80	80	79	79	87	86	80
Rain-fall in inches		-	-	0.46	0.32	0.00	0.19	2.27	0.30	0.39	0.19	0.52	0.94	1.50	0.00	0.54
Registered Sunshine (in hours)		-	-	15.7	29.0	67.5	53.6	39.9	16.6	33.9	18.6	19.9	30.7	14.0	28.6	17.6

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Prestor, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrothesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SIXTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 36th Week of the 10 years 1884-93.*	In the Week ending Saturday, 8th September 1894.									Corrected Averages for the 36th Week of the 10 years 1884-93.*	In the Week ending Saturday, 8th September 1894.									
		Deaths of Persons of the Ages										Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.		
			0-1.	1-5.	5-20.								0-1.	1-5.	5-20.						
ALL CAUSES -	1430.0	1175	352	146	80	155	197	214	31												
Small-pox { Vaccinated† -	0.8	1	-	-	-	1	-	-	-												
Unvaccinated -	0.6	4	1	2	1	-	-	-	-												
No Statement -	0.6	1	-	-	-	-	1	-	-												
Measles -	22.9	13	4	3	1	-	-	-	-												
Scarlet Fever -	25.0	13	4	7	1	-	1	-	-												
Typhus -	0.5	-	-	-	-	-	-	-	-												
Relapsing Fever -	-	-	-	-	-	-	-	-	-												
Infuenza -	1.3	4	-	1	-	1	1	1	-												
Whooping-cough -	37.7	15	3	6	1	-	-	-	-												
Diphtheria -	27.8	59	4	20	14	1	-	-	-												
Simple Continued and Ill-defined Fever -	0.8	1	1	-	-	-	-	-	-												
Enteric Fever -	15.1	13	-	-	5	7	1	-	-												
Cholera and Chol. Diarr.	3.8	2	2	-	-	-	-	-	-												
Diarrhoea, Dysentery -	130.4	79	58	15	-	-	2	2	2												
Remittent Fever -	0.2	-	-	-	-	-	-	-	-												
Hydrophobia -	0.1	-	-	-	-	-	-	-	-												
Glanders -	-	-	-	-	-	-	-	-	-												
Cowpox and Effects of Vaccination -	0.1	-	-	-	-	-	-	-	-												
Veneral Affections -	12.5	9	7	1	-	-	1	-	-												
Erysipelas -	5.5	1	-	-	-	-	-	1	-												
Pyæmia and Septicæmia -	2.0	1	-	-	-	-	-	1	-												
Puerperal Fever -	4.4	1	-	-	-	1	-	-	-												
Other Zymotic Diseases -	1.3	-	-	-	-	-	-	-	-												
Thrush -	2.3	2	2	-	-	-	-	-	-												
Worms and other Parasitical Diseases -	0.3	-	-	-	-	-	-	-	-												
Starvation, Want of Breast-milk -	2.5	2	1	-	1	-	-	-	-												
Alcoholism -	7.0	10	-	-	-	3	4	3	-												
Rheumatic Fever, Rheumatism of Heart -	6.8	7	-	-	2	2	2	1	-												
Rheumatism -	2.6	1	-	-	-	-	-	1	-												
Gout -	2.8	2	-	-	-	-	-	1	1												
Rickets -	3.8	3	-	3	-	-	-	-	-												
Cancer -	60.6	75	-	-	1	10	33	30	1												
Tuberc Mesenterica -	40.2	25	21	2	2	-	-	-	-												
Tubercular Meningitis -	21.7	26	15	7	4	-	-	-	-												
Phthisis -	147.2	113	3	2	6	52	42	8	-												
Scrophula, Tubercular aff. -	19.2	16	2	5	3	4	2	-	-												
Other Constitutional Diseases -	9.5	9	2	-	-	3	2	2	-												
Premature Birth -	41.0	34	34	-	-	-	-	-	-												
Atelectasis -	2.4	6	6	-	-	-	-	-	-												
Congenital Malformations -	5.5	8	3	-	-	-	-	-	-												
Old Age -	44.0	23	-	-	-	-	-	14	9												
Apoplexy -	35.4	43	-	-	-	3	13	24	3												
Epilepsy -	5.6	3	-	-	1	-	-	2	-												
Convulsions -	46.0	35	34	3	1	-	-	-	-												
Other Diseases of Brain and Nervous System -	72.7	62	9	11	6	3	13	14	1												
Diseases of Organs of Special Sense -	2.7	3	-	-	-	2	1	-	-												
Diseases of Circulatory System -	103.7	90	-	-	9	21	18	39	3												
Croup -	6.5	2	2	-	-	-	-	-	-												
Bronchitis -	77.9	62	10	14	-	2	8	21	7												
Pneumonia -	52.5	47	9	10	4	5	9	10	-												
Pleurisy -	4.1	6	-	1	-	1	3	1	-												
Other Diseases of Respiratory System -	17.5	17	2	3	4	3	2	3	-												
Dentition -	7.6	10	5	5	-	-	-	-	-												
Quinsy, Sore Throat -	1.8	-	-	-	-	-	-	-	-												
Enteritis -	23.3	23	20	5	2	1	-	-	-												
Peritonitis -	7.0	4	1	-	-	2	1	-	-												
Diseases of Liver -	29.7	7	1	-	-	2	1	3	-												
Other Diseases of Digestive System -	31.3	23	4	2	1	5	4	7	-												
Diseases of Lymphatic System & of Ductless Glands -	1.8	3	-	-	-	2	1	-	-												
Diseases of Urinary System -	37.3	31	1	-	1	8	9	11	1												
Diseases of Generative System -	3.8	2	-	-	-	1	1	-	-												
Accidents of Childbirth -	4.5	3	-	-	-	3	-	-	-												
Diseases of Locomotive System -	7.3	3	1	1	-	-	-	1	-												
Diseases of Integumentary System -	6.1	7	-	1	-	-	-	5	1												
VIOLENT DEATHS.†																					
(ACCIDENT.)																					
By Railways -		1	-	-	-	1	-	-	-												
By Vehicles or Horses -		11	1	2	1	-	3	4	-												
In Ships, Boats, Docks (exclusive of Drowning) -		1	-	-	-	-	1	-	-												
In Building Operations -		-	-	-	-	-	-	-	-												
In Conflagrations -		-	-	-	-	-	-	-	-												
By Burns, Scalds, Explosions -	44.5	3	1	2	-	-	-	-	-												
By Drowning -		4	-	-	1	1	2	-	-												
By Suffocation in Bed -		10	10	-	-	-	-	-	-												
By Poisons or Poisonous Vapours -		6	1	-	1	-	3	1	-												
Other or not stated Causes -		14	1	1	2	2	5	1	2												
(VIOLENCE OTHER THAN ACCIDENTAL.)																					
Homicide -	1.2	1	-	-	-	1	-	-	-												
Suicide -	7.8	5	-	-	1	2	2	-	-												
Execution -	-	-	-	-	-	-	-	-	-												
OTHER CAUSES -	73.1	66	58	6	1	-	1	2	-												

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHOEA, VIOLENCE, INQUEST CASES, and Deaths in Public Institutions during the Week ended

		The DEATHS registered in the Week include																		
REGISTRATION		Enu- mer- ated Popu- lation, 1891.	TOTAL BIRTHS.	TOTAL DEATHS.	Deaths of														Inquest Cases,	Deaths in Public Institutions.
SUB-DISTRICTS.					Infants under Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON		4,211,743	2369	1175	352	245	6	13	13	39	15	-	13	1	79	56	114	369		
WEST DISTRICTS		740,735	350	196	55	45	-	1	4	4	4	-	1	1	15	6	10	87		
NORTH DISTRICTS		993,884	527	225	69	51	1	1	3	11	5	-	5	-	12	14	23	61		
CENTRAL DISTRICTS		247,538	113	63	20	12	-	2	-	3	1	-	2	-	5	7	10	25		
EAST DISTRICTS		705,114	493	258	97	44	-	6	1	5	1	-	1	-	21	12	39	76		
SOUTH DISTRICTS		1,524,472	911	395	120	82	-	3	3	16	4	-	3	-	23	17	32	82		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON		-	-	35	1	11	5	-	2	-	-	-	1	-	-	-	-	35		
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		84159	44	23	8	4	-	1	-	-	-	-	-	-	5	-	1	-		
St. John Paddington H - G.J.		33637	11	10	3	2	-	-	-	1	-	-	-	-	1	-	1	4		
Kensington Town W - W.M.		118751	55	39	6	14	-	-	-	1	1	-	-	-	1	1	2	24		
Brompton H - W.M. & C.		47557	13	8	1	-	-	-	-	-	-	-	-	-	-	-	-	6		
St. Peter Hammersmith - W.M.		4583	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.		83653	43	19	4	5	-	-	-	-	-	-	-	-	1	1	-	5		
Fulham W - W.M. & C.		97639	69	35	15	7	-	-	4	3	1	-	-	1	4	1	3	16		
Chelsea Kensal Town - C.		21787	13	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-		
Chelsea North WHHHH - C.		41637	25	12	5	1	-	-	-	-	-	-	-	-	2	-	1	7		
Chelsea South HH - C.		88529	10	11	3	3	-	-	-	-	-	-	-	-	-	-	-	3		
May Fair W - G.J.		23733	8	9	1	5	-	-	-	-	-	-	-	-	1	-	-	9		
Belgrave WHHH - C.		54931	26	12	2	1	-	-	-	-	1	-	1	-	-	2	2	6		
St. John Westminster HHH - C.		34106	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Margaret Westminster H - C.		21663	7	6	1	1	-	-	-	-	-	-	-	-	-	-	-	5		
St. James Westminster WHH N.R. & G.J.		24995	8	7	2	-	-	-	-	-	-	-	-	-	-	-	-	2		
St. Anne Soho HHHHHH - N.R.		12317	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																				
All Souls Marylebone } - W.M.		37713	16	13	2	2	-	-	-	-	-	-	-	-	-	-	-	10		
HHHHHHHHH } - G.J. & W.M.		20024	4	5	1	2	-	-	-	-	-	-	-	-	-	-	-	2		
Rectory Marylebone W - G.J. & W.M.		19239	27	4	3	-	-	-	-	-	-	-	-	-	1	-	-	1		
St. Mary Marylebone HHHH G.J. & W.M.		33937	13	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H - W.M.		32101	11	5	2	1	-	-	-	1	-	-	-	-	1	2	-	-		
St. John Marylebone H - W.M.		68416	28	19	1	4	-	-	1	4	-	-	2	-	2	2	11	-		
Hampstead WWHHHH N.R. & W.M.		36590	17	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
Regent's Park Pancras HH - W.M.		26331	12	12	1	4	-	-	-	-	2	-	1	-	-	-	-	6		
Tottenham-court WHHHH N.R. & W.M.		27455	11	12	2	2	-	-	1	-	-	-	-	1	1	2	3	4		
Gray's Inn Lane HHH - N.R.		32829	14	4	-	1	-	-	-	-	-	-	-	1	1	1	2	2		
Convent Town HH - N.R.		15119	13	7	3	2	-	-	-	-	-	-	-	1	1	1	2	3		
Camden Town WH - N.R.		95765	49	19	8	3	1	-	-	-	1	-	-	-	2	3	3	4		
Kensal Town W - N.R.		90235	55	25	5	5	-	1	-	-	-	-	-	-	1	2	2	-		
Upper Holloway WWHHHH - N.R.		105557	61	24	7	3	-	-	-	-	-	-	-	2	1	1	1	13		
Islington South-west H - N.R.		64153	35	12	3	4	-	-	2	-	-	-	-	1	1	1	1	1		
Islington South-east - N.R.		59193	31	9	3	2	-	-	-	-	-	-	-	1	1	1	1	1		
Highbury HH - N.R.		89936	14	3	1	2	-	-	1	-	-	-	-	-	1	1	2	-		
Stoke Newington H - N.R.		17759	11	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-		
Stamford Hill - E.L.		43902	19	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
West Hackney H - N.R.		94496	60	20	4	5	-	-	-	-	-	-	-	1	-	-	1	8		
Hackney WWHHH - E.L. & N.R.		41759	26	12	5	3	-	-	2	2	1	-	2	-	1	1	1	-		
South Hackney W - E.L.																				
CENTRAL DISTRICTS.																				
St. George Bloomsbury - N.R.		16695	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - N.R.		13454	5	2	-	2	-	-	-	-	-	-	-	-	-	1	1	1		
St. Giles North H - N.R.		9633	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HHH N.R. & C.		14616	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
St. Mary-le-Strand H - N.R.		5706	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Clement Danes WH - N.R.		7194	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Strand Union Workhouse, Edmonston W.			-	2	-	1	-	-	-	-	-	-	-	-	-	1	1	2		
St. Geo. the Martyr HHHHHH N.R.		17921	5	11	3	1	-	-	-	-	-	-	-	-	-	-	-	2		
St. Andrew Eastern W - N.R.		15313	10	4	3	1	-	-	1	-	-	-	1	-	2	-	9	-		
St. James Clerkenwell - N.R.		16803	7	3	2	1	-	-	-	-	-	-	-	-	-	-	1	1		
Amwell Clerkenwell - N.R.		16883	8	6	2	-	-	1	-	-	-	-	-	-	1	-	-	-		
Pentonville - N.R.		17155	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Goswell-street - N.R.		15375	11	4	3	-	-	-	-	1	1	-	-	-	-	-	1	-		
City-road HHHH - N.R.		29177	84	9	4	-	-	-	-	1	-	-	-	-	1	1	1	-		
Whitecross-street - N.R.		8278	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-		
Finsbury - N.R.		4935	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
Holborn Union Workhouse, Mitcham W.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - N.R. & E.L.		8944	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cripplegate - N.R.		4339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - N.R.		4444	-	10	2	3	-	-	+	-	-	-	-	-	-	-	-	-		
St. Bride W - N.R.		6594	-	2	-	-	-	-	-	1	-	-	1	-	-	2	2	10		
Abchurch-lane - N.R.		10422	3	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-		
Beoud Street H - N.R.		3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
City of London Asylum, Stone			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; W—Workhouse; Estab—Establishment; S—School; A—Asylum; G—Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. North River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
ay, 8th September, 1894.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of														
					Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																			
Editch South HL*	E.L. & N.R.	20098	12	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
on New Town w	-	29313	26	12	5	4	-	-	-	-	-	-	-	-	-	-	1	4	-
on Old Town	-	28864	19	11	5	1	-	1	-	-	-	-	-	-	-	-	3	-	-
erston WH	-	46244	84	52	9	6	-	-	-	-	1	1	-	-	-	2	1	9	-
nal Green North H	-	51820	33	10	4	2	-	-	-	-	-	-	-	-	-	3	-	-	-
nal Green South	-	33489	25	13	7	2	-	-	-	-	-	-	-	-	-	3	-	-	-
nal Green East WHL*	-	44123	20	14	3	2	-	-	1	-	-	-	-	-	-	3	-	6	-
alfields	-	22456	16	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
End New Town W	-	17908	18	6	2	2	-	1	-	-	-	-	-	-	-	2	3	3	-
te chapel Church H*	E.L. & N.R.	20298	10	16	5	5	-	-	-	-	-	-	1	-	-	1	3	7	22
iman's Fields	-	13800	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
George's, North	-	37738	40	9	4	-	-	1	-	-	-	-	-	-	-	2	1	2	-
John, St. George East W	-	8037	8	7	2	2	-	-	-	-	-	-	-	-	-	1	-	6	-
lwell H	-	10246	7	11	6	1	-	1	-	-	-	-	-	-	-	-	1	2	8
liff W	-	14928	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ebouise	-	32202	10	10	3	1	-	-	-	-	-	-	-	-	-	2	1	2	-
End Old Town West H	-	38650	28	14	9	-	-	-	-	-	1	-	-	-	-	1	-	-	-
End Old Town East W & H	-	68942	45	21	11	2	-	-	-	-	-	-	-	-	-	1	-	3	2
L*	-	40865	23	10	2	3	-	-	1	-	1	-	-	-	-	-	1	1	-
mley w & H	-	70900	51	33	8	8	-	-	1	-	-	-	-	-	-	1	2	10	14
lar. W & W	-	66383	32	12	0	-	-	-	-	-	1	-	-	-	-	-	-	2	1
SOUTH DISTRICTS.																			
ristchurch Southwark WH	L. & S.	12264	4	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Savoy Southwark	-	13913	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
at-road	-	21867	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ough-road WH	-	16624	10	6	3	2	1	-	-	-	-	-	-	-	-	3	1	1	1
adon-road HL	-	21221	11	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
nity Newington	-	26596	18	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Peter Walworth W	-	61342	42	14	4	7	-	-	-	-	-	-	-	-	-	1	1	1	2
Mary Newington	-	27866	22	9	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Olave WH	-	12723	9	14	2	1	-	-	-	-	1	-	-	1	-	-	-	-	14
ather Market * W	-	30612	27	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-
James Bermondsey	-	54070	39	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
therhithe WE &	-	39255	24	10	3	3	-	-	-	-	2	-	-	-	-	1	-	-	3
aterloo-road 1st H	-	14081	7	4	2	1	-	-	-	-	1	-	-	-	-	1	1	1	1
aterloo-road 2nd H	-	14644	24	5	-	2	-	-	-	-	-	-	-	-	-	-	-	2	10
mbeth Church 1st H	-	18075	14	13	1	2	-	-	-	-	2	-	-	-	-	2	-	2	7
mbeth Church 2nd W & W	-	39097	31	16	7	6	-	-	-	-	-	-	-	-	-	-	-	1	2
nnington 1st H	-	50586	36	12	5	3	-	-	-	-	-	-	-	-	-	-	-	1	2
nnington 2nd -	-	39708	23	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2
lton w	-	78405	38	27	6	6	-	-	-	3	1	-	-	1	-	-	-	1	6
ewood WH	-	26667	11	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
st Battersea	-	67244	33	14	7	-	-	-	-	-	1	1	-	-	-	1	-	2	-
est Battersea W & H	-	83314	65	22	2	4	-	-	-	-	1	-	-	-	-	1	1	2	5
apham H	-	43698	16	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
andsworth WHL	-	46717	33	15	2	3	-	-	-	-	-	1	-	-	-	2	2	3	1
lney	-	17771	9	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
atham w & w	-	48756	21	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
lwich	-	6809	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lwerwell W & L*	-	81686	37	30	9	9	-	1	-	-	-	1	-	-	-	-	1	1	18
lcham W & W	-	38488	39	25	8	5	-	-	-	2	1	-	-	-	-	1	1	2	-
George Camberwell	-	63966	48	18	5	1	-	-	-	-	-	-	-	-	-	1	1	2	-
lptford, North	-	35814	28	8	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-
lptford, Central w	-	42007	24	13	6	1	-	-	-	4	-	-	-	-	-	1	1	1	3
lptford, South	-	30852	11	8	2	3	-	-	-	-	-	-	-	-	-	1	1	1	-
reenwich West H	-	22007	18	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	5
reenwich East WH	-	36283	11	17	3	4	-	-	-	-	-	-	-	-	-	1	-	-	-
atham W'	-	5682	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
le H	-	23441	9	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
lwicham WH	-	30950	22	4	3	1	-	-	-	-	-	-	-	-	-	2	-	-	-
denham H	-	34162	26	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
arlton HH	-	14040	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
oolwich Dockyard	-	13606	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oolwich Arsenal HH	-	41242	20	5	1	1	-	-	-	-	-	-	-	-	-	1	3	3	1
umstead, West H	-	15869	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
umstead, East W	-	96567	22	11	2	3	-	-	-	1	-	-	-	-	-	-	-	2	1
anstead Asylum	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
anstead Asylum	-	-	-	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	4
ane Hill Asylum	-	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	5
ospital Ships and Camp, Dartford	-	-	-	5	1	-	5	-	-	-	-	-	-	-	-	-	-	-	1
arenth Asylum	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
anwell Asylum	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
lney Hatch Asylum	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3
E. Hospital	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2
inchmore Hill Hospital	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
ayesden Asylum	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
aybury Asylum	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	6

* The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Market.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS OF LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 8th September, 1894.

Registration District and Sub-district Number.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Census rated Population 1891	BIRTHS.	DEATHS.	The Deaths registered in the Week include														
						Deaths of		Deaths from										Unjust Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
LONDON—OUTER RING.		363.74	1,422,033	855	336	109	63	-	10	1	12	6	3	23	12	21	25	7		
30:1	Carshalton WHH	12228	26108	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Epsom, part of* WHH	10423	12808	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
37:1	Goldstone, part of* WHH	754	1591	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon WHH.	20351	128699	52	34	10	10	-	-	-	1	1	-	2	1	2	2	-		
2	Mitcham W	11697	23098	7	3	1	1	-	-	-	-	-	1	-	-	-	-	-		
39:1	Wimbledon HHH	3220	25761	13	9	2	1	-	1	-	-	-	-	-	-	-	1	-		
2	Kingston WHH.	8071	44765	24	8	1	1	-	-	-	-	-	-	-	1	3	1	-		
3	Esher, part of.*	6601	12059	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-		
4	Hampton H	4535	18252	10	5	1	1	-	-	-	-	-	-	1	1	1	-	-		
40:1	Richmond WH	2160	25389	7	10	1	3	-	-	-	1	-	-	-	-	-	1	-		
2	Mortlake H	2823	16159	7	4	1	1	-	-	-	-	-	-	1	-	-	-	-		
41:1	Bromley HHH	9127	23315	15	4	-	3	-	-	-	-	-	-	-	-	-	-	-		
2	Beckenham H	6542	21969	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Chislehurst, pt. of* WHH	14307	20372	13	4	1	2	-	-	-	-	-	-	-	-	2	-	-		
42:1	Bexley HHH	12540	30590	21	8	3	3	-	-	-	-	-	-	-	-	-	-	1		
2	Dartford Work., pt. of*	-	-	-	3	-	2	-	-	-	-	-	-	-	1	1	3	-		
124:1	Susbury W	11054	13671	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Staines W	18277	13221	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-		
125:1	Hillingdon WHH	6035	12237	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge	6172	5417	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes WH	14537	12618	5	6	2	1	-	-	-	-	-	-	1	-	-	-	-		
126:1	Isleworth WHH	6967	26273	14	6	2	-	-	-	-	-	-	-	1	-	-	-	-		
2	Twickenham HH	2415	16027	10	3	-	1	-	-	-	-	-	-	-	1	1	1	-		
3	Brentford HHHH	4318	37777	25	7	4	-	-	-	-	-	1	-	-	-	1	-	1		
4	Chiswick	1245	21963	18	6	4	1	-	1	-	-	-	-	-	-	-	-	-		
5	Aston WH	6132	30845	24	6	5	-	-	-	-	-	-	-	2	-	-	-	-		
127:1	Harrow HHH	13809	15715	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Edgware HH	6994	3844	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden HHH	4383	61265	39	22	10	1	-	1	-	-	1	-	-	-	-	-	-		
4	Hendon W	8332	15843	13	7	1	2	-	-	-	-	-	1	-	-	-	3	-		
128:1	South Mumps	1559	8474	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet WHH	5441	11773	6	2	-	1	-	-	-	-	-	-	-	1	2	1	-		
3	Finchley HHH	4638	25825	21	6	2	1	-	1	-	-	-	-	-	-	-	-	-		
129:1	Hornsey HH	8059	61097	31	6	-	2	-	-	-	-	1	-	-	-	1	-	-		
2	Tottenham H	4549	97174	63	22	7	2	-	2	-	1	2	-	-	1	2	1	-		
3	Edmonton WH	7489	36851	17	11	2	4	-	-	-	1	-	-	3	1	1	3	-		
4	Enfield WHH.	12639	31803	24	7	1	1	-	-	-	-	-	-	-	1	2	1	-		
5	Waltham Abbey	11017	6066	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-		
6	Cheshunt H	8480	9620	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
130:1	Hatfield, part of* W	9306	532	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Baehay H	9331	7737	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
136:1	Stratford H.	1100	42983	21	9	2	2	-	1	-	-	-	-	1	1	2	-	-		
2	Plaistow HHHH	1242	58030	41	13	5	1	-	-	-	2	-	-	3	-	-	-	-		
3	Canning Town H	1553	54750	43	10	6	1	-	-	1	1	-	-	2	-	1	-	1		
4	Forest Gate W	806	49140	31	11	4	2	-	-	-	1	-	1	1	-	-	-	1		
5	East Ham W	3266	32713	36	12	4	2	-	3	-	-	-	-	3	-	-	-	-		
6	Leyton WHH	4384	70183	41	23	12	4	-	-	-	-	-	-	4	1	1	4	-		
7	Walthamstow HHL	6501	87330	34	15	6	3	-	-	-	2	-	-	1	-	-	-	2		
137:1	Chigwell, part of* H	11779	12941	7	5	2	1	-	-	-	-	-	-	-	1	-	-	1		
2	Epping Work., pt. of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
139:1	Romford, part of* WH	6556	4324	3	3	1	1	-	-	-	1	-	-	-	-	-	-	-		
2	Ilford	8493	10913	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town H	3814	14301	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
	Metro. Asy. Hosps.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—39:2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1736); 37:1, the parishes of Warlingham and Farley in Goldstone sub-district; 39:3, Escher sub-district, except the parish of Escher (pop. 2352); 41:3, Chislehurst sub-district, except the parishes of Chislefield, Cuddam, and Knockholt (pop. 9397); 135:1, the parish of Northaw in Hatfield sub-district; 137:1, Chigwell sub-district, except the parish of Theydon Bois (1079); 139:1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42:2, Dartford, 137:3, Watford, and 137:2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 8th September, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	13·2	2·1	1511	461	313	6	23	14	51	21	17	105	68	394		
INNER LONDON -	74,672	4,340,166	14·1	2·1	1175	352	245	6	13	13	39	15	14	79	56	369		
OUTER RING -	368,749	1,599,134	11·0	1·9	336	109	68	-	10	1	12	6	3	26	12	25		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH -	270,588	September 8	131	92	17·7	-	1	-	3	1	1	6	
GLASGOW -	686,820	" 8	393	198	15·0	-	1	7	4	5	5	9	
DUBLIN -	340,594	" 8	252	175	26·1	1	-	1	-	4	5	8	
CALCUTTA -	466,460	July 21	-	230	25·7	3	3	-	1	-	96	45†	
BOMBAY -	821,764	August 14	376	645	40·8	6	6	?	?	?	158	96†	
MADRAS -	452,518	" 8	373	301	34·5	-	6	?	?	?	121	39	
PARIS -	2,424,705	September 1	1136	761	16·7	1	6	-	14*	5	6	81	
BRUSSELS -	498,400	" 1	238	174	18·2	-	1	-	1	4	3	22	
AMSTERDAM -	446,295	" 1	267	137	15·9	-	-	2	3	3	-	4†	
ROTTERDAM -	228,597	" 1	133	75	17·0	-	-	-	1	-	-	-	
THE HAGUE -	174,790	" 1	105	44	13·1	-	-	-	1	-	-	-	
COPENHAGEN -	341,000	" 1	214	108	16·5	-	4	2	2	2	-	18	
STOCKHOLM -	252,937	August 25	129	77	15·8	-	-	-	2*	-	-	2	
CHRISTIANIA -	167,588	September 1	45	45	14·0	-	-	1	1	1	-	14	
ST. PETERSBURG -	954,400	August 18	601	407	22·2	-	9	8	13	5	8	136†	
MOSCOW -	753,469	" 25	-	517	35·8	2	4	6	10	5	4	166	
BERLIN -	1,714,938	" 18	857	817	25·1	-	8	7	32	6	-	332	
HAMBURG -	598,372	September 1	-	216	18·8	-	1	1	8*	3	1	29	
DRESDEN -	312,772	August 11	-	-	-	-	-	-	-	-	-	-	
BRISLAU -	360,660	September 1	-	193	27·9	-	1	-	3*	1	1	54	
MUNICH -	390,000	" 1	-	178	23·7	-	-	-	3*	9	-	66	
VIENNA -	1,465,537	" 1	845	584	20·7	-	4	11	16*	-	1	123	
PRAGUE -	339,172	August 25	180	147	22·5	1	1	-	5	1	-	10	
BUDA-PESTH -	552,769	" 25	375	230	21·6	1	4	2	8	1	3	35	
TRIESTE -	159,739	" 18	87	92	31·1	-	-	2	9*	-	2	8	
		" 25	98	78	26·4	-	-	-	9*	-	4	8	
ROME -	455,678	" 18	195	146	16·7	-	2	-	1	-	6†	23	
TURIN (10 days) -	337,997	" 20	-	-	-	-	-	-	-	-	-	-	
VENICE -	160,406	" 11	70	53	17·2	-	-	-	-	-	2	11	
		" 18	90	54	17·6	-	-	-	-	1	1	12	
CAIRO -	374,838	" 9	424	486	67·4	-	-	-	1	5	6	194	
ALEXANDRIA -	231,396	" 9	160	203	45·7	-	-	-	-	1	5	50	
NEW YORK -	1,925,589	" 25	-	766	20·3	-	2	1	36	4	7	117	
BROOKLYN -	1,043,000	" 25	-	403	19·9	-	3	1	21	5	6	71	
PHILADELPHIA -	1,139,457	" 25	-	363	16·6	-	-	3	20	4	9	32	
NEW ORLEANS -	254,000	" 4	-	99	20·3	-	-	-	1	1	4	6	

* Including deaths from croup.

† Including 17 deaths from cholera in Calcutta, 23 in Bombay, 4 in Amsterdam, and 64 in St. Petersburg.

‡ Including 2 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 8TH SEPTEMBER, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.	Phases of the Moon.	TEMPERATURE.										TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.						Rain collected in a cistern whose surface receives 5 inches of the rain above the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		Of the Air.					Difference between the Air Temperature and Dew Point Temperature.					Degree of Humidity (Saturation 100°).	Of Radiation.		Of the Earth 3 feet from the Surface.		General Direction.		Oiler's.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		Baro- meter.	Mean daily reading (corrected to 32° Fahrenheit).	High- est.	Low- est.	Daily Range.	Mean of Average value.	De- pression from Average value.	Mean daily value.	Of the Point.	Great- est.														Mean daily value.	Least.	Highest Sun's Ray's.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.	Mean hourly obs.	Movement of the Air on each Day.	Horizontal Depar- ture from Average of 10 Years.	Miles.	in.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
SEPTEMBER.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

GENERAL REMARKS.

SUNDAY	2	w. P. throughout v. N. and v. P. afterwards.	4-9	13-4	Foggy in morning; fine throughout day, with small amounts of cloud till evening; clouded up at night.
MONDAY	3	w. P. in morning; v. N. and v. P. afterwards.	0-0	13-4	Overcast till night, with rain between 9h. A.M. and 3h. P.M.; nearly cloudless after 10h. P.M.
TUESDAY	4	m. P. till 4h. P.M.; s. P. and s. N. afterwards.	6-0	13-3	Fine; partially cloudy. Showery in evening.
WEDNESDAY	5	v. N. in morning; v. N. and v. P. afterwards.	0-2	13-2	Slightly foggy in morning; fine throughout day and partially cloudy. Occasional thunder in afternoon.
THURSDAY	6	v. P. generally till 9h. A.M.; v. N. and v. P. till 3h. P.M.; m.P. afterwards.	1-3	13-2	Partially cloudy and fine in morning; variable in afternoon. At 1h. 30m. P.M. a heavy shower of rain and hail, with thunder; fine, with small amounts of cloud, after 4h. P.M.
FRIDAY	7	v. N. in morning; v. P. afterwards.	0-1	13-1	Generally cloudy throughout.
SATURDAY	8	v. N. till 8h. A.M.; v. P. afterwards.	5-1	13-0	Rain fell throughout the early morning hours; fine and partially cloudy till evening; overcast, with slight exceptions, at night.
			Sum	Sum	
			17-6	92-6	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Foggy in morning; fine throughout day, with small amounts of cloud till evening; clouded up at night.

and the other two are the same as the first.

Overcast till night, with rain between 9h: A.M. and

Overcast all night, with rain between 2 M. A. M. and 3 h. P. M.; nearly cloudless after 10 h. P. M.

Kine: mostly cloudy Showers in evening

Fine; partially cloudy. Showery in evening.

Slightly foggy in morning. Fine throughout day and

Slightly foggy in morning; fine throughout day and partially cloudy. Occasional thunder in afternoon.

Partially cloudy and fine in morning: variable in

rather cloudy and fine in morning, variable in afternoon. At 1h. 30m. P.M. a heavy shower of rain.

and hail, with thunder; fine, with small amounts of

cloud, after 4 h. P.M.
Generally cloudy throughout.

CONCERNING CROWD ETHNOGRAPHY,

Rain fell throughout the early morning hours; fine

and partially cloudy till evening; overcast, with

slight exceptions, at night.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 37. 1894. VOL. LV.] WEEK ENDING SATURDAY, SEPTEMBER 15. [Price 1½d.

*General Register Office, Somerset House,
September 17th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·9 per 1000 of their aggregate population, which is estimated* at 10,458,412 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.		Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.
Birkenhead	13·3	18·8	15·8	13·3	Liverpool	27·2	20·7	24·0	18·5
Birmingham	15·9	15·6	13·0	14·4	London	15·4	14·4	14·1	14·9
Blackburn	16·2	14·9	14·9	13·7	Manchester	17·4	16·8	18·3	19·1
Bolton	20·3	16·3	23·4	20·3	Newcastle-on-Tyne	18·8	13·9	17·3	19·9
Bradford	16·1	13·5	18·4	16·5	Norwich	16·3	13·8	16·8	14·3
Brighton	20·6	19·3	11·4	22·0	Nottingham	16·3	15·9	12·8	12·1
Bristol	13·6	10·6	12·0	14·3	Oldham	15·8	14·3	14·7	16·5
Burnley	17·3	11·3	14·1	15·1	Plymouth	10·7	11·9	14·8	12·5
Cardiff	12·3	11·9	19·6	16·1	Portsmouth	18·3	13·7	14·0	16·8
Croydon	14·0	10·7	13·0	13·0	Preston	27·6	22·5	19·7	19·2
Derby	19·5	9·0	11·1	15·3	Salford	21·3	17·0	16·2	15·5
Gateshead	19·0	14·0	14·0	16·8	Sheffield	17·3	18·2	16·2	17·3
Halifax	14·0	14·0	11·8	16·3	Sunderland	26·1	21·8	19·9	24·5
Huddersfield	12·2	14·3	10·1	13·2	Swansea	13·7	14·2	15·3	18·0
Hull	13·2	14·7	14·7	15·9	West Ham	15·3	15·3	10·5	15·3
Leeds	20·1	14·9	16·1	14·9	Wolverhampton	15·9	17·8	22·1	20·8
Leicester	13·5	18·5	14·1	16·3					

The highest annual death-rates, as measured by last week's mortality, were:—from *scarlet fever*, 1·1 in Burnley and 1·3 in Salford; from *whooping-cough*, 1·1 in Swansea and 1·5 in Norwich; from "*fever*," 2·7 in Sunderland; and from *diarrhea*, 2·5 in Hull, 3·0 in Plymouth, 4·0 in Portsmouth, 4·3 in Wolverhampton, and 5·6 in Preston. The death-rate from *measles* did not reach 1·0 per 1000 in any of the thirty-three towns. The 80 deaths from *diphtheria* included 55 in London, 4 in Sheffield, and 2 each in West Ham, Bristol, Cardiff, Liverpool, Manchester, Preston, and Leeds. Three deaths from *small-pox* were registered in London and 3 in Birmingham, but not one death in any other of the thirty-three towns.

LONDON.

In LONDON 2569 BIRTHS and 1241† DEATHS were registered. Allowing for increase of population, the births were 111, and the deaths 168, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·4, 14·4, and 14·1 in the preceding

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

three weeks, increased again last week to 14·9. During the four weeks ending on Saturday last the death-rate averaged 14·7 per 1000, being 2·9 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1241 deaths included 3 from small-pox, 9 from measles, 15 from scarlet fever, 55 from diphtheria, 20 from whooping-cough, 10 from enteric fever, 62 from diarrhœa and dysentery, and not one death from typhus, any ill-defined form of continued fever, or from cholera; thus, 174 deaths were referred to these diseases, being 64 below the corrected average weekly number.

Three deaths from *small-pox* were registered, belonging respectively to Fulham, Marylebone, and Islington sanitary areas. There were 102 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 7 in the Highgate Small-pox Hospital, making a total of 109, against 158, 163, and 129 on the preceding three Saturdays; 19 cases were admitted during the week, against 34, 40, and 13 in the preceding three weeks. The deaths from *measles*, which had been 27, 18, and 13 in the preceding three weeks, further declined last week to 9, being less than half the corrected average. The deaths from *scarlet fever*, which had been 17, 13, and 13 in the preceding three weeks, numbered 15 last week, and were 11 below the corrected average; 2 belonged to Pancras, 2 to Islington, and 2 to Rotherhithe sanitary areas. The Metropolitan Asylum and London Fever Hospitals* contained 2079 scarlet fever patients at the end of last week, against 2117, 2112, and 2026 on the preceding three Saturdays; 269 cases were admitted during the week, against 232 and 212 in the preceding two weeks. The deaths from *diphtheria*, which had been 43, 33, and 39 in the preceding three weeks, increased last week to 55, exceeding the corrected average by 24; 6 belonged to Islington, 5 to Battersea, 5 to Camberwell, 4 to Greenwich, 3 to Lambeth, and 3 to Hackney sanitary areas. The Metropolitan Asylum Hospitals* contained 486 diphtheria patients at the end of last week, against 448, 450, and 464 on the preceding three Saturdays; 96 cases were admitted during the week, against 75 and 103 in the preceding two weeks. The deaths from *whooping-cough*, which had been 22, 26, and 15 in the preceding three weeks, increased again last week to 20, but were 14 below the corrected average. The fatal cases of *enteric fever*, which had been 11, 8, and 13 in the preceding three weeks, numbered 10 last week, and were 6 below the corrected average; 2 belonged to Marylebone and 2 to Pancras sanitary areas. The Metropolitan Asylum Hospitals* contained 85 cases of enteric fever and one case of typhus on Saturday last; 17 cases of enteric fever were admitted during the week, against 11 and 17 in the preceding two weeks. The deaths from *diarrhœa*, which had been 114, 71, and 79 in the preceding three weeks, declined again last week to 62, and were 45 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 148, 123, and 134 in the preceding three weeks, numbered 143 last week, and were 28 below the corrected average.

The deaths attributed directly to *influenza* numbered 4, having been 6, 3, and 4 in the preceding three weeks.

Different forms of violence caused 55 deaths, concerning 54 of which inquests were held. Of these 55 deaths, 6 were cases of suicide, and 2 of homicide, while the remaining 47 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 7 to burns and scalds, 5 to drowning, and 8 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3372 births and 1598 deaths were registered, corresponding to annual rates of 29·6 and 14·0 per 1000 of the estimated population. In the Outer Ring 12 deaths from diphtheria, 3 from "fever," and 21 from diarrhœa were recorded. The 12 deaths from diphtheria included 5 in Edmonton, 4 in West Ham, and 2 in Brentford districts. Of the 21 deaths from diarrhœa, 8 occurred in West Ham, 4 in Croydon, and 3 in Kingston districts.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·16 inches, and that of the Thermometer 54°·8, the latter being 3°·2 below the week's average in the 50 years 1841-90. The direction of the wind was Northerly, the horizontal movement of the air being 10 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 17·2 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 15th September 1894.

CITIES AND BOROUGHs.	Registered during the Week ending 15th Sept. 1884.			Deaths in										The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGHs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1.	2.	3.	Deaths of				Deaths from						Deaths from				Deaths from				Mean.		In Inches.	In Cent.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				Infants under 1 Year of Age.	Persons Aged 60 Years and upwards.	Small-pox.	Measles.	Scarlat Fever.	Diphtheria.	Whooping- cough.	Fever.	Mitrbem.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Cases of Death.	From All Causes.	From Catastrophic Causes.	From Catastrophic Causes.	Highest.	Lowest.	Fahrenheit.	Centigrade.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Cols.	10458442	6103	3160	926	645	6	32	30	80	46	44	229	114	224	668	44	15	16	17	18	19	20	21	22	23	24	0.03	0.01	0.03	0.05	0.08	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-SEVENTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2604	2542	2599	2506	2488	2432	2539	2507	2547	2635	2679·6	2569
Males . . .	1340	1330	1284	1283	1270	1279	1253	1275	1318	1350	1370·7	1251
Females . .	1264	1212	1305	1223	1218	1153	1281	1232	1229	1285	1308·9	1318
TOTAL Deaths	1373	1231	1403	1266	1330	1236	1410	1274	1381	1441	1403·5	1241
Males . . .	686	633	724	658	664	652	736	678	723	723	726·4	624
Females . .	687	598	679	608	666	584	674	596	658	713	682·1	617

* The numbers in this column are the average weekly numbers in the thirty-seventh weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.
TOTAL Births	2334	2458	2254	2371	2419	2419	2695	2200	2665	2361	2704	2369	2569
TOTAL Deaths	1330	1282	1314	1356	1405	1437	1464	1450	1428	1284	1198	1175	1241
Ages at Death													
{ 0-20 years	588	601	628	693	768	783	801	820	787	685	591	578	600
{ 20-40 "	176	171	189	179	158	149	177	140	169	144	150	155	156
{ 40-60 "	255	219	250	215	242	237	214	221	241	232	208	197	209
{ 60-80 "	261	234	218	230	197	230	228	227	193	184	214	214	223
{ 80 years & upwards	50	57	38	39	40	38	44	42	38	39	35	31	53
Under 1 year	278	269	313	410	464	457	480	497	475	416	361	352	353
1-5	216	228	225	199	220	228	216	219	229	134	146	146	159
5-20	94	104	90	84	84	98	105	104	83	85	84	80	89
Deaths from													
Small-pox	5	-	1	2	1	1	5	10	4	2	7	6	3
Measles	99	92	88	57	57	53	50	33	34	27	13	13	9
Scarlet fever	18	19	17	16	24	29	18	19	14	17	13	13	15
Diphtheria	44	56	43	45	36	52	57	62	57	43	33	39	55
Whooping-cough	20	25	28	29	43	35	26	35	30	22	26	15	20
Typhus	-	-	-	1	-	1	-	-	-	-	-	-	-
Enteric fever	10	9	3	6	8	5	6	11	6	11	8	13	10
Simple Cont'd fever	2	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Dysentery	12	15	35	94	140	122	126	164	124	114	71	79	62
Cholera	1	-	1	3	1	-	6	3	5	2	2	2	-
all the above-mentioned Diseases	211	217	216	253	310	298	294	337	274	238	178	181	174
Dis. of Respiratory System	201	152	162	158	124	160	144	151	144	148	123	131	143
Phthisis	136	123	117	126	131	132	133	124	137	122	116	113	130
Dis. of Circulatory System	124	116	119	104	96	106	95	91	113	102	93	90	82
Violent Deaths	67	70	68	74	61	57	71	61	62	59	52	56	55
Inquest Cases	125	143	129	137	132	113	131	115	124	82	92	114	101
Deaths in Public Institutions	407	412	363	326	379	420	412	412	404	390	371	369	401
TEMPERATURE OF THE AIR													
Mean	58·9	63·8	66·0	59·2	59·1	62·8	62·1	60·4	59·2	57·4	60·8	52·7	54·8
Mean of Highest readings	69·7	76·8	79·5	70·6	67·6	73·8	71·9	70·2	68·8	64·4	72·1	61·7	63·7
Mean of Lowest readings	50·5	51·0	53·9	52·0	53·0	54·4	55·7	55·3	53·0	52·0	54·2	44·8	47·7
Humidity of the Air	79	67	66	80	82	80	80	79	79	87	86	80	82
Rain-fall in inches	0·32	0·00	0·19	2·27	0·30	0·39	0·19	0·52	0·94	1·50	0·00	0·54	0·02
Registered Sunshine (in hours)	29·0	67·5	53·6	39·9	16·6	33·9	18·6	19·9	30·7	14·0	28·6	17·6	17·2

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Prestor, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandorrough, Esq., F.R.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SEVENTH Week of the Year 1894.

CAUSES OF DEATH.		Corrected Averages for the 37th Week of the 10 years 1884-93.*	In the Week ending Saturday, 15th September 1894.										CAUSES OF DEATH.		Corrected Averages for the 37th Week of the 10 years 1884-93.*	In the Week ending Saturday, 15th September 1894.										
			Deaths of Persons of the Ages													Deaths of Persons of the Ages										
			ALL AGES.			Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				ALL AGES.			Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	
0-1.	1-5.	5-20.	0-1.	1-5.	5-20.	0-1.	1-5.	5-20.																		
ALL CAUSES -			1408.5	1241	353	159	88	156	209	223	53	Diseases of Organs of Special Sense - - -			2.0	4	1	1	2	-	-	-	-	-	-	-
Small-pox	Vaccinated† -	0.5	1	-	-	-	1	-	-	-	-	Diseases of Circulatory System - - -	104.5	82	1	-	7	11	25	32	6	-	-	-	-	
	Unvaccinated -	0.4	2	-	-	1	1	-	-	-	-		Croup - - - - -	7.7	1	-	-	1	-	-	-	-	-	-	-	-
	No Statement -	0.7	-	-	-	-	-	-	-	-	-	Bronchitis - - -	86.9	69	17	13	-	-	10	23	6	-	-	-	-	
Measles -	-	19.1	9	1	8	-	-	-	-	-	-	Pneumonia - - -	54.0	52	13	11	8	5	10	4	1	-	-	-	-	
Scarlet Fever -	-	36.0	15	2	9	3	1	-	-	-	-	Pleurisy - - - -	3.4	4	-	1	-	2	-	1	-	-	-	-	-	
Typhus - - -	-	0.2	-	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - - -	19.1	17	-	3	-	1	6	4	3	-	-	-	-	
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	Dentition - - - -	7.4	8	7	1	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	0.6	4	-	-	-	-	1	3	-	-	Quinsy, Sore Throat -	1.6	1	-	-	1	-	-	-	-	-	-	-	-	
Whooping-cough -	-	34.1	20	10	9	1	-	-	-	-	-	Enteritis - - - -	13.7	38	29	5	2	1	-	1	-	-	-	-	-	
Diphtheria! -	-	30.6	55	2	32	19	1	1	-	-	-	Peritonitis - - -	6.5	6	-	-	3	1	1	1	-	-	-	-	-	
Simple Continued and Ill-defined Fever -	-	1.1	-	-	-	-	-	-	-	-	-	Diseases of Liver - -	29.1	24	-	-	-	8	9	7	-	-	-	-	-	
Enteric Fever - -	-	15.6	10	-	-	1	5	2	2	-	-	Other Diseases of Digestive System -	28.4	13	4	2	-	2	5	6	-	-	-	-	-	
Cholera and Chol. Diarr.	-	3.3	-	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands - - -	2.0	1	-	-	1	-	-	-	-	-	-	-	-	
Diarrhoea, Dysentery	-	106.7	62	42	13	1	-	3	1	2	-	Diseases of Urinary System - - -	33.0	43	1	1	1	5	15	18	-	-	-	-	-	
Remittent Fever -	-	0.1	-	-	-	-	-	-	-	-	-	Diseases of Generative System - - -	5.3	4	-	-	1	1	2	-	-	-	-	-	-	
Hydrophobia - -	-	0.1	-	-	-	-	-	-	-	-	-	Accidents of Childbirth -	3.9	6	-	-	-	5	1	-	-	-	-	-	-	
Glanders - - - -	-	-	-	-	-	-	-	-	-	-	-	Diseases of Locomotive System - - -	5.7	8	-	1	3	1	3	-	-	-	-	-	-	
Cowpox and Effects of Vaccination - -	-	-	-	-	-	-	-	-	-	-	-	Diseases of Integumentary System - - -	5.4	7	3	-	-	-	1	3	-	-	-	-	-	
Venerable Affections -	-	13.0	13	9	1	-	-	3	-	-	-	VIOLENT DEATHS.†														
Erysipelas - - -	-	6.2	2	2	-	-	-	-	-	-	-	(ACCIDENT.)														
Pyæmia and Septicæmia	-	3.1	2	-	-	-	2	-	-	-	-	By Railways - - - -														
Puerperal Fever -	-	3.8	2	-	-	-	2	-	-	-	-	By Vehicles or Horses -														
Other Zymotic Diseases	-	0.7	1	1	-	-	-	-	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) - - -														
Thrush - - - -	-	2.1	1	1	-	-	-	-	-	-	-	In Building Operations -														
Worms and other Parasitical Diseases - -	-	0.4	-	-	-	-	-	-	-	-	-	In Conflagrations - -														
Starvation, Want of Breast-milk - - -	-	3.2	3	3	-	-	-	-	-	-	-	By Burns, Scalds, Explosions - - -														
Alcoholism - - -	-	7.6	5	-	-	-	2	3	-	-	-	By Drowning - - -														
Rheumatic Fever, Rheumatism of Heart	-	6.8	7	-	-	2	3	2	-	-	-	By Suffocation in Bed -														
Rheumatism - - -	-	1.8	1	-	-	-	-	-	1	-	-	By Poisons or Poisonous Vapours - - -														
Gout - - - -	-	2.3	2	-	-	-	1	-	1	-	-	Other or not stated Causes - - -														
Rickets - - - -	-	2.7	3	1	2	-	-	-	-	-	-	(VIOLENCE OTHER THAN ACCIDENTAL.)														
Cancer - - - -	-	68.8	70	-	1	-	2	32	31	4	-	Homicide - - - -														
Tubercular Mesenterica	-	40.5	23	15	6	2	-	-	-	-	-	Suicide - - - -														
Tubercular Meningitis	-	23.0	12	5	7	-	-	-	-	-	-	Execution - - - -														
Phthisis - - - -	-	148.1	130	-	4	13	67	41	5	-	-	OTHER CAUSES - - -														
Scrophula, Tuberculosis	-	20.4	21	7	9	4	1	-	-	-	-															
Other Constitutional Diseases - - -	-	11.5	10	-	1	-	2	4	3	-	-															
Premature Birth - -	-	39.8	41	41	-	-	-	-	-	-	-															
Atelectasis - - -	-	2.6	6	6	-	-	-	-	-	-	-															
Congenital Malformations - - -	-	7.3	9	9	-	-	-	-	-	-	-															
Old Age - - - -	-	44.9	37	-	-	-	-	-	20	17	-															
Apoplexy - - - -	-	38.2	32	-	-	-	3	7	17	5	-															
Epilepsy - - - -	-	7.3	12	1	-	1	2	6	2	-	-															
Convulsions - - -	-	44.5	42	41	1	-	-	-	-	-	-															
Other Diseases of Brain and Nervous System	-	75.4	73	9	8	7	7	7	29	6	-															

* The numbers in this column are the average weekly deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquest is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Enume- rated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions
				Infants under 1 Year of Age.	Persons aged 50 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhea.	Violence.				
LONDON	4,211,743	2569	1241	353	276	3	9	15	55	20	-	10	-	62	55	101	401		
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.	84159	47	14	3	4	-	-	-	-	-	-	-	-	2	-	-	1		
St. John Paddington H - G.J.	33687	6	11	2	5	-	-	-	-	-	-	-	-	-	-	2	5		
Kensington Town W - W.M.	118751	59	28	4	14	-	-	-	-	-	-	-	-	-	-	-	-		
Brompton H - W.M. & C.	47557	13	9	1	4	-	-	-	-	-	-	-	-	-	-	-	1		
St. Peter Hammersmith - W.M.	8593	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.	88933	46	16	7	5	-	-	-	2	-	-	-	-	1	-	1	2		
Fulham W - W.M. & C.	91639	71	32	14	6	-	-	-	6	-	-	-	-	3	-	2	11		
Chelsea Kensal Town - C.	21787	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North WH/HHH - C.	41637	20	13	2	3	-	-	-	-	-	-	-	-	-	-	-	10		
Chelsea South HH - C.	33829	14	11	2	3	-	-	-	2	-	-	-	-	3	1	1	5		
May Fair W - G.J.	23733	4	5	-	1	-	-	-	-	-	-	-	-	-	-	-	3		
Belgrave WHH - C.	54931	25	10	3	3	-	-	-	-	-	-	1	-	-	-	-	4		
St. John Westminster HHH - C.	31108	24	6	3	-	-	-	-	2	-	-	-	-	-	-	-	1		
St. Margaret Westminster H - C.	21668	6	5	-	1	-	-	-	1	-	-	-	-	-	-	-	2		
St. James Westminster WHH N.R. & G.J.	24995	9	9	2	1	-	-	-	-	1	-	-	-	-	-	1	3		
St. Anne Soho HHHHHH - N.R.	12317	8	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone } - W.M.	37713	18	8	3	2	-	-	-	-	-	-	1	-	-	1	1	4		
HHHHHHHH } - G.J. & W.M.	20924	9	5	3	1	-	-	1	-	-	-	-	-	-	-	-	2		
Rectory Marylebone W - W.M.	19239	17	4	-	1	-	-	1	-	-	-	-	-	-	-	-	1		
St. Mary Marylebone HHHH G.J. & W.M.	33327	11	11	5	2	-	-	-	-	1	-	-	-	-	1	1	-		
Christchurch Marylebone H - W.M.	32101	17	8	3	2	-	-	-	-	-	-	-	-	1	-	-	-		
St. John Marylebone H - W.M.	68416	32	19	2	4	-	-	1	2	4	-	-	-	-	-	-	-		
Hampstead WHHHHH N.R. & W.M.	36590	15	8	2	1	-	-	-	-	1	-	-	-	-	2	4	9		
Regent's Park Pancras HH - W.M.	29321	12	8	1	3	-	-	-	-	1	-	-	-	-	-	-	-		
Tottenham-court WHHH N.R. & W.M.	27455	22	10	4	1	-	-	1	-	-	-	1	-	-	1	1	6		
Gray's Inn Lane HHH - N.R.	82829	25	6	2	1	-	-	-	-	-	-	-	-	1	1	2	1		
Somers Town HH - N.R.	15419	14	7	-	3	-	-	-	-	-	-	-	-	1	-	-	5		
Camden Town WH - N.R.	95765	49	20	2	3	-	-	-	-	1	1	-	-	-	-	1	7		
Kentish Town W - N.R.	90235	64	34	11	10	-	-	-	-	-	-	-	-	2	2	2	14		
Upper Holloway WHHHH - N.R.	105567	60	22	7	6	-	-	-	1	2	1	-	-	-	1	1	1		
Islington South-west H - N.R.	64158	36	9	2	4	-	-	-	1	-	-	-	-	1	-	1	-		
Islington South-east - N.R.	59198	37	14	3	-	-	-	-	1	-	-	-	-	-	2	-	-		
Highbury HH - N.R.	80636	15	4	2	2	-	-	-	-	-	-	-	-	-	1	-	-		
Stoke Newington H - N.R.	17759	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - E.L.	42902	83	10	2	2	-	-	-	-	-	-	-	-	-	1	-	-		
West Hackney H - N.R.	96486	59	39	9	10	-	-	-	-	-	-	-	-	-	1	1	2		
Hackney WWHHH - E.L. & N.R.	31769	21	9	4	1	-	-	-	3	4	1	-	-	3	3	3	17		
South Hackney W - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
CENTRAL DISTRICTS.																			
St. George Bloomsbury - N.R.	16395	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - N.R.	13454	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Giles North H - N.R.	9938	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.	14618	5	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary-le-Strand H - N.R.	5706	2	2	2	-	-	-	-	1	-	-	-	-	-	-	-	5		
St. Clement Danes WH - N.R.	7194	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-		
Strand Union Workhouse, Edmonton W.	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	1		
St. Geo.-the-Martyr HHHHHH N.R.	17921	3	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Andrew Eastern W - N.R.	15343	14	4	4	-	-	-	-	-	-	-	-	-	-	1	-	11		
St. James Clerkenwell - N.R.	16803	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - N.R.	16893	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pentonville - N.R.	17155	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Goosewell-street - N.R.	15375	10	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
City-road HHHL - N.R.	29177	25	7	3	1	-	-	-	-	-	-	-	-	-	-	2	-		
Whitecross-street - N.R.	8278	7	3	1	1	-	-	-	-	-	-	-	-	1	1	1	-		
Finsbury - N.R.	4985	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
Holborn Union Workhouse, Mitcham W.	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - N.R. & E.L.	8944	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4		
Cripplegate - N.R.	4539	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - N.R.	4444	1	8	2	1	-	-	-	1	-	-	-	-	-	-	-	-		
St. Bride W - N.R.	6594	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	8		
Abchurch-lane Barking - N.R.	10422	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
Broad Street H - N.R.	3377	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H—Hospital; L—Lunatic Asylum; L.—Private Lunatic Asylum in which paupers are received; W.—Workhouse Establishment receiving inmates from other districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. No River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
day, 15th September, 1894.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.			Enu-merated Popu-lation, 1861.	Total BIRTHS.	Total DEATHS.	Deaths from													
						Infants under Year of Age.	Persons aged 5 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple un-inflamed Fevers.	Diarrrhoea.	Violence.	Injuries Cases.	Deaths in Public Institutions.
EAST DISTRICTS.																			
Crediton South HL*	-	E.L. & N.R.	20098	8	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Crediton New Town W	-	N.R.	20943	38	15	5	5	-	-	-	-	-	-	1	1	1	4	-	-
Crediton Old Town	-	N.R.	28364	50	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Crediton WH	-	N.R. & E.L.	46244	24	17	4	4	-	-	-	-	-	-	3	1	3	7	-	-
Barn Green North H	-	E.L.	51820	35	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-
Barn Green South -	-	E.L.	33489	16	4	2	-	-	1	-	-	-	-	2	-	-	-	-	-
Barn Green East WHL*	-	E.L.	44123	32	26	4	7	-	-	1	-	-	-	-	-	1	17	-	-
Hatfield -	-	E. & N.R.	22456	15	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
The End New Town W	-	E.L.	17908	15	11	3	1	-	-	-	-	-	-	-	-	-	-	9	-
Stitchel Chapel Church H'	-	E.L. & N.R.	20398	11	3	6	1	-	2	-	-	1	-	-	-	5	7	20	-
Fodman's Fields -	-	E.L.	13800	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North -	-	E.L.	37738	23	13	7	1	-	-	1	-	-	-	1	2	2	-	-	-
John, St. George East W	-	E.L.	8067	5	10	3	-	-	-	-	-	-	-	-	1	1	7	-	-
Adwell H -	-	E.L. & N.R.	10246	12	7	1	1	-	-	-	-	-	-	-	1	1	4	-	-
Gifford IV -	-	E.L.	14928	14	6	1	1	-	-	1	-	-	-	-	-	-	-	-	-
Leahurst -	-	E.L.	32802	19	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
The End Old Town West H	-	E.L.	38650	45	11	8	1	-	-	-	-	-	-	-	-	2	1	-	-
The End Old Town East WWH-E.L.	-	E.L.	68942	51	21	5	11	-	-	-	-	-	-	1	1	1	7	-	-
L* -	-	E.L.	40365	25	18	9	1	-	1	-	-	-	-	1	1	3	-	-	-
Smiley WWH -	-	E.L.	70000	57	31	10	8	-	-	2	-	-	-	3	1	5	14	-	-
Slar WW -	-	E.L.	66383	24	8	1	3	-	-	-	-	-	-	-	-	-	3	-	-
SOUTH DISTRICTS.																			
Aldchurch Southward WB	-	L. & S.	18264	7	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-
Aldchurch Southward -	-	S.	13915	11	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-
Aldchurch-road -	-	S. & L.	21807	15	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Aldchurch-road WH	-	S. & L.	16624	12	6	3	-	-	-	-	-	-	-	1	-	-	3	-	-
Aldchurch-road HL	-	L. & S.	21221	12	12	4	2	-	-	-	-	-	-	-	-	1	-	-	-
Aldchurch Newington -	-	S. & L.	26596	10	9	3	1	-	-	-	-	-	-	-	-	1	-	-	-
Peter Walworth W	-	S. & L.	61342	47	19	7	4	-	1	-	-	-	-	1	2	4	2	-	-
Mary Newington -	-	L. & S.	27866	21	10	6	2	-	-	-	-	-	-	-	-	1	-	-	-
Olave WH -	-	S.	12723	7	17	3	1	-	-	-	-	-	-	2	3	4	11	1	-
Rather Market W	-	S. & L.	3012	21															

The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Marke

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 15th September, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Coun- te- rated Popu- lation. 1891	BIRTHS.	DEATHS.	The Deaths registered in the Week include																
						Deaths under 1 Year of Age.		Deaths from														
						Females aged 1 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Unquiet Cases.	Deaths in Public Institutions.	Unnatural Causes or Deaths.					
LONDON—OUTER RING						363 743	1,422,063	893	357	97	91	-	4	1	12	3	3	21	8	13	31	8
30: 1	Carshalton WHH	12228	26103	12	7	4	2	-	1	-	-	-	-	-	-	-	-	2	2	-	-	-
2	Epsom, part of* WHH	10423	12503	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-
37: 1	Godstone, part of* WHH	754	1594	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Croydon WHH	20561	134699	54	31	10	10	-	-	-	-	-	-	-	-	4	1	1	1	3	-	-
2	Mitcham WHH	11697	23933	13	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
39: 1	Wimbledon HHH	3220	25761	15	10	4	2	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
2	Kingston WHH	8071	44765	39	13	3	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
3	Esher, part of*	6891	12939	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton H	4535	18252	12	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
40: 1	Richmond WHH	2169	25339	9	11	4	4	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-
2	Mortlake H	2323	16159	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41: 1	Bromley HHH	9127	23315	13	5	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
2	Beckenham H	6542	21989	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, pt. of* WHH	14397	20373	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
42: 1	Bexley HHH	12519	30599	16	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Dartford Work., pt. of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
124: 1	Quebury WHH	11054	13371	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines WHH	13277	13221	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
125: 1	Hillingdon WHH	6035	12237	3	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
2	Uxbridge WHH	6173	5417	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes WHH	14537	12313	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126: 1	Isleworth WHH	6937	24273	12	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
2	Twickenham HHH	2115	16027	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford HHHH	4318	37777	16	11	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
4	Chislewick WHH	1245	21933	12	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton WHH	6131	39945	14	11	5	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
127: 1	Harrow HHH	13899	15716	10	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware WHH	6994	3344	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden HHH	4333	61835	33	13	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Headdon WHH	8332	15843	14	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128: 1	South Mimms WHH	1559	8474	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barclay WHH	5441	11773	2	6	-	3	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-
3	Finchley HHH	4688	25829	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129: 1	Hornsey WHH	3039	61087	23	7	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
2	Tottenham H	4542	37174	69	25	9	2	-	-	-	-	2	-	-	2	1	2	2	-	-	-	-
3	Edmonton WHH	7439	33851	31	17	5	5	-	-	-	-	1	1	-	-	-	-	-	5	-	-	-
4	Enfield WHH	12639	31803	19	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
5	Waltham Abbey WHH	11017	6063	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Chesham WHH	8430	9529	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130: 1	Hatfield, part of* WHH	336	531	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131: 1	Bienny WHH	9331	7737	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132: 1	Stratford H	1100	42083	33	16	5	1	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-
2	Plaistow HHHH	1242	58030	40	15	5	4	-	-	-	-	-	-	-	3	-	-	-	-	-	2	-
3	Canning Town H	1558	54750	41	23	8	2	-	-	-	-	1	-	-	2	1	3	1	1	-	-	-
4	Forest Gate WHH	806	49141	27	11	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
5	East Ham WHH	3266	32713	33	8	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Leyton WHH	4334	70183	41	21	6	9	-	1	-	1	-	-	-	1	-	-	-	6	-	-	-
7	Walthamstow HHL	5591	57339	43	13	4	1	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-
137: 1	Chigwell, part of* WHH	11719	12941	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139: 1	Romford, part of* WHH	6556	4324	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford WHH	8433	10913	7	2	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
3	Barking Town WHH	3314	14391	7	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Metro. Asy. Hosps.	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which for the Outer Ring are as follows:—30: 2, Epsom sub-district, except the parishes of Ashted and Hitley (pop. 1753); 37: 1, the parishes of Waddington and Farley in Holstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2332); 41: 3, Chislehurst sub-district, except the parishes of Chesholl, Culren, and Knechtolt (pop. 3977); 135: 1, the parish of Northw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Thordon (pop. 1979); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2, Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 15th September, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include.													
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			
GREATER LONDON	443,421	5,948,300	4.0	1.9	1508	450	367	3	13	16	67	23	13	83	63	435			
INNER LONDON	74,612	4,349,168	14.9	2.1	1241	353	276	3	9	15	55	20	10	62	55	401			
OUTER RING	368,749	1,599,131	11.6	1.4	337	97	91	-	4	1	12	3	3	21	8	34			

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.								
						Small-pox.	Measles.	Scarlet fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.		
EDINBURGH	270,583	September 15	120	89	17.2	2	-	3	2	2	1	5		
GLASGOW	686,820	" 15	404	204	15.5	-	1	6	4	2	3	15		
DUBLIN	349,594	" 15	236	146	21.8	2	-	3	-	-	2	8		
CALCUTTA	466,460	July 28	-	205	22.9	3	-	-	-	-	81	39†		
BOMBAY	821,764	August 21	353	560	35.4	2	7	?	?	?	128	73†		
MADRAS	452,518	" 10	364	350	40.2	-	4	?	?	?	143	64		
PARIS	2,424,705	September 8	1160	693	14.8	1	2	-	12*	5	3	90		
BRUSSELS	498,400	" 8	229	164	17.1	-	2	-	2*	3	-	23		
AMSTERDAM	446,295	" 8	235	160	18.6	-	1	-	1	4	1	1†		
ROTTERDAM	228,597	" 8	163	79	17.9	1	1	-	-	2	1	1†		
THE HAGUE	174,790	" 8	114	48	14.3	-	-	-	-	-	1	-		
COPENHAGEN	341,000	" 8	194	102	15.6	-	2	-	3	-	-	10		
STOCKHOLM	252,937	" 1	128	70	14.4	-	-	3	7*	-	1	6		
CHRISTIANIA	167,583	" 8	36	63	19.5	-	1	-	-	2	-	13		
ST. PETERSBURG	954,400	August 25	488	485	26.5	-	7	3	11	9	9	172†		
MOSCOW	753,469	September 1	-	566	39.2	3	6	7	11	4	6	172		
BERLIN	1,714,938	August 25	891	691	21.2	-	5	9	25	3	1	234		
HAMBURG	598,372	September 8	-	195	16.9	-	5	6	11*	2	-	12		
DRESDEN	312,772	August 11	-	-	-	-	-	-	-	-	-	-		
BRISLAU	360,660	September 8	-	171	24.8	-	1	2	4*	-	-	37		
MUNICH	390,900	" 8	-	195	26.0	-	-	-	5*	3	-	66		
VIENNA	1,465,537	" 8	879	546	19.4	-	5	13	30*	-	1	90		
PRAGUE	339,172	" 1	187	135	20.7	-	1	-	3	-	2	9		
BUDA-PESTH	552,769	" 1	346	232	21.8	4	1	-	5	1	4	43		
TRIESTE	159,739	" 1	-	-	-	-	-	-	-	-	-	-		
ROME	455,678	August 25	208	150	17.2	-	2	-	1	1	6†	19		
TURIN (10 days)	237,997	" 20	253	148	16.0	-	-	1	2	1	-	30		
VENICE	160,406	" 25	75	75	24.4	-	-	1	-	1	3	14		
CAIRO	374,838	" 16	419	405	56.2	-	-	-	1	3	7	161		
ALEXANDRIA	231,396	" 16	200	173	39.0	-	-	-	-	-	5	51		
NEW YORK	1,925,569	September 1	-	726	19.2	2	2	3	33	5	14	105		
BROOKLYN	1,043,000	" 1	-	424	21.0	-	1	-	26	4	3	57		
PHILADELPHIA	1,139,457	" 1	-	396	18.1	-	-	-	26	6	7	49		
NEW ORLEANS	254,000	August 11	-	105	21.6	-	-	-	1	-	6	6		

* Including deaths from croup.

† Including 9 deaths from cholera in Calcutta, 12 in Bombay, one in Amsterdam, one in Rotterdam, and 93 in St. Petersburg.

‡ Including 4 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 15th SEPTEMBER, 1894.

[Under the Superintendence of the Astronomer Royal.]

1894.			TEMPERATURE.			TEMPERATURE.			TEMPERATURE.			Wind as deduced from Anemometers.			Rain collected in a Gauge receiving surface 34 inches above level of Ground.									
			Of the Air.			Of the Air Temperature and Dew Point.			Of Radiation.			Oiler's.				Robinson's.								
Phases of the Moon.	Mean reading (corrected according to baromet. height).	HAR-VESTER.	High.	Low.	Daily Range.	Mean daily value.	De-parture from Average of 50 years.	Mean daily value.	Great-est.	Least.	Degree between the Air and Dew Point.	General Direction.			Pressure on the Square Foot.	Horizontal Movement of the Air on each Day.	Departure Average on each Day.	Ozone.						
			est.	est.	est.	est.	est.	est.	est.	est.	est.	Highest in Shade & Grass.	Lowest on the Surface.	A.M.	P.M.	Great-est.	Mean of 24 hourly obs.	Miles.	in.					
SEPTEMBER.			in.																					
..	9	30.018	61.3	49.4	11.9	54.5	- 4.0	50.2	4.3	9.0	0.0	86	104.9	44.0	58.62	NNW.	N.	lbs. 8.9	lbs. 1.1	in. 0.02				
..	10	30.212	64.4	46.6	17.8	54.4	- 3.9	46.7	7.7	16.0	0.0	75	116.5	42.0	58.50	N. & NNW.	N. N.E. & S.	lbs. 1.7	lbs. 0.0	0.00				
..	11	30.163	66.8	44.1	22.7	54.3	- 3.8	46.6	4.7	15.5	0.0	84	96.2	38.4	58.30	SW.	WSW. W. & NW.	lbs. 0.1	lbs. 0.0	0.00				
..	12	30.175	65.8	45.2	20.6	55.0	- 3.0	50.9	4.1	12.2	0.0	86	115.1	40.5	58.23	NNW. & NNE.	NNE.	lbs. 2.2	lbs. 0.0	0.00				
..	13	30.186	62.3	47.1	15.2	54.0	- 3.9	45.3	8.7	15.6	2.1	72	111.8	42.0	58.12	N. & NNE.	NE. & NNE.	lbs. 2.9	lbs. 0.0	0.00				
..	14	30.191	64.0	50.5	13.5	56.0	- 1.8	50.6	5.4	10.6	1.0	82	98.2	45.1	58.12	N. & NNE.	NNE. E. & S. Calm.	lbs. 2.8	lbs. 0.0	0.00				
..	15	30.189	61.0	51.2	9.8	55.4	- 2.3	52.9	2.5	4.9	0.0	91	76.9	48.9	58.10	Calm & NNW.	NNW. & N.	lbs. 1.3	lbs. 0.0	0.00				
Full. In Equator.																								
MEANS . . .		30.162	63.7	47.7	15.9	54.8	- 3.2	49.5	5.3	12.0	0.4	82	102.8	43.0	58.28	NNW. N. & NNE.		Sum 17.67	Sum -189	0.02		
No. of Column	2	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

GENERAL REMARKS.

SUNDAY	9	2.8	13.0	Fine but cloudy in morning; variable and showery in afternoon; cloudless at night.
MONDAY	10	5.1	12.9	Fine; partially cloudy.
TUESDAY	11	3.5	12.9	Cloudless generally. Foggy in morning and at night.
WEDNESDAY	12	4.1	12.8	Fog prevailed in early morning; overcast generally between 6h. A.M. and 10h. A.M.; fine and partially cloudy till evening; cloudless at night.
THURSDAY	13	1.2	12.7	Fine; generally cloudy.
FRIDAY	14	0.5	12.7	Cloudy throughout.
SATURDAY	15	0.0	12.6	Generally overcast. Fog in morning. Slight rain in afternoon.

The results apply to the civil day or from midnight to midnight.
The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movements of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: — P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.81 in. at the beginning of the week to 30.25 in. by 9h. A.M. on the 10th; decreased to 30.15 in. by 3h. P.M. on the 11th; increased to 30.21 in. by 9h. A.M. on the 14th; decreased to 30.16 in. by 6h. P.M. on the 15th; and was 30.18 in. at the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 38. 1894. VOL. LV.] WEEK ENDING SATURDAY, SEPTEMBER 22. [Price 1½d.

General Register Office, Somerset House,
September 24th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·7 per 1000 of their aggregate population, which is estimated* at 10,458,412 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, correspond to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.		Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.
Birkenhead	18·8	15·8	13·3	17·8	Liverpool -	20·7	24·0	18·5	23·5
Birmingham	15·6	13·0	14·4	14·1	London -	14·4	14·1	14·9	14·5
Blackburn -	14·9	14·9	13·7	19·1	Manchester -	16·8	18·3	19·1	19·2
Bolton -	16·3	23·4	20·3	14·5	Newcastle-on-Tyne	13·9	17·3	19·9	19·6
Bradford -	13·5	18·4	16·5	14·4	Norwich -	13·8	16·8	14·3	13·8
Brighton -	19·3	11·4	22·0	14·5	Nottingham -	15·9	12·8	12·1	11·2
Bristol -	10·6	12·0	14·3	12·9	Oldham -	14·3	14·7	16·5	16·9
Burnley -	11·3	14·1	15·1	11·9	Plymouth -	11·9	14·8	12·5	12·5
Cardiff -	11·9	19·6	16·1	16·8	Portsmouth -	13·7	14·0	16·8	18·0
Croydon -	10·7	13·0	13·0	15·8	Preston -	22·5	19·7	19·2	17·3
Derby -	9·0	11·1	15·3	14·8	Salford -	17·0	16·2	15·5	19·8
Gateshead -	14·0	14·0	16·8	12·8	Sheffield -	18·2	16·2	17·3	16·8
Halifax -	14·0	11·8	16·3	6·2	Sunderland -	21·8	19·9	24·5	15·3
Huddersfield	14·3	10·1	13·2	13·2	Swansea -	14·2	15·3	18·0	15·3
Hull -	14·7	14·7	15·9	18·6	West Ham -	15·3	10·5	15·3	15·3
Leeds -	14·9	16·1	14·9	18·1	Wolverhampton -	17·8	22·1	20·8	20·2
Leicester -	18·5	14·1	16·3	13·8					

The highest annual death-rates, as measured by last week's mortality, were:— from *whooping-cough*, 1·1 in Swansea, and from *diarrhœa*, 1·8 in Cardiff and in Salford, 1·9 in Preston, 2·3 in Newcastle, 2·4 in Plymouth, and 3·0 in Portsmouth. The death-rate from *measles*, from *scarlet fever*, and from "*fever*," did not reach 1·0 per 1000 in any of the thirty-three towns. The 76 deaths from *diphtheria* included 52 in London, 6 in West Ham, and 2 each in Bristol, Cardiff, Salford, and Sheffield. Two deaths from *small-pox* were registered in Birmingham, and one death in Wolverhampton, but not one in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2358 BIRTHS and 1211† DEATHS were registered. Allowing for increase of population, the births were 234, and the deaths 150, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 14·4, 14·1, and 14·9 in the preceding three weeks, declined again last week to 14·5. During the four weeks ending on Saturday last the death-rate averaged 14·5 per 1000, being 2·5 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

The 1211 deaths included 13 from measles, 15 from scarlet fever, 52 from diphtheria, 25 from whooping-cough, one death from typhus, 7 deaths from enteric fever, 49 from diarrhoea and dysentery, and not one death from small-pox, any ill-defined form of continued fever, or from cholera; thus, 162 deaths were referred to these diseases, being 54 below the corrected average weekly number.

There were 93 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 7 in the Highgate Small-pox Hospital, making a total of 100, against 163, 129, and 109 on the preceding three Saturdays; 23 cases were admitted during the week, against 40, 13, and 19 in the preceding three weeks. The deaths from *measles*, which had been 18, 13, and 9 in the preceding three weeks, increased again last week to 13, but were 3 below the corrected average. The deaths from *scarlet fever*, which had been 13, 13, and 15 in the preceding three weeks, were again 15 last week, and were 9 below the corrected average; 3 belonged to Pancras, and 2 each to Poplar, Camberwell, and Plumstead sanitary areas. The Metropolitan Asylum and London Fever Hospitals* contained 2060 scarlet fever patients at the end of last week, against 2112, 2026, and 2080 on the preceding three Saturdays; 258 cases were admitted during the week, against 212 and 269 in the preceding two weeks. The deaths from *diphtheria*, which had been 23, 39, and 55 in the preceding three weeks, numbered 52 last week, exceeding the corrected average by 16; 6 belonged to Greenwich, 5 each to Islington, Bethnal Green, Mile End Old Town, and Poplar, 4 to Lambeth, and 4 to Camberwell sanitary areas. The Metropolitan Asylum Hospitals* contained 495 diphtheria patients at the end of last week, against 450, 464, and 485 on the preceding three Saturdays; 101 cases were admitted during the week, against 103 and 96 in the preceding two weeks. The deaths from *whooping-cough*, which had been 26, 15, and 20 in the preceding three weeks, further increased last week to 25, but were 7 below the corrected average. The fatal cases of *enteric fever*, which had been 8, 13, and 10 in the preceding three weeks, further declined last week to 7, and were 11 below the corrected average; 3 belonged to Lambeth sanitary area. The death of an ice-cream dealer, who had been taken to the South-Eastern Hospital from Marigold Street, Bermondsey, was certified to have been caused by typhus. The Metropolitan Asylum Hospitals* contained 91 cases of enteric fever and not one case of typhus on Saturday last; 16 cases of enteric fever were admitted during the week, against 17 in each of the preceding two weeks. The deaths from *diarrhoea*, which had been 71, 79, and 62 in the preceding three weeks, further declined last week to 49, and were 37 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 123, 134, and 143 in the preceding three weeks, further increased to 172 last week, but were 5 below the corrected average.

The deaths attributed directly to *influenza* numbered 2, having been 3, 4, and 4 in the preceding three weeks.

The age of a widow, who died in Churchill Road, Kentish Town, from "old age, debility," was stated to be 100 years.

Different forms of violence caused 51 deaths, concerning 50 of which inquests were held. Of these 51 deaths, 12 were cases of suicide, while the remaining 39 were attributed to accident or negligence. Eight of these were referred to vehicles in the streets, 5 to burns and scalds, 2 to drowning, and 6 (of infants under one year of age) to suffocation in bed. The death of a female, aged 43 years, was referred, after inquest, to "shock from the combined effect of an anæsthetic and a necessary operation."

GREATER LONDON.

In Greater London 3183 births and 1550 deaths were registered, corresponding to annual rates of 27·9 and 13·6 per 1000 of the estimated population. In the Outer Ring 9 deaths from measles, 18 from diphtheria, 9 from whooping-cough, 5 from "fever," and 15 from diarrhoea were recorded. Of the 18 deaths from diphtheria, 7 occurred in West Ham, 5 in Edmonton, and 2 in Croydon districts. The 5 deaths from "fever," and 7 of those from diarrhoea, occurred in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·93 inches, and that of the Thermometer 55°·9, the latter being 0°·6 below the week's average in the 50 years 1841-90. The direction of the wind was North-easterly, the horizontal movement of the air being 34 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 3·0 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—Births, Deaths, and Meteorology, in 33 GREAT TOWNS, during the Week ending 22nd September 1894.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1884.		Registered during the Week ending 22nd Sept. 1894.		The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.				
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	From All Causes.			Mean.	In Inches.	In Centimetres.	
																			Deaths under 1 Year of Age.	Persons aged 60 Years and upwards.					Small-pox.
Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	Colts.	
33 TOWNS.	10,458,442	5835	3155	875	677	3	59	52	76	58	44	163	130	225	690	48	157	21	59.6	44.0	54.7	12.61	0.18	0.46	33 TOWNS.
LONDON.	4,249,166	2928	1211	231	207	-	13	15	52	25	8	49	51	57	377	9	14.5	1.9	68.2	48.8	55.9	13.28	0.11	0.28	LONDON.
WEST HAM.	238,184	138	70	31	9	-	1	-	6	-	3	4	4	5	6	3	15.3	3.1	-	-	-	-	-	-	WEST HAM.
CROYDON.	111,421	48	24	5	14	-	-	-	-	-	-	-	-	-	-	-	15.8	1.4	68.0	50.0	55.3	12.94	0.25	0.63	CROYDON.
BRIGHTON.	118,715	44	33	6	10	-	1	-	1	-	1	-	-	-	-	-	14.5	1.3	69.6	51.2	58.0	14.44	0.31	0.79	BRIGHTON.
PORTSMOUTH.	170,473	87	59	25	14	-	-	-	-	1	2	10	1	2	7	-	18.0	4.0	69.0	51.0	56.1	13.39	0.30	0.76	PORTSMOUTH.
PLYMOUTH.	87,331	51	21	9	7	-	-	-	-	-	-	-	4	3	8	-	12.5	2.4	-	-	-	-	-	-	PLYMOUTH.
BRISTOL.	226,578	125	56	8	21	-	2	-	2	2	-	2	1	4	3	1	12.9	1.8	63.0	44.0	53.0	11.67	0.14	0.36	BRISTOL.
CARDIFF.	148,890	75	48	15	5	-	-	-	2	-	-	5	5	7	6	1	16.8	2.3	-	-	-	-	-	-	CARDIFF.
SWANSEA.	55,339	60	28	8	5	-	-	-	-	2	-	-	2	3	4	1	15.3	1.1	-	-	-	-	-	-	SWANSEA.
WOLVERHAMPTON.	85,036	56	33	13	7	1	1	1	1	1	1	2	1	1	3	-	20.2	4.3	61.2	44.7	52.5	11.39	0.27	0.69	WOLVERHAMPTON.
BIRMINGHAM.	492,301	307	133	41	56	2	1	3	-	3	2	7	5	4	19	8	14.1	1.0	-	-	-	-	-	-	BIRMINGHAM.
NORWICH.	163,645	55	28	6	11	-	-	-	-	-	-	-	2	2	7	-	13.8	2.0	-	-	-	-	-	-	NORWICH.
LEICESTER.	189,136	111	50	13	12	-	1	-	-	-	3	4	-	2	6	-	13.8	2.2	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM.	223,584	115	48	15	10	-	-	-	-	-	1	2	3	-	1	4	11.2	1.4	64.2	47.0	54.3	12.39	0.00	0.00	NOTTINGHAM.
DERBY.	58,796	61	28	6	9	-	-	-	-	-	-	-	8	10	9	-	14.8	-	-	-	-	-	-	-	DERBY.
BIRKENHEAD.	105,627	48	26	6	12	-	-	-	1	1	-	-	-	2	5	4	17.8	1.0	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL.	567,230	325	229	57	55	-	2	4	1	5	7	11	9	13	54	10	23.5	3.1	61.8	40.1	53.9	12.17	0.07	0.18	LIVERPOOL.
BOLTON.	118,303	65	33	10	6	-	-	-	1	1	1	3	1	2	1	-	14.5	2.6	-	-	-	-	-	-	BOLTON.
MANCHESTER.	520,211	279	162	51	56	-	3	2	1	2	1	6	10	18	44	3	19.2	1.4	-	-	-	-	-	-	MANCHESTER.
SALFORD.	208,828	141	78	27	9	-	1	1	1	1	1	7	5	6	16	2	19.8	3.3	-	-	-	-	-	-	SALFORD.
OLDHAM.	135,755	73	45	14	10	-	-	-	1	-	-	-	1	2	5	-	16.9	0.4	-	-	-	-	-	-	OLDHAM.
BURNLEY.	166,478	63	22	7	1	-	1	1	1	1	1	1	2	2	2	-	11.9	2.7	-	-	-	-	-	-	BURNLEY.
BLACKBURN.	125,797	64	46	16	6	-	-	-	1	1	2	1	2	3	6	-	19.1	2.5	-	-	-	-	-	-	BLACKBURN.
PRESTON.	111,423	71	37	10	5	-	-	1	1	-	-	4	1	1	6	1	17.3	2.8	-	-	-	-	-	-	PRESTON.
HUDDERSFIELD.	98,511	27	25	-	7	-	1	-	-	1	-	-	1	2	4	1	13.2	1.1	-	-	-	-	-	-	HUDDERSFIELD.
HALEFAX.	62,861	41	11	-	4	-	-	-	-	-	-	-	-	-	1	-	6.2	-	61.6	48.4	53.2	11.78	0.18	0.46	HALEFAX.
BRADFORD.	238,185	114	62	16	36	-	1	-	-	2	-	-	1	6	8	14	14.4	0.9	-	-	-	-	-	-	BRADFORD.
LEEDS.	385,761	235	125	40	29	-	4	-	-	5	8	2	9	1	2	24	18.1	2.8	-	-	-	-	-	-	LEEDS.
SHEFFIELD.	338,316	193	109	20	31	-	1	-	-	3	2	9	1	2	2	10	16.8	2.6	-	-	-	-	-	-	SHEFFIELD.
HULL.	219,679	124	76	50	20	-	2	2	-	1	4	3	5	12	3	18.6	2.2	-	-	-	-	-	-	-	HULL.
SUNDERLAND.	136,101	79	40	10	6	-	2	-	-	1	2	3	-	-	7	1	15.3	3.1	-	-	-	-	-	-	SUNDERLAND.
GATESHEAD.	133,372	63	23	6	4	-	-	-	-	-	2	-	-	-	3	1	12.8	1.1	-	-	-	-	-	-	GATESHEAD.
NEWCASTLE.	201,947	115	76	31	13	-	3	-	1	1	-	9	1	6	10	-	19.6	3.6	-	-	-	-	-	-	NEWCASTLE.

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-EIGHTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2498	2438	2409	2507	2463	2344	2355	2559	2433	2554	2502.1	2358
Males . .	1299	1318	1208	1291	1261	1213	1161	1334	1245	1299	1332.9	1224
Females .	1199	1120	1201	1216	1202	1131	1194	1225	1188	1255	1259.2	1134
TOTAL Deaths	1315	1081	1273	1164	1298	1267	1375	1322	1238	1561	1360.8	1211
Males . .	681	551	668	599	677	649	704	663	634	802	699.5	647
Females .	634	530	605	565	621	618	671	659	604	759	661.3	564

* The numbers in this column are the average weekly numbers in the thirty-eight weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

		June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.
TOTAL Births - -		2458	2254	2371	2419	2419	2695	2200	2665	2361	2704	2369	2569	2358
TOTAL Deaths - -		1282	1314	1356	1405	1437	1464	1450	1428	1284	1198	1175	1241	1211
Ages at Death	{ 0-20 years -	601	628	693	768	783	801	820	787	685	591	578	600	571
	{ 20-40 " -	171	180	179	153	149	177	140	169	144	150	155	156	145
	{ 40-60 " -	219	250	215	242	237	214	221	241	232	208	197	209	223
	{ 60-80 " -	234	218	130	197	230	228	227	193	184	214	214	223	224
	{ 80 years & upwards	57	38	39	40	38	44	42	38	39	35	31	53	43
"	{ Under 1 year -	269	313	410	464	457	480	497	475	416	361	352	353	331
	{ 1-5 -	228	225	199	220	228	216	219	229	184	146	146	159	159
	{ 5-20 -	104	90	84	84	98	105	104	83	85	84	80	88	81
Deaths from Small-pox -		-	1	2	1	1	5	10	4	2	7	6	3	-
"	" Measles -	92	58	57	57	53	50	33	34	27	18	13	9	13
"	" Scarlet fever -	19	17	16	24	29	18	19	14	17	13	13	15	15
"	" Diphtheria -	56	43	45	36	52	57	62	57	43	33	39	55	52
"	" Whooping-cough -	25	28	29	43	35	26	35	30	22	26	15	20	25
"	" Typhus -	-	-	1	-	1	-	-	-	-	-	-	-	-
"	" Enteric fever -	9	3	6	8	5	6	11	6	11	8	13	10	7
"	" Simple Cont'd fever -	1	-	-	-	-	-	-	-	-	-	1	-	-
"	" Diarrhoea and Dysentery -	15	35	94	140	122	126	164	124	114	71	79	62	49
"	" Cholera -	-	1	3	1	-	6	3	5	2	2	2	-	-
"	" all the above- mentioned Diseases -	217	216	253	310	298	294	337	274	238	178	181	174	162
"	" Dis. of Respira- tory System -	152	162	158	124	160	144	151	144	148	123	134	143	172
"	" Phthisis -	123	117	126	131	132	133	124	137	122	116	113	130	119
"	" Dis. of Circula- tory System -	116	119	104	96	106	95	91	113	102	93	90	82	106
Violent Deaths - -		70	68	74	61	57	71	61	62	59	52	56	55	51
Inquest Cases - -		143	129	137	132	113	131	115	124	82	92	114	102	97
Deaths in Public Institutions		412	363	386	379	420	412	412	404	390	371	369	401	377
TEMPERATURE OF THE AIR														
Mean -		68.8	66.0	59.2	59.1	62.8	62.1	60.4	59.2	57.4	60.8	52.7	54.8	55.9
Mean of Highest readings -		76.8	79.5	70.6	67.6	73.8	71.9	70.2	68.8	64.4	72.1	61.7	63.7	62.5
Mean of Lowest readings -		51.0	53.9	52.0	53.0	54.4	55.7	55.3	53.0	52.0	52.2	44.8	47.7	51.0
Humidity of the Air -		67	66	80	82	80	80	79	79	87	86	80	82	90
Rain-fall in inches - -		0.00	0.19	2.27	0.30	0.39	0.19	0.52	0.94	1.50	0.00	0.54	0.02	0.11
Registered Sunshine (in hours)		67.5	53.6	39.9	16.6	33.9	18.6	19.9	30.7	14.0	28.6	17.6	17.2	3.0

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; F. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. B. C. Blyer, Esq., M.D., Nottingham; F. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melancton, Esq., Esq., F.R.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of Ages from different CAUSES in the THIRTY-EIGHTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 38th Week of the 10 years 1884-88.	In the Week ending Saturday, 22nd September 1894.											Corrected Averages for the 38th Week of the 10 years 1884-88.*	CAUSES OF DEATH.	Corrected Averages for the 38th Week of the 10 years 1884-88.*	In the Week ending Saturday, 22nd September 1894.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		Deaths of Persons of the Ages														Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.							ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			0-1.	1-6.	5-20.												0-1.	1-6.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
ALL CAUSES - -	1360.8	1211	331	159	81	145	223	224	43																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

* The numbers in this column are the average weekly Deaths for the ten years 1884-88, raised by 5.541 per cent for increase of population. Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical practitioner, the case is returned under the heading "no statement."

† The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Deaths in Public Institutions	Unregistered Causes
				Infants under 1 Year of Age.	Persons aged 10 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON	4,211,743	2358	1211	331	267	-	13	15	52	25	1	7	-	49	51	97	377		
WEST DISTRICTS	740,735	353	206	85	51	-	-	2	13	5	-	2	-	6	11	17	78		
NORTH DISTRICTS	993,884	544	282	75	61	-	2	6	12	4	-	2	-	10	13	23	80		
CENTRAL DISTRICTS	247,538	136	65	19	13	-	1	-	-	1	-	-	-	-	6	11	25		
EAST DISTRICTS	705,114	432	238	76	38	-	4	-	12	6	-	-	-	10	5	18	83		
SOUTH DISTRICTS	1,524,472	893	432	126	99	-	6	6	15	9	1	3	-	17	16	28	93		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	18	-	5	-	-	1	-	-	-	-	-	-	-	-	18		
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.	84159	42	18	3	5	-	-	-	-	-	-	-	-	-	2	3	8		
St. John Paddington H - - G.J.	33687	7	8	-	2	-	-	-	-	-	-	-	-	-	1	2	4		
Kensington Town Ww - - W.M.	118751	58	45	6	15	-	-	-	1	-	-	-	-	-	1	2	18		
Brompton H - - W.M. & C.	47557	10	13	1	3	-	-	-	-	-	-	-	-	-	-	-	4		
St. Peter Hammersmith - - W.M.	8398	5	2	1	-	-	-	-	-	-	-	-	-	-	1	2	3		
St. Paul Hammersmith H W.M. & G.J.	86653	55	18	7	1	-	-	-	-	-	-	-	-	1	2	3	19		
Fulham Ww - - W.M. & C.	91639	73	38	9	6	-	-	2	11	1	-	1	-	1	2	3	19		
Chelsea Kensal Town - - C.	21787	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North WHHHH - - C.	41637	25	19	3	4	-	-	-	-	-	-	-	-	2	1	1	9		
Chelsea South HH - - C.	38929	17	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
May Fair W - - G.J.	23733	3	6	-	3	-	-	-	-	-	-	-	-	-	1	1	4		
Belgrave WHHH - - C.	54631	19	21	4	5	-	-	-	-	2	-	1	-	-	1	1	5		
St. John Westminster HHH - - C.	34106	18	3	-	1	-	-	-	-	1	-	-	-	-	-	1	3		
St. Margaret Westminster H - C.	21683	3	4	1	-	-	-	-	1	-	-	-	-	-	-	-	3		
St. James Westminster WHH N.R. & G.J.	24995	6	4	-	3	-	-	-	-	-	-	-	-	-	-	-	8		
St. Anne Soho HHHHHH - - N.R.	12317	6	2	-	1	-	-	-	-	1	-	-	-	1	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone - - W.M.	37713	15	10	4	3	-	-	-	-	-	-	-	-	-	2	2	5		
HHHHHHHH - - G.J. & W.M.	20024	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2		
Rectory Marylebone W - - G.J. & W.M.	19239	25	7	6	1	-	-	-	-	-	-	-	-	-	-	-	3		
St. Mary Marylebone HHHH G.J. & W.M.	33327	20	8	6	-	-	-	-	-	-	-	-	-	3	-	-	-		
Christchurch Marylebone H - W.M.	32101	10	8	4	1	-	-	-	1	-	-	-	-	-	-	-	-		
St. John Marylebone H - - W.M.	68416	27	23	7	6	-	-	2	4	-	-	-	-	1	-	-	12		
Hampstead WwHHHHH N.R. & W.M.	86590	12	6	2	2	-	-	-	-	-	-	-	-	-	-	1	1		
Regent's Park Paneras HH - - W.A.L.	24331	9	10	2	1	-	-	-	-	-	-	-	-	-	-	-	7		
Tottenham-court WHHHH N.R. & W.M.	27455	22	11	3	3	-	-	-	-	-	-	-	-	1	2	4	5		
Gray's Inn Lane HH - - N.R.	33829	23	15	5	3	-	-	1	-	1	-	-	-	1	-	1	5		
Somers Town HH - - N.R.	15419	17	6	1	3	-	-	-	-	-	-	-	-	-	1	1	5		
Camden Town WH - - N.R.	95765	53	22	4	5	-	-	1	1	1	-	-	-	-	1	2	3		
Kentish Town W - - N.R.	90235	43	36	4	6	-	-	-	2	-	-	1	-	1	-	1	22		
Upper Holloway WwHHH - - N.R.	105557	81	21	4	8	-	-	-	-	-	-	1	-	1	1	3	-		
Islington South-west H - - N.R.	64158	26	13	6	4	-	-	-	-	-	-	1	-	1	1	2	-		
Islington South-east - - N.R.	39193	31	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-		
Highbury HH - - N.R.	30936	10	3	2	1	-	-	-	-	1	-	-	-	-	-	-	-		
Stoke Newington H - - N.R.	17759	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - - E.L.	42802	25	9	2	1	-	-	-	-	-	-	-	-	-	1	1	1		
West Hackney H - - N.R.	96486	61	30	7	6	-	-	-	3	5	-	-	-	-	3	4	14		
Hackney WwHHH - - K.L. & N.R.	41759	22	9	1	3	-	1	3	-	-	-	-	-	-	-	1	1		
South Hackney w - - E.L.																			
CENTRAL DISTRICTS.																			
St. George Bloomsbury - - N.R.	16695	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - - N.R.	18454	15	6	3	-	-	-	-	-	-	-	-	-	-	-	1	1		
St. Giles North H - - N.R.	9633	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.	14616	11	3	-	1	-	-	-	-	-	-	-	-	-	1	1	1		
St. Mary-le-Strand H - - N.R.	5706	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Clement Danes WH - - N.R.	7194	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2		
Strand Union Workhouse, Edmonton w.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Geo.-the-Martyr HHHHHH N.R.	17921	6	7	5	1	-	-	-	-	-	-	-	-	-	1	-	7		
St. Andrew Eastern W - - N.R.	15843	8	3	2	-	-	1	-	1	-	-	-	-	-	-	-	-		
St. James Clerkenwell - - N.R.	16903	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - - N.R.	16883	9	3	2	-	-	-	-	-	-	-	-	-	2	-	-	-		
Pentonville - - N.R.	17155	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Goswell-street - - N.R.	15375	9	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-		
City-road HHHL - - N.R.	29177	20	8	4	2	-	-	-	-	-	-	-	-	-	3	1	1		
Whitecross-street - - N.R.	8278	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Finchbury - - N.R.	4965	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, Mitcham w.		-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Botolph H - - N.R. & E.L.	6944	5	5	1	2	-	-	-	-	1	-	-	-	-	1	2	-		
Cripplegate - - N.R.	4530	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - - N.R.	4444	1	14	-	2	-	-	-	-	-	-	-	-	-	3	4	13		
t. Bride W - - N.R.	6594	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Allhallows Barking - - N.R.	10422	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - - N.R.	8377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
City of London Asylum, Stone		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L^v—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. No River; E. L. East London; and K. the Kent Company.

* See note on first page of this Return.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
 arday, 22nd September, 1894.

		The DEATHS registered in the Week include																
REGISTRATION SUB-DISTRICTS.		Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of													
					Infants under Year of Age.	Persons aged 50 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple epi- demic Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
EAST DISTRICTS.																		
More-ditch South	HL* E.L. & N.R.	20098	7	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
More-ditch New Town	W - - N.R.	29813	15	14	4	2	-	-	-	-	-	-	-	-	-	1	6	-
More-ditch Old Town	- - - N.R.	28354	16	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
More-ditch W H	- - - N.R. & E.L.	46244	29	18	6	3	1	-	2	-	-	-	-	-	-	-	-	-
More-ditch Green North	H - - E.L.	51520	28	10	3	1	-	-	-	-	-	-	-	1	-	-	3	-
More-ditch Green South	- - - E.L.	33489	29	10	2	1	-	-	1	-	-	-	-	-	2	-	-	-
More-ditch Green East	WHL* - E.L.	44123	27	16	4	4	-	-	-	-	-	-	-	1	1	1	6	-
More-ditch Fields	- - - E. & N.R.	22456	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
More-ditch New Town	W - - E.L.	17908	19	8	2	3	-	-	-	2	-	-	-	-	-	1	5	-
More-ditch Whitechapel Church	H - E.L. & N.R.	20293	17	10	3	3	-	-	5	-	-	-	-	-	2	4	27	-
More-ditch Goodman's Fields	- - - E.L.	12800	10	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
More-ditch St. George's, North	- - - E.L.	87738	20	5	2	1	-	-	-	1	-	-	-	-	-	-	-	-
More-ditch St. John, St. George East	W - - E.L.	8057	5	7	2	4	-	-	-	-	-	-	-	-	1	4	-	-
More-ditch Chadwell	H - - E.L. & N.R.	10246	4	9	5	-	-	-	1	-	-	-	-	-	-	-	9	-
More-ditch Hatfield	W - - E.L.	14923	11	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
More-ditch Limehouse	- - - E.L.	32202	16	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-
More-ditch New Town West	H - - E.L.	88650	23	15	8	3	-	-	1	1	-	-	-	1	-	2	-	-
More-ditch New Town East	W & H - E.L.	68942	41	16	9	4	-	-	-	-	-	-	-	2	-	1	2	1
More-ditch New Town	- - - E.L.	40865	20	11	3	3	-	-	-	-	-	-	-	-	1	2	1	-
More-ditch New Town	W & H - - E.L.	70000	50	25	10	3	1	-	2	-	-	-	-	2	-	1	11	-
More-ditch New Town	W W - - E.L.	56383	29	10	2	2	-	-	-	-	-	-	-	1	1	1	1	-
SOUTH DISTRICTS.																		
Christchurch Southwark	WH L. & S.	18264	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Saviour Southwark	- - S.	18913	5	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Christchurch Lambeth Church 1st	H - - S. & L.	21867	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Lambeth Church 2nd	W H - - S. & L.	16624	9	4	3	-	-	-	-	1	-	-	-	2	1	1	2	-
Christchurch Lambeth Church 1st	H - - L. & S.	21221	8	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Trinity Newington	- - S. & L.	26596	12	8	4	1	-	-	-	-	-	-	-	-	-	2	-	-
Christchurch St. Peter Walworth	W - - S. & L.	61342	24	16	6	4	-	-	-	-	-	-	-	1	1	1	3	-
Christchurch St. Mary Newington	- - L. & S.	27866	13	8	4	1	-	-	-	-	-	-	-	1	1	1	-	-
Christchurch Olive	WH - - S.	12723	8	12	3	-	-	-	-	1	-	-	-	-	1	1	10	-
Christchurch Leather Market	W - - S. & L.	30612	18	11	7	2	-	-	-	-	-	-	-	1	-	1	1	-
Christchurch St. James Bermondsey	- - S.	54070	18	12	8	3	-	-	-	-	-	-	-	1	1	-	-	-
Christchurch Leatherhills	WHW - - S. & K.	39255	21	14	4	3	-	-	1	-	-	-	-	-	2	1	-	-
Christchurch Waterloo-road 1st	H - - L. & S.	14031	9	7	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Christchurch Waterloo-road 2nd	H - - L. & S.	14644	18	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Lambeth Church 1st	H - - L. & S.	18075	14	11	1	1	-	-	-	-	-	-	-	-	2	2	8	-
Christchurch Lambeth Church 2nd	W W - - L. & S.	39067	23	15	3	5	-	-	-	-	-	-	-	1	2	9	-	-
Christchurch Kennington 1st	H - - S. & L.	50586	56	10	2	2	-	-	1	-	-	-	-	-	-	-	-	-
Christchurch Kennington 2nd	- - S. & L.	39708	22	9	1	4	-	-	-	-	-	-	-	1	-	-	1	-
Christchurch Crickton	W - - L. & S.	73405	40	14	3	3	-	2	2	1	-	-	-	-	-	4	-	-
Christchurch Foxwood	WH - - L.	25667	23	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch East Battersea	- - S.	67244	38	9	2	4	-	-	-	-	-	-	-	1	-	2	-	-
Christchurch West Battersea	W & H - - S.	88314	63	27	9	7	-	-	-	-	-	-	-	-	1	9	-	-
Christchurch Clapham	H - - S.	43698	21	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Wandsworth	WHL - - S.	46717	23	8	-	4	-	-	-	-	-	-	-	-	1	3	-	-
Christchurch Putney	- - S.	17771	8	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Streatham	W & W - - L.	45756	16	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Dulwich	- - L. & S.	6809	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Camberwell	W & L* W - - S. & L.	81686	45	31	2	17	-	-	2	1	-	-	-	1	2	19	-	-
Christchurch Peckham	W W - - S., L., & K.	33438	56	23	11	5	1	-	1	1	-	-	-	1	-	1	-	-
Christchurch St. George Camberwell	- - L. & S.	33366	36	15	7	-	-	1	-	-	-	-	-	1	2	2	1	-
Christchurch Deptford, North	- - K.	25314	23	17	6	3	-	1	-	1	-	-	-	-	-	-	1	-
Christchurch Deptford, Central	W - - K.	42007	26	19	8	3	-	3	2	1	1	1	-	-	-	6	-	-
Christchurch Deptford, South	- - K.	30852	14	11	1	1	-	1	-	2	-	-	-	-	-	-	-	-
Christchurch Greenwich West	H - - K.	22007	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Greenwich East	WH - - K.	35233	17	10	2	6	-	-	-	1	-	-	-	-	2	2	11	-
Christchurch Eltham	W H - - K.	5682	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Lee	H - - K.	23541	5	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Lewisham	WH - - K.	30950	21	17	3	5	-	-	1	-	-	-	-	-	-	7	-	-
Christchurch Leydenham	H - - L.	34162	7	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Christchurch Charlton	HH - - K.	14040	7	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Christchurch Woolwich Dockyard	- - K.	19606	6	4	-	1	-	-	1	-	-	-	-	-	1	1	-	-
Christchurch Woolwich Arsenal	HH - - K.	21242	38	12	4	3	1	-	-	-	-	-	-	2	-	1	-	-
Christchurch Plumstead, West	H - - K.	15869	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Plumstead, East	W - - K.	86567	26	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Banstead Asylum	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Caterham Asylum	- -	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Christchurch Stone Hill Asylum	- -	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Hospital Ship and Camp, Dartford	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Darenth Asylum	- -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Danwell Asylum	- -	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	4	-
Christchurch Colney Hatch Asylum	- -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch N.E. Hospital	- -	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-
Christchurch Vinchmore Hill Hospital	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Kenwood Asylum	- -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Christchurch Tisbury Asylum	- -	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-

* The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Market.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 22nd September, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Eanu- mer- ated Popu- lation 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 15 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclaimed Cases.	
	LONDON—OUTER RING	363,749	1,422,063	825	339	84	90	-	9	2	18	9	5	15	5	9	20	7	
80: 1	Carsington WHH	12228	26108	15	5	2	1	-	-	-	-	1	-	-	-	-	-	-	
2	Epsom, part of* WHH	19423	12508	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17: 1	Goldstone, part of* W	754	1593	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon WHH	29351	136690	59	42	7	17	-	1	-	2	-	-	1	-	1	2	-	
2	Mitcham W	11697	23083	18	4	2	-	-	-	-	-	-	-	-	-	1	-	-	
89: 1	Wimbledon HHH	3220	25761	9	2	-	1	-	1	-	-	1	-	-	-	-	-	-	
2	Kingston WHH	8071	44765	21	11	3	2	-	1	-	-	-	-	-	-	-	1	-	
8	Esher, part of,*	6601	12059	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H	4595	18252	14	5	1	2	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond WH	2160	25399	9	6	-	3	-	-	-	-	1	-	-	-	-	-	-	
2	Mortlake H	2823	16159	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley HHH	9127	23815	19	5	1	3	-	-	-	-	-	-	-	-	-	1	-	
2	Beckenham H	6542	21969	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	4	6	1	3	-	-	-	-	-	-	1	-	-	3	-	
42: 1	Bexley HHH	12540	30590	35	6	1	4	-	1	-	-	-	-	-	-	-	-	-	
2	Dartford Work., pt. of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
134: 1	Stambury W	11054	13371	5	4	1	1	-	1	-	-	-	-	-	-	-	-	-	
2	Staines W	13277	13221	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hillingdon WHH	6935	12237	10	2	-	-	-	-	-	-	1	-	-	-	-	1	-	
2	Uxbridge	6172	5417	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH	11537	12313	1	3	-	1	-	-	-	1	-	-	-	-	-	-	-	
126: 1	Isleworth WHH	6967	23273	12	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
2	Twickenham HH	2415	18027	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford HHHH	4318	37777	15	6	-	4	-	-	-	1	-	-	-	-	-	1	-	
4	Chiswick	1245	21933	9	6	2	-	-	1	-	-	-	-	-	-	-	-	-	
5	Aston WH	6132	37945	16	8	2	2	-	-	-	-	-	-	-	-	-	-	-	
127: 1	Harrow HHH	13809	18715	5	4	2	2	-	-	-	-	-	-	1	-	-	-	-	
2	Edgware HH	6994	3344	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH	4383	61335	49	14	3	5	-	-	-	-	-	-	-	-	-	-	2	
4	Hendon W	8382	15343	8	5	3	1	-	-	-	-	-	-	-	-	-	-	-	
128: 1	South Mims	1559	8474	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet WHH	5441	11773	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley HHT	4688	25329	14	6	2	1	-	-	-	-	-	-	1	-	-	-	-	
129: 1	Hornsey HH	3039	61097	30	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Tottenham H	4542	97174	63	17	4	5	-	-	-	1	-	-	1	-	-	-	-	
3	Edmonton W	7480	31351	15	12	3	3	-	-	-	4	-	-	2	1	1	1	-	
4	Enfield WWHH	12639	31803	9	5	-	2	-	-	1	-	-	-	-	-	-	1	-	
5	Waltham Abbey	11017	6066	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Chesham H	8430	9620	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
130: 1	Hatfield, part of* W	3306	532	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
131: 1	Bushey H	9331	7737	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
132: 1	Stratford H.	1100	42983	19	11	1	1	-	-	-	1	-	-	-	-	-	-	1	
2	Plaistow HHHH	1242	56300	38	21	6	1	-	-	-	1	-	2	1	-	-	-	1	
3	Canning Town H	1558	54759	57	21	4	1	-	1	-	3	-	1	2	4	5	1	-	
4	Forest Gate W	806	43149	21	10	-	3	-	-	-	1	-	-	1	-	-	-	1	
5	East Ham W	3266	32713	30	11	8	1	-	2	-	-	-	-	-	-	-	-	-	
6	Leyton WHH	4234	70183	22	19	4	6	-	-	2	-	2	2	1	-	-	6	-	
7	Walthamstow HHL	6501	57330	43	20	10	1	-	-	-	1	1	-	2	-	-	-	1	
137: 1	Chigwell, part of* H	11719	12941	16	2	-	-	-	-	-	1	-	-	-	-	-	-	-	
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
138: 1	Romford, part of* HH	6556	4324	2	2	1	-	-	-	-	1	1	-	-	-	-	-	-	
2	Ilford	8493	10913	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town H	3814	14391	13	7	4	1	-	-	-	-	-	-	1	-	1	-	1	
	Metro. Asy. Hosps.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District water for as the Outer Ring are as follows—80: 2, Epsom sub-district, except the parishes of Ashstead and Healdy (pop. 1768); 87: 1, the parishes of Warrington and Farley in Goldstone sub-district; 89: 3, Esher sub-district, except the parish of Esher (pop. 2132); 41: 3, Chislehurst sub-district, except the parishes of Chislefield, Calverton, and Knockholt (pop. 3397); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1079); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 41: 2, Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 2nd September, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from											Deaths in Public Institutions.		
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.					
WATER LONDON	443,421	5,948,300	13·6	1·9	1550	415	357	-	22	17	70	34	13	64	53	397					
INNER LONDON	74,622	4,349,166	14·5	1·9	1211	331	267	-	13	15	52	25	8	49	51	377					
OUTER RING	368,799	1,599,134	11·1	1·9	339	84	90	-	9	2	18	9	5	15	5	20					

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.
EDINBURGH	270,588	September 22	121	68	13·1	-	-	-	2	-	1	1
GLASGOW	686,820	" 22	421	207	15·7	-	2	3	9	7	3	8
DUBLIN	349,594	" 23	184	137	20·4	-	-	1	-	2	7	6
CALCUTTA	466,460	August 4	-	230	25·7	3	-	-	1	-	92	41†
BOMBAY	821,764	" 11	-	255	28·5	4	-	-	-	-	101	45†
AMRITSAR	821,764	" 28	286	566	35·8	1	6	?	?	?	105	81†
AMRITSAR	452,518	" 17	320	318	36·5	-	4	?	?	?	114	75
AMSTERDAM	2,424,705	September 15	1097	796	17·1	-	4	2	8*	4	9	88
ROTTERDAM	498,400	" 15	236	171	17·8	-	1	1	2*	1	2	31
ROTTERDAM	446,295	" 15	259	138	16·0	-	1	2	-	5	-	5†
THE HAGUE	228,597	" 15	164	74	16·8	-	1	-	-	1	-	1†
COPENHAGEN	174,790	" 15	120	54	16·0	-	-	-	-	-	1	-
COPENHAGEN	341,900	" 15	168	73	11·2	-	1	1	1	1	-	10
STOCKHOLM	252,937	" 8	126	86	17·7	-	-	3	3*	1	-	5
CHRISTIANIA	167,588	" 15	50	59	18·3	-	-	1	2	4	-	10
PETERSBURG	954,400	" 1	-	-	-	-	-	-	-	-	-	-
MOSCOW	753,469	" 8	-	494	34·2	-	1	5	10	3	2	134
BERLIN	1,714,983	" 1	816	621	19·0	-	3	5	22	7	2	154
AMSTERDAM	598,372	" 15	-	196	17·0	-	-	1	9*	3	1	17
BRUSSELS	312,772	August 18	-	-	-	-	-	-	-	-	-	-
BRUSSELS	360,660	September 15	-	179	25·9	-	-	1	10*	2	-	31†
MUNICH	390,900	" 15	-	205	27·3	-	-	-	6*	8	1	69
VENICE	1,465,537	" 15	737	512	18·2	-	4	6	24*	1	-	77
VENICE	339,172	" 8	191	151	23·2	-	3	-	3	-	2	8
JUDA-PESTH	552,769	" 8	394	215	20·1	-	1	2	14	-	2	42
TRIESTE	159,739	" 1	80	66	21·5	-	-	4	6	2	-	8
ROME	455,678	" 1	-	-	-	-	-	-	-	-	-	-
PARIS (11 days)	537,997	August 31	226	129	12·8	-	-	1	2	1	1	13
PARIS	160,406	September 1	78	65	21·1	-	-	2	-	-	1	12
PARIS	374,838	August 23	404	380	52·7	-	-	-	1	3	7	131
ALEXANDRIA	231,396	" 23	192	192	43·3	-	-	-	1	-	4	68
NEW YORK	1,925,569	September 8	-	710	18·8	1	-	4	27	3	20	104
BROOKLYN	1,043,000	" 8	-	404	20·0	-	3	-	23	6	8	67
PHILADELPHIA	1,139,457	" 8	-	370	16·9	-	-	1	37	8	9	27
NEW ORLEANS	254,000	August 18	-	-	-	-	-	-	-	-	-	-

Including deaths from croup.

Including 11 and 15 deaths, respectively, from cholera in Calcutta, 13 in Bombay, 5 in Amsterdam, one in Rotterdam, and one in AmrITSAR.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 22ND SEPTEMBER, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.		Phases of the Moon.	TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 6 inches above Average of the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
			BARO- METER.		Of the Air.					Of the Air Temperature and Dew Point Temperature.			Degree of Saturation (Satu- ration equals 100).		Of Radiation.		Of the Earth 3 feet below the Surface.		General Direction.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					High. est.	Low. est.	Daily Range.	Mean daily value.	De- parture Average of 50 years.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest in the Grass.	A.M.	P.M.			Great- est.	Least.	Mean of 24 hours obs.	Horizontal Movement of the Air on each Day. 10 Years.	Depar- ture from Average of the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°</

GENERAL REMARKS.

Overcast generally. A little rain.

Overcast. Slight rain at 1h. A.M.

Overcast in morning; fine and partially cloudy in afternoon; cloudless at night.

Cloudless with haze and fog in morning; partially cloudy afterwards, and variable fog prevailed at night.

Overcast generally. Foggy in morning.

Overcast. Occasional rain.

Overcast. Showery.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30.18 in. at the beginning of the week to 29.67 in. by the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

*Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.*

No. 39. 1894. VOL. LV.] WEEK ENDING SATURDAY, SEPTEMBER 29. [Price 1½d.

*General Register Office, Somerset House,
October 1st, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·1 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.		Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.
Birkenhead	15·8	13·3	17·8	11·4	Liverpool -	24·0	18·5	23·5	22·8
Birmingham	13·0	14·4	14·1	16·3	London -	14·1	14·9	14·5	15·3
Blackburn -	14·9	13·7	19·1	14·9	Manchester -	18·3	19·1	19·2	17·9
Bolton -	23·4	20·3	14·5	18·5	Newcastle-on-Tyne	17·3	19·9	19·6	20·9
Bradford -	18·4	16·5	14·4	16·1	Norwich -	16·8	14·3	13·8	13·8
Brighton -	11·4	22·0	14·5	13·2	Nottingham -	12·8	12·1	11·2	17·5
Bristol -	12·0	14·3	12·9	11·7	Oldham -	14·7	16·5	16·9	16·2
Burnley -	14·1	15·1	11·9	12·4	Plymouth -	14·8	12·5	12·5	16·0
Cardiff -	19·6	16·1	16·8	18·6	Portsmouth -	14·0	16·8	18·0	12·5
Croydon -	13·0	13·0	15·4	10·7	Preston -	19·7	19·2	17·3	22·5
Derby -	11·1	15·3	14·8	14·3	Salford -	16·2	15·5	19·8	17·0
Gateshead -	14·0	16·8	12·8	19·5	Sheffield -	16·2	17·3	16·8	19·1
Halifax -	11·8	16·3	6·2	20·2	Sunderland -	19·9	24·5	15·3	20·7
Huddersfield	10·1	13·2	13·2	14·3	Swansea -	15·3	18·0	15·3	18·6
Hull -	14·7	15·9	18·6	18·1	West Ham -	10·5	15·3	15·3	11·8
Leeds -	16·1	14·9	18·1	14·1	Wolverhampton -	22·1	20·8	20·2	19·6
Leicester -	14·1	16·3	13·8	8·0					

The highest annual death-rates, as measured by last week's mortality, were :— from *measles*, 1·1 in Sunderland and 2·2 in Hull; from *scarlet fever*, 1·0 in Salford, 1·1 in Huddersfield, and 1·8 in Wolverhampton; from *whooping-cough*, 1·3 in Bolton; and from *diarrhœa*, 2·1 in Cardiff, 2·2 in Gateshead, 2·5 in Blackburn, 3·5 in Bolton, and 4·2 in Preston. The death-rate from "fever" did not reach 1·0 per 1000 in any of the thirty-three towns. The 98 deaths from *diphtheria* included 67 in London, 5 in Cardiff, 5 in Liverpool, 3 in Bristol and in Manchester, and 2 each in West Ham, Wolverhampton, Salford, and Newcastle. Two deaths from *small-pox* were registered in Birmingham, 2 in Liverpool, and one death in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2403 BIRTHS and 1277† DEATHS were registered. Allowing for increase of population, the births were 224, and the deaths 137, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 14·1, 14·9, and 14·5 in the preceding three weeks, rose last week to 15·3. During the four weeks ending on Saturday

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

last the death-rate averaged 14·7 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1277 deaths included one death from small-pox, 7 deaths from measles, 18 from scarlet fever, 67 from diphtheria, 15 from whooping-cough, 13 from enteric fever, 35 from diarrhoea and dysentery, one death from infantile cholera, and not one from typhus or from any ill-defined form of continued fever; thus, 157 deaths were referred to these diseases, being 49 below the corrected average weekly number.

The death from *small-pox* belonged to Marylebone sanitary area. There were 93 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 5 in the Highgate Small-pox Hospital, making a total of 98, against 129, 109, and 100 on the preceding three Saturdays; 14 cases were admitted during the week, against 13, 19, and 23 in the preceding three weeks. The deaths from *measles*, which had been 13, 9, and 13 in the preceding three weeks, declined last week to 7, and were 10 below the corrected average. The deaths from *scarlet fever*, which had been 13, 15, and 15 in the preceding three weeks, increased last week to 18, but were 7 below the corrected average; 4 belonged to Islington sanitary area. The Metropolitan Asylum and London Fever Hospitals* contained 2084 scarlet fever patients at the end of last week, against 2026, 2080, and 2060 on the preceding three Saturdays; 252 cases were admitted during the week, against 269 and 258 in the preceding two weeks. The deaths from *diphtheria*, which had been 39, 55, and 52 in the preceding three weeks, rose last week to 67, exceeding the corrected average by 28; 6 belonged to Camberwell, 5 to Pancras, 4 each to Fulham, Chelsea, Islington, Lambeth, and Wandsworth, and 3 each to Kensington, Hackney, Shoreditch, Bethnal Green, and Mile End Old Town sanitary areas. The Metropolitan Asylum Hospitals* contained 496 diphtheria patients at the end of last week, against 464, 485, and 495 on the preceding three Saturdays; 90 cases were admitted during the week, against 96 and 101 in the preceding two weeks. The deaths from *whooping-cough*, which had numbered 15, 20, and 25 in the preceding three weeks, declined again last week to 15, and were 8 below the corrected average. The fatal cases of *enteric fever*, which had been 13, 10, and 7 in the preceding three weeks, increased again last week to 13, but were 5 below the corrected average. The Metropolitan Asylum Hospitals* contained 99 cases of enteric fever and not one case of typhus on Saturday last; 17 cases of enteric fever were admitted during the week, against 17 and 16 in the preceding two weeks. The deaths from *diarrhoea*, which had been 79, 62, and 49 in the preceding three weeks, further declined last week to 35, and were 44 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 134, 143, and 172 in the preceding three weeks, further increased last week to 184, but were 24 below the corrected average.

The deaths attributed directly to *influenza* numbered 2, having been 4, 4, and 2 in the preceding three weeks.

Different forms of violence caused 49 deaths, concerning 48 of which inquests were held. Of these 49 deaths, 8 were cases of suicide, and one death was a case of homicide, while the remaining 40 deaths were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 7 to burns and scalds, 4 to drowning, and 6 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3210 births and 1573 deaths were registered, corresponding to annual rates of 28·1 and 13·8 per 1000 of the estimated population. In the Outer Ring 12 deaths from diphtheria, 6 from whooping-cough, 7 from "fever," and 10 from diarrhoea were recorded. The 12 deaths from diphtheria included 7 in Edmonton district, and 3 in West Ham district. Three deaths from "fever" occurred in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·81 inches, and that of the Thermometer 52°·5, the latter being 2°·5 below the week's average in the 50 years 1841-90. The direction of the wind was North-easterly, the horizontal movement of the air being 12 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 14·7 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 29th September 1894.

CITIES AND BOROUGH.	Cols.	POPULATION estimated at the middle of the Year 1884.*		Registered during the Week ending 29th Sept. 1894.		Deaths of 1 Year or more of age.		Deaths from										Inquest Cases.		From All Causes.		From Diseases of Cols. & 12.		TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	Mean.		In Inches.	In Centi- metres.					
																						Small-pox.	Measles.			Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	
The DEATHS registered in the Week include																														

* See note on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-NINTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2571	2516	2559	2420	2395	2504	2458	2367	2469	2633	2627·1	2403
Males . .	1317	1253	1331	1273	1219	1294	1237	1238	1258	1377	1350·6	1248
Females .	1254	1263	1228	1147	1176	1210	1221	1129	1211	1256	1276·5	1160
TOTAL Deaths	1243	1251	1350	1244	1314	1361	1458	1272	1245	1656	1413·6	1277
Males . .	648	660	714	655	679	669	790	647	631	855	733·3	675
Females .	595	591	636	589	635	692	668	625	614	801	680·3	602

* The numbers in this column are the average weekly numbers in the thirty-ninth weeks of the ten years 1884-93, raised by 5·641 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.
TOTAL Births - -	2254	2371	2419	2419	2695	2200	2665	2361	2704	2369	2569	2358	2403
TOTAL Deaths - -	1314	1356	1405	1437	1464	1450	1428	1284	1198	1175	1241	1211	1277
Ages at Death													
{ 0-20 years -	628	693	768	783	801	820	787	685	591	578	600	571	577
{ 20-40 " -	180	179	158	149	177	140	169	144	150	155	156	145	160
{ 40-60 " -	250	215	242	237	214	221	241	232	208	197	209	228	286
{ 60-80 " -	218	230	197	230	228	227	193	184	214	214	223	224	215
{ 80 years & upwards	38	39	40	38	44	42	38	39	35	31	53	43	39
" Under 1 year -	313	410	464	457	480	497	475	416	361	352	353	331	311
{ 1-5 -	225	199	220	228	216	219	229	184	146	146	159	159	171
{ 5-20 -	90	84	84	98	105	104	83	85	84	80	88	81	95
Deaths from Small-pox -	1	2	1	1	5	10	4	2	7	6	3	-	1
" " Measles -	88	57	57	58	50	33	34	27	18	13	9	13	7
" " Scarlet fever -	17	16	24	29	18	19	14	17	13	13	15	15	18
" " Diphtheria -	43	45	36	52	57	62	57	43	33	39	55	52	67
" " Whooping-cough -	28	29	43	35	26	35	30	22	26	15	20	25	15
" " Typhus -	-	1	-	1	-	-	-	-	-	-	-	1	-
" " Enteric fever -	3	6	8	5	6	11	6	11	8	13	10	7	13
" " Simple Cont ^d fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
" " Diarrhœa and Dysentery -	35	94	140	122	126	164	124	114	71	79	62	49	35
" " Cholera -	1	3	1	-	6	3	5	2	2	2	-	-	1
" " all the above-mentioned Diseases -	216	253	310	298	294	337	274	238	178	181	174	162	157
" " Dis. of Respiratory System -	162	158	124	160	144	151	144	148	123	134	143	172	184
" " Phthisis -	117	126	131	132	133	124	137	122	116	113	130	119	141
" " Dis. of Circulatory System -	119	104	96	106	95	91	113	102	93	90	82	106	111
Violent Deaths - -	68	74	61	57	71	61	62	39	52	56	55	51	49
Inquest Cases - -	129	137	132	113	131	115	124	82	92	114	102	97	107
Deaths in Public Institutions	363	386	379	420	412	412	404	390	371	369	401	377	412
TEMPERATURE OF THE AIR													
Mean -	66·0	59·2	59·1	62·8	62·1	60·4	59·2	57·4	60·8	52·7	54·8	55·9	52·5
Mean of Highest readings -	79·5	70·6	67·6	73·8	71·9	70·2	68·8	64·4	72·1	61·7	63·7	62·5	59·9
Mean of Lowest readings -	53·9	52·0	53·0	54·4	55·7	55·3	53·0	52·0	52·2	44·8	47·7	51·0	46·3
Humidity of the Air - -	66	80	82	80	80	79	79	87	86	80	82	90	89
Rain-fall in inches - -	0·19	2·27	0·30	0·39	0·19	0·52	0·94	1·50	0·00	0·54	0·02	0·11	0·59
Registered Sunshine (in hours)	53·6	39·9	16·6	33·9	18·6	19·9	30·7	14·0	28·6	17·6	17·2	3·0	14·7

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbier, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-NINTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 39th Week of the 10 years 1884-88.*	In the Week ending Saturday, 29th September 1894.										CAUSES OF DEATH.	Corrected Averages for the 39th Week of the 10 years 1884-88.*	In the Week ending Saturday, 29th September 1894.										
		Deaths of Persons of the Ages												Deaths of Persons of the Ages										
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.															
			0-1.	1-6.	5-20.																			
ALL CAUSES -	1413.6	1277	311	171	95	160	286	215	39		Diseases of Organs of Special Sense -	3.3	4	-	-	1	1	2	-	-				
Small-pox { Vaccinated† -	0.5	1	-	-	-	1	-	-	-		Diseases of Circulatory System -	109.6	111	2	2	14	20	37	33	3				
Small-pox { Unvaccinated -	0.5	-	-	-	-	-	-	-	-		Croup -	9.3	3	2	1	-	-	-	-	-				
Small-pox { No Statement -	0.8	-	-	-	-	-	-	-	-		Bronchitis -	107.0	85	23	10	1	3	13	27	8				
Measles -	17.3	7	3	4	-	-	-	-	-		Pneumonia -	65.0	75	23	12	6	8	12	12	3				
Scarlet Fever -	35.3	18	1	8	9	-	-	-	-		Pleurisy -	5.0	2	-	-	-	-	1	1	-				
Typhus -	0.3	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System -	21.6	19	-	5	1	1	6	6	-				
Relapsing Fever -	-	-	-	-	-	-	-	-	-		Dentition -	9.3	6	5	1	-	-	-	-	-				
Influenza -	1.7	2	-	-	-	1	1	-	-		Quinsy, Sore Throat -	1.9	2	-	1	-	-	-	1	-				
Whooping-cough -	22.9	15	6	9	-	-	-	-	-		Enteritis -	15.0	24	17	3	2	-	2	-	-				
Diphtheria -	38.5	67	3	43	21	-	-	-	-		Peritonitis -	6.6	3	-	-	2	-	1	-	-				
Simple Continued and Ill-defined Fever -	1.5	-	-	-	-	-	-	-	-		Diseases of Liver -	27.7	22	3	-	3	13	3	-	-				
Enteric Fever -	17.6	13	-	-	3	7	3	-	-		Other Diseases of Digestive System -	29.8	22	5	5	-	2	4	6	-				
Cholera and Chol. Diarr.	1.5	1	1	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands -	1.7	2	1	-	-	1	-	-	-				
Diarrhoea, Dysentery -	78.9	35	24	8	-	-	1	1	1		Diseases of Urinary System -	43.4	26	-	1	1	3	11	10	-				
Remittent Fever -	0.2	-	-	-	-	-	-	-	-		Diseases of Generative System -	4.9	7	-	1	-	2	2	2	-				
Hydrophobia -	0.4	-	-	-	-	-	-	-	-		Accidents of Childbirth -	4.3	3	-	-	-	3	-	-	-				
Glanders -	-	-	-	-	-	-	-	-	-		Diseases of Locomotive System -	6.3	6	-	-	3	1	-	2	-				
Cowpox and Effects of Vaccination -	0.2	1	1	-	-	-	-	-	-		Diseases of Integumentary System -	6.5	4	-	-	-	-	1	3	-				
Veneral Affections -	12.8	7	6	-	-	1	-	-	-		VIOLENT DEATHS,†													
Erysipelas -	5.4	5	-	-	-	1	3	1	-		(ACCIDENT.)													
Pyæmia and Septicæmia -	3.5	4	1	-	-	1	2	-	-		By Railways -		2	-	-	-	-	2	-	-	-			
Puerperal Fever -	4.7	2	-	-	-	3	-	-	-		By Vehicles or Horses -		6	-	1	1	2	1	1	-	-			
Other Zymotic Diseases -	0.8	2	-	1	-	1	-	-	-		In Ships, Boats, Docks (exclusive of Drowning) -		-	-	-	-	-	-	-	-				
Thrush -	2.0	3	3	-	-	-	-	-	-		In Building Operations -		-	-	-	-	-	-	-	-				
Worms and other Parasitical Diseases -	-	-	-	-	-	-	-	-	-		In Conflagrations -		-	-	-	-	-	-	-	-				
Starvation, Want of Breast-milk -	2.2	-	-	-	-	-	-	-	-		By Burns, Scalds, Explosions -	43.4	7	-	4	-	2	1	-	-				
Alcoholism -	7.5	10	-	-	-	3	7	-	-		By Drowning -		4	-	-	2	-	2	-	-				
Rheumatic Fever, Rheumatism of Heart -	7.5	8	-	1	3	2	2	-	-		By Suffocation in Bed -		6	6	-	-	-	-	-	-				
Rheumatism -	1.4	1	-	-	-	-	1	-	-		By Poisons or Poisonous Vapours -		2	1	-	-	1	-	-	-				
Gout -	2.1	4	-	-	-	-	2	2	-		Other or not stated Causes -		13	2	3	2	1	2	2	-				
Rickets -	3.5	4	1	3	-	-	-	-	-		(VIOLENCE OTHER THAN ACCIDENTAL.)													
Cancer -	59.2	85	1	-	1	9	45	23	1		Homicide -	1.4	1	-	-	1	-	-	-	-				
Tabs Mesenterica -	30.0	21	10	10	1	-	-	-	-		Suicide -	8.3	8	-	-	-	3	5	-	-				
Tubercular Meningitis -	22.4	25	8	14	2	-	1	-	-		Execution -	-	-	-	-	-	-	-	-	-				
Phthisis -	146.1	141	1	6	7	60	61	6	-		OTHER CAUSES -	70.0	52	44	3	-	1	4	-	-				
Scrofula, Tuberculosis -	18.2	15	6	5	2	2	1	-	-															
Other Constitutional Diseases -	10.4	14	1	-	1	2	5	5	-															
Premature Birth -	42.3	51	51	-	-	-	-	-	-															
Atelectasis -	3.3	3	3	-	-	-	-	-	-															
Congenital Malformations -	7.8	5	4	-	1	-	-	-	-															
Old Age -	39.3	47	-	-	-	-	-	26	21															
Apoplexy -	38.8	34	-	-	1	-	10	21	2															
Epilepsy -	6.4	6	-	-	2	2	1	1	-															
Convulsions -	40.5	34	33	1	-	-	-	-	-															
Other Diseases of Brain and Nervous System -	75.4	59	11	6	4	9	17	12	-															

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION: BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, WHOOPING-COUGH, DIPHTHERIA, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHOEA, VIOLENCE, INQUEST CASES, and Deaths in Public Institutions during the Week ended

		The DEATHS registered in the Week include																				
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation. 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from															Inquest Cases.	Deaths in Public Institutions
				Infants under Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.							
LONDON	4,211,743	2403	1277	311	254	1	7	18	67	15	-	13	-	35	49	107	41					
WEST DISTRICTS	740,735	359	232	46	58	-	2	1	14	4	-	2	-	3	9	19	86					
NORTH DISTRICTS	993,884	544	268	71	89	-	-	2	20	5	-	3	-	5	15	24	73					
CENTRAL DISTRICTS	247,538	120	83	15	12	-	-	-	3	-	-	1	-	2	4	8	34					
EAST DISTRICTS	705,114	463	241	67	51	-	1	3	8	-	-	4	-	9	5	22	79					
SOUTH DISTRICTS	1,524,472	912	427	102	89	-	4	8	22	6	-	3	-	16	16	34	114					
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	26	-	8	1	-	4	-	-	-	-	-	-	-	-	26					
WEST DISTRICTS.																						
St. Mary Paddington WHH G.J. & W.M.	84159	44	23	7	5	-	-	-	-	1	-	-	-	2	1	1	3					
St. John Paddington H - - - G.J.	33687	10	17	-	3	-	-	-	-	-	-	1	-	3	4	10						
Kensington Town W - - - W.M.	118751	46	38	7	13	-	-	-	-	-	-	-	-	-	3	17						
Brompton H - - - W.M. & C.	47557	8	14	1	4	-	-	-	1	-	-	-	-	1	1	7						
St. Peter Hammersmith - - - W.M.	8536	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-						
St. Paul Hammersmith H W.M. & G.J.	88033	53	21	7	1	-	2	-	1	2	-	-	-	1	2	3						
Fulham W - - - W.M. & C.	91639	78	41	11	7	-	-	-	10	-	-	-	-	1	1	14						
Chelsea Kensal Town - - - C.	21787	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-						
Chelsea North WHHHH - - - C.	41637	25	17	2	5	-	-	-	1	-	-	-	-	-	-	-						
Chelsea South HH - - - C.	38829	10	7	3	3	-	-	1	1	-	-	-	-	-	2	9						
May Fair W - - - G.J.	23733	3	12	1	6	-	-	-	-	-	-	-	-	-	-	-						
Belgrave WHHH - - - C.	54631	17	15	1	5	-	-	-	-	-	-	1	-	-	-	7						
St. John Westminster HHH - - C.	34196	19	7	5	1	-	-	-	-	-	-	-	-	2	3	9						
St. Margaret Westminster H - - C.	21668	11	7	1	1	-	-	-	-	-	-	-	-	-	1	6						
St. James Westminster WHH N.R. & G.J.	24995	7	9	-	4	-	-	-	-	1	-	-	-	-	-	1						
St. Anne Soho HHHHHH - - N.R.	12317	11	1	-	-	-	-	-	-	-	-	-	-	-	-	1						
NORTH DISTRICTS.																						
All Souls Marylebone } - - W.M.	37713	20	13	1	1	-	-	-	1	-	-	-	-	1	-	-	7					
HHHHHHHH } - - -																						
Rectory Marylebone W - - G.J. & W.M.	20024	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1					
St. Mary Marylebone HHHH G.J. & W.M.	19239	21	4	2	1	-	-	-	-	-	-	-	-	-	-	-						
Christchurch Marylebone H - - W.M.	33327	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-						
St. John Marylebone H - - W.M.	32101	11	8	3	3	-	-	-	-	-	-	-	-	1	1	-						
Hamstead WWHHHH N.R. & W.M.	68416	28	18	2	2	-	-	-	6	-	-	2	-	1	1	11						
Regent's Park Pancras HH - - W.M.	36590	19	9	1	1	-	-	-	-	-	-	-	-	-	-	-						
Tottenham-court CHHHH N.R. & W.M.	98321	10	11	2	1	-	-	-	-	-	-	-	-	-	1	-						
Gray's Inn Lane HHH - - N.R.	27455	14	7	1	1	-	-	-	2	-	-	-	-	-	-	9						
Concert Town HH - - N.R.	32899	19	10	4	1	-	-	-	1	-	-	-	-	1	1	1						
Camden Town WH - - N.R.	15419	11	9	2	3	-	-	-	-	-	-	-	-	3	4	3						
Kentish Town W - - N.R.	95765	54	24	6	4	-	-	-	-	1	-	1	-	2	1	5						
Upper Holloway WWHHH - - N.R.	90235	50	26	5	5	-	-	-	-	-	-	-	-	-	-	-						
Islington South-west H - - N.R.	105557	62	22	4	2	-	1	-	-	-	-	-	-	-	-	-						
Islington South-east - - N.R.	84153	35	14	6	3	-	-	3	1	-	-	-	-	1	1	2						
Highbury HH - - N.R.	59193	33	14	2	3	-	-	-	-	-	-	-	-	-	-	-						
Stoke Newington H - - N.R.	30936	12	5	3	-	-	-	-	-	3	-	-	-	-	1	-						
Stamford Hill - - E.L.	17759	14	4	1	-	-	-	-	-	-	-	-	-	1	1	-						
West Hackney H - - N.R.	42802	26	9	4	2	-	-	-	1	-	-	-	-	-	-	-						
Hackney WWHHH - - E.L. & N.R.	96486	65	40	12	3	-	-	1	5	-	-	-	-	-	1	2						
South Hackney W - - E.L.	41769	23	14	9	2	-	-	-	-	-	-	-	-	3	5	15						
CENTRAL DISTRICTS.																						
St. George Bloomsbury - - N.R.	16695	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-						
St. Giles South WH - - N.R.	13454	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-						
St. Giles North H - - N.R.	9638	9	2	1	-	-	-	-	-	-	-	-	-	-	-	2						
St. Martin-in-the-Fields HH N.R. & C.	14616	4	5	1	2	-	-	-	-	-	-	-	-	-	-	-						
St. Mary-le-Strand H - - N.R.	5706	3	4	1	1	-	-	-	-	-	-	-	-	1	-	3						
St. Clement Danes WH - - N.R.	7194	1	5	2	1	-	-	-	-	-	-	-	-	-	1	2						
Strand Union Workhouse, Edmonton W.	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	4						
St. Geo.-the-Martyr HHHHHH N.R.	17921	6	12	2	-	-	-	-	-	-	-	-	-	-	-	-						
St. Andrew Eastern W - - N.R.	15343	7	4	3	-	-	-	1	-	-	-	-	-	1	1	9						
St. James Clerkenwell - - N.R.	16803	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-						
Anwell Clerkenwell - - N.R.	16883	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-						
Pentonville - - N.R.	17155	9	4	2	1	-	-	-	-	-	-	-	-	-	-	-						
Goosewell-street - - N.R.	15375	13	8	1	-	-	-	-	1	-	-	-	-	-	-	-						
City-road HHHH - - N.R.	29177	32	11	3	2	-	-	-	-	-	-	-	-	-	-	-						
Whitecross-street - - N.R.	8278	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2						
Finsbury - - N.R.	4985	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-						
Holborn Union Workhouse, Mitcham W.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
St. Botolph H - - N.R. & E.L.	8944	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-						
Cripplegate - - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
St. Sepulchre H - - N.R.	4444	-	12	2	-	-	-	-	-	-	-	-	-	-	-	-						
St. Bride W - - N.R.	5594	1	3	1	-	-	-	-	1	-	-	1	-	-	1	1	19					
Aldersgate Barking - - N.R.	10422	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-						
Broad Street H - - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; Z—Private Lunatic Asylum, in which paupers are received; W—Workhouse; Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L. East London; and K. the Kent Company.

* See note † on first page of this Return.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
day, 29th September, 1894.

[illegible]

The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Market.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 29th September, 1894.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Unenumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from												
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Cases.		
LONDON—OUTER RING.						296	68	79	-	3	2	12	6	7	10	8	11	24	3	
80:1	Carshalton WHH	12228	28108	18	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
2	Epsom, part of* WHH	10423	12508	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
37:1	Godstone, part of* WHH	754	1593	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon WHH	20351	128699	73	25	4	10	-	-	-	-	-	-	1	2	-	-	-	-	-
2	Mitcham W	11697	23083	11	3	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-
39:1	Wimbledon HHH	3226	25761	12	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Kingston WHH	3671	44765	30	13	2	7	-	-	-	-	1	-	1	-	-	-	-	5	-
3	Esher, part of*	6601	12059	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton H	4635	18252	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
40:1	Richmond WH	2160	25389	9	9	2	5	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake H	2823	16159	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41:1	Bromley HHH	9127	23815	8	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
2	Beckenham H	6542	21989	10	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3	Chislehurst, pt. of* WHH	14307	20372	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
42:1	Bexley HHH	12540	30590	13	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124:1	Sunbury W	11054	13371	11	6	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Staines W	13277	13221	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125:1	Hillingdon WHH	6035	12237	7	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
2	Uxbridge	6172	5417	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Haves WH	14237	12513	8	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
126:1	Isleworth WHH	6967	26273	22	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Twickenham HH	2415	16027	14	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford HHHH	4318	37777	14	6	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-
4	Chislewick	1245	21963	16	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
5	Acton WH	6132	30945	15	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
127:1	Harrow HHH	18809	15715	5	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware HH	6994	3844	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden HHH	4383	61265	50	13	5	-	-	-	1	-	1	-	1	-	1	-	-	3	-
4	Hendon W	8382	15343	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
128:1	South Mimms	1539	8474	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet WHH	5441	11773	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley HHH	4638	25820	19	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
129:1	Hornsey HH	3939	61097	31	12	4	3	-	-	-	-	-	-	-	-	1	1	1	-	-
2	Tottenham H	4642	97174	43	13	4	4	-	-	-	2	-	-	-	1	-	-	1	1	-
3	Edmonton W W	7489	33851	23	16	3	1	-	-	1	4	1	1	-	-	-	-	-	3	-
4	Enfield WWHH	12639	31803	28	5	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-
5	Waltham Abbey	11017	6066	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Chesham H	8490	9620	12	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
130:1	Hatfield, part of* W	8306	562	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
131:1	Bushy H	9331	7737	5	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132:1	Stratford H	1100	42983	21	13	4	2	-	1	-	-	-	-	-	-	-	1	1	-	-
2	Plaistow HHHH	1242	58090	35	10	3	3	-	1	-	-	-	-	-	1	1	1	1	-	-
3	Canning Town H	1553	54750	40	13	2	1	-	-	-	-	1	-	-	1	-	1	1	3	-
4	Forest Gate W	806	49140	25	12	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-
5	East Ham W	3266	32713	20	12	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
6	Leyton W W	4334	70183	45	13	3	4	-	-	-	-	-	-	-	-	-	-	-	4	-
7	Walthamstow HHL	6501	57330	35	10	5	2	-	-	-	-	-	-	-	1	-	-	-	-	-
137:1	Chigwell, part of* H	11779	13941	3	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139:1	Romford, part of* WH	6558	4324	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford	8493	10913	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town H	3914	14301	12	6	2	1	-	-	-	-	-	-	-	1	1	-	-	-	-
4	Metro. Asy. Hosp.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 39: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1769); 37: 1, the parishes of Wargingham and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2332); 41: 3, Chislehurst sub-district, except the parishes of Chislehurst Cadnam, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish. Theydon Bois (179); 139: 1, the parish of Dagenham in Romford sub-district; also, deaths in Workhouses belonging to the Outer Ring in 43: Dartford, 137: 3 Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 29th September, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Deaths in Public Institutions.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
ATER LONDON	443,421	5,948,300	13·8	1·7	1573	379	333	1	10	20	79	21	20	45	57	436		
INNER LONDON -	74,672	4,349,166	15·3	1·9	1277	311	254	1	7	18	67	15	13	35	49	412		
UTER RING -	368,749	1,599,134	9·7	1·3	296	68	79	-	3	2	12	6	7	10	8	24		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	September 29	126	60	11·6	-	-	2	1	-	1	1	
GLASGOW	686,820	" 29	382	237	18·0	-	1	2	12	9	1	7	
DUBLIN	349,594	" 29	188	144	21·5	2	-	-	-	2	4	8	
CUTTACK	466,460	August 18	-	229	25·6	1	2	-	-	-	93	48+	
BOMBAY	821,764	September 4	281	559	35·4	-	7	?	?	?	107	84+	
BRASSIA	452,518	August 24	313	293	34·2	-	1	?	?	?	103	53	
BRUSSELS	2,424,705	September 22	1218	768	16·5	-	2	1	7*	5	3	65	
AMSTERDAM	498,400	" 22	229	184	19·2	-	4	2	2*	3	2	20	
ROTTERDAM	416,295	" 22	257	130	15·1	-	1	1	4	4	3	2+	
THE HAGUE	228,597	" 22	153	66	15·0	-	-	-	-	1	-	2+	
COPENHAGEN	174,790	" 22	105	52	15·4	-	-	-	-	-	-	-	
STOCKHOLM	341,000	" 22	209	80	12·2	-	-	-	3	-	-	7	
CHRISTIANIA	252,937	" 15	131	86	17·7	-	2	2	1*	2	-	3	
PETERSBURG	167,588	" 22	35	49	15·2	-	1	-	3	3	-	5	
LONDON	954,400	" 1	-	-	-	-	-	-	-	-	-	-	
PARIS	753,469	" 15	-	517	35·8	-	3	8	15	3	6	137	
BRUSSELS	1,714,938	" 8	844	560	17·2	-	4	6	21	4	-	96	
AMSTERDAM	598,372	" 22	-	195	16·9	-	2	7	7*	2	1	13	
BRUSSELS	312,772	August 25	237	136	23·3	-	-	-	1*	1	1	49	
BRUSSELS	360,660	September 1	-	145	23·8	-	-	-	7*	3	1	44	
BRUSSELS	390,000	" 22	-	157	22·7	-	1	3	9*	1	-	23	
BRUSSELS	390,000	" 22	-	185	24·7	-	-	-	10*	11	1	47	
BRUSSELS	1,465,537	" 22	800	533	18·9	-	7	13	23*	1	-	77	
BRUSSELS	339,172	" 15	179	156	23·9	-	1	1	1	1	5	4	
BRUSSELS	552,769	" 15	313	219	20·6	2	1	3	2	-	1	31	
BRUSSELS	159,739	" 8	75	51	16·7	-	-	4	2	-	-	13	
BRUSSELS	455,678	" 1	198	166	19·0	-	3	-	-	1	11+	20	
BRUSSELS (10 days)	337,997	" 10	193	120	13·0	-	-	-	3	-	5	15	
BRUSSELS	160,406	" 8	78	46	15·0	-	-	-	-	-	1	9	
BRUSSELS	374,838	August 30	393	383	53·1	-	-	-	4*	2	13	136	
BRUSSELS	231,396	" 30	188	175	39·4	-	-	-	1*	-	1	50	
BRUSSELS	1,925,569	September 15	-	733	19·4	2	3	2	30	6	13	89	
BRUSSELS	1,043,000	" 15	-	404	20·0	-	-	-	16	3	5	69	
BRUSSELS	1,139,457	" 15	-	-	-	-	-	-	-	-	-	-	
BRUSSELS	254,000	August 25	-	105	21·6	-	-	-	3	-	8	8	
BRUSSELS	254,000	September 1	-	117	22·0	-	-	-	4	2	7	6	

* Including deaths from croup.

+ Including 14 deaths from cholera in Calcutta, 9 in Bombay, 2 in Amsterdam, and 2 in Rotterdam.

† Including 7 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 29TH SEPTEMBER, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894. MONTH AND DAY.		BAROMETER.		TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge receiving surfaces 6 inches above Ground.									
		Phases of the Moon.	Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	Of the Air.	Of the Day Point.	Difference between the Air Temperature and Dew Point Temperature.	Of Radiation.	Of the Earth 3 feet below Surface.	General Direction.	Osler's.	Pressure on the Square Foot.	Robinson's.													
		High. est.	Low. est.	Daily Range.	Mean Daily Average value. 50 years.	Mean daily value.	Great- est. value.	Least. value.	Degree of Hu- midity (Satu- rated 100°).	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least. hourly Obs.	Horizontal Movement of the Air on each Day.	Depar- ture from Average of 10 Years.								
SEPTEMBER.																									
SUNDAY.	25	29.601	54.5	11.8	58.0	+ 2.8	57.0	1.0	8.0	96	116.2	52.0	E. & ESE.	1.2	0.0	0.1	196	- 65	0.23	4.5					
MONDAY.	26	29.638	54.6	8.0	57.6	+ 2.5	55.7	1.9	6.0	93	79.2	51.1	E. & ENE.	2.0	0.0	0.1	223	- 36	0.02	1.5					
TUESDAY	25	29.460	59.7	55.6	4.1	57.5	57.1	0.4	1.3	99	77.4	55.2	ENE.	2.7	0.0	0.2	273	+ 16	0.30	6.5					
WEDNES.	26	Perigee.	29.091	56.1	46.4	9.7	50.9	1.2	4.6	96	61.8	40.0	ENE. N. & NNW.	2.3	0.0	0.2	203	+ 12	0.04	0.0					
THURS.	27	..	30.036	58.9	41.4	17.5	49.4	7.0	15.0	77	105.0	34.4	NNW. & N.	1.1	0.0	0.0	138	- 97	0.60	0.0					
FRIDAY.	28	In Equinox.	30.128	57.7	33.3	24.4	45.8	4.7	13.9	84	111.0	27.1	NNW.	1.7	0.0	0.1	182	- 72	0.00	2.0					
SATURDAY	29	New	30.143	58.3	38.0	20.3	48.1	5.9	12.9	80	110.2	30.3	N. & NNW.	3.5	0.0	0.2	272	+ 19	0.00	0.0					
MEANS.	..	29.814	59.9	46.3	52.5	- 2.5	49.3	3.2	8.8	89	94.4	41.4	E. & N.	Sum 1572	-223	0.59	2.1					
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
DATE.		ELECTRICITY. (For explanation of symbols, see Note.)		Registered Sun above Sunshine, or Horizon, in hours.		GENERAL REMARKS.																			
SUNDAY	23	V. P. and V. N.	..	1.4	12.1	Overcast throughout morning, and rain fell heavily between 2h. A.M. and 3h. A.M.; fine afterwards, with variable amounts of cloud.																			
MONDAY	24	W. P. generally.	..	0.0	12.0	Overcast. Fog in morning. A shower in afternoon.																			
TUESDAY	25	W. P. and W. N.	..	0.0	11.9	Overcast. Frequent rain in morning; thin rain with fog in evening.																			
WEDNESDAY	26	W. P. in morning; V. P. afterwards.	..	0.0	11.9	Overcast and showery till evening; fine with little cloud at night.																			
THURSDAY	27	V. P. throughout	..	5.6	11.8	A very fine day with little cloud till afternoon; cloudless afterwards. Slight fog in evening.																			
FRIDAY	28	Loss of register till 9h A.M.; S. P. after- wards.	..	2.9	11.7	Cloudless in morning; foggy between 5h. A.M. and 9h. A.M.; cloudy till evening; cloudless at night.																			
SATURDAY	29	S. P. in morning; V. P. afterwards.	..	4.8	11.7	A fine day. Cloudless in morning; partially cloudy till evening; cloudless at night.																			
Sum		Sum	14.7	Sum	83.1																				

The results apply to the civil day, or from midnight to midnight.

The height of the eastern of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer and of the dry bulb thermometer is combined the thermometer. With the corrected mean reading of the dry bulb thermometer is combined the thermometer. The readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; W. weak; M. moderate; S. strong; and V. variable.

The numbers in column 27 derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.67 in. at the beginning of the week to 29.60 in. by 8h. P.M. on the 23rd; increased to 29.15 in. by noon on the 24th; decreased to 29.43 in. by 3h. P.M. on the 25th; and increased to 30.19 in. at the end of the week.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1885 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: +, P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29.67 in. at the beginning of the week to 29.60 in. by 8h. P.M. on the 23rd; increased to 29.65 in. by noon on the 24th; decreased to 29.43 in. by 8h. P.M. on the 25th; and increased to 30.19 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 40. 1894. VOL. LV.]

WEEK ENDING SATURDAY, OCTOBER 6.

[Price 1½d.]

*General Register Office, Somerset House,
October 8th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·0 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.		Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.
Birkenhead	13·3	17·8	11·4	13·3	Liverpool - -	18·5	23·5	22·8	23·7
Birmingham	14·4	14·1	16·3	13·0	London - -	14·9	14·5	15·3	15·4
Blackburn -	13·7	19·1	14·9	19·5	Manchester -	19·1	19·2	17·9	19·1
Bolton -	20·3	14·5	18·5	12·8	Newcastle-on-Tyne	19·9	19·6	20·9	19·9
Bradford -	16·5	14·4	16·1	14·2	Norwich - -	14·3	13·8	13·8	14·3
Brighton -	22·0	14·5	13·2	14·5	Nottingham -	12·1	11·2	17·5	14·9
Bristol -	14·3	12·9	11·7	14·3	Oldham - -	16·5	16·9	16·2	18·4
Burnley -	15·1	11·9	12·4	16·2	Plymouth - -	12·5	12·5	16·0	10·1
Cardiff -	16·1	16·8	18·6	11·9	Portsmouth -	16·8	18·0	12·5	15·2
Croydon -	13·0	15·4	10·7	10·7	Preston - -	19·2	17·3	22·5	22·5
Derby -	15·3	14·8	14·3	11·6	Salford - -	15·5	19·8	17·0	18·7
Gateshead -	16·8	12·8	19·5	13·4	Sheffield - -	17·3	16·8	19·1	17·4
Halifax -	16·3	6·2	20·2	18·0	Sunderland -	24·5	15·3	20·7	19·5
Huddersfield	13·2	13·2	14·3	17·5	Swansea - -	18·0	15·3	18·6	12·6
Hull - -	15·9	18·6	18·1	15·0	West Ham - -	15·3	15·3	11·8	13·4
Leeds -	14·9	18·1	14·1	16·5	Wolverhampton	20·8	20·2	19·6	20·2
Leicester -	16·3	13·8	8·0	10·8					

The highest annual death-rates, as measured by last week's mortality, were:—from *measles*, 1·2 in Hull, 1·4 in Croydon, and 1·5 in Portsmouth and in Sunderland; from *scarlet fever*, 1·1 in Gateshead and 1·2 in Liverpool; from *whooping-cough*, 1·1 in Oldham and 1·2 in Blackburn; from "*fever*", 1·0 in Norwich and 1·1 in Sunderland; and from *diarrhoea*, 1·5 in Salford, 1·6 in Nottingham, and 2·3 in Preston. The 85 deaths from *diphtheria* included 66 in London, 4 in West Ham, 3 in Birkenhead, 2 in Oldham, and 2 in Leeds. Four deaths from *small-pox* were registered in Liverpool, 2 in Birmingham, and one death in London, but not one in any other of the thirty-three towns.

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

LONDON.

In LONDON 2532 BIRTHS and 1287* DEATHS were registered. Allowing for increase of population, the births were 110, and the deaths 152, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 14·9, 14·5, and 15·3 in the preceding three weeks, further rose last week to 15·4. During the four weeks ending on Saturday last the death-rate averaged 15·0 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1287 deaths included one death from small-pox, 9 deaths from measles, 9 from scarlet fever, 66 from diphtheria, 7 from whooping-cough, 13 from enteric fever, 33 from diarrhoea and dysentery, and not one death from typhus, any ill-defined form of continued fever, or from cholera; thus, 138 deaths were referred to these diseases, being 51 below the corrected average weekly number.

The death from *small-pox* was of a patient in the Metropolitan Asylum Hospital Ship at Dartford, who had been removed from Marylebone sanitary area. There were 81 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 3 in the Highgate Small-pox Hospital, making a total of 84, against 109, 100, and 98 on the preceding three Saturdays; 11 cases were admitted during the week, against 19, 23, and 14 in the preceding three weeks. The deaths from *measles*, which had been 9, 13, and 7 in the preceding three weeks, numbered 9 last week, and were 11 below the corrected average. The deaths from *scarlet fever*, which had been 15, 15, and 18 in the preceding three weeks, declined last week to 9, being less than one-third of the corrected average. The Metropolitan Asylum and London Fever Hospitals† contained 2144 scarlet-fever patients at the end of last week, against 2080, 2060, and 2084 on the preceding three Saturdays; 258 cases were admitted during the week, against 258 and 252 in the preceding two weeks. The deaths from *diphtheria*, which had been 55, 52, and 67 in the preceding three weeks, numbered 66 last week, exceeding the corrected average by 29; 6 belonged to Islington, 6 to Camberwell, 4 to Chelsea, 4 to Stepney, and 3 each to Kensington, Fulham, Pancras, Whitechapel, and Wandsworth sanitary areas. The Metropolitan Asylum Hospitals† contained 502 diphtheria patients at the end of last week, against 485, 495, and 496 on the preceding three Saturdays; 98 cases were admitted during the week, against 101 and 90 in the preceding two weeks. The deaths from *whooping-cough*, which had been 20, 25, and 15 in the preceding three weeks, declined last week to 7, and were 16 below the corrected average. The fatal cases of *enteric fever*, which had been 10, 7, and 13 in the preceding three weeks, were again 13 last week, and were 3 below the corrected average; 2 each belonged to Islington, Hackney, and Shoreditch sanitary areas. The Metropolitan Asylum Hospitals‡ contained 97 cases of enteric fever and not one case of typhus on Saturday last; 9 cases of enteric fever were admitted during the week, against 16 and 17 in the preceding two weeks. The deaths from *diarrhoea*, which had been 62, 49, and 35 in the preceding three weeks, further declined last week to 33, and were 28 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 143, 172, and 184 in the preceding three weeks, further increased last week to 215, and were 19 below the corrected average.

The deaths attributed directly to *influenza* numbered 6, having been 4, 2, and 2 in the preceding three weeks.

Different forms of violence caused 52 deaths, concerning 51 of which inquests were held. Of these 52 deaths, 12 were cases of suicide, while the remaining 40 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 6 to drowning, and 7 (of infants under one year of age) to suffocation in bed.

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables I, 6, and 7, distributed to the areas to which they belong.

† The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

The death of a bookbinder, aged 50 years, was referred, after inquest, to "syncope, when suffering from cancer of tongue, and when under the influence of an anæsthetic given for the removal of teeth."

DEATHS BELONGING TO THE SEVERAL SANITARY AREAS OF REGISTRATION LONDON registered in the 13 WEEKS ENDING ON 29TH SEPTEMBER, 1894.

SANITARY AREAS.	Total Deaths from all Causes.	Deaths from Principal Zymotic Diseases.									Deaths from Phthisis.	Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and undefined Fever.	Diarrhoea.			
REGISTRATION LONDON	16,863	43	459	228	636	347	3	99	1	1,211	1,592	5,179	163
West.													
Paddington	437	1	20	5	25	11	-	5	-	37	36	123	175
Kensington	557	-	16	2	15	8	-	1	-	35	53	161	177
Hammersmith	353	-	11	4	10	10	-	1	-	30	30	121	167
Fulham	410	2	5	5	19	14	-	2	1	42	37	153	158
Chelsea	361	-	10	6	11	11	-	3	-	20	26	97	145
St. George Hanover Square	223	-	3	4	2	7	-	3	-	5	17	46	124
Westminster	176	-	1	2	7	7	-	-	-	8	24	39	134
St. James Westminster	81	1	-	-	2	2	-	-	-	3	12	17	140
North.													
Marylebone	623	26	9	7	11	11	-	7	-	24	62	154	147
Hampstead	191	2	9	3	6	4	-	2	-	4	21	44	119
Pancras	963	4	19	19	34	29	-	7	-	61	104	283	167
Islington	1,129	1	13	17	50	34	-	5	-	81	106	362	154
Stoke Newington	59	-	-	-	1	2	-	1	-	4	9	15	85
Hackney	724	-	18	15	25	12	-	5	-	61	70	232	152
Central.													
St. Giles	150	-	1	-	3	2	-	-	-	10	21	41	161
St. Martin-in-the-Fields	53	-	-	1	2	-	-	-	-	1	5	10	172
Strand	102	-	2	-	1	4	-	-	-	8	9	22	161
Holborn	134	-	9	-	3	3	-	2	-	6	16	43	232
Clerkenwell	285	-	19	4	8	5	-	3	-	27	28	98	195
St. Luke	213	-	3	2	4	1	-	2	-	21	26	63	140
London City	151	-	-	-	5	1	-	1	-	1	9	14	121
East.													
Shoreditch	565	1	12	6	16	7	1	3	-	56	43	208	209
Bethnal Green	581	2	19	5	30	7	-	3	-	41	51	180	168
Whitechapel	356	-	4	4	13	5	-	1	-	26	40	137	179
St. George-in-the-East	335	-	6	9	13	4	-	1	-	44	25	124	278
Limehouse	321	-	24	8	9	3	-	1	-	17	29	95	206
Mile End Old Town	525	-	16	7	21	9	-	3	-	38	34	201	194
Poplar	773	1	38	18	25	6	-	4	-	42	66	241	179
South.													
St. Saviour Southwark	108	-	1	2	6	1	-	2	-	2	19	20	114
St. George Southwark	324	-	8	2	13	2	-	1	-	32	40	123	243
Newington	522	-	7	1	16	3	-	3	-	35	62	158	160
St. Olave Southwark	49	-	1	-	2	1	-	-	-	1	5	11	100
Bermondsey	369	-	10	2	18	5	1	5	-	21	46	98	137
Rotherhithe	173	-	-	5	9	2	-	-	-	21	11	67	206
Lambeth	1,076	1	22	8	39	23	-	7	-	96	102	351	166
Battersea	590	1	15	5	29	22	-	5	-	57	45	210	167
Wandsworth	502	-	20	4	19	14	-	-	-	38	43	128	121
Camberwell	953	-	54	13	56	40	1	2	-	64	84	314	172
Greenwich	719	-	26	14	38	10	-	5	-	52	54	207	163
Lee	95	-	1	1	1	2	-	1	-	4	11	19	96
Lewisham (excluding Penge)	220	-	1	2	10	3	-	-	-	20	29	61	111
Woolwich	171	-	5	10	3	-	-	1	-	11	17	46	137
Plumstead	161	-	1	6	6	-	-	-	-	4	15	42	88

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the sanitary areas in which the deceased had previously resided. The deaths of 405 London residents who died outside Registration London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, and the Metropolitan Hospitals and Asylums have been similarly distributed. In 377 cases the previous residence was outside Registration London, and these have been excluded from the Table.

GREATER LONDON.

In Greater London 3354 births and 1641 deaths were registered, corresponding to annual rates of 29·4 and 14·4 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 14 from diphtheria, 5 from "fever," and 8 from

diarrhœa were recorded. The 8 deaths from measles included 3 in Croydon district and 3 in West Ham district. Of the 14 deaths from diphtheria, 7 occurred in West Ham district and 2 in Edmonton district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·05 inches, and that of the Thermometer 52°·8, the latter being 0°·8 below the week's average in the 50 years 1841-90. The direction of the wind was North-easterly, the horizontal movement of the air being 6 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 13·9 hours.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of September. The supply was in the ratio of 240 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	SEPTEMBER, 1893.	SEPTEMBER, 1894.	SEPTEMBER, 1893.	SEPTEMBER, 1894.
TOTAL SUPPLY . . .	798,253	809,585	199,725,327	194,121,301
From Thames	385,949	391,309	104,052,263	100,779,460
From Lea and from other Sources . . .	412,304	418,276	95,673,064	93,341,841
THAMES.				
Chelsea	36,701	36,864	11,461,379	11,801,003
West Middlesex	77,019	78,295	19,123,436	18,928,820
Southwark and Vauxhall	115,874	117,072	33,014,543	32,066,952
Grand Junction	58,956	59,308	18,555,454	17,971,406
Lambeth	97,399	99,770	21,897,451	20,011,279
LEA AND OTHER SOURCES.				
New River	156,065	158,134	39,055,000	36,964,000
East London	175,024	179,196	40,763,076	41,042,842
Kent	79,415	80,946	15,854,088	15,334,999

Note.—The Return for September 1894, as compared with that for the corresponding month of 1893, shows an increase of 11,332 services and a decrease of 5,604,026 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING SEPTEMBER, 1894.

*Water-analysis Laboratory, The Yews, Reigate,
29th September, 1894.*

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of September.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (a) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (b) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·7, New River 1·2, East London (deep-well) 1·3, Colne Valley 1·7, Tottenham 1·3, East London (river supply) 2·4, Chelsea 3·2, West Middlesex, Southwark, and Lambeth 3·3, and Grand Junction 3·5. The unfiltered river waters contained the following proportions:—Thames at Hampton 4·7, New River Cut 2·1, and Lea at Angel Road 3·6.

The Thames at Hampton was, on the 7th of September, turbid and yellow in colour. It was chemically superior, but bacterially inferior to the sample collected on the 11th of August. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered and much improved in chemical quality. The bacterial improvement effected by the various Companies is expressed by the following per-centage numbers: Chelsea 99·29, West Middlesex 99·74, Southwark (average of two filters) 99·09, Grand Junction (average of three filters) 98·74, and Lambeth 99·16.

The raw river water of the Lea above Hertford was again of bad bacterial quality, and in this respect was very much inferior to the water of the same river lower down: at Angel Road, the intake of the East London Company; but, at the latter point, the Lea water was superior to the

Thames at Hampton. The water of the Chadwell Spring, which mingles with that of the New River Cut just below the intake, contained in a given volume less than one sixtieth of the number of microbes present in the New River Cut at that point. After storage, but before filtration, the mixed Lea, Chadwell Spring, and Deep-well water, was turbid and very pale yellow; but was, bacterially, 35 times purer than the Lea water at the intake. It was also chemically of very good quality, and was efficiently filtered before delivery. The bacterial improvement effected by filtration amounted on the average of three wells to 99·13 per cent. and it was then equal to deep-well water, both chemically and also in respect of freedom from microbes. The water taken from the Lea at Angel Road by the East London Company was turbid and pale yellow in colour. It was of fairly good chemical quality, and was efficiently filtered before delivery, whilst its bacterial improvement amounted, on the average, to 97·06 per cent.

The deep-well waters of the Kent and Colne Valley Companies, and of the Tottenham Local Board of Health, were clear and bright without filtration. The Colne Valley Company's water was softened before delivery and thus rendered suitable for washing. These waters were all of a high degree of organic purity and were of excellent quality for dietetic purposes.

Seen through a stratum two feet deep, the Kent, Colne Valley, Tottenham and East London (deep-well) waters were clear and colourless, the New River and East London (river supply) clear and nearly colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river waters, before and after storage, of the unfiltered gravel water utilised by the Southwark Company, and of the supplies of the various Companies, collected on the 7th, 8th, 10th, and 11th, gave the results contained in the following table:—

DESCRIPTION.	— Microbes per c.c.	Temp. C.
RAW AND GRAVEL AND STORED RIVER WATERS.		
Thames at Hampton	3,080	13°·8
„ after storage for 14·7 days (Chelsea Company).	460	16°·1
Gravel water (Southwark Company)	50	16°·0
Lea at Hertford	18,200	12°·7
New River, Chadwell spring	300	11°·5
„ Cut at Green Lanes	1,360	13°·7
„ water after storage, before filtration.	520	14°·5
Lea at Angel Road	2,080	14°·3
„ after storage for 15 days	1,360	14°·7
FILTERED RIVER WATER AS SUPPLIED.		
THAMES.		
Chelsea	22	16°·2
West Middlesex	8	14°·2
Southwark, No. 2 well	16	15°·1
„ „ 8	40	14°·3
Grand Junction (Hampton general well)	60	14°·2
„ (Kew Bridge well)	28	13°·8
„ „ South well)	28	14°·0
Lambeth	26	14°·9
LEA.		
New River, general well	12	14°·3
„ No. 2	24	13°·8
„ No. 7	40	14°·5
East London, No. 1 Essex well	12	14°·3
„ No. 2	12	14°·3
„ Middlesex well	100	14°·5
„ No. 11 bed	24	14°·3
„ No. 12	52	14°·5
DEEP WELL.		
Kent, new well, Deptford	45	11°·3

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city “was very slightly turbid; green in the two foot tube.”

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was “light brown in colour, and contained “a little suspended matter.”

The Registrar General, &c. &c.

I am, &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.		°								
	(Unfiltered water) -	{ September 7th. Grand Junction Co.'s intake at Hampton. }	13°8	28°12	·239	·037	·006	·144	·186	1°9	17·7
	Chelsea - - -	{ September 11th. Cab Rank, Horse Guards, Whitehall. }	15°4	24°86	·174	·016	0	·142	·168	1°9	16·3
	West Middlesex -	{ September 11th. Cab Rank, Riding House- street. }	13°1	25°50	·172	·020	0	·150	·170	1°9	16·9
	Southwark -	{ September 11th. Cab Rank, St. George's Church, Borough. }	14°8	26°46	·178	·016	0	·161	·177	1°9	17·1
	Grand Junction -	{ September 11th. Cab Rank, Portman- street, Oxford-street. }	15°7	26°42	·186	·019	0	·159	·178	1°9	17·1
	Lambeth - - -	{ September 11th. Cab Rank, St. George's- road, Southwark. }	14°8	26°76	·181	·015	0	·157	·172	1°9	17·4
	LEA.										
	(Unfiltered water) -	{ September 8th. New River Cut at Green-lanes. }	13°7	27°52	·110	·015	·002	·178	·195	1°7	18·3
	New River - - -	{ September 11th. Cab Rank, Tottenham Court-road. }	14°7	28°50	·061	·008	0	·154	·162	1°8	20·0
Outer Circle.	(Unfiltered water) -	{ September 10th. East London Co.'s intake at Angel-road. }	14°3	28°52	·178	·035	·009	·127	·170	2°0	18·3
	East London -	{ September 11th. Cab Rank, Sidney- street, E. }	15°7	29°68	·128	·013	0	·111	·124	2°1	18·3
	DEEP WELLS.										
	Kent - - -	{ September 11th. Mill-lane, Deptford. }	12°7	37°20	·035	·006	0	·439	·445	2°2	25·7
	Colne Valley - -	{ September 17th. Bushey. }	—	22°04	·080	·020	·088	·478	·570	2°3	10·3
	Tottenham - - -	{ September 21st. Tottenham. }	—	41°46	·059	·018	·076	trace	·081	2°9	26·6
	East London - -	{ September 14th. Walthamstow. }	—	39°70	·060	·018	·028	·036	·077	2°8	22·1
	Corporation of Birming- ham* - - -	{ September 11th. Court between 136 and 137, Aberdeen-street. }	14°0	32°70	·145	·029	·001	·209	·239	2°5	21·0
	Corporation of Glasgow† -	{ September 17th. Loch Katrine. }	13°3	2°36	·162	·027	0	·005	·032	°7	°7
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.

† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 11th of September, at the Horse Guards cab-rank, had a temperature of 15°·4 C.; 100,000 lbs. of it contained 24·86 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·174 lb. of carbon and ·016 lb. of nitrogen. The above quantity of water also contained *no* ammonia and ·142 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·158 lb. The above weight of water also contained 1·9 lb. of chlorine and 16·3 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

CITIES AND BOROUGH.	POPULATION estimated to the middle of 1894.	Registered during the Week ending 6th Oct. 1894.			Deaths of										Deaths from										TEMPERATURE OF THE AIR.										RAINFALL.		CITIES AND BOROUGH.
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Pneum.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Causes.	From Diseases in Cols. 6-12.	Highest.		Lowest.		Mean.	In Inches.	In Centi- metres.												
																			Fahrenheit.	Fahrenheit.	Fahrenheit.	Centigrade.															
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.												
33 TOWNS	10,468,442	6043	3201	881	702	7	48	42	85	34	35	111	121	241	634	57	160	18	62.0	35.0	50.0	11.00	0.13	0.33	- 33 TOWNS.												
LONDON	4,349,166	2532	1287	331	308	1	9	9	66	7	13	35	52	120	368	7	15.4	1.7	62.0	42.5	52.8	11.56	0.12	0.30	LONDON.												
WEST HAM	238,184	145	61	12	18	-	-	2	4	-	1	3	4	7	6	2	13.4	2.2	-	-	-	-	-	-	WEST HAM.												
CRYSTON	11,921	35	23	4	11	-	3	-	1	-	-	-	-	9	-	2	10.7	1.9	60.5	37.5	50.8	10.44	0.29	0.74	CRYSTON.												
BRIGHTON	118,715	48	33	11	6	-	-	-	-	-	-	-	-	1	-	-	14.5	0.4	61.6	44.4	52.8	11.56	0.07	0.18	BRIGHTON.												
PORTSMOUTH	170,973	100	50	11	16	-	5	-	-	2	1	2	1	4	8	-	15.2	3.0	61.5	43.0	51.5	10.83	0.04	0.10	PORTSMOUTH.												
PLYMOUTH	57,881	46	17	4	5	-	-	-	-	-	1	-	-	1	1	1	10.1	0.6	-	-	-	-	-	-	PLYMOUTH.												
BRISTOL	226,578	108	62	20	18	-	2	1	1	-	1	5	-	2	9	2	14.3	2.3	60.0	38.0	48.7	9.28	0.00	0.00	BRISTOL.												
CARDIFF	148,890	85	34	12	6	-	-	-	1	1	-	3	1	1	7	1	11.9	1.8	-	-	-	-	-	-	CARDIFF.												
SWANSEA	95,399	84	23	13	3	-	-	-	-	1	-	-	-	-	1	1	12.6	1.1	-	-	-	-	-	-	SWANSEA.												
WOLVERHAMPTON	85,086	61	53	11	10	-	-	-	-	-	-	2	1	3	3	1	20.2	1.8	56.7	35.4	46.9	8.28	0.13	0.33	WOLVERHAMPTON.												
BIRMINGHAM	492,301	258	123	40	25	2	-	1	1	1	-	5	4	5	19	7	13.0	1.2	-	-	-	-	-	-	BIRMINGHAM.												
NORWICH	105,645	70	29	7	6	-	-	1	-	-	2	-	1	1	7	1	14.3	1.5	59.4	45.4	52.5	11.39	0.38	0.97	NORWICH.												
LEICESTER	189,136	131	39	14	2	-	-	-	-	-	-	3	1	3	2	2	10.8	0.8	-	-	-	-	-	-	LEICESTER.												
NOTTINGHAM	223,584	115	64	28	11	-	-	-	-	1	1	7	1	2	13	2	24.9	2.1	57.9	37.2	48.4	9.11	0.05	0.13	NOTTINGHAM.												
DERBY	98,796	62	22	6	9	-	1	1	-	-	-	-	1	3	2	-	11.6	1.1	-	-	-	-	-	-	DERBY.												
BIRMINGHAM	105,627	46	27	10	6	-	-	-	3	-	-	1	1	2	2	-	13.3	2.0	-	-	-	-	-	-	BIRMINGHAM.												
LIVERPOOL	607,230	345	231	59	43	4	1	12	1	3	5	6	10	42	9	23.7	3.2	58.0	43.2	50.5	10.28	0.00	0.00	-	LIVERPOOL.												
BOLTON	118,303	61	29	10	9	-	-	-	2	2	-	2	1	1	2	-	12.8	1.8	-	-	-	-	-	-	BOLTON.												
MANCHESTER	520,211	289	191	46	30	-	3	1	-	4	2	5	5	11	38	1	19.1	1.5	-	-	-	-	-	-	MANCHESTER.												
SALFORD	205,828	127	74	16	18	-	1	2	-	-	-	6	3	5	15	1	18.7	2.3	-	-	-	-	-	-	SALFORD.												
OLDHAM	188,765	75	49	11	10	-	-	-	2	3	-	3	4	3	1	18.4	1.9	-	-	-	-	-	-	-	OLDHAM.												
BURNLEY	164,78	65	30	11	2	-	-	-	-	-	-	1	1	3	3	3	16.2	0.5	-	-	-	-	-	-	BURNLEY.												
BLACKBURN	125,797	70	47	14	8	-	-	-	3	-	-	3	1	2	4	1	19.5	2.5	-	-	-	-	-	-	BLACKBURN.												
PRESTON	111,425	64	48	16	9	-	-	-	1	-	-	5	1	1	2	4	22.5	2.8	-	-	-	-	-	-	PRESTON.												
HUDDERSFIELD	98,511	55	33	10	12	-	1	1	-	-	-	-	2	2	3	2	17.5	1.1	-	-	-	-	-	-	HUDDERSFIELD.												
HALIFAX	92,861	33	32	5	11	-	-	-	1	-	-	-	2	2	4	3	18.0	0.6	-	-	-	-	-	-	HALIFAX.												
BRADFORD	223,985	99	61	14	10	-	2	-	-	-	-	2	2	3	6	1	14.2	0.9	-	-	-	9.00	0.03	0.08	BRADFORD.												
LEEDS	388,761	216	123	34	24	-	4	2	2	2	-	8	10	14	15	1	16.5	2.4	-	-	-	-	-	-	LEEDS.												
SHEFFIELD	338,316	226	113	33	22	-	4	1	1	-	3	4	7	11	14	1	17.4	2.0	-	-	-	-	-	-	SHEFFIELD.												
HULL	212,679	110	61	19	13	-	5	-	1	-	1	1	1	3	5	2	15.0	2.0	-	-	-	47.4	0.37	0.94	HULL.												
SUNDERLAND	136,101	70	51	11	8	-	4	2	-	1	3	3	2	3	10	1	19.5	5.0	-	-	-	-	-	-	SUNDERLAND.												
GATESHEAD	133,372	68	24	9	3	-	2	2	-	-	1	-	1	1	1	-	13.4	2.8	-	-	-	-	-	-	GATESHEAD.												
NEWCASTLE	201,947	144	77	29	10	-	1	-	1	-	-	1	5	10	6	-	19.9	1.3	-	-	-	-	-	-	NEWCASTLE.												

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTIETH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2610	2491	2538	2647	2413	2364	2433	2578	2441	2513	2641·5	2592
Males . .	1311	1279	1304	1387	1212	1180	1290	1329	1226	1292	1352·0	1312
Females .	1299	1212	1234	1260	1201	1184	1143	1249	1215	1221	1289·5	1220
TOTAL Deaths	1323	1309	1365	1265	1352	1381	1413	1395	1344	1481	1438·8	1287
Males . .	705	655	741	638	701	728	757	719	672	740	749·9	640
Females .	623	654	624	577	651	653	656	676	672	741	688·9	647

* The numbers in this column are the average weekly numbers in the fortieth weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.
TOTAL Births	2371	2419	2419	2695	2200	2665	2361	2704	2369	2569	2358	2403	2532
TOTAL Deaths	1356	1405	1437	1464	1450	1428	1284	1198	1175	1241	1211	1277	1287
Ages at													
{ 0-20 years	693	768	783	801	820	787	685	591	578	600	571	577	574
{ 20-40 "	179	158	149	177	140	169	144	150	155	156	145	160	159
{ 40-60 "	215	242	237	214	221	241	232	208	197	209	228	286	246
Death													
{ 60-80 "	230	197	230	228	227	193	184	214	214	223	224	215	253
{ 80 years & upwards	39	40	38	44	42	38	39	35	31	53	43	39	55
"													
{ Under 1 year	410	464	457	480	497	475	416	361	352	353	331	311	331
{ 1-5 "	199	220	228	216	219	229	184	146	146	159	159	171	160
{ 5-20 "	84	84	98	105	104	83	85	84	80	88	81	95	83
Deaths from Small-pox	2	1	1	5	10	4	2	7	6	3	-	1	1
" " Measles	57	57	53	50	33	34	27	13	13	9	13	7	9
" " Scarlet fever	16	24	29	18	19	14	17	13	13	15	15	18	9
" " Diphtheria	45	36	52	57	62	57	43	33	39	55	52	67	66
" " Whooping-cough	29	43	35	26	35	30	22	26	15	20	25	15	7
" " Typhus	1	-	1	-	-	-	-	-	-	-	1	-	-
" " Enteric fever	6	8	5	6	11	6	11	8	13	10	7	13	13
" " Simple Cont ^d fever	-	-	-	-	-	-	-	-	1	-	-	-	-
" " Diarrhoea and	-	-	-	-	-	-	-	-	-	-	-	-	-
" " Dysentery	94	140	122	126	164	124	114	71	79	62	49	35	33
" " Cholera	3	1	-	6	3	5	2	2	2	-	-	1	-
" " all the above-mentioned Diseases	253	310	298	294	337	274	238	178	181	174	162	157	138
" " Dis. of Respiratory System	158	124	160	144	151	144	148	123	134	143	172	184	215
" " Phthisis	126	131	132	133	124	137	122	116	113	130	119	141	131
" " Dis. of Circulatory System	104	96	106	95	91	113	102	93	90	82	106	111	101
Violent Deaths	74	61	57	71	61	62	39	52	56	55	51	49	52
Inquest Cases	137	132	113	131	115	124	82	92	114	102	97	107	120
Deaths in Public Institutions	386	379	420	412	412	404	390	371	369	401	377	412	368
TEMPERATURE OF THE AIR													
Mean	59·2	59·1	62·8	62·1	60·4	59·2	57·4	60·8	52·7	54·8	55·9	52·5	52·8
Mean of Highest readings	70·6	67·6	73·8	71·9	70·2	68·8	64·4	72·1	61·7	63·7	62·5	59·9	59·5
Mean of Lowest readings	52·0	53·0	54·4	55·7	55·3	53·0	52·0	52·2	44·8	47·7	51·0	46·3	47·5
Humidity of the Air	80	82	80	80	79	79	87	86	80	82	90	89	83
Rain-fall in inches	2·27	0·30	0·39	0·19	0·52	0·94	1·50	0·00	0·54	0·02	0·11	0·59	0·12
Registered Sunshine (in hours)	39·9	16·6	33·9	18·6	19·9	30·7	14·0	28·6	17·6	17·2	3·0	14·7	13·9

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; B. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobblyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTIETH Week of the Year 1894.

USES OF DEATH.	Corrected Averages for the 40th Week of the 10 years 1884-93.*	In the Week ending Saturday, 6th October 1894.									CAUSES OF DEATH.	Corrected Averages for the 40th Week of the 10 years 1884-93.*	In the Week ending Saturday, 6th October 1894.									
		Deaths of Persons of the Ages											Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.		
			0-1.	1-5.	5-20.									0-1.	1-5.	5-20.						
L CAUSES - -	1438'8	1287	351	160	83	159	246	253	55	Diseases of Organs of Special Sense - - - }	2'6	4	-	1	1	2	-	-	-	-	-	-
Small-pox { Vaccinated + - - - -	0'2	1	-	-	-	1	-	-	-	Diseases of Circulatory System - - - }	119'7	191	-	-	5	14	33	46	3	-	-	-
Unvaccinated - - - - -	0'5	-	-	-	-	-	-	-	-	Croup - - - - -	8'2	3	2	1	-	-	-	-	-	-	-	-
No Statement - - - - -	0'6	-	-	-	-	-	-	-	-	Bronchitis - - - - -	125'2	116	44	13	1	2	11	36	9	-	-	-
Measles - - - - -	20'1	9	2	7	-	-	-	-	-	Pneumonia - - - - -	73'7	67	23	15	3	10	6	9	1	-	-	-
Scarlet Fever - - - - -	37'9	9	-	4	5	-	-	-	-	Pleurisy - - - - -	4'9	9	2	1	1	3	1	1	-	-	-	-
Diphtheria - - - - -	0'4	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - - }	21'6	20	3	5	-	2	4	5	1	-	-	-
Erysipelas - - - - -	1'3	6	2	-	-	1	3	-	-	Dentition - - - - -	9'0	6	5	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	22'6	7	2	5	-	-	-	-	-	Quinsy, Sore Throat - -	1'8	1	-	-	-	1	-	-	-	-	-	-
Scarlet fever - - - - -	36'9	66	8	42	17	2	1	1	-	Enteritis - - - - -	15'2	13	6	-	2	1	2	2	-	-	-	-
Measles Continued and ill-defined Fever - - }	1'7	-	-	-	-	-	-	-	-	Peritonitis - - - - -	6'0	8	2	-	1	1	2	2	-	-	-	-
Erysipelas - - - - -	15'9	13	-	-	4	9	-	-	-	Diseases of Liver - - -	31'1	21	1	1	-	4	6	9	-	-	-	-
Scarlet and Chol. Diarr.	1'2	-	-	-	-	-	-	-	-	Other Diseases of Digestive System - }	28'2	25	10	3	2	3	3	3	1	-	-	-
Erysipelas, Dysentery	60'8	33	23	9	-	1	-	-	-	Diseases of Lymphatic System & of Ductless Glands - }	2'3	2	-	-	-	1	1	-	-	-	-	-
Scarlet Fever - - - - -	0'1	-	-	-	-	-	-	-	-	Diseases of Urinary System - - - }	41'1	35	1	-	3	5	11	12	3	-	-	-
Erysipelas - - - - -	0'1	-	-	-	-	-	-	-	-	Diseases of Generative System - - - }	5'7	3	-	-	-	8	-	-	-	-	-	-
Scarlet and Chol. Diarr.	60'8	33	23	9	-	1	-	-	-	Accidents of Childbirth -	4'2	1	-	-	-	1	-	-	-	-	-	-
Erysipelas - - - - -	0'1	-	-	-	-	-	-	-	-	Diseases of Locomotive System - - - }	6'8	9	-	1	5	1	1	1	-	-	-	-
Scarlet and Chol. Diarr.	60'8	33	23	9	-	1	-	-	-	Diseases of Integumentary System - - - }	6'5	7	-	1	-	-	2	2	2	-	-	-
Erysipelas - - - - -	0'1	-	-	-	-	-	-	-	-	VIOLENT DEATHS.												
Scarlet and Chol. Diarr.	60'8	33	23	9	-	1	-	-	-	(ACCIDENT.)												
Erysipelas - - - - -	0'1	-	-	-	-	-	-	-	-	By Railways - - - - -		-	-	-	-	-	-	-	-	-	-	-
Scarlet and Chol. Diarr.	60'8	33	23	9	-	1	-	-	-	By Vehicles or Horses -		4	-	2	-	1	-	1	-	-	-	-
Erysipelas - - - - -	0'1	-	-	-	-	-	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) - }		1	-	-	-	1	-	-	-	-	-	-
Scarlet and Chol. Diarr.	60'8	33	23	9	-	1	-	-	-	In Building Operations -		2	-	-	-	1	1	-	-	-	-	-
Erysipelas - - - - -	0'1	-	-	-	-	-	-	-	-	In Conflagrations - - -		-	-	-	-	-	-	-	-	-	-	-
Scarlet and Chol. Diarr.	60'8	33	23	9	-	1	-	-	-	By Burns, Scalds, Explosions - }	43'2	4	-	3	-	1	-	-	-	-	-	-
Erysipelas - - - - -	0'1	-	-	-	-	-	-	-	-	By Drowning - - - - -		6	-	-	2	2	2	-	-	-	-	-
Scarlet and Chol. Diarr.	60'8	33	23	9	-	1	-	-	-	By Suffocation in Bed -		7	7	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	0'1	-	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours - - - }		1	-	-	-	1	-	-	-	-	-	-
Scarlet and Chol. Diarr.	60'8	33	23	9	-	1	-	-	-	Other or not stated Causes - - - }		15	3	1	2	2	3	3	1	-	-	-
Erysipelas - - - - -	0'1	-	-	-	-	-	-	-	-	(VIOLENCE OTHER THAN ACCIDENTAL.)												
Scarlet and Chol. Diarr.	60'8	33	23	9	-	1	-	-	-	Homicide - - - - -	1'7	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	0'1	-	-	-	-	-	-	-	-	Suicide - - - - -	7'6	12	-	-	2	5	5	-	-	-	-	-
Scarlet and Chol. Diarr.	60'8	33	23	9	-	1	-	-	-	Execution - - - - -	0'1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	0'1	-	-	-	-	-	-	-	-	OTHER CAUSES - -	66'3	63	53	4	-	1	-	4	1	-	-	-

The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5'541 per cent for increase of population. These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical attendant, the case is returned under the heading "no statement." Evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, neglect, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ended

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions
				Infants under Year of Age.	Persons aged 60 Years and over.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.			
LONDON	4,211,743	2532	1287	331	308	1	9	9	66	7	-	13	-	33	52	120	368	
WEST DISTRICTS	740,735	385	213	34	75	-	-	2	18	-	-	2	-	4	10	16	82	
NORTH DISTRICTS	993,884	531	268	69	60	-	3	1	17	-	-	5	-	9	12	20	65	
CENTRAL DISTRICTS	247,538	189	82	17	13	-	-	-	2	1	-	1	-	1	2	5	32	
EAST DISTRICTS	705,114	501	272	92	48	-	1	-	8	1	-	5	-	9	11	42	71	
SOUTH DISTRICTS	1,524,472	976	424	119	105	-	5	3	21	5	-	-	-	10	17	37	90	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	28	-	7	1	-	3	-	-	-	-	-	-	-	-	28	
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	84159	47	13	3	4	-	-	-	-	-	-	-	-	-	-	3	3	
St. John Paddington H - - G.J.	33887	10	11	2	1	-	-	-	-	-	-	-	-	1	1	1	10	
Kensington Town W - - W.M.	118751	56	39	5	15	-	-	-	1	-	-	-	-	-	2	2	16	
Brompton H - - W.M. & C.	47557	10	8	1	2	-	-	-	1	-	-	-	-	-	1	1	1	
St. Peter Hammersmith - - W.M.	8358	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.	86653	55	27	7	9	-	-	-	-	-	-	-	-	3	1	2	5	
Fulham W - - W.M. & C.	91659	77	33	7	6	-	-	2	8	-	-	-	-	-	-	-	16	
Chelsea Kensal Town - - C.	21787	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North WHHHH - - C.	41637	30	12	1	6	-	-	-	3	-	-	-	-	-	-	1	6	
Chelsea South HH - - C.	39829	10	9	1	3	-	-	-	1	-	-	-	-	-	-	1	4	
May Fair W - - G.J.	23793	2	12	-	8	-	-	-	-	-	-	-	-	-	1	1	10	
Belgrave WHHH - - C.	54631	38	23	5	9	-	-	-	2	-	-	-	-	-	1	2	5	
St. John Westminster HHH - - C.	34106	22	6	1	2	-	-	-	-	-	-	-	-	-	-	2	-	
St. Margaret Westminster H - - C.	21668	3	8	-	3	-	-	-	1	-	-	2	-	-	-	-	5	
St. James Westminster WHH N.R. & G.J.	24995	10	6	1	4	-	-	-	-	-	-	-	-	-	-	-	1	
St. Anne Soho HHHHHH - - N.R.	12317	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																		
All Souls Marylebone } - - W.M.	87713	13	15	6	1	-	-	-	1	-	-	-	-	-	1	2	4	
HHHHHHHHH - - W.M.	20024	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Rectory Marylebone W - - G.J. & W.M.	19289	23	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Maryleb. HHHH G.J. & W.M.	33327	9	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone H - - W.M.	82101	13	5	1	3	-	-	-	-	-	-	-	-	1	-	-	-	
St. John Marylebone H - - W.M.	68416	32	18	2	3	-	-	-	3	-	-	1	-	-	3	3	10	
Hampstead W HHHHHH N.R. & W.M.	36590	15	8	1	1	-	-	-	-	-	-	1	-	-	-	-	-	
Regent's Park Pancras - - W.M.	26321	15	9	1	2	-	-	-	-	-	-	-	-	-	-	1	2	
Tottenham-court W HHHH N.R. & W.M.	27455	13	8	3	3	-	-	-	1	-	-	-	-	-	-	3	3	
Gray's Inn Lane - - N.R.	88229	20	6	4	1	-	-	-	-	-	-	-	-	-	1	1	1	
Homers Town HH - - N.R.	15419	8	5	1	3	-	-	-	-	-	-	-	-	-	-	1	2	
Camden Town WH - - N.R.	95765	51	34	9	7	-	-	-	-	-	-	1	-	-	-	1	6	
Kentish Town W - - N.R.	90235	61	38	5	8	-	-	-	-	-	-	1	-	-	-	-	-	
Upper Holloway W W HHH - - N.R.	105587	55	19	6	5	-	-	-	-	-	-	1	-	-	1	4	5	
Islington South-west H - - N.R.	64163	40	15	5	2	-	-	-	2	-	-	-	-	-	1	-	17	
Islington South-east - - N.R.	59193	30	14	4	7	-	-	-	-	-	-	-	-	-	-	1	1	
Highbury HH - - N.R.	20034	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H - - N.R.	17759	11	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
Stamford Hill - - E.L.	42902	18	8	4	2	-	-	-	-	-	-	1	-	-	-	-	-	
West Hackney H - - N.R.	96486	54	37	8	4	-	1	1	10	-	-	1	-	-	-	-	-	
Hackney W W W H - - E.L. & N.R.	41759	22	11	2	3	-	-	-	1	-	-	-	-	-	2	5	16	
South Hackney W - - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16695	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - - N.R.	13454	15	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles North H - - N.R.	9683	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Martin-in-the-Fields HH N.R. & C.	14616	4	8	2	-	-	-	-	-	-	-	-	-	-	-	-	2	
St. Mary-le-Strand H - - N.R.	3706	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Clement Danes WH - - N.R.	7194	5	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	
Strand Union Workhouse, Edmonton w.	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	
St. Geo.-the-Martyr HHHHHH N.R.	17991	9	13	4	-	-	-	-	1	-	-	-	-	-	-	-	-	
St. Andrew Eastern W - - N.R.	15343	8	6	2	-	-	-	-	-	-	-	-	-	1	1	1	7	
St. James Clerkenwell - - N.R.	16803	9	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - - N.R.	16883	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pentonville - - N.R.	17155	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Covent-street - - N.R.	13375	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
City-road HHHH - - N.R.	29177	24	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
Whitecross-street - - N.R.	8273	3	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	
Finsbury - - N.R.	4985	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	
Holborn Union Workhouse, Mitcham w.	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - N.R. & E.L.	8944	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Cripplegate - - N.R.	4539	1	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - - N.R.	4444	3	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Bride W - - N.R.	6594	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	13	
Ashdows Barking - - N.R.	10422	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - - N.R.	3377	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts:—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L. East London; and K. the Kent Company.

* See note on first page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
6th October, 1894.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1891.	Total Births.	Deaths of														
			Total Deaths.	Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
EAST DISTRICTS.																	
Sh South HL* E.L. & N.R.	26098	9	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-
New Town W - - N.R.	29313	22	14	6	5	-	-	-	-	-	-	-	-	-	-	3	-
Old Town - - - N.R.	28354	23	8	2	1	-	-	-	-	-	-	-	-	-	-	6	-
ton WH - - - N.R. & E.L.	46244	35	21	11	5	-	-	-	-	-	-	-	-	-	-	-	-
Green North H - - E.L.	51520	49	19	12	-	-	-	-	1	-	-	-	-	-	1	4	1
Green South - - - E.L.	39489	18	8	3	3	-	-	-	1	-	-	-	-	-	1	1	-
Green East WHL* E.L.	44123	30	15	5	4	-	-	-	-	-	-	-	-	2	2	4	-
ids - - - E. . N.R.	22456	17	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-
d New Town W - - E.L.	17908	15	7	1	1	-	-	-	-	-	-	-	-	-	-	6	-
apel Church H* E.L. & N.R.	20298	11	22	8	3	-	-	-	2	-	-	3	-	-	2	5	21
n's Fields - - - E.L.	18800	9	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ge's, North - - - E.L.	87738	21	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-
, St. George East W - E.L.	8037	6	4	1	-	-	-	-	-	-	-	-	-	-	2	2	-
l H - - - E.L. & N.R.	10246	6	10	2	-	1	-	-	2	-	-	-	-	-	1	2	7
W - - - E.L.	14928	9	5	1	1	-	-	-	1	-	-	-	-	-	1	2	-
se - - - E.L.	32202	23	14	5	1	-	-	-	-	-	-	-	-	-	1	3	-
d Old Town West H - E.L.	38650	35	11	5	3	-	-	-	-	1	-	-	-	-	1	-	1
d Old Town East WwH - E.L.	68942	43	80	11	6	-	-	-	-	-	-	1	-	-	3	4	-
- - - E.L.	40325	24	10	2	2	-	-	-	-	-	-	-	-	-	1	1	-
WwH - - - E.L.	70000	58	30	10	7	-	-	-	-	-	-	-	-	2	6	13	-
WW - - - E.L.	56383	39	25	8	5	-	-	-	-	-	-	-	-	1	1	5	2
SOUTH DISTRICTS.																	
church Southwark WB L. & S.	12264	9	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
our Southwark - - S.	18913	5	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-
ad - - - S. & L.	21867	10	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
oad WH - - - S. & L.	16624	9	10	3	1	-	-	-	-	-	-	-	-	-	-	1	4
oad HL - - - L. & S.	21221	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington - - - S. & L.	26596	27	10	5	1	-	-	-	1	-	-	-	-	-	-	-	-
er Walworth W - - S. & L.	61342	41	11	5	3	-	-	-	-	-	-	-	-	-	-	-	-
y Newington - - L. & S.	27866	21	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
e WH - - - S.	12723	7	13	1	4	-	-	-	1	-	-	-	-	-	1	4	10
e Market W - - S. & L.	80812	28	6	3	2	-	-	-	1	-	-	-	-	-	-	1	2
es Brompton - - S.	54070	31	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-
ithe WHW - - - S. & K.	39255	35	10	1	4	-	-	-	-	-	-	-	-	-	-	5	-
oad 1st H - - L. & S.	14031	7	6	3	-	-	-	-	-	-	-	-	-	-	-	2	-
oad 2nd H - - L. & S.	14644	22	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
h Church 1st H - - L. & S.	18075	12	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
h Church 2nd WH - L. & S.	39097	34	20	3	7	-	-	-	-	-	-	-	-	-	1	6	9
ton 1st H - - S. & L.	50586	41	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ton 2nd H - - S. & L.	39708	20	5	1	1	-	-	-	-	-	-	-	-	-	1	2	-
e W - - - L. & S.	73405	42	17	5	3	-	-	-	1	2	-	-	-	-	-	-	-
l WH - - - L.	25627	20	6	3	3	-	-	-	-	-	-	-	-	-	1	1	-
attersea - - - S.	67244	44	21	5	5	-	-	-	-	-	-	-	-	-	1	4	-
attersea WwH - - S.	58314	50	81	9	9	-	-	-	-	1	-	-	-	-	2	3	7
H - - - S.	43638	30	11	4	4	-	-	-	-	-	-	-	-	-	1	2	1
orth WHL - - - S.	46717	24	14	3	4	-	-	-	-	-	-	-	-	-	-	3	-
m WwH - - - S.	17771	9	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
m WwH - - - L.	48756	22	12	2	4	-	-	-	4	-	-	-	-	-	-	1	6
well WwL* - - L. & S.	6809	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
m WW - - - S. & L.	81686	51	37	5	12	-	-	-	2	1	-	-	-	-	-	2	22
ga Camberwell - S. L. & K.	38483	61	24	7	7	-	-	-	-	-	-	-	-	-	-	1	3
ga Camberwell - L. & S.	63366	38	16	7	1	-	1	-	1	-	-	-	-	2	1	1	-
l, North - - - K.	35314	20	7	4	-	-	1	-	-	-	-	-	-	-	-	-	-
d, Central W - - K.	42007	36	12	4	2	-	-	1	3	1	-	-	-	-	-	2	4
l, South - - - K.	30852	9	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
on West H - - K.	22007	11	5	2	2	-	-	-	-	-	-	-	-	-	-	-	1
ch East WH - - K.	35233	18	9	1	3	-	1	-	-	-	-	-	-	-	-	5	-
W - - - K.	5682	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
m WH - - - K.	23541	10	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-
m H - - - K.	30950	19	12	5	3	-	-	-	-	-	-	-	-	-	1	1	2
m H - - - L.	34162	27	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-
l HH - - - K.	14040	8	9	-	4	-	1	-	-	-	-	-	-	-	1	1	-
ch Dockyard - - K.	19606	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ch Arsenal HH - - K.	41242	13	4	2	1	-	-	-	-	-	-	-	-	-	1	2	-
ad, West H - - K.	15490	11	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
ad, East W - - K.	31507	29	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-
d Asylum - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
m Asylum - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
ll Asylum - - -	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7
Ships and Camp, Dartford -	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Asylum - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Asylum - - -	-	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5
atch Asylum - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
ospital - - -	-	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-	3
ore Hill Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
on Asylum - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
y Asylum - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4

Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Market.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 6th October, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include															
						Deaths of		Deaths from									Inquest Cases.	Deaths in Public			
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
LONDON—OUTER RING						368,746	1,422,063	822	354	72	113	-	8	2	14	-	5	8	12	21	23
80:1	Carshalton <i>wHH</i>	12228	26108	6	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of * <i>WwH</i>	10423	12508	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37:1	Godstone, part of * <i>W-</i>	754	1593	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33:1	Croydon <i>WwHH-</i>	20351	123699	41	33	5	16	-	8	-	1	-	-	-	-	-	-	-	-	-	-
2	Mitcham <i>w</i>	11697	23098	17	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39:1	Wimbledon <i>HHH</i>	3220	25761	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston <i>WHH-</i>	8071	44765	19	13	-	8	-	-	-	-	-	-	-	-	-	-	1	1	1	1
3	Esher, part of * <i>-</i>	6601	12059	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton <i>H</i>	4565	18252	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40:1	Richmond <i>WH</i>	2160	25389	7	3	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1
2	Mortlake <i>H</i>	2823	16169	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
41:1	Bromley <i>HHH</i>	9127	23815	13	7	1	3	-	-	-	-	-	-	-	-	-	-	1	1	1	1
2	Beckenham <i>H</i>	6542	21969	9	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, pt. of * <i>WHH</i>	14307	20372	8	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42:1	Bexley <i>HHH</i>	12540	30590	19	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Dartford, Work., pt. of * <i>-</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124:1	Sunbury <i>w</i>	11054	13871	12	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1
2	Staines <i>W</i>	18277	13221	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125:1	Hillingdon <i>WHH</i>	6035	12237	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
2	Uxbridge	6172	5417	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes <i>wH</i>	14337	12618	5	8	-	6	-	-	-	-	-	1	-	-	-	-	-	-	1	1
126:1	Isleworth <i>WHH</i>	6967	29273	17	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Twickenham <i>HH</i>	2415	16027	5	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford <i>HHHH</i>	4318	37777	15	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislewick	1245	21963	11	11	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
5	Aston <i>wH</i>	6132	30945	18	9	2	1	-	-	-	-	-	1	-	-	-	-	-	1	1	1
127:1	Harrow <i>HHH</i>	13809	15715	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>HH</i>	6994	3844	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden <i>HHH</i>	4383	61285	51	15	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hendon <i>W</i>	8382	15843	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128:1	South Mimms	1559	8474	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet <i>wHH</i>	5441	11778	10	5	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3	Finchley <i>HHH</i>	4638	25820	18	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129:1	Hornsey <i>HH</i>	3039	61097	36	10	1	6	-	-	-	-	-	-	-	-	-	-	1	2	1	1
2	Tottenham <i>H</i>	4642	97174	52	24	3	5	-	-	-	-	-	-	-	-	-	-	-	-	2	2
3	Edmonton <i>Ww</i>	7489	38351	23	9	1	2	-	-	-	-	-	1	-	-	-	-	1	-	1	1
4	Enfield <i>WwHH</i>	12639	31803	22	9	2	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
5	Waltham Abbey	11017	6066	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt <i>H</i>	8480	9820	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135:1	Hatfield, part of * <i>W</i>	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey <i>H</i>	9331	7737	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Watford Work., pt. of * <i>-</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136:1	Stratford <i>H-</i>	1100	42983	27	10	1	5	-	-	-	-	-	-	-	-	-	-	-	-	2	2
2	Plaistow <i>HHHH</i>	1242	58030	52	9	3	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-
3	Canning Town <i>H</i>	1558	54750	36	13	4	2	-	-	-	-	-	2	1	-	-	-	1	1	2	2
4	Forest Gate <i>w</i>	806	49140	30	20	4	5	-	-	-	-	-	-	-	-	1	-	1	1	1	3
5	East Ham <i>w</i>	3266	32713	34	10	2	1	-	1	-	-	-	3	-	-	-	-	-	-	-	-
6	Leyton <i>Wwwo</i>	4384	70183	38	23	11	8	-	2	-	-	-	-	-	-	-	-	1	1	2	2
7	Walthamstow <i>HHL</i>	6501	57330	44	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Chigwell, part of * <i>H-</i>	11779	12941	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping Work., pt. of * <i>-</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139:1	Romford, part of * <i>WH</i>	6556	4324	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford	8493	10913	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town <i>H</i>	3814	14301	12	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Metro. Asy. Hosps.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 39:2, Epsom sub-district, except the parishes of Ashstead and Hestley (pop. 1768); 37:1, the parishes of Warrington and Farley in Godstone sub-district; 39:3, Esher sub-district, except the parish of Esher (pop. 2232); 41:3, Chislehurst sub-district, except the parishes of Ch. Cudham, and Knockholt (pop. 3097); 135:1, the parish of Northaw in Hatfield sub-district; 137:1, Chigwell sub-district, except the parishes of Theodora Bois (1079); 139:1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in Dartford, 137:3, Watford, and 137:2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 6th October, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	14·4	1·5	1641	403	421	1	17	11	80	7	18	41	64	393		
GREATER LONDON -	74,672	4,349,166	15·4	1·7	1287	331	308	1	9	9	66	7	13	33	52	368		
GREATER LONDON -	368,749	1,599,134	11·5	1·2	354	72	113	-	8	2	14	-	5	8	12	25		

—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	October 6	139	91	17·5	2	-	1	1	-	1	2	
GLASGOW	686,820	" 6	459	204	15·5	-	3	-	6	3	3	11	
DUBLIN	349,594	" 6	161	153	23·6	4	-	1	1	-	2	10	
PARIS	466,480	August 25	-	222	24·8	3	1	-	2	-	89	28+	
BRUSSELS	821,764	September 11	229	479	30·3	1	3	?	?	?	89	54+	
BERLIN	452,518	August 31	346	335	38·4	-	2	?	?	?	105	61	
ST. PETERSBURG	2,424,705	September 29	1033	775	16·6	-	4	1	2*	2	3	64	
AMSTERDAM	498,400	" 29	219	143	14·9	-	4	-	1	2	-	24	
ANTWERP	446,295	" 29	262	140	16·2	-	-	2	4	5	-	8+	
BRUSSELS	228,597	" 29	134	60	13·6	3	-	1	-	3	-	1	
COLOGNE	174,790	" 29	111	52	15·4	-	-	1	-	-	-	-	
HAMBURG	341,000	" 29	161	106	16·2	-	1	2	5	-	2	7	
MUNICH	252,937	" 22	139	84	17·3	-	1	6	3*	-	-	-	
VIENNA	167,588	" 29	46	59	18·3	-	-	2	6	4	1	13	
ST. PETERSBURG	954,400	" 8	472	401	21·9	1	3	5	18	9	2	113+	
ST. PETERSBURG	753,469	" 15	702	400	21·9	3	4	13	19	5	6	68+	
ST. PETERSBURG		" 22	-	451	31·2	-	1	5	13	3	5	102	
ST. PETERSBURG	1,714,938	" 15	856	584	17·9	-	3	13	33	2	3	80	
ST. PETERSBURG	598,372	" 29	-	195	16·9	-	1	2	7*	2	-	11	
ST. PETERSBURG	312,772	" 8	-	-	-	-	-	-	-	-	-	-	
ST. PETERSBURG	360,660	" 29	-	169	24·5	-	1	3	7*	2	-	26	
ST. PETERSBURG	390,000	" 29	-	170	22·7	-	-	2	5*	5	-	50	
ST. PETERSBURG	1,465,537	" 29	863	518	18·4	-	4	7	23*	1	1	59	
ST. PETERSBURG	329,172	" 22	193	121	18·6	-	-	1	5	1	-	2	
ST. PETERSBURG	552,769	" 22	356	227	21·4	7	1	4	5	-	3	25	
ST. PETERSBURG	159,739	" 15	75	84	23·7	-	-	-	5*	1	-	8	
ST. PETERSBURG	455,678	" 8	-	-	-	-	-	-	-	-	-	-	
ST. PETERSBURG (10 days)	337,997	" 20	-	-	-	-	-	-	-	-	-	-	
ST. PETERSBURG	160,406	" 15	53	63	20·5	-	-	2	-	1	1	7	
ST. PETERSBURG	374,838	" 6	412	376	52·2	-	-	-	-	1	10	141	
ST. PETERSBURG	231,396	" 6	200	187	42·1	-	-	-	3*	-	6	52	
ST. PETERSBURG	1,925,569	" 22	-	665	17·6	3	5	5	25	1	7	78	
ST. PETERSBURG	1,043,000	" 22	-	447	22·1	-	-	1	23	4	6	59	
ST. PETERSBURG	1,139,457	" 15	-	367	16·8	-	1	1	27	3	10	31	
ST. PETERSBURG	254,000	" 18	-	128	26·3	-	-	-	2	1	9	6	

Including deaths from croup.

Including 4 deaths from cholera in Calcutta, 4 in Bombay, 7 in Amsterdam, 72 and 41, respectively, in St. Petersburg.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 6TH OCTOBER, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894. MONTH AND DAY.		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is 5 inches above the ground.		Ozone.					
		Phases of the Moon.	Barom. Mean daily reading (cor. recd. and re-ferred to 30 in. of Hg. at sea level).	Of the Air.		De- parture from Average of 50 years.	Of the Air, Temperature and Dew Point.		Difference between the Air Temperature and Dew Point Temperature.		Degree of humidity (Saturation 100°).	Of Radiation.		Of the Earth's surface.	Oiler's.		Pressure on the Square Foot.					Robinson's.			
				High- est.	Low- est.		Daily Range, value.	Mean daily value.	Mean daily value.	Great- est.		Least.	Highest in Sun's Rays.		Lowest in Grass.	General Direction.						Great- est.	Mean of 24 hours' oba.	Horizontal Movement of the Air on each day.	Depar- ture from Average of 10 years.
																A.M.	P.M.								
SEPTEMBER.	SUNDAY.	50	30.270	60.3	43.8	16.5	52.3	- 2.1	44.9	7.4	13.9	1.3	76	119.0	35.5	56.59	NNW. & N.	2.1	0.0	0.1	232	0	0.0	0.0	
..	30.303	60.1	42.5	17.6	50.8	- 3.3	45.7	5.1	12.5	0.0	83	114.5	32.9	56.22	N. & NE.	2.2	0.0	0.1	207	- 44	0.00	0.5	
1	30.282	62.0	48.4	13.6	52.9	- 0.9	45.1	7.8	15.0	2.7	75	123.3	43.0	56.10	NE.	3.3	0.0	0.4	208	+ 43	0.00	1.5	
2	30.067	58.7	48.2	10.5	53.0	- 0.5	45.8	7.2	10.8	2.9	76	94.5	42.9	56.06	NE. & NNE.	3.1	0.0	0.2	280	+ 32	0.00	0.5	
3	29.897	59.2	49.0	10.2	52.9	- 0.3	50.1	2.8	7.6	2.4	90	94.2	47.9	56.01	NNE. & N. & NNE.	4.5	0.0	0.6	353	+106	0.60	1.5	
4	29.849	59.0	50.9	8.1	53.7	+ 0.7	50.5	3.2	8.0	0.0	89	84.2	47.9	56.01	NNE. & N. & NNE.	1.7	0.0	0.1	251	+ 6	0.02	0.0	
5	Greatest Dec. S.	..	29.756	57.5	50.0	7.5	53.7	+ 1.0	51.7	2.0	4.9	0.0	93	82.7	49.5	55.95	N. & NNE.	1.1	0.0	0.1	201	- 43	0.10	0.0	
6	First Q.	..	30.053	59.5	47.5	12.0	52.8	- 0.8	47.7	5.1	10.4	1.3	83	101.8	42.8	56.13	NE.	Sum 1842	Sum +105	0.12	0.6	
MEANS	30.053	59.5	47.5	12.0	52.8	- 0.8	47.7	5.1	10.4	1.3	83	101.8	42.8	56.13	NE.	Sum 1842	Sum +105	0.12	0.6	
3	No. of Column	..	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE.	EYESIGHTY. (For explanation of symbols, see Note.)	REGISTERED SUN ABOVE HORIZON.		GENERAL REMARKS.	
		in hours.	in hours.		
SEPTEMBER.					
SUNDAY . 30	w. P. in morning; m. P. afterwards.	2.8	11.6	Fine; cloudy in afternoon; cloudless at night.	
MONDAY . 1	m. P. till afternoon; s. P. afterwards.	3.4	11.6	Cloudy; fine.	
TUESDAY . 2	m. P. till afternoon; w. P. afterwards.	5.7	11.5	Overcast till 5h. A.M.; very fine afterwards with light cloud.	
WEDNESDAY . 3	w. P. in morning; m. P. afterwards.	1.2	11.4	Generally cloudy.	
THURSDAY . 4	m. P. generally.	0.7	11.4	Generally overcast; occasional thin rain.	
FRIDAY . 5	w. P. in morning; v. P. afterwards.	0.0	11.3	Overcast; frequent thin rain.	
SATURDAY . 6	v. P. in morning; w. P. afterwards.	0.1	11.2	Overcast; showery in morning; a little rain at night.	
Sum		Sum	Sum		

The results apply to the civil day, or from midnight to midnight.
The height of the ceiling, of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 6h. P.M. The means of the readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are inserted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1883 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.
In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased from 30.19 in. at the beginning of the week to 30.33 in. by 9h. A.M. on the 1st October; decreased to 29.74 in. on the 6th; and

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 41. 1894. Vol. LV.] WEEK ENDING SATURDAY, OCTOBER 13. [Price 1½d.

General Register Office, Somerset House,
October 15th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·7 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.		Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.
Birkenhead	17·8	11·4	13·3	11·4	Liverpool -	23·5	22·8	23·7	23·1
Birmingham	14·1	16·3	13·0	16·8	London -	14·5	15·3	15·4	15·5
Blackburn -	19·1	14·9	19·5	16·6	Manchester -	19·2	17·9	19·1	20·3
Bolton -	14·5	18·5	12·8	23·4	Newcastle-on-Tyne	19·6	20·9	19·9	17·3
Bradford -	14·4	16·1	14·2	17·7	Norwich -	13·8	13·8	14·3	11·4
Brighton -	14·5	13·2	14·5	11·9	Nottingham -	11·2	17·5	14·9	16·3
Bristol -	12·9	11·7	14·3	18·9	Oldham -	16·9	16·2	18·4	18·8
Burnley -	11·9	12·4	16·2	16·2	Plymouth -	12·5	16·0	10·1	19·6
Cardiff -	16·8	18·6	11·9	11·9	Portsmouth -	18·0	12·5	15·2	15·2
Croydon -	15·4	10·7	10·7	9·3	Preston -	17·3	22·5	22·5	26·2
Derby -	14·8	14·3	11·6	16·4	Salford -	19·8	17·0	18·7	20·0
Gateshead -	12·8	19·5	13·4	15·6	Sheffield -	16·8	19·1	17·4	17·9
Halifax -	6·2	20·2	18·0	19·7	Sunderland -	15·3	20·7	19·5	22·2
Huddersfield	13·2	14·3	17·5	15·4	Swansea -	15·3	18·6	12·6	18·6
Hull -	18·6	18·1	15·0	16·9	West Ham -	15·3	11·8	13·4	13·8
Leeds -	18·1	14·1	16·5	16·0	Wolverhampton	20·2	19·6	20·2	16·6
Leicester -	13·8	8·0	10·8	12·7					

The highest annual death-rates, as measured by last week's mortality, were:—from *measles*, 1·1 in Leeds and in Gateshead, 2·6 in Derby, and 3·8 in Sunderland; from *scarlet fever*, 1·2 in Wolverhampton and 1·6 in Burnley; from *whooping-cough*, 1·0 in Norwich and 1·1 in Oldham; from "*fever*", 1·4 in Preston and 1·5 in Sunderland; and from *diarrhoea*, 1·6 in Swansea and in Huddersfield, 2·7 in Burnley, and 3·5 in Bolton. The 92 deaths from *diphtheria* included 54 in London, 8 in West Ham, 6 in Manchester, 5 in Liverpool, 3 in Cardiff, and 3 in Leeds. Three deaths from *small-pox* were registered in Liverpool and 2 in Birmingham, but not one death in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2323 BIRTHS and 1291† DEATHS were registered. Allowing for increase of population, the births were 286, and the deaths 169, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 14·5, 15·3, and 15·4 in the preceding three weeks, further rose last week to 15·5. During the four weeks ending on

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

Saturday last the death-rate averaged 15·2 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1291 deaths included 10 from measles, 12 from scarlet fever, 54 from diphtheria, 13 from whooping-cough, 20 from enteric fever, 30 from diarrhoea and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 139 deaths were referred to these diseases, being 39 below the corrected average weekly number.

There were 60 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 3 in the Highgate Small-pox Hospital, making a total of 63, against 100, 98, and 84 on the preceding three Saturdays; 8 cases were admitted during the week, against 23, 14, and 11 in the preceding three weeks. The deaths from *measles*, which had been 13, 7, and 9 in the preceding three weeks, numbered 10 last week, and were 15 below the corrected average. The deaths from *scarlet fever*, which had been 15, 18, and 9 in the preceding three weeks, increased again last week to 12, but were 15 below the corrected average; 2 belonged to Kensington and 2 to Clerkenwell sanitary areas. The Metropolitan Asylum and London Fever Hospitals* contained 2171 scarlet-fever patients at the end of last week, against 2060, 2084, and 2145 on the preceding three Saturdays; 262 cases were admitted during the week, against 252 and 258 in the preceding two weeks. The deaths from *diphtheria*, which had been 52, 67, and 66 in the preceding three weeks, declined last week to 54, but exceeded the corrected average by 19; 9 (including 2 which occurred in one house in Lordship Lane) belonged to Camberwell, 4 to Pancras, 4 to Lambeth, 3 to Islington, 3 to Hackney, 3 to Whitechapel, and 3 to Mile End Old Town sanitary areas. The Metropolitan Asylum Hospitals* contained 521 diphtheria patients at the end of last week, against 495, 496, and 501 on the preceding three Saturdays; 106 cases were admitted during the week, against 90 and 98 in the preceding two weeks. The deaths from *whooping-cough*, which had declined in the preceding three weeks from 25 to 7, increased last week to 13, but were 8 below the corrected average. The fatal cases of *enteric fever*, which had numbered 7, 13, and 13 in the preceding three weeks, further rose last week to 20, exceeding the corrected average by one death; 3 belonged to Poplar, 2 to Hackney, and 2 to Lambeth sanitary areas. The Metropolitan Asylum Hospitals* contained 91 cases of enteric fever and not one case of typhus on Saturday last; 15 cases of enteric fever were admitted during the week, against 17 and 9 in the preceding two weeks. The deaths from *diarrhoea*, which had continuously declined in the preceding five weeks from 79 to 33, further fell last week to 30, and were 18 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 172, 184, and 215 in the preceding three weeks, further rose last week to 241, but were 25 below the corrected average.

The deaths attributed directly to *influenza* numbered 3, having been 2, 2, and 6 in the preceding three weeks.

The death of a cab proprietor and driver, aged 43 years, was referred, after inquest, to "glanders contracted from a horse when suffering from a wound of "hand." *Post mortem*.

Different forms of violence caused 57 deaths, concerning 56 of which inquests were held. Of these 57 deaths, 4 were cases of suicide, and one death was a case of homicide, while the remaining 52 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 13 to burns and scalds, 3 to poison, and 9 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3096 births and 1646 deaths were registered, corresponding to annual rates of 27·1 and 14·4 per 1000 of the estimated population. In the Outer Ring 5 deaths from scarlet fever, 17 from diphtheria, 5 from "fever," and 6 from diarrhoea were recorded. Three of the deaths from scarlet fever, 15 of those from diphtheria, and 3 of those from "fever" occurred in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·00 inches, and that of the Thermometer 53°·0, the latter being 1°·6 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 59 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 1·7 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 13th October 1894.

CITIES AND BOROUGH.	Cols.	Registered during the Week ending 13th Oct. 1894.		The DEATHS registered in the Week include												TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.				
		1.	2.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Causes of Death.	per 1000, corresponding to the Week All Causes.		From Diseases in Cols. 6-12.	Lowest.			Mean.	In Inches.	In Centi-metres.	
				Infants under 1 Year of Age.	Persons aged 15 and upwards.	Small-pox.	Menses.	Scarlat Fever.	Diphtheria.	Whooping Cough.	Fever.	Diarrhoea.	Violence.				From All Causes.	From Diseases in Cols. 6-12.		Highest.	Fahrenheit.					
33 TOWNS	10,458,442	5860	3346	896	725	5	61	38	92	32	61	117	126	247	736	59	16.7	2.0	65.5	39.5	53.1	0.76	0.30	24.	33 TOWNS.	
LONDON	4,349,166	2323	1291	321	283	-	10	12	54	13	20	30	57	121	416	11	15.5	1.7	62.0	44.6	53.0	0.36	0.31	23.	LONDON.	
WEST HAM	238,184	152	63	18	11	-	-	-	8	-	1	4	5	5	2	1	13.8	3.1	-	-	-	-	-	-	WEST HAM.	
CROYDON	111,921	52	20	3	7	-	-	-	-	-	-	-	-	-	3	9.3	0.3	63.0	39.5	52.5	0.34	0.86	-	-	CROYDON.	
BRIGHTON	118,715	50	27	5	5	-	-	-	-	2	-	1	-	2	7	-	11.9	1.8	64.8	44.8	54.7	0.02	0.05	-	-	BRIGHTON.
PORTSMOUTH	170,973	101	50	9	18	-	3	3	1	1	1	1	3	4	3	-	15.2	2.7	63.5	39.5	54.1	0.04	0.10	-	-	PORTSMOUTH.
PLYMOUTH	87,931	41	33	8	7	-	-	-	-	-	-	-	-	-	2	1	19.6	-	-	-	-	-	-	-	PLYMOUTH.	
BRISTOL	256,578	101	82	18	26	-	1	-	-	-	-	6	3	8	14	4	18.9	1.6	63.0	43.0	53.0	0.25	0.63	-	-	BRISTOL.
CARDIFF	148,890	111	34	10	3	-	-	-	3	-	-	-	2	2	3	-	11.9	1.1	-	-	-	-	-	-	CARDIFF.	
SWANSEA	95,859	68	34	13	6	-	1	1	1	-	-	3	2	3	4	-	18.6	2.7	-	-	-	-	-	-	SWANSEA.	
WOLVERHAMPTON	85,636	47	27	6	9	-	-	2	1	1	-	1	-	2	9	-	16.6	3.1	61.1	43.0	51.9	0.46	1.17	-	-	WOLVERHAMPTON.
BIRMINGHAM	492,801	291	159	45	41	2	-	3	2	-	3	11	9	6	38	9	16.8	2.2	-	-	51.9	0.46	1.17	-	-	BIRMINGHAM.
NORWICH	105,645	65	23	7	6	-	-	-	-	2	-	-	-	-	5	-	11.4	1.0	64.5	42.0	53.1	0.16	0.41	-	-	NORWICH.
LEICESTER	189,136	125	46	19	8	-	-	-	-	-	1	1	1	2	9	3	12.7	1.1	-	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM	228,584	126	70	23	13	-	-	1	-	-	1	4	1	3	10	2	15.3	1.4	63.1	45.0	53.1	0.32	0.81	-	-	NOTTINGHAM.
DERBY	98,756	58	31	7	11	-	5	-	-	-	1	1	1	5	4	-	16.4	3.7	-	-	-	-	-	-	-	DERBY.
BIRKENHEAD	105,827	47	23	7	7	-	-	-	-	-	-	1	-	-	1	-	11.4	0.5	-	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL	607,230	292	292	59	29	3	3	3	5	1	8	4	8	14	49	4	23.1	2.8	62.5	43.8	53.3	0.78	1.98	-	-	LIVERPOOL.
BOLTON	118,803	77	53	17	6	-	-	-	1	1	2	8	2	5	3	-	23.4	5.3	-	-	-	-	-	-	-	BOLTON.
MANCHESTER	520,211	286	203	63	43	-	6	1	6	3	4	6	6	10	41	4	20.3	2.6	-	-	-	-	-	-	-	MANCHESTER.
SALFORD	205,828	135	79	32	15	-	1	3	2	-	1	6	2	4	13	4	20.0	3.3	-	-	-	-	-	-	-	SALFORD.
OLDHAM	188,765	88	50	14	10	-	-	-	3	-	1	3	1	7	-	-	18.8	2.3	-	-	-	-	-	-	-	OLDHAM.
BURNLEY	166,478	55	30	9	4	-	-	3	-	-	1	5	2	2	1	-	16.2	4.9	-	-	-	-	-	-	-	BURNLEY.
BLACKBURN	125,797	77	40	12	9	-	-	-	-	2	1	1	1	1	1	2	16.6	1.7	-	-	-	-	-	-	-	BLACKBURN.
PRESTON	111,425	59	56	13	17	-	-	-	-	1	3	3	3	3	4	3	26.2	3.3	-	-	-	-	-	-	-	PRESTON.
HUDDERSFIELD	98,511	33	29	8	5	-	-	-	-	-	-	3	-	-	2	-	15.4	1.6	-	-	-	-	-	-	-	HUDDERSFIELD.
HALEFAX	92,861	38	35	10	15	-	-	-	1	-	-	-	-	-	3	-	19.7	0.6	-	-	-	-	-	-	-	HALEFAX.
BRADFORD	223,985	106	76	13	18	-	3	1	-	-	1	3	2	5	13	2	17.7	1.9	60.4	48.0	53.5	0.41	1.04	-	-	BRADFORD.
LEEDS	388,761	269	110	30	27	-	8	-	1	3	1	3	2	7	12	13	16.0	2.3	-	-	-	-	-	-	-	LEEDS.
SHEFFIELD	338,316	221	116	32	19	-	3	-	1	-	3	3	3	9	14	2	17.9	1.5	-	-	-	-	-	-	-	SHEFFIELD.
HULL	212,679	127	69	20	14	-	2	1	-	-	2	2	3	5	11	5	16.9	1.7	61.0	44.0	51.5	0.21	0.53	-	-	HULL.
SUNDERLAND	186,101	76	58	19	8	-	10	1	-	1	4	1	1	3	5	-	22.2	6.5	-	-	-	-	-	-	-	SUNDERLAND.
GATEHEAD	93,372	51	28	7	8	-	2	-	-	-	-	-	-	2	2	-	15.6	1.7	-	-	-	-	-	-	-	GATEHEAD.
NEWCASTLE	201,947	112	67	19	9	-	2	3	-	-	-	3	2	3	9	2	17.3	2.1	-	-	-	-	-	-	-	NEWCASTLE.

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-FIRST Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2282	2582	2456	2353	2588	2595	2409	2508	2511	2431	2609·3	2323
Males . .	1168	1319	1237	1192	1330	1368	1190	1278	1273	1250	1330·9	1184
Females .	1114	1263	1219	1166	1258	1227	1219	1230	1233	1184	1278·4	1139
TOTAL Deaths	1344	1346	1274	1351	1536	1321	1472	1321	1395	1477	1460·4	1291
Males . .	664	667	675	653	768	679	785	676	697	742	739·4	692
Females .	680	679	599	698	768	642	687	645	693	735	721·0	599

* The numbers in this column are the average weekly number in the forty-first weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.
TOTAL Births	2419	2419	2695	2200	2665	2361	2704	2369	2569	2353	2403	2532	2323
TOTAL Deaths	1405	1437	1464	1450	1428	1284	1198	1175	1241	1211	1277	1287	1291
Ages at Death													
{ 0-20 years	768	783	801	820	787	685	591	578	600	571	577	574	565
{ 20-40 "	158	149	177	140	169	144	150	155	156	145	160	159	181
{ 40-60 "	242	237	214	221	241	232	208	197	209	223	286	246	262
{ 60-80 "	197	230	228	227	193	184	214	214	223	224	215	253	232
{ 80 years & upwards	40	38	44	42	38	39	35	31	53	43	39	55	51
" Under 1 year	464	457	480	497	475	416	361	352	353	331	311	331	321
" 1-5	220	223	216	219	229	184	146	146	159	159	171	160	163
" 5-20	84	98	105	104	83	85	84	80	88	81	95	83	81
Deaths from Small-pox	1	1	5	10	4	2	7	6	3	-	1	1	-
" Measles	57	58	50	33	34	27	18	13	9	13	7	9	10
" Scarlet fever	24	29	18	19	14	17	13	13	15	15	18	9	12
" Diphtheria	36	52	57	62	57	43	33	39	55	52	67	66	54
" Whooping-cough	43	35	26	35	30	22	26	15	20	25	15	7	13
" Typhus	-	1	-	-	-	-	-	-	-	1	-	-	-
" Enteric fever	8	5	6	11	6	11	8	13	10	7	13	13	20
" Simple Cont'd fever	-	-	-	-	-	-	-	1	-	-	-	-	-
" Diarrhoea and Dysentery	140	122	126	164	124	114	71	79	62	49	35	33	30
" Cholera	1	-	6	3	5	2	2	2	-	-	1	-	-
" all the above-mentioned Diseases	310	298	294	337	274	238	178	181	174	162	157	138	139
" Dis. of Respiratory System	124	160	144	151	144	148	123	134	143	172	184	215	241
" Phthisis	131	132	133	124	137	122	116	113	130	119	141	131	137
" Dis. of Circulatory System	96	106	95	91	113	102	93	90	82	106	111	101	102
Violent Deaths	61	57	71	61	62	59	52	56	55	51	49	52	57
Inquest Cases	132	113	131	115	124	82	92	114	102	97	107	120	121
Deaths in Public Institutions	379	420	412	412	404	390	371	369	401	377	412	368	416
TEMPERATURE OF THE AIR													
Mean	59·1	62·8	62·1	60·4	59·2	57·4	60·8	52·7	54·8	55·9	52·5	52·8	53·0
Mean of Highest readings	67·6	73·8	71·9	70·2	68·8	64·4	72·1	61·7	63·7	62·5	59·9	59·5	53·6
Mean of Lowest readings	53·0	54·4	55·7	55·3	53·0	52·0	52·2	44·8	47·7	51·0	46·3	47·5	43·5
Humidity of the Air	82	80	80	79	79	87	86	80	82	90	89	83	95
Rain-fall in inches	0·30	0·39	0·19	0·52	0·94	1·50	0·00	0·54	0·02	0·11	0·59	0·12	0·36
Registered Sunshine (in hours)	16·6	33·9	18·6	19·9	30·7	14·0	28·6	17·6	17·2	3·0	14·7	13·9	1·7

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Prestor, Esq., F.R.Met.Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bocbbey, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FIRST Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 41st Week of the 10 years 1884-93.*	In the Week ending Saturday, 13th October 1894.										CAUSES OF DEATH.	Corrected Averages for the 41st Week of the 10 years 1884-93.*	In the Week ending Saturday, 13th October 1894.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 and under 90.	90 Years and upwards.	ALL AGES.			Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 and under 90.	90 Years and upwards.		
			0-1.	1-6.	5-20.									0-1.	1-6.	5-20.							
ALL CAUSES - -	1460.4	1291	321	163	81	181	262	232	51		Diseases of Organs of Special Sense - - }	3.4	3	2	1	-	-	-	-	-	-		
Small-pox { Vaccinated† -	0.3	-	-	-	-	-	-	-	-		Diseases of Circulatory System - - }	121.6	102	1	2	6	12	29	47	5			
{ Unvaccinated -	0.1	-	-	-	-	-	-	-	-		Croup - - - - -	10.0	3	-	3	-	-	-	-	-			
{ No Statement -	0.8	-	-	-	-	-	-	-	-		Bronchitis - - - -	143.5	126	39	14	2	3	21	33	9			
Measles - - - - -	25.2	10	4	6	-	-	-	-	-		Pneumonia - - - -	80.3	89	31	22	1	11	14	8	2			
Scarlet Fever - -	26.8	12	-	8	4	-	-	-	-		Pleurisy - - - - -	4.9	2	-	1	-	-	-	-	-			
Typhus - - - - -	0.2	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System - - }	23.9	21	5	1	3	2	5	4	1			
Relapsing Fever -	-	-	-	-	-	-	-	-	-		Dentition - - - - -	8.3	6	4	2	-	-	-	-	-			
Influenza - - - -	1.8	8	-	-	1	-	1	1	-		Quinsy, Sore Throat -	2.3	3	-	1	2	-	-	-	-			
Whooping-cough -	21.2	13	5	8	-	-	-	-	-		Enteritis - - - - -	12.1	14	8	1	2	1	-	2	-			
Diphtheria - - - -	35.4	54	2	36	14	2	-	-	-		Peritonitis - - - -	6.6	3	-	-	1	2	-	-	-			
Simple Continued and Ill-defined Fever - }	0.3	-	-	-	-	-	-	-	-		Diseases of Liver - -	26.2	18	2	-	-	3	8	5	-			
Enteric Fever - - -	19.1	20	-	1	6	11	2	-	-		Other Diseases of Digestive System - }	31.9	21	6	-	1	4	6	3	1			
Cholera and Chol. Diarr.	1.1	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands - - }	2.3	5	1	-	-	1	2	1	-			
Diarrhoea, Dysentery -	47.9	30	22	7	-	-	1	-	-		Diseases of Urinary System - - }	39.3	36	1	1	2	4	11	15	2			
Remittent Fever - -	0.2	-	-	-	-	-	-	-	-		Diseases of Generative System - - }	5.3	5	-	-	-	1	3	1	-			
Hydrophobia - - -	-	-	-	-	-	-	-	-	-		Accidents of Childbirth -	4.2	6	-	-	-	5	1	-	-			
Glanders - - - - -	-	1	-	-	-	-	1	-	-		Diseases of Locomotive System - - }	5.7	3	-	-	2	-	-	1	-			
Cowpox and Effects of Vaccination - }	0.3	-	-	-	-	-	-	-	-		Diseases of Integumentary System - }	4.9	7	1	-	-	2	1	3	-			
Veneral Affections -	10.3	14	8	-	-	3	1	2	-		VIOLENT DEATHS.†												
Erysipelas - - - -	6.3	5	1	-	1	1	1	1	-		(ACCIDENT.)												
Pyæmia and Septicæmia	3.3	-	-	-	-	-	-	-	-		By Railways - - - -		-	-	-	-	-	-	-	-			
Puerperal Fever - -	6.2	2	-	-	-	-	-	-	-		By Vehicles or Horses -		4	-	-	1	1	1	1	-			
Other Zymotic Diseases	1.2	-	-	-	-	-	-	-	-		In Ships, Boats, Docks (exclusive of Drowning) - }		1	-	-	1	-	-	-	-			
Thrush - - - - -	2.2	-	-	-	-	-	-	-	-		In Building Operations -		1	-	-	-	1	-	-	-			
Worms and other Parasitical Diseases - }	0.9	-	-	-	-	-	-	-	-		In Conflagrations - -		-	-	-	-	-	-	-	-			
Starvation, Want of Breast-milk - - - }	1.8	2	2	-	-	-	-	-	-		By Burns, Scalds, Explosions - - - }		13	1	4	3	1	4	-	-			
Alcoholism - - - -	8.9	9	-	-	-	1	3	-	-		By Drowning - - - -		3	-	-	1	2	-	-	-			
Rheumatic Fever, Rheumatism of Heart }	8.4	9	-	1	2	5	-	1	-		By Suffocation in Bed -		9	9	-	-	-	-	-	-			
Rheumatism - - - -	2.2	1	-	-	-	-	-	1	-		By Poisons or Poisonous Vapours - - - - }		3	-	-	-	2	-	1	-			
Gout - - - - -	3.2	2	-	-	-	-	1	1	-		Other or not stated Causes - - - - }		18	4	2	1	2	8	1	-			
Rickets - - - - -	4.4	3	1	2	-	-	-	-	-		(VIOLENCE OTHER THAN ACCIDENTAL.)												
Cancer - - - - -	58.8	67	-	-	-	6	34	23	4		Homicide - - - - -	1.3	1	-	-	-	-	1	-	-			
Tubes Mesenterics -	37.2	30	13	3	1	-	2	1	-		Suicide - - - - -	6.4	4	-	-	-	3	-	1	-			
Tubercular Meningitis	23.4	21	6	11	4	-	-	-	-		Execution - - - - -	0.3	-	-	-	-	-	-	-	-			
Phthisis - - - - -	164.0	137	1	2	7	70	48	9	-		OTHER CAUSES - - -	61.2	50	46	2	-	1	-	1	-			
Scrofula, Tuberculosis	16.9	25	6	7	5	5	3	-	-														
Other Constitutional Diseases - }	12.5	17	-	1	1	2	8	5	-														
Premature Birth - -	41.8	44	44	-	-	-	-	-	-														
Atelectasis - - - -	3.3	3	3	-	-	-	-	-	-														
Congenital Malformations - }	6.4	3	2	1	-	-	-	-	-														
Old Age - - - - -	44.1	45	-	-	-	-	-	22	23														
Apoplexy - - - - -	45.7	26	-	-	1	1	13	9	2														
Epilepsy - - - - -	8.5	8	-	-	1	2	5	-	-														
Convulsions - - - -	43.3	33	32	5	1	-	-	-	-														
Other Diseases of Brain and Nervous System }	72.0	67	9	7	4	6	16	23	2														

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DYPHThERIA, WHOOPING-COUGH, TyPHUS, ENTERIC (or TyPHOID) FEVER, Simple non-venereal FEVER, DiARRHŒA, Violence, Inquest Cases, Deaths in Public Institutions during the Week end

The DEATHS registered in the Week include																				
REGISTRATION		Enu- merated Popu- lation 1891.	Total Births.	Total Deaths.	Deaths of														Inquest Cases.	Deaths in Public Institutions
SUB-DISTRICTS.					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON		4,211,743	2923	1291	321	283	-	10	12	54	13	-	20	-	30	57	121	416		
WEST DISTRICTS		740,735	316	212	42	51	-	2	2	6	3	-	6	-	1	9	19	68		
NORTH DISTRICTS		993,884	504	295	59	65	-	2	1	16	2	-	3	-	7	14	32	85		
CENTRAL DISTRICTS		247,538	140	84	15	17	-	2	1	1	-	-	4	-	1	4	5	32		
EAST DISTRICTS		705,114	461	234	79	36	-	-	-	7	-	-	3	-	11	9	23	92		
SOUTH DISTRICTS		1,524,472	902	461	128	102	-	4	4	23	8	-	4	-	10	21	40	104		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON		-	-	35	-	12	-	-	4	1	-	-	-	-	-	-	2	35		
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		84159	40	26	4	10	-	-	-	1	-	-	-	-	-	2	3	3		
St. John Paddington H - - - G.J.		33687	7	17	3	3	-	-	-	1	-	-	-	-	-	1	3	11		
Kensington Town W - - - W.M.		118751	40	39	6	13	-	1	1	-	2	-	1	-	1	4	13	-		
Brompton H - - - W.M. & C.		47557	10	10	-	3	-	-	-	-	-	-	-	-	-	-	4	-		
St. Peter Hammersmith - - - W.M.		8833	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.		88653	43	23	11	4	-	1	-	-	-	-	-	-	1	3	2	-		
Fulham W - - - W.M. & C.		91639	52	23	4	3	-	1	1	4	-	-	3	-	1	1	9	-		
Chelsea Kensal Town - - - C.		21787	15	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North WHHHH - - - C.		41637	19	19	1	2	-	-	-	-	-	-	-	-	-	-	1	13		
Chelsea South HH - - - C.		32820	10	5	1	2	-	-	-	-	-	-	-	-	1	1	1	-		
May Fair W - - - G.J.		23733	5	6	-	4	-	-	-	-	-	-	-	-	-	-	-	2		
Belgrave WHHH - - - C.		54631	25	16	3	2	-	-	-	1	-	-	1	-	-	-	-	7		
St. John Westminster HHH - - - C.		34106	18	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mark's Westminster H - - - C.		21688	5	7	-	3	-	-	-	-	-	-	-	-	1	1	4	-		
St. James Westminster WHH N.R. & G.J.		24995	9	5	3	1	-	-	-	-	-	1	-	-	-	-	-	-		
St. Anne Soho HHHHHH - - - N.R.		12317	7	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-		
NORTH DISTRICTS.																				
All Souls Marylebone } - - - W.M.		37713	17	15	2	3	-	-	-	-	-	-	-	-	1	1	2	7		
HHHHHHHH } - - - W.M.		20094	13	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
Rectory Marylebone W - - - G.J. & W.M.		19239	22	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-		
St. Mary Marylebone HHHH G.J. & W.M.		33327	10	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-		
Christchurch Marylebone H - - - W.M.		32101	9	11	6	2	-	-	-	-	-	-	-	-	-	1	-	-		
St. John Marylebone H - - - W.M.		68418	38	19	-	5	-	-	-	7	-	-	1	-	-	-	-	12		
Hampstead WWHHHH N.R. & W.M.		36590	6	8	1	2	-	-	-	-	1	-	-	-	-	-	-	-		
Regent's Park Pancras HH - - - W.M.		28321	16	21	4	3	-	-	-	1	-	-	-	-	3	4	10	-		
Tottenham-court WHHHH N.R. & W.M.		27455	14	10	4	-	-	-	-	-	-	-	-	-	1	1	2	3		
Gray's Inn Lane HHH - - - N.R.		32829	22	4	1	-	-	-	-	1	-	-	-	-	1	1	2	3		
Somers Town HH - - - N.R.		15419	16	11	2	4	-	-	-	-	-	-	-	-	1	2	2	9		
Camden Town WH - - - N.R.		95765	67	24	6	7	-	-	-	-	1	-	-	-	1	2	1	9		
Kensish Town W - - - N.R.		90235	49	32	5	14	-	-	-	-	-	-	-	-	1	-	-	15		
Upper Holloway WWHHH - - - N.R.		105557	47	14	2	4	-	-	-	-	-	-	-	-	1	1	3	-		
Islington South-west H - - - N.R.		84153	18	9	4	-	-	-	-	1	-	-	-	-	1	-	4	-		
Islington South-east - - - N.R.		59198	26	12	6	2	-	-	-	-	-	-	-	-	1	-	-	-		
Highbury HH - - - N.R.		30933	23	8	2	2	-	-	-	-	-	-	-	-	1	1	-	-		
Stoke Newington H - - - N.R.		17759	6	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
Stamford Hill - - - E.L.		42902	28	10	2	1	-	-	-	1	-	-	-	-	-	-	1	-		
West Hackney H - - - N.R.		98486	45	33	7	8	-	1	1	5	-	-	2	-	-	-	3	-		
Hackney WWHHH - - - E.L. & N.R.		41789	22	8	2	5	-	1	-	-	-	-	-	-	2	4	14	-		
South Hackney W - - - E.L.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																				
St. George Bloomsbury - - - N.R.		16095	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - - - N.R.		13454	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3		
St. Giles North H - - - N.R.		9633	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
St. Martin-in-the-Fields HH N.R. & C.		14616	2	5	-	1	-	-	-	-	-	-	1	-	-	1	1	-		
St. Mary-le-Strand H - - - N.R.		5706	1	2	2	-	-	-	-	-	-	-	1	-	-	1	1	-		
St. Clement Danes WH - - - N.R.		7194	8	10	1	1	-	-	-	-	-	-	1	-	-	1	-	8		
Strand Union Workhouse, Edmonton &c.		-	-	2	-	2	-	-	-	-	-	-	1	-	-	-	-	2		
St. Geo.-the-Martyr HHHHHH N.R.		17921	4	14	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Andrew Eastern W - - - N.R.		15343	11	-	-	-	-	-	-	1	-	-	-	-	-	1	2	9		
St. James Clerkenwell - - - N.R.		16803	13	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - - - N.R.		16888	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pentonville - - - N.R.		17155	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Gooswell-street - - - N.R.		15375	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
City-road HHHH - - - N.R.		29177	26	12	3	1	-	2	1	-	-	-	-	-	-	-	-	-		
Whitecross-street - - - N.R.		8278	5	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-		
Finsbury - - - N.R.		4985	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, Mitcham &c.		-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2		
St. Botolph H - - - N.R. & E.L.		8944	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cripplegate - - - N.R.		4539	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - - - N.R.		4444	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Bride W - - - N.R.		6594	-	2	-	-	-	-	-	-	-	-	2	-	-	-	1	6		
A. Hallows Barking - - - N.R.		10422	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - - - N.R.		3377	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
City of London Asylum, Stone		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; Z—Private Lunatic Asylum in which paupers are received; u—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L. East London; and K. the Kent Company.

* See note on first page of this Return.

, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
ay, 13th October, 1894.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1891.	The DEATHS registered in the Week include																
			Total Births.	Total Deaths.	Deaths from														
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipel (or Typhoid) Fever.	Simple cold- induced fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																			
Edith South	HL*	E.L. & N.R.	20098	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1
on New Town	W	- N.R.	29313	17	15	3	8	-	-	-	-	-	-	-	-	-	-	12	-
on Old Town	-	- N.R.	28354	29	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
gerton	WH	- N.R. & E.L.	46244	33	15	7	2	-	-	1	-	-	-	-	1	-	-	7	-
nal Green North	H	- E.L.	51820	37	9	3	-	-	-	-	-	-	-	-	-	-	-	1	-
nal Green South	-	- E.L.	33489	27	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green East	WHL*	- E.L.	44123	37	22	5	7	-	-	-	-	-	-	-	1	2	3	13	-
elfields	-	- E. N.R.	22456	17	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
End New Town	W	- E.L.	17908	12	6	3	-	-	-	-	-	-	-	-	-	-	-	2	-
te chapel Church	H	- E.L. & N.R.	20298	14	32	3	2	-	-	2	-	-	2	-	2	3	5	39	-
man's Fields	-	- E.L.	13800	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North	-	- E.L.	87738	22	6	2	-	-	-	1	-	-	-	-	1	-	1	-	-
ohn, St. George East	W	- E.L.	8057	4	4	1	1	-	-	-	-	-	-	-	-	1	2	1	-
owell	H	- E.L. & N.R.	10246	6	10	3	-	-	-	-	-	-	-	-	-	1	1	6	-
llin	W	- E.L.	14928	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
ehouse	-	- E.L.	32202	27	10	8	-	-	-	-	-	-	-	-	2	-	-	-	1
End Old Town West	H	- E.L.	38650	31	5	4	1	-	-	-	-	-	-	-	-	-	1	-	-
End Old Town East	WWH	- E.L.	68942	37	25	7	6	-	-	2	-	-	-	-	2	-	1	5	-
L*	-	- E.L.	40365	29	7	5	-	-	-	-	-	-	-	-	-	-	1	-	-
unley'	WWH	- E.L.	70000	47	26	7	5	-	-	-	-	1	-	-	-	-	1	13	-
ar. WW	-	- E.L.	56383	24	15	4	2	-	-	1	-	-	-	-	1	2	4	2	-
SOUTH DISTRICTS.																			
stchurch Southwark	WH	L. & S.	18264	6	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-
Saviour Southwark	-	- S.	13913	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
st-road	-	- S. & L.	21867	14	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-
ough-road	HL	- S. & L.	16524	10	7	2	-	-	-	1	-	-	-	-	1	1	2	4	-
don-road	HL	- L. & S.	21221	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ity Newington	-	- S. & L.	28596	16	7	5	1	-	-	-	-	-	-	-	-	2	2	-	-
Peter Walworth	W	- S. & L.	61342	19	17	8	4	-	-	1	-	-	1	-	-	-	1	1	2
Mary Newington	-	- L. & S.	27866	11	4	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Olave	WH	- S.	12723	8	9	2	1	-	-	-	-	-	-	-	1	3	3	6	1
ther Market	W	- S. & L.	30612	27	11	2	2	-	-	-	-	-	-	-	-	1	1	1	-
James Bermondsey	-	- S.	54070	42	11	5	1	-	-	-	-	-	-	-	3	-	-	-	-
harbithe	WHW	- S. & K.	82255	27	18	3	4	-	-	-	-	-	-	-	-	1	1	8	-
terloo-road 1st	H	- L. & S.	14031	13	11	4	1	-	-	-	-	-	-	-	-	3	3	2	1
terloo-road 2nd	H	- L. & S.	14644	15	16	1	1	-	-	-	-	-	-	-	-	-	-	-	-
mbeth Church 1st	H	- L. & S.	18075	16	16	1	2	-	-	-	-	-	-	-	-	-	3	11	-
mbeth Church 2nd	WW	- L. & S.	30497	33	19	4	5	-	-	-	-	-	-	-	-	-	-	-	-
nington 1st	H	- S. & L.	50536	32	17	3	8	-	-	-	-	-	-	-	-	-	-	13	1
nington 2nd.	-	- S. & L.	39708	23	3	3	-	-	-	1	-	-	-	-	-	-	-	1	-
nton W	-	- L. & S.	73405	32	20	5	4	-	-	-	-	-	-	-	1	-	-	1	-
wood	WH	- L.	25667	14	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
st Battersea	-	- S.	67244	29	20	9	2	-	-	-	-	-	-	-	1	-	-	-	-
st Battersea	WWH	- S.	83314	46	27	7	6	-	-	-	1	-	-	-	-	2	3	5	-
pham	H	- S.	43698	26	15	2	7	-	-	-	-	-	-	-	1	-	1	1	-
ndsworth	WHL	- S.	46717	33	10	2	2	-	-	-	-	-	-	-	-	-	-	1	-
ney	-	- S.	17771	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
atham	WWW	- L.	48756	11	11	-	-	-	-	-	6	-	-	-	-	-	-	6	-
wich	-	- L. & S.	6909	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nderwell	WOL*	- S. & L.	81686	40	49	12	16	-	1	-	4	-	-	-	-	1	3	23	1
skham	WW	- S. L. & K.	83483	42	21	5	6	-	-	1	-	1	-	-	-	-	2	-	-
George Camberwell	-	- L. & S.	63366	42	15	6	3	-	-	-	-	-	-	-	-	1	4	-	1
ptford, North	-	- K.	55314	36	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
ptford, Central	W	- K.	42007	30	16	4	1	-	1	2	5	2	-	-	-	-	-	7	1
ptford, South	-	- K.	80652	30	7	5	1	3	-	-	-	-	-	-	-	-	-	-	-
enwich West	H	- K.	22007	16	5	1	2	-	-	-	-	-	1	-	-	-	-	-	-
enwich East	WH	- K.	55223	22	16	-	5	-	-	-	-	-	1	-	-	-	1	8	-
ham WII	-	- K.	5682	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
e H	-	- K.	23541	6	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-
wiccam	WH	- K.	30950	10	7	2	2	-	-	-	-	-	-	-	-	-	-	1	-
enham	H	- L.	34162	10	7	1	3	-	-	-	-	1	-	-	-	-	-	-	-
arton HH	-	- K.	14040	6	5	2	1	-	2	-	-	-	-	-	-	-	-	-	-
olwich Dockyard	-	- K.	19606	11	3	1	-	-	-	-	-	-	-	-	-	1	1	-	1
olwich Arsenal	HH	- K.	21242	14	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
instead, West	H	- K.	15869	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
instead, East	W	- K.	86567	23	7	3	-	-	-	-	1	-	-	-	1	2	1	-	-
instead Asylum	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5	6
erham Asylum	-	-	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	6	-
ne Hill Asylum	-	-	-	-	5	-	3	-	-	-	-	-	-	-	-	1	1	-	-
spital Ship and Camp, Dartford	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-
renth Asylum	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
well Asylum	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
ney Hatch Asylum	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	1	2	-	-
E. Hospital	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
ashmore Hill Hospital	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
avenden Asylum	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
ybury Asylum	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	5	-

The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Market.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 13th October, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 15 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Dysentery.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Unjust Cases.	Deaths in Public Institutions.	
LONDON—OUTER RING		368,746	1,422,063	773	355	92	100	1	2	5	17	2	5	6	17	26	41	
30:1	Carchalton WHH -	12228	26103	11	3	1	-	-	-	-	-	-	1	-	1	1	-	
2	Epsom, part of* WHH -	10423	12303	1	4	-	2	-	-	-	-	-	-	-	-	-	3	
37:1	Goldstone, part of* W -	754	1593	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
33:1	Croydon WHH -	20351	128699	12	9	3	11	-	-	-	1	1	-	-	1	4	4	
2	Mitcham W -	11697	23093	7	3	-	-	-	-	-	-	-	-	-	-	-	-	
39:1	Wimbledon HHH -	3220	25761	18	6	-	4	-	-	-	-	-	-	-	1	1	-	
2	Kiazetm WHH -	8071	44765	14	13	3	6	-	-	-	-	-	-	-	2	3	1	
3	Esher, part of,* -	6601	12059	4	3	-	3	-	-	-	-	-	-	-	-	-	-	
4	Hampton H -	4555	13252	7	3	1	-	-	-	-	-	-	-	-	-	-	1	
40:1	Richmond WH -	2160	25339	17	8	3	3	-	-	-	-	-	-	-	-	-	2	
2	Mortlake H -	2323	18159	5	2	-	1	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley HHH -	9127	23815	8	9	-	6	-	-	-	-	-	-	-	1	1	-	
2	Beckenham H -	6542	21969	10	2	-	2	-	-	-	-	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH -	14307	20372	14	5	-	1	-	-	-	-	-	-	-	1	1	-	
42:1	Bexley HHH -	12540	30590	22	9	2	1	-	-	-	1	-	-	-	-	-	-	
2	Dartford Work., pt. of*-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1	
124:1	Sunbury W -	11054	13871	8	4	1	1	-	-	-	-	-	-	-	1	1	-	
2	Staines W -	13277	13221	6	5	1	2	-	-	-	-	-	-	-	-	-	3	
125:1	Hillingdon WHH -	6035	12237	13	3	1	2	-	-	-	-	-	-	-	-	-	2	
2	Uxbridge -	6172	5617	10	4	1	3	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH -	14537	12613	2	7	1	2	-	-	-	1	-	-	-	-	-	-	
123:1	Isleworth WHH -	6967	23273	10	10	4	3	-	-	-	-	-	-	-	-	-	2	
2	Twickenham HH -	2415	16027	15	6	-	2	-	1	-	-	-	-	-	-	-	1	
3	Brentford HHHH -	4318	37777	14	8	2	1	-	-	-	-	-	-	-	2	2	-	
4	Chislewick -	1245	21963	14	4	1	-	-	-	-	-	-	-	-	-	-	-	
5	Aston WH -	6132	30945	14	10	2	4	-	-	1	-	-	-	-	-	-	-	
127:1	Harrow HHH -	13809	15715	6	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware HH -	6994	3344	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH -	4383	61265	35	10	4	-	-	-	-	-	-	1	1	1	1	-	
4	Hendon W -	8332	15843	7	18	1	2	-	-	-	-	-	-	-	1	1	2	
129:1	South Mimms -	1559	8474	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet WHH -	5441	11773	-	3	-	1	-	-	-	-	-	-	-	-	1	2	
3	Finchley HHH -	4638	25821	19	6	3	2	-	-	-	-	-	-	-	-	-	-	
129:1	Hornsey HH -	3039	61097	33	10	3	3	-	-	-	-	-	-	-	-	-	-	
2	Tottenham H -	4542	97174	65	16	6	1	-	-	-	-	-	-	-	-	1	-	
3	Edmonton WH -	7489	36351	18	13	3	3	-	-	-	-	-	-	-	-	1	3	
4	Enfield WWHH -	12639	31803	13	10	3	7	-	-	-	-	-	-	-	-	-	3	
5	Waltham Abbey -	11017	6056	6	1	-	1	-	-	-	-	-	-	-	-	-	-	
6	Chesham H -	8430	9620	9	4	3	1	-	-	-	-	-	-	-	-	-	-	
135:1	Hatfield, part of* W -	3906	532	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Bashey H -	9331	7737	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford H -	1100	42983	35	5	1	-	-	-	-	-	-	-	-	2	2	-	
2	Plaistow HHHH -	1242	58030	44	21	9	2	-	-	-	3	-	1	1	-	-	-	
3	Canning Town H -	1558	54750	40	15	3	1	-	1	-	3	-	-	1	3	3	3	
4	Forest Gate W -	806	49140	33	13	5	4	-	-	2	-	-	-	1	-	-	-	
5	East Ham W -	3266	32713	23	15	2	1	-	-	1	4	-	1	-	-	-	-	
6	Leyton WWH -	4324	70138	43	31	9	8	-	2	2	2	-	1	2	-	-	9	
7	Walthamstow HHL -	6501	57330	44	10	8	2	-	-	-	1	-	-	-	-	-	1	
137:1	Chigwell, part of* H -	11779	12941	10	2	1	1	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139:1	Romford, part of* WHH -	6556	4324	4	2	-	-	-	-	1	-	-	-	-	-	1	-	
2	Ilford -	8493	10913	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town H -	3314	14301	13	3	1	-	-	-	-	-	-	-	-	-	-	-	
4	Metro. Asy. Hosps. -	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 37: 2, Epsom sub-district, except the parishes of Ashstead and Hadley (pop. 1763); 37: 1, the parishes of Warrington and Farley in Epsom sub-district; 39: 3, Esher sub-district, except the parishes of Ashstead and Hadley (pop. 2332); 41: 3, Chislehurst sub-district, except the parishes of Chislehurst Cadnam, and Knockholt (pop. 3997); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1879); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 1, Dartford; 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 13th October, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															
			From All Causes.	From Diseases in Cols. 3-14.		Deaths of		Deaths from													
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.					
ATER LONDON	443,421	5,948,300	14.4	1.5	1646	413	383	-	12	17	71	15	25	36	74	460					
INNER LONDON -	74,672	4,349,166	15.5	1.7	1291	321	283	-	10	12	54	13	20	30	57	416					
UTER RING -	368,749	1,599,134	11.6	1.3	355	93	100	-	2	5	17	2	5	6	17	44					

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH -	270,588	October 13	151	89	17.2	-	-	3	2	1	-	5	
GLASGOW -	686,820	" 13	439	270	20.5	-	4	7	6	4	5	10	
DUBLIN -	349,594	" 13	166	144	21.5	2	-	-	1	2	7	3	
CALCUTTA -	466,460	September 1	-	248	27.7	3	-	-	-	-	99	47†	
BOMBAY -	821,784	" 13	263	517	32.7	2	2	?	?	?	112	56†	
AMSTERDAM -	452,518	" 7	308	336	38.6	-	1	?	?	?	130	45	
ST. PETERSBURG -	2,424,705	October 6	1100	795	17.0	-	-	2	7*	6	8	66	
BRUSSELS -	498,400	" 6	244	137	14.3	-	-	1	2*	5	2	23	
AMSTERDAM -	446,295	" 6	280	120	13.9	-	-	-	1	-	3	2†	
AMSTERDAM -	228,597	" 6	150	59	13.4	1	-	-	-	1	-	-	
THE HAGUE -	174,790	" 6	117	59	17.5	-	-	-	2	-	-	1	
COPENHAGEN -	341,000	" 6	177	105	16.1	-	5	6	2	1	-	6	
STOCKHOLM -	252,937	September 29	136	70	14.4	-	1	3	1	1	1	4	
CHRISTIANIA -	167,588	October 6	42	52	16.1	-	1	-	1	4	-	8	
ST. PETERSBURG -	954,400	September 22	658	347	19.0	1	9	10	16	7	4	53†	
GLASGOW -	753,469	" 29	-	486	33.6	-	3	8	18	4	6	79	
DUBLIN -	1,714,938	" 22	911	529	16.2	-	1	5	31	3	2	65	
GLASGOW -	598,372	October 6	-	193	16.8	-	1	6	13*	-	-	9	
EDINBURGH -	312,772	September 8	179	123	20.2	-	1	-	4*	-	-	35	
AMSTERDAM -	360,660	October 15	208	127	20.9	-	-	-	3	1	1	27	
AMSTERDAM -	390,000	October 6	-	160	23.2	-	-	1	10*	1	3	17	
AMSTERDAM -	390,000	" 6	-	177	23.6	-	-	2	6*	6	-	35	
AMSTERDAM -	1,465,537	" 6	817	502	17.8	-	2	8	22*	1	1	48	
AMSTERDAM -	339,172	September 29	242	118	18.1	-	1	-	1	-	2	3	
AMSTERDAM -	552,769	" 29	379	236	22.2	5	3	2	3	-	2	22	
AMSTERDAM -	159,739	" 22	108	71	24.0	-	-	1	3*	-	-	6	
AMSTERDAM -	455,678	" 8	201	145	16.6	-	2	-	-	-	6†	16	
AMSTERDAM (10 days)	337,997	" 20	207	136	14.2	-	-	-	5	1	1	13	
AMSTERDAM -	160,406	" 22	76	52	16.9	-	-	-	-	-	-	7	
AMSTERDAM -	374,838	" 13	432	347	48.1	-	-	-	1*	5	10	126	
AMSTERDAM -	231,396	" 13	182	164	36.9	-	-	-	4*	1	4	50	
NEW YORK -	1,925,569	" 29	-	703	18.6	2	2	2	31	3	10	68	
BROOKLYN -	1,043,000	" 29	-	367	18.1	-	-	-	15	10	2	45	
PHILADELPHIA -	1,139,457	" 22	-	378	17.3	-	-	-	22	4	10	28	
NEW ORLEANS -	254,000	" 15	-	-	-	-	-	-	-	-	-	-	

* Including deaths from croup.

† Including 5 deaths from cholera in Calcutta, 3 in Bombay, 2 in Amsterdam, and 21 in St. Petersburg.

‡ Including 8 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 13TH OCTOBER, 1894.

[Under the Superintendence of the Astronomer Royal.]

1894. Month and Day.		TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is situated above the Ground. 10 Years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		Phases of the Moon.		Baro- meter.		Of the Air.				Difference between the Air Temperature and Dew Point.		Of the Earth's Radiation.		General Direction.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				Mean reading daily	and re- duced to 32° Fahren- heit).	High- est.	Low- est.	Daily Range.	Mean value.	De- parture from Average value. 50 years.	Mean daily value.	Greatest est.	Least.	Highest Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Greatest. est.	Mean of 24 Hours obs.	Horizontal Movement of the Air on each Day.	Depart- ure from Average of the Month.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
OCTOBER.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

GENERAL REMARKS.

DATE.	ELECTRICITY. (For explanation of symbols, see Notes.)	Registered Sun above Sunshine, in hours.	Remarks.
OCTOBER.			
SUNDAY	7 w. P. generally.	0° 0	Overcast till evening; afterwards cloudless; fog in morning and again at night.
MONDAY	8 v. P. in morning; v. P. and v. N. afterwards.	0° 1	Fine during the day; dense fog in morning and evening.
TUESDAY	9 w. P. in morning; v. P. and w. N. afterwards.	0° 0	Overcast; foggy and damp.
WEDNESDAY	10 w. P. generally	0° 0	Overcast; frequent rain.
THURSDAY	11 w. P. generally	0° 0	Overcast; occasional rain in morning; great gloom at 8.30 A.M.; generally foggy till afternoon.
FRIDAY	12 v. P. throughout	1° 6	Overcast till 11 p.m.; few light clouds prevalent till 5 p.m.; overcast afterwards; variable fog in evening.
SATURDAY	13 v. P. till evening; w. N. at night.	0° 0	Dense fog prevailed in morning; fine and partially cleared during the day; overcast at night. Gentle rain after 10 p.m.
		Sum 1° 7	Sum 75° 9

The results apply to the civil day or from midnight to midnight.

The basis of the system of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; 10h. 30m. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1875 for the barometer, and during the twenty years ending 1893 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: +P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29° 75 in. at the beginning of the week to 30° 05 in. by 9h. P.M. on the 9th; decreased to 29° 48 in. by 3h. P.M. on the 10th; increased to 30° 13 in. by 9h. A.M. on the 12th; and decreased to 29° 57 in. by the end of the week.

WEEKLY RETURN

OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 42. 1894. VOL. LV.]

WEEK ENDING SATURDAY, OCTOBER 20.

[Price 1½d.]

General Register Office, Somerset House,
October 22nd, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·0 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.		Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.
Birkenhead	11·4	13·3	11·4	15·8	Liverpool	22·8	23·7	23·1	22·9
Birmingham	16·3	13·0	16·8	16·4	London	15·3	15·4	15·5	15·9
Blackburn	14·9	19·5	16·6	18·7	Manchester	17·9	19·1	20·3	21·6
Bolton	18·5	12·8	23·4	21·2	Newcastle-on-Tyne	20·9	19·9	17·3	13·7
Bradford	16·1	14·2	17·7	16·8	Norwich	13·8	14·3	11·4	12·3
Brighton	13·2	14·5	11·9	18·4	Nottingham	17·5	14·9	16·3	18·2
Bristol	11·7	14·3	18·9	16·1	Oldham	16·2	18·4	18·8	19·9
Burnley	12·4	16·2	16·2	24·3	Plymouth	16·0	10·1	19·6	11·9
Cardiff	18·6	11·9	11·9	16·8	Portsmouth	12·5	15·2	15·2	15·6
Croydon	10·7	10·7	9·3	15·4	Preston	22·5	22·5	26·2	15·9
Derby	14·3	11·6	16·4	16·4	Salford	17·0	18·7	20·0	15·2
Gateshead	19·5	13·4	15·6	16·8	Sheffield	19·1	17·4	17·9	18·3
Halifax	20·2	18·0	19·7	21·9	Sunderland	20·7	19·5	22·2	22·6
Huddersfield	14·3	17·5	15·4	17·5	Swansea	18·6	12·6	18·6	20·8
Hull	18·1	15·0	16·9	18·9	West Ham	11·8	13·4	13·8	14·0
Leeds	14·1	16·5	16·0	16·2	Wolverhampton	19·6	20·2	16·6	14·1
Leicester	8·0	10·8	12·7	11·9					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·4 in Sheffield, 1·5 in Portsmouth, 1·9 in Sunderland, 2·2 in Hull, and 2·8 in Gateshead; from *scarlet fever*, 1·6 in Huddersfield; from *whooping-cough*, 1·1 in Swansea and 1·4 in Croydon; from "*fever*", 1·1 in Derby; and from *diarrhoea*, 1·3 in Bolton, 1·5 in Sunderland, and 1·8 in Wolverhampton. The 94 deaths from *diphtheria* included 61 in London, 9 in West Ham, 6 in Liverpool, 3 in Bristol, 2 in Cardiff, and 2 in Sheffield. Four deaths from *small-pox* were registered in Birmingham, but not one death in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2516 BIRTHS and 1326† DEATHS were registered. Allowing for increase of population, the births were 181, and the deaths 275, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·3, 15·4, and 15·5 in the preceding

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

three weeks, further rose last week to 15·9. During the four weeks ending on Saturday last the death-rate averaged 15·5 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1326 deaths included 8 from measles, 18 from scarlet fever, 61 from diphtheria, 10 from whooping-cough, 17 from enteric fever, 26 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 140 deaths were referred to these diseases, being 46 below the corrected average weekly number.

There were 57 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 3 in the Highgate Small-pox Hospital, making a total of 60, against 98, 84, and 63 on the preceding three Saturdays; 11 cases were admitted during the week, against 14, 11, and 8 in the preceding three weeks. The deaths from *measles*, which had been 7, 9, and 10 in the preceding three weeks, numbered 8 last week, and were but one-fourth of the corrected average. The deaths from *scarlet fever*, which had been 18, 9, and 12 in the preceding three weeks, increased again last week to 18, but were 12 below the corrected average; 2 belonged to Fulham, 2 to Pancras, 2 to Islington, and 2 to Lambeth sanitary areas. The Metropolitan Asylum and London Fever Hospitals* contained 2214 scarlet-fever patients at the end of last week, against 2084, 2145, and 2171 on the preceding three Saturdays; 261 cases were admitted during the week, against 258 and 262 in the preceding two weeks. The deaths from *diphtheria*, which had been 67, 66, and 54 in the preceding three weeks, increased again last week to 61, exceeding the corrected average by 23; 9 belonged to Camberwell, 6 to Greenwich, 5 to Kensington, 4 to Hammersmith, and 4 to Islington sanitary areas. The Metropolitan Asylum Hospitals* contained 521 diphtheria patients at the end of last week, against 496, 501, and 521 on the preceding three Saturdays; 96 cases were admitted during the week, against 98 and 106 in the preceding two weeks. The deaths from *whooping-cough*, which had been 15, 7, and 13 in the preceding three weeks, numbered 10 last week, and were 15 below the corrected average. The fatal cases of *enteric fever*, which had been 13, 13, and 20 in the preceding three weeks, numbered 17 last week, being almost identical with the corrected average; 3 belonged to Islington and 3 to Camberwell sanitary areas. The Metropolitan Asylum Hospitals* contained 86 cases of enteric fever and one case of typhus on Saturday last; 10 cases of enteric fever were admitted during the week, against 9 and 15 in the preceding two weeks. The deaths from *diarrhœa*, which had steadily declined in the preceding six weeks from 79 to 30, further fell last week to 26, this number being 15 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had gradually risen in the preceding seven weeks from 123 to 241, further increased last week to 287, but were 42 below the corrected average.

The deaths attributed directly to *influenza* numbered 6, having been 2, 6, and 3 in the preceding three weeks.

Different forms of violence caused 57 deaths, concerning all of which inquests were held. Of these 57 deaths, 15 were cases of suicide, and one death was a case of homicide, while the remaining 41 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 4 to drowning, 3 to poison, and 3 (including 2 of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3372 births and 1670 deaths were registered, corresponding to annual rates of 29·6 and 14·6 per 1000 of the estimated population. In the Outer Ring 16 deaths from diphtheria, 8 from whooping-cough, and 4 each from measles, scarlet fever, "fever," and diarrhœa were recorded. Of the 16 deaths from diphtheria, 10 occurred in West Ham district, and 3 in Edmonton district. Three deaths from whooping-cough were registered in Croydon district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·72 inches, and that of the Thermometer 44°·3, the latter being 5°·3 below the week's average in the 50 years 1841-90. The direction of the wind was Northerly, the horizontal movement of the air being 22 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 7·3 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, IN 33 GREAT TOWNS, during the week ending 20th October 1894.

CITIES AND BOROUGH.	POPULATION estimated to the middle of 1894.*	Registered during the week ending 20th Oct. 1894.			Deaths of		Deaths from										Annual Rate per 1000, corresponding to the Week's Deaths				TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		1.	2.	3.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Typhoid.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	From All Causes.	From Cancer.	Coldest.	Warmest.	Mean.	Contingent.	In Inches.	In Gentle.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.	Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
33 TOWNS	10,458,442	6105	3405	1326	350	303	4	69	52	94	38	42	89	127	255	663	60	17.0	1.7	56.0	30.5	44.3	6.83	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-	-	0.19	0.48	-

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-SECOND Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2812	2572	2647	2568	2459	2518	2412	2562	2446	2559	2697·1	2516
Males . .	1436	1282	1352	1304	1280	1287	1253	1276	1230	1248	1366·5	1303
Females .	1376	1290	1295	1264	1179	1231	1159	1286	1216	1311	1330·6	1213
TOTAL Deaths	1517	1458	1406	1566	1641	1410	1741	1428	1449	1554	1601·1	1326
Males . .	777	742	714	809	854	721	892	711	783	803	824·4	693
Females .	740	716	692	757	787	689	849	717	666	746	776·7	633

* The numbers in this column are the average weekly numbers in the forty-second weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.
TOTAL Births	2419	2695	2200	2665	2361	2704	2369	2569	2358	2403	2532	2323	2516
TOTAL Deaths	1437	1464	1450	1428	1284	1198	1175	1241	1211	1277	1287	1291	1326
Ages at Death													
{ 0-20 years	783	801	820	787	685	591	578	600	571	577	574	565	617
{ 20-40 "	149	177	140	169	144	150	155	156	145	160	159	181	170
{ 40-60 "	237	214	221	241	232	208	197	209	238	286	246	262	236
{ 60-80 "	230	223	227	193	184	214	223	224	215	253	232	237	237
{ 80 years & upwards	38	44	42	38	39	35	31	53	43	39	55	51	66
Deaths from Small-pox	1	5	10	4	2	7	6	3	-	1	1	-	-
" " Measles	53	50	33	34	27	18	13	9	13	7	9	10	8
" " Scarlet fever	29	18	19	14	17	13	13	15	15	18	9	12	18
" " Diphtheria	52	57	62	57	43	33	39	55	52	67	66	54	61
" " Whooping-cough	35	26	35	30	22	26	15	20	25	15	7	13	10
" " Typhus	1	-	-	-	-	-	-	-	1	-	-	-	-
" " Enteric fever	5	6	11	6	11	8	13	10	7	13	13	20	17
" " Simple Cont'd fever	-	-	-	-	-	-	1	-	-	-	-	-	-
" " Diarrhoea and Dysentery	122	126	164	124	114	71	79	62	49	35	33	30	26
" " Cholera	-	6	3	5	2	2	2	-	-	1	-	-	-
" " all the above-mentioned Diseases	298	294	337	274	238	178	181	174	162	157	138	139	140
" " Dis. of Respiratory System	160	144	151	144	148	123	134	143	172	184	215	241	287
" " Phthisis	132	133	124	137	122	116	113	130	119	141	131	137	135
" " Dis. of Circulatory System	106	95	91	113	102	93	90	82	106	111	101	102	93
Violent Deaths	57	71	61	62	59	52	56	55	51	49	52	57	57
Inquest Cases	113	131	115	124	82	92	114	102	97	107	120	121	118
Deaths in Public Institutions	420	412	412	404	390	371	369	401	377	412	368	416	392
TEMPERATURE OF THE AIR													
Mean	62·8	62·1	60·4	59·2	57·4	60·8	52·7	54·8	55·9	52·5	52·8	53·0	44·3
Mean of Highest readings	73·8	71·9	70·2	68·8	64·4	72·1	61·7	63·7	62·5	59·9	59·5	58·6	50·9
Mean of Lowest readings	54·4	55·7	55·3	53·0	52·0	52·2	46·8	47·7	51·0	46·3	47·5	49·5	38·4
Humidity of the Air	80	80	79	79	87	86	80	82	90	89	83	95	85
Rain-fall in inches	0·39	0·19	0·52	0·94	1·50	0·00	0·54	0·02	0·11	0·59	0·12	0·36	0·19
Registered Sunshine (in hours)	33·9	18·6	19·9	30·7	14·0	28·6	17·6	17·2	3·0	14·7	13·9	1·7	7·3

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met.Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbier, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 2. LONDON.--DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SECOND Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 42nd Week of the 10 years 1884-93.*	In the Week ending Saturday, 20th October 1894.										CAUSES OF DEATH.	Corrected Averages for the 42nd Week of the 10 years 1884-93.*	In the Week ending Saturday, 20th October 1894.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.		40 and under 60.		60 and under 80.				80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.		40 and under 60.		60 and under 80.
		0-1.	1-5.	5-20.									0-1.	1-5.	5-20.								
ALL CAUSES -	1601.1	1326	350	182	85	170	236	237	63														
Small-pox { Vaccinated†	0.1	-	-	-	-	-	-	-	-														
Small-pox { Unvaccinated	0.7	-	-	-	-	-	-	-	-														
Small-pox { No Statement	0.2	-	-	-	-	-	-	-	-														
Measles -	31.4	8	1	6	-	1	-	-	-														
Scarlet Fever -	50.9	18	1	12	4	1	-	-	-														
Typhus -	0.2	-	-	-	-	-	-	-	-														
Relapsing Fever -	-	-	-	-	-	-	-	-	-														
Influenza -	1.6	6	2	-	2	-	2	-	-														
Whooping-cough -	25.1	10	3	7	-	-	-	-	-														
Diphtheria -	37.7	61	5	84	19	2	-	1	-														
Simple Continued and Ill-defined Fever -	1.2	-	-	-	-	-	-	-	-														
Enteric Fever -	17.5	17	-	1	6	8	2	-	-														
Cholera and Chol. Diarr.	0.5	-	-	-	-	-	-	-	-														
Diarrhoea, Dysentery -	47.8	23	16	8	-	-	-	1	1														
Remittent Fever -	-	-	-	-	-	-	-	-	-														
Hydrophobia -	0.2	-	-	-	-	-	-	-	-														
Glanders -	-	-	-	-	-	-	-	-	-														
Cowpox and Effects of Vaccination -	0.3	-	-	-	-	-	-	-	-														
Veneral Affections -	11.2	12	9	1	-	1	1	-	-														
Erysipelas -	8.3	5	2	-	-	-	1	2	-														
Pysymia and Septicæmia -	3.0	2	1	-	-	-	1	-	-														
Puerperal Fever -	7.3	2	-	-	1	1	-	-	-														
Other Zymotic Diseases -	1.5	-	-	-	-	-	-	-	-														
Thrush -	2.1	-	-	-	-	-	-	-	-														
Worms and other Parasitical Diseases -	0.4	1	-	-	1	-	-	-	-														
Starvation, Want of Breast-milk -	1.7	4	3	-	-	-	-	1	-														
Alcoholism -	7.0	8	-	-	-	5	3	-	-														
Rheumatic Fever, Rheumatism of Heart -	11.5	2	-	-	1	1	-	-	-														
Rheumatism -	2.5	1	-	-	-	-	1	-	-														
Gout -	3.0	3	-	-	-	-	1	2	-														
Rickets -	3.1	3	2	1	-	-	-	-	-														
Cancer -	63.0	60	1	-	-	4	31	27	1														
Tabes Mesenterica -	32.0	25	17	6	-	1	1	-	-														
Tubercular Meningitis -	23.3	10	4	4	2	-	-	-	-														
Phthisis -	181.1	135	1	1	13	71	39	9	1														
Serofula, Tuberculosis -	17.3	20	7	5	4	2	2	-	-														
Other Constitutional Diseases -	11.8	9	-	-	-	1	4	4	-														
Premature Birth -	48.5	46	45	-	-	-	-	-	-														
Atelectasis -	3.2	5	5	-	-	-	-	-	-														
Congenital Malformations -	7.5	11	13	1	-	-	-	-	-														
Old Age -	40.9	38	-	-	-	-	-	17	21														
Apoplexy -	42.0	26	-	-	-	2	7	13	4														
Epilepsy -	7.0	3	-	1	-	1	1	-	-														
Convulsions -	41.0	23	21	4	-	-	-	-	-														
Other Diseases of Brain and Nervous System -	73.8	74	6	10	1	5	13	30	4														
Diseases of Organs of Special Sense -	2.8	4	-	4	-	-	-	-	-														
Diseases of Circulatory System -	134.0	93	2	1	5	14	31	35	5														
Croup -	14.4	3	-	3	-	-	-	-	-														
Bronchitis -	192.6	153	59	21	1	3	16	36	13														
Pneumonia -	89.7	99	39	27	4	12	7	9	1														
Pleurisy -	5.3	8	-	-	-	2	3	3	-														
Other Diseases of Respiratory System -	27.0	21	6	6	1	4	2	1	1														
Dentition -	8.8	5	3	2	-	-	-	-	-														
Quinsy, Sore Throat -	2.1	3	2	-	1	-	-	-	-														
Enteritis -	12.1	17	9	2	1	1	2	2	-														
Peritonitis -	7.7	9	1	1	2	-	1	2	2														
Diseases of Liver -	29.7	22	-	-	1	-	10	10	1														
Other Diseases of Digestive System -	29.6	32	11	1	1	4	6	9	-														
Diseases of Lymphatic System & of Ductless Glands -	2.0	1	-	-	-	-	-	1	-														
Diseases of Urinary System -	50.0	40	-	-	2	5	15	13	5														
Diseases of Generative System -	5.1	3	-	-	-	1	1	1	-														
Accidents of Childbirth -	4.9	4	-	-	1	2	1	-	-														
Diseases of Locomotive System -	6.2	6	-	-	4	1	1	-	-														
Diseases of Integumentary System -	5.9	11	4	1	-	-	2	2	2														
VIOLENT DEATHS.																							
(ACCIDENT.)																							
By Railways -		1	-	-	1	-	-	-	-														
By Vehicles or Horses -		3	-	1	1	-	-	-	1														
In Ships, Boats, Docks (exclusive of Drowning) -		3	-	-	-	2	1	-	-														
In Building Operations -		-	-	-	-	-	-	-	-														
In Conflagrations -		1	-	-	-	-	1	-	-														
By Burns, Scalds, Explosions -	50.3	1	-	1	-	-	-	-	-														
By Drowning -		4	-	-	-	1	3	-	-														
By Suffocation in Bed -		3	2	-	-	-	1	-	-														
By Poisons or Poisonous Vapours -		3	-	-	1	-	1	1	-														
Other or not stated Causes -		22	3	4	3	3	5	3	1														
(VIOLENCE OTHER THAN ACCIDENTAL.)																							
Homicide -	1.2	1	1	-	-	-	-	-	-														
Suicide -	8.1	15	-	-	1	6	7	1	-														
Execution -	-	-	-	-	-	-	-	-	-														
OTHER CAUSES -	57.8	41	39	-	2	-	-	-	-														

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.

† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET, during the Week ending

The DEATHS registered in the Week include																				
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipels (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON		4,211,743	2516	1326	350	303	-	8	18	61	10	-	17	-	26	57	118	392		
WEST DISTRICTS		749,735	370	210	49	52	-	3	3	9	2	-	2	-	6	10	18	69		
NORTH DISTRICTS		993,884	552	297	73	80	-	2	5	19	2	-	5	-	6	13	21	82		
CENTRAL DISTRICTS		247,538	143	84	24	18	-	-	1	2	-	-	1	-	6	11	31	31		
EAST DISTRICTS		705,114	511	242	78	50	-	-	1	2	3	-	4	-	6	11	37	76		
SOUTH DISTRICTS		1,524,472	935	467	128	94	-	3	7	23	3	-	5	-	7	17	23	103		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON		-	-	23	-	9	-	-	1	-	-	-	-	-	1	-	-	26		
WEST DISTRICTS.																				
St. Mary Paddington WHH G.J. & W.M.		84159	49	21	3	6	-	1	-	-	1	-	-	-	-	2	2	3		
St. John Paddington H - - G.J.		33987	7	7	-	1	-	-	-	-	-	-	-	-	-	-	-	5		
Kensington Town Ww - - W.M.		118751	57	45	10	10	-	2	1	2	-	-	-	-	1	1	4	19		
Brompton H - - W.M. & C.		47657	8	6	-	1	-	-	-	-	-	-	-	-	-	-	-	3		
St. Peter Hammersmith - - W.M.		8834	6	4	1	3	-	-	-	3	-	-	-	-	1	1	2	5		
St. Paul Hammersmith H W.M. & G.J.		88433	59	25	12	4	-	-	2	4	1	-	-	-	3	2	2	13		
Fulham Ww - - W.M. & C.		91639	81	35	9	8	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea Kensal Town - - C.		21787	12	4	1	1	-	-	-	-	-	-	-	-	-	1	1	7		
Chelsea North WHHHH - - C.		41637	21	13	4	2	-	-	-	-	-	-	1	-	-	1	2	3		
Chelsea South HH - - C.		32829	9	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
May Fair W - - G.J.		23733	2	8	-	6	-	-	-	-	-	-	-	-	-	-	-	6		
Belgrave WHHH - - C.		54631	22	14	-	5	-	-	-	-	-	-	1	-	-	-	-	6		
St. John Westminster HHH - - C.		34108	15	8	4	3	-	-	-	-	-	-	-	-	-	2	2	2		
St. Margaret Westminster H - - C.		21698	7	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. James Westminster WHH N.R. & G.J.		24995	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Anne Soho HHHHHH - - N.R.		12317	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																				
All Souls Marylebone } - - W.M.		37713	18	11	1	3	-	-	-	-	-	-	-	-	-	1	2	5		
HHHHHHHH } - - G.J. & W.M.		20024	11	6	4	1	-	-	-	-	-	-	-	-	-	-	-	1		
Rectory Marylebone W - - G.J. & W.M.		19239	20	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1		
St. Mary Marylebone HHHH G.J. & W.M.		33327	16	10	3	3	-	-	-	-	-	-	-	-	-	1	2	-		
Christchurch Marylebone H - - W.M.		32101	17	7	-	3	-	-	-	1	-	-	-	-	-	-	-	-		
St. John Marylebone H - - W.M.		32101	17	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead WwHHHHH N.R. & W.M.		68416	27	20	2	4	-	-	1	7	-	-	-	-	-	-	1	11		
Regent's Park Panacea HH - - W.M.		35590	21	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Tottenham-court WHHHH N.R. & W.M.		26321	15	19	1	7	-	-	1	1	-	-	1	-	-	-	1	13		
Gray's Inn Lane HHH - - N.R.		27455	15	8	1	2	-	-	-	-	-	-	-	-	-	-	-	3		
Somers Town HH - - N.R.		32829	18	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-		
Camden Town WH - - N.R.		15419	12	7	1	1	-	-	-	-	-	1	-	1	1	1	3	7		
Kentish Town W - - N.R.		95765	55	30	7	10	-	-	-	1	-	-	-	-	-	-	-	-		
Upper Holloway WwHHHH - - N.R.		92235	45	31	8	10	-	1	-	-	-	1	-	-	1	3	3	18		
Islington South-west H - - N.R.		105557	66	34	12	7	-	-	-	-	-	1	-	2	2	4	-	-		
Islington South-east - - N.R.		64153	24	19	5	3	-	-	1	-	-	-	-	1	2	3	-	-		
Highbury HH - - N.R.		59193	49	13	3	7	-	-	-	2	-	-	-	-	-	1	-	-		
Stoke Newington H - - N.R.		39836	15	9	2	1	-	-	-	-	-	-	-	-	-	1	-	-		
Stamford Hill - - E.L.		17759	13	3	1	1	-	-	-	1	-	-	-	-	1	-	-	-		
West Hackney H - - N.R.		42902	25	4	-	2	-	-	1	-	-	-	-	-	-	-	-	-		
Hackney WwHHH - - E.L. & N.R.		96486	55	40	10	10	-	-	2	7	-	-	2	-	1	2	2	19		
South Hackney W - - E.L.		41759	24	8	3	3	-	-	-	-	-	-	-	-	-	-	-	1		
CENTRAL DISTRICTS.																				
St. George Bloomsbury - - N.R.		16935	2	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
St. Giles South WH - - N.R.		13454	12	6	2	3	-	-	-	-	-	-	-	-	-	-	2	1		
St. Giles North H - - N.R.		9633	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HH N.R. & C.		14616	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	5		
St. Mary-le-Strand H - - N.R.		5706	4	1	2	-	-	-	-	1	-	-	-	-	-	-	1	-		
St. Clement Danes WH - - N.R.		7194	8	5	2	-	-	-	-	-	-	-	-	-	-	1	2	2		
Strand Union Workhouse, Edmonston W.		-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	2	3		
St. Geo.-the-Martyr HHHHHH N.R.		17921	5	6	3	1	-	-	-	-	-	-	-	-	-	-	-	3		
St. Andrew Eastern W - - N.R.		18343	10	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. James Clerkenwell - - N.R.		16903	15	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - - N.R.		16883	12	4	3	-	-	-	-	-	-	-	-	-	1	1	-	-		
Fentonville - - N.R.		17155	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Goswell-street - - N.R.		15375	17	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
City-road HHHH - - N.R.		29177	23	8	4	1	-	-	-	-	-	-	-	-	-	1	2	1		
Whitecross-street - - N.R.		8278	5	4	1	-	-	-	-	1	-	-	-	-	-	1	2	-		
Finsbury - - N.R.		4935	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, Mitcham W.		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Botolph H - - N.R. & E.L.		8944	2	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-		
Cripplegate - - N.R.		4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - - N.R.		4444	-	15	3	2	-	-	-	-	-	-	-	-	-	-	1	14		
St. Bride W - - N.R.		6591	1	3	-	2	-	-	-	-	1	-	-	-	-	-	-	-		
Aldersbury Barking - - N.R.		10422	4	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-		
Broad Street H - - N.R.		8377	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
City of London Asylum, Stone		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H.—Hospital; L.—Lunatic Asylum; L.—Private Lunatic Asylum in which paupers are received; W.—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts; —G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

* See note on first page of this Return.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
day, 20th October, 1894.

The DEATHS registered in the Week include																						
REGISTRATION SUB-DISTRICTS.			Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.					
EAST DISTRICTS.																						
Beddite South	HL*	E.L. & N.R.	20098	13	6	1	-	-	-	-	-	-	-	-	-	-	1	1	-			
Beddite New Town	W	-	29313	20	6	1	2	-	-	-	-	-	-	-	-	-	1	2	-			
Beddite Old Town	-	-	28354	21	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-			
Beddite New Town	WH	-	46244	47	21	6	4	-	-	-	-	-	-	-	-	-	3	10	-			
Beddite Green North	H	-	E.L.	51220	40	12	3	1	-	-	-	-	2	-	1	-	-	2	-			
Beddite Green South	-	-	E.L.	33489	15	5	3	1	-	-	-	-	-	-	1	-	1	-	-			
Beddite Green East	WHL*	-	E.L.	44123	23	19	4	11	-	-	-	-	-	-	1	-	1	19	-			
Beddite End New Town	W	-	E.L.	22456	19	7	3	2	-	-	1	-	-	-	-	-	1	-	-			
Beddite Chapel Church	H	-	E.L. & N.R.	17908	19	11	3	2	-	-	-	-	-	-	-	-	1	8	-			
Beddite Man's Fields	-	-	E.L.	20298	9	5	5	-	-	-	-	-	1	-	-	-	3	7	-			
Beddite John, St. George East	W	-	E.L.	13860	6	5	4	-	-	-	-	-	-	-	-	-	1	-	-			
Beddite John, St. George East	W	-	E.L.	37738	29	6	2	1	-	-	1	-	-	-	-	2	3	-	-			
Beddite John, St. George East	W	-	E.L.	8057	11	5	1	2	-	-	-	-	-	-	-	-	1	4	-			
Beddite John, St. George East	W	-	E.L. & N.R.	10246	6	6	3	-	-	-	-	-	-	-	-	-	1	4	-			
Beddite John, St. George East	W	-	E.L.	14928	9	4	1	-	-	-	-	-	-	-	-	-	1	-	-			
Beddite John, St. George East	W	-	E.L.	32202	26	10	5	-	-	-	1	-	-	-	-	-	1	-	-			
Beddite End Old Town West	H	-	E.L.	38650	26	11	8	-	-	1	-	-	-	-	-	1	3	1	-			
Beddite End Old Town East	WHL*	-	E.L.	68942	49	33	12	11	-	1	-	-	1	-	2	2	5	4	-			
Beddite End Old Town East	WHL*	-	E.L.	40865	30	5	-	4	-	-	-	-	-	-	-	1	1	-	-			
Beddite End Old Town East	WHL*	-	E.L.	70000	53	24	7	5	-	1	-	-	-	-	-	2	4	10	-			
Beddite End Old Town East	WHL*	-	E.L.	66883	85	17	4	4	-	-	-	-	-	-	-	1	5	4	-			
SOUTH DISTRICTS.																						
Beddite Church Southwark	WH	L. & S.	18264	13	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	18913	3	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	21867	12	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	16624	15	9	3	2	-	-	-	1	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	21221	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	26596	17	7	4	-	-	-	1	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	61342	42	21	9	1	-	-	2	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	27866	20	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	12723	9	15	4	1	-	-	-	-	-	1	-	-	1	1	8	1			
Beddite Church Southwark	WH	L. & S.	30312	23	11	6	1	-	-	-	-	-	-	-	1	-	1	-	-			
Beddite Church Southwark	WH	L. & S.	64070	30	11	7	2	-	-	-	-	-	-	-	-	-	2	-	-			
Beddite Church Southwark	WH	L. & S.	39255	27	11	2	3	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	14031	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	14644	22	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	18075	14	14	2	-	-	-	1	-	-	2	-	-	2	2	14	-			
Beddite Church Southwark	WH	L. & S.	39067	16	14	1	7	-	-	-	-	-	1	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	60586	28	10	5	2	-	-	1	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	39708	21	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	73405	49	21	6	5	-	-	4	4	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	28657	12	5	2	3	-	-	-	-	-	-	-	-	1	1	-	-			
Beddite Church Southwark	WH	L. & S.	67244	39	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	58314	52	26	9	6	-	-	-	-	-	-	-	2	-	1	8	-			
Beddite Church Southwark	WH	L. & S.	43698	22	9	4	1	-	-	-	1	-	-	-	-	-	-	2	-			
Beddite Church Southwark	WH	L. & S.	46717	32	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	17771	8	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-			
Beddite Church Southwark	WH	L. & S.	45756	28	19	1	7	-	-	2	6	-	-	-	-	-	1	1	8			
Beddite Church Southwark	WH	L. & S.	6809	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	51686	33	35	4	10	-	-	2	-	-	-	-	-	1	-	20	-			
Beddite Church Southwark	WH	L. & S.	33483	48	81	11	5	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	63366	41	20	5	1	-	-	2	-	-	-	-	-	2	2	-	-			
Beddite Church Southwark	WH	L. & S.	25314	21	11	2	1	-	-	-	1	1	-	-	-	1	1	1	-			
Beddite Church Southwark	WH	L. & S.	42007	28	23	7	1	-	-	1	5	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	80852	14	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	22007	16	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	35223	32	13	1	2	-	-	-	-	-	1	-	-	-	-	6	-			
Beddite Church Southwark	WH	L. & S.	5682	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	23541	9	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	30950	13	15	3	5	-	-	1	-	-	-	-	-	-	1	1	3			
Beddite Church Southwark	WH	L. & S.	34162	14	11	4	2	-	-	-	-	-	-	-	-	-	1	-	-			
Beddite Church Southwark	WH	L. & S.	14040	11	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	19606	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	21242	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	16869	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	36567	29	13	2	5	-	-	1	-	-	-	-	-	-	-	6	1			
Beddite Church Southwark	WH	L. & S.	14040	11	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	19606	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	21242	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	16869	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	36567	29	13	2	5	-	-	1	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	14040	11	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	19606	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	21242	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	16869	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	36567	29	13	2	5	-	-	1	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	14040	11	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	19606	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	21242	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	16869	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	36567	29	13	2	5	-	-	1	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	14040	11	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	19606	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	21242	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	16869	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	36567	29	13	2	5	-	-	1	-	-	-	-	-	-	-	-	-			
Beddite Church Southwark	WH	L. & S.	14040	11	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-			

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 20th October, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Cases.	
LONDON—OUTER RING		368,746	1,422,063	856	344	84	97	-	4	4	16	8	4	4	8	18	29	13	
80: 1	Carshalton WHH -	12228	26103	9	6	2	2	-	-	-	-	1	-	-	1	1	-	-	
2	Epsom, part of* WHH -	10423	12508	8	8	-	1	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* WHH -	754	1593	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Croydon WHH -	20851	128699	74	37	8	13	-	1	1	1	3	-	1	1	4	-	-	
2	Mitcham W -	11697	23083	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon HHH -	3220	23761	15	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston WHH -	8071	44765	28	10	-	3	-	-	-	-	-	-	-	-	-	-	-	
3	Esher, part of* WHH -	6601	12059	6	4	1	2	-	1	-	-	-	-	-	-	-	-	-	
4	Hampton H -	4595	18352	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond WH -	2160	25399	7	6	-	4	-	-	-	-	-	-	-	-	-	1	1	
2	Mortlake H -	2823	16159	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley HHH -	9127	23815	6	5	-	3	-	-	-	-	-	-	-	1	1	-	-	
2	Beckenham H -	6542	21969	12	7	-	3	-	-	-	-	1	-	-	-	-	1	-	
3	Chislehurst, pt. of* WHH -	14307	20372	9	3	-	1	-	-	-	-	-	-	-	-	-	1	-	
42: 1	Bexley HHH -	12540	30590	20	6	2	3	-	-	-	-	-	-	1	-	-	-	-	
2	Dartford Work., pt. of* WHH -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
124: 1	Stambury W -	11054	13671	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W -	18277	13221	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hillingdon WHH -	6035	12237	4	5	1	3	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge -	6172	5417	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH -	14537	12613	11	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
126: 1	Isleworth WHH -	6987	29373	10	5	1	3	-	1	-	-	-	-	-	-	-	1	-	
2	Twickenham HH -	2415	16027	12	1	1	-	-	-	-	1	-	-	-	-	-	-	-	
3	Brentford HHHH -	4318	37777	19	9	-	1	-	-	-	-	1	-	-	-	2	-	-	
4	Chiswick -	1245	21963	13	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
5	Acton WH -	6132	30945	19	9	1	2	-	-	-	-	-	-	-	-	1	-	-	
127: 1	Harrow HHH -	18809	15715	13	3	1	-	-	-	-	-	-	-	-	1	1	-	-	
2	Edgware HH -	6994	3844	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH -	4383	31265	40	17	3	4	-	-	-	-	-	-	-	-	1	-	-	
4	Hendon W -	3382	15843	8	4	-	-	-	-	-	-	-	-	-	-	-	2	-	
128: 1	South Mimms -	1559	8474	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet WHH -	5441	11773	3	3	1	2	-	-	-	-	-	-	-	-	-	1	-	
3	Finchley HHH -	4688	25820	10	8	2	4	-	-	-	-	1	-	-	-	-	-	-	
129: 1	Hornsey HH -	3039	61097	22	13	2	2	-	-	-	2	-	1	-	-	-	-	-	
2	Tottenham H -	4942	97174	72	21	9	3	-	-	1	-	-	-	-	-	-	1	-	
3	Edmonton WH -	7489	36851	14	10	1	6	-	-	-	-	-	-	-	-	-	3	-	
4	Enfield WHH -	12639	31803	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
5	Waltham Abbey -	11017	6066	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Chesham H -	8480	9620	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of* WH -	8306	583	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushy H -	9331	7737	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of* WHH -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
136: 1	Stratford H -	1100	42983	29	12	6	2	-	-	-	-	-	-	-	1	3	-	-	
2	Plaistow HHHH -	1242	56030	52	16	5	-	-	-	-	7	1	1	1	1	1	-	-	
3	Canning Town H -	1568	54750	56	19	8	3	-	-	-	1	-	-	1	1	2	1	-	
4	Forest Gate W -	806	49140	34	11	8	1	-	-	-	1	-	1	-	-	-	-	-	
5	East Ham W -	3266	32713	23	7	3	-	-	1	-	-	-	-	-	1	1	-	-	
6	Leyton WHH -	4354	70188	48	27	5	13	-	1	-	-	-	-	-	-	-	-	10	
7	Walthamstow HHL -	6501	57330	43	17	4	2	-	-	-	1	1	-	-	-	-	-	-	
137: 1	Chigwell, part of* WH -	11779	12941	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of* WHH -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, part of* WHH -	6556	4324	6	6	-	3	-	-	1	1	-	-	-	-	-	4	-	
2	Ilford -	8483	10913	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town H -	3814	14301	12	2	1	-	-	-	1	-	-	-	-	-	-	1	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—80: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2322); 41: 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3997); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1076); 139: 1, the parish of Dagenham in Romford sub-district; also, deaths in Workhouses belonging to the Outer Ring in 42: 3, Dartford; 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 20th October, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE OF MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	14·6	1·6	1670	434	400	-	12	22	77	18	21	30	65	421		
INNER LONDON -	74,672	4,349,166	15·9	1·7	1326	350	303	-	8	13	61	10	17	26	57	392		
OUTER RING -	368,749	1,599,134	11·2	1·3	344	84	97	-	4	4	16	8	4	4	8	29		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	October 20	147	102	19·7	1	-	1	1	-	-	1	
GLASGOW	686,820	" 20	471	243	18·4	-	2	4	6	5	2	10	
DUBLIN	349,594	" 20	184	121	18·0	2	-	1	-	-	4	9	
CALCUTTA	466,460	September 8	-	286	31·9	3	1	-	-	1	126	40†	
BOMBAY	821,764	" 25	313	501	31·7	-	3	?	?	?	98	55†	
MADRAS	452,518	" 14	360	301	34·5	-	4	?	?	?	106	40	
PARIS	2,424,705	October 13	1119	788	16·9	-	4	2	6*	8	7	63	
RUSSELS	498,400	" 13	235	157	16·4	-	1	2	3*	1	2	9	
AMSTERDAM	446,295	" 13	231	136	15·8	-	1	-	1	1	1	1	
ROTTERDAM	228,597	" 13	168	70	15·9	-	-	-	1	-	1	1†	
THE HAGUE	174,790	" 13	119	61	18·2	-	-	-	1	1	-	-	
COPENHAGEN	341,000	" 13	199	109	16·7	-	5	1	7	-	1	4	
STOCKHOLM	252,937	" 6	139	63	13·0	-	4	-	1*	-	-	8	
CHRISTIANIA	167,588	" 13	43	32	10·0	-	-	-	2	-	-	1	
S. PETERSBURG	954,400	September 29	536	382	20·9	2	8	16	13	8	3	51†	
MOSCOW	753,469	October 6	-	412	28·5	2	2	9	13	5	6	48	
BERLIN	1,714,938	September 29	885	525	16·1	-	4	13	33	7	2	46	
LEMBURG	598,372	October 13	-	179	15·6	-	1	1	10*	2	-	9	
BRESLEN	312,772	September 22	233	147	24·1	-	-	1	8*	2	2	19	
BRISLAU	360,660	October 13	-	142	20·6	-	4	3	3*	-	1	18	
MUNICH	390,000	" 13	-	177	23·6	-	-	1	6*	4	-	31	
VENNA	1,465,537	" 13	870	530	18·8	-	7	13	25*	1	-	53	
BUDAPESTH	339,172	" 6	200	139	21·0	-	1	-	4	2	1	1	
VIENNA	552,769	" 6	427	217	20·4	3	-	5	6	-	-	26	
VIENNA	159,739	September 29	54	76	25·7	-	-	1	9*	-	4	4	
VIENNA	455,678	October 6	84	73	24·7	-	-	4	6*	2	-	8	
VIENNA	455,678	September 15	202	142	16·2	-	1	-	1	1	13†	23	
VIENNA (10 days)	337,997	" 30	240	130	14·1	-	-	1	3	1	3	14	
NICE	160,406	" 29	78	55	18·1	-	-	-	-	1	1	8	
VIENNA	374,888	" 20	380	323	44·8	-	-	-	4*	1	10	121	
ALEXANDRIA	231,396	" 20	191	163	37·2	-	-	-	3*	-	6	40	
NEW YORK	1,925,569	October 6	-	690	18·2	1	4	4	21	3	17	66	
BROOKLYN	1,043,000	" 6	-	426	20·6	-	2	-	23	4	4	57	
PHILADELPHIA	1,139,467	" 6	-	389	17·8	1	-	2	33	1	5	20	
NEW ORLEANS	254,000	September 15	-	128	26·3	-	-	-	2	1	9	6	

* Including deaths from croup.

† Including 5 deaths from cholera in Calcutta, 5 in Bombay, one in Rotterdam, and 14 in St. Petersburg.

‡ Including 5 deaths from malarial fever.

[Under the Superintendence of the Astronomer Royal.]

1894.	MONTH AND DAY.	Phases of the Moon.	TEMPERATURE.					TEMPERATURE.					Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is 5 inches above the level of Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
			HARV. METER.		Of the Air.			Of the Dew Point.		Difference between the Air Temperature and Dew Point Temperature.			Of Radiation.		Of the Earth and Surface.		Oster's.			Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			Mean daily reading (corrected for reduced to 32° Fahreren-heit).	High-est.	Low-est.	Daily Range.	Mean daily value.	De- parture from Average of 50 years.	Mean daily value.	Great- est.	Least.	Mean daily value.	High- est in the 24 hours.	Low- est on the Grass.	°	°	°		°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

GENERAL REMARKS.

Overcast till 10h. A.M.; occasional rain in early morning; afterwards fine, with variable amounts of cloud.
 Fine; showery between noon and 3h. P.M.
 Overcast in morning; light showers between 7h. and 8h. A.M.; afterwards fine; cloudless at night with slight fog.
 Very fine in morning, with hoar frost; generally cloudy afternoon.
 Overcast; foggy and gloomy.
 Overcast generally; slight rain between 9h. and 10h. A.M.
 Overcast; frequent rain; fog in early morning.

The results apply to the civil day, or from midnight to midnight.
 The height of the column of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to sea level.
 Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and of the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometers is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical tables.
 The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometer records for the 10 years ending 1875.
 In reading the columns 9 and 23 it will be borne in mind that + indicates "higher," and - "lower," than the average.
 The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
 The record of electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
 The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
 The reading of the barometer decreased from 29.87 in. at the beginning of the week to 29.79 in. by 5h. A.M. on the 14th; increased to 29.01 in. by 9h. P.M. on the 16th; and decreased to 29.28 in. by the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 43. 1894. VOL. LV.] WEEK ENDING SATURDAY, OCTOBER 27. [Price 1½d.

*General Register Office, Somerset House,
October 29th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·5 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.		Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.
Birkenhead	13·3	11·4	15·8	17·3	Liverpool -	23·7	23·1	22·9	24·2
Birmingham	13·0	16·8	16·4	16·2	London -	15·4	15·5	15·9	17·8
Blackburn	19·5	16·6	18·7	22·0	Manchester	19·1	20·3	21·6	23·4
Bolton	12·8	23·4	21·2	22·9	Newcastle-on-Tyne	19·9	17·3	13·7	19·4
Bradford	14·2	17·7	16·8	15·1	Norwich -	14·3	11·4	12·3	14·3
Brighton	14·5	11·9	18·4	19·3	Nottingham	14·9	16·3	18·2	20·5
Bristol	14·3	18·9	16·1	16·8	Oldham	18·4	18·8	19·9	18·4
Burnley	16·2	16·2	24·3	22·2	Plymouth	10·1	19·6	11·9	20·2
Cardiff	11·9	11·9	16·8	13·7	Portsmouth	15·2	15·2	15·6	19·2
Croydon	10·7	9·3	15·4	10·2	Preston	22·5	26·2	15·9	20·1
Derby	11·6	16·4	16·4	15·3	Salford	18·7	20·0	15·2	20·5
Gateshead	13·4	15·6	16·8	20·1	Sheffield	17·4	17·9	18·3	16·5
Halifax	18·0	19·7	21·9	18·5	Sunderland	19·5	22·2	22·6	26·8
Huddersfield	17·5	15·4	17·5	19·1	Swansea	12·6	18·6	20·8	19·1
Hull -	15·0	16·9	18·9	16·9	West Ham -	13·4	13·8	14·0	18·8
Leeds	16·4	16·0	16·2	20·7	Wolverhampton	20·2	16·6	14·1	15·9
Leicester	10·8	12·7	11·9	12·4					

The highest annual death-rates, as measured by last week's mortality, were :— from *measles*, 1·5 in Leeds, 1·6 in Derby, 1·8 in Portsmouth, 1·9 in Sunderland, 2·0 in Hull, and 2·2 in Gateshead; from *scarlet fever*, 1·3 in Salford; from *whooping-cough*, 2·2 in Swansea; from "*fever*", 1·1 in Sunderland; and from *diarrhæa*, 1·6 in Burnley, 1·8 in Plymouth, in Bolton, and in Newcastle, and 2·1 in Blackburn. The 79 deaths from *diphtheria* included 49 in London, 12 in West Ham, and 2 each in Cardiff, Birkenhead, Liverpool, and Manchester. Three deaths from *small-pox* were registered in Liverpool, 2 in Birmingham, and one death in Manchester, but not one in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2413 BIRTHS and 1481† DEATHS were registered. Allowing for increase of population, the births were 310, and the deaths 101, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·4, 15·5, and 15·9 in the preceding three weeks, further rose last week to 17·8. During the four weeks ending on

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

Saturday last the death-rate averaged 16·2 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1481 deaths included 24 from measles, 17 from scarlet fever, 49 from diphtheria, 18 from whooping-cough, 14 from enteric fever, 19 from diarrhoea and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 141 deaths were referred to these diseases, being 36 below the corrected average weekly number.

There were 47 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 3 in the Highgate Small-pox Hospital, making a total of 50, against 84, 63, and 60 on the preceding three Saturdays; 8 cases were admitted during the week, against 11, 8, and 11 in the preceding three weeks. The deaths from *measles*, which had been 9, 10, and 8 in the preceding three weeks, increased last week to 24, but were 12 below the corrected average; 6 occurred in Sydenham sub-district in the Lewisham sanitary area. The deaths from *scarlet fever*, which had been 9, 12, and 18 in the preceding three weeks, numbered 17 last week, being 13 below the corrected average; 2 belonged to Hackney, 2 to Poplar, and 2 to Lambeth sanitary areas. The Metropolitan Asylum and London Fever Hospitals* contained 2293 scarlet-fever patients at the end of last week, against 2145, 2171, and 2214 on the preceding three Saturdays; 262 cases were admitted during the week, against 262 and 261 in the preceding two weeks. The deaths from *diphtheria*, which had been 66, 54, and 61 in the preceding three weeks, declined last week to 49, but exceeded the corrected average by 12; 5 belonged to Greenwich, 4 to Islington, 4 to Hackney, and 3 each to Kensington, Fulham, Bethnal Green, Poplar, Newington, and Battersea sanitary areas. The Metropolitan Asylum Hospitals* contained 523 diphtheria patients at the end of last week, against 501, 521, and 521 on the preceding three Saturdays; 94 cases were admitted during the week, against 106 and 96 in the preceding two weeks. The deaths from *whooping-cough*, which had been 7, 13, and 10 in the preceding three weeks, further increased last week to 18, but were 7 below the corrected average. The fatal cases of *enteric fever*, which had numbered 13, 20, and 17 in the preceding three weeks, declined last week to 14, being 4 below the corrected average; 3 belonged to Greenwich, 2 to Hackney, and 2 to Lambeth sanitary areas. The Metropolitan Asylum Hospitals* contained 95 cases of enteric fever and one case of typhus on Saturday last; 19 cases of enteric fever were admitted during the week, against 15 and 10 in the preceding two weeks. The deaths from *diarrhoea*, which had been 33, 30, and 26 in the preceding three weeks, further declined last week to 19, and were 9 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had steadily risen from 123 to 287 in the preceding eight weeks, further increased last week to 329, but were 37 below the corrected average.

The deaths attributed directly to *influenza* numbered 13, having been 6, 3, and 6 in the preceding three weeks.

Different forms of violence caused 47 deaths, concerning 46 of which inquests were held. Of these 47 deaths, 6 were cases of suicide, while the remaining 41 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 6 to burns and scalds, 3 to poison (including the death of a painter from lead poisoning) and 7 (of infants under one year of age) from suffocation in bed. The death of a male, aged 9 years, was referred, after inquest, to "heart failure" following administration of chloroform, and from shock following operation for "hernia."

GREATER LONDON.

In Greater London 3258 births and 1883 deaths were registered, corresponding to annual rates of 28·6 and 16·5 per 1000 of the estimated population. In the Outer Ring 6 deaths from measles, 27 from diphtheria, 10 from "fever," and 7 from diarrhoea were recorded. The 27 deaths from diphtheria included 16 in West Ham, 4 in Bromley, 2 in Kingston, and 2 in Edmonton districts. Of the 10 deaths from "fever," 5 occurred in Edmonton district and 2 in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·34 inches, and that of the Thermometer 50°·3, the latter being 2°·4 above the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 61 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 9·3 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 27th October 1894.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1884.	Registered during the Week ending 27th Oct. 1894.		Deaths of Persons aged 60 Years and upwards.	Deaths from										Deaths in Public Institutions.		From All Causes.		TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.	
		Births.	Deaths.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Erysip. !	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unspecified Causes of Death.	From All Causes.	From Diseases in Cattle, &c.	Highest.	Lowest.	Fahrenheit.	Fahrenheit.	Mean.	Contingrade.	In Inches.		In Centi- metres.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.	
33 TOWNS	10,458,442	5952	3714	1049	832	6	50	41	79	37	46	94	120	266	699	65	18.5	2.0	61.2	25.8	47.4	8.56	1.83	4.65	- 33 TOWNS.	
LONDON	4,349,166	2413	1481	391	367	-	24	17	49	18	14	19	47	112	422	10	17.8	1.7	61.2	35.0	50.3	10.11	1.35	3.43	LONDON.	
WEST HAM	238,184	161	86	29	11	-	-	-	12	2	-	2	1	1	5	1	18.8	3.5	-	-	-	-	-	-	WEST HAM.	
CROYDON	111,921	55	22	3	10	-	-	-	1	-	-	-	3	5	2	19.3	10.2	1.4	60.5	31.8	48.5	9.17	2.00	5.08	CROYDON.	
BRIGHTON	118,715	67	44	8	12	-	1	-	-	-	-	-	3	6	14	1	19.2	2.7	60.0	40.8	52.1	11.17	1.12	2.84	BRIGHTON.	
PORTSMOUTH	170,973	63	63	10	19	-	6	2	-	-	-	-	3	1	2	1	20.2	2.7	60.0	39.0	51.3	10.72	3.35	8.51	PORTSMOUTH.	
PLYMOUTH	87,931	42	34	12	11	-	-	-	-	-	-	-	3	1	2	1	16.8	0.9	60.0	31.0	47.7	8.72	1.06	4.98	PLYMOUTH.	
BRISTOL	226,578	101	73	18	20	-	2	-	1	-	-	1	2	6	11	-	13.7	1.1	-	-	-	-	-	-	BRISTOL.	
CARDIFF	148,890	77	39	10	6	-	-	-	2	-	-	1	-	2	4	-	19.1	2.7	-	-	-	-	-	-	CARDIFF.	
SWANSEA	95,359	54	35	17	6	-	-	-	-	4	-	1	-	1	1	1	19.1	2.7	-	-	-	-	-	-	SWANSEA.	
WOLVERHAMPTON	85,036	49	26	9	6	-	-	1	-	-	-	1	-	2	1	-	15.9	1.2	57.6	25.8	44.2	6.78	1.49	3.78	WOLVERHAMPTON.	
BIRMINGHAM	492,301	279	153	41	35	2	-	4	-	2	4	5	12	9	31	12	16.2	1.8	-	-	-	-	-	-	BIRMINGHAM.	
NORWICH	105,645	58	29	5	6	-	-	-	1	-	1	-	-	3	1	1	14.3	1.0	58.8	31.2	48.5	9.17	1.07	2.72	NORWICH.	
LEICESTER	189,136	119	45	13	13	-	-	-	-	-	-	-	2	4	7	-	12.4	-	-	-	-	-	-	-	LEICESTER.	
NOTTINGHAM	223,584	112	88	22	21	-	-	-	-	1	-	2	5	8	10	4	20.5	0.7	48.8	26.3	45.2	7.33	1.12	2.84	NOTTINGHAM.	
DERBY	88,796	70	29	5	12	-	3	-	-	-	1	-	-	-	2	-	15.3	2.1	-	-	-	-	-	-	DERBY.	
BIRKENHEAD	105,627	76	35	5	5	-	-	-	2	-	1	1	3	6	5	-	17.3	2.0	-	-	-	-	-	-	BIRKENHEAD.	
LIVERPOOL	507,250	314	235	63	40	3	4	3	2	1	6	8	9	18	38	5	24.2	2.8	58.0	33.0	46.5	8.06	1.46	3.71	LIVERPOOL.	
BOLTON	118,363	57	32	14	9	1	1	-	-	1	1	4	4	9	4	-	22.9	2.6	-	-	-	-	-	-	BOLTON.	
MANCHESTER	520,211	303	233	79	28	1	4	1	-	3	5	7	8	15	46	6	23.4	2.3	-	-	-	-	-	-	MANCHESTER.	
SALFORD	205,828	138	81	26	9	-	1	5	-	1	3	2	4	8	8	2	20.5	2.8	-	-	-	-	-	-	SALFORD.	
OLDHAM	138,755	79	49	13	11	-	1	1	-	-	-	-	1	1	1	1	18.4	1.1	-	-	-	-	-	-	OLDHAM.	
BURNLEY	96,478	62	41	14	10	-	1	1	1	-	-	3	-	-	-	2	22.2	3.2	-	-	-	-	-	-	BURNLEY.	
BLACKBURN	125,797	72	53	19	15	-	-	-	1	-	-	5	-	-	3	2	22.0	2.5	-	-	-	-	-	-	BLACKBURN.	
PRESTON	111,425	59	43	15	7	-	-	-	1	1	1	3	-	1	1	2	20.1	2.3	-	-	-	-	-	-	PRESTON.	
HUDDERSFIELD	98,511	35	36	10	7	-	-	-	-	1	1	1	1	1	1	-	10.1	1.6	-	-	-	-	-	-	HUDDERSFIELD.	
HALEFAX	42,861	38	33	11	10	-	1	-	1	-	1	-	-	2	4	1	18.5	1.7	-	-	-	-	-	-	HALEFAX.	
BRADFORD	223,985	113	65	13	16	-	4	2	-	-	-	1	1	2	10	2	15.1	1.6	54.8	30.8	43.4	6.33	3.68	9.34	BRADFORD.	
LEEDS	338,761	238	164	45	40	-	11	2	1	-	1	4	5	16	14	2	20.7	2.5	-	-	-	-	-	-	LEEDS.	
SHEFFIELD	338,316	240	107	35	18	-	5	-	1	-	1	3	-	6	9	4	16.5	1.5	-	-	-	-	-	-	SHEFFIELD.	
HULL	212,679	133	69	21	17	-	8	1	1	-	3	4	4	7	4	2	16.9	3.2	57.0	28.0	44.0	6.67	1.56	3.96	HULL.	
SUNDERLAND	126,101	108	70	25	6	-	5	-	1	2	3	3	3	10	9	2	26.8	5.0	-	-	-	-	-	-	SUNDERLAND.	
GATEHEAD	43,372	61	36	17	2	-	4	-	1	-	-	-	1	3	2	-	20.1	2.8	-	-	-	-	-	-	GATEHEAD.	
NEWCASTLE	201,947	126	75	21	17	-	4	1	-	1	-	7	2	5	11	-	19.4	3.4	-	-	-	-	-	-	NEWCASTLE.	

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-THIRD Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2694	2581	2685	2581	2666	2580	2512	2603	2312	2590	2723.4	2413
Males . .	1391	1338	1370	1357	1350	1308	1252	1338	1170	1293	1389.7	1232
Females .	1303	1243	1315	1224	1316	1272	1260	1265	1142	1297	1333.7	1181
TOTAL Deaths	1463	1366	1380	1738	1737	1310	1649	1348	1514	1487	1532.3	1481
Males . .	744	696	693	907	914	686	850	687	777	762	814.4	740
Females .	719	670	687	831	823	624	799	661	737	725	767.9	741

* The numbers in this column are the average weekly numbers in the forty-third weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.
TOTAL Births	2695	2200	2665	2361	2704	2369	2569	2353	2403	2532	2323	2516	2413
TOTAL Deaths	1464	1450	1428	1284	1198	1175	1241	1211	1277	1287	1291	1326	1481
Ages at													
{ 0-20 years	801	820	787	685	591	578	600	571	577	574	565	617	667
{ 20-40 "	177	140	169	144	150	155	156	145	160	159	181	170	187
{ 40-60 "	214	221	241	232	208	197	209	228	286	246	262	236	260
Death													
{ 0-60 "	228	227	193	184	214	214	223	224	215	253	232	237	294
{ 60 years & upwards	44	42	38	39	35	31	53	43	39	55	51	66	73
Under 1 year	480	497	475	416	361	352	353	331	311	331	321	350	391
1-5	216	219	229	184	146	146	159	159	171	160	163	182	193
5-20	105	104	83	85	84	80	88	81	95	83	81	85	78
Deaths from Small-pox	5	10	4	2	7	6	3	-	1	1	-	-	-
" " Measles	50	33	34	27	13	13	9	13	7	9	10	8	24
" " Scarlet fever	18	19	14	17	13	13	15	15	18	9	12	18	17
" " Diphtheria	57	62	57	43	33	39	55	52	67	66	54	61	49
" " Whooping-cough	26	35	30	22	26	15	20	25	15	7	13	10	18
" " Typhus	-	-	-	-	-	-	-	1	-	-	-	-	-
" " Enteric fever	6	11	6	11	8	13	10	7	13	13	20	17	14
" " Simple Cont'd fever	-	-	-	-	-	1	-	-	-	-	-	-	-
" " Diarrhoea and	126	164	124	114	71	79	62	49	35	33	30	26	19
" " Dysentery	6	3	5	2	2	2	-	-	1	-	-	-	-
" " Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
" " all the above-mentioned Diseases	294	337	274	238	178	181	174	162	157	138	139	140	141
" " Dis. of Respiratory System	144	151	144	148	123	134	143	172	184	215	211	237	329
" " Phthisis	133	124	137	122	116	113	130	119	141	131	137	135	161
" " Dis. of Circulatory System	95	91	113	102	93	90	82	106	111	101	102	93	123
Violent Deaths	71	61	62	39	52	56	55	51	49	52	57	57	47
Inquest Cases	131	115	124	82	92	114	102	97	107	120	121	119	112
Deaths in Public Institutions	412	412	404	390	371	369	401	377	412	368	416	392	422
TEMPERATURE OF THE AIR													
Mean	62.1	60.4	59.2	57.4	60.8	52.7	54.8	55.9	52.5	52.8	53.0	44.3	50.3
Mean of Highest readings	71.9	70.2	68.8	64.4	72.1	61.7	63.7	62.5	59.9	59.5	58.6	50.9	55.8
Mean of Lowest readings	55.7	55.3	53.0	52.0	52.2	44.8	47.7	51.0	46.3	47.5	43.5	38.4	45.0
Humidity of the Air	80	79	79	87	86	80	82	90	89	83	95	85	81
Rain-fall in inches	0.19	0.52	0.94	1.50	0.00	0.54	0.02	0.11	0.59	0.12	0.36	0.19	1.35
Registered Sunshine (in hours)	18.6	19.9	30.7	14.0	28.6	17.6	17.2	3.0	14.7	13.9	1.7	7.3	9.3

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumbly, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; F. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Boobyer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-THIRD Week of the Year 1894.

CAUSES OF DEATH.		Corrected Averages for the 43rd Week of the 10 years 1884-93.*	In the Week ending Saturday, 27th October 1894.										CAUSES OF DEATH.		Corrected Averages for the 43rd Week of the 10 years 1884-93.*	In the Week ending Saturday, 27th October 1894.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
			Deaths of Persons of the Ages													Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.				20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				0-1.	1-6.	5-20.						0-1.								1-6.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
ALL CAUSES - -		1532.3	1481	391	198	78	187	260	294	73																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			</

* The numbers in this column are the average weekly deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" when are so certified by registered medical men. When no medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DYPHTERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHOEA, VIOLENCE, INQUEST CASES, Deaths in Public Institutions during the Week ending

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enume- rated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of													
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON	4,211,743	2413	1481	391	367	-	24	17	40	18	-	14	-	19	47	112	422
WEST DISTRICTS	740,735	342	232	41	66	-	5	1	9	3	-	-	-	6	13	21	65
NORTH DISTRICTS	993,984	541	306	71	75	-	5	6	13	5	-	3	-	3	7	20	80
CENTRAL DISTRICTS	247,538	124	96	25	21	-	1	-	1	1	-	2	-	1	8	9	33
EAST DISTRICTS	705,114	488	267	95	52	-	1	1	9	2	-	2	-	2	6	27	77
SOUTH DISTRICTS	1,524,472	918	563	159	145	-	12	8	18	7	-	7	-	7	13	35	130
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	28	-	8	-	-	1	-	-	-	-	-	-	-	-	28
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	84159	47	27	5	10	-	1	-	-	-	-	-	-	2	3	2	3
St. John Paddington H - G.J.	33987	9	12	-	4	-	-	-	-	-	-	-	-	-	3	3	9
Kensington Town Ww - W.M.	118751	71	35	6	12	-	1	-	1	1	-	-	-	2	3	5	15
Brompton H - W.M. & C.	47557	10	9	-	4	-	-	-	-	-	-	-	-	-	-	-	4
St. Peter Hammersmith - W.M.	8586	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	88453	40	27	6	10	-	-	-	-	-	-	-	-	-	1	3	2
Fulham Ww - W.M. & C.	91639	61	37	12	6	-	-	1	6	-	-	-	-	-	1	4	11
Chelsea Kensal Town - C.	21787	11	8	-	3	-	1	-	-	-	-	-	-	-	-	-	-
Chelsea North WHHHH - C.	41637	20	15	4	4	-	-	-	-	1	-	-	-	1	-	-	4
Chelsea South HH - C.	32829	17	12	5	2	-	-	-	-	1	-	-	-	-	1	1	5
May Fair W - G.J.	23733	6	7	-	5	-	-	-	-	-	-	-	-	-	-	-	5
Belgrave WHHH - C.	54631	10	10	-	1	-	1	-	1	-	-	-	-	-	1	1	5
St. John Westminster HHH - C.	31105	14	10	1	2	-	1	-	-	-	-	-	-	1	-	-	-
St. Margaret Westminster H - C.	21668	6	6	1	1	-	-	-	-	-	-	-	-	-	-	1	2
St. James Westminster WHH N.R. & G.J.	24995	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho HHHHHH - N.R.	12317	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone } - W.M.	37713	6	12	1	2	-	-	-	-	-	-	1	-	-	-	-	5
HHHHHHHHH } - W.M.	20024	6	3	1	2	-	-	-	-	-	-	-	-	-	-	1	1
Rectory Marylebone W - G.J. & W.M.	19298	23	8	3	4	-	-	-	-	1	-	-	-	-	-	1	3
St. Mary Maryleb. HHHH G.J. & W.M.	33327	24	11	4	2	-	-	-	-	1	-	-	-	-	-	-	-
Christchurch Marylebone H - W.M.	32101	16	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone H - W.M.	68416	20	20	4	5	-	1	1	4	1	-	-	-	1	2	7	-
Hampstead WHHHHH N.R. & W.M.	36590	13	15	3	4	-	-	-	-	1	1	-	-	1	1	1	2
Regent's Park Pancras HH - W.M.	26321	11	11	3	2	-	-	-	-	1	-	-	-	-	-	-	4
Tottenham-court WHHHH N.R. & W.M.	27455	19	16	4	4	-	2	-	1	-	-	-	-	-	-	-	3
Gray's Inn Lane HHH - N.R.	32829	23	14	5	2	-	-	-	-	-	-	-	-	-	-	-	5
Islington South-west - N.R.	15419	10	8	1	3	-	-	-	-	-	-	-	-	-	1	1	7
Camden Town WH - N.R.	96765	68	24	4	7	-	1	-	-	-	-	-	-	-	-	-	8
Kentish Town W - N.R.	90235	48	41	7	11	-	-	-	-	-	-	-	-	1	2	3	24
Upper Holloway WHHHH - N.R.	105567	63	23	4	5	-	-	-	2	-	-	-	-	1	-	-	-
Islington South-east - N.R.	64158	39	19	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Islington North-east - N.R.	50199	85	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Highbury HH - N.R.	30936	18	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - N.R.	17759	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.	42902	12	11	1	4	-	-	-	1	-	-	-	-	-	-	-	-
West Hackney H - N.R.	96496	55	39	9	10	-	1	5	3	-	-	2	-	-	1	1	2
Hackney WwHHH - E.L. & N.R.	41739	35	10	2	2	-	-	-	1	-	-	-	-	2	2	2	18
South Hackney W - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16695	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - N.R.	13454	5	5	1	2	-	-	-	-	-	-	-	-	-	-	-	2
St. Giles North H - N.R.	9633	4	8	1	-	-	-	-	-	-	-	1	-	-	-	-	1
St. Martin-in-the-Fields HHH N.R. & C.	14616	3	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary-le-Strand H - N.R.	5706	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3
St. Clement Danes WH - N.R.	7194	1	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Strand Union Workhouse, Edmonton w.	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1	2	5
St. Geo.-the-Martyr HHHHHH N.R.	17921	5	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Eastern W - N.R.	15343	13	3	3	-	-	-	-	-	-	-	-	-	-	-	-	5
St. James Clerkenwell - N.R.	16803	10	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Amwell Clerkenwell - N.R.	16833	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville - N.R.	17155	6	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Goosewell-street - N.R.	15375	13	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHHH - N.R.	29177	30	13	5	3	-	1	-	-	-	-	-	-	-	-	-	-
Whitecross-street - N.R.	8278	5	1	-	-	-	-	-	-	1	-	-	-	1	1	1	-
Finsbury - N.R.	4985	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham w.	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - N.R. & E.L.	8944	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Cripplegate - N.R.	4539	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - N.R.	4444	1	15	-	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Bride W - N.R.	6594	5	1	-	-	-	-	-	-	-	-	-	-	-	2	2	14
St. Dunstons Barking - N.R.	10422	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - N.R.	3377	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; E—Private Lunatic Asylum in which paupers are received; W—Workhouse Establishment; Sub-districts; —G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

* See note on first page of this Return.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
day, 27th October, 1894.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1891.	Total Births.	The DEATHS registered in the Week include													
				Total DEATHS.	Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.
EAST DISTRICTS.																	
Beddith South	HL*	E.L. & N.R.	29098	10	8	5	1	-	-	-	-	-	-	-	-	-	-
Beddith New Town	W	-	29313	25	17	6	4	-	-	-	-	-	-	-	1	2	4
Beddith Old Town	-	-	28354	16	12	6	1	-	-	-	-	-	-	-	3	-	-
Beddith W H	-	N.R. & E.L.	46244	33	20	6	5	-	-	1	-	-	-	-	-	10	-
Beddith Green North	H	-	51520	31	11	5	1	-	1	-	-	-	-	-	-	-	-
Beddith Green South	-	E.L.	33489	27	8	5	1	-	-	-	1	-	-	1	-	-	-
Beddith Green East	WHL*	-	44123	27	20	7	5	-	-	-	1	-	-	-	3	-	-
Beddith Fields	-	E.	22456	20	10	6	2	-	-	-	1	-	-	-	-	-	-
Beddith End New Town	W	-	17908	21	5	2	3	-	-	-	-	-	-	-	-	1	3
Beddith Chapel Church	H	E.L. & N.R.	20298	13	13	3	1	-	-	-	1	-	-	-	1	2	12
Beddith Man's Fields	-	E.L.	18800	7	2	1	-	-	-	-	-	-	-	-	1	-	-
Beddith George's North	-	E.L.	37738	13	9	3	1	-	-	-	-	-	-	-	-	-	-
Beddith John, St. George East	W	-	8057	9	4	1	-	-	-	-	-	-	-	-	-	3	-
Beddith Well H	-	E.L. & N.R.	10246	6	12	5	-	-	-	1	-	-	-	-	1	1	16
Beddith Well W	-	E.L.	14938	7	7	1	1	-	-	-	-	-	-	-	1	2	-
Beddith Warehouse	-	E.L.	32202	25	11	3	-	-	-	2	-	-	-	1	1	4	-
Beddith End Old Town West	H	-	38650	32	8	2	2	-	-	-	-	-	-	-	-	-	-
Beddith End Old Town East	W & H	E.L.	68942	42	22	7	7	-	-	1	-	-	-	-	-	8	-
Beddith Z	-	E.L.	40985	31	17	6	5	-	-	1	1	-	-	-	1	1	-
Beddith Emley W & H	-	E.L.	70000	40	33	9	3	-	-	-	-	-	-	-	2	6	1
Beddith Mar. W & W	-	E.L.	56833	43	18	6	4	-	-	-	-	1	-	-	-	16	1
SOUTH DISTRICTS.																	
Beddith Church Southwark	W H	L. & S.	12364	9	2	2	-	-	-	-	-	-	-	-	-	-	-
Beddith Saviour Southwark	-	S.	18913	10	3	2	-	-	-	-	-	-	-	-	-	-	-
Beddith St-road	-	S. & L.	21867	21	9	6	1	-	-	-	-	-	-	-	-	-	-
Beddith South-road W H	-	S. & L.	16624	12	6	2	2	-	-	-	-	-	-	-	-	2	-
Beddith St-road H L	-	L. & S.	21221	10	2	1	-	-	-	-	-	-	-	-	-	1	-
Beddith City Newington	-	S. & L.	26596	13	10	3	1	-	-	-	-	-	-	-	1	-	-
Beddith Peter Walworth W	-	S. & L.	61342	49	21	8	5	-	-	-	-	-	-	-	1	3	5
Beddith Mary Newington	-	L. & S.	27866	20	9	-	2	-	-	-	1	-	-	-	1	-	-
Beddith Olive W H	-	S.	12723	11	16	3	4	-	-	-	-	-	-	-	-	-	-
Beddith Leather Market W	-	S. & L.	30612	18	4	1	1	-	-	1	-	-	-	-	3	4	12
Beddith James Bermondsey	-	S.	54070	36	24	13	6	-	-	-	-	-	-	-	1	-	-
Beddith Herthth W H	-	S. & K.	32255	20	32	10	10	-	-	-	-	-	-	2	1	4	11
Beddith Terloo-road 1st H	-	L. & S.	14031	11	7	1	-	-	-	-	-	-	-	-	-	-	-
Beddith Terloo-road 2nd H	-	L. & S.	14644	27	10	6	2	-	-	-	2	-	-	-	-	-	-
Beddith Beth Church 1st H	-	L. & S.	18075	18	18	7	-	-	-	-	2	-	-	-	1	1	1
Beddith Beth Church 2nd W & W	-	L. & S.	30967	22	21	4	8	-	-	-	-	-	-	-	-	-	-
Beddith Newington 1st H	-	S. & L.	65586	34	17	3	7	-	-	-	1	1	-	-	1	2	13
Beddith Newington 2nd	-	S. & L.	38708	19	4	-	1	-	-	-	-	-	-	-	-	-	-
Beddith Newington W	-	L. & S.	73405	41	19	7	2	-	-	1	2	5	-	-	-	-	-
Beddith Newington WH	-	L.	22657	9	3	1	1	-	-	-	-	-	-	-	-	6	-
Beddith Battersea	-	S.	67244	37	22	8	4	-	-	-	-	-	-	-	-	-	-
Beddith Battersea W & H	-	S.	83314	39	40	8	15	-	-	-	1	-	-	-	3	1	3
Beddith Ham H	-	S.	43698	21	10	3	3	-	-	-	-	-	-	-	-	3	10
Beddith Adsworth WHL	-	S.	46717	31	21	8	6	-	-	-	1	-	-	-	-	1	-
Beddith Key	-	S.	17771	11	5	1	2	-	-	-	-	-	-	-	-	1	2
Beddithatham W & W	-	L.	48756	26	16	-	8	-	-	-	1	2	-	-	-	4	-
Beddith W	-	L. & S.	3809	1	5	-	1	-	-	-	-	-	-	-	-	-	-
Beddith Camberwell W & L*	-	S. & L.	81686	45	52	8	21	-	-	-	-	-	-	-	-	-	-
Beddith Ham W & W	-	S., L., & K.	33488	42	18	7	5	-	-	-	-	1	-	-	1	1	20
Beddith George Camberwell	-	L. & S.	63366	44	21	12	-	-	-	-	-	-	-	-	-	2	-
Beddith Bedford, North	-	K.	53814	20	8	5	1	-	-	-	-	-	-	-	-	-	-
Beddith Bedford, Central W	-	K.	42407	30	14	4	-	-	-	-	4	3	-	-	-	1	7
Beddith Bedford, South	-	K.	50852	12	8	-	2	-	-	-	-	-	-	-	-	-	-
Beddith Bedford West H	-	K.	22007	10	7	1	2	-	-	-	-	1	-	-	-	-	-
Beddith Bedford East WH	-	K.	35238	21	15	1	6	-	-	1	-	-	-	-	-	8	-
Beddith Bedford W H	-	K.	5682	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford H	-	K.	23541	9	6	1	2	-	-	-	-	-	-	-	-	-	-
Beddith Bedford WH	-	K.	30950	22	14	3	6	-	-	-	-	-	-	-	-	1	2
Beddith Bedford H	-	L.	34162	11	18	2	3	-	-	-	-	-	-	-	-	1	4
Beddith Bedford HH	-	K.	14040	5	3	-	-	-	-	1	-	-	-	-	-	-	-
Beddith Bedford Dockyard	-	K.	19606	12	4	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Arsenal HH	-	K.	21242	11	5	-	2	-	-	-	-	-	-	-	-	2	-
Beddith Bedford West H	-	K.	15869	4	3	-	2	-	-	-	-	1	-	-	-	-	-
Beddith Bedford East W	-	K.	36567	30	12	-	2	-	-	1	-	-	-	-	1	1	2
Beddith Bedford Asylum	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Beddith Bedford Asylum	-	-	-	-	1	-	-	-									

The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Market.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 27th October, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1891	BIRTHS.	The DEATHS registered in the Week include															
					DEATHS.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 15 Years & upwards.	Small-pox.	Measles.	Scarlet fever.	Dysentery.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
LONDON—OUTER RING					368,746	1,422,063	845	402	142	103	-	6	2	27	5	10	7	9	17	33
80: 1	Carshalton WHH -	12228	26108	14	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of * WWH -	10423	12508	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
87: 1	Goldstone, part of * W -	754	1593	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Croydon WHH -	20351	124699	66	23	4	12	-	1	-	1	-	1	-	-	1	1	1	2	-
2	Mitcham W -	11697	23083	12	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
89: 1	Wimbledon HHH -	3220	25761	19	5	2	2	-	-	-	-	-	-	-	-	-	1	1	1	-
2	Kingston WHH -	8071	44765	21	10	2	3	-	-	-	2	-	-	-	-	-	-	-	-	-
3	Esher, part of * -	6601	12059	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton H -	4555	18252	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
40: 1	Richmond WH -	2160	25399	10	8	3	2	-	-	-	-	-	2	-	-	-	-	-	-	2
2	Mortlake H -	2823	16159	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41: 1	Bromley HHH -	9127	23815	13	12	2	4	-	-	-	2	-	1	1	1	1	1	1	2	-
2	Beckenham H -	6542	21969	7	3	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-
3	Chislehurst, pt. of * WHH -	14307	20372	7	6	1	3	-	-	-	2	-	-	-	-	-	-	-	-	-
42: 1	Bexley HHH -	12549	30890	15	9	2	-	-	-	-	1	-	-	-	-	-	1	2	-	-
2	Dartford Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124: 1	Sunbury W -	11054	13371	8	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W -	18277	13221	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
125: 1	Hillingdon WHH -	6935	12237	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge -	6172	5417	3	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
3	Hayes WH -	14537	12613	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126: 1	Isleworth WHH -	6967	23273	15	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	2
2	Twickenham HH -	2415	16027	8	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford HHHH -	4318	37777	15	7	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-
4	Chislewick -	1215	21963	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton WH -	6132	30945	20	13	4	5	-	-	-	-	-	-	-	1	1	1	1	-	-
127: 1	Harrow HHH -	13809	15715	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware HH -	6994	3344	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden HHH -	4333	61235	46	22	7	2	-	1	-	-	-	-	-	-	-	-	1	1	-
4	Heaton W -	8332	15843	7	7	-	4	-	-	-	-	-	-	1	-	-	-	1	2	-
128: 1	South Mimms -	1559	8474	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet WHH -	5411	11773	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley HHH -	4638	25829	13	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
129: 1	Horsey HH -	3139	61037	23	11	2	4	-	-	-	-	-	-	-	-	-	-	-	-	1
2	Tottenham H -	4542	27174	56	20	9	10	-	-	-	1	1	3	-	2	4	2	-	-	-
3	Edmonton WWH -	7499	33351	23	13	4	5	-	-	-	1	-	1	-	-	-	2	3	-	-
4	Enfield WWHH -	12639	31803	20	7	1	2	-	-	-	-	-	1	-	-	-	-	1	2	-
5	Waltham Abbey -	11017	6063	4	4	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-
6	Chesham H -	8430	9920	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
130: 1	Hatfield, part of * W -	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey H -	9331	7737	5	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
2	Watford Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136: 1	Stratford H -	1100	42983	33	21	8	3	-	-	-	2	-	-	-	-	-	-	-	-	-
2	Plaistow HHHH -	1212	55030	49	18	4	2	-	-	-	-	8	-	-	1	1	1	-	-	-
3	Canning Town H -	1558	54750	60	31	15	-	-	-	-	-	2	1	-	-	-	-	-	-	1
4	Forest Gate W -	805	4914	21	9	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
5	East Ham W -	3266	32713	20	9	3	3	-	-	1	1	-	-	-	-	-	-	-	-	-
6	Leyton WWH -	4334	70183	45	21	5	5	-	-	1	1	-	1	-	1	-	-	-	-	9
7	Walthamstow HHL -	6591	57330	37	23	10	6	-	-	-	2	-	1	1	-	-	-	-	-	-
137: 1	Chigwell, part of * H -	1179	12941	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping Work., pt. of * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139: 1	Reinford, part of * HH -	6358	4324	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford -	8433	19913	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town H -	3314	14991	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 1, 2, Epsom sub-district, except the parishes of Ashstead and Haxley (pop. 1768); 37: 1, the parishes of Warrington and Farley in Goldstone district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2242); 41: 3, Chislehurst sub-district, except the parishes of Chislehurst, and Knockholt (pop. 2007); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1 Chigwell sub-district, except the parishes of Thrydon Bois (1079); 139: 1, the parish of Daguenham in Reinford sub-district; also deaths in Workhouses belonging to the Outer Ring in 4 Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 27th October, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.		
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
TER LONDON	443,421	5,948,300	16.5	1.7	1883	503	473	-	30	19	76	23	24	26	56	455				
TER LONDON -	74,672	4,349,166	17.8	1.7	1481	391	367	-	24	17	49	18	14	19	47	422				
TER RING -	363,749	1,599,134	13.1	1.9	462	112	108	-	6	2	27	5	10	7	9	33				

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.945 square miles, which is equivalent to the area of a circle having a radius of 14.351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	October 27	134	94	18.1	-	-	2	1	2	-	1	
GLASGOW	686,820	" 27	428	245	18.6	-	7	8	2	4	5	6	
DUBLIN	349,594	" 27	154	150	22.4	4	-	-	1	1	3	7	
BRISTOL	466,460	September 15	-	251	28.0	5	-	-	-	1	111	33†	
LONDON	821,764	October 2	282	483	30.6	2	3	†	†	†	134	63†	
GLASGOW	452,518	September 21	394	349	40.1	-	1	†	†	†	118	63	
GLASGOW	2,424,705	October 20	1124	833	17.9	1	5	2	5*	4	8	74	
GLASGOW	498,400	" 20	239	137	14.3	-	-	-	2*	3	1	10	
GLASGOW	446,295	" 20	233	136	15.8	-	2	-	2	1	-	2†	
GLASGOW	228,597	" 20	151	63	14.3	-	1	-	-	-	-	-	
GLASGOW	174,790	" 20	105	60	17.8	-	-	-	2	2	-	-	
GLASGOW	341,000	" 20	169	86	13.1	-	2	2	6	-	-	11	
GLASGOW	252,937	" 13	138	84	17.3	-	4	2	2*	-	-	8	
GLASGOW	167,588	" 20	49	65	20.2	-	-	2	4	2	-	10	
GLASGOW	954,400	October 6	576	334	21.0	1	4	15	19	8	4	27†	
GLASGOW	753,469	" 13	-	351	24.3	1	4	6	14	†	4	38	
GLASGOW	1,714,938	" 6	898	514	15.7	-	2	16	30	-	3	46	
GLASGOW	598,372	" 20	-	167	14.5	-	2	4	7*	1	-	7	
GLASGOW	312,772	September 29	-	102	16.7	-	-	-	1*	5	1	20	
GLASGOW	360,660	October 20	-	142	20.6	-	1	3	5*	1	-	7	
GLASGOW	390,000	" 20	-	175	23.3	-	1	1	5*	8	-	32	
GLASGOW	1,465,537	" 20	903	561	10.9	-	7	11	19*	2	2	61	
GLASGOW	339,172	" 13	175	125	18.9	-	1	1	4	1	3	6	
GLASGOW	552,769	" 13	362	199	18.7	8	-	6	4	1	1	14	
GLASGOW	159,739	" 13	66	77	25.1	-	-	4	9*	-	2	3	
GLASGOW	455,678	September 22	-	-	-	-	-	-	-	-	-	-	
GLASGOW (10 days)	237,997	October 10	195	149	16.1	-	-	-	3	1	8	10	
GLASGOW	160,406	" 6	67	48	15.8	-	-	-	1*	-	1	2	
GLASGOW	374,838	" 4	418	288	40.0	-	-	-	1*	2	5	97	
GLASGOW	231,396	" 4	193	172	33.7	-	-	-	4*	-	4	39	
GLASGOW	1,925,569	" 13	-	656	17.3	-	3	4	30	4	10	38	
GLASGOW	1,043,000	" 13	-	391	18.9	-	-	-	20	7	8	34	
GLASGOW	1,139,457	" 13	-	361	16.5	-	-	1	31	-	8	20	
GLASGOW	254,000	September 22	-	121	24.9	-	-	-	5	-	11	8	
GLASGOW		" 29	-	123	25.3	-	-	-	3	-	8	5	

* Including deaths from croup.

† Including 5 deaths from cholera in Calcutta, 2 in Bombay, 2 in Amsterdam, and 14 in St. Petersburg.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 27th October, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894.		TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.										Ozone.	
Phases of the Moon.	Baro- meter.	Of the Air.					Of the Air Temperature and Dew Point Temperature.		Of Radiation.		General Direction.		Pressure on the Square Foot.		Robinson's.		Rain collected in a Glass whose surface is 100 sq. ft. above the Ground.																
		High- est.	Low- est.	Daily Range.	Mean daily Average value.	De- parture from Average value. 50 years.	Mean daily Average value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest in Grass.	A. M.	P. M.	Great- est.	Least.	Mean hourly obs.		Horizontal Movement of the Air on each 10 fathoms.															
OCTOBER.		in.	°	°	°	°	°	°	°	°	°	SSW. & SW.	W. & NW. & NNE.	lbs.	lbs.	lbs.	Miles.	in.															
SUNDAY. 21	29.419	52.0	38.7	13.3	44.9	- 3.9	39.9	5.0	9.0	2.2	83	90.2	35.0	52.38	6.7	0.0	0.5	337	0.18														
MONDAY. 22	29.652	48.8	35.0	13.8	42.5	- 6.0	36.7	5.8	9.4	0.5	80	74.2	29.2	52.51	2.2	0.0	0.1	253	0.00														
TUESDAY 23	29.783	52.9	38.8	14.1	47.1	- 1.1	41.4	5.7	11.0	2.8	80	81.0	32.3	52.20	2.0	0.0	0.1	243	0.00														
WEDNES. 24	29.076	60.1	51.5	8.6	55.2	+ 7.8	51.1	4.1	7.0	1.7	86	95.2	47.3	51.99	22.5	0.0	1.5	522	0.39														
THURS. 25	28.989	58.3	51.4	6.9	54.8	+ 7.2	44.8	10.0	13.1	5.0	69	104.0	45.5	52.10	17.5	0.0	2.3	723	0.63														
FRIDAY. 26	29.294	61.2	50.2	11.0	54.8	+ 7.4	49.7	5.1	10.8	0.6	83	105.0	44.8	52.27	12.0	0.0	0.9	460	0.43														
SATURDAY 27	29.151	57.3	49.6	7.7	52.9	+ 5.6	48.9	4.0	6.5	1.8	86	86.2	44.3	52.33	12.8	0.0	1.0	508	0.32														
MEANS.	29.388	55.8	45.0	10.8	50.3	+ 2.4	44.6	5.7	9.5	2.1	81	90.8	39.8	52.33	Sum 3046	Sum 1.35														
No. of Column	3	4	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26										

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h, A.M.; noon; 3h, P.M.; and 9h, P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 10 years ending 1875. In reading the columns 3 and 23 it will be borne in mind that + indicates "higher" and "lower" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; W. weak; M. moderate; S. strong; and

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show
V. variable.

the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 29.28 in. at the beginning of the week to

29°84 in. by 9h. A.M. on the 23rd; decreased to 28°45 in. by 4h. P.M. on the 24th; increased to 29°06 in. by 1h. A.M. on the 25th; decreased to 28°59 in. by 5h. P.M. on the 25th; increased to

GENERAL REMARKS:

DATE.		Explanation of (For use of symbols, see Note.)	Registered Barometer, at Sea, in hours.		GENERAL REMARKS.
OCTOBER.			at Sea.	in hours.	
SUNDAY	21	s. P. and s. N. in early morning; w. P. till afternoon; s. P. in evening.	0.7	10.3	Overcast in morning; heavy rain between 2h. and 5h. A.M.; afterwards fine & cloudless at night.
MONDAY	22	w. P. in morning; v. P. afterwards.	0.0	10.2	Cloudy till evening; afterwards cloudless; fog in morning.
TUESDAY	23	w. P. in morning; m. P. generally afterwards.	0.0	10.2	Overcast generally.
WEDNESDAY	24	w. P. in morning; v. P. and N. afterwards; w. P. generally in evening.	0.5	10.1	Overcast generally till 6h. p.m.; with nearly continuous drizzle afterwards; strong wind in afternoon and evening. Lightning at night.
THURSDAY	25	w. P. in morning; m. P. in afternoon; occasionally s. N.	4.2	10.0	Fine; frequently cloudless; occasional showers; strong wind. Lightning in evening.
FRIDAY	26	w. P. in morning; v. P. and s. N. afterwards.	3.6	10.0	Fine, but windy, in early morning, cloudy afterwards; heavy rain in evening.
SATURDAY	27	w. P. and v. N. in morning; s. P. and w. P. afterwards.	0.3	9.9	Variable; heavy showers; strong wind during the day.
			Sum	Sum	

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY RYER AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 44. 1894. VOL. LV.] WEEK ENDING SATURDAY, NOVEMBER 3. [Price 1½d.

General Register Office, Somerset House,
November 5th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·3 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.		Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.
Birkenhead	11·4	15·8	17·3	11·8	Liverpool -	23·1	22·9	24·2	22·6
Birmingham	16·8	16·4	16·2	15·1	London -	15·5	15·9	17·8	16·4
Blackburn -	16·6	18·7	22·0	20·3	Manchester -	20·3	21·6	23·4	17·3
Bolton -	23·4	21·2	22·9	22·5	Newcastle-on-Tyne	17·3	13·7	19·4	19·4
Bradford -	17·7	16·8	15·1	24·0	Norwich -	11·4	12·3	14·3	12·3
Brighton -	11·9	18·4	19·3	18·4	Nottingham -	16·3	18·2	20·5	13·1
Bristol -	18·9	16·1	16·8	13·8	Oldham -	18·8	19·9	18·4	16·5
Burnley -	16·2	24·3	22·2	25·4	Plymouth -	19·6	11·9	20·2	11·3
Cardiff -	11·9	16·8	13·7	14·7	Portsmouth -	15·2	15·6	19·2	14·0
Croydon -	9·3	15·4	10·2	10·2	Preston -	26·2	15·9	20·1	22·0
Derby -	16·4	16·4	15·3	22·2	Salford -	20·0	15·2	20·5	21·3
Gateshead -	15·6	16·8	20·1	20·1	Sheffield -	17·9	18·3	16·5	17·9
Halifax -	19·7	21·9	18·5	20·8	Sunderland -	22·2	22·6	26·8	23·8
Huddersfield	15·4	17·5	19·1	18·5	Swansea -	18·6	20·8	19·1	16·4
Hull -	16·9	18·9	16·9	18·1	West Ham -	13·8	14·0	18·8	15·8
Leeds -	16·0	16·2	20·7	20·3	Wolverhampton -	16·6	14·1	15·9	17·8
Leicester -	12·7	11·9	12·4	13·0					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·9 in Bradford, 2·0 in Leeds, 2·3 in Sheffield, 2·7 in Portsmouth, and 2·8 in Gateshead; from *scarlet fever*, 1·0 in Salford and 1·1 in Huddersfield; from "*fever*", 1·1 in Gateshead; and from *diarrhæa*, 1·5 in Sunderland, 1·6 in Burnley, and 1·9 in Nottingham. The death-rate from *whooping-cough* did not reach 1·0 per 1000 in any of the thirty-three towns. The 90 deaths from *diphtheria* included 54 in London, 9 in West Ham, 7 in Manchester, 3 in Brighton, 3 in Wolverhampton, 3 in Liverpool, and 2 in Salford. Two deaths from *small-pox* were registered in Birmingham, and one death belonged to London, but no death from this cause was recorded in any other of the thirty-three towns.

LONDON.

In LONDON 2659 BIRTHS and 1372† DEATHS were registered. Allowing for increase of population, the births were 66, and the deaths 257, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

per 1000 from all causes, which had been 15·5, 15·9, and 17·8 in the preceding three weeks, declined last week to 16·4. During the four weeks ending on Saturday last the death-rate averaged 16·4 per 1000, being 2·4 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1372 deaths included one death from small-pox, 15 deaths from measles, 10 from scarlet fever, 54 from diphtheria, 14 from whooping-cough, 17 from enteric fever, 20 from diarrhoea and dysentery, and not one death from typhus, any ill-defined form of continued fever, or from cholera; thus, 131 deaths were referred to these diseases, being 55 below the corrected average weekly number.

The death from *small-pox* belonged to St. George Hanover Square sanitary area. There were 45 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and 3 in the Highgate Small-pox Hospital, making a total of 48, against 63, 60, and 50 on the preceding three Saturdays; 8 cases were admitted during the week, against 8, 11, and 8 in the preceding three weeks. The deaths from *measles*, which had been 10, 8, and 24 in the preceding three weeks, declined again last week to 15, and were 29 below the corrected average; 5 belonged to Hackney and 4 to Greenwich sanitary areas. The deaths from *scarlet fever*, which had been 12, 18, and 17 in the preceding three weeks, declined last week to 10, being only one-third of the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2240 scarlet-fever patients at the end of last week, against 2171, 2214, and 2285 on the preceding three Saturdays; 223 cases were admitted during the week, against 261 and 254 in the preceding two weeks. The deaths from *diphtheria*, which had been 54, 61, and 49 in the preceding three weeks, numbered 54 last week, exceeding the corrected average by 20; 4 belonged to Paddington, 4 to Kensington, 4 to Camberwell, and 3 each to Hackney, Poplar, St. George Southwark, Lambeth, and Greenwich sanitary areas. The Metropolitan Asylum Hospitals* contained 537 diphtheria patients at the end of last week, against 521, 521, and 531 on the preceding three Saturdays; 99 cases were admitted during the week, against 96 and 102 in the preceding two weeks. The deaths from *whooping-cough*, which had been 13, 10, and 18 in the preceding three weeks, numbered 14 last week, being 11 below the corrected average. The fatal cases of *enteric fever*, which had been 20, 17, and 14 in the preceding three weeks, increased again last week to 17, but were 3 below the corrected average; 2 belonged to Marylebone, 2 to Hackney, and 2 to Camberwell sanitary areas. The Metropolitan Asylum Hospitals* contained 93 cases of enteric fever and 2 of typhus on Saturday last; 14 cases of enteric fever were admitted during the week, against 10 and 19 in the preceding two weeks. The deaths from *diarrhoea*, which had been 30, 26, and 19 in the preceding three weeks, numbered 20 last week, being 8 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 241, 287, and 329 in the preceding three weeks, numbered 329 last week, and were 67 below the corrected average.

The deaths attributed directly to *influenza* numbered 7, having been 3, 6, and 13 in the preceding three weeks.

Different forms of violence caused 53 deaths, concerning all of which inquests were held. Of these 53 deaths, 5 were cases of suicide, while the remaining 48 were attributed to accident or negligence. Two of these were referred to vehicles in the streets, 4 to drowning, 2 to poison, and 14 (including 13 of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3570 births and 1764 deaths were registered, corresponding to annual rates of 31·3 and 15·5 per 1000 of the estimated population. In the Outer Ring 13 deaths from measles, 20 from diphtheria, 6 from whooping-cough, and 4 from "fever" were recorded. Four deaths from measles occurred in West Ham District, and 3 in Brentford district. The 20 deaths from diphtheria included 12 in West Ham district, and 3 in Kingston district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·66 inches, and that of the Thermometer 54°·0, the latter being 7°·3 above the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 22 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 11·8 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 3rd November 1894.

CITIES AND BOROUGHES.	COLS.	POPULATION estimated to the middle of the year 1894.		Registered during the week ending 2nd Nov. 1894.		Deaths of										The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGHES.
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	Annual rate per 1000, corresponding to the Week's deaths		Mean.			In Inches.	In Cents.									
																		Persons under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.			Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Causes of Death.	
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.								
33 TOWNS		10,458,442	6540	3475	1021	711	3	96	37	90	32	46	81	115	248	688	50	17.3	1.9	64.9	28.0	51.4	10.78	1.46	3.71	Cols.							
LONDON		4,349,166	2659	1372	298	313	1	15	10	54	14	17	20	53	129	394	11	16.4	1.6	64.9	45.7	54.0	12.22	2.16	5.59	- 33 TOWNS.							
WEST HAM		238,184	186	72	22	12		2	1	9			1	7	8	5	1	15.8	2.8							LONDON.							
CROYDON		111,921	64	22	3	7		3						1	4	1	1	10.2	0.5	64.5	43.0	52.9	11.61	2.63	6.08	WEST HAM.							
BRIGHTON		118,715	77	42	5	16		3		3	1	1	1			9		18.4	4.0	61.0	50.0	55.0	12.78	2.33	5.92	CROYDON.							
PORTSMOUTH		170,973	103	46	9	13		9							1	8		14.0	3.0	60.0	49.0	54.3	12.39	2.18	5.54	BRIGHTON.							
PLYMOUTH		87,931	54	19	11	4												11.3								PORTSMOUTH.							
PLYMOUTH		226,278	126	60	15	12		2	1	1		1	1	1	3	14		13.8	1.4	62.0	43.0	53.1	11.72	2.40	6.10	PLYMOUTH.							
BRISTOL		148,890	84	42	13	6		1					2	2	3	9		14.7	1.1							BRISTOL.							
CARDIFF		85,329	68	20	8						1				1			16.4	0.5							CARDIFF.							
SWANSEA																										SWANSEA.							
WOLVERHAMPTON		58,036	63	29	10	6			1	3			1			2		17.8	3.1	60.4	34.2	47.8	8.78	0.72	1.83	WOLVERHAMPTON.							
BIRMINGHAM		492,301	229	143	44	25	2	1				3	6	4	3	28	13	15.1	1.3							BIRMINGHAM.							
NORWICH		105,645	66	25	8	5				1		1			2	3		12.3	1.0	61.4	34.0	50.5	10.28	0.71	1.80	NORWICH.							
LEICESTER		189,186	123	47	15	3					1	1	2		3	4	2	13.0	1.1							LEICESTER.							
NOTTINGHAM		223,584	107	56	21	17				1		4	8	3	4	4		13.1	3.0	62.1	38.8	49.2	9.56	0.60	1.75	NOTTINGHAM.							
DERBY		187,766	62	42	14	11		2	1					1	2	7		22.2	2.1							DERBY.							
BIRKENHEAD		105,627	70	24	11	1					1			2	4	1		11.8	0.5							BIRKENHEAD.							
LIVERPOOL		507,280	326	220	68	24		2	5	3	2	6	5	12	15	46	3	22.6	2.4	60.9	43.8	51.1	10.61	0.88	2.24	LIVERPOOL.							
BOLTON		118,303	74	51	15	10		1		1			2	1	2	8		22.5	1.8							BOLTON.							
MANCHESTER		520,211	327	173	46	35		4	3	7	1	4	8	3	8	44	2	17.3	2.7							MANCHESTER.							
SALFORD		205,828	146	84	30	12			4	2	1		2	3	4	14	2	21.3	2.3							SALFORD.							
OLDHAM		138,755	66	44	14	6		1					3		1	3		16.5	1.5							OLDHAM.							
BURNLEY		164,478	72	47	15	7		1		1	1	1	3	1	4	3		25.4	3.8							BURNLEY.							
BLACKBURN		125,797	69	49	16	8					1		3	1	6	2	3	20.3	0.8							BLACKBURN.							
PRESTON		111,425	70	47	14	14					2		2			4	3	22.0	1.9							PRESTON.							
Huddersfield.		98,511	46	23	5	7			2			1	1	1	2	3		18.5	2.1							HUDDERSFIELD.							
HAULFAX.		92,861	40	27	8	11					1			1	1	5		20.8	0.6							HAULFAX.							
BRADFORD.		228,183	178	103	27	19		8	2	1	2		1	4	9	15	1	24.0	3.3	60.2	39.9	48.5	9.17	0.51	1.30	BRADFORD.							
LEEDS.		388,761	234	161	46	31		15	1	1	1		2	3	9	11	1	20.3	2.7							LEEDS.							
SHEFFIELD		338,316	132	116	31	21		15	3		1		2	2	4	8	5	17.9	3.1							SHEFFIELD.							
HULL		212,679	146	74	29	13		2	1	1		1	3	3	4	7	1	18.1	2.0	62.0	28.0	48.6	9.22	0.87	2.21	HULL.							
SUNDERLAND		186,101	104	62	24	8		2				2	4	1	6	6	1	23.8	3.1							SUNDERLAND.							
GATESHEAD		133,372	63	26	10	7		5						1	5	4		20.1	4.5							GATESHEAD.							
NEWCASTLE		201,947	116	75	16	19		5	1					2	3	13	1	19.4	1.8							NEWCASTLE.							

* See note * on first page of this Return.

*Births, Deaths, Meteorology.***TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-FOURTH Week of each of the Eleven Years, 1884-94.**

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2745	2695	2556	2593	2973	2623	2295	2717	2767	2452	2724·6	2659
Males . .	1383	1410	1322	1301	1204	1316	1155	1318	1336	1253	1374·9	1331
Females . .	1362	1285	1234	1292	1169	1307	1140	1369	1431	1199	1349·7	1328
TOTAL Deaths	1503	1483	1332	1735	1613	1317	1817	1446	1491	1695	1623·7	1372
Males . .	789	743	686	896	820	673	909	755	747	853	890·7	711
Females . .	714	740	646	839	793	644	908	691	744	842	793·0	661

* The numbers in this column are the average weekly numbers in the forty-fourth weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.
TOTAL Births	2200	2665	2361	2704	2369	2569	2358	2403	2532	2323	2516	2413	2659
TOTAL Deaths	1450	1423	1284	1198	1175	1241	1211	1277	1287	1291	1326	1481	1372
Ages at Death													
{ 0-20 years	820	787	685	591	578	600	571	577	574	565	617	667	649
{ 20-40 "	140	169	144	150	155	156	145	160	159	181	170	187	184
{ 40-60 "	221	241	232	208	197	209	223	236	246	262	236	260	226
{ 60-80 "	227	193	184	214	214	223	224	215	253	232	237	294	253
{ 80 years & upwards	42	38	39	35	31	53	43	39	55	51	66	73	60
Under 1 year	497	475	416	361	352	353	331	311	331	331	350	391	398
{ 1-5	219	229	184	146	146	159	159	171	160	163	182	193	169
{ 5-20	104	83	85	84	80	88	81	95	83	81	85	78	82
Deaths from Small-pox	10	4	2	7	6	3	-	1	1	-	-	-	1
" " Measles	33	34	27	18	13	9	13	7	9	10	8	24	15
" " Scarlet fever	19	14	17	13	13	15	15	18	9	12	18	17	10
" " Diphtheria	62	57	43	33	39	55	52	67	66	54	61	49	54
" " Whooping-cough	35	30	22	26	15	20	25	15	7	13	10	18	14
" " Typhus	-	-	-	-	-	-	1	-	-	-	-	-	-
" " Enteric fever	11	6	11	8	13	10	7	13	13	20	17	14	17
" " Simple Cont ^d fever	-	-	-	-	1	-	-	-	-	-	-	-	-
" " Diarrhoea and " " Dysentery	164	124	114	71	79	62	49	35	33	30	26	19	20
" " Cholera	3	5	2	2	2	-	-	1	-	-	-	-	-
" " all the above- " " mentioned Diseases	337	274	238	178	181	174	162	157	138	139	140	141	131
" " Dis. of Respira- " " tory System	151	144	148	123	134	143	172	184	215	241	287	329	329
" " Phthisis	124	137	122	116	113	130	119	141	131	137	135	161	132
" " Dis. of Circula- " " tory System	91	113	102	93	90	82	106	111	101	102	93	123	111
Violent Deaths	61	62	39	52	56	55	51	49	52	57	57	47	53
Inquest Cases	115	124	82	92	114	102	97	107	120	121	119	112	129
Deaths in Public Institutions	412	404	390	371	369	401	377	412	368	416	392	432	394
TEMPERATURE OF THE AIR													
Mean	60·4	59·2	57·4	60·8	52·7	54·8	55·9	52·5	52·8	53·0	44·3	50·3	54·0
Mean of Highest readings	70·2	68·8	64·4	72·1	61·7	63·7	62·5	59·9	59·5	58·6	50·9	55·8	59·0
Mean of Lowest readings	55·3	53·0	52·0	52·2	44·8	47·7	51·0	46·3	47·5	43·5	38·4	45·0	50·2
Humidity of the Air	79	79	87	86	80	82	90	89	83	95	85	81	87
Rain-fall in inches	0·52	0·94	1·50	0·00	0·54	0·02	0·11	0·59	0·12	0·36	0·19	1·35	2·16
Registered Sunshine (in hours)	19·9	30·7	14·0	28·6	17·6	17·2	3·0	14·7	13·9	1·7	7·3	9·3	11·8

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met.Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrothesley, Wolverhampton; Arthur Brown, Esq., and P. B. Byer, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FOURTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 44th Week of the 10 years 1884-93.*	In the Week ending Saturday, 3rd November 1894.								CAUSES OF DEATH.	Corrected Averages for the 44th Week of the 10 years 1884-93.*	In the Week ending Saturday, 3rd November 1894.																	
		Deaths of Persons of the Ages										Deaths of Persons of the Ages																	
		ALL AGES.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.			ALL AGES.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.										
ALL CAUSES -	1628·7	1372	398	169	82	184	236	253	60	Diseases of Organs of Special Sense - - -	3·6	3	-	1	1	-	-	-	-	Diseases of Circulatory System - - -	132·2	111	2	-	10	12	34	46	7
Small-pox { Vaccinated† -	1·1	1	-	-	-	1	-	-	-	Croup - - - - -	11·4	5	1	4	-	-	-	-	-	Bronchitis - - - -	231·8	179	77	26	1	3	18	46	8
Unvaccinated -	0·9	-	-	-	-	-	-	-	-	Pneumonia - - - -	111·9	127	50	27	5	11	13	18	3	Pleurisy - - - - -	6·4	4	1	-	-	1	2	-	-
No Statement -	0·5	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - - -	32·3	14	5	1	-	1	1	5	1	Dentition - - - - -	7·8	7	5	2	-	-	-	-	-
Measles - - - - -	44·4	15	3	10	2	-	-	-	-	Quinsy, Sore Throat -	2·2	-	-	-	-	-	-	-	-	Enteritis - - - - -	9·7	8	2	2	1	-	1	1	1
Scarlet Fever - - -	30·5	10	1	6	3	-	-	-	-	Peritonitis - - - -	5·5	9	-	-	3	2	2	2	-	Diseases of Liver - -	29·2	15	-	-	-	2	8	5	-
Typhus - - - - -	0·1	-	-	-	-	-	-	-	-	Other Diseases of Digestive System -	23·7	23	6	4	-	3	9	4	2	Diseases of Lymphatic System & of Ductless Glands -	2·5	5	1	-	-	1	1	1	1
Relapsing Fever - -	-	-	-	-	-	-	-	-	-	Diseases of Urinary System - - - -	45·6	30	-	-	-	4	12	13	1	Diseases of Generative System - - - -	5·5	2	-	-	-	1	-	1	-
Influenza - - - - -	2·0	7	3	-	-	2	1	1	-	Accidents of Childbirth -	4·1	5	-	-	-	5	-	-	-	Diseases of Locomotive System - - - -	7·8	3	-	2	-	1	-	-	-
Whooping-cough - -	25·1	14	8	5	1	-	-	-	-	Diseases of Integumentary System - - -	6·5	6	2	-	-	-	1	2	1	Diseases of Integumentary System - - -	6·5	6	2	-	-	1	2	1	-
Diphtheria - - - -	34·2	54	4	25	14	-	1	-	-	VIOLENT DEATHS.										(ACCIDENT.)									
Simple Continued and Ill-defined Fever -	1·8	-	-	-	-	-	-	-	-	By Railways - - - -		2	-	-	-	1	1	-	-	By Vehicles or Horses -		2	-	1	1	-	-	-	-
Enteric Fever - - -	19·5	17	-	-	-	13	2	-	-	In Ships, Boats, Docks (exclusive of Drowning) -		2	-	-	-	2	-	-	-	In Building Operations -		-	-	-	-	-	-	-	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-	In Conflagrations - -	49·2	3	-	1	-	1	-	-	1	By Burns, Scalds, Explosions -		3	-	-	1	-	-	-	1
Diarrhoea, Dysentery	28·3	20	17	1	-	1	-	1	-	By Drowning - - - -		4	-	-	1	3	-	-	-	By Suffocation in Bed -		14	13	-	1	-	-	-	-
Remittent Fever - -	0·2	-	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours - - - -		2	-	-	-	-	2	-	-	Other or not stated Causes - - - -		19	2	2	4	4	4	2	1
Hydrophobia - - -	0·1	-	-	-	-	-	-	-	-	(VIOLENCE OTHER THAN ACCIDENTAL.)										Homicide - - - - -	1·5	-	-	-	-	-	-	-	-
Glanders - - - - -	-	-	-	-	-	-	-	-	-	Suicide - - - - -	8·0	5	-	-	-	2	2	1	-	Execution - - - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - - -	0·4	1	1	-	-	-	-	-	-	OTHER CAUSES -	63·2	43	41	2	-	-	-	1	1										
Veneral Affections	9·6	13	10	-	-	1	2	-	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-																				
Erysipelas - - - -	8·8	3	-	-	-	-	2	1	-											</									

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5·541 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated," when so certified by registered medical men. When no medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical attendant, the case is returned under the heading "no statement."
‡ The evidence at inquest is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation. 1891.	Total Births.	Deaths of		Deaths from											Inquest Cases, Deaths in Public Institutions	Un- known Causes
				Infants under Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.			
LONDON		4,211,743	2659	1372	398	313	1	15	10	54	14	-	17	-	20	53	129	394
WEST DISTRICTS		749,735	380	241	65	61	-	2	1	14	4	-	4	-	8	6	16	76
NORTH DISTRICTS		923,884	582	235	75	63	-	6	3	10	5	-	5	-	4	8	30	74
CENTRAL DISTRICTS		247,538	144	81	21	11	-	-	-	3	-	-	1	-	1	8	13	28
EAST DISTRICTS		705,114	516	267	81	55	-	-	-	7	-	-	1	-	3	11	35	78
SOUTH DISTRICTS		1,524,472	1007	472	152	113	-	7	5	20	5	-	6	-	4	10	34	110
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON		-	-	28	-	10	1	-	1	-	-	-	-	-	-	1	1	23
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.		84150	49	24	6	9	-	-	-	2	-	-	-	-	1	1	1	5
St. John Paddington H - G.J.		39387	6	12	2	1	-	-	-	2	-	-	-	-	2	1	2	9
Kensington Town W - W.M. & C.		118751	53	58	11	20	-	2	-	1	-	-	1	-	2	1	2	22
Brompton H - W.M. & C.		47557	16	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Hammersmith - W.M.		8333	6	2	-	2	-	-	-	-	1	-	1	-	2	1	2	5
St. Paul Hammersmith H W.M. & G.J.		89453	50	22	9	3	-	-	-	-	-	-	-	-	-	-	2	9
Fulham W - W.M. & C.		91839	68	83	14	4	-	-	1	5	1	-	-	-	2	-	5	1
Chelsea Kensal Town - C.		21787	20	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North WHHHH - C.		41637	23	15	4	5	-	-	-	-	-	-	-	-	1	-	9	-
Chelsea South HH - C.		32820	17	8	3	3	-	-	-	-	-	-	-	-	-	-	1	-
May Fair W - G.J.		23733	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1
Belgrave WHHH - C.		54331	28	22	4	7	-	-	-	1	-	-	1	-	2	3	11	-
St. John Westminster HHH - C.		34106	19	9	3	2	-	-	-	-	-	-	-	-	-	1	2	3
St. Margaret Westminster H - C.		21668	7	7	2	-	-	-	-	1	1	-	1	-	-	-	1	1
St. James Westminster WHH N.R. & G.J.		24995	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Robo HHHHHH - N.R.		12317	7	4	1	-	-	-	-	-	1	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone } - W.M.		37713	10	16	2	5	-	-	-	-	-	-	-	-	-	1	2	5
HHHHHHHHH } - G.J. & W.M.		20024	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Restory Marylebone W - G.J. & W.M.		19329	27	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-
St. Mary Maryleb. HHHH G.J. & W.M.		38327	20	8	4	1	-	-	-	-	-	-	1	-	-	-	1	-
Christchurch Marylebone H - W.M.		32101	15	6	2	1	-	-	-	-	-	-	-	-	1	2	-	-
St. John Marylebone H - W.M.		68416	36	23	3	6	-	-	-	5	-	-	-	-	-	1	2	13
Barnstead WHHHHH N.R. & W.M.		35590	25	6	2	1	-	-	-	-	1	-	-	-	-	-	-	2
Regent's Park Pancras HH - W.M.		26331	11	15	5	3	-	-	-	-	-	-	-	-	1	-	-	11
Tottenham-court WHHHH N.R. & W.M.		27455	19	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Gray's Inn Lane HHH - N.R.		82829	24	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Homers Town HH - N.R.		15419	9	3	1	-	-	-	-	-	-	-	-	-	-	-	1	2
Camden Town WH - N.R.		95765	62	30	6	7	-	1	1	1	1	-	-	-	-	-	3	6
Kenilworth Town W - N.R.		90235	44	39	6	10	-	-	-	1	-	-	-	-	1	-	5	17
Upper Holloway WWHHH - N.R.		105557	62	21	7	3	-	-	-	1	1	-	-	-	-	3	3	-
Islington South-west H - N.R.		64158	39	19	5	6	-	-	-	-	-	-	-	-	1	2	4	-
Islington South-east - N.R.		59193	32	16	4	3	-	-	-	1	1	-	1	-	-	-	2	-
Highbury HH - N.R.		30933	12	6	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Stoke Newington H - N.R.		17739	7	5	2	1	-	-	-	-	-	-	1	-	-	-	-	-
Stamford Hill - E.L.		42902	32	11	4	1	-	-	-	-	1	-	-	-	-	-	-	2
West Hackney H - N.R.		96486	65	35	11	10	-	4	3	1	-	-	-	-	-	-	-	1
Hackney Woodch H - E.L. & N.R.		41759	27	9	2	2	-	1	-	-	-	-	-	-	1	1	2	12
South Hackney w - E.L.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																		
St. George Bloomsbury - N.R.		16895	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH - N.R.		13454	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles North H - N.R.		9693	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields HH N.R. & C.		14616	7	10	1	1	-	-	-	-	1	-	-	-	-	2	4	7
St. Mary-le-Strand H - N.R.		5706	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Dances WH - N.R.		7194	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand Union Workhouse, Edmonton w.		-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Geo-the-Martyr HHHHHH N.R.		17921	16	9	2	1	-	-	-	-	-	-	-	-	-	-	-	4
St. Andrew Eastern W - N.R.		15343	9	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.		16803	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - N.R.		18883	17	8	4	-	-	-	-	-	-	-	-	-	-	1	1	-
Pentonville - N.R.		17155	15	4	1	-	-	-	-	-	-	-	-	-	-	-	1	2
Goswell-street - N.R.		15375	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHHH - N.R.		23177	16	5	1	-	-	-	-	-	-	-	-	-	-	-	1	2
Whitecross-street - N.R.		8278	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.		4285	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham w.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - N.R. & E.L.		8944	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.		4530	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - N.R.		4441	1	15	3	3	-	-	-	-	2	-	-	-	-	1	1	14
St. Bride W - N.R.		6594	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Aldersgate Barking - N.R.		10422	1	4	-	2	-	-	-	-	-	-	-	-	-	-	2	3
Broad Street H - N.R.		3377	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L., East London; and K., the Kent Company.

* See note (i) on first page of this Return.

E, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
day, 3rd November, 1894.

		The DEATHS registered in the Week include															
REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1891.	Total Deaths.	Deaths from												Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of	Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple sub- acute Fever.	Diarrhoea.		
EAST DISTRICTS.																	
edithe South	HL*	E.L. & N.R.	20088	9	6	2	1	-	-	-	-	-	-	-	-		
on New Town	-	- N.R.	20313	24	7	2	2	1	-	-	-	-	-	1	1		
on Old Town	-	- N.R.	23354	20	7	2	2	1	-	-	-	-	-	1	1		
gerston	WH	- M.R. & E.L.	46244	38	17	5	5	-	-	1	-	-	-	1	2		
nal Green North	H	- E.L.	51520	34	14	3	2	-	-	-	-	-	-	-	-		
nal Green South	-	- E.L.	33489	22	8	4	3	-	1	-	-	-	-	-	-		
nal Green East	WHL*	- E.L.	44123	29	28	5	10	-	-	-	-	-	-	-	-		
Alfields	-	- E. N.R.	22456	10	4	1	-	-	-	-	-	-	-	-	-		
End New Town	W	- E.L.	17908	19	11	2	3	-	-	-	-	-	-	2	-		
echapel Church	H	- E.L. & N.R.	20298	14	24	3	8	-	-	-	-	-	-	1	7		
iman's Fields	-	- E.L.	13800	5	3	1	-	-	2	-	1	-	-	1	19		
George's, North	-	- E.L.	37738	35	7	4	-	-	-	-	-	-	-	-	-		
ohn, St. George East	W	- E.L.	8037	6	2	1	-	-	-	-	-	-	-	-	2		
well: H	-	- E.L. & N.R.	10244	4	10	5	1	-	-	-	-	-	-	1	4		
MR W	-	- E.L.	14028	10	5	3	1	-	-	-	-	-	-	-	5		
house	-	- E.L.	32202	58	16	6	1	-	-	-	-	-	1	1	-		
End Old Town West	H	- E.L.	38650	40	6	3	1	-	-	-	-	-	-	-	-		
End Old Town East	WHL	- E.L.	68942	55	23	9	9	-	-	-	-	-	-	2	6		
L*	-	- E.L.	40265	32	12	5	4	-	-	-	-	-	-	-	-		
oley WH	-	- E.L.	70000	66	37	13	7	-	1	-	-	-	-	1	1		
ar. WW	-	- E.L.	56888	36	17	6	-	-	1	-	-	-	2	2	13		
SOUTH DISTRICTS.																	
tephureh Southwark	WH	- L. & S.	13264	6	5	3	-	-	-	-	-	-	-	-	-		
aviour Southwark	-	- S.	18913	15	1	-	1	-	-	1	-	-	-	-	-		
-road	-	- E. & L.	21867	28	4	3	-	-	-	-	-	-	-	-	-		
ugh-road WH	-	- S. & L.	16824	16	9	4	3	-	-	-	-	-	-	-	-		
on-road HL	-	- L. & S.	21221	18	5	3	1	-	-	1	-	-	-	1	4		
ty Newington	-	- S. & L.	25596	19	0	6	-	-	-	-	-	-	-	1	-		
eter Walworth	W	- S. & L.	61842	45	14	7	6	-	-	-	-	-	-	1	2		
ary Newington	-	- L. & S.	37866	29	8	2	1	-	-	-	-	-	-	1	-		
lave WH	-	- S.	12723	11	22	4	2	-	-	-	-	-	-	2	5		
her Market	W	- S. & L.	30612	22	5	1	4	-	-	-	3	-	-	2	13		
ames Bermondsey	-	- S.	54070	52	16	8	4	-	-	-	-	-	1	2	-		
eriths WH	-	- S. & K.	82555	21	12	5	1	-	-	1	-	-	1	2	1		
arlo-road 1st H	-	- L. & S.	14031	10	3	-	1	-	-	-	-	-	-	-	-		
arlo-road 2nd H	-	- L. & S.	14644	30	7	1	2	-	-	-	-	-	-	-	-		
eth Church 1st H	-	- L. & S.	18075	19	14	4	-	-	-	1	-	-	-	3	1		
eth Church 2nd WH	-	- L. & S.	38087	36	20	6	6	-	-	-	-	-	-	3	8		
ington 1st H	-	- S. & L.	60586	18	13	10	-	-	-	-	-	-	-	1	9		
ington 2nd	-	- S. & L.	38708	17	8	2	-	-	1	-	-	-	-	-	-		
on W	-	- L. & S.	78405	42	27	6	4	-	-	-	-	1	-	-	-		
ood WH	-	- L.	26667	9	6	-	4	-	-	3	8	-	-	-	11		
Battersea	-	- S.	67244	37	21	7	4	-	-	-	-	-	-	2	-		
Battersea WH	-	- S.	83314	58	30	6	11	-	-	1	-	-	-	1	2		
am H	-	- S.	43686	12	9	4	1	-	-	1	-	-	-	1	1		
aworth WH	-	- S.	46717	34	9	3	2	-	-	-	-	-	-	-	-		
y	-	- S.	17771	13	6	2	2	-	-	-	-	-	-	-	-		
ham WH	-	- L.	48756	24	20	6	6	-	-	1	2	-	-	-	5		
eh	-	- L. & S.	3809	1	1	-	-	-	-	-	-	-	-	-	-		
erwell WH	-	- S. & L.	61686	49	34	6	12	-	-	-	-	-	-	2	2		
ham WW	-	- S., L., & K.	38458	55	21	9	4	-	-	1	-	-	-	1	17		
orge Camberwell	-	- L. & S.	63566	40	15	9	3	-	-	-	-	-	-	1	4		
ord, North	-	- K.	35314	29	14	7	-	-	1	-	-	-	-	-	1		
ord, Central W	-	- K.	42007	28	10	3	-	-	1	1	2	-	-	1	-		
ord, South	-	- K.	30852	11	5	1	1	-	-	-	-	-	-	-	3		
wich West H	-	- K.	22007	12	6	-	2	-	-	1	-	-	-	2	1		
wich East WH	-	- K.	35393	18	18	-	6	-	2	-	-	-	-	1	-		
m WH	-	- K.	5682	5	1	1	-	-	-	-	-	-	-	-	-		
H	-	- K.	23541	10	1	-	1	-	-	-	-	-	-	-	-		
ham WH	-	- K.	30950	17	12	3	4	-	-	-	-	-	-	-	-		
ham H	-	- L.	34162	23	6	3	1	-	1	-	-	-	-	1	3		
on HH	-	- K.	14040	8	2	-	1	-	-	-	-	-	-	-	-		
ish Dockyard	-	- K.	19806	7	7	2	3	-	-	-	-	-	-	-	-		
ish Arsenal HH	-	- K.	21242	10	3	-	2	-	-	-	-	-	-	-	-		
ead, West H	-	- K.	15869	5	3	2	-	-	-	-	-	-	-	-	-		
ead, East W	-	- K.	86587	24	10	3	3	-	2	-	-	-	-	-	3		
ead Asylum	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2		
am Asylum	-	-	-	-	2	-	1	-	-	-	-	-	-	-	2		
Hill Asylum	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2		
al Ships and Camp, Dartford	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1		
th Asylum	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2		
ill Asylum	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2		
Hatch Asylum	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-		
Hospital	-	-	-	-	3	-	2	-	-	-	-	-	-	1	3		
more Hill Hospital	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
den Asylum	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1		
ry Asylum	-	-	-	-	8	-	3	-	-	-	-	-	-	-	5		

The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Market.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 3rd November, 1894.

Regis- tration (District and Sub- District Num- bers.		REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lation. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include															
							Deaths of		Deaths from													
							Infants under 1 Year of Age.	Persons aged 15 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cause.	Deaths in Public Institutions.				
LONDON—OUTER RING							368,746	1,422,063	911	392	115	91	-	13	1	20	6	4	3	17	32	32
30: 1	Carshalton WHH	12228	26108	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2	Epsom, part of* WHH	10423	12508	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
37: 1	Goldstone, part of* W	754	1593	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon WHH	20351	12899	72	23	3	11	-	1	-	1	-	-	-	-	-	1	5	-	-	-	
2	Mitcham W	11697	23093	7	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
39: 1	Wimbledon HHH	3220	25761	17	12	4	2	-	1	-	3	-	-	-	-	-	-	1	1	1	-	
2	Kingston WHH	8071	44765	34	14	2	2	-	-	-	-	-	-	-	1	-	-	-	-	4	-	
3	Esher, part of.*	6601	12059	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H	4545	18252	13	3	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	
40: 1	Richmond WH	2160	25339	12	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
2	Mortlake H	2823	16159	5	4	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	
41: 1	Bromley HHH	9127	23815	9	7	2	3	-	-	-	-	1	-	-	-	-	1	1	1	1	-	
2	Beckenham H	6542	21969	17	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	11	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
42: 1	Bexley HHH	12540	30390	18	6	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124: 1	Saunders W	11054	13871	5	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W	18277	13221	2	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
125: 1	Hillingdon WHH	6035	12237	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge	6172	5417	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH	14537	12613	11	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
126: 1	Isleworth WHH	6967	23273	19	9	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
2	Twickenham HH	2415	16027	9	4	3	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford HHHH	4318	37777	19	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Chiswick	1245	21963	15	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Acton WH	6132	30945	20	12	6	3	-	-	-	1	1	-	-	-	-	-	1	-	-	-	
127: 1	Harrow HHH	18309	15715	11	4	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
2	Edgware HH	6994	3844	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH	4383	61265	52	20	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hendon W	6382	15843	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
128: 1	South Mimms	1559	8474	3	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet WHH	5441	11773	4	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	3	-	
3	Finchley HHH	4638	25820	19	10	4	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-	
129: 1	Hornsey HH	5139	61097	30	9	2	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
2	Tottenham H	4542	97174	62	27	6	7	-	-	-	-	-	-	-	-	3	3	3	3	-	-	
3	Edmonton WW	7489	36851	22	7	2	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	
4	Enfield WWHH	12639	31803	21	7	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	
5	Waltham Abbey	11017	6066	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Chesham H	8480	9620	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
130: 1	Hatfield, part of* W	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
131: 1	Bushy H	9331	7737	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
132: 1	Stratford H	1100	42983	31	16	2	3	-	-	-	-	-	-	-	-	-	4	4	1	-	-	
2	Plaistow HHHH	1242	58030	62	25	8	3	-	-	-	7	-	-	-	-	1	2	2	-	-	-	
3	Canning Town H	1558	54750	60	19	8	3	-	2	-	2	-	-	-	-	-	1	2	-	-	-	
4	Forest Gate W	806	49140	33	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	East Ham W	3266	32713	29	16	8	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
6	Leyton WWH	4324	70133	32	27	6	5	-	2	-	2	3	-	-	-	-	-	-	-	5	-	
7	Walthamstow HHL	6501	57330	33	17	5	2	-	-	-	1	1	-	-	-	-	-	1	-	-	-	
137: 1	Chigwell, part of* H	11770	12941	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, part of* WH	6556	4324	4	3	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	
2	Ilford	8493	10613	13	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town H	3814	14301	19	5	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	
	Met. Asy. Hospital	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 0: 2, Epsom sub-district, except the parishes of Ashstead and Hadley (pop. 1765); 37: 1, the parishes of Warrington and Farley in Goldstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2322); 41: 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3007); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1 Chigwell sub-district, except the parishes of Chigwell, Chigwell Boia (1079); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 43: 1, Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 3rd November, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include															
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from											Deaths in Public Institutions.		
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.					
GREATER LONDON	443,421	5,948,300	15·5	1·6	1764	513	404	1	28	11	74	20	21	23	70	426					
GREATER LONDON -	74,672	4,340,166	16·4	1·6	1372	393	313	1	15	10	54	14	17	20	53	394					
GREATER RING	368,749	1,599,134	12·8	1·5	392	115	91	-	13	1	20	6	4	3	17	32					

R.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·831 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	November 3	123	122	23·5	-	-	1	2	1	2	1	
GLASGOW	686,820	" 3	417	292	22·2	-	8	4	6	5	6	1	
DUBLIN	349,594	" 3	184	160	23·9	1	-	1	-	1	3	5	
BRISTOL	466,460	September 22	-	-	-	-	-	-	-	-	-	-	
LONDON	821,764	October 9	342	490	31·0	1	2	?	?	?	154	52†	
MANCHESTER	452,518	September 23	344	339	38·9	1	1	?	?	?	128	62	
BIRMINGHAM	2,424,705	October 27	1114	836	17·9	-	2	1	6*	3	4	50	
GLASGOW	498,400	" 27	-	-	-	-	-	-	-	-	-	-	
EDINBURGH	446,295	" 27	264	125	14·5	-	-	1	3	3	2	-	
GLASGOW	228,597	" 27	155	92	20·9	-	-	-	-	-	-	-	
MANCHESTER	174,790	" 27	110	58	17·2	-	-	1	-	-	-	-	
BIRMINGHAM	341,000	" 27	201	86	13·1	-	1	3	7	1	2	7	
LONDON	252,937	" 20	125	85	17·5	-	4	3	3*	-	-	12	
MANCHESTER	167,588	" 27	38	38	11·8	-	1	1	-	-	-	3	
EDINBURGH	954,400	" 13	654	310	16·9	1	2	11	11	5	3	21†	
GLASGOW	753,469	" 20	-	404	28·0	3	-	13	19	3	8	36	
DUBLIN	1,714,938	" 13	842	521	15·9	-	5	8	31	3	1	38	
BRISTOL	598,372	" 27	-	160	13·9	-	2	1	6*	3	-	9	
LONDON	312,772	" 6	-	-	-	-	-	-	-	-	-	-	
MANCHESTER	360,660	" 27	-	145	20·9	-	1	2	2*	2	-	14	
BIRMINGHAM	390,000	" 27	-	151	20·1	-	-	1	6*	3	-	31	
GLASGOW	1,465,537	" 27	758	521	18·5	-	11	5	23*	-	1	50	
EDINBURGH	339,172	" 20	186	144	21·8	-	-	1	8	-	1	4	
MANCHESTER	552,769	" 20	361	209	19·7	7	1	2	4	-	1	12	
BIRMINGHAM	159,739	" 20	82	77	25·1	-	-	5	8*	1	-	3	
GLASGOW	455,673	September 22	206	123	14·0	-	-	-	1	-	5†	16	
DUBLIN (10 days)	337,997	October 20	-	-	-	-	-	-	-	-	-	-	
BRISTOL	160,406	" 13	62	49	16·2	-	-	-	-	1	1	6	
GLASGOW	374,838	" 11	412	286	39·7	-	-	-	1*	1	8	89	
EDINBURGH	331,396	" 11	204	173	39·0	-	1	-	2*	-	3	37	
BIRMINGHAM	1,925,569	" 20	-	680	17·9	-	-	2	42	6	8	39	
LONDON	1,043,000	" 20	-	381	18·4	-	-	-	29	7	7	18	
MANCHESTER	1,139,457	" 20	-	385	17·6	1	-	2	62	1	10	11	
BIRMINGHAM	254,000	" 6	-	137	28·1	-	-	-	8	1	9	6	

* Including deaths from croup.

† Including 5 deaths from cholera in Bombay and 4 in St. Petersburg.

‡ Including 3 deaths from malarial fever.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 3RD NOVEMBER, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894. Month and Day.		TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a Cistern receiving surface is 6 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		Baro- meter.		Of the Air.						Of the Dew Point.		Difference between the Air Temperature and Dew Point Temperature.		Degree of the Air (Saturation equals 100°).		Of Earth Radiation.		General Direction.		Oiler's.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				High- est.	Low- est.	Range.	Daily value.	Mean daily value.	De- parture from Average value.	Mean daily value.	Least. est.	Mean daily value.	Great- est.							A.M.	P.M.	Great- est.	Least.	Mean of 24 hours obs.	Horizontal Movement of the Air on each Day.	Vertical Depar- ture from Average of the surface the 10 Years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°			°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

The results apply to the civil day, or from midnight to midnight.

The readings apply to the C.R.T. day, C. near midnight to midnight. The height of the column of the barometer is 189 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. p.m.; and 9h. p.m. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are

afternoon; cloudless in evening; variable later.
Variable; squally in early morning; frequent heavy

Variable; squally in early morning; frequent heavy showers.

Overcast; steady rain throughout.

Generally cloudy; rain till 8h. A.M.: mild.

Fine generally; solar halo at 11h. A.M.; rain at 5h. A.M. and 10h. P.M.; very mild.

Overcast; rain in early morning; mild.

Cloudy; fine; heavy rain in afternoon; brilliant sunset.

GENERAL REMARKS.

DATE.		ELECTRICITY. (For expansion of symbols, see Note.)	Registered Sun above Sunshine, Horizon, in hours, in hours.	
OCTOBER.				
SUNDAY	23	w. P. and s. N. till afternoon; s. P. after- wards.	2:2	9:8
MONDAY	29	s. P. and s. N. till afternoon; w. P. after- wards.	5:5	9:8
TUESDAY	30	w. P. in morning; w. P. and v. N. after- wards.	0:0	9:7
WEDNESDAY	31	w. P. throughout	0 2	9:7
THURSDAY	1	w. P. in morning; m. P. afterwards.	2:2	9:6
FRIDAY	2	w. P. throughout	0:0	9:5
SATURDAY	3	w. P. in morning; v. P. and v. N. after- wards.	1:7	9:5
			Sum	Sum
			11:8	67:6

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 45. 1894. VOL. LV.] WEEK ENDING SATURDAY, NOVEMBER 10. [Price 1½d.

General Register Office, Somerset House,
November 12th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·9 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, correspond to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.		Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.
Birkenhead	15·8	17·3	11·8	11·8	Liverpool -	22·9	24·2	22·6	21·0
Birmingham	16·4	16·2	15·1	17·8	London -	15·9	17·8	16·4	15·0
Blackburn	18·7	22·0	20·3	19·9	Manchester	21·6	23·4	17·3	18·8
Bolton	21·2	22·9	22·5	22·9	Newcastle-on-Tyne	13·7	19·4	19·4	17·3
Bradford	16·8	15·1	24·0	17·7	Norwich -	12·3	14·3	12·3	14·3
Brighton	18·4	19·3	18·4	16·7	Nottingham	18·2	20·5	13·1	18·9
Bristol	16·1	16·8	13·8	17·5	Oldham	19·9	18·4	16·5	18·0
Burnley	24·3	22·2	25·4	24·3	Plymouth	11·9	20·2	11·3	17·8
Cardiff	16·8	13·7	14·7	15·1	Portsmouth	15·6	19·2	14·0	18·3
Croydon	15·4	10·2	10·2	13·0	Preston	15·9	20·1	22·0	24·8
Derby	16·4	15·3	22·2	21·6	Salford	15·2	20·5	21·3	18·7
Gateshead	16·8	20·1	20·1	23·5	Sheffield	18·3	16·5	17·9	13·9
Halifax	21·9	18·5	20·8	14·0	Sunderland	22·6	26·8	23·8	24·1
Huddersfield	17·5	19·1	18·5	12·7	Swansea	20·8	19·1	16·4	23·0
Hull	18·9	16·9	18·1	20·6	West Ham	14·0	18·8	15·8	16·0
Leeds	16·2	20·7	20·3	19·4	Wolverhampton	14·1	15·9	17·8	19·0
Leicester	11·9	12·4	13·0	13·0					

The highest annual death-rates, as measured by last week's mortality, were:—from *measles*, 1·8 in Bolton, 1·9 in Bradford, 2·2 in Gateshead, 2·6 in Derby, 2·8 in Leeds, and 4·3 in Portsmouth; from *scarlet fever*, 1·1 in Burnley; from *whooping-cough*, 1·0 in Newcastle and 1·5 in Sunderland; from "*fever*", 1·5 in Sunderland and 1·8 in Wolverhampton; and from *diarrhoea*, 1·2 in Blackburn, 1·4 in Preston, and 2·1 in Derby. The 77 deaths from *diphtheria* included 42 in London, 7 in West Ham, 4 in Wolverhampton, in Liverpool, and in Hull, and 3 in Birmingham. Four deaths from *small-pox* were registered in Birmingham, and one death in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2657 BIRTHS and 1249† DEATHS were registered. Allowing for increase of population, the births were 189 above, while the deaths were 390 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·9, 17·8, and 16·4 in the preceding three weeks, further declined last week to 15·0. During the four weeks ending on Saturday last the death-rate averaged 16·3 per 1000, being 3·1 per 1000 below the mean rate in the corresponding periods of the ten years 1884–93.

The 1249 deaths included one death from small-pox, 13 deaths from measles, 9 from scarlet fever, 42 from diphtheria, 10 from whooping-cough, 24 from enteric

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

fever, one death from an ill-defined form of continued fever, 16 deaths from diarrhoea and dysentery, one death from English cholera, and not one from typhus; thus, 117 deaths were referred to these diseases, being 71 below the corrected average weekly number.

The deaths from *small-pox*, *measles*, *scarlet fever*, *whooping-cough*, and *diarrhoeal diseases* were below their respective averages, while those from *diphtheria* and "*fever*" were in excess.

The death from *small-pox* belonged to Paddington sanitary area. There were 50 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, and one case in the Highgate Small-pox Hospital. Of the 42 deaths from *diphtheria*, 5 belonged to Hackney, and 3 each to Paddington, Lambeth, Wandsworth, Camberwell, Woolwich, and Plumstead sanitary areas. The Metropolitan Asylum Hospitals* contained 548 cases of diphtheria and 95 of enteric fever at the end of last week; and on the same date these hospitals, together with the London Fever Hospital, contained 2258 cases of scarlet fever.

The deaths referred to diseases of the respiratory organs, which had been 287, 329, and 329 in the preceding three weeks, declined last week to 245, and were 159 below the corrected average.

Different forms of violence caused 43 deaths, concerning 41 of which inquests were held. Of these 43 deaths, 4 were cases of suicide, and one death was a case of homicide, while the remaining 38 deaths were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 9 to burns and scalds, 4 to drowning, and 7 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3585 births and 1616 deaths were registered, corresponding to annual rates of 31·4 and 14·2 per 1000 of the estimated population. In the Outer Ring 7 deaths from measles, 19 from diphtheria, 4 from "*fever*", and 9 from diarrhoea were recorded. The 19 deaths from diphtheria included 10 in West Ham district and 2 in Bromley district.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of October. The supply was in the ratio of 238 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	OCTOBER, 1893.	OCTOBER, 1894.	OCTOBER, 1893.	OCTOBER, 1894.
TOTAL SUPPLY	799,313	810,438	188,783,084	192,939,209
From Thames	386,445	391,820	96,830,115	101,066,742
From Lea and from other Sources	412,868	418,618	91,957,969	91,872,467
THAMES.				
Chelsea	36,740	36,913	10,876,431	11,659,295
West Middlesex	77,153	78,387	18,405,406	18,911,633
Southwark and Vauxhall	115,934	117,182	30,600,310	33,028,294
Grand Junction	59,009	59,336	17,158,294	17,527,174
Lambeth	97,609	100,002	19,789,674	19,940,946
LEA AND OTHER SOURCES.				
New River	157,043	158,172	36,763,000	36,566,000
East London	176,224	179,424	40,286,016	40,466,064
Kent	79,601	81,022	14,908,953	14,839,803

Note.—The Return for October 1894, as compared with that for the corresponding month of 1893, shows an increase of 11,125 services and of 4,151,125 gallons of water supplied daily.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING OCTOBER, 1894.

Water-analysis Laboratory, The Yews, Reigate,
8th November, 1894.

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of October.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (a) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (b) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·6, New River 1·1, Tottenham 1·3, East London (deep-well) 1·4, Colne Valley 1·6, East London (river supply) 2·0, Grand Junction 3·1, West Middlesex, and Southwark 3·2, Chelsea 3·3, and Lambeth 3·6. The unfiltered river waters contained the following proportions:—Thames at Hampton 4·7, New River Cut 1·8, and the Lea at Angel Road 3·1.

The Thames at Hampton was, on the 10th of October, both in appearance and chemical quality exactly similar to its condition on September the 7th; but bacterially it was not quite so good. As delivered by the five Companies drawing from this river, it was in every case efficiently filtered and greatly improved in chemical quality. The bacterial improvement effected by the various Companies is expressed by the following per-centage numbers: Chelsea (average of three samples) 99·76, West Middlesex 99·63, Southwark 99·79, Grand Junction (average of two filters) 98·71, and Lambeth (average of three filters) 99·55.

The raw river water of the Lea above Hertford was on the 12th of October of better bacterial quality than on the 8th of September, but still much inferior to the condition of the same river lower down at Angel Road, the intake of the East London Company; but, even at the latter point, the Lea water was bacterially inferior to the Thames at Hampton. The water of the Chadwell Spring contained, for spring water, an abnormally large number of microbes. The admixture of the Chadwell Spring with the raw Lea water reduced the number of microbes per c.c. to one-half, and the subsequent flow through the New River Cut and storage reservoirs further reduced the number in the mixture to one-fourth. After this storage, but before filtration, the water of the New River Cut was turbid and very pale yellow; but was chemically of very good quality, and was efficiently filtered before delivery. The bacterial improvement effected by flow, storage, and filtration was 99·75 per cent., and by filtration alone 99 per cent. As delivered to consumers, the New River Company's supply ranked with the deep-well waters in respect of organic purity. The water taken from the Lea at Angel Road by the East London Company was turbid and pale yellow in colour. It was of fairly good chemical quality, efficiently filtered before delivery, and greatly improved in respect of organic purity. The bacterial improvement amounted to 97·71 per cent.

The deep-well waters of the Kent, Colne Valley, and East London Companies, and of the Tottenham Local Board of Health, were clear and bright without filtration. These waters were all of a high degree of organic purity and were of excellent quality for dietetic purposes. The Colne Valley Company's water was softened before delivery and thus rendered suitable for washing.

Seen through a stratum two feet deep, the Kent and Tottenham waters were clear and colourless, the New River, Colne Valley, and East London (deep-well) clear and nearly colourless, and the remaining waters clear and very pale yellow.

The bacterioscopic examination of the raw river water before and after storage, of the unfiltered gravel water utilised by the Southwark Company, and of the supplies of the various Companies, collected on the 9th, 10th, 11th, 12th, and 13th of October gave the results contained in the following table:—

DESCRIPTION.	— Microbes per c.c.	Temp. C.
RAW AND GRAVEL AND STORED RIVER WATERS.		
Thames at Hampton	3,800	12°2
„ after storage for 14·7 days (Chelsea Company).	520	12°5
Gravel water (Southwark Company)	60	13°7
Lambeth water before filtration	260	—
Lea at Hertford	8,060	12°4
New River, Chadwell spring	1,940	12°4
Mixture of Lea water and Chadwell Spring.	4,060	12°6
New River Cut at entrance to reservoirs	2,520	12°7
„ „ just before filtration	1,000	13°0
Lea at Angel Road	4,920	13°5
„ after storage for 15 days	880	13°5
FILTERED RIVER WATER AS SUPPLIED.		
THAMES.		
Chelsea, general filter well at 1.45 p.m.	8	12°4
„ „ „ 2.30 „	12	12°4
„ „ „ 3.45 „	8	12°4
West Middlesex	14	12°3
Southwark, No. 4 filter	8	12°4
Grand Junction, general well at Hampton	52	12°4
„ „ Kew Bridge	46	13°3
Lambeth, general filter well at 12.15 p.m.	16	12°5
„ „ „ 2.40 „	14	12°3
„ „ „ 3.50 „	20	12°3
LEA.		
New River	10	12°7
East London, No. 1 Essex well	14	13°3
„ No. 2 „	16	13°3
„ Middlesex well	12	13°3
DEEP WELL.		
Kent, new well at Deptford	4	11°3

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city "was clear and pale green in colour."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained "a little suspended matter."

I am, &c.

The Registrar General, &c. &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.		Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) -	{ October 10th. Grand Junction Co.'s intake at Hampton. }	12°3	30°00	·238	·041	·006	·222	·268	1·9	19·7
	Chelsea - - -	{ October 13th. Cab Rank, Horse Guards, Whitehall. }	13°3	27°48	·171	·026	0	·195	·221	1·9	18·9
	West Middlesex -	{ October 13th. Cab Rank, Riding House- street. }	13°4	28°90	·162	·025	0	·213	·238	1·9	19°4
	Southwark -	{ October 13th. Cab Rank, St. George's Church, Southwark. }	14°3	29°00	·167	·024	0	·207	·231	1·9	19·7
	Grand Junction -	{ October 13th. Cab Rank, Portman- street, Oxford-street. }	13°9	28°66	·163	·018	0	·219	·237	1·9	19·7
	Lambeth - - -	{ October 13th. Cab Rank, St. George's- road, Southwark. }	13°2	29°48	·191	·023	0	·210	·233	1·9	19·7
	LEA. (Unfiltered water) -	{ October 11th. New River Cut at Green-lanes. }	13°0	32°28	·079	·026	·007	·250	·282	1·7	22·1
	New River - - -	{ October 13th. Cab Rank, Tottenham Court-road. }	13°3	30°84	·056	·007	0	·225	·232	1·7	21·2
	(Unfiltered water) -	{ October 12th. East London Co.'s intake at Angel-road. }	13°5	34°32	·148	·034	·012	·242	·286	2·1	22·7
	East London -	{ October 13th. Cab Rank, Sidney- street, E. }	13°5	31°98	·096	·020	0	·168	·188	2·1	19·7
Outer Circle.	DNEP WELLS. Kent - - - -	{ October 13th. Mill-lane, Deptford. }	12°7	37°44	·027	·007	0	·489	·496	2·2	25°4
	Colne Valley - -	{ October 8th. Bushey. }	—	18°76	·073	·022	·066	·515	·591	2·3	8·1
	Tottenham - -	{ October 24th. Tottenham. }	—	41°14	·064	·011	·070	·011	·079	2·8	23·6
	East London - -	{ October 22nd. Lea Bridge well. }	—	39°80	·078	·007	·062	·017	·075	2·6	22·1
Corporation of Birming- ham* - - -		{ October 10th. 4 Court, Coventry-street. }	12°2	33°30	·290	·040	·001	·066	·106	1·8	21°5
Corporation of Glasgow† -		{ October 15th. Loch Katrine. }	11°8	2°80	·164	·014	0	·005	·019	0·8	0·7
Column 1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.

† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 13th of October, at the Horse Guards cab-rank, had a temperature of 13°·3 C.; 100,000 lbs. of it contained 27·48 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·171 lb. of carbon and ·026 lb. of nitrogen. The above quantity of water also contained no ammonia and ·195 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·221 lb. The above weight of water also contained 1°·9 lb. of chlorine and 18°·9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGICAL, in 33 GREAT TOWNS, during the Week ending 16th November 1894.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1894.	Registered during the Week ending 10th Nov. 1894.			The DEATHS registered in the Week include																TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.
		Males.	Females.	Deaths under 1 Year of Age.	Deaths from																Mean.		In Inches.	In Cent.			
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Erysip.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Causes of Death.	From All Causes.	From Diseases in Cols. 6-12.	Highest.	Lowest.	Fahrenheit.	Centigrade.						
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.			
33 TOWNS.	10,458,442	651	3388	938	756	5	61	50	77	32	16	72	111	239	709	55	16.9	1.8	62.1	35.2	49.0	9.44	0.61	1.55	33 TOWNS.		
LONDON.	4,240,106	267	7249	367	510	1	13	9	42	10	25	16	43	108	385	10	15.0	1.4	59.5	40.5	50.3	10.17	0.64	1.63	LONDON.		
WEST HAM.	228,184	168	73	23	15		3		7		2	3			6	2	16.0	3.7							WEST HAM.		
CROYDON.	111,921	65	28	8	10		1		1						14	1	13.0	0.5	40.0	48.2	9.00	0.80	2.03	CROYDON.			
BRIGHTON.	118,715	78	38	7	12		1							6	8	1	16.7	0.4	58.6	40.4	11.00	0.81	2.06	BRIGHTON.			
PORTSMOUTH.	170,373	89	60	13	8		14						2	10	1	1	18.3	0.6	58.0	39.5	10.17	1.04	2.64	PORTSMOUTH.			
PLYMOUTH.	87,431	41	20	8	9								3	3	21	1	17.5	1.2	57.0	33.0	48.8	9.33	0.97	2.46	PLYMOUTH.		
BRISTOL.	226,578	121	76	23	23								1	5	7	3	15.1	0.7							BRISTOL.		
CARDIFF.	148,800	110	43	8	12		1						1	3	1	1	23.0	1.6							CARDIFF.		
SWANSEA.	15,349	62	42	16	7				1																SWANSEA.		
WOLVERHAMPTON.	55,636	78	31	7	4				4		3	1			7		19.0	4.9	58.2	35.7	46.4	8.00	0.43	1.09	WOLVERHAMPTON.		
BIRMINGHAM.	462,301	329	108	22	49	4		2	3	3	2	8	3	3	29	7	17.8	2.3							BIRMINGHAM.		
NORWICH.	115,645	62	29	9	9					1				2	3	1	14.3	1.0	58.3	38.4	48.6	9.22	0.42	1.07	NORWICH.		
LEICESTER.	139,186	118	47	20	8								1	1	3	2	13.0								LEICESTER.		
NOTTINGHAM.	223,584	144	81	22	22						2	2	3	7	21		18.9	0.9	62.1	37.3	48.4	9.11	0.14	0.36	NOTTINGHAM.		
DERBY.	187,116	62	31	8	6		5	1				4	4	8	1		21.8	5.3							DERBY.		
BIRKENHEAD.	115,627	67	24	5	7				1	1		1					11.8	1.5							BIRKENHEAD.		
LIVERPOOL.	567,220	300	203	52	79		2	3	4		5	1	6	8	48	4	21.0	1.5	56.7	40.9	48.9	9.33	0.89	2.26	LIVERPOOL.		
BOLTON.	118,363	79	12	15	10		4						4	3			22.9	1.8							BOLTON.		
MANCHESTER.	120,211	370	188	69	67		4	4	1		3	13	5	23	35	1	18.8	1.3							MANCHESTER.		
SALFORD.	205,838	127	74	23	11		4	1	2		1	3	2	5	13		18.7	1.3							SALFORD.		
OLDHAM.	128,715	74	48	13	11		2					1	3	5	5		18.0	0.8							OLDHAM.		
BURNLEY.	104,478	63	45	12	9		2	1	1		3			2	3	1	24.3	2.2							BURNLEY.		
BLACKBURN.	125,787	65	48	12	11			1	1		3			2	3	2	19.9	2.9							BLACKBURN.		
PRESTON.	111,425	81	33	19	8						3	1	3	1	8	2	24.8	1.9							PRESTON.		
HUDDERFIELD.	138,111	45	24	3	6				1	1				1	2	2	12.7	1.1							HUDDERFIELD.		
HAULFAX.	128,611	43	25	7	9								1	1	4	2	14.0								HAULFAX.		
BRADFORD.	223,145	119	76	12	18		8	1			3	3	3	9			17.7	3.5	58.2	44.2	49.7	9.83	0.41	1.04	BRADFORD.		
LEEDS.	388,761	214	145	40	24		21	1		2	8	6	12	14	1	1	19.4	4.6							LEEDS.		
SHEFFIELD.	328,916	239	150	29	18		3		2	2	3	2	7	14	6	1	13.9	1.5							SHEFFIELD.		
HULL.	212,479	151	84	22	15		4	1	4		4	2	4	5	9	6	20.6	3.4	60.0	40.0	47.8	8.78	0.21	0.53	HULL.		
SUNDERLAND.	136,101	92	63	23	8		1		4		1	4	2	10	5	1	24.1	4.2							SUNDERLAND.		
GATEHEAD.	133,372	63	42	13	6		4		1		1	1	2	5	1		23.5								GATEHEAD.		
NEWCASTLE.	201,947	115	47	18	15		1		2	4	1	1	2	5	12	2	17.3	2.6							NEWCASTLE.		

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-FIFTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	£502	2534	2565	2634	2770	2659	2173	2456	2435	2659	2468.3	2657
Males . . .	1317	1295	1277	1350	1401	1339	1110	1266	1246	1373	1264.3	1367
Females . .	1185	1239	1288	1284	1369	1320	1063	1190	1189	1281	1204.0	1290
TOTAL Deaths	1516	1531	1420	1564	1520	1350	1734	1590	1533	1769	1639.3	1249
Males . . .	826	807	746	787	781	676	831	817	795	901	816.1	648
Females . .	690	724	674	777	739	674	853	773	743	863	793.2	601

* The numbers in this column are the average weekly numbers in the forty-fifth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.
TOTAL Births - -	2665	2361	2704	2369	2569	2358	2403	2532	2323	2516	2413	2659	2657
TOTAL Deaths - -	1428	1284	1198	1175	1241	1211	1277	1287	1291	1326	1481	1372	1249
Ages at Death {													
0-20 years -	787	685	591	578	600	571	577	574	565	617	667	649	554
20-40 " -	169	144	150	155	156	145	160	159	181	170	187	184	166
40-60 " -	241	232	208	197	209	228	286	246	262	260	260	226	229
60-80 " -	198	184	214	214	223	224	215	253	232	237	291	253	250
80 years & upwards	38	39	35	31	53	43	39	55	51	66	73	60	50
" {													
Under 1 year -	475	416	361	352	353	331	311	331	321	350	391	393	337
1-5 -	229	184	146	146	159	159	171	160	163	182	193	169	125
5-20 -	83	85	84	80	88	81	95	83	81	85	78	82	92
Deaths from													
Small-pox -	4	2	7	6	3	-	1	1	-	-	-	1	1
" Measles -	34	27	18	13	9	13	7	9	10	8	24	15	13
" Scarlet fever -	14	17	13	13	15	15	18	9	12	18	17	10	9
" Diphtheria -	57	43	33	39	55	52	67	66	54	61	49	54	42
" Whooping-cough -	30	22	26	15	20	25	15	7	13	10	18	14	10
" Typhus -	-	-	-	-	-	1	-	-	-	-	-	-	-
" Enteric fever -	6	11	8	13	10	7	13	13	20	17	14	17	24
" Simple Cont ^d fever -	-	-	-	1	-	-	-	-	-	-	-	-	1
" Diarrhœa and Dysentery -	124	114	71	79	62	49	35	33	30	26	19	20	16
" Cholera -	5	2	2	2	-	-	1	-	-	-	-	-	1
" all the above- mentioned Diseases -	274	238	178	181	174	162	157	138	139	140	141	131	117
" Dis. of Respira- tory System -	144	148	123	134	143	172	184	215	241	287	329	329	245
" Phthisis -	137	122	116	113	130	119	141	131	137	135	161	132	150
" Dis. of Circula- tory System -	113	102	93	90	82	106	111	101	102	93	123	111	104
Violent Deaths - -	62	59	52	56	55	51	49	52	57	57	47	53	43
Inquest Cases - -	124	82	92	114	102	97	107	120	121	119	112	129	103
Deaths in Public Institutions	404	390	371	369	401	377	412	368	416	392	422	394	335
TEMPERATURE OF THE AIR													
Mean -	59.2	57.4	60.8	52.7	54.8	55.9	52.5	52.8	53.0	44.3	50.3	54.0	50.3
Mean of Highest readings -	68.8	64.4	72.1	61.7	63.7	62.5	59.9	59.5	58.6	50.9	55.8	59.0	56.5
Mean of Lowest readings -	53.0	52.0	52.2	44.8	47.7	51.0	46.3	47.5	43.5	38.4	45.0	50.2	44.3
Humidity of the Air - -	79	87	86	80	82	90	89	83	95	85	81	87	83
Rain-fall in inches - -	0.94	1.50	0.00	0.54	0.02	0.11	0.59	0.12	0.36	0.19	1.35	2.16	0.64
Registered Sunshine (in hours)	30.7	14.0	28.6	17.6	17.2	3.0	14.7	13.9	1.7	7.3	9.3	11.8	22.8

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth. R. C. Cann Lippincott, Esq., Bristol; F. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbier, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FIFTH Week of the Year 1894.

CAUSES OF DEATH.		Corrected Averages for the 45th Week of the 10 years 1884-93.*	In the Week ending Saturday, 10th November 1894.								Corrected Averages for the 45th Week of the 10 years 1884-93.*	In the Week ending Saturday, 10th November 1894.														
			Deaths of Persons of the Ages									Deaths of Persons of the Ages														
			ALL AGES.	Under 20.			20 and under 40.		40 and under 60.			60 and under 80.		80 Years and upwards.		ALL AGES.	Under 20.			20 and under 40.		40 and under 60.		60 and under 80.		80 Years and upwards.
			0-1.	1-5.	5-20.									0-1.	1-5.	5-20.										
ALL CAUSES - -		1639'3	1249	337	125	92	163	229	250	50																
Small-pox	Vaccinated† -	0'4	-	-	-	-	-	-	-	-																
	Unvaccinated -	1'2	-	-	-	-	-	-	-	-																
No Statement -		1'3	1	-	-	1	-	-	-	-																
Measles - - -		48'7	13	3	10	-	-	-	-	-																
Scarlet Fever -		30'9	9	1	6	5	-	-	-	-																
Typhus - - -		0'3	-	-	-	-	-	-	-	-																
Relapsing Fever -		-	-	-	-	-	-	-	-	-																
Influenza - - -		3'8	7	1	1	-	2	1	2	-																
Whooping-cough -		28'1	10	6	4	-	-	-	-	-																
Diphtheria - - -		40'2	42	5	19	18	-	-	-	-																
Simple Continued and Ill-defined Fever -		0'5	1	-	-	1	-	-	-	-																
Enteric Fever - -		17'1	24	-	1	6	10	6	1	-																
Cholera and Chol. Diarr.		0'2	1	-	-	-	-	-	1	-																
Diarrhoea, Dysentery -		18'7	15	8	6	-	-	1	1	-																
Remittent Fever - -		0'2	-	-	-	-	-	-	-	-																
Hydrophobia - - -		0'1	-	-	-	-	-	-	-	-																
Glanders - - -		0'1	-	-	-	-	-	-	-	-																
Cowpox and Effects of Vaccination -		0'4	-	-	-	-	-	-	-	-																
General Affections -		9'1	12	7	2	-	1	1	1	-																
Erysipelas - - -		9'8	3	-	-	-	1	1	-	-																
Pyæmia and Septicæmia -		3'0	-	-	-	-	-	-	-	-																
Puerperal Fever - -		0'8	4	-	-	-	4	-	-	-																
Other Zymotic Diseases		1'5	-	-	-	-	-	-	-	-																
Thrush - - -		1'3	1	1	-	-	-	-	-	-																
Worms and other Parasitical Diseases -		0'7	-	-	-	-	-	-	-	-																
Starvation, Want of Breast-milk -		1'6	-	-	-	-	-	-	-	-																
Alcoholism - - -		8'3	9	-	-	-	3	6	-	-																
Rheumatic Fever, Rheumatism of Heart, Rheumatism -		12'0	11	-	2	4	3	2	-	-																
Gout - - -		2'5	-	-	-	-	-	-	-	-																
Scout - - -		2'7	1	-	-	-	-	-	1	-																
Eclampsia - - -		4'6	4	2	2	-	-	-	-	-																
Cancer - - -		61'8	64	-	-	2	8	30	22	2																
Tubercular Mesenteric -		25'6	11	7	1	2	1	-	-	-																
Tubercular Meningitis -		20'7	18	2	9	5	2	-	-	-																
Phthisis - - -		160'2	150	3	1	13	66	56	11	-																
Scrophula, Tuberculosis -		17'2	15	4	4	2	3	2	-	-																
Other Constitutional Diseases -		12'8	13	-	-	2	2	3	5	1																
Premature Birth - -		42'1	49	49	-	-	-	-	-	-																
Atelectasis - - -		3'5	2	2	-	-	-	-	-	-																
Congenital Malformations -		6'8	11	10	1	-	-	-	-	-																
Old Age - - -		4'7	44	-	-	-	-	-	17	27																
Apoplexy - - -		47'4	34	-	-	1	1	10	21	1																
Epilepsy - - -		7'7	7	-	-	2	2	2	1	-																
Convulsions - - -		44'0	40	35	5	-	-	-	-	-																
Other Diseases of Brain and Nervous System		79'7	63	7	5	5	10	9	26	1																
CAUSES OF DEATH.																										
Diseases of Organs of Special Sense -		3'3	1	-	-	1	-	-	-	-																
Diseases of Circulatory System -		120'9	104	-	-	4	21	32	44	3																
Croup - - -		12'0	2	1	1	-	-	-	-	-																
Bronchitis - - -		240'6	135	58	16	2	2	11	33	7																
Pneumonia - - -		114'7	80	40	15	5	5	10	14	-																
Pleurisy - - -		6'9	1	1	-	-	-	-	-	-																
Other Diseases of Respiratory System -		29'7	18	2	3	1	1	5	4	2																
Dentition - - -		9'4	5	4	1	-	-	-	-	-																
Quinsy, Sore Throat -		2'7	4	-	1	1	1	-	1	-																
Enteritis - - -		8'0	6	4	-	-	1	1	-	-																
Peritonitis - - -		7'1	4	-	-	-	1	3	-	-																
Diseases of Liver - -		26'2	21	2	-	1	2	8	7	1																
Other Diseases of Digestive System -		23'4	25	4	1	1	3	12	4	-																
Diseases of Lymphatic System & of Ductless Glands -		2'3	3	-	-	1	-	1	1	-																
Diseases of Urinary System -		45'8	22	1	-	2	2	4	11	2																
Diseases of Generative System -		6'1	2	-	-	-	2	-	-	-																
Accidents of Childbirth -		3'4	4	-	-	-	2	2	-	-																
Diseases of Locomotive System -		6'8	6	1	-	1	2	-	2	-																
Diseases of Integumentary System -		6'5	4	1	-	1	-	1	1	-																
VIOLENT DEATHS.																										
(ACCIDENT.)																										
By Railways - - -		-	-	-	-	-	-	-	-	-																
By Vehicles or Horses -		5	-	-	-	-	1	1	3	-																
In Ships, Boats, Docks (exclusive of Drowning) -		1	-	-	-	-	-	-	1	-																
In Building Operations -		-	-	-	-	-	-	-	-	-																
In Conflagrations - -		-	-	-	-	-	-	-	-	-																
By Burns, Scalds, Explosions -		43'9	9	-	3	3	1	1	1	-																
By Drowning - - -		4	-	-	-	-	1	1	2	-																
By Suffocation in Bed -		7	7	-	-	-	-	-	-	-																
By Poisons or Poisonous Vapours -		-	-	-	-	-	-	-	-	-																
Other or not stated Causes -		12	2	2	1	-	3	4	-	-																
(VIOLENCE OTHER THAN ACCIDENTAL.)																										
Homicide - - -		1'4	1	-	-	1	-	-	-	-																
Suicide - - -		7'8	4	-	-	-	1	1	2	-																
Execution - - -		-	-	-	-	-	-	-	-	-																

* The numbers in this column are the average weekly deaths for the ten years 1884-93, raised by 5'341 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" when so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE UNCOMPLICATED FEVER, DIARRHOEA, VIOLENCE, INQUEST CASES, and DEATHS in PUBLIC HOUSES, during the Week ending

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Summa- rated Popu- lation. 1891.	TOTAL BIRTHS.	TOTAL DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Houses.
				Infants under Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.		
LONDON	4,211,743	2357	1249	37	300	1	13	9	42	10	-	24	1	16	43	108	381
WEST DISTRICTS	749,735	387	213	49	66	1	-	1	6	3	-	1	-	-	8	13	83
NORTH DISTRICTS	993,884	610	275	79	65	-	5	1	15	2	-	8	-	6	8	21	74
CENTRAL DISTRICTS	247,538	135	75	19	8	-	-	-	1	-	-	1	-	2	4	9	37
EAST DISTRICTS	705,114	507	232	63	53	-	1	-	4	-	-	5	1	4	11	38	83
SOUTH DISTRICTS	1,524,472	1013	432	127	95	-	7	3	16	5	-	-	-	4	12	25	74
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGIS- TRATION LONDON	-	-	32	-	10	-	-	4	-	-	-	-	-	-	-	-	35
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	84159	49	18	5	6	1	-	-	-	1	-	-	-	-	1	2	4
St. John Paddington H - G.J.	33937	6	9	1	2	-	-	-	-	-	-	-	-	-	4	-	5
Kensington Town W - W.M.	118751	54	42	10	16	-	-	-	1	-	-	-	-	-	-	1	19
Brompton H - W.M. & C.	47557	10	7	2	2	-	-	-	-	-	-	-	-	-	-	2	3
St. Peter Hammersmith - W.M.	8533	8	2	-	-	-	-	-	-	1	-	-	-	-	-	-	2
St. Paul Hammersmith H W.M. & G.J.	89433	58	24	9	8	-	-	-	1	1	-	-	-	-	-	1	13
Fulham W - W.M. & C.	91639	89	32	9	7	-	-	1	2	-	-	-	-	-	-	-	13
Chelsea Kensal Town - C.	21787	9	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North WHHHH - C.	41437	22	19	5	4	-	-	-	-	-	-	-	-	-	1	1	11
Chelsea South HH - C.	89829	18	8	2	4	-	-	-	-	-	-	-	-	-	-	-	1
May Fair W - G.J.	23733	4	17	-	8	-	-	-	-	-	-	-	-	-	-	-	13
Bolgrave WHHH - C.	54331	30	12	2	2	-	-	-	2	-	-	-	-	-	1	2	6
St. John Westminster HHH - C.	81408	15	10	1	-	-	-	-	-	-	-	-	-	-	-	-	6
St. Margaret Westminster H - C.	21668	8	10	1	-	-	-	-	-	1	-	-	-	-	1	-	4
St. James Westminster WHH N.R. & G.J.	24995	9	8	1	2	-	-	-	-	-	-	1	-	-	-	-	-
St. Anne Soho HHHHHH - N.R.	12317	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone } - W.M.	37715	23	11	2	3	-	-	-	1	-	-	-	-	-	1	1	6
HHHHHHH } - G.J. & W.M.	20024	19	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1
Regent Marylebone W - G.J. & W.M.	10239	25	8	4	1	-	-	-	-	-	-	-	-	-	-	-	2
St. Mary Marylebone HHHH G.J. & W.M.	33327	23	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H - W.M.	52191	16	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone H - W.M.	68415	30	19	3	2	-	-	1	6	-	-	-	-	-	-	-	12
Hampstead WHHHHH N.R. & W.M.	85590	19	10	4	1	-	-	-	-	-	-	-	-	1	1	2	3
Regent's Park Pancras HH - W.M.	23321	10	9	2	1	-	-	-	-	1	-	-	-	-	-	1	5
Pottenham-court WHHHH N.R. & W.M.	27455	17	7	3	2	-	-	-	-	-	-	1	-	1	-	-	4
Gray's Inn Lane HHH - N.R.	32829	19	10	2	1	-	-	-	-	-	-	1	1	-	-	-	5
Somers Town HH - N.R.	15119	12	9	3	3	-	-	-	-	-	-	-	-	-	-	1	5
Camden Town WH - N.R.	95765	61	22	8	4	-	1	-	-	1	-	2	-	-	-	1	1
Kentish Town W - N.R.	90935	62	31	6	11	4	-	-	-	-	-	-	-	1	-	1	19
Upper Holloway WHHHH - N.R.	105537	60	20	7	-	-	-	-	-	1	-	-	-	1	-	-	-
Islington South-west H - N.R.	64153	46	23	8	3	-	-	-	-	-	-	1	-	1	-	-	-
Islington South-east - N.R.	69193	44	11	3	5	-	-	-	-	-	-	1	-	-	-	1	-
Highbury HH - N.R.	39933	7	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - N.R.	17759	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - N.R.	42902	17	9	2	4	-	-	-	-	-	-	-	-	-	1	1	2
West Hackney H - N.R.	96486	70	39	13	8	-	3	-	6	-	-	2	-	-	5	8	14
Hackney WWHH - E.L. & N.R.	41759	29	10	3	2	-	-	-	1	-	-	-	-	-	-	2	-
South Hackney W - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	16995	7	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Giles South WH - N.R.	13454	8	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-
St. Giles North H - N.R.	9633	10	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Martin-in-the-Fields HHH N.R. & C.	14616	2	10	1	1	-	-	-	-	-	-	-	-	-	-	1	3
St. Mary-le-Strand H - N.R.	5706	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	4
St. Clement Danes WH - N.R.	7194	3	5	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Strand Union Workhouse, Edmonston W.	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Geo. the Martyr HHHHHH N.R.	17921	6	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Eastern W - N.R.	15343	19	6	2	1	-	-	-	-	-	-	-	-	-	1	2	10
St. James Clerkenwell - N.R.	16803	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Clerkenwell - N.R.	16883	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Clerkenwell - N.R.	17155	19	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - N.R.	15375	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHHH - N.R.	29177	29	4	2	-	-	-	-	-	-	-	1	-	-	-	-	-
Whitecross-street - N.R.	8278	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Clerkenwell - N.R.	4935	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew Clerkenwell - N.R.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham W.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - N. & E.L.	8914	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4539	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre A - N.R.	4444	1	8	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Bride W - N.R.	6594	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Dunstons Park - N.R.	10422	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Dunstons Park - N.R.	3577	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H.—Hospital; L.—Lunatic Asylum; L.—Private Lunatic Asylum in which paupers are received; W.—Workhouse Establishments receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the sub-districts;—G. J., signifies Grand Junction Company; W. M., West Middlesex; C., Chelsea; S., Southwark and Vauxhall; L., Lambeth; N. R., North River; E. L., East London; and K., the Kent Company.

* See note † on first page of this Return.

VER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT *
 urday, 10th November, 1894.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Name rated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of												Deaths in Public Institutions.	Unspecified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Deaths from											
							Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Etiæ (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhœa.	Violence.			Inquest Cases.
EAST DISTRICTS.																		
Shoreditch South <i>HL*</i>	E.L. & N.R.	20098	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Shoreditch New Town <i>W</i>	N.R.	29313	13	17	1	10	-	-	-	-	-	-	-	-	1	12	-	
Shoreditch Old Town <i>W</i>	N.R.	28354	14	16	2	2	-	-	-	-	-	-	-	-	1	8	-	
Shoreditch East <i>WH</i>	N.R. & E.L.	46244	46	14	5	3	-	-	1	-	-	-	-	1	1	3	-	
Shoreditch Green North <i>H</i>	E.L.	51520	83	22	11	1	-	-	-	-	-	-	-	1	5	-	-	
Shoreditch Green South <i>H</i>	E.L.	33489	21	6	2	1	-	-	-	-	-	-	-	1	1	-	-	
Shoreditch Green East <i>WHL*</i>	E.L.	44123	35	17	4	2	-	-	-	-	-	-	-	1	1	3	7	
Shoreditch Fields <i>E.</i>	N.R.	22456	16	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
Shoreditch End New Town <i>W</i>	E.L.	17908	25	10	5	1	-	-	-	-	-	-	-	-	1	2	6	
Shoreditch Chapel Church <i>H</i>	E.L. & N.R.	20298	19	27	4	4	-	-	2	-	-	1	-	2	5	21	-	
Shoreditch Woodman's Fields <i>H</i>	E.L.	13800	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. George's, North <i>H</i>	E.L.	37788	29	10	4	1	-	-	-	-	-	-	-	-	-	-	-	
St. John, St. George East <i>W</i>	E.L.	8057	6	4	-	3	-	-	-	-	-	-	-	-	-	4	-	
Shoreditch H <i>H</i>	E.L. & N.R.	10246	7	6	2	2	-	-	-	-	-	-	-	-	-	3	-	
Shoreditch W <i>H</i>	E.L.	14928	10	4	1	-	-	-	-	-	-	1	-	-	-	-	-	
Shoreditch House <i>H</i>	E.L.	32202	19	7	5	1	-	-	-	-	-	-	-	-	-	-	-	
Shoreditch End Old Town West <i>H</i>	E.L.	38650	31	7	4	2	-	-	-	-	-	-	-	-	1	-	-	
Shoreditch End Old Town East <i>WHL</i>	E.L.	68942	45	13	2	7	-	-	-	-	-	-	-	-	1	4	-	
Shoreditch L <i>H</i>	E.L.	40865	33	8	3	2	-	-	1	-	-	1	-	-	1	1	-	
Shoreditch W <i>WH</i>	E.L.	70000	48	35	4	9	-	1	-	-	-	1	-	2	10	18	-	
Shoreditch W <i>W</i>	E.L.	56383	43	12	2	4	-	-	-	-	-	-	-	1	2	-	-	
SOUTH DISTRICTS.																		
Christchurch Southwark <i>WH</i>	L. & S.	18264	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Saviour Southwark <i>H</i>	S.	18913	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Road <i>H</i>	S. & L.	21887	13	6	1	2	-	-	-	-	-	-	-	1	1	-	-	
Christchurch Road <i>WH</i>	S. & L.	16624	9	5	2	-	-	-	-	-	1	-	-	-	-	-	-	
Christchurch Road <i>HL</i>	L. & S.	21221	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Newington <i>H</i>	S. & L.	26596	21	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Peter Walworth <i>W</i>	S. & L.	61342	51	13	8	3	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Newington <i>H</i>	L. & S.	27866	25	6	3	-	-	-	-	-	-	-	-	-	-	-	-	
St. Olave <i>WH</i>	S.	12723	10	12	1	2	-	-	-	-	-	-	-	1	1	10	-	
Leather Market <i>W</i>	S. & L.	20612	28	8	2	3	-	-	-	1	-	-	-	-	-	1	-	
St. James Bermondsey <i>H</i>	S.	54070	42	10	1	2	-	-	-	-	-	1	-	-	-	1	-	
Southwark <i>WH</i>	S. & K.	39255	50	17	2	9	-	-	1	1	-	-	-	1	1	8	-	
Waterloo-road 1st <i>H</i>	L. & S.	14031	7	8	2	1	-	-	-	-	-	-	-	-	-	-	-	
Waterloo-road 2nd <i>H</i>	L. & S.	14644	24	6	3	1	-	-	-	1	-	-	-	-	2	1	-	
Waterloo Church 1st <i>H</i>	L. & S.	18075	9	10	2	-	-	-	-	-	-	-	-	-	-	-	-	
Waterloo Church 2nd <i>WH</i>	L. & S.	39097	24	15	6	2	-	-	-	-	-	-	-	-	-	-	-	
Waterloo 1st <i>H</i>	S. & L.	50586	42	13	3	6	-	-	-	-	-	-	-	-	1	2	-	
Waterloo 2nd <i>H</i>	S. & L.	39708	15	8	-	2	-	-	-	-	-	-	-	-	1	2	-	
Waterloo W <i>H</i>	L. & S.	73405	36	22	5	6	-	-	3	-	-	-	-	-	-	-	-	
Waterloo WH <i>H</i>	L.	25657	18	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Waterloo Battersea <i>H</i>	S.	67244	32	11	4	3	-	-	-	-	-	-	-	-	-	-	-	
Waterloo Battersea WH <i>H</i>	S.	58314	65	13	5	2	-	-	-	1	-	1	-	-	-	-	-	
Waterloo H <i>H</i>	S.	43698	26	17	5	4	-	-	-	-	-	-	-	1	4	1	-	
Waterloo WH <i>H</i>	S.	46717	30	18	10	5	-	-	1	-	-	1	-	-	-	2	-	
Waterloo W <i>H</i>	S.	17771	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
Waterloo WH <i>H</i>	L.	48756	27	7	2	-	-	2	2	-	-	-	-	-	-	4	-	
Waterloo Battersea WH <i>L</i>	L. & S.	3909	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Waterloo Battersea WH <i>L</i>	S. & L.	81686	44	39	7	10	-	-	1	-	-	-	-	-	1	13	2	
Waterloo Battersea WH <i>L</i>	S. & L.	33483	43	23	6	5	-	-	-	1	-	-	-	1	-	-	-	
Waterloo Battersea WH <i>L</i>	L. & S.	63366	41	18	9	2	-	-	-	-	-	-	-	1	1	-	-	
Waterloo North <i>H</i>	K.	35314	38	14	4	4	-	1	-	-	-	-	-	-	-	-	-	
Waterloo Central <i>W</i>	K.	42007	25	13	5	1	-	1	-	2	1	-	-	-	-	3	1	
Waterloo South <i>H</i>	K.	30852	17	4	1	1	-	-	-	-	-	1	-	-	-	-	-	
Waterloo West <i>H</i>	K.	22007	9	4	1	2	-	-	-	-	-	-	-	-	-	1	-	
Waterloo East <i>WH</i>	K.	35223	29	15	5	3	-	-	-	-	-	1	-	-	-	8	-	
Waterloo W <i>H</i>	K.	5682	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Waterloo H <i>H</i>	K.	23541	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
Waterloo WH <i>H</i>	K.	30950	16	6	1	2	-	-	-	-	-	-	-	-	-	1	-	
Waterloo H <i>H</i>	L.	34162	24	13	6	2	-	2	-	-	-	1	-	1	2	-	-	
Waterloo H <i>H</i>	K.	14040	12	2	1	-	-	-	-	1	-	-	-	-	-	-	-	
Waterloo Dockyard <i>H</i>	K.	19006	9	6	4	-	-	-	-	-	-	-	-	-	-	-	-	
Waterloo Arsenal <i>HH</i>	K.	21242	17	10	4	1	-	-	1	-	-	-	-	1	1	2	-	
Waterloo West <i>H</i>	K.	15869	9	3	-	-	-	1	-	-	-	-	-	-	-	-	-	
Waterloo W <i>H</i>	K.	86567	29	9	3	3	-	2	-	-	-	-	-	-	-	-	-	
Waterloo Asylum	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-	
Waterloo Asylum	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	
Waterloo Asylum	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
Waterloo Asylum	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-	
Waterloo Asylum	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-	
Waterloo Asylum	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Waterloo Asylum	-	-	-	4	-	-	-	4	-	-	-	-	-	-	-	4	-	
Waterloo Asylum	-	-	-	6	-	3	-	-	-	-	-	-	-	-	-	6	-	
Waterloo Asylum	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	6	-	

* The Registration sub-districts of Leather Market and St. Mary, Magdalen were united on September 1st, 1901, under the name of Leather Market.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 10th November, 1894.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Wann- rated Popu- lation. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 15 Years & upwards.	Small-pox.	Measles.	Scarlet Fev.	Dysentery.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unregistered Causes of Death.	
LONDON—OUTER RING		368,746	1,422,063	928	367	108	91	-	7	4	19	6	4	9	13	17	29	16	
80: 1	Carshalton WHH	12228	26108	10	4	2	1	-	-	-	-	-	-	-	-	2	2	-	
2	Epsom, part of* WHH	10423	12503	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Goldstone, part of* W	754	1593	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon WHH	20351	128699	37	31	8	12	-	-	-	1	-	-	1	-	-	-	-	
2	Mitcham W	11697	23088	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon HHH	3220	25761	15	9	4	1	-	-	1	-	-	-	-	-	1	1	-	
2	Kingston WHH	8071	44765	33	7	1	3	-	-	-	-	-	-	-	-	-	2	-	
3	Esher, part of*	6601	12059	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H	4555	18252	9	3	-	1	-	-	1	-	-	-	-	1	1	-	1	
40: 1	Richmond WH	2160	25339	9	6	2	1	-	1	-	-	-	-	-	-	-	2	-	
2	Mortlake H	2823	16169	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley HHH	9127	23315	11	7	1	1	-	-	2	2	-	-	-	-	-	3	-	
2	Beckenham H	6542	21993	21	3	2	-	-	-	-	1	-	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	12	7	-	2	-	-	-	-	1	1	1	1	1	2	-	
42: 1	Bexley HHH	12540	30690	28	8	2	3	-	-	1	-	-	-	-	-	-	-	-	
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124: 1	Sunbury W	11054	13671	8	4	-	4	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W	18277	13221	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hillingdon WHH	6035	12237	7	2	1	1	-	-	-	1	-	-	-	-	-	-	-	
2	Uxbridge	6172	5417	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH	14537	12318	2	8	1	4	-	-	1	-	-	-	-	-	-	-	-	
126: 1	Isleworth WHH	6967	23273	13	10	2	4	-	-	-	-	-	-	-	-	-	4	-	
2	Twickenham HH	2415	18027	7	5	2	1	-	1	-	-	-	-	-	1	1	-	-	
3	Brentford HHHH	4318	37777	23	8	1	3	-	-	-	-	-	-	1	-	-	-	-	
4	Chiswick	1245	21963	20	6	2	1	-	-	-	-	-	-	-	-	2	3	-	
5	Aston WH	6132	30945	11	8	1	4	-	-	-	1	-	-	-	-	-	-	-	
127: 1	Harrow HHH	13809	15715	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware EH	6994	3844	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
3	Willesden HHH	4983	61265	54	15	7	-	-	-	-	-	-	-	-	1	1	-	1	
4	Hendon W	8382	15843	9	6	1	1	-	-	-	-	-	-	-	-	-	1	-	
128: 1	South Mimms	1559	8474	6	2	1	1	-	-	-	-	-	-	-	1	1	-	-	
2	Barnet WHH	5441	11773	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley HHH	4688	25820	11	6	1	1	-	1	-	1	-	-	-	-	1	-	-	
129: 1	Hornsey HH	5039	61097	33	11	4	2	-	-	-	-	1	-	-	1	1	-	-	
2	Tottenham H	4342	97174	75	16	7	4	-	-	-	-	-	-	2	-	-	1	-	
3	Edmonton WH	7489	33851	19	14	7	1	-	-	-	1	-	-	-	-	-	2	-	
4	Enfield WWHH	12639	31803	20	6	1	2	-	-	-	-	-	-	-	2	2	1	-	
5	Waltham Abbey	11017	6066	6	2	1	-	-	1	-	-	-	-	-	-	-	-	-	
6	Chesham H	8480	9620	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
130: 1	Hatfield, part of* W	3906	532	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bashey H	9331	7787	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of*	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	
136: 1	Stratford H	1100	42983	32	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Plaistow HHHH	1242	58030	54	24	8	5	-	-	4	-	-	2	1	-	-	-	1	
3	Canning Town H	1558	54750	39	21	7	2	-	2	2	1	-	-	-	-	-	-	-	
4	Forest Gate W	806	49140	33	17	6	5	-	1	-	2	-	-	1	-	-	-	1	
5	East Ham W	3266	32713	35	15	5	2	-	-	3	-	-	-	-	-	-	-	-	
6	Lepton WHH	4384	70183	42	23	10	5	-	-	1	-	-	-	1	-	-	8	-	
7	Walthamstow HHL	6501	57330	39	12	2	4	-	-	-	-	-	-	-	1	1	-	1	
137: 1	Chigwell, part of* H	11779	12941	12	2	1	1	-	-	-	-	-	-	1	-	-	-	-	
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, part of* WH	6556	4324	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford	8493	10913	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town H	3814	14301	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	London Fv. Hospital	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	
	Cane Hill Asylum	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows—0: 2, Epsom sub-district, except the parishes of Ashted and Healdley (pop. 1798); 37: 1, the parishes of Warrington and Farley in Goldstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2252); 41: 3, Chislehurst sub-district, except the parishes of Chislefield, Cadman, and Knockholt (pop. 3007); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1 Chigwell sub-district, except the parish of Theydon Bois (1979); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 3, Dartford; 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 10th November, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include:												Deaths in Public Institutions.	
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			
GREATER LONDON	443,421	5,948,300	14.2	1.4	1616	445	391	1	20	13	61	16	29	25	56	414			
INNER LONDON	74,672	4,349,103	15.0	1.4	1249	337	300	1	13	9	42	10	25	16	43	385			
OUTER RING	868,749	1,599,134	12.0	1.6	367	103	91	-	7	4	19	6	4	9	13	29			

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 15.351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrheal Diseases.	
EDINBURGH	270,588	November 10	122	102	19.7	3	-	-	-	1	1	4	
GLASGOW	636,820	" 10	429	288	21.9	-	11	4	10	8	7	8	
DUBLIN	349,594	" 10	221	153	22.8	4	-	1	-	3	2	2	
CALCUTTA	466,460	September 22	-	-	-	-	-	-	-	-	-	-	
BOMBAY	821,764	October 16	201	488	30.9	1	6	2	2	2	137	36	
MADRAS	452,518	" 5	402	394	45.2	-	3	2	2	2	169	55	
PARIS	2,424,705	November 3	1208	789	16.9	-	1	2	5*	5	1	33	
BRUSSELS	498,400	" 3	242	160	16.7	-	8	2	5*	1	2	15	
AMSTERDAM	446,295	" 3	227	138	16.0	-	-	1	-	3	1	1	
ROTTERDAM	228,597	" 3	171	77	17.5	4	-	-	-	1	-	-	
THE HAGUE	174,790	" 3	86	41	12.2	-	-	-	-	-	-	-	
COPENHAGEN	341,000	" 3	-	-	-	-	-	-	-	-	-	-	
STOCKHOLM	252,937	October 27	113	100	20.6	-	11	1	9*	-	1	14	
CHRISTIANIA	167,588	November 3	43	58	18.0	-	-	2	6	-	-	3	
ST. PETERSBURG	954,400	October 20	588	343	18.7	-	6	14	19	6	2	19†	
MOSCOW	753,469	" 27	-	418	28.9	1	4	10	18	3	4	44	
BERLIN	1,714,938	" 20	806	484	14.8	1	2	7	26	8	3	22	
HAMBURG	598,372	November 3	-	166	14.4	-	1	1	4*	3	2	7	
BRESLEN	312,772	October 13	-	-	-	-	-	-	-	-	-	-	
BRISLAU	360,660	November 3	-	152	21.9	-	2	4	2*	1	-	10	
MUNICH	390,000	" 3	-	151	20.1	-	-	1	7*	2	-	22	
VENNA	1,465,537	" 3	918	514	18.2	-	23	7	23*	2	2	54	
LAGUE	339,173	October 27	203	132	20.0	-	1	1	4	-	2	3	
UDA-PESTH	552,769	" 27	395	214	20.1	4	2	-	6	-	1	15	
RIESTE	159,739	" 27	99	63	20.5	-	-	6	4*	1	1	1	
ROME	455,378	September 29	248	126	14.4	-	-	-	1	-	8†	18	
BRIN (10 days)	337,997	October 20	-	-	-	-	-	-	-	-	-	-	
ENICE	160,406	" 20	55	47	15.5	-	-	-	-	-	-	3	
		" 27	45	67	22.1	-	-	-	-	-	1	5	
LIRO	374,838	" 18	-	-	-	-	-	-	-	-	-	-	
ALEXANDRIA	231,396	" 18	-	-	-	-	-	-	-	-	-	-	
NEW YORK	1,925,569	" 27	-	626	16.5	-	5	3	30	4	10	23	
BROOKLYN	1,043,000	" 27	-	353	17.0	-	-	-	22	6	7	17	
PHILADELPHIA	1,139,457	" 27	-	380	17.4	-	-	2	43	1	4	8	
NEW ORLEANS	254,000	" 13	-	-	-	-	-	-	-	-	-	-	

* Including deaths from croup.

† Including one death from cholera in St. Petersburg.

‡ Including 4 deaths from malarial fever.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 10TH NOVEMBER, 1894.
[Under the Sup. intendence of the Astronomer Royal.]

1894.		Phases of the Moon.		TEMPERATURE.		Of the Air.		Differences between the Air Temperature and Dew Point Temperature.		RADIATION.		TEMPERATURE.		Wind as deduced from Anemometers.		Rain collected in a gauge receiving surfaces above ground.							
DATE.	MORNING AND DAY.	HIGH.	LOW.	DAILY RANGE.	MEAN DAILY VALUE.	DEPARTURE FROM AVERAGE OF 50 YEARS.	OF THE AIR POINT.	MEAN DAILY VALUE.	GREAT-EST.	LEAST.	HIGHEST IN SHADY PLACE.	OF RADIATION.	OF THE EARTH SURFACE.	GENERAL DIRECTION.	PRESSURE ON THE SQUARE FOOT.	ROBINSON'S.	OZONE.						
NOVEMBER.																							
SUNDAY .	4 Apogee.	57.8	48.8	8.0	53.1	+ 7.0	46.7	6.4	9.3	1.8	79	91.2	44.2	SSW. & SW.	SW. & S.	lbs. 2.9 0.0	Miles. 370	in. 0.02					
MONDAY .	5 First Qr.	59.5	48.0	11.5	54.0	+ 8.1	51.0	3.0	6.8	2.6	89	83.7	42.0	S.	SSW. SW. & W.S.W.	0.0	337	0.02					
TUESDAY .	6 ..	59.8	40.5	19.3	48.0	+ 2.5	42.8	5.2	12.0	0.2	82	87.2	32.3	SW. & SSW.	SW. & S.	0.1	194	0.00					
WEDNESDAY .	7 ..	59.3	43.1	16.2	51.7	+ 6.6	46.8	4.9	9.1	0.6	84	76.0	38.3	S.	S. & SW.	6.2	395	0.39					
THURSDAY .	8 ..	59.6	42.0	17.6	46.4	+ 1.8	38.7	7.7	14.8	2.6	74	84.0	40.1	SW. & WSW.	WSW. & SW.	6.1	451	0.64					
FRIDAY .	9 In Equator.	59.3	41.5	17.8	48.1	+ 4.1	44.9	3.2	8.0	1.1	89	64.3	39.1	SW. & S.	S. & SW.	2.9	281	0.04					
SATURDAY .	10 ..	59.3	44.9	14.4	50.8	+ 7.2	45.7	5.1	10.5	2.9	83	63.0	42.0	SW. & WSW.	SW.	2.3	307	0.13					
MEANS .	..	59.637	44.3	15.3	50.3	+ 5.3	45.2	5.1	10.1	1.7	83	83.2	39.7	SW. & S.		..	Sum 2395	Sum + 442					
No. of Column		5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
GENERAL REMARKS.																							
SUNDAY .	4 w. P. generally	6.7	9.4	Fine generally; shower of rain in early morning; thin cloud at night.																			
MONDAY .	5 w. P. generally; m. N. for a short time in afternoon.	0.2	9.4	Fine in morning; overcast till afternoon; generally cloudless in evening.																			
TUESDAY .	6 m. P. generally	6.1	9.3	Generally cloudless; a little light cloud in evening; very fine.																			
WEDNESDAY .	7 w. P. till 5h. P.M.; s. N. and s. P. afterwards.	0.3	9.2	Fine and clear till 4h. A.M.; overcast afterwards; heavy rain at night.																			
THURSDAY .	8 w. P. in morning; s. P. afterwards.	5.4	9.2	Rain in early morning; generally cloudless throughout day, and very fine.																			
FRIDAY .	9 w. P. generally	0.0	9.1	Overcast; heavy shower at 11h. P.M.																			
SATURDAY .	10 w. P. in morning; m. P. till 5h. P.M.; s. P. and s. N. afterwards.	4.1	9.1	Fine till afternoon; heavy rain between 4h. P.M. and 5h. P.M. accompanied by lightning and thunder; evening fine.																			
MEANS .	..	Sum 22.8	Sum 64.7																				

The results apply to the civil day, or from midnight to midnight. The height of the column of the barometer is 189 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1875 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the surface of the sea from a discussion of the anerometer records for the 16 years ending 1875. In making the columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; W. weak; M. moderate; S. strong; and V. variable.

The numbers in column 28 derived from the Campbell-Stokes Sunshine Instrument, show the approximate duration of bright sunshine on each day.

The reading of the barometer increased from 29.63 in. at the beginning of the week to 29.02 in. by 9h. A.M. on the 6th; decreased to 29.26 in. by 10h. P.M. on the 7th; increased to 29.59 in. by 2h. A.M. on the 9th; and decreased to 29.24 in. by the end of the week.

27

No. of Col.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 46. 1894. VOL. LV.] WEEK ENDING SATURDAY, NOVEMBER 17. [Price 1½d.

*General Register Office, Somerset House,
November 19th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·1 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.		Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.
Birkenhead	17·3	11·8	11·8	13·3	Liverpool -	24·2	22·6	21·0	20·3
Birmingham	16·2	15·1	17·8	19·2	London -	17·8	16·4	15·0	15·3
Blackburn -	22·0	20·3	19·9	19·9	Manchester -	23·4	17·3	18·7	19·8
Bolton -	22·9	22·5	22·9	18·5	Newcastle-on-Tyne	19·4	19·4	17·3	26·3
Bradford -	15·1	24·0	17·7	17·5	Norwich -	14·3	12·3	14·3	21·2
Brighton -	19·3	18·4	16·7	20·2	Nottingham -	20·5	13·1	18·9	15·9
Bristol -	16·8	13·8	17·5	15·4	Oldham -	18·4	16·5	18·0	21·8
Burnley -	22·2	25·4	24·3	22·7	Plymouth -	20·2	11·3	17·8	16·0
Cardiff -	13·7	14·7	15·1	14·0	Portsmouth -	19·2	14·0	18·3	15·2
Croydon -	10·2	10·2	13·0	10·7	Preston -	20·1	22·0	24·8	18·7
Derby -	15·3	22·2	21·6	14·3	Salford -	20·5	21·3	18·7	18·2
Gateshead -	20·1	20·1	23·5	24·6	Sheffield -	16·5	17·9	13·9	18·5
Halifax -	18·5	20·8	14·0	11·8	Sunderland -	26·8	23·8	24·1	23·8
Huddersfield	19·1	18·5	12·7	11·6	Swansea -	19·1	16·4	23·0	24·6
Hull -	16·9	18·1	20·6	20·1	West Ham -	18·8	15·8	16·0	15·8
Leeds -	20·7	20·3	19·4	18·2	Wolverhampton -	15·9	17·8	19·0	21·5
Leicester -	12·4	13·0	13·0	11·0					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·8 in Newcastle, 1·9 in Sunderland, 2·1 in Bradford, 2·3 in Leeds, 2·7 in Portsmouth, 4·5 in Gateshead, and 4·8 in Derby; from *scarlet fever*, 1·0 in Birkenhead and 1·2 in Nottingham; from *whooping-cough*, 1·7 in Gateshead; from "*fever*", 1·2 in Plymouth; and from *diarrhoea*, 1·1 in Gateshead, 1·2 in Wolverhampton, and 1·4 in Cardiff. The 73 deaths from *diphtheria* included 44 in London, 5 in West Ham, 3 in Birmingham, and 3 in Manchester. Two deaths from *small-pox* were registered in Birmingham, and 2 in Liverpool, but not one death in London, or in any other of the thirty-three towns.

LONDON.

In LONDON 2494 BIRTHS and 1275† DEATHS were registered. Allowing for increase of population, the births were 199, and the deaths 416, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·8, 16·4, and 15·0 in the preceding three weeks, rose last week to 15·3. During the four weeks ending on Saturday

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

last the death-rate averaged 16·1 per 1000, being 3·5 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1275 deaths included 22 from measles, 8 from scarlet fever, 44 from diphtheria, 8 from whooping-cough, 21 from enteric fever, 23 from diarrhœa and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 126 deaths were referred to these diseases, being 68 below the corrected average weekly number.

There were 41 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals, and one case in the Highgate Small-pox Hospital, making a total of 42, against 50, 48, and 51 on the preceding three Saturdays; 3 cases were admitted during the week, against 8, 8, and 12 in the preceding three weeks. The deaths from *measles*, which had been 24, 15, and 13 in the preceding three weeks, increased again last week to 22, but were less than half the corrected average; 7 belonged to Greenwich, 5 to Hackney, and 3 to Woolwich sanitary areas. The deaths from *scarlet fever*, which had been 17, 10, and 9 in the preceding three weeks, numbered 8 last week, and were 21 below the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2254 scarlet-fever patients at the end of last week, against 2285, 2240, and 2258 on the preceding three Saturdays; 215 cases were admitted during the week, against 223 in each of the preceding two weeks. The deaths from *diphtheria*, which had been 49, 54, and 42 in the preceding three weeks, numbered 44 last week, and were 7 above the corrected average; 7 belonged to Camberwell, 4 each to Islington, Bethnal Green, Lambeth, and Battersea, and 3 to Marylebone sanitary areas. The Metropolitan Asylum Hospitals* contained 544 diphtheria patients at the end of last week, against 531, 537, and 548 on the preceding three Saturdays; 83 cases were admitted during the week, against 99 and 97 in the preceding two weeks. The deaths from *whooping-cough*, which had numbered 18, 14, and 10 in the preceding three weeks, further declined last week to 8, being but one-fourth of the corrected average. The fatal cases of *enteric fever*, which had increased in the preceding three weeks from 14 to 24, declined last week to 21, agreeing with the corrected average; 3 belonged to Wandsworth, and 2 each to Lambeth, Islington, and Poplar sanitary areas. The Metropolitan Asylum Hospitals* contained 96 cases of enteric fever and 2 of typhus on Saturday last; 17 cases of enteric fever were admitted during the week, against 14 and 11 in the preceding two weeks. The deaths from *diarrhœa*, which had been 19, 20, and 16 in the preceding three weeks, increased last week to 23, exceeding the corrected average by 5.

The deaths referred to diseases of the respiratory organs, which had been 329, 329, and 245 in the preceding three weeks, numbered 245 last week, and were 192 below the corrected average.

The deaths attributed directly to *influenza* numbered 14, having been 13, 7, and 7 in the preceding three weeks.

Different forms of violence caused 51 deaths, concerning all of which inquests were held. Of these 51 deaths, 5 were cases of suicide, and one death was a case of homicide, while the remaining 45 were attributed to accident or negligence. Seven of these were referred to burns and scalds, 4 to drowning, and 10 (of infants under one year of age) to suffocation in bed. No death from accident by vehicle or horse in any street was recorded.

GREATER LONDON.

In Greater London 3293 births and 1648 deaths were registered, corresponding to annual rates of 28·9 and 14·4 per 1000 of the estimated population. In the Outer Ring 11 deaths from measles, 21 from diphtheria, 3 from whooping-cough, 4 from "fever", and 4 from diarrhœa were recorded. The 21 deaths from diphtheria included 8 in West Ham, 4 in Edmonton, 2 in Kingston, and 2 in Brentford districts. Of the 11 deaths from measles, 3 occurred in Croydon district. Two deaths from "fever" were registered in Hendon district and 2 in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·39 inches, and that of the Thermometer 47°·0, the latter being 4°·3 above the week's average in the 50 years 1841-90. The direction of the wind was Southerly, the horizontal movement of the air being 39 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 20·4 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 2.—Births, Deaths, and Meteorology, in 33 Great Towns, during the Week ending 17th November 1894.

CITIES AND BOROUGHES.	Registered during the Week ending 17th Nov. 1894.			The Deaths registered in the Week include										TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGHES.				
	1.	2.	3.	Deaths of		Deaths from					Inquest Cases.					To the corresponding						In Inches.	In Cents.		
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unattended Cases of Death.	From All Causes.	From (1) Accidents in Cols. 6-12.	Highest.	Lowest.				Fahrenheit.	Fahrenheit.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 TOWNS	10,458,442	6261	3427	959	638	4	108	35	73	37	51	67	123	251	700	67	17.1	1.9	57.2	34.8	45.2	7.33	2.03	5.16	- 33 TOWNS.
LONDON	4,349,166	2494	1275	341	279	-	22	8	44	8	21	23	51	118	863	15	15.3	1.5	55.5	40.4	47.0	8.33	2.03	5.16	LONDON.
WEST HAM.	238,184	140	72	22	14	-	3	1	5	-	-	-	1	3	9	3	15.8	1.8	-	-	-	-	-	-	WEST HAM.
CROYDON	111,921	59	23	6	7	-	3	-	1	-	-	-	-	-	-	-	10.7	1.9	55.0	38.5	45.1	7.28	3.27	8.31	CROYDON.
BRIGHTON.	118,715	62	46	14	8	-	1	-	2	-	-	-	-	2	7	-	20.2	1.3	57.2	43.6	50.1	10.06	2.28	5.79	BRIGHTON.
PORTSMOUTH.	170,973	100	50	8	16	-	9	1	1	-	-	-	-	1	10	-	15.2	3.4	56.5	42.0	49.0	9.44	4.37	12.62	PORTSMOUTH.
PLYMOUTH.	87,931	59	27	9	7	-	3	-	2	-	2	-	-	1	5	-	16.0	1.8	-	-	-	-	-	-	PLYMOUTH.
BRISTOL.	226,578	129	67	17	17	-	-	-	2	-	2	2	1	4	11	3	15.4	1.8	55.0	39.0	45.9	7.72	3.89	9.88	BRISTOL.
CARDIFF.	148,880	48	40	12	9	-	-	-	-	-	1	-	-	8	9	-	14.0	1.8	-	-	-	-	-	-	CARDIFF.
SWANSEA.	95,339	60	45	19	8	-	1	1	-	-	-	-	-	-	2	-	24.6	1.6	-	-	-	-	-	-	SWANSEA.
WOLVERHAMPTON.	85,036	62	35	13	8	-	-	-	1	-	1	2	2	3	7	1	21.5	2.5	52.8	34.8	42.2	5.07	1.68	4.27	WOLVERHAMPTON.
BIRMINGHAM.	492,301	273	181	54	36	2	-	-	3	2	3	7	6	3	39	5	19.2	1.8	-	-	-	-	-	-	BIRMINGHAM.
NORWICH.	105,645	59	43	12	13	-	-	1	1	-	-	-	-	4	6	3	21.2	1.0	52.0	39.0	45.4	7.44	1.78	4.52	NORWICH.
LEICESTER.	189,136	104	40	15	10	-	-	-	-	-	-	-	2	3	7	2	11.0	0.8	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM.	223,584	118	68	18	11	-	-	5	-	1	2	1	3	4	14	-	15.9	2.1	53.8	35.3	43.7	6.50	1.60	4.06	NOTTINGHAM.
DERBY.	98,766	53	27	4	5	-	9	-	-	-	1	1	-	-	-	-	14.3	5.8	-	-	-	-	-	-	DERBY.
BIRKENHEAD.	105,627	72	27	7	4	-	-	2	-	1	-	-	1	3	4	-	13.3	1.5	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL.	567,230	349	137	49	37	2	-	7	1	1	6	3	12	17	61	6	20.3	2.1	53.0	37.3	44.3	6.83	0.56	1.42	LIVERPOOL.
BOLTON.	118,303	72	42	13	7	-	1	-	2	1	2	-	4	6	5	-	18.5	1.3	-	-	-	-	-	-	BOLTON.
MANCHESTER.	520,211	343	198	44	24	-	4	1	3	2	1	1	9	18	44	5	19.8	1.2	-	-	-	-	-	-	MANCHESTER.
SALFORD.	205,828	121	72	14	13	-	1	1	1	2	2	1	6	7	16	2	18.2	2.0	-	-	-	-	-	-	SALFORD.
OLDHAM.	188,755	70	38	24	10	-	1	-	2	-	-	-	2	4	4	-	21.8	1.9	-	-	-	-	-	-	OLDHAM.
BURNLEY.	96,478	71	42	14	17	-	-	-	-	-	1	-	3	3	-	-	22.7	0.5	-	-	-	-	-	-	BURNLEY.
BLACKBURN.	126,797	98	48	15	11	-	-	-	-	-	2	2	2	3	4	1	19.9	1.7	-	-	-	-	-	-	BLACKBURN.
PRESTON.	111,425	67	40	16	11	-	-	-	-	-	-	1	-	-	2	1	18.7	1.4	-	-	-	-	-	-	PRESTON.
Huddersfield.	98,511	35	22	6	6	-	-	-	1	1	-	1	-	-	-	-	11.6	1.6	-	-	-	-	-	-	Huddersfield.
HALIFAX.	92,861	55	21	4	7	-	-	-	1	-	-	-	-	-	2	1	11.8	0.6	-	-	-	-	-	-	HALIFAX.
BRADFORD.	223,435	121	75	18	11	-	9	-	1	-	-	1	-	3	6	3	17.5	2.3	51.0	39.8	44.5	6.94	0.87	2.21	BRADFORD.
LEEDS.	388,761	242	136	38	20	-	17	-	-	-	-	3	2	7	14	4	18.2	3.5	-	-	-	-	-	-	LEEDS.
SHEFFIELD.	358,316	222	120	30	20	-	5	1	-	4	2	1	1	3	20	5	18.5	2.0	-	-	-	-	-	-	SHEFFIELD.
HULL.	212,679	141	82	29	15	-	1	2	2	1	1	3	2	2	10	3	20.1	2.2	52.0	35.0	42.7	5.94	1.11	2.82	HULL.
SUNDERLAND.	186,101	96	62	25	12	-	8	1	1	-	-	2	1	3	6	-	23.8	3.1	51.0	36.0	42.6	5.89	0.36	0.91	SUNDERLAND.
GATESHEAD.	93,372	75	44	14	6	-	1	1	1	3	-	2	1	2	1	-	24.6	7.8	-	-	-	-	-	-	GATESHEAD.
NEWCASTLE.	201,947	141	102	35	19	-	7	2	-	1	2	2	2	9	16	2	26.3	3.6	-	-	-	-	-	-	NEWCASTLE.

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-SIXTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2558	2682	2830	2459	2606	2522	2321	2596	2510	2430	2592.8	2494
Males . .	1321	1381	1454	1207	1335	1275	1151	1279	1293	1260	1367.4	1268
Females .	1237	1301	1376	1252	1271	1247	1170	1317	1217	1170	1325.4	1226
TOTAL Deaths	1507	1557	1385	1633	1619	1451	1709	1629	1503	2016	1690.7	1275
Males . .	817	765	756	830	843	743	874	822	759	1016	869.2	644
Females .	690	792	629	808	771	703	835	807	749	1000	821.5	631

* The numbers in this column are the average weekly numbers in the forty-sixth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.
TOTAL Births	2361	2704	2369	2569	2358	2403	2532	2323	2516	2413	2659	2657	2494
TOTAL Deaths	1284	1198	1175	1241	1211	1277	1287	1291	1326	1481	1372	1249	1275
Ages at Death													
{ 0-20 years	685	591	578	600	571	577	574	565	617	667	649	554	605
{ 20-40 "	144	150	155	156	145	160	159	181	170	187	184	166	163
{ 40-60 "	232	208	197	209	228	286	246	262	236	260	226	229	228
{ 60-80 "	184	214	214	223	224	215	253	232	237	291	253	250	236
{ 80 years & upwards	39	85	81	53	43	39	55	51	66	73	60	50	43
Under 1 year	416	361	352	353	331	311	331	321	350	391	398	337	341
{ 1-5	184	146	146	159	159	171	160	163	182	193	169	125	172
{ 5-20	85	84	80	88	81	95	83	81	85	78	82	92	92
Deaths from													
Small-pox	2	7	6	3	-	1	1	-	-	-	1	1	-
" Measles	27	18	13	9	13	7	9	10	8	24	15	13	22
" Scarlet fever	17	13	13	15	15	18	9	12	18	17	10	9	8
" Diphtheria	43	33	39	55	52	67	66	54	61	49	54	42	44
" Whooping-cough	22	26	15	20	25	15	7	13	10	18	14	10	8
" Typhus	-	-	-	-	1	-	-	-	-	-	-	-	-
" Enteric fever	11	8	13	10	7	13	13	20	17	14	17	24	21
" Simple Cont'd fever	-	-	1	-	-	-	-	-	-	-	-	1	-
" Diarrhoea and Dysentery	114	71	79	62	49	35	33	30	26	19	20	16	23
" Cholera	2	2	2	-	-	1	-	-	-	-	-	1	-
" all the above-mentioned Diseases	238	178	181	174	162	157	138	139	140	141	131	117	126
" Dis. of Respiratory System	148	123	134	143	172	184	215	241	287	329	329	245	245
" Phthisis	122	116	113	130	119	141	131	137	135	161	132	150	132
" Dis. of Circulatory System	102	93	90	82	106	111	101	102	93	128	111	104	131
Violent Deaths	89	52	56	55	51	49	52	57	57	47	58	43	51
Inquest Cases	82	92	114	102	97	107	120	121	119	112	129	108	118
Deaths in Public Institutions	390	371	369	401	377	412	368	416	392	422	394	385	363
TEMPERATURE OF THE AIR													
Mean	57.4	60.8	52.7	54.8	55.9	52.5	52.8	53.0	44.3	50.3	54.0	50.3	47.0
Mean of Highest readings	64.4	72.1	61.7	63.7	62.5	59.9	59.5	53.6	50.9	55.8	59.0	56.5	52.4
Mean of Lowest readings	52.0	52.2	44.8	47.7	51.0	46.3	47.5	43.5	38.4	45.0	50.2	44.3	42.2
Humidity of the Air	87	86	80	82	90	89	83	95	85	81	87	83	87
Rain-fall in inches	1.50	0.00	0.54	0.02	0.11	0.59	0.12	0.36	0.19	1.35	2.16	0.64	2.03
Registered Sunshine (in hours)	14.0	28.6	17.6	17.2	3.9	14.7	13.9	1.7	7.3	9.3	11.8	22.8	20.4

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met.Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., and P. Bobbier, Esq., M.D., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of Ages from different CAUSES in the FORTY-SIXTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 40th Week of the 10 years 1854-93.*	In the Week ending Saturday, 17th November 1894.										CAUSES OF DEATH.	Corrected Averages for the 40th Week of the 10 years 1854-93.*	In the Week ending Saturday, 17th November 1894.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.					ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.		
			0-1.	1-5.	5-20.										0-1.	1-5.	5-20.						
ALL CAUSES - -	1690.7	1275	341	172	92	163	228	236	43		Diseases of Organs of Special Sense - -	2.4	1	-	-	-	-	-	1	-			
Small-pox { Vaccinated - -	1.6	-	-	-	-	-	-	-	-		Diseases of Circulatory System - -	132.2	131	1	2	12	21	34	55	6			
{ Unvaccinated - -	0.7	-	-	-	-	-	-	-	-		Croup - - - - -	11.0	-	-	-	-	-	-	-	-			
{ No Statement - -	1.6	-	-	-	-	-	-	-	-		Bronchitis - - - -	257.1	128	61	16	1	3	7	34	6			
Measles - - - - -	49.5	22	3	13	1	-	-	-	-		Pneumonia - - - -	125.1	97	37	33	2	8	7	6	1			
Scarlet Fever - - -	23.8	8	1	6	1	-	-	-	-		Pleurisy - - - - -	7.1	2	-	-	1	-	1	-	-			
Typhus - - - - -	0.5	-	-	-	-	-	-	-	-		Other Diseases of Respiratory System - -	33.7	13	4	1	1	-	4	6	2			
Relapsing Fever - -	-	-	-	-	-	-	-	-	-		Dentition - - - - -	8.9	1	-	1	-	-	-	-	-			
Influenza - - - - -	3.9	14	1	1	1	1	2	8	-		Quinsy, Sore Throat -	1.8	2	1	1	-	-	-	-	-			
Whooping-cough - -	34.6	8	4	4	-	-	-	-	-		Enteritis - - - - -	10.4	15	4	7	3	-	1	-	-			
Diphtheria - - - -	37.8	41	4	23	12	1	1	-	-		Peritonitis - - - -	6.2	7	-	-	3	-	2	2	-			
Simple Continued and Ill-defined Fever - -	0.7	-	-	-	-	-	-	-	-		Diseases of Liver - -	23.3	19	1	-	-	4	11	3	-			
Enteric Fever - - -	20.5	21	-	1	2	14	3	1	-		Other Diseases of Digestive System -	32.3	15	6	-	1	1	1	5	1			
Cholera and Chol. Diarr.	0.5	-	-	-	-	-	-	-	-		Diseases of Lymphatic System & of Ductless Glands - -	3.0	4	1	1	-	-	-	1	1			
Diarrhoea, Dysentery -	18.4	23	15	4	1	-	-	2	1		Diseases of Urinary System - - - -	44.4	33	-	2	1	8	15	13	-			
Remittent Fever - -	0.2	-	-	-	-	-	-	-	-		Diseases of Generative System - - - -	6.2	8	1	-	-	4	1	2	-			
Hydrophobia - - -	-	-	-	-	-	-	-	-	-		Accidents of Childbirth - -	5.2	6	-	-	-	6	-	-	-			
Glanders - - - - -	0.1	-	-	-	-	-	-	-	-		Diseases of Locomotive System - -	8.4	5	-	-	2	2	-	1	-			
Cowpox and Effects of Vaccination - -	0.4	-	-	-	-	-	-	-	-		Diseases of Integumentary System - -	6.2	6	4	-	-	-	-	1	1			
Veneral Affections -	9.1	11	7	2	-	2	-	-	-		VIOLENT DEATHS.												
Erysipelas - - - -	7.8	2	1	-	-	1	-	-	-		(ACCIDENT.)												
Pyæmia and Septicæmia -	3.3	-	-	-	-	-	-	-	-		By Railways - - - -		1	-	-	-	1	-	-	-			
Puerperal Fever - -	7.3	3	-	1	-	2	-	-	-		By Vehicles or Horses -		-	-	-	-	-	-	-	-			
Other Zymotic Diseases -	1.7	-	-	-	-	-	-	-	-		In Ships, Boats, Docks (exclusive of Drowning) -		1	-	-	-	-	-	1	-			
Thrush - - - - -	1.3	-	-	-	-	-	-	-	-		In Building Operations -		-	-	-	-	-	-	-	-			
Worms and other Parasitical Diseases - -	0.5	-	-	-	-	-	-	-	-		In Conflagrations - -		-	-	-	-	-	-	-	-			
Starvation, Want of Breast-milk - - -	1.3	2	1	-	-	1	-	-	-		By Burns, Scalds, Explosions - -	51.7	7	1	3	1	1	-	1	-			
Alcoholism - - - -	6.5	8	-	-	-	4	3	1	-		By Drowning - - - -		4	-	-	1	1	2	-	-			
Rheumatic Fever, Rheumatism of Heart -	10.9	6	-	1	4	-	1	-	-		By Suffocation in Bed -		10	10	-	-	-	-	-	-			
Rheumatism - - - -	2.1	2	-	-	-	-	1	1	-		By Poisons or Poisonous Vapours - -		1	-	-	-	-	1	-	-			
Gout - - - - -	2.0	2	-	-	-	2	-	-	-		Other or not stated Causes - - - -		21	6	4	1	4	5	1	-			
Rickets - - - - -	3.3	5	3	2	-	-	-	-	-		(VIOLENCE OTHER THAN ACCIDENTAL.)												
Cancer - - - - -	60.5	59	-	-	-	4	36	18	1		Homicide - - - - -	1.1	1	-	-	-	1	-	-	-			
Tabes Mesenterica - -	20.4	11	6	3	2	-	-	-	-		Suicide - - - - -	6.8	5	-	-	-	1	3	1	-			
Tubercular Meningitis -	20.9	23	9	1	4	-	-	-	-		Execution - - - - -	0.2	-	-	-	-	-	-	-	-			
Phthisis - - - - -	167.8	132	-	3	22	69	33	10	1		OTHER CAUSES - -	51.5	47	39	2	-	-	4	2	-			
Scrofula, Tuberculosis -	17.8	15	6	4	3	1	1	-	-														
Other Constitutional Diseases -	11.9	12	-	1	2	1	5	3	-														
Premature Birth - - -	44.0	58	38	-	-	-	-	-	-														
Atelectasis - - - -	3.7	1	1	-	-	-	-	-	-														
Congenital Malformations -	6.8	8	7	1	-	-	-	-	-														
Old Age - - - - -	49.8	30	-	-	-	-	-	15	15														
Apoplexy - - - - -	45.4	40	-	-	-	3	16	13	3														
Epilepsy - - - - -	7.4	3	-	-	1	1	-	1	-														
Convulsions - - - -	48.1	31	39	1	-	-	-	-	-														
Other Diseases of Brain and Nervous System -	80.1	69	7	8	5	6	17	22	4														

* The numbers in this column are the average weekly rates for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" when no case occurred by registered medical means. When there is no medical attendance does not certify that the deceased was, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquest is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLES S. LONDON. --POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Enu-merated Popu-lation, 1891.	Total BIRTHS.	Total DEATHS.	Deaths of													
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple continued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON		4,211,743	2494	1275	341	279	-	22	8	44	8	-	21	-	23	51	119	303
WEST DISTRICTS		740,735	391	205	56	39	-	1	-	3	-	-	3	-	2	10	17	61
NORTH DISTRICTS		993,394	545	311	68	69	-	8	6	13	2	-	5	-	4	10	25	84
CENTRAL DISTRICTS		247,538	152	73	20	18	-	-	-	1	-	-	2	-	1	2	5	28
EAST DISTRICTS		705,114	493	226	71	42	-	-	-	5	1	-	3	-	3	10	33	73
SOUTH DISTRICTS		1,524,472	907	499	156	109	-	13	2	23	5	-	8	-	13	19	83	91
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON		-	-	21	-	7	-	-	-	-	-	-	-	-	-	-	-	21
WEST DISTRICTS.																		
St. Mary Paddington WHH	G.J. & W.M.	84150	43	24	8	8	-	-	-	-	-	-	-	-	-	3	3	2
St. John Paddington H	- G.J.	33987	6	6	-	1	-	-	-	-	-	-	-	-	-	2	2	3
Kensington Town Ww	- W.M.	118751	61	32	6	10	-	-	-	-	-	-	1	-	-	1	1	12
Brompton H	- W.M. & C.	47557	13	16	5	2	-	-	-	-	-	-	-	-	-	-	-	3
St. Peter Hammersmith	- W.M.	8533	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H	W.M. & G.J.	82033	61	23	8	2	-	-	-	1	-	-	-	-	1	2	3	5
Fulham Ww	- W.M. & C.	91839	71	23	9	-	-	-	-	1	-	-	-	-	-	4	6	-
Cheelsea Kensal Town	- C.	21737	16	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Cheelsea North WHHHH	- C.	41637	39	16	5	1	-	-	-	-	-	-	-	-	-	1	2	9
Cheelsea South HH	- C.	38820	21	15	3	5	-	-	-	-	-	-	-	-	-	-	-	-
May Fair W	- G.J.	23733	2	8	1	4	-	-	-	-	-	-	-	-	-	1	-	6
Belgrave WHHH	- C.	54371	20	13	2	1	-	-	-	-	-	-	-	-	-	1	1	5
St. John Westminster HHH	- C.	31103	23	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Margaret Westminster H	- C.	21638	9	8	1	2	-	-	-	-	-	-	-	-	-	-	-	5
St. James Westminster WHH	N.R. & G.J.	24995	7	7	3	-	-	-	-	-	-	-	-	-	-	-	-	2
St. Anne Soho HHHHHH	- N.R.	12317	3	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone } - W.M.	37713	9	16	1	2	-	-	-	-	1	-	-	-	-	-	-	2	5
HHHHHHHH	- G.J. & W.M.	26024	11	3	-	2	-	-	-	-	-	-	-	-	-	-	1	1
Rosbury Marylebone W	- W.M.	19239	22	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone. HHHH	G.J. & W.M.	33327	13	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H	- W.M.	32101	13	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone H	- W.M.	68416	27	21	1	5	-	2	-	3	-	-	3	-	-	-	1	12
Hampstead WvHHHHH	N.R. & W.M.	36590	23	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Regent's Park Pancras HH	- W.M.	26331	8	22	4	4	-	-	-	-	-	-	1	-	-	-	-	11
Tottenham-court WHHHH	N.R. & W.M.	27455	15	5	2	1	-	1	-	-	-	-	-	-	-	-	1	1
Gray's Inn Lane HHH	- N.R.	32829	14	9	4	4	-	-	-	-	-	-	-	-	-	-	3	1
Somers Town HH	- N.R.	15419	15	8	1	5	-	-	-	-	-	-	-	-	-	-	2	6
Camden Town WH	- N.R.	95765	59	35	7	12	-	-	-	-	-	-	-	-	-	-	1	10
Kensal Town W	- N.R.	99235	43	38	5	9	-	-	-	-	-	-	-	-	-	-	1	18
Islington South-west H	- N.R.	105557	65	24	10	4	-	-	-	1	2	-	-	-	-	-	2	3
Islington South-east H	- N.R.	64158	44	16	2	7	-	-	-	1	1	-	-	-	-	-	2	-
Highbury HH	- N.R.	59193	33	17	3	5	-	-	-	1	-	-	-	-	-	-	-	1
Stoke Newington H	- N.R.	39036	11	8	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Stamford Hill	- E.L.	17759	6	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
West Hackney H	- N.R.	42902	26	9	3	-	-	-	-	-	-	-	-	-	-	-	-	3
West Hackney W	- E.L. & N.R.	96486	69	39	12	6	-	4	4	3	-	-	1	-	-	1	1	13
Hackney WvwoH	- E.L.	41769	19	12	3	1	-	1	-	-	-	-	-	-	-	-	2	-
South Hackney w	- E.L.																	
CENTRAL DISTRICTS.																		
St. George Bloomsbury	- N.R.	18895	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles South WH	- N.R.	13454	14	6	2	2	-	-	-	-	-	-	-	-	-	-	1	3
St. Giles North H	- N.R.	9633	5	8	1	2	-	-	-	-	-	-	-	-	-	-	-	4
St. Martin-in-the-Fields HH	N.R. & C.	14616	6	4	3	-	-	-	-	-	-	-	-	-	-	1	1	1
St. Mary-le-Strand H	- N.R.	3706	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clement Danes WH	- N.R.	7194	0	5	-	1	-	-	-	-	-	-	1	-	-	-	-	4
Strand Union Workhouse, Edmonton w.	-		-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
St. Geo-the-Martyr HHHHHH	N.R.	17921	12	7	2	1	-	-	-	-	-	-	-	-	-	-	1	5
St. Andrew Eastern W	- N.R.	15343	13	6	3	1	-	-	-	1	-	-	-	-	-	-	-	-
St. James Clerkenwell	- N.R.	16803	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell	- N.R.	16832	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pentonville	- N.R.	17155	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street	- N.R.	15375	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
City-road HHHH	- N.R.	29177	35	7	5	-	-	-	-	-	-	-	-	-	-	1	1	1
Whitecross-street	- N.R.	8278	9	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Finsbury	- N.R.	4985	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham w.	-																	
St. Botolph H	- N.R. & E.L.	8944	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Cripplegate	- N.R.	4639	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H	- N.R.	9444	1	6	-	-	-	-	-	-	-	-	1	-	-	-	-	6
St. Bride W	- N.R.	6594	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abchurch-lane Barking	- N.R.	10422	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H	- N.R.	3377	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-																	

NOTE.—The Italic letters placed against the names of the sub-districts denote the causes last mentioned, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L^P—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The names in capitals signify the Water Companies which supply the different sub-districts, viz. J. J. G. Grand Junction Company; W. M. West Middlesex; J. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L. East London; and K. the Kent Company.

* See note on first page of this Return.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
 day, 17th November, 1894.

		The DEATHS registered in the Week include																
REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1891.	Total Births.	Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple continued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
EAST DISTRICTS.																		
Aditch South	HL* E.L. & N.R.	20098	11	4	1	-	-	-	-	-	-	-	-	-	-	1	2	-
Don New Town	w - N.R.	23013	17	8	3	-	-	-	-	-	-	-	-	-	1	3	-	-
Don Old Town	- - N.R.	28554	21	8	5	-	-	-	-	-	-	-	-	-	1	3	-	-
Donington	WH - N.R. & E.L.	46244	26	15	4	-	-	-	-	-	-	-	-	-	1	6	-	-
Don Green North	H - E.L.	51520	58	16	8	2	-	-	-	-	-	-	-	-	1	1	-	-
Don Green South	- - E.L.	33489	32	8	5	-	-	-	-	-	-	-	-	-	2	-	-	-
Don Green East	WHL* E.L.	44123	21	22	5	4	-	-	3	-	-	-	-	-	2	11	-	-
Donfields	- - E. N.R.	22456	15	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Don New Town	H - E.L.	17908	27	8	2	2	-	-	-	-	-	-	-	-	1	3	4	-
Don Chapel Church	W* E.L. & N.R.	20298	17	28	5	1	-	-	2	-	-	-	-	-	3	4	23	-
Donman's Fields	- - E.L.	13800	8	2	1	-	-	-	-	-	-	-	-	-	3	1	-	-
Don George's, North	- - E.L.	37738	37	0	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Don John, St. George East	W - E.L.	8037	8	4	1	-	-	-	-	-	-	-	-	1	1	2	-	-
Donwell	H - E.L. & N.R.	10246	5	10	8	-	-	-	-	-	-	-	-	-	-	9	-	-
Don W	- - E.L.	14028	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Donhouse	- - E.L.	32202	17	8	2	1	-	-	-	-	1	-	-	2	2	-	-	-
Don End Old Town West	H - E.L.	38650	35	10	4	2	-	-	-	-	-	-	-	-	1	2	-	-
Don End Old Town East	WwwH - E.L.	68942	49	14	3	3	-	-	-	-	1	-	-	-	2	3	-	-
Don L	- - E.L.	40365	16	7	2	4	-	-	-	-	-	-	-	-	1	-	-	-
Donley	wwwH - E.L.	70000	61	22	9	7	-	-	-	1	-	-	-	1	2	8	-	-
Donlar	WW - E.L.	56888	42	21	4	5	-	-	-	-	-	-	-	1	4	-	-	-
SOUTH DISTRICTS.																		
Donchurch Southwark	WH L. & S.	18264	5	4	-	1	-	-	-	-	-	-	-	-	2	2	2	-
Don Saviour Southwark	- - S.	18913	5	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Don St-road	- - S. & L.	21867	15	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Donough-road	WH - S. & L.	16624	8	7	3	1	-	-	1	-	-	-	-	-	-	2	-	-
Don Road-road	HL - L. & S.	21221	13	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Don St. Mary Newington	- - S. & L.	26598	20	8	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Don Peter Walworth	W - S. & L.	61342	41	16	5	3	-	-	-	-	-	-	-	2	2	-	-	-
Don Mary Newington	- - L. & S.	27866	17	7	4	2	-	-	-	-	-	-	1	1	2	-	-	-
Don Olive	WH - S.	12728	11	10	4	2	-	-	-	1	-	-	1	1	1	11	-	-
Don Leather Market	W - S. & L.	30012	25	7	4	1	-	-	-	-	-	-	-	-	1	1	-	-
Don James Bernondsey	- - S.	54070	34	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Don Herbithe	WHw - S. & K.	39255	23	8	3	2	-	-	-	-	-	-	2	1	2	-	-	-
Don Terloo-road 1st	H - L. & S.	14031	9	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Don Terloo-road 2nd	H - L. & S.	14644	59	11	7	-	-	-	1	-	-	-	-	-	2	4	1	-
Don Beth Church 1st	H - L. & S.	18075	14	14	3	2	-	-	1	-	-	-	-	-	4	6	-	-
Don Beth Church 2nd	WW - L. & S.	39097	32	13	4	2	-	-	-	-	-	-	-	-	-	4	-	-
Don Newington 1st	H - S. & L.	60586	37	16	6	2	-	-	1	-	-	1	-	-	1	-	-	-
Don Newington 2nd	- - S. & L.	39708	25	6	2	1	-	-	1	1	-	1	-	-	-	-	-	-
Don St. Mary	w - L. & S.	73405	18	16	4	3	-	-	1	1	4	1	-	-	-	1	6	2
Don Wood	WH - L.	25657	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Don Battersea	- - S.	67244	29	12	5	-	-	-	2	1	-	1	-	-	2	-	-	-
Don St Battersea	WwH - S.	33314	55	24	8	6	-	-	2	1	-	-	-	-	1	1	3	-
Don Bham	H - S.	43698	15	9	2	3	-	-	-	-	-	-	-	1	-	-	-	1
Don Bhamworth	WHL - S.	46717	30	9	2	2	-	-	-	-	-	-	-	-	1	1	-	-
Don Bney	- - S.	17771	9	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-
Don Bnam	www - L.	48756	50	10	5	6	-	-	-	-	-	1	-	-	-	6	-	-
Don Bwish	- - L. & S.	3809	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Don Bamberwell	WwL* - S. & L.	81686	41	42	6	13	-	1	-	-	-	-	-	1	2	4	22	-
Don Bham	WW - S., L., & K.	33438	33	8	1	3	-	-	-	-	-	-	-	1	-	-	1	-
Don George Camberwell	- - L. & S.	63366	49	18	11	3	-	-	1	-	-	-	-	-	1	2	-	1
Don Bedford, North	- - K.	35814	17	13	3	1	-	5	-	-	-	-	-	-	-	-	-	4
Don Bedford, Central	w - K.	42007	31	10	4	2	-	1	-	-	-	-	-	1	1	-	-	-
Don Bedford, South	- - K.	30852	10	4	1	2	-	-	-	-	1	-	-	-	-	-	-	1
Don Benwich West	H - K.	22007	10	6	-	6	-	-	-	-	-	-	-	-	1	1	-	-
Don Benwich East	WH - K.	35233	18	25	4	10	-	1	-	-	-	-	-	-	1	1	13	-
Don Bham wL	- - K.	5682	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Don Bham	- - K.	23541	12	7	1	6	-	-	-	-	-	-	-	-	-	-	-	-
Don Bisham	WH - K.	30950	14	8	3	2	-	-	-	-	-	-	-	-	-	-	3	-
Don Bnam	H - L.	34162	17	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Don Bham	HH - K.	14040	7	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-
Don Bham Dockyard	- - K.	19006	6	7	1	2	-	3	-	-	-	-	-	1	-	1	-	-
Don Bham Arsenal	HH - K.	21243	12	6	1	1	-	-	-	-	-	-	-	-	-	1	2	-
Don Bham West	H - K.	15869	9	4	1	2	-	-	-	-	-	-	-	-	-	1	-	-
Don Bham East	W - K.	36567	24	14	2	3	-	1	-	-	-	1	-	-	-	-	2	1
Don Bham Asylum	- -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Don Bham Asylum	- -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Don Bham Asylum	- -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Don Bham Asylum	- -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Don Bham Asylum	- -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Don Bham Asylum	- -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Don Bham Asylum	- -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Don Bham Asylum	- -	-	-	7	-	4	-	-	-	-	-	-	-	-	-	-	7	-

The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1901, under the name of Leather Market.

TABLE 5.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 17th November, 1894.

Regis- tration District and Sub- District Num- bers.		REGISTRATION SUB-DISTRICTS.	Area in Acres.	Popu- lated Popu- lation. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
							Deaths of		Deaths from										Deaths in Public Institutions.	Unrecorded Causes	
									Infants under 1 Year of Age.	Persons aged 15 & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.			Inquest Cases.
LONDON—OUTER RING		368,746	1,422,063	799	373	102	84	-	11	1	21	3	4	4	12	25	34	1			
90: 1	Carshalton WHH	12228	26108	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of WHH	10493	12508	4	6	-	4	-	-	-	-	-	-	-	1	1	1	-	-	-	
37: 1	Godstone, part of WHH	754	1593	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon WHH	20351	128699	68	33	7	9	-	8	-	1	-	-	-	2	2	2	-	-	-	
2	Mitcham WHH	11697	23083	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon WHH	3220	25761	9	9	3	1	-	-	-	1	1	-	1	-	-	1	-	-	-	
2	Kingston WHH	8071	44765	20	11	5	3	-	-	-	-	-	-	-	-	-	-	-	3	-	
3	Esher, part of WHH	6601	12059	4	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
4	Hampton WHH	4635	18352	8	5	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
40: 1	Richmond WHH	2160	25389	15	7	2	1	-	-	-	1	-	-	-	-	1	2	-	-	-	
2	Mortlake WHH	2823	16159	9	3	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	
41: 1	Bromley WHH	9127	23315	9	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
2	Beckenham WHH	6542	21969	5	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Chislehurst, pt. of WHH	14307	20372	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
42: 1	Bexley WHH	12540	30590	17	6	2	3	-	-	-	-	-	-	-	1	1	-	-	-	-	
2	Dartford Work., pt. of WHH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
126: 1	Saunders WHH	11054	13671	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines WHH	18277	13221	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
128: 1	Hillingdon WHH	6035	12237	3	6	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	
2	Uxbridge WHH	6172	5417	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WHH	14537	12613	11	7	1	2	-	1	-	-	-	-	-	1	1	-	-	-	-	
129: 1	Isleworth WHH	6967	23273	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Twickenham WHH	2415	16027	5	4	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	
3	Brentford WHH	4318	37777	19	7	2	-	-	-	-	-	-	-	-	3	4	-	-	-	-	
4	Chiswick WHH	1245	21963	15	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Acton WHH	6132	30945	20	12	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	
127: 1	Harrow WHH	18809	15715	4	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware WHH	6994	3844	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
3	Willersden WHH	4383	61265	53	21	5	3	-	1	-	1	-	2	-	-	1	3	-	-	-	
4	Hendon WHH	8382	16843	7	5	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	
130: 1	South Mumps WHH	1559	8474	3	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
2	Barnet WHH	5441	11778	8	6	1	1	-	1	-	-	-	-	-	1	1	-	-	-	-	
3	Finchley WHH	4688	25829	8	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
131: 1	Hornsey WHH	9339	61097	31	16	2	6	-	-	-	3	-	-	1	-	1	4	-	-	-	
2	Tottenham WHH	4443	97174	59	10	9	5	-	-	-	-	-	-	-	1	3	-	-	-	-	
3	Edmonton WHH	7489	36851	28	9	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	
4	Enfield WHH	12689	31803	16	7	4	1	-	-	-	-	-	-	-	-	1	3	-	-	-	
5	Waltham Abbey WHH	11017	6066	4	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
6	Cheamstead WHH	8480	9620	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
132: 1	Hatfield, part of WHH	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bashey WHH	9331	7737	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of WHH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136: 1	Stratford WHH	1100	42863	21	14	4	1	-	-	1	-	-	-	-	1	1	-	-	-	-	
2	Plaistow WHH	1242	58030	39	25	10	6	-	-	-	3	-	-	1	-	1	-	-	-	-	
3	Canning Town WHH	1568	54750	53	13	3	1	-	1	-	-	-	-	-	-	-	1	3	-	-	
4	Forest Gate WHH	806	49140	21	14	5	3	-	-	-	1	-	-	-	-	-	-	-	-	-	
5	East Ham WHH	3268	32713	30	13	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Leyton WHH	4334	70183	45	23	6	8	-	1	-	2	1	2	-	-	-	-	9	-	-	
7	Walthamstow WHH	6501	67330	43	5	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
137: 1	Chigwell, part of WHH	11779	12941	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of WHH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, part of WHH	6558	4324	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
2	Ilford WHH	8493	10913	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town WHH	3814	14301	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	London Fev. Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Cane Hill Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 9: 2, Epsom sub-district, except the parishes of Ashted and Headley (pop. 1768); 37: 1, the parishes of Warrington and Farley in Goldstone sub-district; 39: 3, Esher sub-district, except the parishes of Esher (pop. 2332); 41: 3, Chislehurst sub-district, except the parishes of Chislehurst, Chisum, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parishes of Chigwell, Chisum, and Knockholt (pop. 3097); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 43 Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 17th November, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week includ-													Deaths in Public Institutions.
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			
WATER LONDON	443,421	5,948,300	14·4	1·5	1648	443	363	-	33	9	65	11	25	27	63	397			
INNER LONDON -	74,672	4,349,166	15·3	1·5	1275	341	279	-	22	8	44	8	21	23	51	563			
OUTER RING -	368,749	1,599,134	12·2	1·4	373	102	84	-	11	1	21	3	4	4	12	34			

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,588	November 17	164	101	19·5	1	-	3	1	2	-	2	
GLASGOW	686,820	" 17	491	298	22·6	-	10	5	6	6	3	4	
DUBLIN	349,594	" 17	197	156	23·3	3	-	-	1	1	3	2	
SCUTTA	466,460	September 22	-	-	-	-	-	-	-	-	-	-	
MBAY	821,764	October 23	266	520	32·9	3	2	?	?	?	154	45	
DRAS	452,518	" 12	364	355	40·7	-	2	?	?	?	139	77	
BRIS	2,424,705	November 10	1083	790	16·9	1	1	1	8*	1	9	27	
USSELS	498,400	" 10	243	182	19·0	1	6	2	1*	3	-	19	
STERDAM	446,295	" 10	262	166	19·3	-	1	1	1	3	1	-	
STERDAM	228,597	" 10	139	79	17·9	2	1	-	-	-	-	-	
R HAGUE	174,790	" 10	99	59	17·5	-	-	-	-	1	-	-	
ENHAGEN	341,000	" 3	142	105	16·1	-	4	1	4	-	1	2	
CKHOLM	252,937	" 10	205	110	16·8	-	3	4	1	1	1	10	
ISTIANIA	167,588	" 3	141	85	17·5	-	11	-	3*	-	-	8	
ISTIANIA	167,588	" 10	44	39	12·1	-	-	-	2	-	-	3	
PETERSBURG	954,400	October 27	620	353	19·3	2	5	16	17	4	-	21	
SCOW	753,469	November 3	-	352	26·4	-	3	11	12	5	2	25	
RLIN	1,714,938	October 27	803	530	17·0	1	5	18	17	6	3	25	
MBURG	598,372	November 10	-	175	15·2	-	-	6	4*	2	-	8	
BEDEN	312,772	October 27	183	101	16·6	-	-	1	6*	2	-	6	
ESLAU	360,660	November 10	-	141	20·3	-	6	4	6*	2	-	8	
NICH	390,000	" 10	-	145	19·3	-	1	1	6*	4	-	30	
NNA	1,465,537	" 10	901	532	20·6	-	12	5	36*	-	1	41	
RGUE	339,172	" 3	201	134	20·3	-	-	2	11	1	2	3	
DA-PESTH	552,769	" 3	393	190	17·9	1	2	6	7	-	1	16	
ESTE	159,739	" 3	97	78	25·4	-	-	6	13*	3	2	3	
ER	455,678	October 6	240	137	15·6	-	-	-	-	-	4†	13	
RIN (10 days)	337,997	" 20	170	159	17·2	-	-	2	2	-	1	15	
RICE	160,406	November 3	68	45	14·8	-	-	-	-	1	-	3	
RO	374,838	October 18	436	302	41·9	1	-	-	1*	2	8	90	
EXANDRIA	231,396	" 18	196	162	36·5	-	-	-	4*	-	7	37	
W YORK	1,925,569	November 3	-	636	16·8	2	3	7	29	2	15	20	
OKLYN	1,043,000	" 3	-	325	15·7	1	-	-	27	2	5	13	
ILADELPHIA	1,139,457	" 3	-	367	16·8	-	-	1	42	2	4	6	
W ORLEANS	254,000	October 20	-	116	23·8	-	-	-	5	-	-	3	

* Including deaths from croup.

† Including one death from cholera in Bombay.

‡ Including 2 deaths from malarial fever.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 17th November, 1894.
[Under the Sup. intendment of the Astronomer Royal.]

1894.		TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a glass whose surface is receiving the fall of rain above the ground.		Ozone.	
MONTH AND DAY.	PHASES OF THE MOON.	Of the Air.					Difference between the Air Temperature and Dew Point.					Of the Earth's Surface.					General Direction.					Pressure on the Square Foot.					Horizontal Movement of the Air from each hour.		Vertical Movement of the Air from each hour.						
		High-est.	Low-est.	Daily Range.	Mean daily value.	De- parture from Average of 50 years.	Mean value.	Great- est.	Least.	Degree of Hu- midity (Sat- uration equals 100).	Of the Earth's Surface.	High-est.	Low-est.	Mean of the 24 hrs.	A.M.	P.M.	Great- est.	Least.	Mean of 24 hourly obs.	Miles. per Hour.	Miles. per Hour.	Sum.	Sum.												
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°												
SUNDAY . 11	..	29.285	50.7	42.0	8.7	45.8	+ 2.6	40.2	5.0	10.0	2.9	81	78.3	39.0	51.43	SW.	SW. S. & SE.	7.3	0.0	0.4	108	390	4.5												
MONDAY . 12	..	28.850	55.5	42.7	12.8	48.8	+ 5.9	45.9	2.9	6.8	0.8	90	66.1	41.7	51.62	SW. S. & SE. & NW.	16.5	0.0	0.8	369	369	+115	9.5												
TUESDAY . 13	Full.	29.558	50.0	41.8	8.2	46.0	+ 3.2	39.2	6.8	11.3	2.6	77	98.2	38.3	51.02	WSW.	SW. & S.	12.0	0.0	1.1	251	538	+251	2.0											
WEDNES. . 14	..	28.958	53.1	44.4	8.7	49.3	+ 6.7	47.2	2.1	3.8	0.7	92	73.0	41.5	50.90	S.	S. & SW.	29.5	0.0	2.3	743	743	+453	6.0											
THURS. . 15	..	29.270	49.7	42.1	7.6	44.8	+ 2.3	41.8	3.0	7.8	1.3	89	72.8	38.5	50.40	S. NE. & NW.	1.9	0.0	0.1	250	250	- 43	4.0												
FRIDAY . 16	Greatest Perigee.	29.777	53.8	41.9	11.9	47.4	+ 5.0	43.4	4.0	10.2	2.4	86	93.0	37.8	50.33	SSE. & S.	2.3	0.0	0.1	269	269	- 27	0.07												
SAURDAY . 17	..	29.867	54.2	40.4	13.8	47.0	+ 4.7	44.5	2.6	8.6	0.0	91	88.1	37.8	50.20	SSE. & S.	2.0	0.0	0.1	239	239	- 59	0.00												
MEANS .	..	29.385	52.4	42.2	10.2	47.0	+ 4.3	43.2	3.8	8.4	1.5	87	81.4	39.2	50.91	SW. S. & SE.	Sum 2838	Sum 2838	+ 708	4.1												
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24												

DATE.		ELECTRICITY.		REGISTERED AND SHORT.		GENERAL REMARKS.		The results apply to the civil day, or from midnight to midnight.	
		(For explanation of symbols, see Note.)		Thunder, Lightning, Hail, Frost, &c.		Barometer, Wind, &c.		The height of the cistern of the barometer is 153 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.	
NOVEMBER.									
MONDAY . 11	W. P. till 7h. A.M.; m. P. till 6h. P.M. after 10h. P.M. and V. N. after 10h. P.M.	4.2	9.0						Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical tables.
MONDAY . 12	W. P. in early morning; V. P. and V. N. till afternoon; S. P. and S. N. afterwards.	0.0	9.9						The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.
TUESDAY . 13	W. P. and S. N. in morning; S. P. afterwards.	5.6	8.9						In reading the columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
WEDNESDAY . 14	W. P. in morning; V. N. in afternoon; m. P. in evening.	0.0	8.9						The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
THURSDAY . 15	S. P. and S. N.	2.1	8.8						The record of Electricity symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
FRIDAY . 16	m. P. in morning; V. P. and S. N. afterwards.	3.6	8.8						The numbers in column 18 derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
SATURDAY . 17	W. P. till afternoon; m. P. afterwards.	4.9	8.7						The reading of the barometer increased from 29.24 in. at the beginning of the week to 29.34 in. by 4h. P.M. on the 11th; decreased to 28.92 in. by 7h. P.M. on the 12th; increased to 29.62 in. by 3h. P.M. on the 13th; decreased to 28.75 by 5h. P.M. on the 14th; increased to 29.02 by noon on the 17th; and decreased to 29.95 by the end of the week.

GENERAL REMARKS.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 15.9 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; and 3h. P.M.; and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 18 derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.24 in. at the beginning of the week to 29.34 in. by 4h. P.M. on the 11th; decreased to 28.92 in. by 7h. P.M. on the 12th; increased to 29.62 in. by 8h. P.M. on the 13th; decreased to 28.75 by 5h. P.M. on the 14th; increased to 30.02 by noon on the 17th; and decreased to 29.95 by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 47. 1894. VOL. LV.] WEEK ENDING SATURDAY, NOVEMBER 24. [Price 1½d.

*General Register Office, Somerset House,
November 26th, 1894.*

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·3 per 1000 of their aggregate population, which is estimated* at 10,458,412 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.		Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.
Birkenhead	11·8	11·8	13·3	14·3	Liverpool	22·6	21·0	20·3	21·1
Birmingham	15·1	17·8	19·2	19·3	London	16·4	15·0	15·3	15·9
Blackburn	20·3	19·9	19·9	15·8	Manchester	17·3	18·7	19·8	20·6
Bolton	22·5	22·9	18·5	18·1	Newcastle-on-Tyne	19·4	17·3	26·3	16·8
Bradford	24·0	17·7	17·5	15·6	Norwich	12·3	14·3	21·2	22·7
Brighton	18·4	16·7	20·2	19·3	Nottingham	13·1	18·9	15·9	12·6
Bristol	13·8	17·5	15·4	20·9	Oldham	16·5	18·0	21·8	17·3
Burnley	25·4	24·3	22·7	20·5	Plymouth	11·3	17·8	16·0	11·9
Cardiff	14·7	15·1	14·0	16·1	Portsmouth	14·0	18·3	15·2	17·4
Croydon	10·2	13·0	10·7	16·8	Preston	22·0	24·8	18·7	17·3
Derby	22·2	21·6	14·3	13·7	Salford	21·3	18·7	18·2	16·2
Gateshead	20·1	23·5	24·6	21·8	Sheffield	17·9	13·9	18·5	15·3
Halifax	20·8	14·0	11·8	20·2	Sunderland	23·8	24·1	23·8	24·9
Huddersfield	18·5	12·7	11·6	15·9	Swansea	16·4	23·0	24·6	16·9
Hull	18·1	20·6	20·1	18·4	West Ham	15·8	16·0	15·8	15·5
Leeds	20·3	19·4	18·2	21·1	Wolverhampton	17·8	19·0	21·5	15·9
Leicester	13·0	13·0	11·0	20·7					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 2·1 each in Portsmouth, Derby, and Newcastle, 2·3 in Sunderland, 3·4 in Leeds, and 7·8 in Gateshead; from *whooping-cough*, 1·0 in Birkenhead, and 1·8 in Newcastle; from "*fever*," 1·0 in Liverpool; and from *diarrhea*, 1·0 in Birkenhead, and 1·1 in Burnley. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 75 deaths from *diphtheria* included 48 in London, 7 in West Ham, 3 in Birmingham, and 3 in Manchester. Five deaths from *small-pox* were registered in Birmingham, and one death in Liverpool, but not one in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2704 BIRTHS and 1326† DEATHS were registered. Allowing for increase of population, the births were 99 above, while the deaths were 393 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·4, 15·0, and 15·3 in the preceding three weeks, rose last week to 15·9. During the four weeks ending on

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

Saturday last the death-rate averaged 15·7 per 1000, being 4·3 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1326 deaths included 21 from measles, 14 from scarlet fever, 48 from diphtheria, 11 from whooping-cough, 23 from enteric fever, 15 from diarrhoea and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 132 deaths were referred to these diseases, being 70 below the corrected average weekly number.

There were 32 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals, and one case in the Highgate Small-pox Hospital, making a total of 33, against 48, 51, and 42 on the preceding three Saturdays; 2 cases were admitted during the week, against 8, 12, and 3 in the preceding three weeks. The death of an infant, aged 7 months, which occurred in Woolwich sanitary area, was attributed to "*chickenpox*, bronchitis." The deaths from *measles*, which had been 15, 13, and 22 in the preceding three weeks, numbered 21 last week, and were 34 below the corrected average; 6 belonged to Greenwich sanitary area. The deaths from *scarlet fever*, which had been 10, 9, and 8 in the preceding three weeks, increased last week to 14, being but one-half the corrected average; 3 belonged to Fulham and 2 to Kensington sanitary areas. The Metropolitan Asylum and London Fever Hospitals* contained 2198 scarlet-fever patients at the end of last week, against 2240, 2258, and 2254 on the preceding three Saturdays; 223 cases were admitted during the week, against 223 and 215 in the preceding two weeks. The deaths from *diphtheria*, which had numbered 54, 42, and 44 in the preceding three weeks, increased again last week to 48, exceeding the corrected average by 8; 3 each belonged to Hackney, Shoreditch, Newington, Bermondsey, and Battersea, 4 to Lambeth, and 8 (including 3 of children taken to hospital from one house in Archdale Road) to Camberwell sanitary areas. The Metropolitan Asylum Hospitals* contained 526 diphtheria patients at the end of last week, against 537, 548, and 544 on the preceding three Saturdays; 100 cases were admitted during the week, against 97 and 83 in the preceding two weeks. The deaths from *whooping-cough*, which had been 14, 10, and 8 in the preceding three weeks, increased last week to 11, but were 28 below the corrected average. The fatal cases of *enteric fever*, which had been 17, 24, and 21 in the preceding three weeks, numbered 23 last week, and were 4 above the corrected average; 4 belonged to Pancras, 3 to Chelsea, 2 to Kensington, and 2 to Greenwich sanitary areas. The Metropolitan Asylum Hospitals* contained 99 cases of enteric fever and 2 of typhus on Saturday last; 14 cases of enteric fever were admitted during the week, against 11 and 17 in the preceding two weeks. The deaths from *diarrhoea*, which had been 20, 16, and 23 in the preceding three weeks, declined last week to 15, agreeing closely with the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 329, 245, and 245 in the preceding three weeks, numbered 261 last week, and were 195 below the corrected average.

The deaths attributed directly to *influenza* numbered 9, having been 7, 7, and 14 in the preceding three weeks.

Different forms of violence caused 41 deaths, concerning 40 of which inquests were held. Of these 41 deaths, 6 were cases of suicide, and one death was a case of homicide, while the remaining 34 deaths were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 5 to drowning, and 6 (of infants under one year of age) to suffocation in bed.

GREATHER LONDON.

In Greater London 3641 births and 1703 deaths were registered, corresponding to annual rates of 31·9 and 14·9 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 15 from diphtheria, 7 from "fever", and 9 from diarrhoea were recorded. Of the 15 deaths from diphtheria, 9 occurred in West Ham district. The 7 deaths from "fever" included 2 in West Ham district and 2 in Bromley district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·12 inches, and that of the Thermometer 44°·0, the latter being 1°·9 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 28 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 15·6 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 24th November 1894.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1894.	Registered during the Week ending 24th Nov. 1894.			The DEATHS registered in the Week include										TEMPERATURE OF THE AIR.										RAINFALL.		CITIES AND BOROUGH.																												
		2.	3.	1.	Deaths of			Deaths from							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Pneumonia.	Violence.	Unassigned Causes of Death.	From All Causes in the Week.	From Grippe (Col. 18).	From Typhoid (Col. 19).	Lowest.		Mean.	Highest.	In Inches.	In Cent.																								
					Infants under 1 Year of Age.	Persons aged 1 to 60 Years.	Persons aged 60 Years and upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Pneumonia.	Violence.	Unassigned Causes of Death.																		From All Causes in the Week.	From Grippe (Col. 18).	From Typhoid (Col. 19).	Lowest.	Mean.	Highest.																		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.						
33 TOWNS.	10,458,442	6587	3468	920	708	6	109	24	75	35	57	38	117	263	751	62	17.3	1.8	56.0	31.1	44.9	7.17	0.18	0.46	-	33 TOWNS.	LONDON.	4,340,166	2704	1826	316	304	-	21	14	48	11	23	15	41	111	412	11	15.9	1.6	55.0	31.1	44.0	6.67	0.13	0.33	-	LONDON.		
LONDON.	4,340,166	2704	1826	316	304	-	21	14	48	11	23	15	41	111	412	11	15.9	1.6	55.0	31.1	44.0	6.67	0.13	0.33	-	LONDON.	WEST HAM.	238,184	203	71	25	12	-	2	-	1	7	-	-	3	5	5	5	15.5	2.2	-	-	-	-	-	-	WEST HAM.			
WEST HAM.	238,184	203	71	25	12	-	2	-	1	7	-	-	-	-	-	4	2	16.8	1.4	35.0	27.7	40.7	4.83	0.11	0.28	-	WEST HAM.	CROYDON.	111,921	54	36	8	9	-	-	-	-	-	-	-	-	4	2	10	1	19.3	0.9	35.8	38.2	46.1	7.83	0.16	0.41	-	CROYDON.
CROYDON.	111,921	54	36	8	9	-	-	-	-	-	-	-	-	-	-	4	2	16.8	1.4	35.0	27.7	40.7	4.83	0.11	0.28	-	CROYDON.	BRIGHTON.	118,715	74	44	12	10	-	7	1	-	1	-	-	4	5	11	1	17.4	3.4	35.0	36.0	45.6	7.56	0.12	0.30	-	BRIGHTON.	
BRIGHTON.	118,715	74	44	12	10	-	7	1	-	1	-	-	-	-	-	4	5	11	1	11.9	0.6	-	-	-	-	-	BRIGHTON.	PORTSMOUTH.	170,978	95	57	16	9	-	-	-	-	-	-	-	-	2	6	16	3	20.9	0.9	34.0	35.0	44.7	7.06	0.32	0.81	-	PORTSMOUTH.
PORTSMOUTH.	170,978	95	57	16	9	-	-	-	-	-	-	-	-	-	-	4	5	11	1	11.9	0.6	-	-	-	-	-	PORTSMOUTH.	PLYMOUTH.	87,931	42	20	3	4	-	1	-	-	-	-	-	-	1	5	5	-	16.1	-	-	-	-	-	-	-	PLYMOUTH.	
PLYMOUTH.	87,931	42	20	3	4	-	1	-	-	-	-	-	-	-	-	4	5	11	1	11.9	0.6	-	-	-	-	-	PLYMOUTH.	BRISTOL.	226,578	131	31	31	22	-	1	-	-	-	-	-	-	1	5	5	-	16.1	-	-	-	-	-	-	-	BRISTOL.	
BRISTOL.	226,578	131	31	31	22	-	1	-	-	-	-	-	-	-	-	4	5	11	1	11.9	0.6	-	-	-	-	-	BRISTOL.	CARDIFF.	148,880	100	46	11	12	-	-	-	-	-	-	-	-	1	5	5	-	16.1	-	-	-	-	-	-	-	CARDIFF.	
CARDIFF.	148,880	100	46	11	12	-	-	-	-	-	-	-	-	-	-	4	5	11	1	11.9	0.6	-	-	-	-	-	CARDIFF.	SWANSEA.	95,339	57	31	7	6	-	-	-	-	-	-	-	-	1	5	5	-	16.1	-	-	-	-	-	-	-	SWANSEA.	
SWANSEA.	95,339	57	31	7	6	-	-	-	-	-	-	-	-	-	-	4	5	11	1	11.9	0.6	-	-	-	-	-	SWANSEA.	WOLVERHAMPTON.	85,086	57	26	9	8	-	-	1	-	1	1	1	2	3	3	-	15.9	1.8	53.2	31.9	43.4	6.33	0.26	0.66	-	WOLVERHAMPTON.	
WOLVERHAMPTON.	85,086	57	26	9	8	-	-	1	-	-	1	1	1	2	3	3	-	15.9	1.8	53.2	31.9	43.4	6.33	0.26	0.66	-	WOLVERHAMPTON.	BIRMINGHAM.	492,361	316	182	49	37	5	-	4	3	-	2	4	5	5	44	9	19.3	1.7	-	-	-	-	-	-	-	BIRMINGHAM.	
BIRMINGHAM.	492,361	316	182	49	37	5	-	4	3	-	2	4	5	5	5	44	9	19.3	1.7	-	-	-	-	-	-	-	BIRMINGHAM.	NORWICH.	105,645	50	46	11	11	-	-	-	-	-	-	-	-	3	5	-	22.7	0.5	-	-	-	-	-	-	-	NORWICH.	
NORWICH.	105,645	50	46	11	11	-	-	-	-	-	-	-	-	-	-	3	5	-	22.7	0.5	-	-	-	-	-	-	NORWICH.	LEICESTER.	189,136	130	75	19	22	-	-	1	-	-	2	-	2	6	12	4	20.7	0.8	-	-	-	-	-	-	-	LEICESTER.	
LEICESTER.	189,136	130	75	19	22	-	-	1	-	-	2	-	-	-	-	3	5	10	-	20.7	0.8	-	-	-	-	-	LEICESTER.	NOTTINGHAM.	223,384	143	54	18	11	-	-	2	-	1	1	-	3	5	10	-	12.6	0.9	51.6	33.7	44.6	7.00	0.18	0.46	-	NOTTINGHAM.	
NOTTINGHAM.	223,384	143	54	18	11	-	-	2	-	1	1	-	-	-	-	3	5	10	-	12.6	0.9	51.6	33.7	44.6	7.00	0.18	NOTTINGHAM.	DERBY.	88,786	43	26	5	1	-	4	-	-	-	-	-	-	1	2	3	-	13.7	2.1	-	-	-	-	-	-	-	DERBY.
DERBY.	88,786	43	26	5	1	-	4	-	-	-	-	-	-	-	-	3	5	10	-	13.7	2.1	-	-	-	-	-	DERBY.	BIRKENHEAD.	105,627	47	29	11	5	-	-	-	-	-	2	-	-	2	3	-	14.3	2.0	-	-	-	-	-	-	-	BIRKENHEAD.	
BIRKENHEAD.	105,627	47	29	11	5	-	-	-	-	-	-	-	-	-	-	3	5	10	-	14.3	2.0	-	-	-	-	-	BIRKENHEAD.	LIVERPOOL.	507,230	337	205	57	26	1	3	2	1	1	10	1	13	16	54	5	21.1	2.0	55.3	40.4	47.4	8.56	0.33	0.84	-	LIVERPOOL.	
LIVERPOOL.	507,230	337	205	57	26	1	3	2	1	1	10	1	13	16	54	5	21.1	2.0	55.3	40.4	47.4	8.56	0.33	0.84	-	LIVERPOOL.	BOLTON.	118,363	77	41	15	7	-	1	1	1	-	1	1	4	2	-	18.1	1.8	-	-	-	-	-	-	-	BOLTON.			
BOLTON.	118,363	77	41	15	7	-	1	1	1	-	1	1	4	2	-	18	56	5	20.6	1.3	-	-	-	-	-	BOLTON.	MANCHESTER.	220,241	326	206	45	48	-	-	3	3	1	1	2	7	18	56	5	20.6	1.3	-	-	-	-	-	-	-	MANCHESTER.		
MANCHESTER.	220,241	326	206	45	48	-	-	3	3	1	1	2	7	18	56	5	20.6	1.3	-	20.6	1.3	-	-	-	-	MANCHESTER.	SALFORD.	205,828	146	64	18	10	-	-	1	-	-	2	1	3	5	17	1	16.2	1.0	-	-	-	-	-	-	-	SALFORD.		
SALFORD.	205,828	146	64	18	10	-	-	1	-	-	2	1	3	5	17	1	16.2	1.0	-	20.6	1.3	-	-	-	-	SALFORD.	OLDHAM.	128,755	73	46	13	8	-	-	1	-	-	2	1	1	2	1	17.3	1.5	-	-	-	-	-	-	-	OLDHAM.			
OLDHAM.	128,755	73	46	13	8	-	-	1	-	-	2	1	1	2	1	1	17.3	1.5	-	20.5	1.6	-	-	-	-	OLDHAM.	BURNLEY.	164,478	54	33	12	8	-	-	-	-	-	2	2	3	3	2	20.5	1.6	-	-	-	-	-	-	-	BURNLEY.			
BURNLEY.	164,478	54	33	12	8	-	-	-	-	-	-	-	-	-	-	3	3	2	20.5	1.6	-	-	-	-	-	BURNLEY.	BLACKBURN.	123,797	77	38	13	10	-	-	-	-	-	2	2	3	3	2	15.8	0.4	-	-	-	-	-	-	-	BLACKBURN.			
BLACKBURN.	123,797	77	38	13	10	-	-	-	-	-	-	-	-	-	-	3	3	2	15.8	0.4	-	-	-	-	-	BLACKBURN.	PRESTON.	111,425	70	37	14	10	-	-	-	-	-	1	1	1	2	3	17.3	0.5	-	-	-	-	-	-	-	PRESTON.			
PRESTON.	111,425	70	37	14	10	-	-	-	-	-	-	-	-	-	-	3	3	2	17.3	0.5	-	-	-	-	-	PRESTON.	HUDDESFIELD.	82,311	39	20	9	3	-	-	-	-	-	-	-	-	1	-	15.9	-	-	-	-	-	-	-	-	HUDDESFIELD.			
HUDDESFIELD.	82,311	39	20	9	3	-	-	-	-	-	-	-	-	-	-	3	3	2	17.3	0.5	-	-	-	-	-	HUDDESFIELD.	HALEFAX.	82,861	43	26	8	9	-	-	-	-	-	-	-	-	1	3	-	20.2	2.2	-	-	-	-	-	-	-	HALEFAX.		
HALEFAX.	82,861	43	26	8	9	-	-	-	-	-	-	-	-	-	-	3	3	2	20.2	2.2	-	-	-	-	-	HALEFAX.	BRADFORD.	223,985	123	67	23	7	-	5	-	-	-	-	-	-	15	6	10	-	15.6	2.1	55.0	41.2	47.6	8.67	0.16	0.41	-	BRADFORD.	
BRADFORD.	223,985	123	67	23	7	-	5	-	-	-	-	-	-	-	-	15	6	10	-	15.6	2.1	55.0	41.2	47.6	8.67	0.16	BRADFORD.	LEEDS.	388,761	233	137	41	25	-	-	-	-	-	-	-	-	4	8	14	3	15.3	1.4	-	-	-	-	-	-	-	LEEDS.
LEEDS.	388,761	233	137	41	25	-	-	-	-	-	-	-	-	-	-	15	6	10	-	15.6	2.1	55.0	41.2	47.6	8.67	0.16	LEEDS.	SHEFFIELD.	238,316	286	159	40	16	-	6	1	1	1	1	2	5	14	10	1	21.1	3.9	-	-	-	-	-	-	-	SHEFFIELD.	
SHEFFIELD.	238,316	286	159	40	16	-	6	1	1	1	1	2	5	14	10	1	21.1	3.9	-	21.1	3.9	-	-	-	-	SHEFFIELD.	HULL.	212,079	139	75	19	10	-	5	1	1	1	1	2	1	4	7	4	1	24.9	3.8	56.0	33.0	43.8	6.56	0.20	0.51	-	HULL.	
HULL.	212,079	139	75	19	10	-	5	1	1	1	1	2	1	4	7	4	1	24.9	3.8	56.0	33.0	43.8	6.56	0.20	0.51	-	HULL.	SUNDERLAND.	136,101	89	65	24	11	-	6	-	-	-	-	-	-	2	3	4	1	21.8	8.4	-	-	-	-	-	-	-	SUNDERLAND.
SUNDERLAND.	136,101	89	65	24	11	-	6	-	-	-	-	-	-	-	-	2	3	4	1	21.8	8.4	-	-	-	-	SUNDERLAND.	GATEHEAD.	93,372	62	29	13	3	-	14	-	-	-	-	-	-															

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the Forty-seventh Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2409	2422	2462	2632	2722	2517	2206	2395	2391	2529	2605.3	2704
Males . .	1198	1243	1302	1365	1354	1301	1059	1175	1223	1317	1323.2	1379
Females .	1211	1179	1160	1267	1368	1216	1147	1220	1168	1212	1282.1	1325
TOTAL Deaths	1521	1610	1543	1862	1409	1376	1716	1612	1447	2190	1718.8	1326
Males . .	816	810	810	951	716	690	827	804	717	1102	869.9	655
Females .	705	800	733	911	693	686	889	808	730	1088	848.9	671

* The numbers in this column are the average weekly numbers in the forty-seventh weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.
TOTAL Births	2704	2369	2569	2358	2403	2532	2323	2516	2413	2659	2657	2491	2704
TOTAL Deaths	1198	1175	1241	1211	1277	1287	1291	1326	1481	1372	1249	1275	1326
Ages at Death													
{ 0-20 years	591	578	600	571	577	574	565	617	667	649	554	605	569
{ 20-40 "	150	155	156	145	160	159	181	170	187	184	166	163	207
{ 40-60 "	208	197	209	223	286	246	262	236	260	226	229	228	246
{ 60-80 "	214	214	223	224	215	253	132	237	294	253	250	236	250
{ 80 years & upwards	35	31	53	43	39	55	51	66	73	60	50	43	54
"													
{ Under 1 year	861	352	353	331	311	331	321	350	391	398	337	341	316
{ 1-5 "	146	146	159	159	171	160	163	182	193	169	125	172	167
{ 5-20 "	84	80	88	81	95	83	81	85	78	82	92	92	86
Deaths from													
Small-pox	7	6	3	-	1	1	-	-	-	1	1	-	-
" Measles	18	13	9	13	7	9	10	8	24	15	13	22	21
" Scarlet fever	13	13	15	15	18	9	12	18	17	10	9	8	14
" Diphtheria	33	39	55	52	67	66	54	61	49	54	42	44	48
" Whooping-cough	26	15	20	25	15	7	13	10	18	14	10	8	11
" Typhus	-	-	-	1	-	-	-	-	-	-	-	-	-
" Enteric fever	8	13	10	7	13	13	20	17	14	17	24	21	23
" Simple Cont ^d fever	-	1	-	-	-	-	-	-	-	-	1	-	-
" Diarrhoea, and Dysentery }	71	79	62	49	35	33	30	26	19	20	16	23	15
" Cholera	2	2	-	-	1	-	-	-	-	-	1	-	-
" all the above- mentioned Diseases }	178	181	174	162	157	138	139	140	141	131	117	126	132
" Dis. of Respira- tory System }	123	134	143	172	184	215	241	287	329	329	245	245	261
" Phthisis	116	113	130	119	141	131	137	135	161	132	150	133	167
" Dis. of Circula- tory System }	93	90	82	106	111	101	102	93	123	111	104	131	105
Violent Deaths	52	56	55	51	49	52	57	57	47	53	43	51	41
Inquest Cases	92	114	102	97	107	120	121	119	112	129	108	118	111
Deaths in Public Institutions	371	369	401	377	412	368	416	392	422	394	385	363	412
TEMPERATURE OF THE AIR													
Mean	60.8	52.7	54.8	55.9	52.5	52.8	53.0	44.3	50.3	54.0	50.3	47.0	44.0
Mean of Highest readings	72.1	61.7	63.7	62.5	59.9	59.5	53.6	50.9	55.8	59.0	56.5	52.4	51.1
Mean of Lowest readings	52.2	44.8	47.7	51.0	46.3	47.5	48.5	38.4	45.0	50.2	44.3	42.2	36.7
Humidity of the Air	86	80	82	90	89	83	95	85	81	87	83	87	89
Rain-fall in inches	0.00	0.54	0.02	0.11	0.59	0.12	0.36	0.19	1.35	2.16	0.61	2.03	0.13
Registered Sunshine (in hours)	28.6	17.6	17.2	3.0	14.7	13.9	1.7	7.3	9.3	11.8	22.8	20.4	15.6

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.;—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A.W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E. and P. Bobbsey, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. A. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 6. LONDON.—DEATHS Registered at several groups of Ages from different CAUSES in the FORTY-SEVENTH Week of the Year 1894.

CAUSES OF DEATH.		Corrected Averages for the 47th Week of the 10 years 1884-93.*	In the Week ending Saturday, 24th November 1894.										CAUSES OF DEATH.		Corrected Averages for the 47th Week of the 10 years 1884-93.*	In the Week ending Saturday, 24th November 1894.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			Deaths of Persons of the Ages													Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			ALL AGES.			Under 20.			20 and under 40.		40 and under 60.					60 and under 80.		80 Years and upwards.		ALL AGES.			Under 20.			20 and under 40.		40 and under 60.		60 and under 80.		80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		0-1.	1-6.	5-20.											0-1.	1-6.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† These cases of small-pox only are entered as "vaccinated" or as "unvaccinated," which are so certified by registered medical men. When a medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.--POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, TYPHUS, ENTERIC (OR TYPHOID) FEVER, SIMPLE CONTINUED FEVER, DIARRHOEA, VIOLENCE, INQUEST CASES, DEATHS IN PUBLIC INSTITUTIONS, during the Week ending

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enume- rated Popu- lation. 1891.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from												Deaths in Public Institutions.
				Infants under Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON	4,211,743	2704	1826	316	304	-	21	14	48	11	-	23	-	15	41	111	412	
WEST DISTRICTS	740,735	382	244	54	56	-	1	5	7	1	-	8	-	3	8	18	85	
NORTH DISTRICTS	993,894	612	304	67	75	-	6	1	8	5	-	8	-	-	10	24	92	
CENTRAL DISTRICTS	247,538	143	78	22	8	-	-	-	1	2	-	-	-	-	2	9	31	
EAST DISTRICTS	705,114	553	229	55	49	-	4	1	7	-	-	-	-	5	9	23	75	
SOUTH DISTRICTS	1,524,472	1009	411	118	106	-	10	5	25	3	-	7	-	6	12	32	93	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGIS- TRATION LONDON	-	-	31	-	10	-	-	2	-	-	-	-	-	-	-	-	31	
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	84189	49	22	3	6	-	1	-	-	-	-	-	-	1	1	4	3	
St. John Paddington H - - G.J.	83687	8	8	-	4	-	-	-	-	-	-	-	-	-	-	-	3	
Kensington Town W - - W.M.	118751	60	46	15	14	-	-	-	-	-	-	1	-	1	-	2	20	
Brompton H - - W.M. & C.	47557	11	13	2	2	-	-	-	-	-	-	-	-	-	-	1	4	
St. Peter Hammersmith - - W.M.	8336	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	5	
St. Paul Hammersmith H W.M. & G.J.	89453	52	28	8	7	-	-	-	4	6	1	-	-	-	1	4	13	
Fulham W - - W.M. & C.	91639	77	41	9	7	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea Kensal Town - - C.	21737	14	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North WHHHH - - C.	41637	20	17	4	3	-	-	-	-	-	-	1	-	-	-	-	11	
Chelsea South HH - - C.	39329	22	8	2	-	-	-	1	-	-	-	2	-	-	-	-	1	
May Fair W - - G.J.	23733	3	6	-	2	-	-	-	-	-	-	-	-	-	4	4	5	
Belgrave WHH - - C.	54631	22	25	1	5	-	-	-	-	-	-	2	-	-	-	-	11	
St. John Westminster HHH - - C.	34106	16	6	1	3	-	-	-	-	-	-	-	-	-	1	1	5	
St. Margaret Westminster H - - C.	21668	9	7	2	2	-	-	-	-	-	-	1	-	-	-	-	1	
St. James Westminster WHH N.R. & G.J.	24995	6	10	4	-	-	-	-	-	1	-	-	-	-	1	2	1	
St. Anne Soho HHHHHH - - N.R.	12317	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																		
All Souls Marylebone } - - W.M.	37713	6	11	2	1	-	-	-	-	-	-	-	-	-	-	-	9	
HHHHHHHHH } - - G.J. & W.M.	20024	9	4	-	1	-	-	-	-	-	-	1	-	-	-	-	4	
Rectory Marylebone W - - W.M.	19239	33	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Maryleb. HHHH G.J. & W.M.	33927	22	7	2	3	-	-	-	-	-	-	-	-	-	-	1	-	
Christchurch Marylebone H - - W.M.	32101	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone H - - W.M.	68416	25	23	9	5	-	3	1	3	-	1	-	-	-	-	-	9	
Barnstead WWHHHH N.R. & W.M.	36590	21	12	1	4	-	-	-	-	1	-	1	-	-	-	1	12	
Regent's Park Pancras HH - - W.M.	26321	12	16	2	5	-	-	-	-	-	-	1	-	-	-	-	7	
Tottenham-court WHHHH N.R. & W.M.	27455	16	13	3	2	-	1	-	-	-	-	-	-	-	-	-	3	
Gray's Inn Lane HHH - - N.R.	8329	32	17	6	3	-	-	-	-	1	-	-	-	-	1	5	2	
Homers Town HH - - N.R.	13419	19	7	1	3	-	-	-	-	-	-	-	-	-	1	1	3	
Camden Town WH - - N.R.	15419	19	7	1	3	-	-	-	-	-	-	-	-	-	-	1	8	
Kentish Town W - - N.R.	95765	67	34	7	5	-	-	-	1	-	2	-	-	-	-	-	-	
Upper Holloway WWHHH - - N.R.	99235	54	35	8	12	-	-	-	-	1	-	-	-	-	-	-	13	
Islington South-west H - - N.R.	105557	74	19	6	4	-	-	-	-	2	-	-	-	-	1	3	-	
Islington South-east H - - N.R.	64153	33	11	1	4	-	-	-	-	-	-	-	-	-	-	-	-	
Highbury HH - - N.R.	59193	36	15	3	5	-	-	-	-	-	-	-	-	-	1	4	-	
Stoke Newington H - - N.R.	29936	12	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Stamford Hill - - E.L.	17759	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney H - - N.R.	42902	37	8	1	2	-	-	-	1	-	-	-	-	-	2	2	1	
Hackney WWHH - - E.L. & N.R.	96436	61	37	6	8	-	1	-	3	-	-	2	-	-	4	6	13	
South Hackney W - - E.L.	41759	28	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16695	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - - N.R.	13454	13	6	3	2	-	-	-	-	1	-	-	-	-	-	-	1	
St. Giles North H - - N.R.	9893	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HH N.R. & C.	14616	5	8	2	-	-	-	-	-	-	-	-	-	-	1	2	6	
St. Mary-le-Strand H - - N.R.	3706	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Clement Danes WH - - N.R.	7194	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	5	
Strand Union Workhouse, Edmonton W.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Geo.-the-Martyr HHHHHH N.R.	17921	9	10	4	-	-	-	-	-	-	-	-	-	-	1	1	7	
St. Andrew Eastern W - - N.R.	15343	7	3	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
St. James Clerkenwell - - N.R.	16893	19	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - - N.R.	18883	6	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pentonville - - N.R.	17155	13	7	5	2	-	-	-	-	-	-	-	-	-	1	-	-	
Goswell-street - - N.R.	16375	15	5	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
City-road HHH - - N.R.	29177	27	7	4	-	-	-	-	-	-	-	-	-	-	-	1	1	
Whitecross-street - - N.R.	8373	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finchbury - - N.R.	4985	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn Union Workhouse, Mittham W.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S. Botolph H - - N.E. & E.L.	8944	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cripplegate - - N.E.	4539	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S. Sepulchre H - - N.R.	4444	-	10	2	-	-	-	-	-	-	-	-	-	-	-	-	10	
St. Bride W - - N.R.	6594	3	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
A. Isalows Barking - - N.E.	10432	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Broad Street H - - E.L.	3577	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—W. House; H.—Hospital; L.—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; W.—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts, — G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. River; E. L., East London; and K., the Kent Company.

* See note on first page of this Return.

R, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT*
day, 24th November, 1894.

REGISTRATION		Examined Popu- lation, 1891.	The DEATHS registered in the Week ending															Inquest Cases, Deaths in Public Institutions.	Unclassified Causes of Death.
SUB-DISTRICTS.			Total Deaths.	Deaths from															
			Total Deaths.	Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple and modified Fever.	Diarrhoea.	Violence.				
EAST DISTRICTS.																			
Leather Market South	HL*	E.L. & N.R.	20098	8	3	1	-	-	-	-	-	-	-	-	-	-	1	3	
Leather Market New Town	W	- N.R.	29313	22	7	1	4	-	-	-	-	-	-	-	-	-	2	-	
Leather Market Old Town	-	- N.R.	28554	17	3	3	-	-	-	-	-	-	-	-	-	-	9	-	
Leather Market Leather Market	WH	- N.R. & E.L.	46244	41	27	6	5	2	-	-	-	-	-	-	-	-	-	-	
Leather Market Green North	H	- E.L.	51320	60	17	6	1	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Green South	-	- E.L.	33489	10	7	2	2	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Green East	WHL*	- E.L.	44123	38	18	2	6	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Fields	-	- E.	- N.R.	22456	26	6	2	1	-	-	-	-	-	-	-	-	-	-	
Leather Market End New Town	W	- E.L.	17903	18	8	2	3	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Chapel Church	H*	- E.L. & N.R.	20293	17	25	7	3	-	1	-	-	-	-	-	-	-	-	-	
Leather Market Man's Fields	-	- E.L.	13800	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
Leather Market George's North	-	- E.L.	37738	65	7	3	1	-	-	-	-	-	-	-	-	-	-	-	
Leather Market John, St. George East	W	- E.L.	8057	8	7	1	4	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Well H	-	- E.L. & N.R.	4246	4	7	3	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Cliff W	-	- E.L.	14928	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market House	-	- E.L.	32202	82	8	2	2	-	1	-	-	-	-	-	-	-	-	-	
Leather Market End Old Town West	H	- E.L.	38650	31	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market End Old Town East	WHL*	- E.L.	68942	55	23	4	5	-	-	-	-	-	-	-	-	-	-	-	
Leather Market L*	-	- E.L.	40365	26	8	2	-	-	1	-	-	-	-	-	-	-	-	-	
Leather Market Wey W	-	- E.L.	70000	57	26	3	9	-	1	-	-	-	-	-	-	-	-	-	
Leather Market Wey W	-	- E.L.	56833	48	11	4	1	-	1	-	-	-	-	-	-	-	-	-	
SOUTH DISTRICTS.																			
Leather Market Church Southwark	WH	- L. & S.	13264	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Saviour Southwark	-	- S.	12913	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Road	-	- S. & L.	21867	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Church Road	WH	- S. & L.	16894	15	7	2	1	-	-	-	-	-	-	-	-	-	-	-	
Leather Market London Road	HL	- L. & S.	21221	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market City Newington	-	- S. & L.	26596	21	7	2	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Peter Walworth	W	- S. & L.	61342	41	20	10	4	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Mary Newington	-	- L. & S.	17666	9	6	1	1	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Olave	WH	- S.	12723	6	13	2	1	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Market	W	- S. & L.	20612	28	8	4	2	-	-	-	-	-	-	-	-	-	-	-	
Leather Market James Bermondsey	-	- S.	64070	40	17	6	2	-	1	-	-	-	-	-	-	-	-	-	
Leather Market Bertham	WHW	- S. & K.	59255	26	16	4	7	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Bertham Road 1st	H	- L. & S.	14031	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Bertham Road 2nd	H	- L. & S.	14644	21	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Bertham Church 1st	H	- L. & S.	18075	10	16	1	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Bertham Church 2nd	WH	- L. & S.	39067	33	14	4	2	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Newington 1st	H	- S. & L.	69586	36	11	3	3	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Newington 2nd	H	- S. & L.	29768	24	11	1	4	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Newington 3rd	H	- L. & S.	73405	32	24	4	7	-	3	4	-	1	-	-	-	-	-	-	
Leather Market Wood	WH	- L.	23657	21	7	3	3	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea	-	- S.	67244	54	19	9	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	WH	- S.	83314	18	26	11	3	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea H	-	- S.	43698	17	9	1	4	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	WHL	- S.	46717	35	6	1	2	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	-	- S.	17771	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	-	- L.	48756	20	14	4	6	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	-	- L. & S.	3509	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	WHL*	- S. & L.	61686	52	50	7	12	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	W	- S., L., & K.	58438	51	19	4	6	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	-	- L. & S.	63366	46	14	9	1	-	1	-	-	-	-	-	-	-	-	-	
Leather Market Battersea North	-	- K.	53314	58	13	4	2	-	3	-	-	-	-	-	-	-	-	-	
Leather Market Battersea Central	W	- K.	4207	34	12	4	-	-	2	1	3	-	-	-	-	-	-	-	
Leather Market Battersea South	-	- K.	80562	12	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea West	H	- K.	22007	15	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea East	WH	- K.	36223	13	10	2	7	-	1	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	-	- K.	5882	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	-	- K.	23541	13	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	WH	- K.	30650	19	8	1	3	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	H	- L.	34162	15	6	1	1	-	1	-	-	-	-	-	-	-	-	-	
Leather Market Battersea W	-	- K.	14640	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea Dockyard	-	- K.	18006	13	7	3	3	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea Arsenal	WH	- K.	21242	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea West	H	- K.	15869	12	2	-	1	-	1	-	-	-	-	-	-	-	-	-	
Leather Market Battersea East	W	- K.	36567	37	14	3	7	-	1	-	-	-	-	-	-	-	-	-	
Leather Market Battersea Asylum	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea Asylum	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea Asylum	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea Asylum	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea Asylum	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea Asylum	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leather Market Battersea Asylum	-	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	

The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Market.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 24th November, 1894.

THE DEATHS REGISTERED IN THE WEEK INCLUDE																					
REGISTRATION DISTRICT AND SUB-DISTRICT NUMBERS.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Census-rated Population, 1891.	BIRTHS.	DEATHS.	Deaths of														Deaths in Public Institutions.	Deaths in Workhouses.
						Infants under 1 Year of Age.	Persons aged 15 Years & over.	Deaths from													
								Small-pox.	Measles.	Scarlet Fever.	Dysentery.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.					
LONDON—OUTER RING						363,746	1,422,093	937	377	104	82	-	8	2	15	4	7	0	11	21	26
33:1	Carshalton WHI	12238	26194	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* WH	10423	12503	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
37:1	Godstone, part of* W	754	1594	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33:1	Croydon WHH	29451	128699	60	43	10	11	-	2	-	1	-	-	-	-	-	-	4	-	-	
2	Mitcham w	11637	23033	13	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
39:1	Wimbledon HHH	3280	25761	10	10	2	2	-	-	-	1	1	1	1	1	1	1	1	1	1	
2	Kingston WHH	8071	44765	25	7	2	3	-	-	-	-	-	-	2	-	-	-	-	-	-	
3	Esher, part of*	6601	12059	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hampton H	4535	18252	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
40:1	Richmond WH	2160	25339	8	4	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
2	Mortlake H	2323	16159	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
41:1	Bromley HHH	9127	23815	17	6	-	1	-	-	-	-	-	-	2	-	-	2	2	2	2	
2	Beckenham H	6542	21959	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Chislehurst, pt. of* WHH	14307	20372	11	6	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
41:1	Bexley HHH	12540	30390	16	12	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	
2	Dartford Work., pt. of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	
134:1	Saunders w	11054	13371	19	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W	13277	13221	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
125:1	Hillingdon WHH	6035	12237	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge	6172	5417	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH	14637	12913	6	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	
126:1	Isleworth WHH	6967	23273	25	11	4	4	-	-	-	-	-	-	-	1	-	-	-	1	-	
2	Twickenham HH	2415	16027	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford HHHH	4318	37777	17	10	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	
4	Chiswick	1245	21993	22	10	3	2	-	-	1	-	-	-	1	-	-	-	-	-	-	
5	Acton WH	6132	30945	20	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Harrow HHH	13890	15715	11	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware HH	6994	3344	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden HHH	4383	61285	35	17	9	1	-	1	-	1	-	-	-	-	-	-	1	8	-	
4	Hendon W	8352	15843	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
133:1	South Mumps	1559	8474	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barrow WHH	5441	11773	15	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley HHI	4688	25829	11	13	4	1	-	-	-	1	-	-	-	-	-	-	-	1	-	
139:1	Hornsey HH	3439	61097	35	10	3	2	-	-	-	-	-	-	1	-	-	2	2	-	-	
2	Tottenham H	4442	97174	67	23	7	5	-	-	-	-	-	-	-	1	-	1	1	1	1	
3	Edmonton W	7489	33351	16	12	1	2	-	-	-	-	-	-	-	1	-	1	1	8	-	
4	East Ham WHH	12689	31803	24	7	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
5	Waltham Abbey	11017	6063	4	6	1	-	-	2	-	-	-	-	-	-	1	1	1	-	-	
6	Chesham H	8490	9320	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135:1	Hatfield, part of* W	336	534	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137:1	Barnet H	9331	7737	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136:1	Stratford H	1100	42983	41	20	8	5	-	-	-	1	-	-	-	-	-	1	1	1	1	
2	Plaistow HHHH	1242	56300	52	13	7	-	-	-	-	1	-	-	-	-	-	-	1	-	-	
3	Canning Town H	1558	54750	63	18	5	2	-	1	-	3	-	-	-	-	1	-	1	1	1	
4	Forest Gate w	806	49140	47	14	6	3	-	-	1	2	-	-	-	-	-	2	2	-	-	
5	East Ham w	3266	32713	28	9	4	1	-	-	-	-	1	1	1	1	-	-	-	-	-	
6	Leyton WHH	4254	70183	44	15	3	7	-	-	-	-	-	-	-	-	-	-	-	4	-	
7	Waltham Abbey HHL	6591	57330	46	11	4	-	-	-	-	2	-	1	-	-	-	-	-	-	-	
137:1	Chigwell, part of* H	11770	12341	6	4	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139:1	Romford, part of* WH	6556	4324	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	
2	Ilford	8493	10913	11	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
3	Barking Town H	3814	14391	10	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	London Fy. Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Cane Hill Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within the parish of the Metropolitan Police District which form the Outer Ring are as follows:—2, Epsom sub-district, except the parishes of Ashted and Hatfield (pop. 1733); 37:1, the parishes of Waltham and Parley in Croydon sub-district; 39:3, Esher sub-district, except the parish of Esher (pop. 2232); 41:3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 137:1, the parish of Northam in Hatfield sub-district; 137:1 Chigwell sub-district, except the parish of Thordon Bos (pop. 189); 139:1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 41:2, Dartford, 137:3, Watford, and 137:2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 24th November, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include—												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 50 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	14.9	1.6	1703	420	336	-	29	16	63	15	30	24	52	438		
INNER LONDON -	74,672	4,349,163	15.9	1.6	1326	316	304	-	21	14	43	11	23	15	41	412		
OUTER RING -	368,749	1,599,134	12.3	1.5	377	104	82	-	8	2	15	4	7	9	11	26		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 632.845 square miles, which is equivalent to the area of a circle having a radius of 11.851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn..	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrheal Diseases.
DINBURGH -	270,588	November 24	125	121	23.3	4	1	1	2	-	2	3
LASGOW -	686,820	" 24	389	280	21.3	-	17	3	7	8	5	7
UBLIN -	349,594	" 24	170	163	24.3	1	-	1	-	3	5	4
ALCUTTA -	466,460	September 22	-	-	-	-	-	-	-	-	-	-
OMBAY -	821,764	October 30	278	433	27.4	1	4	?	?	?	122	32+
MADRAS -	452,518	" 19	337	399	45.8	-	4	?	?	?	155	67
ARIS -	2,424,705	November 17	1040	769	16.5	-	4	1	9*	1	7	33
RUSSELS -	498,400	" 17	256	168	17.5	-	7	1	-	2	1	14
AMSTERDAM -	446,295	" 17	255	150	14.6	-	-	2	2	2	-	-
ROTTERDAM -	228,597	" 17	180	58	13.2	-	1	-	-	-	-	-
THE HAGUE -	174,790	" 17	114	45	13.4	-	-	-	-	2	-	-
COPENHAGEN -	341,000	" 17	163	107	16.4	-	5	2	4	-	2	2
STOCKHOLM -	252,937	" 10	135	114	23.4	-	-	13	6*	1	1	3
CHRISTIANIA -	167,588	" 17	57	57	17.7	-	-	3	-	2	-	1
S. PETERSBURG	954,400	" 3	633	345	18.9	-	1	13	17	8	5	10
MOSCOW -	753,469	" 10	-	433	30.0	1	4	5	20	2	2	40
BERLIN -	1,714,988	" 3	700	477	14.5	-	3	22	23	8	2	20
HAMBURG -	598,372	" 17	-	172	14.9	-	-	-	4*	2	1	6
DRESDEN -	312,772	" 3	-	105	17.2	-	-	-	4*	4	-	8
BRESLAU -	360,680	" 17	-	172	24.8	-	2	2	10*	1	1	9
MUNICH -	390,900	" 17	-	173	23.1	-	-	3	6*	6	-	27
VIENNA -	1,465,537	" 17	952	553	19.6	-	26	10	25*	1	2	35
BRAGUE -	359,172	" 10	204	164	24.8	-	1	1	7	3	1	6
BUDA-PESTH	552,769	" 10	398	235	22.1	4	1	4	7	-	1	9
TRIESTE -	159,739	" 10	95	72	23.4	-	-	11	7*	4	-	1
ROME -	455,678	October 13	198	148	16.9	-	-	-	1	1	8†	13
BRIN (11 days)	537,897	" 20	223	157	17.9	-	-	-	-	-	5†	19
VENICE -	160,406	" 31	226	163	16.5	-	-	-	5	1	4	20
CAIRO -	374,838	November 10	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA	231,366	October 25	442	346	48.0	-	-	-	8*	2	8	110
"		" 25	198	154	34.7	-	-	-	5*	-	6	35
NEW YORK -	1,925,569	November 10	-	601	15.8	-	2	4	37	1	3	16
BROOKLYN -	1,043,000	" 10	-	364	17.6	-	-	1	36	5	5	5
PHILADELPHIA	1,139,457	" 10	-	392	17.9	-	-	4	37	1	7	9
NEW ORLEANS -	254,000	October 27	-	123	25.3	-	-	-	4	1	3	8

* Including deaths from croup.

† Including one death from cholera.

‡ Including 6 and 2 deaths, respectively, from Malarial fever.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 24th NOVEMBER, 1894.
[Under the Superintendence of the Astronomer Royal.]

1894. Month and Day.	Phases of the Moon.	TEMPERATURE.										TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in Gauge whose receiving surface is situated above the Ground. 10 Years.	Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		Barom.		Of the Air.				Of the Dew Point.				Difference between the Air Temperature and Dew Point Temperature.		Degree of Hu- midity (Sat- uration equals 100°).		Of Radiation.		General Direction.				Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		Mean daily reading (cor- rected and re- duced to Fahren- heit).	in.	High- est.	Low- est.	Daily Range, value.	Mean daily Average value, 50 years.	De- parture from Average value.	Mean daily value.	Mean value, 100°.	Highest in Sun's Rays.	Lowest on the Grass.	Mean hourly obs.	Great- est.	P.M.	A.M.	Of the 3 feet below Surface.	lbs.	lbs.			lbs.	lbs.	Horizontal Movements of the Air Average of each day.	Depart- ure from Average of 10 Years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Mean daily reading (cor- rected and re- duced to Fahren- heit).	in.	High- est.	Low- est.	Daily Range, value.	Mean daily Average value, 50 years.	De- parture from Average value.	Mean daily value.	Mean value, 100°.	Highest in Sun's Rays.	Lowest on the Grass.	Mean hourly obs.	Great- est.	P.M.	A.M.	Of the 3 feet below Surface.	lbs.	lbs.			lbs.	lbs.	Horizontal Movements of the Air Average of each day.	Depart- ure from Average of 10 Years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
NOVEMBER.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															</

GENERAL REMARKS.

DATE.	NOVEMBER.	REGISTERED SUN ABOVE SHINING, HOURS, IN HOUR.	ELECTRICITY. (For explanation of symbols, see Note.)	REMARKS.
SUNDAY. 18	..	5.5	W. P. in morning; m. P. in afternoon and in evening.	Cloudy in morning, with a little rain; afterwards cloudless and very fine.
MONDAY. 19	..	3.1	W. P. generally	Fine; cloudless in morning and at night; dense fog between 7h. and 11h. A.M.
TUESDAY. 20	..	2.1	W. P. in morning; m. P. in afternoon; w. P. and w. N. after- noon generally.	Fine till afternoon; afterwards overcast; rain in evening.
WEDNESDAY. 21	..	0.2	..	Very fine generally with small amounts of cloud; dense fog in morning; cloudless at night.
THURSDAY. 22	..	0.0	m. P. generally till afternoon; s. 1. in evening.	Variable in early morning; hear frost; light cloud prevailing till afternoon; cloudless in evening with slight fog.
FRIDAY. 23	..	0.0	v. P. generally.	Thin cloud prevalent till 6h. P.M.; cloudless after- wards; fog in morning; solar halo in afternoon.
SATURDAY. 24	..	4.7	m. P. generally	Generally cloudless till 9h. P.M.; afterwards over- cast; hear frost in morning.
Sum	Sum	15.6	Sum	59.7

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 25, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased from 29.95 in. at the beginning of the week to 30.13 in. by 9h. P.M. on the 13th; decreased to 29.92 in. by 3h. P.M. on the 20th; increased to 30.29 in. by noon on the 21st; decreased to 30.12 by 3h. P.M. on the 23rd; and was 30.16 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 48. 1894. VOL. LV.] WEEK ENDING SATURDAY, DECEMBER 1. [Price 1½d.

General Register Office, Somerset House,
December 3rd, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·8 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.		Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.
Birkenhead	11·8	13·3	14·3	15·8	Liverpool -	21·0	20·3	21·1	20·8
Birmingham	17·8	19·2	19·3	17·2	London -	15·0	15·3	15·9	16·1
Blackburn -	19·9	19·9	15·8	22·0	Manchester -	18·7	19·8	20·6	17·2
Bolton -	22·9	18·5	18·1	23·4	Newcastle-on-Tyne	17·3	26·3	16·8	19·4
Bradford -	17·7	17·5	15·6	16·8	Norwich -	14·3	21·2	22·7	21·2
Brighton -	15·9	20·2	19·3	16·3	Nottingham	18·9	15·9	12·6	14·2
Bristol -	17·5	15·4	20·9	15·2	Oldham -	18·0	21·8	17·3	23·7
Burnley -	24·3	22·7	20·5	22·2	Plymouth -	17·8	16·0	11·9	16·6
Cardiff -	15·1	14·0	16·1	17·2	Portsmouth -	18·3	15·2	17·4	21·0
Croydon -	13·0	10·7	16·8	14·4	Preston -	24·8	18·7	17·3	22·0
Derby -	21·6	14·3	13·7	22·7	Salford -	18·7	18·2	16·2	20·5
Gateshead -	23·5	24·6	21·8	23·5	Sheffield -	13·9	18·5	15·3	17·9
Halifax -	14·0	11·8	20·2	16·8	Sunderland -	24·1	23·8	24·9	22·6
Huddersfield	12·7	11·6	15·9	13·8	Swansea -	23·0	24·6	16·9	25·1
Hull -	20·6	20·1	18·4	19·4	West Ham -	16·0	15·8	15·5	20·1
Leeds -	19·4	18·2	21·1	21·6	Wolverhampton -	19·0	21·5	15·9	15·9
Leicester -	13·0	11·0	20·7	18·2					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·9 in Sunderland, 2·6 in Derby, 3·0 in Leeds, 3·2 in Burnley, 5·5 in Portsmouth, and 5·6 in Gateshead; from *whooping-cough*, 1·1 in Halifax and 2·2 in Swansea; from "*fever*," 1·2 in Wolverhampton; and from *diarrhæa*, 1·3 in Bolton and 1·7 in Blackburn. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 89 deaths from *diphtheria* included 54 in London, 12 in West Ham, 4 in Birmingham, 3 in Liverpool, 3 in Blackburn, and 2 in Nottingham. Three deaths from *small-pox* were registered in Birmingham, but not one death in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2550 BIRTHS and 1347† DEATHS were registered. Allowing for increase of population, the births were 3, and the deaths 375, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·0, 15·3, and 15·9 in the preceding

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

three weeks, further rose last week to 16·1. During the four weeks ending on Saturday last the death-rate averaged 15·6 per 1000, being 4·7 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1347 deaths included 29 from measles, 19 from scarlet fever, 54 from diphtheria, 26 from whooping-cough, 18 from enteric fever, 25 from diarrhoea and dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 171 deaths were referred to these diseases, being 26 below the corrected average weekly number.

There were 31 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals, but not one case in the Highgate Small-pox Hospital, the total number of cases in these hospitals having been 51, 42, and 33 on the preceding three Saturdays; 6 cases were admitted during the week, against 12, 3, and 2 in the preceding three weeks. The deaths from *measles*, which had been 13, 22, and 21 in the preceding three weeks, rose last week to 29, but were less than half the corrected average; 7 belonged to Greenwich and 6 to Woolwich sanitary areas. The deaths from *scarlet fever*, which had numbered 9, 8, and 14 in the preceding three weeks, increased last week to 19, but were 9 below the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 2148 scarlet-fever patients at the end of last week, against 2258, 2254, and 2198 on the preceding three Saturdays; 191 cases were admitted during the week, against 215 and 223 in the preceding two weeks. The deaths from *diphtheria*, which had been 42, 44, and 48 in the preceding three weeks, further rose last week to 54, and exceeded the corrected average by 19; 7 belonged to Camberwell, 5 to Paddington, 5 to Hackney, and 3 each to Whitechapel, Lambeth, and Plumstead sanitary areas. The Metropolitan Asylum Hospitals* contained 517 diphtheria patients at the end of last week, against 548, 544, and 526 on the preceding three Saturdays; 78 cases were admitted during the week, against 83 and 100 in the preceding two weeks. The deaths from *whooping-cough*, which had numbered 10, 8, and 11 in the preceding three weeks, increased last week to 26, but were 13 below the corrected average; 5 belonged to Islington and 3 to Hammersmith sanitary areas. The fatal cases of *enteric fever*, which had been 24, 21, and 23 in the preceding three weeks, fell last week to 18, but were 2 above the corrected average; 2 belonged to Poplar, 2 to Battersea, and 2 to Wandsworth sanitary areas. The Metropolitan Asylum Hospitals* contained 99 cases of enteric fever and 2 of typhus on Saturday last; 18 cases of enteric fever were admitted during the week, against 17 and 14 in the preceding two weeks. The deaths from *diarrhoea*, which had been 16, 23, and 15 in the preceding three weeks, increased again last week to 25, exceeding the corrected average by 11.

The deaths referred to diseases of the respiratory organs, which had been 245, 245, and 261 in the preceding three weeks, numbered 263 last week, and were 194 below the corrected average.

The deaths attributed directly to *influenza* numbered 11, having been 7, 14, and 9 in the preceding three weeks.

Different forms of violence caused 37 deaths, concerning all of which inquests were held. Of these 37 deaths, one death was a case of suicide, and one a case of homicide, while the remaining 35 deaths were attributed to accident or negligence. Three of these were referred to a conflagration, 2 to drowning, 2 to poison, and 6 (of infants under one year of age) to suffocation in bed. The death of a child, aged 3 months, and that of a male, aged 40 years, were referred, after inquest, to the effects of chloroform administered for the purpose of operations.

GREATER LONDON.

In Greater London 3512 births and 1783 deaths were registered, corresponding to annual rates of 30·8 and 15·6 per 1000 of the estimated population. In the Outer Ring 10 deaths from measles, 22 from diphtheria, and 10 from whooping-cough were recorded. Of the 22 deaths from diphtheria, 14 occurred in West Ham district, 2 in Edmonton district, and 2 in Kingston district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·21 inches, and that of the Thermometer 40°·3, the latter being 1°·0 below the week's average in the 50 years 1841-90. The direction of the wind was Northerly, the horizontal movement of the air being 27 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 2·7 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, IN 33 GREAT TOWNS, during the Week ending 1st December 1894.

CITIES AND BOROUGH.	Cols.	Registered during the Week ending 1st Dec. 1894.		Deaths of Persons aged 1 Year of Age.		Deaths from										TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGH.		
		Births.		Deaths.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Innocent Causes.	Deaths in Institutions.	Uncertified Causes of Death.	From All Causes.	From Diseases in Colp. & 12.	Fahrenheit.		Mean.	In Inches.		In Centi- metres.	
		1.	2.	3.	4.														5.	6.					7.
33 TOWNS.	10,458,442	6357	3570	960	749	3	132	42	39	57	53	55	118	243	708	65	178	21	53.0	25.2	41.2	5.11	0.01	0.02	33 TOWNS.
LONDON.	4,349,166	2550	1347	324	254	-	59	19	24	20	18	25	37	98	405	11	161	2.0	47.8	31.5	40.3	4.01	0.00	0.00	LONDON.
WEST HAM.	238,184	170	32	22	17	-	2	1	12	2	-	3	1	3	9	4	20.1	4.4	-	-	-	-	-	-	WEST HAM.
CROYDON.	111,921	48	31	8	9	-	-	-	-	-	-	1	-	2	4	3	14.4	0.5	45.2	27.5	37.6	3.11	0.00	0.00	CROYDON.
BRIGHTON.	118,715	60	37	13	6	-	-	-	-	-	-	-	1	2	4	3	16.3	0.4	48.8	38.0	42.3	3.72	0.00	0.00	BRIGHTON.
PORTSMOUTH.	170,978	74	69	17	11	-	-	-	-	-	-	-	1	5	9	1	21.0	0.1	49.0	35.0	41.1	3.06	0.00	0.00	PORTSMOUTH.
PLYMOUTH.	87,931	40	28	10	7	-	-	-	-	-	-	-	1	2	2	1	16.6	-	40.0	28.0	39.6	4.22	0.00	0.00	PLYMOUTH.
BRISTOL.	226,578	106	66	12	8	-	-	-	-	-	-	-	6	8	11	2	15.2	-	40.0	28.0	39.6	4.22	0.00	0.00	BRISTOL.
CARDIFF.	148,890	106	49	14	11	-	-	-	1	1	-	1	7	9	2	-	17.2	1.1	-	-	-	-	-	-	CARDIFF.
SWANSEA.	95,339	48	46	11	13	-	-	-	-	4	1	-	1	3	5	-	25.1	2.7	-	-	-	-	-	-	SWANSEA.
WOLVERHAMPTON.	85,056	63	26	4	7	-	-	-	1	-	-	1	-	-	7	-	15.9	3.1	49.3	28.0	40.1	4.50	0.00	0.00	WOLVERHAMPTON.
BIRMINGHAM.	492,301	315	162	54	33	3	-	-	4	2	4	3	8	8	18	10	17.2	1.9	-	-	-	-	-	-	BIRMINGHAM.
NORWICH.	105,645	67	43	14	18	-	-	-	-	1	-	-	-	2	2	1	21.2	1.0	48.4	34.4	41.6	5.33	0.02	0.03	NORWICH.
LEICESTER.	189,186	119	66	29	9	-	-	-	-	-	-	1	2	5	4	4	18.2	0.3	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM.	223,584	125	61	11	12	-	-	-	3	2	1	-	3	5	9	-	14.2	1.4	51.0	25.2	40.8	4.80	0.00	0.00	NOTTINGHAM.
DERBY.	48,766	71	43	9	14	-	-	-	5	-	-	-	2	2	12	-	22.7	3.7	-	-	-	-	-	-	DERBY.
BIRKENHEAD.	105,627	57	32	10	8	-	-	-	-	-	-	-	2	8	-	-	15.8	0.5	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL.	507,280	248	102	50	28	-	-	-	3	3	4	5	2	17	54	7	20.8	2.0	50.3	35.3	42.9	6.06	0.03	0.15	LIVERPOOL.
BOLTON.	118,303	81	53	18	10	-	-	-	1	-	-	-	3	2	4	6	1	23.4	1.8	-	-	-	-	-	BOLTON.
MANCHESTER.	520,211	317	172	44	34	-	-	-	3	1	1	3	2	6	12	4	17.2	1.5	-	-	-	-	-	-	MANCHESTER.
SAIFORD.	205,838	142	81	15	13	-	-	-	3	1	1	2	1	3	17	-	20.5	2.0	-	-	-	-	-	-	SAIFORD.
OLDHAM.	188,755	78	63	18	13	-	-	-	3	1	1	1	1	3	6	7	23.7	1.5	-	-	-	-	-	-	OLDHAM.
BURNLEY.	164,478	82	41	12	9	-	-	-	6	1	-	-	-	2	2	-	22.2	4.9	-	-	-	-	-	-	BURNLEY.
BLACKBURN.	125,787	67	53	14	8	-	-	-	-	-	-	-	-	2	3	2	22.0	4.6	-	-	-	-	-	-	BLACKBURN.
PRESTON.	111,425	72	47	18	11	-	-	-	-	-	-	-	4	5	1	1	22.0	0.5	-	-	-	-	-	-	PRESTON.
HUDDERSFIELD.	98,511	45	26	4	8	-	-	-	-	-	-	-	-	1	3	1	13.8	1.1	-	-	-	-	-	-	HUDDERSFIELD.
HALIFAX.	92,861	35	20	8	6	-	-	-	-	-	-	-	-	-	2	1	16.8	1.1	-	-	-	-	-	-	HALIFAX.
BRADFORD.	223,885	150	72	34	17	-	-	-	6	-	-	-	1	4	9	-	16.8	2.3	51.3	24.6	43.6	6.44	0.00	0.00	BRADFORD.
LEEDS.	388,761	268	161	42	53	-	-	-	22	1	1	3	2	-	5	15	21.6	4.0	-	-	-	-	-	-	LEEDS.
SHEFFIELD.	338,316	225	116	29	25	-	-	-	10	1	1	2	2	6	8	9	17.9	2.3	-	-	-	-	-	-	SHEFFIELD.
HULL.	212,679	147	79	22	24	-	-	-	4	-	-	-	2	3	11	1	19.4	1.5	-	-	-	-	-	-	HULL.
SUNDERLAND.	136,101	161	59	16	12	-	-	-	5	-	-	-	2	3	5	4	22.6	3.1	53.0	33.0	43.5	6.39	0.00	0.00	SUNDERLAND.
GATESHEAD.	93,372	60	42	8	5	-	-	-	-	1	1	1	2	2	-	-	23.5	7.8	-	-	-	-	-	-	GATESHEAD.
NEWCASTLE.	201,947	150	75	16	16	-	-	-	5	-	-	3	1	3	15	1	19.4	3.1	-	-	-	-	-	-	NEWCASTLE.

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-EIGHTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2587	2656	2414	2599	2357	2321	1980	2480	2381	2405	2553.0	2550
Males . .	1327	1398	1242	1307	1180	1202	1009	1264	1237	1199	1305.0	1280
Females .	1260	1258	1172	1292	1187	1119	971	1216	1144	1206	1248.0	1270
TOTAL Deaths	1716	1544	1618	1705	1352	1448	1527	1715	1451	2235	1721.5	1347
Males . .	864	815	812	846	685	739	767	850	735	1150	871.1	700
Females .	852	729	806	859	667	719	760	865	716	1085	850.4	647

* The numbers in this column are the average weekly numbers in the forty-eighth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS

	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.
TOTAL Births - -	1369	2569	2358	2403	2532	2323	2516	2413	2659	2657	2491	2704	2550
TOTAL Deaths - -	1175	1241	1211	1277	1287	1291	1326	1481	1372	1249	1275	1326	1347
Ages at { 0-20 years -	578	600	571	577	574	565	617	667	649	554	605	569	649
{ 20-40 " -	155	156	145	160	159	181	170	187	184	166	163	207	165
{ 40-60 " -	197	209	228	286	246	262	236	260	226	229	228	246	249
{ 60-80 " -	214	223	224	215	253	232	237	294	253	250	236	250	234
{ 80 years & upwards	31	53	43	39	55	51	66	73	60	50	43	54	50
" { Under 1 year -	352	353	331	311	331	321	350	391	398	337	341	316	364
{ 1-5 -	146	159	159	171	160	163	182	193	169	125	172	167	207
{ 5-20 -	80	88	81	93	83	81	85	73	82	92	92	86	78
Deaths from Small-pox -	6	3	-	1	1	-	-	-	1	1	-	-	-
" " Measles -	13	9	13	7	9	10	8	24	15	13	22	21	29
" " Scarlet fever -	13	15	15	18	9	12	18	17	10	9	8	14	19
" " Diphtheria -	39	55	52	67	66	54	61	49	54	42	44	48	54
" " Whooping-cough -	15	20	25	15	7	13	10	18	14	10	8	11	26
" " Typhus -	-	-	1	-	-	-	-	-	-	-	-	-	-
" " Enteric fever -	13	10	7	13	13	20	17	14	17	24	21	23	18
" " Simple Cont'g fever -	1	-	-	-	-	-	-	-	-	1	-	-	-
" " Diarrhoea and Dysentery -	79	62	49	35	33	30	26	19	20	16	23	15	25
" " Cholera -	2	-	-	1	-	-	-	-	-	1	-	-	-
" " all the above-mentioned Diseases -	181	174	162	157	138	139	140	141	131	117	126	132	171
" " Dis. of Respiratory System -	134	143	172	184	215	241	287	329	339	245	245	261	263
" " Phthisis -	113	130	119	141	131	137	135	161	132	150	133	166	125
" " Dis. of Circulatory System -	90	82	106	111	101	102	93	123	111	104	131	105	100
Violent Deaths - -	56	55	51	49	52	57	57	47	53	43	51	41	37
Inquest Cases - -	114	102	97	107	120	121	119	112	129	108	118	111	98
Deaths in Public Institutions -	369	401	377	412	368	416	392	422	394	385	363	412	405
TEMPERATURE OF THE AIR													
Mean - - -	52.7	54.8	55.9	52.5	52.8	53.0	44.3	50.3	54.0	50.3	47.0	44.0	40.3
Mean of Highest readings -	61.7	63.7	62.5	59.9	59.5	58.6	50.9	55.8	59.0	56.5	52.4	51.1	44.0
Mean of Lowest readings -	44.8	47.7	51.0	46.3	47.5	49.5	38.4	45.0	50.2	44.3	42.2	36.7	35.5
Humidity of the Air - -	80	82	90	89	83	95	85	81	87	83	87	89	87
Rain-fall in inches - -	0.54	0.02	0.11	0.59	0.12	0.36	0.19	1.35	2.16	0.64	2.03	0.13	0.00
Registered Sunshine (in hours) -	17.6	17.2	3.0	14.7	13.9	1.7	7.3	9.3	11.8	22.8	20.4	15.6	2.7

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., L.L.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Beckbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met.Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-EIGHTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 48th Week of the 10 years 1884-93.*	In the Week ending Saturday, 1st December 1894.										CAUSES OF DEATH.	Corrected Averages for the 48th Week of the 10 years 1884-93.*	In the Week ending Saturday, 1st December 1894.									
		Deaths of Persons of the Ages												Deaths of Persons of the Ages									
		ALL AGES.												ALL AGES.									
		0-1.	1-4.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.		0-1.	1-4.			5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.					
ALL CAUSES - -	1721.5	1347	364	207	78	165	249	234	50	Diseases of Organs of Special Sense - - }	3.7	0	-	2	2	1	-	1	-				
Small-pox { Vaccinated† - 1.1	-	-	-	-	-	-	-	-	-	Diseases of Circulatory System - - }	137.1	100	5	-	9	14	37	81	4				
{ Unvaccinated - 1.2	-	-	-	-	-	-	-	-	-	Croup - - - - -	10.7	4	-	4	-	-	-	-	-				
{ No Statement - 1.3	-	-	-	-	-	-	-	-	-	Bronchitis - - - -	273.3	163	62	23	-	6	24	40	11				
Measles - - - - -	50.0	19	7	22	-	-	-	-	-	Pneumonia - - - -	131.2	74	19	28	3	10	9	4	1				
Scarlet Fever - -	28.1	19	-	11	6	1	1	-	-	Pleurisy - - - - -	6.5	1	1	-	-	-	-	-	-				
Typhus - - - - -	0.8	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - - }	34.9	18	3	6	1	-	3	4	1				
Relapsing Fever -	-	-	-	-	-	-	-	-	-	Dentition - - - - -	9.7	4	2	2	-	-	-	-	-				
Influenza - - - -	9.6	11	2	1	2	-	3	3	-	Quinsy, Sore Throat -	1.7	-	-	-	-	-	-	-	-				
Whooping-cough -	39.4	26	11	12	-	-	-	-	-	Enteritis - - - - -	8.5	11	6	1	-	-	2	2	-				
Diphtheria - - -	34.5	54	5	36	9	2	-	2	-	Peritonitis - - - -	7.9	6	1	-	-	3	1	1	-				
Simple Continued and Ill-defined Fever - }	1.2	-	-	-	-	-	-	-	-	Diseases of Liver - -	27.0	32	1	-	-	5	13	13	-				
Enteric Fever - -	15.9	18	-	-	7	10	-	1	-	Other Diseases of Digestive System - }	27.8	33	9	4	-	2	10	7	1				
Cholera and Chol. Diarr.	0.4	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands - }	2.3	3	-	-	-	-	3	-	-				
Diarrhoea, Dysentery -	14.4	25	20	2	-	1	1	-	1	Diseases of Urinary System - }	41.6	39	-	1	4	5	13	14	2				
Remittent Fever - -	0.1	-	-	-	-	-	-	-	-	Diseases of Generative System - }	5.7	3	-	-	-	1	2	-	-				
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	Accidents of Childbirth -	4.1	6	-	-	-	6	-	-	-				
Glanders - - - - -	-	-	-	-	-	-	-	-	-	Diseases of Locomotive System - }	8.5	7	1	-	2	1	3	-	-				
Cowpox and Effects of Vaccination - - }	0.7	-	-	-	-	-	-	-	-	Diseases of Integumentary System - }	6.4	2	1	-	-	1	-	-	-				
Venerical Affections -	11.1	9	8	-	-	1	-	-	-	VIOLENT DEATHS.†													
Erysipelas - - -	8.1	6	3	2	-	-	1	-	-	(ACCIDENT.)													
Pyæmia and Septicæmia -	8.2	3	1	1	-	-	-	-	-	By Railways - - -	1	1	-	-	-	-	1	-	-				
Puerperal Fever - -	6.4	3	-	-	3	-	-	-	-	By Vehicles or Horses -	-	-	-	-	-	-	-	-	-				
Other Zymotic Diseases	2.3	-	-	-	-	-	-	-	-	In Ships, Boats, Docks (exclusive of Drowning) - }	-	-	-	-	-	-	-	-	-				
Thrush - - - - -	1.4	1	1	-	-	-	-	-	-	In Building Operations -	-	-	-	-	-	-	-	-	-				
Worms and other Parasitical Diseases - }	-	-	-	-	-	-	-	-	-	In Conflagrations - -	52.5	3	-	1	2	-	-	-	-				
Starvation, Want of Breast-milk - - }	2.2	2	1	-	1	-	-	-	-	By Burns, Scalds, Explosions -	8	1	6	-	-	1	-	-	-				
Alcoholism - - - -	5.4	6	-	-	2	3	1	-	-	By Drowning - - -	2	-	-	1	-	1	-	-	-				
Rheumatic Fever, Rheumatism of Heart }	9.6	6	-	-	1	3	5	-	-	By Suffocation in Bed -	6	6	-	-	-	-	-	-	-				
Rheumatism - - -	2.1	-	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours - - - - }	2	1	-	-	-	1	-	-	-				
Gout - - - - -	3.7	4	-	-	-	1	3	-	-	Other or not stated Causes - - - - }	13	2	2	1	3	3	2	-	-				
Rickets - - - - -	4.2	2	1	1	-	-	-	-	-	VIOLENCE OTHER THAN ACCIDENTAL.)													
Cancer - - - - -	61.0	65	-	-	4	33	17	1	-	Homicide - - - - -	2.1	1	-	-	-	-	1	-	-				
Tabes Mesenterica -	18.6	11	7	3	-	1	-	-	-	Suicide - - - - -	7.4	1	-	-	-	-	1	-	-				
Tubercular Meningitis -	20.4	18	4	9	4	-	1	-	-	Execution - - - - -	-	-	-	-	-	-	-	-	-				
Phthisis - - - - -	166.3	125	3	5	14	61	34	8	-	OTHER CAUSES - -	53.9	53	46	3	-	-	3	1	-				
Serofula, Tuberculosis -	14.4	23	11	4	3	2	4	2	-														
Other Constitutional Diseases - }	12.6	10	-	-	-	6	4	-	-														
Premature Birth - -	41.7	54	54	-	-	-	-	-	-														
Atelectasis - - - -	8.3	3	3	-	-	-	-	-	-														
Congenital Malformations - }	9.1	13	12	1	-	-	-	-	-														
Old Age - - - - -	55.6	40	-	-	-	-	22	18	-														
Apoplexy - - - - -	44.1	41	1	-	4	13	20	3	-														
Epilepsy - - - - -	7.5	5	1	-	-	2	1	1	-														
Convulsions - - - -	45.6	32	28	4	-	-	-	-	-														
Other Diseases of Brain and Nervous System }	81.9	75	11	10	7	13	11	19	5														

* The numbers in this column are the average weekly deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.
† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."
‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, and from other Zymotic Diseases, during the Week ending—

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from												Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON	4,211,743	2350	1347	364	284	-	29	19	54	23	-	18	-	25	37	98	405	
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	84159	55	19	4	3	-	-	-	3	-	-	-	-	-	-	-	3	
St. John Paddington H - - G.J.	38987	4	10	-	4	-	-	-	-	-	-	-	-	-	1	2	3	
Kensington Town Ww - - W.M.	118751	53	36	10	12	-	-	-	-	-	-	1	-	-	-	3	10	
Brompton H - - W.M. & C.	47557	12	9	2	2	-	-	-	-	-	-	-	-	-	-	1	1	
St. Peter Hammersmith - - W.M.	8834	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.	88653	37	27	11	3	-	-	-	-	-	-	1	-	-	-	2	5	
Fulham Ww - - W.M. & C.	91639	75	53	11	9	-	2	4	6	2	-	1	-	-	1	2	29	
Chelsea Kensal Town - - C.	21787	14	5	4	1	-	-	-	-	-	1	-	-	-	1	-	-	
Chelsea North WHHHH - - C.	41037	21	13	1	2	-	-	-	-	-	-	-	-	-	-	2	8	
Chelsea South HH - - C.	33529	21	11	1	2	-	-	-	-	-	-	1	-	-	-	-	4	
May Fair W - - G.J.	23733	9	7	-	5	-	-	-	-	-	-	-	-	-	-	-	5	
Belgrave WHHH - - C.	54631	19	20	7	1	-	-	-	1	1	-	-	-	-	1	2	11	
St. John Westminster HHH - - C.	34106	13	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Margaret Westminster H - - C.	21688	5	8	2	1	-	-	-	-	-	-	-	-	-	1	-	5	
St. James Westminster WHH N.R. & G.J.	24995	14	5	1	1	-	-	-	-	-	-	-	-	-	-	-	2	
St. Anne Soho HHHHHH - - N.R.	12317	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
NORTH DISTRICTS.																		
All Souls Marylebone } - - W.M.	37713	11	15	2	2	-	-	-	2	-	-	-	-	-	1	1	7	
HHHHHHH - -																		
Rectory Marylebone W - - G.J. & W.M.	20024	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Mary Maryleb. HHHH G.J. & W.M.	19289	30	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	
Christchurch Marylebone H - - W.M.	38327	20	10	1	2	-	-	-	-	1	-	-	-	-	-	-	-	
St. John Marylebone H - - W.M.	33101	12	11	5	3	-	-	-	-	-	-	-	-	-	1	1	-	
Hampstead WwHHHHH N.R. & W.M.	68416	18	39	3	8	-	4	1	4	-	-	1	-	1	1	2	14	
Regent's Park Pancras HH - - W.M.	36590	20	8	1	5	-	-	-	-	-	-	-	-	-	-	-	5	
Tottenham-court WHHHH N.R. & W.M.	28321	10	14	2	1	-	-	-	-	-	-	-	-	-	-	2	1	
Gray's Inn Lane HHH - - N.R.	27455	8	5	2	1	-	-	1	-	-	-	-	-	-	-	-	1	
Homers Town HH - - N.R.	82829	15	5	1	-	-	-	-	-	-	-	-	-	1	-	-	4	
Camden Town WH - - N.R.	15419	12	9	1	7	-	-	-	-	-	1	-	-	-	1	1	7	
Kentish Town W - - N.R.	95765	49	24	8	5	-	1	-	-	-	-	-	-	-	-	3	7	
Upper Holloway WwHHH - - N.R.	90235	49	44	7	15	-	-	-	-	-	-	-	-	-	-	2	22	
Islington South-west H - - N.R.	105557	64	27	3	-	-	-	-	-	-	1	-	-	-	1	2	-	
Islington South-east - - N.R.	64158	40	16	4	6	-	-	-	-	-	2	-	-	-	-	3	-	
Highbury HH - - N.R.	59193	29	13	5	3	-	-	-	-	-	2	-	-	-	-	-	-	
Stoke Newington H - - N.R.	30936	19	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
Stamford Hill - - E.L.	17759	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney H - - N.R.	42902	17	15	6	2	-	-	-	2	-	-	-	-	2	2	4	4	
Hackney WwHHH - - E.L. & N.R.	96486	60	35	9	5	-	-	4	3	1	-	1	-	1	1	-	11	
South Hackney w - - E.L.	41759	19	10	4	3	-	1	-	-	-	-	1	-	-	1	1	-	
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16995	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - - N.R.	13454	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	
St. Giles North H - - N.R.	9833	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Martin-in-the-Fields HH N.R. & C.	14616	7	5	2	1	-	-	-	-	-	-	-	-	-	-	1	2	
St. Mary-le-Strand H - - N.R.	3706	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Clement Danes WH - - N.R.	7194	-	5	-	-	-	-	-	1	-	-	1	-	-	-	1	4	
Strand Union Workhouse, Edmonton w.	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
St. Geo. the Martyr HHHHHH N.R.	17991	8	10	3	2	-	-	-	-	-	1	-	-	-	-	-	5	
St. Andrew Eastern W - - N.R.	15845	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - - N.R.	16803	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Amwell Clerkenwell - - N.R.	16883	12	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pentonville - - N.R.	17155	14	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Goswell-street - - N.R.	15375	14	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	
City-road HHHH - - N.R.	29177	23	19	2	4	-	-	-	-	-	-	-	-	-	-	-	-	
Whitecross-street - - N.R.	8278	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Flintbury - - N.R.	4935	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn Union Workhouse, Mitcham w.	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	
St. Botolph H - - N.R. & E.L.	8944	5	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
Cripplegate - - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre H - - N.R.	4444	-	11	3	2	-	-	-	-	-	-	-	-	-	2	3	9	
St. Bride W - - N.R.	6594	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Albion Works Barking - - N.R.	10422	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Broad Street H - - N.R.	8377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
City of London Asylum, Stone	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H.—Hospital; L.—Lunatic Asylum; L.—Private Lunatic Asylum in which paupers are received; w.—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L. East London; and K. the Kent Company.

* See note on 1st page of this Return.

DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT: *
day, 1st December, 1894.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.			Popu- lation, 1891.	Total Burials.	Deaths of														
					Total Deaths.	Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- nued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Prison Institutions.
EAST DISTRICTS.																			
Beddington South	HL*	E.L. & N.R.	20098	12	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Beddington New Town	W	N.R.	28313	25	11	4	5	1	-	-	-	-	-	-	-	-	-	7	-
Beddington Old Town	W	N.R.	28354	16	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Beddington	WH	N.R. & E.L.	46244	38	24	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Green North	H	E.L.	51520	41	18	7	5	-	-	-	-	1	-	-	-	-	-	-	-
Beddington Green South	H	E.L.	33489	24	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Green East	WHL*	E.L.	41233	32	10	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Fields	-	E.	22456	15	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington End New Town	W	E.L.	17908	24	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Chapel Church	H	E.L. & N.R.	20298	18	26	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Man's Fields	-	E.L.	18800	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North	-	E.L.	87788	30	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
John, St. George East	W	E.L.	8057	6	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington H	-	E.L. & N.R.	40246	4	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington W	-	E.L.	14928	9	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington House	-	E.L.	32202	31	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington End Old Town West	H	E.L.	38650	42	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington End Old Town East	W & H	E.L.	68942	84	17	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington L*	-	E.L.	40365	41	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington W & H	-	E.L.	70000	48	23	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington W & W	-	E.L.	56383	49	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH DISTRICTS.																			
Beddington Southwark	WH	L. & S.	13264	13	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Southwark	-	S.	13913	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Road	-	S. & L.	21867	16	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Road	WH	S. & L.	16624	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Road	HL	L. & S.	21291	19	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Newington	-	S. & L.	26596	15	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Peter Walworth	W	S. & L.	61342	51	16	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Mary Newington	-	L. & S.	27866	25	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Olive	WH	S.	12723	10	17	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Market	W	S. & L.	30612	50	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington James Bernadsey	-	S.	54070	44	13	9	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Berthie	WH	S. & K.	39255	34	20	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Road 1st	H	L. & S.	14031	6	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Road 2nd	H	L. & S.	14644	20	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Church 1st	H	L. & S.	18075	9	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Church 2nd	W & W	L. & S.	39097	31	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington 1st	H	S. & L.	50586	25	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington 2nd	-	S. & L.	39708	21	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington W	-	L. & S.	73405	29	23	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Wood	WH	L.	25687	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Battersea	-	S.	67244	42	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Battersea	W & H	S.	83314	10	30	13	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham	H	S.	42698	22	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Adsworth	WHL	S.	46717	27	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Mey	-	S.	17771	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Atham	W & W	L.	48753	22	18	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Wich	-	L. & S.	3809	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Overwell	W & L*	S. & L.	81866	55	56	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Khan	W & W	S. L. & K.	33458	52	24	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington George Camberwell	-	L. & S.	33366	47	19	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Bedford, North	-	K.	35814	31	13	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Bedford, Central	W	K.	42007	30	16	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Bedford, South	-	K.	30862	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Bedford, West	H	K.	22007	14	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Bedford, East	WH	K.	36233	24	23	14	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	K.	5882	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	K.	23541	10	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	WH	K.	30950	15	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	H	L.	84162	22	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	K.	14040	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	K.	19606	11	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	HE	K.	21242	22	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	H	K.	15869	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	W	K.	36567	21	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beddington Ham Hill	-	-	-	8	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-

The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1891, under the name of Leather Market.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 1st December, 1894.

The DEATHS registered in the Week include																							
REGISTRATION SUB-DISTRICTS.				Area in Acres.	Popu-lation, 1891.	BIRTHS.	DEATHS.	Deaths from										Influen-za.	Deaths in Public Institutions.	Deaths in Private Houses.			
								Infants under 1 Year of Age.	Females aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Influen-za.	Deaths in Public Institutions.	Deaths in Private Houses.			
LONDON.—OUTER RING.								363,746	1,422,083	932	436	116	103	-	10	4	22	10	2	4	15	31	32
30:1	Carshalton WHH	-	12228	26103	19	8	2	1	-	1	-	-	-	2	-	-	1	1	-	-	-		
2	Epsom, part of* WHH	-	10423	12508	8	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
37:1	Goldstone, part of* W	-	754	1593	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon WHH	-	19351	135899	67	38	9	13	-	-	-	-	-	-	-	1	1	4	2	-	-		
2	Mitcham W	-	11697	23093	12	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
39:1	Wimbledon HHH	-	3220	25761	15	5	-	-	-	-	-	2	1	-	-	-	1	1	1	1	1		
2	Kingston WHH	-	8071	44785	33	19	5	6	-	-	-	-	-	-	-	-	1	1	1	1	1		
3	Esher, part of*	-	6601	12059	8	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-		
4	Hampton H	-	4635	18252	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
40:1	Richmond WH	-	2160	25399	13	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Mortlake H	-	2823	16159	11	6	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
41:1	Bromley HHH	-	9127	23815	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Beckenham H	-	6542	21989	10	5	2	-	-	1	-	-	-	-	-	-	1	1	-	-	-		
3	Chislehurst, pt. of* WHH	-	14307	20372	11	7	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-		
42:1	Bexley HHH	-	12540	30590	21	6	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
134:1	Sturbury W	-	11054	13871	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Staines W	-	18277	13231	4	7	-	2	-	-	-	1	-	-	-	-	1	1	-	-	-		
135:1	Hillingdon WHH	-	6035	12237	14	4	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-		
2	Uxbridge	-	6172	5417	5	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
3	Hayes WH	-	14537	12613	10	6	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
136:1	Isleworth WHH	-	6967	26273	16	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	3		
2	Twickenham HH	-	2415	16027	14	8	2	1	-	2	-	-	1	-	-	-	-	1	-	-	-		
3	Brentford HHHH	-	4318	37777	27	7	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-		
4	Chiswick	-	1245	21983	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
5	Aston WH	-	6132	30945	22	11	4	1	-	-	1	1	1	1	-	-	-	-	-	-	-		
137:1	Harrow HHH	-	13809	15715	6	6	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-		
2	Edgware HH	-	6994	3344	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden HHH	-	4383	61965	46	17	7	4	-	-	-	-	1	-	-	-	-	2	2	-	-		
4	Hendon W	-	8382	15843	13	7	2	2	-	-	-	-	1	-	-	-	-	-	-	1	-		
138:1	South Mimms	-	1569	8474	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet WHH	-	5441	11773	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
3	Finchley HHH	-	4638	25820	16	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
139:1	Hornsey HH	-	3119	61097	30	21	7	6	-	-	-	-	-	-	-	-	-	-	1	-	-		
2	Tottenham H	-	4442	97174	73	26	12	3	-	-	-	-	-	-	-	-	2	4	-	-	-		
3	Edmonton WH	-	7489	36351	20	14	4	6	-	-	-	1	1	-	-	-	1	2	4	-	-		
4	Enfield WWHH	-	12639	31803	25	9	3	2	-	1	-	1	-	-	-	-	-	-	-	-	-		
5	Waltham Abbey	-	11017	6066	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Chesham H	-	8430	9620	6	3	1	1	-	-	-	-	-	1	-	-	1	1	-	-	-		
140:1	Hatfield, part of* W	-	3266	682	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
141:1	Bishley H	-	9331	7737	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
142:1	Stratford H	-	1100	42983	23	15	5	3	-	-	-	2	-	-	-	-	-	-	-	-	-		
2	Plaistow HHHH	-	1242	58030	52	25	3	6	-	-	-	5	1	-	-	-	1	-	-	-	-		
3	Canning Town H	-	1558	54750	43	25	10	1	-	1	1	3	-	-	-	-	1	1	2	-	-		
4	Forest Gate W	-	806	49140	42	17	2	3	-	1	-	2	1	-	-	-	-	-	-	-	-		
5	East Ham W	-	3266	32713	37	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Leyton WWHH	-	4384	70183	57	20	8	7	-	-	1	1	-	1	-	-	-	1	1	1	1		
7	Walthamstow HHE	-	6501	57330	47	15	5	2	-	-	-	1	-	-	1	-	-	-	-	-	-		
147:1	Chigwell, part of* H	-	11779	12941	5	6	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-		
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
149:1	Romford, part of* WHH	-	6556	4324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barking Town H	-	8493	10913	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Barking Town H	-	3814	14391	17	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
London Fov. Hospital				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cane Hill Asylum.				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 30:2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37:1, the parishes of Warrington and Farley in Goldstone sub-district; 39:3, Esher sub-district, except the parish of Esher (pop. 2232); 41:3, Chislehurst sub-district, except the parishes of Chislehurst, Chisleham, and Knockholt (pop. 3097); 135:1, the parish of Northaw in Hatfield sub-district; 137:1, Chigwell sub-district, except the parish of Chigwell (pop. 1179); 139:1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 43:1, Dartford; 137:3, Watford, and 137:2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 1st December, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	15.6	2.0	1783	480	337	-	39	23	76	36	20	29	52	437		
INNER LONDON	74,672	4,349,166	16.1	2.0	1347	334	234	-	29	19	54	26	18	25	37	405		
OUTER RING	368,749	1,599,134	14.2	1.7	436	146	103	-	10	4	22	10	2	4	15	32		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692,845 square miles, which is equivalent to the area of a circle having a radius of 14,851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.
EDINBURGH	270,588	December 1	172	94	18.1	8	-	1	4	3	-	-
GLASGOW	686,820	" 1	430	313	23.8	-	17	6	6	11	2	3
DUBLIN	349,594	" 1	213	142	21.2	3	-	1	-	1	2	3
CALCUTTA	466,460	October 6	-	219	24.4	-	-	-	-	-	110	53†
COIMBATUR	821,764	November 6	365	448	23.3	-	2	?	?	?	140	34
CHENNAI	462,518	October 26	316	399	45.8	-	2	?	?	?	153	78
CHENNAI	2,424,705	November 24	1017	789	16.9	-	2	1	9*	-	3	30
CHENNAI	498,400	" 24	211	177	18.5	1	4	1	-	1	2	17
AMSTERDAM	446,295	" 24	274	150	17.4	-	-	1	2	4	3	-
AMSTERDAM	228,597	" 24	155	79	17.9	4	-	-	-	1	-	-
THE HAGUE	174,790	" 24	109	46	13.7	-	-	-	2	-	-	-
COPENHAGEN	341,000	" 24	191	111	17.0	-	6	-	4	-	-	3
STOCKHOLM	252,937	" 17	175	87	17.9	-	9	2	12*	-	-	4
CHRISTIANIA	167,588	" 24	60	62	19.2	-	1	1	2	1	-	4
PETERSBURG	954,400	" 10	546	345	18.8	-	4	18	14	5	7	12
MOSCOW	753,469	" 17	-	405	28.0	1	-	13	18	3	5	23
BERLIN	1,714,938	" 10	881	504	15.3	-	6	12	34	4	-	10
ST. PETERSBURG	598,372	" 24	-	195	16.9	-	-	3	2*	1	1	2
BRISBANE	312,772	" 10	-	-	-	-	-	-	-	-	-	-
BRISBANE	360,660	" 24	-	150	21.6	-	1	1	3*	1	-	12
BRISBANE	390,000	" 24	-	153	20.4	-	3	2	6*	3	-	25
BRISBANE	1,465,537	" 24	785	557	19.8	-	29	4	25*	-	-	38
BRISBANE	339,172	" 17	197	140	21.2	-	-	2	4	-	2	3
BRISBANE-PESTH	552,769	" 17	378	192	18.1	1	-	2	4	-	-	15
BRISBANE-PESTE	159,739	" 17	103	89	29.0	-	-	4	13*	1	2	3
BRISBANE	455,678	October 27	223	143	16.3	-	-	-	1	-	9†	12
BRISBANE (10 days)	537,997	November 10	197	151	16.3	-	-	-	2	1	2	8
BRISBANE	160,406	" 10	61	58	19.1	-	-	1	2*	-	-	4
BRISBANE	374,838	" 1	457	304	42.2	-	-	-	7*	-	6	100
BRISBANE	231,396	" 1	228	160	33.1	-	-	-	4*	-	5	45
BRISBANE	1,925,569	" 17	-	680	17.4	2	2	3	27	1	10	18
BRISBANE	1,043,600	" 17	-	330	15.9	-	-	-	30	2	5	4
BRISBANE	1,139,457	" 17	-	374	17.1	2	-	5	37	-	7	7
BRISBANE	254,000	" 3	-	134	27.5	-	-	1	6	1	5	6

* Including deaths from croup.

† Including 11 deaths from cholera in Calcutta.

‡ Including 3 deaths from malarial fever.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ending Saturday, 1 Feb. 1891.

[illegible]

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 49. 1894. VOL. LV.] WEEK ENDING SATURDAY, DECEMBER 8. [Price 1½d.

General Register Office, Somerset House,
December 10th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·2 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.		Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.
Birkenhead	13·3	14·3	15·8	14·8	Liverpool	20·3	21·1	20·8	23·3
Birmingham	19·2	19·3	17·2	20·9	London	15·3	15·9	16·1	19·4
Blackburn	19·9	15·8	22·0	21·1	Manchester	19·8	20·6	17·2	22·9
Bolton	18·5	18·1	23·4	19·3	Newcastle-on-Tyne	26·3	16·8	19·4	22·7
Bradford	17·5	15·6	16·8	21·4	Norwich	21·2	22·7	21·2	29·1
Brighton	20·2	19·3	16·3	18·4	Nottingham	15·9	12·6	14·2	15·4
Bristol	15·4	20·9	15·2	18·6	Oldham	21·8	17·3	23·7	28·2
Burnley	22·7	20·5	22·2	14·6	Plymouth	16·0	11·9	16·6	17·2
Cardiff	14·0	16·1	17·2	18·6	Portsmouth	15·2	17·4	21·0	20·4
Croydon	10·7	16·8	14·4	20·0	Preston	18·7	17·3	22·0	24·3
Derby	14·3	13·7	22·7	16·9	Salford	18·2	16·2	20·5	18·7
Gateshead	24·6	21·8	23·5	19·5	Sheffield	18·5	15·3	17·9	21·9
Halifax	11·8	20·2	16·8	15·2	Sunderland	23·8	24·9	22·6	27·2
Huddersfield	11·6	15·9	13·8	25·9	Swansea	24·6	16·9	25·1	19·1
Hull	20·1	18·4	19·4	21·1	West Ham	15·8	15·5	20·1	17·1
Leeds	18·2	21·1	21·6	22·3	Wolverhampton	21·5	15·9	15·9	22·1
Leicester	11·0	20·7	18·2	16·5					

The highest annual death-rates, as measured by last week's mortality, were :— from *measles*, 1·7 in Hull, 1·8 in Brighton and in Newcastle, 2·5 in Sheffield, 3·4 in Gateshead, and 4·3 in Portsmouth and in Leeds; from *scarlet fever*, 1·1 in Swansea; from *whooping-cough*, 2·1 in Huddersfield and in Blackburn; from "*fever*," 1·1 in Burnley and in Sunderland; and from *diarrhæa*, 1·8 in Bolton. The 95 deaths from *diphtheria* included 57 in London, 7 in Manchester, 6 in West Ham, and 4 in Liverpool. Three deaths from *small-pox* were registered in Birmingham, and one death in Hull.

LONDON.

In LONDON 2599 BIRTHS and 1614† DEATHS were registered. The annual death-rate per 1000 from all causes, which had been 15·3, 15·9, and 16·1 in the preceding three weeks, further rose last week to 19·4. During the four weeks ending on Saturday last the death-rate averaged 16·7 per 1000, being 4·0 per 1000 below the mean rate in the corresponding periods of the ten years 1884–93.

The 1614 deaths included 36 from measles, 18 from scarlet fever, 57 from diphtheria, 23 from whooping-cough, 17 from enteric fever, 14 from diarrhœa and

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

dysentery, and not one death from small-pox, typhus, any ill-defined form of continued fever, or from cholera; thus, 165 deaths were referred to these diseases, being 42 below the corrected average weekly number.

There were 32 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals, but not one case in the Highgate Small-pox Hospital. The deaths from *fever* and from *diarrhoeal diseases* corresponded closely with, while those from *measles*, *scarlet fever*, and *whooping-cough* were considerably below, the respective corrected averages, *diphtheria* being the only zymotic disease which showed serious excess. Of the deaths from *diphtheria*, 6 belonged to Islington, 6 to Lambeth, 5 to Fulham, 4 to Kensington, and 4 to Camberwell sanitary areas. The Metropolitan Asylum Hospitals contained 514 cases of diphtheria and 101 of enteric fever at the end of last week; and on the same date these hospitals, together with the London Fever Hospital, contained 2142 cases of scarlet fever.

The deaths referred to diseases of the respiratory organs, which had been 245*, 261, and 263 in the preceding three weeks, rose last week to 338, but were 136 below the corrected average.

Different forms of violence caused 67 deaths, of which 5 were cases of suicide, and 2 of homicide, while the remaining 60 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 6 to burns and scalds, and 22 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3540 births and 2078 deaths were registered, corresponding to annual rates of 31·0 and 18·2 per 1000 of the estimated population. In the Outer Ring 6 deaths from measles, 15 from diphtheria (including 9 in West Ham, 2 in Kingston, and 2 in Edmonton districts), 6 from whooping-cough, and 13 from fever (including 4 in Edmonton and 3 in West Ham districts) were recorded.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of November. The supply was in the ratio of 234 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	NOVEMBER, 1893.	NOVEMBER, 1894.	NOVEMBER, 1893.	NOVEMBER, 1894.
TOTAL SUPPLY	799,850	811,265	184,578,148	189,709,359
From Thames	386,446	392,221	93,728,249	97,438,340
From Lea and from other Sources	413,404	419,044	90,849,899	92,270,999
THAMES.				
Chelsea	36,761	36,967	10,155,289	11,285,651
West Middlesex	77,153	78,395	17,990,655	18,565,280
Southwark and Vauxhall	116,011	117,280	28,701,997	31,346,514
Grand Junction	58,743	59,396	17,018,376	16,982,901
Lambeth	97,778	100,183	19,501,932	19,257,994
LEA AND OTHER SOURCES.				
New River	157,125	158,171	34,690,000	32,808,000
East London	176,416	179,681	41,574,191	44,877,026
Kent	79,863	81,192	14,585,708	14,585,973

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING NOVEMBER, 1894.

Water-analysis Laboratory, The Yews, Reigate,
5th December, 1894.

SIR,

I HAVE to report to you the results of the chemical analysis, and of the physical and bacterioscopic examination, of the waters supplied to the inner, and portions of the outer, circle of the Metropolis during the month of November.

At the request of the Associated Metropolitan Water Companies, I have extended these monthly examinations to (a) the chemical and bacterioscopic condition of the raw river water at the intakes of the various Companies, and (b) to the bacteriology of the water as it issues from the filter beds of each Company, and before it is pumped into the distributing mains.

I append, also, the results obtained in the analyses of the waters supplied to Birmingham and Glasgow by their respective Corporations. These analyses were made by Dr. Hill of Birmingham and Dr. Mills of Glasgow.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies and by the Tottenham Local Board of Health, was:—Kent 0·8, Tottenham 1·3, East London (deepwell) 1·8, New River 2·2, Colne Valley 2·7, Chelsea 3·6, East London (river supply) 5·3,

Grand Junction 6·3, West Middlesex 7·7, Southwark 8·8, and Lambeth 9·3. The unfiltered river waters contained the following proportions:—Thames at Hampton 14·5, New River Cut 5·8, and the Lea at Angel Road 9·3.

The Thames at Hampton was, on November the 5th, owing to heavy floods, in an extremely bad condition; it was very turbid and brown in colour and contained a very large proportion of organic matter in solution, most of it, however, of vegetable origin. Bacterially it was also of very inferior quality, containing more than five times as many microbes per c.c. as on the 10th of October. As delivered by the five Companies drawing from this river, it was greatly improved in quality. Owing to the command of large storage, the Chelsea Company sent out water of quality almost as good as that delivered in October, but the remaining Companies could not exclude flood water, and their supplies contained much more organic matter than usual; nevertheless, the excess appears to have been wholly of vegetable origin, or nearly so. It was, in every case but one, efficiently filtered, the exception was the water sent out by the Southwark Company, which was, however, only very slightly turbid. The bacterial improvement effected by the various Companies is expressed by the following percentage numbers:—Chelsea 99·96, West Middlesex 99·98, Southwark 99·80, Grand Junction (average of 3 filters) 99·76, and Lambeth 99·66.

The New River Cut before entering the storage and subsidence reservoirs was turbid and yellow in colour. Although very much better in chemical quality than the Thames at Hampton, it contained nearly three times as much organic matter as on October 11th. Bacterially, however, it was of fairly good quality. After treatment by the New River Company, it was delivered in a clear and bright condition, and much improved in chemical quality. The bacterial improvement effected by storage and filtration amounted, on the average of three filters, to 97·78 per cent. The water taken from the Lea at Angel Road by the East London Company was turbid and pale brown in colour. It was, both chemically and bacterially, much superior to the Thames at Hampton, but much inferior to the water of the New River Cut. It was efficiently filtered before delivery, and greatly improved in respect of organic purity. The bacterial improvement amounted, on the average, to 99·73 per cent.

The deep-well waters of the Kent and East London Companies, and of the Tottenham Local Board of Health, possessed a high degree of organic purity and were of excellent quality for dietetic purposes; but the Colne Valley Company's water contained, for deep-well water, an abnormally large proportion of organic matter. All these waters were clear and bright without filtration, and the Colne Valley Company's water was softened before delivery and thus rendered suitable for washing.

Seen through a stratum two feet deep, the Kent, Tottenham, and East London (deep-well) waters were clear and colourless, the Colne Valley clear and nearly colourless, the New River clear and very pale yellow, the Chelsea clear and pale yellow, the East London (river supply) clear and yellow, the Grand Junction clear and deep yellow, the West Middlesex and Lambeth clear and pale brown, and the Southwark very slightly turbid and pale brown.

The bacterioscopic examination of the raw river water before and after storage, of the gravel water utilised by the Grand Junction Company, and of the supplies of the various Companies collected on the 5th, 6th, 7th, and 8th of November gave the results contained in the following table:—

DESCRIPTION.	— Microbes per c.c.	Temp. C.
RAW AND GRAVEL AND STORED RIVER WATERS.		
Thames at Hampton	23,080	12°3
„ after storage for 14·7 days (Chelsea Company).	660	12°2
„ after storage for 6 days (Lambeth Company).	3,440	—
Grand Junction Company's gravel water	360	12°7
„ „ mixture of stored Thames, gravel, artificially laid gravel water.	420	12°0
New River Cut before passing reservoirs -	1,170	11°3
Lea at Angel Road	7,860	10°6
„ after storage for 15 days	2,780	11°0
FILTERED RIVER WATER AS SUPPLIED.		
THAMES.		
Chelsea, general well	8	11°7
West Middlesex, general well	4	11°3
Southwark, No. 4 filter	40	11°8
Grand Junction, Kew Bridge general well	14	11°7
„ „ south well	6	12°0
„ „ Hampton general well	124	12°3
Lambeth, general well	68	12°0
LEA.		
New River, general well	36	10°7
„ No. 2	10	10°6
„ No. 6	31	11°2
East London, No. 1 Essex well	23	10°3
„ No. 2	8	10°7
„ Middlesex well	20	10°6
„ No. 11 bed	30	10°6
„ No. 12 bed	20	10°7
DEEP WELL.		
Kent, new well at Deptford	6	11°3

Dr. Hill, F.I.C., the Medical Officer of Health for Birmingham, reports that the water supplied to that city was "very slightly turbid and green in a two foot tube."

Dr. Mills, F.R.S., of the Glasgow and West of Scotland Technical College, reports that the water supplied to that city from Loch Katrine was "light brown in colour, and contained "a little suspended matter."

I am, &c.

The Registrar General, &c. &c.

E. FRANKLAND.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES OR LOCAL AUTHORITIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen, as Ni- trates and Nitrites.	Total combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES. (Unfiltered water) - { November 5th. Grand Junction Co.'s intake at Hampton. }	12°3	31°48	°733	°121	°006	°135	°261	1°7	18°0
	Chelsea - - { November 8th. Cab Rank, Horse Guards, Whitehall. }	11°6	28°60	°185	°026	0	°217	°243	1°8	18°3
	West Middlesex - { November 8th. Cab Rank, Riding House- street. }	11°2	28°34	°415	°041	0	°200	°241	1°7	18°0
	Southwark - { November 8th. Cab Rank, St. George's Church, Southwark. }	12°5	30°44	°467	°054	0	°191	°245	1°8	18°6
	Grand Junction - { November 8th. Cab Rank, Portman- street, Oxford-street. }	12°4	29°56	°333	°038	0	°203	°141	1°8	18°6
	Lambeth - - { November 8th. Cab Rank, St. George's- road, Southwark. }	11°8	29°88	°503	°043	0	°193	°236	1°7	18°6
	LBA. (Unfiltered water) - { November 7th. New River Cut at Green-lanes. }	11°3	33°60	°285	°055	°008	°282	°344	1°8	20°9
	New River - - { November 8th. Cab Rank, Tottenham Court-road. }	11°3	31°68	°117	°011	0	°264	°275	1°7	20°6
	(Unfiltered water) - { November 7th. East London Co.'s intake at Angel-road. }	10°6	40°88	°455	°096	°026	°290	°407	2°2	24°2
	East London - { November 8th. Cab Rank, Sidney- street. }	11°5	36°18	°202	°025	0	°247	°272	2°1	21°8
Outer Circle.	DEEP WELLS. Kent - - { November 8th. Mill-lane, Deptford. }	12°0	38°80	°043	°006	0	°489	°495	2°2	25°1
	Colne Valley - - { November 16th. Bushey. }	—	20°26	°146	°015	°054	°540	°599	2°2	7°7
	Tottenham - - { November 24th. Tottenham. }	—	41°52	°065	°010	°068	°012	°078	2°8	24°2
	East London - - { November 15th. Lea Bridge well. }	—	40°00	°083	°024	°038	°071	°126	2°7	21°2
	Corporation of Birming- ham* - - { November 8th. 3 Court, Gough-street. }	10°6	32°20	°240	°045	°001	°286	°332	2°1	21°2
	Corporation of Glasgow† - { November 15th. Loch Katrine water. }	8°0	2°40	°187	°031	0	°005	°036	0°7	0°8
Column 1.		3.	4.	5.	6.	7.	8.	9.	10.	11.

* Analysed by Dr. Alfred Hill, F.I.C., Medical Officer of Health and Analyst to the City.

† Analysed by Dr. E. J. Mills, F.R.S., of the Glasgow and West of Scotland Technical College.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11, relate to 100,000 parts of the water. The Table is to be read thus:—the Chelsea Company's water, collected on the 8th of November, at the Horse Guards cab-rank, had a temperature of 11°·6 C.; 100,000 lbs. of it contained 28·60 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·185 lb. of carbon and ·026 lb. of nitrogen. The above quantity of water also contained no ammonia and ·217 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·243 lb. The above weight of water also contained 1·8 lb. of chlorine and 18·3 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

TABLE 2. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-NINTH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 49th Week of the 10 years 1884-93.*	In the Week ending Saturday, 8th December 1894.										CAUSES OF DEATH.	Corrected Averages for the 49th Week of the 10 years 1884-93.*	In the Week ending Saturday, 8th December 1894.											
		Deaths of Persons of the Ages												Deaths of Persons of the Ages											
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.								
			0-1.	1-5.	5-20.						0-1.							1-5.	5-20.						
ALL CAUSES - - -	1783.6	1614	370	208	86	248	321	313	68	Diseases of Organs of Special Sense - - -	2.5	4	1	-	3	-	-	-	-	-	-	-			
Small-pox { Vaccinated - - -	1.6	-	-	-	-	-	-	-	-	Diseases of Circulatory System - - -	141.7	153	1	2	5	20	53	72	5	-	-	-			
Small-pox { Unvaccinated - - -	0.7	-	-	-	-	-	-	-	-	Croup - - - - -	11.8	3	1	1	1	-	-	-	-	-	-	-			
Small-pox { No Statement - - -	2.1	-	-	-	-	-	-	-	-	Bronchitis - - - -	239.8	203	57	23	1	4	40	62	16	-	-	-			
Measles - - - - -	61.6	36	4	25	7	-	-	-	-	Pneumonia - - - -	130.1	97	27	20	4	16	13	14	3	-	-	-			
Scarlet Fever - - -	25.9	18	1	13	3	1	-	-	-	Pleurisy - - - - -	6.8	4	1	2	-	-	-	1	-	-	-	-			
Typhus - - - - -	0.3	-	-	-	-	-	-	-	-	Other Diseases of Respiratory System - - -	31.9	28	3	4	6	2	3	6	4	-	-	-			
Relapsing Fever - -	-	-	-	-	-	-	-	-	-	Dentition - - - - -	8.9	5	4	1	-	-	-	-	-	-	-	-			
Influenza - - - - -	15.0	14	3	1	1	5	-	2	2	Quinsy, Sore Throat -	3.1	1	-	1	-	-	-	-	-	-	-	-			
Whooping-cough - -	41.7	23	10	13	-	-	-	-	-	Enteritis - - - - -	7.3	15	6	2	1	3	2	1	-	-	-	-			
Diphtheria - - - -	41.5	57	1	35	20	1	-	-	-	Peritonitis - - - -	8.1	5	-	-	-	3	1	1	-	-	-	-			
Simple Continued and Ill-defined Fever - -	0.8	-	-	-	-	-	-	-	-	Diseases of Liver - -	30.0	24	-	-	-	4	12	7	1	-	-	-			
Enteric Fever - - -	17.5	17	-	-	3	10	2	2	-	Other Diseases of Digestive System -	20.1	23	7	3	4	4	5	2	1	-	-	-			
Cholera and Chol. Diarr.	0.1	-	-	-	-	-	-	-	-	Diseases of Lymphatic System & of Ductless Glands - - - - -	2.7	2	-	-	-	2	-	-	-	-	-	-			
Diarrhoea, Dysentery -	13.6	14	8	1	-	1	1	3	-	Diseases of Urinary System - - - -	44.1	59	-	1	3	8	19	1	4	-	-	-			
Remittent Fever - -	-	-	-	-	-	-	-	-	-	Diseases of Generative System - - - - -	6.3	5	-	-	-	1	4	-	-	-	-	-			
Hydrophobia - - -	0.1	-	-	-	-	-	-	-	-	Accidents of Childbirth -	3.8	7	-	-	-	6	1	-	-	-	-	-			
Glanders - - - - -	0.1	-	-	-	-	-	-	-	-	Diseases of Locomotive System - - - - -	7.7	9	1	1	1	1	2	3	-	-	-	-			
Cowpox and Effects of Vaccination - - - -	-	-	-	-	-	-	-	-	-	Diseases of Integumentary System - - - -	6.1	3	1	1	-	1	-	-	-	-	-	-			
Veneral Affections -	10.1	6	4	-	-	2	-	-	-	VIOLENT DEATHS.															
Erysipelas - - - -	8.8	4	2	-	-	2	-	-	-	(ACCIDENT.)															
Pyæmia and Septicæmia	3.1	3	-	-	-	2	1	-	-	By Railways - - - -						3	-	-	-	-	-	-			
Eruptive Fever - - -	7.1	2	-	-	-	2	-	-	-	By Vehicles or Horses -		9	-	4	1	3	-	1	-	-	-	-			
Other Zymotic Diseases	2.4	-	-	-	-	-	-	-	-	In Ships, Boats, Docks (exclusive of Drownings) -		-	-	-	-	-	-	-	-	-	-	-			
Thrush - - - - -	1.5	1	1	-	-	-	-	-	-	In Building Operations -		-	-	-	-	-	-	-	-	-	-	-			
Worms and other Parasitical Diseases - - -	0.4	-	-	-	-	-	-	-	-	In Conflagrations - -		-	-	-	-	-	-	-	-	-	-	-			
Starvation, Want of Breast-milk - - - -	1.5	1	1	-	-	-	-	-	-	By Burns, Scalds, Explosions - - - -	51.6	6	-	4	1	-	1	-	-	-	-	-			
Alcoholism - - - -	7.2	10	-	-	-	5	4	1	-	By Drowning - - - -		3	-	-	-	1	2	-	-	-	-	-			
Rheumatic Fever, Rheumatism of Heart	8.9	4	-	-	1	1	-	5	-	By Suffocation in Bed -		22	22	-	-	-	-	-	-	-	-	-			
Rheumatism - - - -	2.8	2	-	-	-	-	-	2	-	By Poisons or Poisonous Vapours - - - - -		-	-	-	-	-	-	-	-	-	-	-			
Gout - - - - -	3.4	3	-	-	-	-	1	1	1	Other or not stated Causes - - - - -		17	4	1	1	3	4	4	-	-	-	-			
Eclampsia - - - - -	4.4	6	2	4	-	-	-	-	-	VIOLENCE OTHER THAN ACCIDENTAL.															
Cancer - - - - -	60.8	73	-	1	-	9	36	27	-	Homicide - - - - -	1.2	5	1	-	-	1	-	-	-	-	-	-			
Tubercle Mesenterica	20.4	18	9	9	-	-	-	-	-	Suicide - - - - -	5.6	5	-	-	-	2	2	1	-	-	-	-			
Tubercular Meningitis	2.2	17	3	12	2	-	-	-	-	Execution - - - - -	0.1	-	-	-	-	-	-	-	-	-	-	-			
Phthisis - - - - -	171.4	187	5	2	8	100	65	7	-	OTHER CAUSES - - -	53.1	53	50	3	-	3	1	2	-	-	-	-			
Scrophula, Tuberculosis	19.1	17	5	5	3	2	2	-	-																
Other Constitutional Diseases - - - - -	9.7	17	2	-	-	4	5	6	-																
Premature Birth - - -	41.6	63	63	-	-	-	-	-	-																
Atelectasis - - - -	4.2	5	5	-	-	-	-	-	-																
Congenital Malformations - - - - -	8.2	12	12	-	-	-	-	-	-																
Old Age - - - - -	55.2	40	-	-	-	-	1	15	21																
Apoplexy - - - - -	53.1	47	-	-	2	3	15	22	5																
Epilepsy - - - - -	6.4	5	-	-	2	2	-	1	-																
Convulsions - - - -	46.1	34	33	1	-	-	-	-	-																
Other Diseases of Brain and Nervous System	87.3	80	9	9	2	10	19	31	-																

* The numbers in this column are the average weekly deaths for the ten years 1884-93, raised by 5.51 per cent for increase of population. These cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When a medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered medical attendant, the case is returned under the heading "no statement." The evidence as to cause of death is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																					
REGISTRATION SUB-DISTRICTS.		Name- rated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of		Deaths from													Deaths in Public Institutions	Uncertified Causes of Death.
					Infants under Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.				
LONDON		4,211,743	2599	1614	370	331	-	33	18	57	23	-	17	-	14	67	132	466	1		
WEST DISTRICTS		749,735	414	275	69	54	-	7	5	13	5	-	5	-	4	8	12	87	-		
NORTH DISTRICTS		993,934	575	326	63	84	-	6	4	15	6	-	5	-	-	17	27	81	-		
CENTRAL DISTRICTS		247,538	143	191	23	17	-	-	-	-	1	-	1	-	-	5	11	40	1		
EAST DISTRICTS		705,114	504	317	67	82	-	7	2	6	7	-	2	-	2	14	55	115	1		
SOUTH DISTRICTS		1,524,472	933	563	149	139	-	13	5	24	4	-	4	-	8	23	47	116	13		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON		-	-	27	-	5	-	-	2	-	-	-	-	-	-	-	-	27	-		
WEST DISTRICTS.																					
St. Mary Paddington WHH G.J. & W.M.		84150	53	21	4	3	-	1	-	-	-	-	-	-	-	1	2	1	-		
St. John Paddington H - - G.J.		33687	11	14	1	1	-	-	-	-	-	-	1	-	-	1	1	6	-		
Kensington Town Ww - - W.M.		118751	61	45	17	19	-	2	-	2	-	-	-	-	1	1	1	14	-		
Brompton H - - W.M. & C.		47557	19	11	1	1	-	-	-	-	1	-	-	-	1	-	-	4	-		
St. Peter Hammersmith - - W.M.		8534	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.		88033	53	28	5	8	-	-	-	1	-	-	-	-	-	-	-	3	-		
Fulham Ww - - W.M. & C.		91639	71	46	15	7	-	3	5	7	-	-	1	-	1	2	17	-	-		
Chelsea Kewal Town - - D.		21787	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North WHHHH - - C.		41637	17	25	8	2	-	-	-	1	-	-	-	-	-	-	-	16	-		
Chelsea South HH - - C.		88829	18	17	5	2	-	1	-	-	2	-	-	-	1	1	1	2	-		
May Fair W - - G.J.		23733	5	8	-	4	-	-	-	-	-	-	1	-	-	-	-	5	-		
Belgrave WHHH - - C.		54331	31	23	2	6	-	-	-	-	-	-	-	-	-	-	2	9	-		
St. John Westminster HHH - - C.		34104	21	9	3	1	-	-	-	1	-	-	-	-	-	1	1	-	-		
St. Margarets Westminster H - - C.		21898	4	12	-	2	-	-	-	1	-	-	1	-	-	2	2	10	-		
St. James Westminster WHH N.R. & G.J.		24995	13	8	1	3	-	-	-	-	1	-	1	-	1	-	-	-	-		
St. Anne Soho HHHHH - - N.R.		12317	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																					
All Souls Marylebone } - - W.M.		37713	16	15	1	4	-	-	-	2	-	-	-	-	-	2	3	3	-		
HHHHHHHH - - G.J. & W.M.		20024	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-		
Royston Marylebone W - - W.M.		19289	28	9	3	2	-	-	-	-	-	-	-	-	-	-	2	1	-		
St. Mary Marylebone HHHH G.J. & W.M.		33327	22	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
Christchurch Marylebone H - - W.M.		32101	19	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
St. John Marylebone H - - W.M.		68416	30	32	7	7	-	2	1	3	-	-	-	-	-	1	1	13	-		
Hampstead WWHHHH N.R. & W.M.		83590	18	8	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Regent's Park Pancras HH - - W.M.		26391	14	20	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Tottenham-court WHHHH N.R. & W.M.		27455	20	15	6	1	-	-	-	2	-	-	1	-	-	-	-	14	-		
Gray's Inn Lane HHH - - N.R.		82899	15	9	1	2	-	-	-	-	-	-	-	-	1	2	2	-	-		
Somers Town HH - - N.R.		15419	14	8	1	5	-	-	-	-	-	-	-	-	-	-	1	4	-		
Camden Town WH - - N.R.		95765	44	22	7	7	-	-	-	-	-	-	-	-	-	-	-	1	-		
Kentish Town W - - N.R.		99235	64	39	10	16	-	-	-	1	1	-	-	-	-	-	-	-	-		
Upper Holloway WWHHH - - N.R.		105557	51	29	4	5	-	-	-	1	2	-	1	-	-	-	4	17	-		
Islington South-west H - - N.R.		64153	44	9	1	3	-	1	1	2	-	1	-	1	1	3	2	-	-		
Islington South-east - - N.R.		59193	23	17	4	4	-	1	-	1	-	2	-	-	2	1	-	-	-		
Gighbury HH - - N.R.		30936	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Stoke Newington H - - N.R.		17759	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Stamford Hill - - E.L.		42902	20	13	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-		
West Hackney H - - N.R.		90495	65	34	5	14	-	1	2	2	-	-	1	-	3	3	1	-	-		
Hackney WWHWH - - E.L. & N.R.		41759	26	19	4	1	-	2	-	2	-	-	-	-	-	4	16	-	-		
South Hackney W - - E.L.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																					
St. George Bloomsbury - - N.R.		16395	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - - N.R.		13454	12	7	1	2	-	-	-	-	-	-	-	-	-	-	-	6	-		
St. Giles North H - - N.R.		9633	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin-in-the-Fields HHH N.R. & C.		14616	4	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary-le-Strand H - - N.R.		5706	1	5	2	1	-	-	-	-	-	-	-	-	-	-	-	5	1		
St. Clement Danes WH - - N.R.		7194	1	6	2	1	-	-	-	-	-	-	-	-	-	-	1	3	-		
General Union Workhouse, Edm. ton W.		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
St. Geo. the Martyr HHHHHHH N.R.		17921	7	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Andrew Eastern W - - N.R.		15343	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	9	-		
St. James Clerkenwell - - N.R.		16903	10	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - - N.R.		16883	7	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-		
Fentonville - - N.R.		17155	14	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-		
Goodwell-street - - N.R.		15375	13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
City-road HHHH - - N.R.		29177	39	16	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Waltercross-street - - N.R.		8278	5	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-		
Finsbury - - N.R.		4985	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, Mitcham W.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - - N.R. & E.L.		8944	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cripplegate - - N.R.		4530	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - - N.R.		4444	2	19	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Bride W - - N.R.		6594	1	3	1	-	-	-	-	-	-	-	1	-	-	5	5	16	-		
Abchurch-lane - - N.R.		10412	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - - N.R.		8377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
City of London Asylum, Stone		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Work-
house; H.—Hospital; L.—Lunatic Asylum; L*—Private Lunatic Asylum in which paupers are received; W.—Workhouse Establishment
Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New
River; E. L., East London; and K., the Kent Company.

* See note on first page of this Return.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, in 23 GREAT TOWNS, during the Week ending 8th December 1894.

CITIES AND BOROUGH.	Registered during the Week ending 8th Dec. 1894.				The Deaths registered in the Week include										TEMPERATURE OF THE AIR.					RAINFALL.					
	1.	2.	3.	Deaths of Persons aged 1 Year and upwards.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	From All Causes.	From Diseases in Week preceding.			Mean.		In Inches.	In Centi- metres.	
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Fahrenheit.					Fahrenheit.							
													Highest.	Lowest.					Kelvin.	Centigrade.					
Cols.																									
33 TOWNS	10,458,442	6520	4057	1043	877	4	155	39	95	74	55	46	135	284	796	65	20.2	2.3	49.2	21.8	38.3	3.50	0.21	0.53	
LONDON	4,340,166	2699	1614	370	381	-	36	18	57	23	17	14	67	152	406	15	19.4	2.0	48.6	30.3	39.8	4.33	0.17	0.43	
WEST HAM	238,184	173	78	28	16	-	-	-	6	-	1	-	-	2	7	5	2	17.1	2.2	-	-	-	-	-	-
CROYDON	111,921	68	43	31	10	-	-	-	1	-	1	-	-	2	5	7	-	20.0	0.9	49.2	28.0	3.33	0.20	0.51	
BRIGHTON	118,715	60	42	11	12	-	4	-	1	-	-	-	-	2	5	-	18.4	2.2	49.2	31.0	41.2	5.11	0.78	1.98	
PORTSMOUTH	170,973	95	67	18	12	-	14	1	1	-	3	-	1	2	9	2	20.4	5.8	49.0	30.0	39.7	4.28	0.34	0.86	
PLYMOUTH	87,431	54	29	10	3	-	1	-	2	-	-	-	-	1	-	-	17.2	1.8	-	-	-	-	-	-	
BRISTOL	226,478	120	81	19	25	-	-	-	2	-	1	-	2	7	23	-	18.6	0.7	40.0	23.0	36.5	2.50	0.23	0.58	
CARDIFF	148,800	102	53	16	9	-	-	-	1	4	-	2	2	7	5	-	18.6	2.5	-	-	-	-	-	-	
SWANSEA	55,839	50	35	15	4	-	-	2	-	1	1	1	-	2	-	1	19.1	2.7	-	-	-	-	-	-	
WOLVERHAMPTON	85,036	50	36	16	8	-	-	-	1	-	-	1	2	2	5	-	22.1	1.2	45.6	21.8	35.3	1.83	0.13	0.33	
BIRMINGHAM	492,301	314	197	66	42	3	1	3	3	-	4	5	4	3	36	12	20.9	2.0	-	-	-	-	-	-	
NORWICH	165,645	66	59	24	19	-	-	-	2	1	-	-	2	4	7	1	29.1	0.5	46.2	28.4	38.7	3.72	0.26	0.66	
LEICESTER	159,136	122	60	28	14	-	-	-	1	1	-	-	2	2	6	3	16.5	0.6	-	-	-	-	-	-	
NOTTINGHAM	223,584	133	66	13	22	-	-	-	1	-	-	-	1	4	11	2	15.4	0.7	40.2	28.3	37.1	2.83	0.14	0.36	
DERBY	187,766	49	32	9	8	-	3	-	-	2	-	-	-	3	4	-	16.9	3.2	-	-	-	-	-	-	
BIRMINGHAM	105,027	50	30	3	7	-	-	1	-	1	-	1	1	3	4	-	14.8	1.5	-	-	-	-	-	-	
LIVERPOOL	607,230	335	227	60	26	-	3	3	4	7	9	9	7	9	43	5	23.3	2.7	46.5	26.1	37.6	3.11	0.04	0.10	
BOLTON	118,303	71	45	15	5	-	2	-	-	1	1	4	1	4	1	-	19.8	3.5	-	-	-	-	-	-	
MANCHESTER	520,211	313	228	45	53	-	4	2	7	5	2	3	15	27	41	1	22.9	2.3	-	-	-	-	-	-	
SALFORD	205,828	155	74	19	9	-	1	2	1	4	1	2	4	5	12	2	18.7	2.8	-	-	-	-	-	-	
OLDHAM	158,755	71	75	21	11	-	-	-	1	1	-	2	2	5	8	-	28.2	2.3	-	-	-	-	-	-	
BURNLEY	164,478	63	27	3	7	-	1	1	1	5	1	1	1	2	3	1	21.1	2.9	-	-	-	-	-	-	
BLACKBURN	125,797	92	51	12	14	-	-	-	-	-	-	1	2	2	1	7	24.3	1.9	-	-	-	-	-	-	
PRESTON	111,425	71	52	10	12	-	1	-	-	-	1	2	-	1	7	3	26.9	4.8	-	-	-	-	-	-	
HUDDESFIELD	185,111	44	49	10	12	-	3	1	-	4	1	-	-	-	4	1	25.9	4.8	-	-	-	-	-	-	
HALEFAX	92,861	35	27	9	5	-	-	-	-	1	1	1	2	5	5	2	21.4	2.6	46.9	31.0	39.1	3.94	0.04	0.10	
BRADFORD	228,385	39	42	28	19	-	7	-	1	1	1	1	2	5	5	2	21.4	2.6	-	-	-	-	-	-	
LEEDS	388,761	242	166	51	21	-	32	1	3	-	2	1	5	14	14	1	22.3	5.2	-	-	-	-	-	-	
SHEFFIELD	358,316	236	142	40	27	-	16	1	-	2	-	2	4	17	4	17	4	21.9	2.9	-	-	-	-	-	
HULL	212,679	131	86	22	18	1	7	1	2	1	-	-	1	1	9	3	21.1	2.9	46.0	26.0	38.2	3.44	0.10	0.25	
SUNDERLAND	136,101	84	71	21	13	-	4	-	-	3	3	-	1	4	10	-	27.2	3.8	46.0	29.0	38.5	3.61	0.11	0.28	
GATESHEAD	133,772	61	35	8	7	-	6	-	-	1	1	-	2	2	4	-	19.5	4.5	-	-	-	-	-	-	
NEWCASTLE	201,547	112	88	12	16	-	7	-	-	4	2	1	4	6	16	-	22.7	3.6	-	-	-	-	-	-	

* See note * on first page of this Return.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-NINTH Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2385	2504	2485	2497	2644	2270	2240	2393	2397	2466	2562.6	2599
Males . .	1232	1257	1270	1287	1367	1139	1144	1244	1244	1246	1306.6	1315
Females .	1153	1247	1215	1210	1277	1131	1096	1149	1153	1220	1256.0	1284
TOTAL Deaths	1764	1474	1738	1577	1461	1683	1733	1462	1452	2556	1788.6	1614
Males . .	817	741	906	781	792	820	901	716	735	1263	894.1	803
Females .	947	733	832	796	669	863	832	746	717	1293	889.5	806

* The numbers in this column are the average weekly numbers in the forty-ninth weeks of the ten years 1884-93, raised by 5.541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.
TOTAL Births	2569	2358	2403	2532	2323	2516	2413	2659	2657	2494	2704	2550	2599
TOTAL Deaths	1241	1211	1277	1287	1291	1326	1481	1372	1249	1275	1326	1347	1614
Ages at Death													
{ 0-20 years	600	571	577	574	565	617	667	649	554	605	569	649	664
{ 20-40 "	156	145	160	159	181	170	187	184	166	163	207	165	248
{ 40-60 "	209	223	286	246	262	236	260	226	229	228	246	249	321
{ 60-80 "	223	224	215	253	232	237	294	253	250	236	250	234	313
{ 80 years & upwards	53	43	39	55	51	66	73	60	50	43	54	50	68
Under 1 year	353	331	311	331	321	350	391	398	337	341	316	364	370
{ 1-5	159	159	171	160	163	182	198	169	125	172	167	207	203
{ 5-20	88	81	95	83	81	85	78	82	92	92	86	78	86
Deaths from Small-pox	3	-	1	1	-	-	-	1	1	-	-	-	-
" Measles	9	13	7	9	10	8	24	15	13	22	21	29	36
" Scarlet fever	15	15	18	9	12	18	17	10	9	8	14	19	18
" Diphtheria	55	52	67	66	54	61	49	54	42	44	48	54	57
" Whooping-cough	20	25	15	7	13	10	18	14	10	8	11	26	23
" Typhus	-	1	-	-	-	-	-	-	-	-	-	-	-
" Enteric fever	10	7	13	13	20	17	14	17	24	21	23	18	17
" Simple Cont ^d fever	-	-	-	-	-	-	-	-	1	-	-	-	-
" Diarrhoea and Dysentery	62	49	35	33	30	26	19	20	16	23	15	25	14
" Cholera	-	-	1	-	-	-	-	-	1	-	-	-	-
" all the above-mentioned Diseases	174	162	157	138	139	140	141	131	117	126	132	171	165
" Dis. of Respiratory System	143	172	184	215	241	287	329	329	245	245	261	263	338
" Phthisis	130	119	141	131	137	135	161	132	150	133	166	125	187
" Dis. of Circulatory System	82	106	111	101	102	93	128	111	104	131	105	100	158
Violent Deaths	55	51	49	52	57	57	47	53	43	51	41	37	67
Inquest Cases	102	97	107	120	121	119	112	129	108	113	111	93	152
Deaths in Public Institutions	401	377	412	368	416	392	422	394	385	363	412	405	466
TEMPERATURE OF THE AIR													
Mean	54.8	55.9	52.5	52.8	53.0	44.3	50.3	54.0	50.3	47.0	44.0	40.3	39.8
Mean of Highest readings	63.7	62.5	59.9	59.5	58.6	50.9	55.8	59.0	56.5	52.4	51.1	44.0	44.0
Mean of Lowest readings	47.7	51.0	46.3	47.5	48.5	38.4	45.0	50.2	44.3	42.2	36.7	35.5	34.0
Humidity of the Air	82	90	89	83	95	85	81	87	83	87	89	87	91
Rain-fall in inches	0.02	0.11	0.59	0.12	0.36	0.19	1.35	2.16	0.64	2.03	0.13	0.00	0.17
Registered Sunshine (in hours)	17.2	3.0	14.7	13.9	1.7	7.3	9.3	11.8	22.8	20.4	15.6	2.7	4.4

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Babbler, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Melandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. K. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

EVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT,*
Saturday, 8th December, 1894.

REGISTRATION SUB-DISTRICTS.		Name of Popu- lation, 1891.	Total Burials.	Total Deaths.	The DEATHS registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
					Deaths from													In- certified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
					Infants under Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	In- juries.		Deaths in Public Institutions.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

* The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Market.

TABLE 5.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 8th December, 1894.

REGISTRATION SUB-DISTRICTS.		Area in Acres.	Unenumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON—OUTER RING		369,746	1,422,063	941	474	158	119	-	6	2	15	6	13	8	7	20	40		
1	Carcasson WH	12238	26103	11	12	4	3	-	3	-	-	-	-	-	-	-	-		
2	Epsom, part of WH	10423	12508	6	9	2	2	-	-	-	-	-	-	-	-	-	-		
37:1	Godstone, part of WH	754	1593	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
38:1	Croydon WHH	20351	126599	78	54	16	13	-	-	-	1	-	1	-	-	4	2		
2	Mitcham WH	11697	23033	11	4	1	1	-	-	-	-	-	-	-	-	1	-		
39:1	Wimbledon HHH	3230	25761	22	8	2	1	-	-	-	2	-	-	-	-	1	-		
2	Kingston WHH	8071	44765	34	18	6	8	-	-	-	2	-	-	-	2	3	8		
3	Esher, part of WH	6601	12059	9	3	2	-	-	-	-	-	-	-	-	-	-	-		
4	Hampton H	4535	18252	8	4	1	2	-	-	-	-	-	-	-	-	-	-		
40:1	Richmond WH	2160	25339	12	14	5	4	-	-	-	-	1	-	-	-	1	6		
2	Mortlake H	2823	16189	15	7	2	2	-	-	-	-	-	1	-	-	-	-		
41:1	Bromley HHH	9127	23815	12	5	3	1	-	-	-	-	-	-	-	-	-	-		
2	Beckenham H	6542	21989	9	5	3	1	-	-	-	-	-	-	-	-	-	-		
3	Chislehurst, pt. of WHH	14307	20372	12	19	1	6	-	-	-	-	1	-	-	-	1	5		
42:1	Bexley HHH	12540	30590	16	9	2	4	-	-	-	-	-	-	-	-	1	-		
2	Dartford Work., pt. of WH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124:1	Sunbury WH	11054	13671	5	3	3	-	-	-	-	-	1	-	-	-	-	-		
2	Staines WH	18277	13221	3	5	2	3	-	-	-	-	-	-	-	-	-	-		
125:1	Hillingdon WHH	6035	12237	9	3	1	2	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge WH	6172	5417	6	2	-	1	-	-	-	-	-	-	-	-	-	-		
3	Hayes WH	14537	12613	-	5	1	1	-	-	-	-	1	-	-	-	-	-		
126:1	Isleworth WHH	6967	26273	14	13	6	3	-	-	-	-	-	-	-	-	-	-		
2	Twickenham HHH	2415	16027	7	8	4	3	-	1	-	-	-	-	1	-	-	-		
3	Brentford HHHH	4318	37777	17	10	4	3	-	-	-	-	-	-	-	2	3	-		
4	Chislewick WH	1245	21968	15	12	2	1	-	-	-	-	-	1	-	-	1	-		
5	Acton WH	6132	30945	19	6	2	2	-	-	-	-	-	-	1	-	-	-		
127:1	Harrow HHH	13809	15715	2	5	3	1	-	-	-	-	-	-	1	-	-	1		
2	Edgware HHH	8994	3844	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden HHH	4383	61235	42	11	8	1	-	-	-	-	-	2	-	-	-	-		
4	Hendon WH	8332	15843	8	6	1	2	-	-	-	-	-	-	-	-	-	2		
128:1	South Mimms WH	1559	8474	7	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet WHH	5441	11773	3	3	1	1	-	-	-	-	-	-	-	-	-	-		
3	Finchley HHT	4688	25823	15	2	-	1	-	-	-	-	-	-	-	-	-	-		
129:1	Hornsey HHH	3039	61097	25	13	4	7	-	-	-	1	-	1	1	1	1	1		
2	Tottenham H	4542	97174	59	25	11	2	-	-	-	-	-	2	1	-	-	-		
3	Edmonton WH	7489	36351	23	12	3	3	-	-	-	-	-	1	2	-	-	-		
4	Enfield WHH	12639	31803	20	8	5	-	-	-	-	1	-	-	-	1	1	-		
5	Waltham Abbey WH	11017	6066	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Chesham H	8439	9820	1	2	-	1	-	-	-	-	-	-	-	-	-	-		
130:1	Hatfield, part of WH	3366	532	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
131:1	Bushey H	9331	7737	7	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Watford Work., pt. of WH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
132:1	Stratford H	1100	42963	41	13	6	2	-	-	-	1	-	-	-	-	-	-		
2	Plaistow HHHH	1242	56030	54	19	7	3	-	-	-	2	-	-	1	-	-	-		
3	Canning Town H	1558	54750	40	28	11	5	-	1	-	1	-	1	1	-	1	1		
4	Forest Gate WH	806	49140	38	14	4	3	-	-	-	2	-	-	-	-	-	-		
5	East Ham WH	3266	32713	40	9	5	1	-	-	-	-	-	-	-	-	-	-		
6	Levy's WH	4324	70183	61	23	5	10	-	1	1	-	-	-	-	-	1	4		
7	Walthamstow HHL	6501	57330	45	21	7	6	-	-	-	3	-	2	-	-	-	-		
137:1	Chigwell, part of WH	11779	13941	12	4	-	1	-	-	-	-	-	-	-	-	-	-		
2	Epping Work., pt. of WH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
139:1	Romford, part of WH	6356	4324	6	2	1	1	-	-	-	-	-	-	-	-	-	-		
2	Ilford WH	8493	10913	9	1	-	-	-	-	-	1	-	-	-	-	-	-		
3	Barking Town WH	3814	14301	18	5	1	1	-	-	1	-	-	-	-	-	-	-		
	London Fv. Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Cane Hill Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 37: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1766); 37: 1, the parishes of Warlingham and Farley in Godstone district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2282); 41: 3, Chislehurst sub-district, except the parishes of Chislehurst, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parishes of Chigwell, and Barking (pop. 1079); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in Dartford, 137: 3, Watford, and 137: 2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 8th December, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.		
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid Fever.	Diarrhoea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
GREATER LONDON	443,421	5,948,303	18.2	1.9	2078	528	500	-	42	20	72	29	30	22	74	506				
METROPOLITAN LONDON	74,672	4,349,166	19.4	2.0	1614	370	381	-	36	18	57	23	17	14	67	466				
CITY OF LONDON	368,749	1,599,134	15.1	.6	464	158	119	-	6	2	15	6	13	8	7	40				

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 11.351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.
EDINBURGH -	270,588	December 8	120	97	18.7	6	-	4	2	-	-	1
GLASGOW -	636,820	" 8	426	316	24.0	-	15	6	1	11	3	5
DUBLIN -	349,594	" 8	204	170	25.4	6	-	1	1	1	2	3
CHICAGO -	466,460	October 13	-	238	26.2	3	1	-	-	-	101	47†
BOMBAY -	821,764	November 13	257	441	27.9	1	3	?	?	?	145	36
BARCELONA -	452,518	" 2	394	411	47.2	-	1	?	?	?	138	81
PARIS -	2,424,705	December 1	1077	838	18.0	-	1	1	5*	3	5	20
BRUSSELS -	498,400	" 1	259	209	21.8	2	11	1	2*	2	2	8
AMSTERDAM -	446,295	" 1	278	136	15.8	-	-	-	4	4	1	-
ROTTERDAM -	228,597	" 1	175	90	20.4	4	-	1	-	-	-	-
THE HAGUE -	174,790	" 1	119	71	21.1	-	-	-	1	1	-	-
COPENHAGEN -	341,000	" 1	190	130	19.9	-	2	3	4	1	2	4
STOCKHOLM -	252,937	November 24	126	87	17.9	-	11	1	6*	-	-	13
SANTO DOMINGO -	167,588	December 1	48	57	17.7	-	-	5	2	1	-	3
PETERSBURG -	954,400	November 17	642	359	19.6	-	4	15	9	1	1	27
NEW YORK -	753,469	" 24	-	-	-	-	-	-	-	-	-	-
MANCHESTER -	1,714,938	" 17	867	474	14.4	-	7	12	23	3	2	14
BIRMINGHAM -	598,372	December 1	-	164	14.3	-	1	2	10*	4	2	2
LONDON -	312,772	November 17	-	-	-	-	-	-	-	-	-	-
BRUSSELS -	360,660	December 1	-	157	22.7	-	1	5	8*	2	-	15
PARIS -	390,000	" 1	-	177	23.6	-	4	4	5*	4	-	24
AMSTERDAM -	1,465,537	" 1	886	582	20.6	-	22	5	35*	3	-	46
BRUSSELS -	339,172	November 24	184	140	21.2	1	1	1	6	2	2	4
VIENNA -	552,769	" 24	385	260	24.5	2	-	2	6	1	4	17
BERLIN -	159,739	" 24	101	76	24.7	-	-	5	9*	2	-	4
PARIS -	455,678	" 3	227	137	15.6	-	-	-	1	-	11†	13
NEW YORK (10 days) -	337,997	" 20	-	-	-	-	-	-	-	-	-	-
CHICAGO -	160,406	" 17	57	52	17.1	-	-	-	-	-	-	3
AMSTERDAM -	374,838	" 8	480	329	45.6	-	-	-	1*	3	9	109
BRUSSELS -	231,336	" 8	236	151	34.0	-	-	-	7*	-	3	34
NEW YORK -	1,925,569	" 24	-	644	16.9	6	2	12	35	1	5	14
BIRMINGHAM -	1,043,000	" 24	-	336	16.2	-	-	1	45	7	5	5
PHILADELPHIA -	1,139,457	" 24	-	390	17.8	-	-	2	51	-	7	6
NEW ORLEANS -	254,000	" 10	-	141	29.0	-	-	-	8	1	7	6

* Including deaths from croup.

† Including 12 deaths from cholera in Calcutta.

‡ Including 5 deaths from malarial fever.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 8th DECEMBER, 1894.

[Under the Superintendence of the Astronomer Royal.]

1894. MONTH AND DAY.	Phases of the Moon.	TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a Gauge whose receiving surface is inches above the Ground.																																																																																																																																																																																																																																																																																														
		Of the Air.					Of the Dew Point.					Difference between the Air Temperature and Dew Point Temperature.					Degree of Hu- midity (Sat- uration 100°).					Of the Radiation.					General Direction.						Oiler's.					Robinson's.																																																																																																																																																																																																																																																																																								
		High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 50 years.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.		Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.	Least.	Mean daily value.	Great- est.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1878 for the same instrument, and during the twenty years ending 1898 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the thermometers, forming the mean daily value of temperature. The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 15 years ending 1875.
In reading the columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: +, F. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 18, derived from the Campbell-Stokes Sunshine Instrument, show the approximate duration of bright sunshine on each day.
The reading of the barometer decreased from 29.87 in. by 9h. A.M. on the 6th, decreased to 29.55 in. by noon on the 4th; increased to 29.87 in. by 9h. A.M. on the 6th, decreased to 29.57 in. by 1h. A.M. on the 8th; and increased to 29.94 in. by the end of the week.

GENERAL REMARKS.

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sun above Sunshine, Horizon, in hours.	Remarks.
DECEMBER.			
SUNDAY	S. P. in early morn- ing; m. P. afterwards.	0.0	Overcast; dense fog in morning; slight fog afterwards.
MONDAY	m. P. in morning; v. P. afterwards.	4.3	Cloudy in morning; afterwards very fine, with light cloud.
TUESDAY	v. P. throughout	0.0	Fine in afternoon; otherwise overcast; fog of variable density till evening.
WEDNESDAY	v. P. throughout	0.0	Overcast; gloomy and slightly foggy; occasional thin rain in afternoon.
THURSDAY	s. P. generally	0.0	Overcast till 9h. P.M.; afterwards fine, with few thin clouds; foggy till evening.
FRIDAY	s. P. and s. N. in morning; v. P. and v. N. afterwards.	0.0	Generally fine till noon; solar halo between 9h. A.M. and 11h. A.M.; overcast afterwards; a shower of rain at 4h. 30m. A.M.; nearly continuous thin rain from 1h. 30m. P.M.
SATURDAY	m. P. generally in morning, with m. N. at 9h. A.M.; s. P. afterwards.	0.1	Cloudy till 11h. A.M.; afterwards fine; generally cloudless after 4h. P.M. Slight fog.
MEANS.		Sum 55.9	

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 50. 1894. VOL. LV.] WEEK ENDING SATURDAY, DECEMBER 15. [Price 1½d.

General Register Office, Somerset House,
December 17th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·7 per 1000 of their aggregate population, which is estimated* at 10,458,412 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.		Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.
Birkenhead	14·3	15·8	14·8	20·2	Liverpool -	21·1	20·8	23·3	24·6
Birmingham	19·3	17·2	20·9	19·3	London -	15·9	16·1	19·4	18·6
Blackburn -	15·8	22·0	21·1	19·9	Manchester -	20·6	17·2	22·9	20·3
Bolton -	18·1	23·4	19·8	22·0	Newcastle-on-Tyne	16·8	19·4	22·7	20·9
Bradford -	15·6	16·8	21·4	25·1	Norwich -	22·7	21·2	29·1	15·3
Brighton -	19·3	16·3	18·4	18·9	Nottingham -	12·6	14·2	15·4	17·3
Bristol -	20·9	15·2	18·6	18·2	Oldham -	17·3	23·7	28·2	28·9
Burnley -	20·5	22·2	14·6	18·9	Plymouth -	11·9	16·6	17·2	26·1
Cardiff -	16·1	17·2	18·6	20·3	Portsmouth -	17·4	21·0	20·4	19·2
Croydon -	16·8	14·4	20·0	13·5	Preston -	17·3	22·0	24·3	19·7
Derby -	13·7	22·7	16·9	17·9	Salford -	16·2	20·5	18·7	20·3
Gateshead -	21·8	23·5	19·5	22·3	Sheffield -	15·3	17·9	21·9	21·4
Halifax -	20·2	16·8	15·2	18·5	Sunderland -	24·9	22·6	27·2	22·6
Huddersfield	15·9	13·8	25·9	18·0	Swansea -	16·9	25·1	19·1	17·5
Hull -	18·4	19·4	21·1	16·9	West Ham -	15·5	20·1	17·1	11·8
Leeds -	21·1	21·6	22·3	25·9	Wolverhampton -	15·9	15·9	22·1	23·3
Leicester -	20·7	18·2	16·5	21·2					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·8 in Portsmouth, 2·2 in Brighton and in Sheffield, 4·8 in Derby, 5·0 in Gateshead, and 5·5 in Leeds; from *whooping-cough*, 1·0 in Norwich, and 1·1 in Swansea and in Huddersfield; from "*fever*," 1·1 in Sunderland, 1·3 in Salford, and 1·6 in Derby; and from *diarrhœa*, 1·6 in Burnley. The death-rate from *scarlet fever* did not reach 1·0 per 1000 in any of the thirty-three towns. The 87 deaths from *diphtheria* included 53 in London, 4 in Manchester, 4 in Oldham, and 3 in Bristol. Three deaths from *small-pox* were registered in Birmingham, one death in Birkenhead, and one in Halifax, but not one in London or in any other of the thirty-three towns.

LONDON.

In LONDON 2597 BIRTHS and 1550† DEATHS were registered. Allowing for increase of population, the births were 29, and the deaths 237, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·9, 16·1, and 19·4 in the preceding three weeks, fell last week to 18·6. During the four weeks ending on Saturday

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

last the death-rate averaged 17·5 per 1000, being 3·3 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1550 deaths included 32 from measles, 13 from scarlet fever, 53 from diphtheria, 25 from whooping-cough, 24 from enteric fever, 11 from diarrhoea and dysentery, one death from choleraic diarrhoea, and not one from small-pox, typhus, or from any ill-defined form of continued fever; thus, 159 deaths were referred to these diseases, being 50 below the corrected average weekly number.

There were 22 cases of *small-pox* under treatment on Saturday last in the Metropolitan Asylum Hospitals, but not one case in the Highgate Small-pox Hospital, the total number of cases in these hospitals having been 33, 31, and 32 on the preceding three Saturdays; 3 cases were admitted during the week, against 2, 6, and 7 in the preceding three weeks. The deaths from *measles*, which had been 21, 29, and 36 in the preceding three weeks, declined last week to 32, and were 26 below the corrected average; 8 belonged to Greenwich and 3 to Paddington sanitary areas. The deaths from *scarlet fever*, which had numbered 14, 19, and 18 in the preceding three weeks, declined last week to 13, and were 10 below the corrected average; 3 belonged to Lambeth and 2 to Hampstead sanitary areas. The Metropolitan Asylum and London Fever Hospitals* contained 2034 scarlet-fever patients at the end of last week, against 2198, 2148, and 2142 on the preceding three Saturdays; 187 cases were admitted during the week, against 191 and 228 in the preceding two weeks. The deaths from *diphtheria*, which had been 48, 54, and 57 in the preceding three weeks, declined last week to 53, but exceeded the corrected average by 13; 5 belonged to Limehouse, 4 to Islington, 4 to Camberwell, and 3 each to Kensington, St. George-in-the-East, Mile End Old Town, Battersea, Wandsworth, and Greenwich sanitary areas. The Metropolitan Asylum Hospitals* contained 521 diphtheria patients at the end of last week, against 526, 517, and 514 on the preceding three Saturdays; 111 cases were admitted during the week, against 78 and 104 in the preceding two weeks. The deaths from *whooping-cough*, which had been 11, 26, and 23 in the preceding three weeks, numbered 25 last week, being but half the corrected average; 6 belonged to Battersea sanitary area. The fatal cases of *enteric fever*, which had been 23, 18, and 17 in the preceding three weeks, rose last week to 24, exceeding the corrected average by 7; 3 belonged to Hackney and 3 to Lewisham sanitary areas. The Metropolitan Asylum Hospitals* contained 100 cases of enteric fever and not one case of typhus on Saturday last; 12 cases of enteric fever were admitted during the week, against 18 and 13 in the preceding two weeks. The deaths from *diarrhoea*, which had been 15, 25, and 14 in the preceding three weeks, further declined last week to 11, and were 3 below the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 261, 263, and 338 in the preceding three weeks, further rose last week to 358, but were 125 below the corrected average.

The deaths attributed directly to *influenza* numbered 17, having been 10, 11, and 14 in the preceding three weeks.

The death of a brushmaker, aged 50 years, was certified to have been caused by "malignant pustule."

Different forms of violence caused 76 deaths, concerning 74 of which inquests were held. Of these 76 deaths, 6 were cases of suicide, and 3 of homicide, while the remaining 67 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 15 to burns and scalds, 3 to poison, and 18 (of infants under one year of age) to suffocation in bed. The death of a painter, aged 60 years, was certified to have resulted from "lead palsy, 15 months."

GREATER LONDON.

In Greater London 3512 births and 1980 deaths were registered, corresponding to annual rates of 30·8 and 17·4 per 1000 of the estimated population. In the Outer Ring 10 deaths from measles, 13 from diphtheria, 8 from whooping-cough, and 10 from "fever" were recorded. Of the 13 deaths from diphtheria, 7 occurred in West Ham district, and 2 in Kingston district. The 10 deaths from "fever" included 4 in West Ham district and 2 in Brentford district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·94 inches, and that of the Thermometer 45°·4, the latter being 5°·3 above the week's average in the 50 years 1841-90. The direction of the wind was Southerly, the horizontal movement of the air being 3 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 4·4 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—Births, Deaths, and Meteorology, in 33 Great Towns, during the Week ending 15th December 1894.

CITIES AND BOROUGH.	POPULATION estimated at middle of the Year 1854.	Registered during the Week ending 16th Dec. 1854.			Deaths of 1 Year of Age and upwards.		Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Whooping-cough.		Fever.		Diarrhoea.		Violence.		Inquest Cases.		Deaths in Public Institutions.		Unidentified Causes of Death.		TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	Fahrenheit.		Lowest.	Windswept.	Mean.	Inches.	In Cent.									
																				Highest.	Lowest.														
33 TOWNS.	10,458,442	6452	3959	944	574	5	154	35	57	55	35	177	340	805	58	19.7	2.1	55.8	28.0	45.1	7.28	0.70	1.78									33 TOWNS.			
LONDON.	4,249,166	2657	1550	247	407	-	42	13	23	25	24	11	76	122	472	9	18.6	1.9	52.9	31.9	45.4	7.44	0.97	2.46									LONDON.		
WEST HAM.	238,184	105	54	12	6	-	4	1	1	3	1	-	-	-	2	2	11.8	2.0	-	-	-	-	-	-									WEST HAM.		
CROYDON.	111,921	54	29	4	16	-	-	-	-	-	-	-	-	-	3	-	13.5	-	52.8	30.5	43.1	6.17	0.69	1.75									CROYDON.		
BRIGHTON.	118,715	52	43	8	13	-	5	-	-	-	-	-	-	-	5	-	18.9	3.5	50.4	38.0	46.9	8.28	0.63	1.60									BRIGHTON.		
PORTSMOUTH.	170,973	68	43	13	24	-	6	1	1	-	-	-	-	-	8	-	19.2	2.4	54.0	31.5	46.3	7.94	0.58	1.47									PORTSMOUTH.		
PLYMOUTH.	87,831	57	44	13	15	-	-	-	-	-	-	-	-	-	6	-	26.1	-	-	-	-	-	-	-									PLYMOUTH.		
BRISTOL.	226,478	134	79	13	28	-	-	-	3	-	-	-	7	15	15	-	18.2	0.7	54.0	30.0	45.0	7.22	1.25	3.17									BRISTOL.		
CARDIFF.	148,800	133	58	18	8	-	-	-	-	-	-	1	2	5	3	-	20.3	1.1	-	-	-	-	-	-									CARDIFF.		
SWANSEA.	95,339	60	32	12	7	-	-	-	1	2	1	1	1	2	1	-	17.5	2.7	-	-	-	-	-	-									SWANSEA.		
WOLVERHAMPTON.	85,086	62	38	11	7	-	-	-	-	-	-	-	2	7	9	-	23.3	1.2	52.1	31.9	43.0	6.11	0.50	1.27									WOLVERHAMPTON.		
BIRMINGHAM.	492,301	254	182	66	18	3	-	2	2	2	-	4	6	1	20	12	19.3	1.4	-	-	-	-	-	-									BIRMINGHAM.		
NORWICH.	105,645	65	31	4	14	-	-	-	1	2	1	-	1	4	9	8	21.2	0.6	-	-	-	-	-	-									NORWICH.		
LEICESTER.	189,136	124	77	20	15	-	-	-	-	1	-	1	1	6	7	11	17.3	0.9	53.1	35.4	44.7	7.06	0.77	1.96									LEICESTER.		
NOTTINGHAM.	223,584	120	74	12	28	-	5	1	-	-	-	3	-	4	4	-	17.9	6.9	-	-	-	-	-	-									NOTTINGHAM.		
DERBY.	88,736	60	34	8	5	-	9	1	-	-	-	-	-	2	4	5	-	20.2	1.0	-	-	-	-	-									DERBY.		
BIRKENHEAD.	105,627	46	41	8	11	1	-	-	1	-	-	-	-	1	5	-	20.2	1.0	-	-	-	-	-	-									BIRKENHEAD.		
LIVERPOOL.	507,230	375	229	47	46	-	6	4	2	6	4	2	16	23	46	9	24.6	2.5	55.8	36.4	47.4	8.56	0.52	1.32									LIVERPOOL.		
BOLTON.	118,303	68	50	9	9	-	2	-	-	-	1	2	4	8	5	-	22.0	2.2	-	-	-	-	-	-									BOLTON.		
MANCHESTER.	520,211	332	203	39	53	-	5	1	4	1	2	5	4	1	49	2	20.3	1.5	-	-	-	-	-	-									MANCHESTER.		
SALFORD.	206,528	132	80	20	19	-	-	-	-	5	1	2	4	8	9	-	23.9	3.8	-	-	-	-	-	-									SALFORD.		
OLDHAM.	188,775	76	77	16	17	-	1	-	4	2	1	2	4	8	9	-	23.9	3.8	-	-	-	-	-	-									OLDHAM.		
BURNLEY.	96,478	60	35	13	5	-	2	-	2	-	-	3	1	2	2	-	18.9	3.8	-	-	-	-	-	-									BURNLEY.		
BLACKBURN.	125,797	67	48	12	13	-	1	-	1	1	-	1	3	5	1	1	19.9	1.7	-	-	-	-	-	-									BLACKBURN.		
PRESTON.	111,425	81	42	14	10	-	2	-	-	-	-	-	-	2	4	1	19.7	0.9	-	-	-	-	-	-									PRESTON.		
HUDDERSFIELD.	98,511	37	24	13	8	-	-	-	-	-	-	-	-	-	1	1	18.0	1.1	-	-	-	-	-	-									HUDDERSFIELD.		
HAULFAX.	92,861	49	33	8	9	1	1	-	-	-	1	-	-	1	2	5	1	18.5	2.2	-	-	-	-	-									HAULFAX.		
BRADFORD.	228,385	117	108	28	32	-	7	3	-	1	-	3	5	16	1	-	25.1	3.0	54.0	37.8	46.8	8.22	0.28	0.71									BRADFORD.		
LEEDS.	388,761	233	143	49	30	-	41	3	-	3	-	1	4	11	19	-	25.9	6.4	-	-	-	-	-	-									LEEDS.		
SHEFFIELD.	338,316	231	139	39	22	-	14	-	2	1	1	1	6	13	17	8	21.4	2.9	-	-	-	-	-	-									SHEFFIELD.		
HULL.	212,673	138	79	13	20	-	6	-	1	3	-	-	7	9	6	2	16.9	2.5	53.0	28.0	43.9	6.61	0.96	2.44									HULL.		
SUNDERLAND.	186,101	98	59	13	14	-	-	1	-	-	-	-	2	5	6	1	22.6	1.5	-	-	-	-	-	-									SUNDERLAND.		
GATESHEAD.	83,372	63	40	16	6	-	9	-	1	1	-	-	1	2	2	1	22.3	6.1	-	-	-	-	-	-									GATESHEAD.		
NEWCASTLE.	201,947	116	81	21	17	-	4	-	1	1	2	-	4	8	17	-	20.9	2.1	-	-	-	-	-	-									NEWCASTLE.		

* See note * on first page of this Return.

*Births, Deaths, Meteorology.***TABLE 2. LONDON.—Births and Deaths Registered in the FIFTIETH Week of each of the Eleven Years, 1884–94.**

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884–93.*	1894
TOTAL Births	2614	2671	2415	2516	2291	2535	2293	2625	2451	2474	2626·4	2597
Males . .	1319	1590	1238	1293	1139	1323	1144	1357	1283	1261	1340·4	1247
Females .	1295	1281	1177	1223	1152	1212	1149	1268	1218	1210	1286·0	1350
TOTAL Deaths	1638	1725	1499	1625	1455	1768	1787	1449	1589	2400	1787·3	1550
Males . .	786	868	763	807	733	901	910	743	824	1165	897·6	780
Females .	852	857	736	818	722	867	877	701	765	1235	889·7	770

* The numbers in this column are the average weekly numbers in the fiftieth weeks of the ten years 1884–93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.
TOTAL Births - -	2358	2403	2532	2323	2516	2413	2659	2657	2494	2704	2550	2599	2597
TOTAL Deaths - -	1211	1277	1287	1291	1326	1481	1372	1249	1275	1326	1347	1614	1556
Ages at Death													
{ 0–20 years -	571	577	574	565	617	667	649	554	605	569	649	664	646
{ 20–40 " -	145	160	159	181	170	187	184	166	163	207	165	243	212
{ 40–60 " -	228	286	246	262	236	260	226	229	228	246	249	321	235
{ 60–80 " -	224	215	253	232	237	291	253	250	236	250	234	313	341
{ 80 years & upwards	43	39	55	51	66	73	60	50	43	54	50	68	66
Under 1 year -	331	311	331	321	350	393	398	337	341	316	364	370	347
{ 1–5 -	159	171	160	163	182	193	169	125	172	167	207	208	207
{ 5–20 -	81	95	83	81	85	78	82	92	92	86	78	86	92
Deaths from Small-pox -	-	1	1	-	-	-	1	1	-	-	-	-	-
" " Measles -	13	7	9	10	8	24	15	13	22	21	29	36	32
" " Scarlet fever -	15	18	9	12	18	17	10	9	8	14	19	18	13
" " Diphtheria -	52	67	66	54	61	49	54	42	44	48	54	57	53
" " Whooping-cough -	25	15	7	13	10	18	14	10	8	11	26	23	25
" " Typhus -	1	-	-	-	-	-	-	-	-	-	-	-	-
" " Enteric fever -	7	13	13	20	17	14	17	24	21	23	18	17	24
" " Simple Cont ^d fever -	-	-	-	-	-	-	-	1	-	-	-	-	-
" " Diarrhoea and Dysentery -	49	35	33	30	26	19	20	16	23	15	25	14	11
" " Cholera -	-	1	-	-	-	-	-	1	-	-	-	-	1
" " all the above-mentioned Diseases -	162	157	138	139	140	141	131	117	126	132	171	165	159
" " Dis. of Respiratory System -	172	184	215	241	287	329	329	245	245	261	263	338	358
" " Phthisis -	119	141	131	137	135	161	132	150	133	166	125	187	132
" " Dis. of Circulatory System -	106	111	101	102	93	123	111	104	131	105	100	158	158
Violent Deaths - -	51	49	52	57	57	47	53	43	51	41	37	67	76
Inquest Cases - -	97	107	120	121	119	112	129	108	118	111	98	152	152
Deaths in Public Institutions	377	412	368	416	392	422	394	385	363	412	405	466	472
TEMPERATURE OF THE AIR													
Mean -	55·9	52·5	52·8	53·0	44·3	50·3	54·0	50·3	47·0	44·0	40·3	39·8	45·4
Mean of Highest readings -	62·5	59·9	59·5	58·6	50·9	55·8	59·0	56·5	52·4	51·1	44·0	44·0	48·8
Mean of Lowest readings -	51·0	46·3	47·5	48·5	38·4	45·0	50·2	44·3	43·2	36·7	35·5	34·0	41·1
Humidity of the Air - -	90	89	83	95	85	81	87	83	87	89	87	91	88
Rain-fall in inches - -	0·11	0·59	0·12	0·36	0·19	1·35	2·16	0·64	2·03	0·13	0·00	0·17	0·97
Registered Sunshine (in hours)	3·0	14·7	13·9	1·7	7·3	9·3	11·8	22·8	20·4	15·6	2·7	4·4	4·4

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrothesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Bobbver, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. A. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTIETH Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 50th Week of the 10 years 1884-93.*	In the Week ending Saturday, 15th December 1894.										Corrected Averages for the 50th Week of the 10 years 1884-93.*	CAUSES OF DEATH.	Corrected Averages for the 50th Week of the 10 years 1884-93.*	In the Week ending Saturday, 15th December 1894.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Deaths of Persons of the Ages													Deaths of Persons of the Ages																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.	ALL AGES.	Under 20.				20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
			0-1.	1-6.	5-20.						0-1.								1-6.	5-20.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
ALL CAUSES - -	1787.3	1550	347	207	92	212	285	341	63																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

* The numbers in this column are the average weekly returns for the ten years 1884-93, raised by 5.34 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated," or as "unvaccinated," when the medical attendant does not certify that the deceased was, or was not, vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, Typhus, Zoster (or Typhoid) Fever, Simple continued Fever, Diarrhoea, Violence, Inquest Cases, Deaths in Public Institutions during the Week ending

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1891.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from												Deaths in Public Institutions
				Infants under 1 year of Age.	Persons aged 10 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON	4,211,743	2397	1550	347	497	-	32	13	53	25	-	24	-	11	76	152	472	
WEST DISTRICTS	740,735	386	272	48	74	-	7	1	6	2	-	4	-	-	13	31	89	
NORTH DISTRICTS	993,884	532	344	57	108	-	3	4	23	3	-	4	-	2	20	33	103	
CENTRAL DISTRICTS	247,538	136	96	11	9	-	2	-	1	4	-	1	-	-	8	8	46	
EAST DISTRICTS	765,114	513	233	77	67	-	5	2	3	3	-	1	-	1	16	33	97	
SOUTH DISTRICTS	1,524,472	980	553	154	139	-	15	5	20	13	-	14	-	8	19	35	115	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	22	-	10	-	-	1	-	-	-	-	-	-	-	-	22	
WEST DISTRICTS.																		
St. Mary Paddington WHH G.J. & W.M.	84159	39	23	6	5	-	3	-	-	-	-	-	-	-	-	1	2	
St. John Paddington H - - G.J.	33687	11	17	-	5	-	-	-	-	-	-	-	-	-	4	7	8	
Kensington Town W - - W.M.	118751	64	49	10	19	-	1	-	1	-	-	1	-	-	1	7	22	
Brompton H - - W.M. & C.	47557	5	7	1	1	-	-	-	-	-	-	-	-	-	1	1	3	
St. Peter Hammersmith - - W.M.	8533	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Hammersmith H W.M. & G.J.	89263	63	32	10	7	-	1	-	-	1	-	1	-	-	2	5	5	
Fulham W - - W.M. & C.	91639	60	40	4	7	-	2	1	2	-	-	1	-	-	-	4	13	
Chelsea Kensal Town - - C.	21787	19	7	3	1	-	-	-	-	-	-	-	-	-	-	1	-	
Chelsea North WHHHH - - C.	41637	27	19	1	5	-	-	-	1	-	-	-	-	-	-	2	13	
Chelsea South HH - - C.	38829	18	14	1	5	-	-	-	1	-	-	-	-	-	-	2	3	
May Fair W - - G.J.	23733	8	11	-	2	-	-	-	-	-	-	-	-	-	-	-	7	
Belgrave WHHH - - C.	54681	30	21	6	5	-	-	-	1	-	-	-	-	-	2	2	8	
St. John Westminster HHH - - C.	34108	15	10	3	3	-	-	-	1	-	-	1	-	-	-	2	4	
St. Markers Westminster H - - C.	21668	8	11	2	5	-	-	-	-	-	-	-	-	-	-	1	4	
St. James Westminster WHH N.R. & G.J.	24995	6	7	-	3	-	-	-	-	-	-	-	-	-	1	2	1	
St. Anne Soho HHHHHH - - N.R.	12317	8	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	
NORTH DISTRICTS.																		
All Souls Marylebone } - - W.M.	37713	20	13	2	2	-	-	-	1	-	-	1	-	-	-	1	6	
HHHHHHHHH - - G.J. & W.M.	20024	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	2	
Rectory Marylebone W - - W.M.	19239	20	9	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Marylebone HHHH G.J. & W.M.	38327	22	9	2	4	-	-	-	-	-	-	-	-	-	1	2	-	
Christchurch Marylebone H - - W.M.	32101	17	7	-	4	-	-	-	1	-	-	-	-	-	1	1	-	
St. John Marylebone H - - W.M.	68416	31	30	2	8	-	-	3	13	-	-	-	-	1	2	18	-	
Hampstead WHHHHH N.R. & W.M.	36590	22	10	3	1	-	-	-	-	-	-	-	-	-	-	1	-	
Regent's Park Pancras HH - - W.M.	26321	13	19	2	4	-	1	-	-	-	-	-	-	-	1	1	10	
Tottenham-court WHHHH N.R. & W.M.	27455	19	6	2	1	-	1	-	2	-	-	-	-	-	1	1	1	
Gray's Inn Lane HHH - - N.R.	32329	19	10	5	1	-	-	-	-	-	-	-	-	-	1	3	4	
Somers Town HH - - N.R.	15419	18	11	1	5	-	-	-	-	-	-	-	-	-	1	1	2	
Camden Town WH - - N.R.	95765	45	38	7	9	-	-	-	1	-	-	-	-	-	1	4	9	
Kentish Town W - - N.R.	95765	45	38	7	9	-	-	-	1	-	-	-	-	-	1	4	11	
Upper Holloway WHHHH - - N.R.	99235	62	52	8	24	-	-	-	-	-	-	-	-	-	3	3	27	
Islington South-west H - - N.R.	165557	72	27	4	8	-	-	-	-	-	-	-	-	-	2	3	-	
Islington South-east - - N.R.	64153	29	13	2	4	-	-	-	-	-	-	-	-	-	2	2	-	
Highbury HH - - N.R.	59193	28	25	5	10	-	-	-	-	-	-	-	-	-	1	2	-	
Stoke Newington H - - N.R.	39933	18	4	1	1	-	-	-	-	-	-	-	-	1	1	1	-	
Stamford Hill - - E.L.	17739	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
West Hackney H - - N.R.	42802	20	14	2	5	-	-	-	1	-	-	1	-	-	1	1	2	
Hackney WHHHH - - E.L. & N.R.	96486	61	39	6	11	-	1	6	1	-	-	2	-	-	2	7	17	
South Hackney W - - E.L.	41799	28	7	-	3	-	1	-	-	-	-	-	-	-	-	-	-	
CENTRAL DISTRICTS.																		
St. George Bloomsbury - - N.R.	16695	6	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
St. Giles South WH - - N.R.	13454	11	6	1	1	-	-	-	-	-	-	1	-	-	-	-	3	
St. Giles North H - - N.R.	9933	2	3	1	-	-	-	-	-	-	1	-	-	-	-	-	1	
St. Martin-in-the-Fields HH N.R. & C.	14616	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-	3	
St. Mary-le-Strand H - - N.R.	5706	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Clement Danes WH - - N.R.	7191	4	9	2	-	-	-	-	-	-	-	-	-	-	-	-	8	
Strand Union Workhouse, Edminton w.	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
St. Geo.-the-Martyr HHHHHH N.R.	17921	7	12	-	1	-	-	-	-	-	-	-	-	-	-	-	8	
St. Andrew Eastern W - - N.R.	15843	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Clerkenwell - - N.R.	16893	9	3	1	-	-	-	-	-	-	-	-	-	-	2	2	-	
Amwell Clerkenwell - - N.R.	16883	11	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Pentonville - - N.R.	17155	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Goosewell-street - - N.R.	15375	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
City-road HHHH - - N.R.	29177	35	9	2	1	-	-	-	-	-	2	-	-	-	1	1	-	
Whitecross-street - - N.R.	8278	8	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Finsbury - - N.R.	4955	2	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
Holborn Union Workhouse, Mitcham w.	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Botolph H - - N.R. & E.L.	8944	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
Cripplegate - - N.R.	4539	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S. Sepulchre H - - N.R.	4444	1	18	-	2	-	-	-	-	-	-	-	-	-	2	2	17	
S. Bride W - - N.R.	6394	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
A. Hallows Barking - - N.R.	10422	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
Broad Street H - - N.R.	3377	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W.—Workhouse; H.—Hospital; L.—Lunatic Asylum; L.—Private Lunatic Asylum in which paupers are received; w.—Workhouse Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N. River; E. L., East London; and K., the Kent Company.

* See note on first page of this Return.

Deaths from some Zymotic and other Causes.

525

, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT.*
 day, 15th December, 1894.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1891.	The DEATHS registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
			Total Births.	Total Deaths.	Deaths of		Deaths from													Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
					Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple com- plicated Fever.	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
EAST DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

he Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Market.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 15th December, 1894.

REGISTRATION SUB-DISTRICTS.		Area in Acres.	Census rated Popu- lation. 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 15 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Dysentery.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Cases.	
LONDON—OUTER RING		368,746	1,423,083	915	430	101	126	-	10	1	13	8	10	5	14	28	31	8	
39: 1	Carshalton WHH -	12228	26108	10	10	4	2	-	2	-	-	1	-	-	-	-	-	-	
2	Epsom, part of* WHH -	10423	12508	4	4	1	-	-	-	-	-	-	-	-	-	-	2	-	
37: 1	Godstone, part of* WHH -	754	1593	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Croydon WHH -	10851	128699	63	38	5	18	-	-	-	-	-	1	-	-	2	4	2	
2	Mitcham W -	11897	23088	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon HHH -	3220	25761	18	10	3	2	-	1	-	1	1	-	-	-	-	-	-	
2	Kingston WHH -	8071	44765	19	20	7	5	-	-	-	1	-	-	-	1	2	1	-	
3	Esher, part of* WHH -	6601	12059	4	5	2	1	-	-	-	-	-	-	1	1	1	-	-	
4	Hampton H -	4535	18252	8	8	2	2	-	1	-	-	-	1	-	-	-	-	-	
40: 1	Richmond WH -	2160	25399	9	-	-	3	-	1	-	-	-	-	-	-	1	1	3	
2	Mortlake H -	2823	16159	13	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley HHH -	9127	23815	8	8	1	1	-	-	-	1	1	-	-	-	-	-	1	
2	Beckenham H -	6542	21969	13	6	2	3	-	-	-	-	-	1	-	-	-	-	-	
	Chislehurst, pt. of* WHH	14307	20372	13	9	3	5	-	-	-	-	-	-	-	1	-	2	-	
42: 1	Bexley HHH -	12540	30590	21	8	2	3	-	-	-	1	-	1	-	-	-	-	-	
2	Dartford Work., pt. of* -	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
124: 1	Sunbury W -	11054	13671	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W -	18277	13221	11	4	1	1	-	-	-	-	-	-	-	-	-	2	-	
125: 1	Hillingdon WHH -	6035	12237	10	5	2	1	-	-	-	-	3	-	-	-	-	-	-	
2	Uxbridge -	6172	5417	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes WH -	14537	12613	11	5	-	-	-	1	-	-	-	-	-	-	-	-	1	
126: 1	Isleworth WHH -	6967	23273	18	10	1	2	-	-	-	-	-	-	-	1	1	2	-	
2	Twickenham HH -	2415	16027	9	8	1	1	-	1	-	1	-	-	-	-	1	1	-	
3	Brentford HHHH -	4318	37777	18	13	1	4	-	-	-	-	-	-	-	-	-	-	-	
4	Chislewick -	1245	21963	15	7	1	2	-	-	-	-	-	2	-	-	1	-	-	
5	Aston WH -	6132	30945	27	7	4	1	-	-	-	-	-	-	-	-	-	-	-	
127: 1	Harrow HHH -	13809	16715	10	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware HH -	6994	3844	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willisdon HHH -	4933	61265	48	21	7	6	-	-	-	-	-	-	-	1	2	-	-	
4	Hendon W -	8352	15843	13	3	1	2	-	-	-	-	-	-	-	-	-	-	2	
128: 1	South Mimms -	1559	8474	8	5	1	3	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet WHH -	6441	11773	4	5	-	4	-	-	-	-	-	-	-	1	2	1	-	
3	Finchley HHH -	4688	25820	9	5	-	1	-	-	-	1	-	-	-	-	-	-	-	
129: 1	Hornsey HHH -	2039	61097	35	13	4	10	-	-	-	-	-	-	-	-	-	1	-	
2	Tottenham H -	4542	97174	79	33	10	8	-	-	-	-	-	-	-	-	-	4	-	
3	Edmonton WH -	7489	38351	24	8	1	5	-	-	-	-	1	-	-	-	1	1	3	
4	Enfield WHH -	12639	31803	17	7	2	3	-	-	-	-	-	-	-	-	-	-	1	
5	Waltham Abbey -	11017	6066	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
6	Cheshunt H -	8430	9620	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
130: 1	Hatfield, part of* W -	8306	593	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
131: 1	Bushy H -	9331	7737	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford Work., pt. of* -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
132: 1	Stratford H -	1100	42983	35	11	-	3	-	1	-	1	-	1	-	-	1	2	1	
2	Plaistow HHHH -	1242	58030	40	13	6	1	-	-	-	-	-	-	-	-	1	1	-	
3	Canning Town H -	1553	54750	52	14	4	1	-	-	-	1	-	-	-	-	1	1	1	
4	Forest Gate W -	806	49140	20	9	1	-	-	-	1	-	1	-	-	1	-	-	-	
5	East Ham W -	3266	32713	30	12	6	1	-	-	-	2	-	-	-	-	-	-	-	
6	Leyton WHH -	4824	70188	42	21	5	3	-	2	-	1	-	1	-	-	-	-	5	
7	Walthamstow HHL -	6501	57390	31	15	3	4	-	-	-	2	-	-	-	1	-	-	-	
133: 1	Chigwell, part of* H -	11779	12941	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epping Work., pt. of* -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
134: 1	Romford, part of* WHH -	6556	4324	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford -	8493	10913	6	8	1	4	-	-	-	-	-	-	-	-	1	2	-	
3	Barking Town H -	3814	14591	14	4	2	2	-	-	-	-	-	-	-	1	-	-	-	
	London Fov. Hospital -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Cane Hill Asylum -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows: 39: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1768); 37: 1, the parishes of Warrington and Farley in Goldstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2292); 41: 3, Chislehurst sub-district, except the parishes of Chislehurst, Cudham, and Knockholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Chigwell.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 15th December, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
			From All Causes.	From Diseases in Cols. 8-14.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.			
			Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,421	5,948,300		17.4	1.8	1930	448	533	-	42	14	63	33	34	16	90	503		
INNER LONDON	74,672	4,349,163		18.6	1.9	1550	317	407	-	32	13	53	25	24	11	76	472		
OUTER RING	368,749	1,599,134		14.0	1.5	430	101	123	-	10	1	13	8	10	5	14	31		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692.845 square miles, which is equivalent to the area of a circle having a radius of 14.851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,583	December 15	128	110	21.2	2	2	3	2	2	2	2	
GLASGOW	686,820	" 15	428	326	24.8	-	21	7	1	11	1	8	
DUBLIN	349,594	" 15	172	182	27.1	5	1	1	-	4	4	3	
CALCUTTA	466,460	October 20	-	245	27.4	2	1	-	-	-	97	35+	
BOMBAY	821,764	November 20	289	456	27.6	2	2	?	?	?	153	35+	
ADRAS	452,518	" 9	345	352	40.4	-	3	?	?	?	122	57	
BRIS -	2,424,705	December 8	1080	965	20.7	-	5	3	13*	4	4	26	
RUSSELS	498,400	" 8	244	190	20.8	-	11	-	3*	2	3	11	
AMSTERDAM	446,295	" 8	295	156	18.1	-	-	-	1	3	-	-	
ROTTERDAM	228,597	" 8	168	81	18.4	2	-	-	-	-	-	-	
THE HAGUE	174,790	" 8	102	53	15.7	-	-	1	1	-	-	-	
COPENHAGEN	341,900	" 8	164	117	17.9	-	7	1	6	-	2	3	
STOCKHOLM	252,937	" 1	141	110	22.6	-	17	3	8*	-	-	9	
CHRISTIANIA	167,588	" 8	55	47	14.6	-	-	1	5	2	-	2	
PETERSBURG	954,400	November 24	626	356	19.4	3	5	9	20	5	3	30	
MOSCOW	753,469	" 24	-	413	28.6	2	1	11	27	3	8	36	
BERLIN	1,714,938	" 24	881	518	15.7	-	5	12	27	10	-	19	
ST. PETERSBURG	598,372	December 8	-	186	16.2	-	-	-	6*	6	1	6	
BRISDEN	312,772	November 17	189	101	16.6	-	1	2	7*	2	-	2	
BRISLAU	360,660	December 8	-	181	26.1	-	2	2	10*	2	-	9	
BRISNICH	390,000	" 8	-	182	24.3	-	3	2	4*	4	-	22	
BUDAPEST	1,465,537	" 8	914	575	20.2	-	27	5	35*	-	1	33	
BRAGUE	339,172	" 1	164	174	26.3	-	1	2	5	1	-	2	
BOUDA-PESTH	552,769	" 1	380	264	24.8	1	2	3	8	-	3	14	
BRESCIA	159,739	" 1	-	-	-	-	-	-	-	-	-	-	
BREMEN	455,678	November 10	219	167	19.1	-	-	1	-	-	7+	17	
BRISIN (10 days)	337,997	" 20	234	164	17.7	-	-	-	-	-	1	9	
BRISICE	160,406	" 24	62	58	19.1	-	-	-	-	-	-	7	
BRISRO	374,888	" 15	452	334	46.3	-	-	-	6*	-	4	113	
BRISKANDRIA	231,396	" 15	242	144	32.4	-	-	-	2*	-	5	29	
BRISNEW YORK	1,925,569	December 1	-	693	18.2	1	2	8	59	3	9	7	
BRISBROOKLYN	1,043,000	" 1	-	344	16.6	-	-	1	29	-	5	4	
BRISBALTIMORE	1,139,457	" 1	-	412	18.9	1	-	4	53	2	8	5	
BRISNEW ORLEANS	254,000	November 17	-	-	-	-	-	-	-	-	-	-	

* Including deaths from croup.

† Including 9 deaths from cholera in Calcutta, and one in Bombay.

‡ Including 2 deaths from malarial fever.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 15th DECEMBER, 1894.

[Under the Superintendence of the Astronomer Royal.]

Meteorological Observations.

1894.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE	
-------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	-------------	--

The results apply to the civil day, or from midnight to midnight. The height of the column of the barometer is 169 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the minimum and maximum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hydro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1894, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876, in reading the columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28 derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.94 in. at the beginning of the week to 30.05 in. by 11h. P.M. on the 10th; decreased to 29.84 in. by 5h. A.M. on the 12th; increased to 30.05 in. by 9h. P.M. on the same day; decreased to 29.67 in. by 11h. P.M. on the 14th; and increased to 30.05 in. by the end of the week.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 3, EAST HARDING ST., FETTER LANE, E.C.

No. 51. 1894. VOL. LV.] WEEK ENDING SATURDAY, DECEMBER 22. [Price 1½d.

General Register Office, Somerset House,
December 24th, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·2 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.		Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.
Birkenhead	15·8	14·8	20·2	16·3	Liverpool -	20·8	23·3	24·6	22·6
Birmingham	17·2	20·9	19·3	18·0	London -	16·1	19·4	18·6	17·4
Blackburn -	22·0	21·1	19·9	17·8	Manchester -	17·2	22·9	20·3	22·2
Bolton -	23·4	19·8	22·0	15·4	Newcastle-on-Tyne	19·4	22·7	20·9	18·3
Bradford -	16·8	21·4	25·1	19·1	Norwich -	21·2	29·1	15·3	24·2
Brighton -	16·3	18·4	18·9	14·9	Nottingham -	14·2	15·4	17·3	15·6
Bristol -	15·2	18·6	18·2	17·0	Oldham -	23·7	28·2	28·9	20·7
Burnley -	22·2	14·6	18·9	22·2	Plymouth -	16·6	17·2	26·1	11·3
Cardiff -	17·2	18·6	20·3	17·5	Portsmouth -	21·0	20·4	19·2	19·8
Croydon -	14·4	20·0	13·5	14·0	Preston -	22·0	24·3	19·7	26·7
Derby -	22·7	16·9	17·9	13·7	Salford -	20·5	18·7	20·3	18·2
Gateshead -	23·5	19·5	22·3	19·5	Sheffield -	17·9	21·9	21·4	16·5
Halifax -	16·8	15·2	18·5	16·3	Sunderland -	22·6	27·2	22·6	20·7
Huddersfield	13·8	25·9	18·0	14·8	Swansea -	25·1	19·1	17·5	20·2
Hull -	19·4	21·1	16·9	19·4	West Ham -	20·1	17·1	11·8	15·3
Leeds -	21·6	22·3	25·9	21·7	Wolverhampton -	15·9	22·1	23·3	19·6
Leicester -	18·2	16·5	21·2	14·9					

The highest annual death-rates, as measured by last week's mortality, were :— from *measles*, 1·5 in Sheffield, 2·6 in Derby, 3·0 in Bradford, 3·8 in Leeds, 4·3 in Portsmouth, and 5·6 in Gateshead ; and from *whooping-cough*, 1·3 in Newcastle, 1·6 in Huddersfield, 1·7 in Halifax, and 1·9 in Preston. The death-rate from *scarlet fever*, from "*fever*," and from *diarrhœa* did not reach 1·0 per 1000 in any of the thirty-three towns. The 60 deaths from *diphtheria* included 36 in London, 4 in West Ham, 3 in Manchester, 2 in Cardiff, and 2 in Sheffield. One death from *small-pox* was registered in London, one in Liverpool, and one in Birmingham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 2703 BIRTHS and 1448† DEATHS were registered. Allowing for increase of population, the births were 306 above, and the deaths 393 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·1, 19·4, and 18·6 in the preceding three weeks, further declined last week to 17·4. During the four weeks ending

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

on Saturday last the death-rate averaged 17·9 per 1000, being 3·4 per 1000 below the mean rate in the corresponding periods of the ten years 1884-93.

The 1448 deaths included one death from small-pox, 35 deaths from measles, 14 from scarlet fever, 36 from diphtheria, 26 from whooping-cough, 25 from enteric fever, 15 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 152 deaths were referred to these diseases, being 72 below the corrected average weekly number.

One death from *small-pox* was registered, belonging to Marylebone sanitary area. There were 15 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, against 31, 32, and 22 on the preceding three Saturdays; not one case was admitted during the week, the numbers admitted in the preceding three weeks having been 6, 7, and 3. The death of an infant, aged 9 months, which occurred in Camberwell sanitary area, was certified to have resulted from chicken-pox. The deaths from *measles*, which had been 29, 36, and 32 in the preceding three weeks, numbered 35 last week, and were less than half the corrected average; 8 belonged to Greenwich and 8 to Woolwich sanitary areas. The deaths from *scarlet fever*, which had been 19, 18, and 13 in the preceding three weeks, numbered 14 last week, being 12 below the corrected average. The Metropolitan Asylum and London Fever Hospitals* contained 1931 scarlet fever patients at the end of last week, against 2148, 2142, and 2034 on the preceding three Saturdays; 161 cases were admitted during the week, against 228 and 187 in the preceding two weeks. The deaths from *diphtheria*, which had been 54, 57, and 53 in the preceding three weeks, declined last week to 36, and were only 2 in excess of the corrected average; 5 belonged to Battersea, 4 to Greenwich, and 3 to Islington sanitary areas. The Metropolitan Asylum Hospitals* contained 510 diphtheria patients at the end of last week, against 517, 514, and 521 on the preceding three Saturdays; 80 cases were admitted during the week, against 104 and 111 in the preceding two weeks. The deaths from *whooping-cough*, which had been 26, 23, and 25 in the preceding three weeks, numbered 26 last week, and were 33 below the corrected average. The fatal cases of *enteric fever*, which had been 18, 17, and 24 in the preceding three weeks, were 25 last week, exceeding the corrected average by 11; 3 belonged to Lambeth, and 2 each to Hackney, Whitechapel, Mile End Old Town, and Camberwell sanitary areas. The Metropolitan Asylum Hospitals* contained 96 cases of enteric fever and 2 of typhus on Saturday last; 11 cases of enteric fever were admitted during the week, against 13 and 12 in the preceding two weeks. The deaths from *diarrhœa*, which had been 25, 14, and 11 in the preceding three weeks, increased last week to 15, and exceeded the corrected average by 2.

The deaths referred to diseases of the respiratory organs, which had been 263, 338, and 358 in the preceding three weeks, numbered 325 last week, and were 189 below the corrected average.

The deaths attributed directly to *influenza* numbered 17, having been 11, 14, and 17 in the preceding three weeks.

The age of a labourer belonging to St. Pancras, who died in the Leavesden Asylum, was stated to be 100 years.

Different forms of violence caused 73 deaths, concerning all but 3 of which inquests were held. Of these 73 deaths, 10 were cases of suicide, and 3 of homicide, while the remaining 60 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 14 to burns and scalds, 10 to drowning, and 6 (of infants under one year of age) to suffocation in bed.

GREATER LONDON.

In Greater London 3679 births and 1870 deaths were registered, corresponding to annual rates of 32·3 and 16·4 per 1000 of the estimated population. In the Outer Ring 16 deaths from diphtheria, 12 from "fever", 10 from whooping-cough, and 7 from diarrhœa were recorded. Of the 16 deaths from diphtheria, 11 occurred in West Ham district. The 12 deaths from "fever" included 3 in Hendon district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·66 inches, and that of the Thermometer 43·9, the latter being 4·6 above the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 57 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 3·0 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, AND METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 22nd December 1894.

CITIES AND BOROUGHS.	POPULATION estimated to the middle of the Year 1894.*				Registered during the Week ending 22nd Dec. 1894.		The DEATHS registered in the Week include										Annual Rate of Mortality corresponding to the Week's Deaths					TEMPERATURE OF THE AIR.					RAINFALL.		CITIES AND BOROUGHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	1.	2.	3.	4.	5.	6.	7.	8.	9.	Deaths from					14.	15.	16.	17.	18.	Fahrenheit.			22.	24.	In inches.	In Cent.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
										Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.						Typhoid.	Rever.	Diarrhoea.					Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
																												Deaths of Persons aged 60 Years and upwards.		Deaths of 1 Year of Age.	Deaths of 60 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS.	COLS

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTY-FIRST Week of each of the Eleven Years, 1884-94.

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	2631	1965	2075	2406	2655	2513	2202	1462	2423	2378	2396·8	2703
Males . .	1329	1057	1040	1200	1368	1267	1142	750	1321	1217	1223·3	1395
Females .	1302	908	1035	1206	1287	1246	1060	712	1202	1161	1173·5	1308
TOTAL Deaths	1595	1408	1570	1502	1802	1816	2206	1771	1606	2170	1841·3	1448
Males . .	823	720	748	732	887	909	1059	911	786	1069	912·3	726
Females .	772	688	822	770	915	907	1147	860	820	1101	929·0	722

* The numbers in this column are the average weekly numbers in the fifty-first weeks of the ten years 1884-93, raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.
TOTAL Births	2403	2532	2323	2516	2413	2659	2657	2494	2704	2550	2599	2597	2703
TOTAL Deaths	1277	1287	1291	1326	1481	1372	1249	1275	1326	1347	1614	1550	1448
Ages at Death													
{ 0-20 years	577	574	565	617	667	649	554	605	569	649	664	646	578
{ 20-40 "	160	159	181	170	187	184	166	163	207	165	248	213	193
{ 40-60 "	286	246	262	236	260	226	229	228	246	249	321	284	297
{ 60-80 "	215	253	232	237	294	253	250	236	250	234	313	341	314
{ 80 years & upwards	39	55	51	66	73	60	50	43	54	50	68	66	66
" { Under 1 year	311	331	321	350	391	398	337	341	316	364	370	347	316
{ 1-5 "	171	160	163	182	198	169	125	172	167	207	203	207	185
{ 5-20 "	95	83	81	85	78	82	92	92	86	78	86	92	77
Deaths from Small-pox	1	1	-	-	-	1	1	-	-	-	-	-	1
" " Measles	7	9	10	8	24	15	13	22	21	29	36	32	35
" " Scarlet fever	18	9	12	18	17	10	9	8	14	19	18	13	14
" " Diphtheria	67	66	54	61	49	54	42	44	48	54	57	53	36
" " Whooping-cough	15	7	13	10	18	14	10	8	11	26	23	25	26
" " Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-
" " Enteric fever	13	13	20	17	14	17	24	21	23	18	17	24	25
" " Simple Cont ^d fever	-	-	-	-	-	-	1	-	-	-	-	-	-
" " Diarrhoea and Dysentery	35	33	30	26	19	20	16	23	15	25	14	11	15
" " Cholera	1	-	-	-	-	-	1	-	-	-	-	1	-
" " all the above-mentioned Diseases	157	138	139	140	141	131	117	126	132	171	165	159	152
" " Dis. of Respiratory System	184	215	241	287	329	329	245	245	261	263	338	358	325
" " Phthisis	141	131	137	135	161	132	150	133	166	125	137	132	140
" " Dis. of Circulatory System	111	101	102	93	123	111	104	131	105	100	158	158	140
Violent Deaths	49	52	57	57	47	53	43	51	41	37	67	76	73
Inquest Cases	107	120	121	119	112	129	108	118	111	98	152	152	141
Deaths in Public Institutions	412	368	416	392	422	394	385	363	412	405	466	471	409
TEMPERATURE OF THE AIR													
Mean	52·5	52·8	53·0	44·3	50·3	54·0	50·3	47·0	44·0	40·3	39·8	45·4	43·9
Mean of Highest readings	59·9	59·5	58·6	50·9	55·8	59·0	56·5	52·4	51·1	44·0	44·0	48·8	49·1
Mean of Lowest readings	46·3	47·5	48·5	38·4	45·0	50·2	44·3	42·2	36·7	35·5	34·0	41·1	38·2
Humidity of the Air	89	83	95	85	81	87	83	87	89	87	91	88	88
Rain-fall in inches	0·59	0·12	0·36	0·19	1·35	2·16	0·64	2·03	0·13	0·00	0·17	0·97	0·59
Registered Sunshine (in hours)	14·7	13·9	1·7	7·3	9·3	11·8	22·3	20·4	15·6	2·7	4·4	4·4	3·0

METEOROLOGICAL OBSERVATIONS. (See TABLE 1.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A.V. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; E. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Bocbeyer, Esq., M.E., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTY-FIRST Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 51st Week of the 10 years 1884-93.*	In the Week ending Saturday, 22nd December 1894.								Corrected Averages for the 51st Week of the 10 years 1884-93.*	In the Week ending Saturday, 22nd December 1894.							
		Deaths of Persons of the Ages									Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.				
ALL CAUSES - -	1841.3	1448	316	185	77	193	297	314	66									
Small-pox { Vaccinated - - -	1.3	1	-	-	-	-	-	1	-									
Unvaccinated - - -	0.9	-	-	-	-	-	-	-	-									
No Statement - - -	1.5	-	-	-	-	-	-	-	-									
Measles - - -	73.7	35	6	26	3	-	-	-	-									
Scarlet Fever - - -	25.5	14	-	10	4	-	-	-	-									
Typhus - - -	0.3	-	-	-	-	-	-	-	-									
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-									
Influenza - - -	18.6	17	1	2	-	4	5	5	-									
Whooping-cough - - -	30.8	23	9	17	-	-	-	-	-									
Diphtheria - - -	84.8	33	1	20	14	1	-	-	-									
Simple Continued and Ill-defined Fever - - -	0.7	-	-	-	-	-	-	-	-									
Enteric Fever - - -	14.1	25	-	-	5	16	3	1	-									
Cholera and Chol. Diarr.	-	-	-	-	-	-	-	-	-									
Diarrhoea, Dysentery - - -	18.9	15	8	2	-	-	1	3	-									
Remittent Fever - - -	0.2	-	-	-	-	-	-	-	-									
Hydrophobia - - -	0.1	-	-	-	-	-	-	-	-									
Glanders - - -	-	-	-	-	-	-	-	-	-									
Cowpox and Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-									
Veneral Affections - - -	9.1	5	3	-	-	-	1	1	-									
Erysipelas - - -	7.8	3	1	-	-	-	-	-	-									
Pyæmia and Septicæmia - - -	2.3	-	-	-	-	-	-	-	-									
Puerperal Fever - - -	7.4	2	-	-	2	-	-	-	-									
Other Zymotic Diseases - - -	1.8	1	1	-	-	-	-	-	-									
Thrush - - -	0.9	2	2	-	-	-	-	-	-									
Worms and other Parasitical Diseases - - -	0.2	-	-	-	-	-	-	-	-									
Starvation, Want of Breast-milk - - -	2.1	1	1	-	-	-	-	-	-									
Alcoholism - - -	5.8	12	-	-	-	5	7	-	-									
Rheumatic Fever, Rheumatism of Heart - - -	8.7	7	-	-	3	2	2	-	-									
Rheumatism - - -	1.9	3	-	-	-	-	-	3	-									
Gout - - -	3.2	5	-	-	-	1	1	2	1									
Rickets - - -	4.5	7	1	6	-	-	-	-	-									
Cancer - - -	53.4	75	-	-	1	6	30	36	2									
Tubercular Meningitis - - -	16.6	11	8	2	1	-	-	-	-									
Phthisis - - -	18.9	14	6	6	2	-	-	-	-									
Scrophula, Tuberculosis - - -	174.1	140	3	2	10	61	53	8	-									
Other Constitutional Diseases - - -	17.4	25	11	9	2	2	1	-	-									
Promature Birth - - -	13.8	14	-	1	1	1	6	5	-									
Atelectasis - - -	42.0	49	49	-	-	-	-	-	-									
Congenital Malformations - - -	2.0	3	3	-	-	-	-	-	-									
Old Age - - -	7.5	7	7	-	-	-	-	-	-									
Apoplexy - - -	59.0	40	-	-	-	-	-	15	24									
Epilepsy - - -	46.8	41	-	-	2	5	12	21	1									
Convulsions - - -	7.1	3	1	-	-	-	2	-	-									
Other Diseases of Brain and Nervous System - - -	47.3	30	25	5	-	-	-	-	-									
	90.1	65	10	7	1	8	13	22	4									
Diseases of Organs of Special Sense - - -	2.3	3	1	-	1	1	-	-	-									
Diseases of Circulatory System - - -	151.2	140	-	1	9	23	43	52	7									
Croup - - -	12.0	3	-	3	-	-	-	-	-									
Bronchitis - - -	320.7	191	59	20	1	8	23	67	15									
Pneumonia - - -	132.5	93	23	23	3	7	19	15	5									
Pleurisy - - -	5.5	3	-	1	-	2	-	-	-									
Other Diseases of Respiratory System - - -	43.5	21	3	3	-	4	6	9	3									
Dentition - - -	12.7	5	4	1	-	-	-	-	-									
Quinsy, Sore Throat - - -	2.1	3	1	2	-	-	-	-	-									
Enteritis - - -	8.7	8	3	-	-	2	-	3	-									
Peritonitis - - -	7.2	5	1	-	-	1	1	2	-									
Diseases of Liver - - -	21.1	23	-	-	1	1	12	9	-									
Other Diseases of Digestive System - - -	29.3	25	3	5	1	3	6	6	1									
Diseases of Lymphatic System & of Ductless Glands - - -	2.0	2	-	-	1	1	-	-	-									
Diseases of Urinary System - - -	44.1	41	-	-	2	7	17	14	1									
Diseases of Generative System - - -	6.4	5	-	-	-	2	2	1	-									
Accidents of Childbirth - - -	4.2	2	-	-	-	1	1	-	-									
Diseases of Locomotive System - - -	6.8	2	-	-	1	-	1	-	-									
Diseases of Integumentary System - - -	7.0	6	2	1	-	-	2	1	-									
VIOLENT DEATHS, (ACCIDENT.)																		
By Railways - - -		2	-	-	-	1	-	1	-									
By Vehicles or Horses - - -		5	-	-	1	-	3	1	-									
In Ships, Boats, Docks (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-									
In Building Operations - - -		1	-	-	-	-	-	1	-									
In Conflagrations - - -		-	-	-	-	-	-	-	-									
By Burns, Scalds, Explosions - - -	55.0	14	1	8	3	-	-	2	-									
By Drowning - - -		10	1	-	1	5	3	-	-									
By Suffocation in Bed - - -		6	6	-	-	-	-	-	-									
By Poisons or Poisonous Vapours - - -		3	-	1	-	1	-	1	-									
Other or not stated Causes - - -		10	8	-	2	1	5	2	1									
(VIOLENCE OTHER THAN ACCIDENTAL.)																		
Homicide - - -	1.3	3	1	1	-	-	1	-	-									
Suicide - - -	7.4	10	-	-	-	4	5	1	-									
Execution - - -		-	-	-	-	-	-	-	-									
OTHER CAUSES - - -	59.2	41	41	1	-	-	-	3	1									

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient, to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET during the Week ending

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1891.	Total Births.	Total Deaths.	Deaths of													
				Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,211,743	2703	1448	316	980	1	35	14	33	26	-	25	-	15	73	141	400
WEST DISTRICTS	740,735	395	261	57	76	-	4	3	3	5	-	2	-	1	18	27	80
NORTH DISTRICTS	993,984	530	313	64	83	-	1	4	10	6	-	6	-	2	9	23	85
CENTRAL DISTRICTS	247,538	155	108	21	20	-	1	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS	705,114	532	218	37	71	-	9	1	5	3	-	5	-	3	14	37	83
SOUTH DISTRICTS	1,524,472	1042	491	116	123	-	20	4	18	8	-	10	-	9	19	35	95
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	22	1	7	1	-	2	-	-	-	1	-	-	-	-	22
WEST DISTRICTS.																	
St. Mary Paddington WHH G.J. & W.M.	84150	42	29	9	8	-	-	-	-	-	-	1	-	-	-	-	6
St. John Paddington H - G.J.	33937	9	12	-	2	-	-	-	-	-	-	-	-	-	-	-	9
Kensington Town WH - W.M.	113751	52	40	7	15	-	1	-	-	-	-	-	-	-	1	3	17
Brompton H - W.M. & C.	47557	16	12	2	4	-	-	-	-	-	-	-	-	-	-	-	3
St. Peter Hammersmith - W.M.	8533	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Hammersmith H W.M. & G.J.	68353	64	24	7	4	-	-	-	1	-	-	-	-	-	1	2	3
Fulham WH - W.M. & C.	91639	83	45	13	12	-	2	3	2	2	-	-	-	-	1	3	15
Chelsea Kensal Town - C.	21737	11	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North WHHHH - C.	41337	19	18	5	3	-	-	-	-	-	-	-	-	-	2	3	4
Chelsea South HH - C.	33939	14	16	4	3	-	-	-	-	-	-	-	-	-	-	-	-
May Fair WH - G.J.	23733	5	11	1	7	-	-	-	-	-	-	-	-	-	-	-	5
Belgrave WHHH - C.	54331	23	12	-	2	-	-	-	-	-	-	1	-	-	1	1	6
St. John Westminster HHH - C.	31103	17	8	-	1	-	-	-	-	-	-	-	-	-	1	2	5
St. Margaret Westminster H - C.	21668	11	11	1	4	-	-	-	-	-	-	-	-	-	2	4	5
St. James Westminster WHH N.R. & G.J.	24995	8	9	3	4	-	-	-	-	-	-	1	-	-	-	-	2
St. Anne Soho HHHHHH - N.R.	12317	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone - W.M.	37713	14	15	-	2	-	-	-	-	1	-	-	-	-	-	2	8
HHHHHHHH	20024	5	0	-	4	-	-	-	-	-	-	-	-	-	-	-	2
Rectory Marylebone W - G.J. & W.M.	19339	24	0	2	-	-	-	-	-	-	-	1	-	-	1	1	1
St. Mary Marylebone HHHH G.J. & W.M.	33327	20	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H - W.M.	32101	14	7	3	1	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone H - W.M.	63416	38	19	2	3	-	-	-	2	4	-	-	-	-	1	1	14
Barnstead WHHHHH N.R. & W.M.	86590	19	8	4	2	-	-	-	-	-	-	-	-	-	-	2	-
Regent's Park Pancras HH - W.M.	26321	17	13	1	2	-	-	-	-	-	-	1	-	-	-	1	9
Tottenham-court HHHHH N.R. & W.M.	27455	26	11	2	4	-	-	-	-	-	-	-	-	-	-	-	2
Gray's Inn Lane HHH - N.R.	33329	15	8	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Homers Town HH - N.R.	15419	18	19	3	4	-	-	-	-	-	-	-	-	-	1	1	3
Camden Town WH - N.R.	95765	59	32	7	3	-	-	-	-	2	-	-	-	-	1	2	7
Kentish Town W - N.R.	90235	55	36	4	14	-	-	-	-	-	-	-	-	-	-	-	14
Upper Holloway WHHHH - N.R.	105557	62	21	3	5	-	-	-	-	1	2	-	-	-	-	2	-
Islington South-west H - N.R.	64158	31	17	6	4	-	-	-	-	-	-	1	-	1	-	-	-
Islington South-east - N.R.	59193	33	16	5	7	-	-	-	-	-	-	-	-	-	2	3	1
Highbury HH - N.R.	30936	13	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - N.R.	17759	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Stamford Hill - E.L.	42902	17	12	4	4	-	-	-	-	-	-	2	-	-	-	-	3
West Hackney H - N.R.	98486	64	48	3	15	-	1	2	4	-	-	1	-	1	2	2	13
Hackney West WHHH - E.L. & N.R.	41769	35	9	3	1	-	-	-	-	-	-	-	-	-	1	1	-
South Hackney W - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																	
St. George Bloomsbury - N.R.	13695	6	5	-	3	-	-	-	-	-	-	-	-	-	1	2	-
St. Giles South WH - N.R.	13454	19	9	2	3	-	-	-	-	-	-	-	-	-	1	1	3
St. Giles North H - N.R.	9933	5	6	3	1	-	-	-	-	-	-	-	-	-	1	2	-
St. Martin-in-the-Fields HH N.R. & C.	14616	5	7	-	-	-	-	-	-	-	-	-	-	-	3	3	2
St. Mary-le-Strand H - N.R.	3706	5	3	-	-	-	-	-	-	-	-	1	-	-	-	1	2
St. Clement Danes WH - N.R.	7194	2	6	-	-	-	-	-	-	-	-	-	-	-	1	1	5
Strand Union Workhouse, Edmonton w.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Geo.-the-Martyr HHHHHH N.R.	17921	11	14	4	1	-	-	-	-	-	-	-	-	-	-	1	1
St. Andrew Eastern W - N.R.	15343	16	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Clerkenwell - N.R.	16803	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - N.R.	16833	7	7	2	3	-	-	-	-	-	-	-	-	-	-	1	-
Pentonville - N.R.	17155	12	5	2	-	-	-	-	-	-	-	-	-	-	-	2	9
Goosewell-street - N.R.	15375	14	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
City-road HHHH - N.R.	29177	23	11	4	1	-	-	-	-	-	-	1	-	-	1	1	1
Whitecross-street - N.R.	8278	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - N.R.	4935	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham w.	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Botolph H - N.R. & E.L.	8944	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - N.R.	4539	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre H - N.R.	4444	2	17	-	3	-	-	-	-	-	-	1	-	-	3	3	16
St. Bride W - N.R.	6594	2	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Abchurch-lane Barking - N.R.	10422	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Broad Street H - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L—Private Lunatic Asylum in which paupers are received; w—Workhouse/Establishment receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. N. River; E. L., East London; and K., the Kent Company.

* See note on first page of this Return.

ER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT:*

The DEATHS registered in the Week include																					
REGISTRATION			Number rated Popu- lation, 1891.	Total Burials.	Total Deaths.	Deaths of													Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SUB-DISTRICTS.						Infants under 1 Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
EAST DISTRICTS.																					
Choreditch South	HL*	E.L. & N.R.	20088	18	5	1	3	-	-	-	-	-	-	-	-	-	-	-			
Choreditch New Town	-	-	28313	21	23	9	9	-	-	-	-	-	-	-	-	-	-	-			
Choreditch Old Town	-	-	28354	12	10	2	2	-	-	-	-	-	-	-	-	-	-	-			
Choreditch WH	-	N.R. & E.L.	46244	28	11	2	3	-	-	-	-	-	-	-	-	-	-	-			
Choreditch Green North	H	-	51520	36	6	2	2	-	-	-	-	-	-	-	-	-	-	-			
Choreditch Green South	-	-	33489	29	9	3	1	-	-	-	-	-	-	-	-	-	-	-			
Choreditch Green East	WHL*	-	44123	30	18	3	9	-	-	-	-	-	-	-	-	-	-	-			
Choreditch Fields	-	-	22456	19	7	3	1	-	-	-	-	-	-	-	-	-	-	-			
Mile End New Town	W	-	17308	15	11	3	3	-	-	-	-	-	-	-	-	-	-	-			
Whitechapel Church	H	E.L. & N.R.	20298	25	25	3	3	-	-	-	-	-	-	-	-	-	-	-			
Woodman's Fields	-	-	13800	6	4	3	1	-	-	-	-	-	-	-	-	-	-	-			
St. George's, North	-	-	37738	51	7	3	1	-	-	-	-	-	-	-	-	-	-	-			
St. John, St. George East	W	-	8057	6	7	1	2	-	-	-	-	-	-	-	-	-	-	-			
Chadwell	H	-	40246	6	8	2	3	-	-	-	-	-	-	-	-	-	-	-			
Hatfield	W	-	14928	13	5	2	3	-	-	-	-	-	-	-	-	-	-	-			
Limehouse	-	-	32202	22	8	1	1	-	-	-	-	-	-	-	-	-	-	-			
Mile End Old Town West	H	-	38650	36	12	1	4	-	-	-	-	-	-	-	-	-	-	-			
Mile End Old Town East	WHL	-	68942	43	23	1	12	-	-	-	-	-	-	-	-	-	-	-			
Bow	L*	-	40385	29	5	3	1	-	-	-	-	-	-	-	-	-	-	-			
Bowley	WHL	-	70000	43	24	4	7	-	-	-	-	-	-	-	-	-	-	-			
Bowley	WW	-	56838	34	20	5	3	-	-	-	-	-	-	-	-	-	-	-			
SOUTH DISTRICTS.																					
Christchurch Southwark	WH	L. & S.	18264	8	5	-	2	-	-	-	-	-	-	-	-	-	-	-			
Saviour Southwark	-	-	18913	5	3	2	2	-	-	-	-	-	-	-	-	-	-	-			
Kent-road	-	-	21867	22	11	3	2	-	-	-	-	-	-	-	-	-	-	-			
Borough-road	WH	-	16624	19	5	2	-	-	-	-	-	-	-	-	-	-	-	-			
London-road	HL	-	21221	13	4	-	1	-	-	-	-	-	-	-	-	-	-	-			
Unity Newington	-	-	20298	25	25	3	3	-	-	-	-	-	-	-	-	-	-	-			
St. Peter Walworth	W	-	61842	40	37	5	2	-	-	-	-	-	-	-	-	-	-	-			
St. Mary Newington	-	-	27866	18	8	3	-	-	-	-	-	-	-	-	-	-	-	-			
St. Olave	WH	-	12723	7	9	2	1	-	-	-	-	-	-	-	-	-	-	-			
Cather Market	W	-	30612	25	7	-	4	-	-	-	-	-	-	-	-	-	-	-			
St. James Bermondsey	-	-	54070	40	9	3	4	-	-	-	-	-	-	-	-	-	-	-			
Otherhithe	WHL	-	39265	35	25	6	6	-	-	-	-	-	-	-	-	-	-	-			
Waterloo-road 1st	H	-	14031	12	6	-	2	-	-	-	-	-	-	-	-	-	-	-			
Waterloo-road 2nd	H	-	14644	22	7	3	2	-	-	-	-	-	-	-	-	-	-	-			
St. Ambeth Church 1st	H	-	18075	14	15	3	3	-	-	-	-	-	-	-	-	-	-	-			
St. Ambeth Church 2nd	WW	-	39097	33	15	4	8	-	-	-	-	-	-	-	-	-	-	-			
St. Ann's Church 1st	H	-	50586	35	18	4	3	-	-	-	-	-	-	-	-	-	-	-			
St. Ann's Church 2nd	H	-	33098	25	19	6	5	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	-	-	73405	35	16	8	4	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	WH	-	25667	16	8	-	5	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	-	-	67244	50	16	5	3	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	WH	-	88314	55	31	6	8	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	-	-	43698	17	9	3	3	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	WHL	-	46717	22	21	8	5	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	-	-	17771	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	WW	-	48756	32	13	-	7	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	-	-	3809	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	WHL	-	81686	66	28	6	8	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	WW	-	58458	53	15	4	1	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	-	-	63566	51	12	6	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	-	-	85314	18	12	4	1	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	W	-	42007	33	18	3	2	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	-	-	80852	15	6	-	2	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	W	-	22007	18	5	2	2	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	WH	-	35233	22	11	2	2	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	-	-	5682	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	H	-	23541	8	6	1	3	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	WH	-	30950	24	11	1	3	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	H	-	34162	20	7	-	3	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	HH	-	14040	6	9	1	1	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Dockyard	-	19906	8	11	3	3	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Arsenal	HH	21242	18	8	2	3	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	West	H	15569	8	6	2	2	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	East	W	86567	32	16	6	3	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Martin's	Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-							

^a The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1894, under the name of Leather Market.

TABLE 5.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 22nd December, 1894.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Unenumerated Population, 1891	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
LONDON—OUTER RING						368,749	1,422,063	976	422	106	114	-	4	-	16	10	12	7	7	17	39	13
30: 1	Carshalton WHH	12228	26108	2	7	1	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	-
2	Epsom, part of WHH	10423	12508	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
37: 1	Godstone, part of WHH	754	1593	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Croydon WHH	20351	128599	62	36	4	12	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
2	Mitcham W	11697	23038	12	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon HHH	3320	25761	13	10	4	4	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
2	Kingston WHH	8071	44765	30	19	3	9	-	-	-	-	1	-	-	-	1	1	1	1	4	-	-
3	Esher, part of WHH	6801	12059	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton H	4655	18252	11	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
40: 1	Richmond WHH	2160	25339	10	15	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Mortlake H	2823	16159	12	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
41: 1	Bromley HHH	9127	23815	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	6542	21939	11	5	2	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Chislehurst, pt. of WHH	14307	20372	16	7	1	5	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-
42: 1	Bexley HHH	12540	30590	34	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Dartford Work., pt. of WHH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124: 1	Saunders W	11054	13671	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W	18277	13221	10	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125: 1	Hillingdon WHH	6035	12237	4	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Uxbridge	6172	5417	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes WH	14237	12618	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126: 1	Inleworth WHH	6967	23273	10	14	7	4	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-
2	Twickenham HH	2415	16027	19	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
3	Brentford HHHH	4318	37777	26	8	-	6	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
4	Chislewick	1245	21993	13	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
5	Aston WH	6132	30945	16	12	2	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
127: 1	Harrow HHH	13809	15715	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
2	Edgware HH	6994	3844	-	4	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-
3	Willesden HHH	4383	61285	59	23	6	3	-	-	-	-	1	-	2	3	1	1	1	1	1	1	-
4	Hendon W	8382	16843	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128: 1	South Mimms	1559	8474	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet WHH	5441	11778	2	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-
3	Finchley HHH	4688	25820	7	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129: 1	Hornsey HH	3039	61097	28	9	4	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
2	Tottenham H	4342	97174	76	23	12	5	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-
3	Edmonton WH	7439	36351	31	10	2	6	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-
4	Enfield WWHH	12639	31803	22	14	2	5	-	-	-	-	1	-	1	-	-	-	-	-	3	1	-
5	Waltham Abbey	11017	6066	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt H	8490	9630	8	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130: 1	Hatfield, part of WHH	8306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131: 1	Sassey H	9331	7737	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford Work., pt. of WHH	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
132: 1	Stratford H	1100	42983	30	15	6	3	-	1	-	2	-	1	-	-	-	-	-	-	-	1	-
2	Plaistow HHHH	1242	56030	46	23	4	7	-	-	-	-	-	2	-	1	-	-	-	-	-	3	-
3	Canning Town H	1558	54750	51	14	1	1	-	-	-	-	1	-	-	1	-	-	1	1	-	-	1
4	Forest Gate W	806	49140	30	15	4	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
5	East Ham W	3266	32718	36	9	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
6	Leyton WWH	4384	70188	63	25	6	6	-	2	-	-	4	-	-	-	-	-	-	1	4	-	-
7	Walthamstow HHL	6501	57330	53	10	5	-	-	-	-	-	1	2	-	-	-	1	1	-	-	2	-
137: 1	Chigwell, part of WHH	11779	12941	7	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
2	Epping Work., pt. of WHH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138: 1	Romford, part of WHH	6556	4324	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Uttford	8498	10913	13	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
3	Barking Town H	3314	14301	14	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	London Fov. Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cane Hill Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, Epsom sub-district, except the parishes of Ashstead and Headley (pop. 1763); 37: 1, the parishes of Warrington and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2332); 41: 3, Chislehurst sub-district, except the parishes of Chislefield, Cudham, and Knosholt (pop. 3097); 135: 1, the parish of Northaw in Hatfield sub-district; 137: 1, Chigwell sub-district, except the parish of Theydon Bois (1979); 139: 1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42: 2; Dartford 127: 1, W. W.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 22nd December, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include														
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.		
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				
GREATER LONDON	443,421	5,948,300	16·4	1·8	1870	422	494		39	14	52	36	37	22	80	448				
INNER LONDON -	74,672	4,349,166	17·4	1·8	1448	316	380	1	35	14	36	26	25	15	73	409				
OUTER RING -	368,749	1,599,134	13·8	1·6	422	106	114	-	4	-	16	10	12	7	7	39				

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH -	270,588	December 22	160	108	20·8	4	1	3	2	-	3	2	
GLASGOW -	686,820	" 22	402	308	23·4	-	35	5	4	9	1	3	
DUBLIN -	349,594	" 22	-	-	-	-	-	-	-	-	-	-	
CALCUTTA -	466,460	October 27	-	270	30·2	2	-	-	-	-	110	41	
BOMBAY -	821,764	November 27	300	451	23·5	4	5	?	?	?	122	34	
MADRAS -	452,518	" 16	327	340	39·0	-	3	?	?	?	125	55	
PARIS -	2,424,705	December 15	1123	943	20·2	-	1	1	11*	4	6	34	
BRUSSELS -	498,400	" 15	246	198	20·7	1	11	1	2*	2	3	11	
AMSTERDAM -	446,295	" 15	279	167	19·4	1	-	-	-	4	-	-	
ROTTERDAM -	228,597	" 15	163	76	17·3	-	1	-	-	1	-	-	
THE HAGUE -	174,790	" 15	102	53	15·7	-	-	2	-	1	-	-	
COPENHAGEN -	341,000	" 15	215	120	18·4	-	4	3	9	-	1	4	
STOCKHOLM -	252,937	" 8	132	104	21·4	-	12	2	14*	-	-	5	
CHRISTIANIA -	167,588	" 15	63	50	14·3	-	-	-	2	1	-	4	
ST. PETERSBURG -	954,400	" 1	706	323	17·7	-	2	18	16	4	2	15	
MOSCOW -	753,469	" 1	-	389	26·9	3	2	12	25	3	5	27	
BERLIN -	1,714,938	" 1	887	554	16·8	-	10	20	27	3	2	21	
HAMBURG -	598,372	December 15	-	188	16·3	-	-	4	4*	2	-	6	
DRESDEN -	312,772	November 24	193	112	18·4	-	1	1	6*	2	-	8	
BRESLAU -	360,660	December 15	-	146	21·1	-	2	3	5*	1	-	8	
MUNICH -	390,000	" 15	-	189	25·2	-	2	-	2*	6	1	21	
VIENNA -	1,465,537	" 15	840	509	21·3	-	33	7	33*	-	1	41	
PRAGUE -	339,172	" 8	187	141	21·3	-	1	2	-	-	1	2	
BUDA-PESTH -	552,769	" 8	451	240	22·6	2	5	3	4	1	1	9	
TRIESTE -	159,739	" 1	100	87	28·8	-	-	4	21*	1	-	2	
ROME -	455,678	November 17	240	153	18·0	-	-	-	1	-	8†	11	
TURIN (10 days) -	337,397	" 30	194	139	15·0	-	-	-	2	-	1	4	
VENICE -	160,406	December 1	84	59	19·5	-	-	-	-	1	-	6	
CAIRO -	374,838	" 22	487	312	43·3	-	-	-	4*	2	10	92	
ALEXANDRIA -	231,396	" 22	245	175	39·4	-	-	-	4*	-	7	50	
NEW YORK -	1,925,569	" 8	-	680	17·9	2	8	6	29	5	8	8	
BROOKLYN -	1,043,000	" 8	-	358	17·3	-	-	5	35	5	2	1	
PHILADELPHIA -	1,139,457	" 8	-	398	18·2	2	2	2	47	-	6	4	
NEW ORLEANS -	254,000	November 17	-	157	32·3	-	1	-	6	-	9	9	

* Including deaths from croup.

† Including 6 deaths from cholera in Calcutta, and one in Bombay.

‡ Including 3 deaths from malarial fever.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 22ND DECEMBER, 1894.

[Under the Superintendence of the Astronomer Royal.]

1894. MONTH AND DAY.		TEMPERATURE.										TEMPERATURE.					Wind as deduced from Anemometers.					Rain collected in a Gauge whose receiving surface is situated above the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		Of the Air.					Difference between the Air Temperature and Dew Point Temperature.					Of Radiation.		Of the Earth below the Surface.		General Direction.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		HAR- VESTER. Mean reading (cor- rected and re- duced to 32° Fahren- heit).	High. est.	Low. est.	Daily Range.	Mean daily value.	De- parture Average value, 50 years.	Mean daily value.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Mean Least.	Mean hourly obs.	Horizontal Movement of the Air on each day.	Depar- ture from Average of 10 Years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
																					lbs.			Miles.	lbs.	Miles.	lbs.	Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
DECEMBER.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																</

DATE.		ELECTRICITY. (For completion of symbols, see Note.)		Registered Sun above Sunshine, in hours.		GENERAL REMARKS.	
SUNDAY. 16	v. N. in early morn- ing; w. P. till after- noon; s. E. in evening.	7° 8	0° 0	0° 0	0° 0	Overcast till 7h. P.M.; very fine afterwards; heavy rain in early morning.	
MONDAY. 17	m. P. in morning; w. P. afterwards.	7° 7	0° 0	0° 0	0° 0	Overcast; occasional slight rain; mild.	
TUESDAY. 18	v. N. in morning; w. N. and v. P. in after- noon; m. E. in evening.	7° 7	0° 5	0° 5	0° 5	Overcast with occasional rain till noon; afterwards fine; cloudless at night with occasional lightning; mild.	
WEDNESDAY. 19	w. P. in early morn- ing; v. P. and v. N. afterwards.	7° 7	0° 9	0° 9	0° 9	Variable; showery; cloudless at night.	
THURSDAY. 20	m. P. in early morn- ing; s. P. afterwards.	7° 7	0° 0	0° 0	0° 0	Overcast generally; cloudless after 10h. P.M.	
FRIDAY. 21	s. P. till 10h. A.M.; v. N. in P.M.; v. P. afterwards.	7° 7	0° 0	0° 0	0° 0	Overcast; frequent thin rain.]	
SATURDAY. 22	w. P. in early morn- ing; v. N. and v. P. till noon; s. P. after- wards.	7° 7	1° 6	1° 6	1° 6	Heavy rain in morning; afterwards fine; a gale of wind till evening; cloudless at night; very mild.	
MEANS.		Sum 54° 0	Sum 3° 0	Sum 3° 0	Sum 3° 0		

The results apply to the civil day, or from midnight to midnight.
The height of the column of the barometer is 109 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M.; and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1875 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.
The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 10 years ending 1875.
In reading the columns 9 and 10 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: +, positive; -, negative; w, weak; m, moderate; s, strong; and v, variable.
The numbers in column 18, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day in in. at the beginning of the week to the reading of the barometer decreased from 30° 08 in. to 30° 08 in. on the same day; 29° 79 in. by 6h. A.M. on the 16th; increased to 30° 08 in. by 11h. P.M. on the same day; decreased to 29° 20 in. by 6h. A.M. on the 18th; increased to 30° 02 in. by 3h. A.M. on the 21st; decreased to 29° 23 in. by 9h. A.M. on the 22nd; and increased to 29° 87 in. by the end of the week.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 52, 1894, VOL. LV.] WEEK ENDING SATURDAY, DECEMBER 29. [Price 1½d.

General Register Office, Somerset House,
December 31st, 1894.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·0 per 1000 of their aggregate population, which is estimated* at 10,458,442 persons in the middle of 1894. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.		Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.
Birkenhead	14·8	20·2	16·3	16·8	Liverpool -	23·3	24·6	22·6	21·8
Birmingham	20·9	19·3	18·0	17·5	London -	19·4	18·6	17·4	17·2
Blackburn -	21·1	19·9	17·8	20·3	Manchester -	22·9	20·3	22·2	18·5
Bolton -	19·8	22·0	15·4	18·1	Newcastle-on-Tyne	22·7	20·9	18·3	18·3
Bradford	21·4	25·1	19·1	21·4	Norwich -	29·1	15·3	24·2	13·8
Brighton -	18·4	18·9	14·9	23·3	Nottingham	15·4	17·3	15·6	16·8
Bristol -	18·6	18·0	17·0	15·2	Oldham -	27·8	28·9	20·7	19·2
Burnley -	14·6	18·9	22·2	22·7	Plymouth -	17·2	26·1	11·3	19·0
Cardiff	18·6	20·3	17·5	15·1	Portsmouth	20·4	19·2	19·8	18·6
Croydon	20·0	13·5	14·0	6·5	Preston -	24·3	19·7	26·7	26·2
Derby -	16·9	17·9	13·7	17·4	Salford -	18·7	20·3	18·2	21·5
Gateshead	19·5	22·3	19·5	24·0	Sheffield -	21·9	21·4	16·5	19·3
Halifax	15·2	18·5	16·3	15·2	Sunderland	27·2	22·6	20·7	23·0
Huddersfield	25·9	18·0	14·8	16·9	Swansea -	19·1	17·5	20·2	15·3
Hull -	21·1	16·9	19·4	18·9	West Ham -	17·1	11·8	15·3	13·6
Leeds -	22·3	25·9	21·7	21·3	Wolverhampton	22·1	23·3	19·6	21·5
Leicester -	16·5	21·2	14·9	13·2					

The highest annual death-rates, as measured by last week's mortality, were:— from *measles*, 1·6 in Burnley, 2·3 in Newcastle, 3·4 in Portsmouth and in Leeds, and 5·0 in Gateshead; from *whooping-cough*, 1·0 in Norwich, and 1·1 in Swansea and in Huddersfield; and from "*fever*," 1·1 in Derby and in Sunderland. The death-rate from *scarlet fever* and from *diarrhœa* did not reach 1·0 per 1000 in any of the thirty-three towns. The 64 deaths from *diphtheria* included 35 in London, 6 in Manchester, 3 in Leicester, and 2 each in West Ham, Liverpool, Salford, Leeds, and Newcastle. One death from *small-pox* was registered in London, one in Birmingham, one in Liverpool, and one in Hull, but not one in any other of the thirty-three towns.

LONDON.

In LONDON 1950 BIRTHS and 1434† DEATHS were registered. Allowing for increase of population, the births were 413, and the deaths 676, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·4, 18·6, and 17·4 in the preceding three weeks, further fell last week to 17·2. During the four weeks ending on Saturday last the death-rate averaged 18·2 per 1000, being 4·3 per 1000 below the mean rate in the corresponding periods of the ten years 1884–93.

The 1434 deaths included one death from small-pox, 46 deaths from measles, 14 from scarlet fever, 35 from diphtheria, 14 from whooping-cough, 32 from enteric

* By "estimated" population is merely meant the number of persons who would be living if the mean rate of increase between 1881 and 1891 had been maintained since the latter date.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the Highgate Small-pox Hospital, in the London Fever Hospital, and in the Metropolitan Asylum Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from London are, for the purposes of Tables 1, 6, and 7, distributed to the areas to which they belong.

fever, 7 from diarrhoea and dysentery, and not one death from typhus, any ill-defined form of continued fever, or from cholera; thus, 149 deaths were referred to these diseases, being 98 below the corrected average weekly number.

The death from *small-pox* belonged to Marylebone sanitary area. There were 16 cases of this disease under treatment on Saturday last in the Metropolitan Asylum Hospitals, against 32, 22, and 15 on the preceding three Saturdays; only one case was admitted during the week, while in the preceding week no case had been admitted. The deaths from *measles*, which had been 36, 32, and 35 in the preceding three weeks, increased last week to 46, but were 35 below the corrected average; 12 belonged to Poplar, 8 to Greenwich, and 6 to Woolwich sanitary areas. The deaths from *scarlet fever*, which had been 18, 13, and 14 in the preceding three weeks, numbered again 14 last week, and were 7 below the corrected average; 2 belonged to Bermondsey, 2 to Battersea, and 2 to Greenwich sanitary areas. The Metropolitan Asylum and London Fever Hospitals* contained 1890 scarlet fever patients at the end of last week, against 2142, 2034, and 1931 on the preceding three Saturdays; 116 cases were admitted during the week, against 187 and 161 in the preceding two weeks. The deaths from *diphtheria*, which had declined in the preceding three weeks from 57 to 36, numbered 35 last week, and corresponded with the corrected average; 4 belonged to Lambeth, 3 to Greenwich, and 3 to Islington sanitary areas. The Metropolitan Asylum Hospitals* contained 521 diphtheria patients at the end of last week, against 514, 521, and 510 on the preceding three Saturdays; 75 cases were admitted during the week, against 111 and 80 in the preceding two weeks. The deaths from *whooping-cough*, which had been 23, 25, and 26 in the preceding three weeks, declined last week to 14, and were less than one-fifth of the corrected average. The fatal cases of *enteric fever*, which had been 17, 24, and 25 in the preceding three weeks, further rose last week to 32, exceeding the corrected average by 18; 4 belonged to Kensington, 3 to Paddington, 4 to Lewisham, and 2 each to Wandsworth, Lambeth, and Islington sanitary areas. The Metropolitan Asylum Hospitals* contained 104 cases of enteric fever and 2 of typhus on Saturday last; 20 cases of enteric fever were admitted during the week, against 12 and 11 in the preceding two weeks. The deaths from *diarrhoea*, which had numbered 14, 11, and 15 in the preceding three weeks, declined last week to 7, and were less than half the corrected average.

The deaths referred to diseases of the respiratory organs, which had been 338, 358, and 325 in the preceding three weeks, numbered 332 last week, and were 305 below the corrected average.

The deaths attributed directly to *influenza* numbered 10, having been 14, 17, and 17 in the preceding three weeks.

The age of a female, who died at Deptford from pneumonia, was stated to be 100 years.

Different forms of violence caused 70 deaths, concerning all but 2 of which inquests were held. Of these 70 deaths, 10 were cases of suicide, while the remaining 60 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 3 to railways, 10 to burns and scalds, and 18 (of infants under one year of age) to suffocation in bed. The death of a male match-dipper, aged 47 years, was certified to have resulted from "necrosis of nearly all the bones of the face, 12 months." The death of an infant, aged 6 months, which occurred in hospital, was referred, after inquest, to failure of respiration while under chloroform administered for a necessary operation.

GREATER LONDON.

In Greater London 2587 births and 1817 deaths were registered, corresponding to annual rates of 22·7 and 15·9 per 1000 of the estimated population. In the Outer Ring 5 deaths from measles, 4 from scarlet fever, 6 from diphtheria, and 10 from "fever" were recorded. Of the 4 deaths from scarlet fever, 3 occurred in Staines district. The 6 deaths from diphtheria included 4 in West Ham district. Four deaths from "fever" were registered in Edmonton district and 3 in West Ham district.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·07 inches, and that of the Thermometer 43°·0, the latter being 4°·6 above the week's average in the 50 years 1841-90. The direction of the wind was Westerly, the horizontal movement of the air being 13 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 1·7 hours.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases the diagnosis is found, after sojourn in the Hospital, to have been erroneous.

TABLE 1.—BIRTHS, DEATHS, and METEOROLOGY, in 33 GREAT TOWNS, during the Week ending 29th December 1894.

CITIES AND BOROUGH.	POPULATION estimated to the middle of the Year 1884.*	Registered during the Week ending 29th Dec. 1884.		Deaths of		Deaths from										Deaths in Public Institutions.		Annual Rate per 1000, corresponding to the Week's Deaths.		TEMPERATURE OF THE AIR.				RAINFALL.		CITIES AND BOROUGH.
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhoid Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unspecified Causes of Death.	From All Causes.	From Colds, &c.	Fahrenheit.		Fahrenheit.		In Inches.	In Centi- meters.		
																			Highest.	Lowest.	Fahrenheit.	Centigrade.			Mean.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.	
33 TOWNS.	10,458,442	4521	3615	953	812	4	153	24	64	51	56	23	183	341	676	75	180	1.9	53.2	27.0	42.6	5.89	0.38	0.97	-	
LONDON.	4,840,166	1350	1484	352	361	1	46	14	25	14	32	7	70	147	381	10	17.2	1.8	50.0	31.6	43.0	6.11	0.22	0.56	-	
WEST HAM.	238,184	112	62	25	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CROYDON.	111,921	39	14	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BRIGHTON.	118,715	55	53	8	14	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PORTSMOUTH.	176,978	85	61	13	15	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PLYMOUTH.	87,981	42	32	8	8	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BRISTOL.	226,578	91	66	13	18	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CARDIFF.	148,890	73	43	14	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SWANSEA.	95,399	37	28	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WOLVERHAMPTON.	85,036	41	35	12	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BIRMINGHAM.	492,361	188	165	49	38	1	-	1	1	3	2	1	10	4	25	13	17.5	1.0	49.6	31.8	41.1	5.06	0.60	1.52	-	
NORWICH.	105,645	38	28	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LEICESTER.	189,186	79	48	14	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NOTTINGHAM.	223,584	85	72	22	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DERBY.	88,786	47	33	6	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BIRMINGHAM.	105,627	64	24	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LIVERPOOL.	507,280	264	212	64	39	1	5	4	2	2	4	2	23	31	45	11	21.8	2.1	49.3	34.9	43.9	6.61	0.69	1.75	-	
BOLTON.	118,303	68	41	8	10	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MANCHESTER.	206,828	127	185	25	36	-	7	2	6	3	3	1	9	19	33	2	18.5	2.2	-	-	-	-	-	-	-	
SAFORD.	138,755	66	51	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
OLDHAM.	166,478	70	42	8	3	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BURNLEY.	125,797	58	49	17	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BLACKBURN.	111,425	52	56	20	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PRESTON.	98,511	31	32	6	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
HUDDESFIELD.	92,861	29	27	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
HALEFAX.	223,585	64	92	26	17	-	6	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BRADFORD.	388,761	202	139	47	38	-	25	-	2	2	1	-	4	11	10	1	21.3	3.0	53.2	34.9	43.9	6.61	0.24	0.61	-	
LEEDS.	338,316	229	125	44	53	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SHEFFIELD.	212,679	116	77	27	13	-	5	-	1	2	-	-	7	10	13	5	19.3	1.7	-	-	-	-	-	-	-	
HULL.	136,101	89	60	16	14	-	1	3	-	1	-	-	3	8	13	3	18.9	2.9	50.0	32.0	43.3	6.28	0.09	0.23	-	
SUNDERLAND.	138,372	65	43	9	8	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GATESHEAD.	201,947	105	71	14	14	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NEWCASTLE.	201,947	105	71	14	14	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 2. LONDON.—Births and Deaths Registered in the **FIFTY-SECOND Week** of each of the **Eleven Years, 1884-94.**

	1884	1885	1886	1887	1888	1889	1890	1891	1892	1893	Corrected Weekly Average in 10 Years 1884-93.*	1894
TOTAL Births	1832	2996	2368	2326	1876	1815	1771	3181	2120	2106	2363·2	1950
Males . .	941	1503	1206	1175	974	927	873	1652	1063	1063	1201·3	1061
Females .	891	1488	1162	1151	902	888	898	1529	1057	1043	1161·9	889
TOTAL Deaths	1430	2071	1899	1832	1641	1690	2231	3399	1830	1920	2110·1	1434
Males . .	700	957	965	932	846	869	1069	1640	969	910	1040·3	775
Females .	730	1114	934	950	795	821	1162	1759	861	1010	1069·8	659

* The numbers in this column are the average weekly numbers in the fifty-second weeks of the ten years 1884-93 raised by 5·541 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, and METEOROLOGY in the Last THIRTEEN WEEKS.

	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.
TOTAL Births - -	2532	2323	2516	2413	2659	2657	2494	2704	2550	2599	2597	2703	1950
TOTAL Deaths - -	1287	1291	1326	1481	1372	1249	1275	1326	1347	1614	1550	1448	1434
Ages at Death													
{ 0-20 years -	574	565	617	667	649	554	605	569	649	664	646	578	614
{ 20-40 " -	159	181	170	187	184	166	163	207	165	243	213	193	205
{ 40-60 " -	246	262	236	260	226	229	223	246	249	321	284	297	254
{ 60-80 " -	253	332	237	294	253	250	236	250	234	313	341	314	277
{ 80 years & upwards -	55	51	66	73	60	50	43	54	50	68	66	66	84
Under 1 year -	331	321	350	391	398	337	341	316	364	370	347	316	352
{ 1-5 -	160	163	182	193	169	125	172	167	207	208	207	185	192
{ 5-20 -	83	81	85	78	82	92	92	86	78	86	92	77	70
Deaths from Small-pox -	1	-	-	-	1	1	-	-	-	-	-	1	1
" " Measles -	9	10	8	24	15	13	22	21	29	36	32	35	46
" " Scarlet fever -	9	12	18	17	10	9	8	14	19	18	13	14	14
" " Diphtheria -	66	54	61	49	54	42	44	48	54	57	53	36	35
" " Whooping-cough -	7	13	10	13	14	10	8	11	26	23	25	26	14
" " Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-
" " Enteric fever -	13	20	17	14	17	24	21	23	18	17	24	25	32
" " Simple Cont'd fever -	-	-	-	-	-	1	-	-	-	-	-	-	-
" " Diarrhoea and Dysentery -	33	30	26	19	20	16	23	15	25	14	11	15	7
" " Cholera -	-	-	-	-	-	1	-	-	-	-	1	-	-
" " all the above-mentioned Diseases -	138	139	140	141	131	117	126	132	171	165	159	152	149
" " Dis. of Respiratory System -	215	241	287	329	329	245	245	261	263	338	358	325	332
" " Phthisis -	131	137	135	161	132	150	133	166	125	187	132	140	144
" " Dis. of Circulatory System -	101	102	93	123	111	104	131	105	100	158	158	140	99
Violent Deaths - -	52	57	57	47	53	43	51	41	37	67	76	73	70
Inquest Cases - -	120	121	119	112	129	108	118	111	98	152	152	141	147
Deaths in Public Institutions	368	416	392	422	394	385	363	412	405	466	471	410	381
TEMPERATURE OF THE AIR													
Mean -	52·8	53·0	44·3	50·3	54·0	50·3	47·0	44·0	40·3	39·8	45·4	43·9	43·0
Mean of Highest readings -	59·5	58·6	50·9	55·8	59·0	56·5	52·4	51·1	44·0	44·0	48·8	49·1	46·7
Mean of Lowest readings -	47·5	48·5	38·4	45·0	50·2	44·3	42·2	36·7	35·5	34·0	41·1	38·2	39·0
Humidity of the Air - -	83	95	85	81	87	83	87	89	87	91	88	83	87
Rain-fall in inches - -	0·12	0·36	0·19	1·35	2·16	0·64	2·03	0·13	0·00	0·17	0·97	0·59	0·22
Registered Sunshine (in hours)	13·9	1·7	7·3	9·3	11·8	22·8	20·4	15·6	2·7	4·4	4·4	3·0	1·7

METEOROLOGICAL OBSERVATIONS. (See TABLE 2.)

The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—B. H. Mumby, Esq., M.D., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R.Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; Arthur Brown, Esq., M. Inst. C.E., and P. Bobblyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. McLandsborough, Esq., F.G.S., F.R.Met. Soc., Bradford; Mr. E. Peak, Hull; and J. C. Wood, Esq., Medical Officer of Health, Sunderland.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTY-SECOND Week of the Year 1894.

CAUSES OF DEATH.	Corrected Averages for the 52nd Week of the 10 years 1884-93.*	In the Week ending Saturday, 29th December 1894.										CAUSES OF DEATH.	Corrected Averages for the 52nd Week of the 10 years 1884-93.*	In the Week ending Saturday, 29th December 1894.											
		Deaths of Persons of the Ages												Deaths of Persons of the Ages											
		ALL AGES.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.					ALL AGES.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 Years and upwards.				
ALL CAUSES -	2110.1	1434	352	192	70	205	254	277	84			Diseases of Organs of Special Sense -	2.5	3	-	-	3	-	-	-	-	-			
Small-pox { Vaccinated† -	1.1	-	-	-	-	-	-	-	-			Diseases of Circulatory System -	179.1	99	1	1	8	17	33	33	7				
{ Unvaccinated -	1.2	1	-	-	-	1	-	-	-			Croup -	13.3	4	-	4	-	-	-	-	-				
{ No Statement -	1.3	-	-	-	-	-	-	-	-			Bronchitis -	413.7	190	55	20	-	5	22	69	19				
Measles -	81.0	46	12	33	1	-	-	-	-			Pneumonia -	145.6	113	24	33	4	17	13	12	2				
Scarlet Fever -	21.2	14	1	12	1	-	-	-	-			Pleurisy -	7.4	2	1	-	-	-	-	-	-				
Typhus -	0.3	-	-	-	-	-	-	-	-			Other Diseases of Respiratory System -	59.9	23	6	1	-	2	3	10	1				
Relapsing Fever -	-	-	-	-	-	-	-	-	-			Dentition -	12.5	11	5	6	-	-	-	-	-				
Influenza -	17.0	10	1	-	-	2	3	3	1			Quinsy, Sore Throat -	2.0	-	-	-	-	-	-	-	-				
Whooping-cough -	75.0	14	8	6	-	-	-	-	-			Enteritis -	8.5	14	5	1	2	3	2	1	-				
Diphtheria -	35.1	35	2	23	9	1	-	-	-			Peritonitis -	6.5	7	-	-	3	1	3	-	-				
Simple Continued and Ill-defined Fever -	1.1	-	-	-	-	-	-	-	-			Diseases of Liver -	23.7	27	5	-	3	12	7	-	-				
Eteric Fever -	14.0	32	-	-	4	21	7	-	-			Other Diseases of Digestive System -	34.0	23	8	-	-	8	4	7	1				
Cholera and Chol. Diarr.	0.2	-	-	-	-	-	-	-	-			Diseases of Lymphatic System & of Ductless Glands -	2.7	3	-	-	1	-	2	-	-				
Diarrhoea, Dysentery -	15.2	7	6	-	-	-	-	-	1			Diseases of Urinary System -	49.5	43	1	-	4	9	9	13	2				
Remittent Fever -	0.4	1	-	1	-	-	-	-	-			Diseases of Generative System -	7.3	2	-	-	-	1	1	-	-				
Hydrophobia -	0.2	-	-	-	-	-	-	-	-			Accident of Childbirth -	5.5	5	-	-	1	4	-	-	-				
Glanders -	-	-	-	-	-	-	-	-	-			Diseases of Locomotive System -	7.5	4	-	2	1	-	1	-	-				
Cowpox and Effects of Vaccination -	0.1	-	-	-	-	-	-	-	-			Diseases of Integumentary System -	7.1	9	1	-	-	2	2	3	1				
Veneral Affections -	9.2	8	7	-	-	1	-	-	-			VIOLENT DEATHS.†													
Erysipelas -	7.1	3	1	-	-	-	1	1	-			(ACCIDENT.)													
Pyæmia and Septicæmia -	3.2	2	-	-	1	-	1	-	-			By Railways -		3	-	-	-	1	2	-	-				
Puerperal Fever -	6.9	1	-	-	-	1	-	-	-			By Vehicles or Horses -		6	-	-	-	1	3	2	-				
Other Zymotic Diseases -	1.5	1	1	-	-	-	-	-	-			In Ships, Boats, Docks (exclusive of Drowning) -		-	-	-	-	-	-	-	-				
Thrush -	1.3	-	-	-	-	-	-	-	-			In Building Operations -		1	-	-	-	-	1	-	-				
Worms and other Parasitical Diseases -	0.4	3	1	-	1	1	-	-	-			In Conflagrations -		-	-	-	-	-	-	-	-				
Starvation, Want of Breast-milk -	2.2	3	3	-	-	-	-	-	-			By Burns, Scalds, Explosions -	64.4	10	1	5	1	1	1	-	1				
Alcoholism -	8.3	7	-	-	-	2	4	1	-			By Drowning -		4	-	-	-	1	2	1	-				
Rheumatic Fever, Rheumatism of Heart -	8.8	-	-	-	-	2	-	2	-			By Suffocation in Bed -		13	13	-	-	-	-	-	-				
Rheumatism -	2.5	2	-	-	-	-	1	1	-			By Poisons or Poisonous Vapours -		3	1	-	-	1	1	-	-				
Gout -	3.8	2	-	-	-	-	-	2	-			Other or not stated Causes -		15	4	1	1	1	2	5	1				
Rickets -	3.4	2	1	1	-	-	-	-	-			(VIOLENCE OTHER THAN ACCIDENTAL.)													
Cancer -	61.2	65	-	1	1	4	30	23	1			Homicide -	1.5	-	-	-	-	-	-	-	-				
Tabs Mesenterica -	21.2	20	14	4	2	-	-	-	-			Suicide -	5.3	10	-	-	-	6	3	1	-				
Tubercular Meningitis -	22.5	17	7	6	3	1	-	-	-			Execution -	-	-	-	-	-	-	-	-	-				
Phthisis -	192.0	144	4	7	8	72	42	11	-			OTHER CAUSES -	65.2	55	49	4	-	-	1	1	-				
Serofula, Tuberculosis -	18.6	16	8	4	2	1	1	-	-																
Other Constitutional Diseases -	13.0	9	1	1	1	2	3	1	-																
Premature Birth -	43.8	37	37	-	-	-	-	-	-																
Atelactæsis -	4.9	7	7	-	-	-	-	-	-																
Congenital Malformations -	7.8	8	8	-	-	-	-	-	-																
Old Age -	69.3	47	-	-	-	-	-	10	37																
Apoplexy -	52.1	40	-	-	1	-	12	25	2																
Epilepsy -	9.2	6	-	-	2	2	1	1	-																
Convulsions -	46.9	33	27	3	-	-	-	-	-																
Other Diseases of Brain and Nervous System -	97.9	73	10	9	5	7	22	13	7																

* The numbers in this column are the average weekly Deaths for the ten years 1884-93, raised by 5.541 per cent for increase of population.

† Those cases of small-pox only are returned as "vaccinated" or as "unvaccinated" which are so certified by registers of medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident or negligence."

TABLE 5. LONDON.—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, during the Week ending

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1891.	Total Births.	Deaths of					Deaths from										Deaths in Public Institutions	Un- certified Causes of
			Total Deaths.	Infants under Year of Age.	Persons aged 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.				
LONDON	4,211,743	1950	1434	352	361	1	46	14	35	14	-	32	-	7	70	147	331		
WEST DISTRICTS	740,735	274	242	50	69	-	4	1	4	3	-	11	-	-	-	-	-		
NORTH DISTRICTS	993,884	423	235	70	82	-	1	4	14	5	-	7	-	3	20	35	75		
CENTRAL DISTRICTS	247,538	88	72	18	10	-	-	-	1	2	-	3	-	-	4	8	27		
EAST DISTRICTS	705,114	396	297	72	74	-	17	-	3	1	-	1	-	2	21	51	91		
SOUTH DISTRICTS	1,524,472	769	513	142	118	-	24	9	13	3	-	10	-	2	22	46	99		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRA- TION LONDON	-	-	25	-	8	1	-	-	-	-	-	-	-	-	-	-	26		
WEST DISTRICTS.																			
St. Mary Paddington WHH G.J. & W.M.	84150	39	35	9	9	-	1	-	1	1	-	3	-	-	-	-	5		
St. John Paddington H - G.J.	33937	4	15	1	6	-	-	-	-	-	-	-	-	-	-	-	6		
Kensington Town Ww - W.M.	116751	36	35	7	14	-	1	-	-	-	-	1	-	-	1	13	1		
Brompton H - W.M. & C.	47557	6	10	-	6	-	-	-	-	-	-	1	-	-	-	-	-		
St. Peter Hammersmith - W.M.	8533	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul Hammersmith H W.M. & G.J.	97639	31	36	9	8	-	1	-	2	1	-	2	-	-	-	-	8		
Fulham Ww - W.M. & C.	21787	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea Kensal Town - C.	41637	14	10	2	3	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North WHHHH - C.	89829	13	15	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea South HH - C.	23733	6	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-		
May Fair W - G.J.	34931	18	25	4	4	-	-	-	-	-	-	2	-	-	-	-	-		
Belgrave WHHH - C.	34105	15	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Westminster HHH - C.	21668	4	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Margaret Westminster H - C.	24995	7	10	1	5	-	-	-	-	-	-	1	-	-	-	-	-		
St. James Westminster WHH N.R. & G.J.	12317	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Anne Soho HHHHHH - N.R.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone } - W.M.	37713	8	10	1	3	-	-	-	-	-	-	-	-	-	-	1	6		
HHHHHHHHH } - G.J. & W.M.	20924	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Rectory Marylebone W - G.J. & W.M.	19239	32	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary Marylebone HHHH G.J. & W.M.	33327	9	8	4	3	-	-	-	-	-	-	-	-	-	2	3	-		
Christchurch Marylebone H - W.M.	32101	7	5	3	-	-	-	-	-	1	-	-	-	-	-	-	-		
St. John Marylebone H - W.M.	68416	19	22	4	4	-	-	2	4	-	-	-	-	-	-	-	12		
Hampstead WwHHHHH N.R. & W.M.	36590	11	10	5	3	-	-	-	-	-	-	-	-	-	-	1	-		
Regent's Park Pancras HH - W.M.	26331	9	14	4	5	-	-	-	-	-	-	1	-	-	2	2	7		
Tottenham-court WHHHH N.R. & W.M.	27435	12	13	3	5	-	-	-	1	-	-	-	-	-	1	3	6		
Gray's Inn Lane HHH - N.R.	32329	13	7	5	1	-	-	-	-	-	-	-	-	-	1	1	-		
Somers Town HH - N.R.	15419	11	11	2	6	-	-	-	-	-	-	-	-	1	1	1	7		
Camden Town WH - N.R.	95765	47	24	5	6	-	-	-	-	1	-	1	-	-	-	-	3		
Kentish Town W - N.R.	90235	32	30	3	10	-	-	-	-	-	-	-	-	1	3	6	15		
Upper Holloway WwHHH - N.R.	105557	53	22	11	4	-	-	-	1	1	-	-	-	-	2	4	-		
Islington South-west H - N.R.	64183	23	17	6	7	-	-	-	-	-	-	1	-	-	1	2	-		
Islington South-east - N.R.	59193	16	13	2	5	-	-	1	-	1	-	-	-	-	1	1	1		
Highbury HH - N.R.	39833	13	4	-	3	-	-	-	-	-	-	1	-	-	-	-	-		
Stoke Newington H - E.L.	17759	4	9	1	1	-	-	-	-	-	-	-	-	-	1	1	-		
Stamford Hill - N.R.	42902	13	11	1	3	-	-	-	1	-	-	1	-	-	1	1	-		
West Hackney H - N.R.	98486	60	35	5	10	-	-	1	6	-	-	2	-	-	3	5	16		
Hackney WwHHH - E.L. & N.R.	41759	20	14	5	1	-	1	-	-	-	-	-	-	-	2	3	1		
South Hackney w - E.L.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																			
St. George Bloomsbury - N.R.	12695	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles South WH - N.R.	13454	5	5	1	1	-	-	-	-	-	-	-	-	-	1	2	2		
St. Giles North H - N.R.	9638	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Martin-in-the-Fields HH N.R. & C.	14416	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	3		
St. Mary-le-Strand H - N.R.	5706	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Clement Danes WH - N.R.	7191	-	-	7	2	1	-	-	-	1	-	1	-	-	1	-	5		
Strand Union Workhouse, Edmonton w.	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3		
St. Geo.-the-Martyr HHHHHH N.R.	17921	7	5	1	-	-	-	-	1	-	-	-	-	-	-	-	3		
St. Andrew Eastern W - N.R.	15343	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. James Clerkenwell - N.R.	16803	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Amwell Clerkenwell - N.R.	16883	3	8	2	-	-	-	-	-	-	-	1	-	-	-	-	-		
Pentonville - N.R.	17155	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Goodwell-street - N.R.	15375	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
City-road HHHH - N.R.	29177	25	12	5	1	-	-	-	-	1	-	-	-	-	1	2	1		
Whitecross-street - N.R.	8278	5	4	-	2	-	-	-	-	-	-	-	-	-	-	1	3		
Flussbury - N.R.	4935	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, Mitcham w.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - N.R. & E.L.	8944	4	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Cripplegate - N.R.	4539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre H - N.R.	9441	1	11	3	1	-	-	-	-	-	-	1	-	-	-	-	9		
St. Bride W - N.R.	6591	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Andrew Barking - N.R.	10422	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Broad Street H - N.R.	3377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse; H—Hospital; L—Lunatic Asylum; L—Private Lunatic Asylum in which paupers are received; w—Workhouse Establishments receiving inmates from other Districts than that in which it stands. The Roman capitals signify the Water Companies which supply the different Sub-districts;—G. J. signifies Grand Junction Company; W. M. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. R. New River; E. L. East London; and K. the Kent Company.

* See note 1, on first page of this Return.

a The Registration sub-districts of Leather Market and St. Mary Magdalen were united on September 1st, 1904, under the name of Leather Market.

The Deaths registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Numbered Popu- lation, 1891.	Total Deaths.	Deaths of				Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Mens.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Simple con- tinued Fever.	Diarrhoea.	Violence.			
EAST DISTRICTS.																		
Shoreditch South	HL	E.L. & N.R.	20088	10	7	1	2	-	-	-	-	-	-	-	-	-	1	1
Toxtou New Town	W	- N.R.	23813	17	16	4	8	-	-	-	-	-	-	-	-	-	1	7
Toxtou Old Town	-	- N.R.	23854	14	8	3	-	-	-	-	-	-	-	-	-	-	1	-
Laggerston	WH	- N.R. & E.L.	46244	27	20	1	7	1	1	1	-	-	-	-	-	-	3	7
Methnal Green North	H	- E.L.	51820	30	16	4	4	-	-	-	-	-	-	-	-	2	4	-
Methnal Green South	-	- E.L.	33489	17	9	5	2	-	-	-	-	-	-	-	-	1	2	-
Methnal Green East	WHL	- E.L.	44123	13	24	2	13	-	1	-	-	-	-	-	-	3	10	-
Optfields	-	- E. & N.R.	22456	15	5	2	1	1	-	-	-	-	-	-	-	-	1	-
Hile End New Town	W	- E.L.	17908	16	11	3	2	-	-	-	-	-	-	-	-	-	4	6
Whitechapel Church	H	- E.L. & N.R.	20298	9	23	4	2	-	1	-	-	1	-	-	-	6	6	18
Woodman's Fields	-	- E.L.	13800	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-
St. George's, North	-	- E.L.	37738	30	8	1	-	-	-	-	-	-	-	-	-	1	1	-
St. John, St. George East	W	- E.L.	8087	12	5	2	1	-	-	-	-	-	-	-	-	-	2	-
Madwell	H	- E.L. & N.R.	40216	4	12	4	-	-	-	-	-	-	-	-	-	3	7	6
Matcliff	W	- E.L.	14028	6	2	1	-	-	-	-	-	-	-	-	-	2	2	-
Timehouse	-	- E.L.	32202	13	12	1	2	2	-	-	-	-	-	-	-	2	4	-
Hile End Old Town West	H	- E.L.	88650	29	12	3	3	-	-	-	-	-	-	-	-	-	-	-
Hile End Old Town East	W & H	- E.L.	69442	40	28	9	10	1	-	-	-	-	-	1	-	3	8	1
Low L	-	- E.L.	40265	23	7	3	1	-	-	-	-	-	-	-	-	1	4	2
Fromley	W & H	- E.L.	70000	40	42	10	9	5	-	-	-	-	-	-	1	1	4	15
Opplar	W	- E.L.	66888	33	23	8	3	7	-	-	-	-	-	1	1	3	1	-
SOUTH DISTRICTS.																		
Christchurch Southward	WH	L. & S.	18244	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southward	-	- S.	13913	12	4	3	1	-	-	-	-	-	-	-	-	-	-	-
St. Saviour	-	- S. & L.	21867	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour-road	WH	- S. & L.	16924	10	14	6	1	-	-	-	-	-	-	-	-	2	3	-
London-road	HL	- L. & S.	21221	4	5	2	1	-	-	-	-	-	-	-	-	1	1	-
Trinity Newington	-	- S. & L.	26596	16	8	4	1	-	-	-	-	-	-	-	-	1	1	1
St. Peter Walworth	W	- S. & L.	61342	42	18	4	9	-	-	-	-	-	-	-	-	2	4	-
St. Mary Newington	-	- L. & S.	57866	20	8	4	-	-	-	-	-	-	-	-	-	1	-	-
St. Olave	WH	- E.	12722	7	13	1	1	-	-	-	-	1	-	-	1	1	11	-
Weather Market	W	- S. & L.	30612	21	11	5	3	-	-	-	-	-	-	-	-	1	3	-
St. James Bermondsey	-	- S.	54070	30	20	6	6	-	-	-	-	-	-	-	-	1	1	1
Otherhithe	WH & W	- S. & K.	39255	29	8	2	3	-	-	-	-	-	-	-	-	1	1	-
Faterloo-road 1st	H	- L. & S.	14031	6	8	4	1	-	-	-	-	-	-	-	1	2	2	-
Faterloo-road 2nd	H	- L. & S.	14644	15	4	2	-	-	-	-	-	-	-	-	-	4	1	2
Lambeth Church 1st	H	- L. & S.	18075	10	18	5	1	-	-	-	-	2	-	-	3	4	12	-
Lambeth Church 2nd	W & W	- L. & S.	39097	15	10	4	3	-	-	-	-	-	-	-	3	4	3	-
Pennington 1st	H	- S. & L.	60586	33	18	8	6	-	-	-	-	-	-	1	1	2	-	1
Pennington 2nd	-	- S. & L.	39708	17	10	4	1	-	1	-	-	-	-	-	-	-	-	-
Printon	-	- L. & S.	73405	27	15	4	4	-	1	2	-	-	-	-	-	2	2	-
Primrose	WH	- L.	26657	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea	-	- S.	87244	31	13	5	3	-	-	-	-	-	-	-	-	3	-	-
West Battersea	W & H	- S.	83314	46	23	7	4	-	-	-	-	-	-	-	-	4	1	3
Wandsworth	H	- S.	43698	15	14	3	4	-	-	-	-	-	-	-	-	1	1	-
Wandsworth	WHL	- S.	46717	30	13	3	2	1	-	-	-	1	-	-	1	1	-	-
Wandsworth	WHL	- S.	17771	9	4	1	4	-	-	-	-	1	-	-	-	1	1	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2	3	3	1	-	-	1	1	6	-
Wandsworth	WHL	- L.	48759	10	22	4	1	7	2									

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 29th December, 1894.

Registration District and Sub-district (numbers).	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Number rated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unnatural Causes.	
LONDON—OUTER RING		368,746	1,422,063	637	383	104	86	-	5	4	6	3	10	5	15	30	29		
30:1	Carshalton WHH	12228	26108	11	7	2	2	-	1	-	-	-	1	-	1	1	-		
2	Epsom, part of* WHH	10423	12508	4	3	1	-	-	-	-	1	1	-	-	-	-	1		
37:1	Godstone, part of* WHH	754	1593	4	2	-	1	-	-	-	-	-	1	-	-	-	-		
181:1	Croydon WHH	20351	123699	53	21	4	6	-	-	-	-	-	-	-	2	5	1		
2	Mitcham W	11697	23038	8	6	3	2	-	-	-	-	-	-	1	-	-	-		
191:1	Wimbledon HHH	3220	25761	13	7	2	1	-	-	-	-	-	-	-	-	1	-		
2	Kingston WHH	8071	44765	21	11	4	3	-	-	-	-	-	-	-	-	-	1		
3	Esher, part of*	6601	12059	4	2	-	-	-	-	-	-	-	-	-	2	2	-		
4	Hampton H	4535	18252	9	7	3	-	-	1	-	-	-	-	-	1	1	-		
101:1	Richmond WH	2160	25339	17	3	1	2	-	-	-	-	-	-	-	-	-	1		
2	Mortlake H	2823	16159	8	8	2	3	-	-	-	-	-	-	-	-	-	-		
41:1	Bromley HHH	9127	23815	4	4	1	2	-	-	-	1	-	-	-	1	1	1		
2	Beckenham H	6542	21969	4	3	-	2	-	-	-	-	-	-	-	-	-	-		
	Chislehurst, pt. of* WHH	14307	20372	5	5	-	1	-	1	-	-	-	-	-	-	-	-		
42:1	Bexley HHH	12540	30599	9	12	5	4	-	-	-	-	-	-	-	-	3	-		
2	Dartford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124:1	Susbury W	11054	13671	5	6	1	1	-	-	-	-	-	-	-	-	-	-		
2	Staines W	18277	13221	1	8	-	1	-	-	3	-	-	-	-	-	-	2		
125:1	Hillingdon WHH	6035	12237	2	3	1	2	-	-	-	-	-	-	-	-	-	1		
2	Uxbridge	6172	5417	7	3	-	2	-	-	-	-	-	-	-	-	-	-		
3	Hayes WH	14537	13618	9	5	1	3	-	-	-	-	-	-	-	1	-	-		
196:1	Isleworth WHH	6967	26273	7	9	1	4	-	-	-	-	-	-	-	-	-	2		
2	Twickenham HH	2115	16027	9	2	-	-	-	-	-	-	-	1	-	-	-	2		
3	Brentford HHHH	4318	37777	12	7	1	-	-	-	-	-	-	-	-	-	1	-		
4	Chiswick	1245	21963	9	5	3	-	-	-	-	-	-	-	-	1	1	-		
5	Acton WH	6132	30945	19	9	2	3	-	-	-	-	-	-	-	-	-	1		
127:1	Harrow HHH	13800	15715	7	5	1	2	-	-	-	-	-	-	-	-	-	-		
2	Edgware HH	6994	3844	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willenham HHH	4383	61265	35	16	4	3	-	-	-	-	-	-	-	-	-	1		
4	Hendon W	8332	15843	14	5	2	-	-	-	-	-	-	-	-	-	1	2		
128:1	South Mimms	1559	8474	3	5	2	-	-	-	-	-	1	-	1	-	1	-		
2	Barnet WHH	5441	11773	5	1	-	-	-	-	-	-	-	-	-	-	-	-		
3	Finchley HHH	4638	25829	10	4	1	1	-	-	-	-	-	-	-	-	-	-		
129:1	Hornsey HH	3039	61097	23	16	1	4	-	-	-	-	-	1	-	-	2	-		
2	Tottenham H	4642	97174	48	27	6	6	-	-	-	-	3	-	-	-	1	1		
3	Edmonton WH	7489	36351	7	13	3	4	-	1	-	-	-	-	-	1	1	2		
4	Enfield WWHH	12639	31803	8	9	2	1	-	-	-	-	-	-	1	1	1	-		
5	Waltham Abbey	11017	6066	-	1	-	-	-	-	-	-	-	-	-	1	1	-		
6	Chesham H	8430	9620	5	3	2	-	-	-	-	-	-	-	-	1	-	-		
135:1	Hatfield, part of* W	3366	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137:1	Bushey H	9331	7737	4	5	-	2	-	-	-	-	-	-	-	-	-	-		
2	Watford Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
186:1	Stratford H	1100	42983	30	12	8	-	-	-	-	-	-	-	-	1	1	1		
2	Plaistow HHHH	1242	58030	30	19	8	2	-	1	-	1	-	1	1	-	2	-		
3	Canning Town H	1558	54750	32	11	5	-	-	-	-	-	1	-	-	-	-	1		
4	Forest Gate W	806	49140	20	13	3	1	-	-	-	1	-	1	-	-	-	2		
5	East Ham W	3266	32713	24	9	2	2	-	-	-	-	-	-	-	-	-	-		
6	Leyton WHH	4334	70183	25	22	6	7	-	1	-	-	-	-	-	-	1	8		
7	Walthamstow HHL	6501	57330	35	18	6	4	-	-	-	2	-	1	-	-	-	-		
187:1	Chigwell, part of* H	11779	12941	2	1	-	1	-	-	-	-	-	-	-	-	-	-		
2	Epping Work., pt. of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
189:1	Romford, part of* WHH	6556	4324	1	1	-	1	-	-	-	-	-	-	-	-	-	-		
2	Ilford	8493	10913	6	4	3	-	-	-	-	-	-	-	-	2	2	-		
3	Barking Town H	3814	14301	8	1	1	-	-	-	-	-	-	-	-	-	-	-		
	London Fov. Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Cane Hill Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which form the Outer Ring are as follows—30:1, Epsom sub-district, except the parishes of Ashstead and Hadley (pop. 1768); 37:1, the parishes of Warrington and Farley in Godstone sub-district; 39:3, Esher sub-district, except the parish of Esher (pop. 2232); 41:3, Chislehurst sub-district, except the parishes of Chislehurst, Chiswick, and Knockholt (pop. 3097); 135:1, the parish of Northaw in Hatfield sub-district; 137:1, Chigwell sub-district, except the parish of Thordon Bois (1079); 139:1, the parish of Dagenham in Romford sub-district; also deaths in Workhouses belonging to the Outer Ring in 42:3, Dartford, 137:3, Watford, and 137:2, Epping sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rate of MORTALITY during the Week ending Saturday, 29th December, 1894.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1894.	ANNUAL RATE of MORTALITY per 1000 living.		DEATHS from ALL CAUSES.	The DEATHS registered in the Week include												
			From All Causes.	From Diseases in Cols. 8-14.		Deaths of		Deaths from										Deaths in Public Institutions.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		
GREATER LONDON	443,421	5,948,300	15.9	1.6	1817	456	47	1	51	18	41	17	42	12	85	410		
INNER LONDON -	74,672	4,340,166	17.2	1.8	1434	352	331	1	46	14	35	14	32	7	70	381		
OUTER RING -	368,749	1,599,134	12.5	1.1	383	104	86	-	5	4	6	3	10	5	15	29		

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692,845 square miles, which is equivalent to the area of a circle having a radius of 14,351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoeal Diseases.	
EDINBURGH	270,583	December 29	132	90	17.3	1	4	1	-	1	-	2	3
GLASGOW	686,820	" 29	414	324	24.6	-	24	7	3	14	2	2	3
DUBLIN	349,594	" 29	133	170	25.4	10	-	2	-	3	3	3	3
CALCUTTA	466,400	November 3	-	-	-	-	-	-	-	-	-	-	-
BOMBAY	821,764	December 4	409	427	27.0	5	2	?	?	?	105	34	
MADRAS	452,518	November 23	380	342	39.3	-	-	?	?	?	125	53†	
PARIS	2,424,705	December 22	1121	938	20.1	-	1	3	8*	3	7	37	
BRUSSELS	498,400	" 22	241	208	21.7	-	22	-	2*	1	1	16	
AMSTERDAM	446,295	" 22	285	156	18.1	-	-	-	1	9	-	-	
ROTTERDAM	228,597	" 22	172	92	20.9	1	2	-	1	1	-	-	
THE HAGUE	174,790	" 22	115	63	18.7	-	-	-	1	-	-	-	
COPENHAGEN	341,000	" 22	184	109	16.7	-	2	-	1	-	1	3	
STOCKHOLM	252,937	" 15	114	111	22.8	-	10	1	10*	-	-	2	
CHRISTIANIA	167,588	" 22	43	42	13.0	-	-	-	1	-	-	1	
ST. PETERSBURG	954,400	" 8	785	386	21.2	-	1	19	20	10	9	32	
MOSCOW	753,469	" 8	-	431	29.8	3	-	13	22	3	-	37	
BERLIN	1,714,938	" 8	882	536	16.2	-	6	16	26	5	2	18	
HAMBURG	598,372	" 22	-	183	15.9	-	-	3	6*	2	-	6	
DRESDEN	312,772	" 1	-	103	16.9	-	-	-	7*	1	2	1	
REESLAU	360,660	" 22	-	183	26.4	-	2	4	4*	-	-	9	
MUNICH	390,000	" 22	-	147	19.6	-	3	2	7*	3	-	14	
VIENNA	1,465,537	" 22	877	656	23.3	-	33	9	27*	-	3	38	
PRAGUE	339,172	" 15	209	146	22.1	-	-	2	2	-	-	1	
BUDA-PESTH	552,769	" 15	346	263	24.7	-	3	7	3	-	1	15	
TRIESTE	159,739	" 8	98	102	33.2	-	-	2	14*	4	3	7	
ROME	455,678	November 24	236	156	17.8	-	1	-	1	-	4†	17	
TURIN (10 days)	337,997	December 10	222	180	19.4	-	-	-	-	1	3	5	
VENICE	160,406	" 8	73	63	20.8	-	-	-	-	-	-	1	
CAIRO	374,838	" 6	485	286	59.7	-	-	-	3*	-	4	85	
ALEXANDRIA	231,396	" 6	252	131	29.4	-	-	-	2*	-	3	40	
NEW YORK	1,925,569	" 15	-	672	17.6	-	2	10	42	2	3	9	
BROOKLYN	1,043,000	" 15	-	327	15.8	1	1	1	34	2	3	3	
PHILADELPHIA	1,189,457	" 15	-	420	19.2	-	-	-	48	3	7	2	
NEW ORLEANS	254,000	November 24	-	143	29.4	-	-	-	5	2	9	11	

* Including deaths from croup.

† Including one death from cholera in Madras.

‡ Including one death from malarial fever.

[Under the Superintendence of the Astronomer Royal.]

1894.	Phases of the Moon.	TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a Glass whose surface is 9 inches above the ground.	Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		Of the Air.					Difference between the Air Temperature and Dew Point Temperature.					Of Radiation.					Of the Earth 3 feet below the Surface.					General Direction.					Pressure on the Square Foot.							Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		High-est.		Low-est.		Daily Range.		Mean Range.		De-crease from Average of 30 years.		Mean daily value.		Great-est.		Least.		Highest in Sun's Rays.		Lowest on Grass.		Of the Earth 3 feet below the Surface.		A.M.		P.M.		Great-est.		Mean hourly obs.				Horizontal Movement of the Air on each Day.		Depar-ture from Average of 16 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°			°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

GENERAL REMARKS.

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sun above Horizon, in hours.		Sun above Horizon, in hours.	
		0.3	7.7	0.0	7.7
SUNDAY	s. P. generally.	0.3	7.7	0.0	7.7
MONDAY	w. P. generally.	0.0	7.7	0.0	7.7
TUESDAY	w. P. in morning; s. P. afterwards.	0.0	7.7	0.0	7.7
WEDNESDAY	v. P. generally.	0.0	7.8	0.0	7.8
THURSDAY	s. P. generally.	0.4	7.8	0.0	7.8
FRIDAY	s. P. till noon; m. P. afterwards.	1.0	7.8	0.0	7.8
SATURDAY	s. P. and s. N. generally.	0.0	7.8	0.0	7.8
Sum		1.7	Sum 54.3		

The results apply to the civil day, or from midnight to midnight. The height of the column of the barometer is 100 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. The observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading the columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: +, P. positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the approximate duration of bright sunshine on each day.

The reading of the barometer increased from 29.57 in. at the beginning of the week to 30.41 in. by noon on the 23rd; decreased to 29.91 in. by 5h. A.M. on the 24th; increased to 30.43 in. by 8h. P.M. on the 25th; decreased to 30.30 in. by 5h. P.M. on the 26th; increased to 30.43 in. by 10h. P.M. on the 27th; decreased to 29.18 in. by noon on the 28th; and was 29.20 in. by the end of the week.